

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/13/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000A	0100	INCT1100001	11111	9.00 12.00		7	1,368	210 15 00000	
4	000A	0101	DRFT1120001	11111	8.00 15.00		4	975	210 14 00000	
4	000A	0101	DRFT1120007	11111	9.00 15.00	1	1	975	210 14 00000	
	000A	0101	DRFT1110003	11111	12.00 15.00	1	1	975	210 14 00000	
	000A	0103	DRFT2993001	11111	8.00 11.00		1	1,346	210 36 00000	
4	000A	0103	CADD1210001	11111	8.00 15.00	1	3	1,346	210 36 00000	
4	000A	0103	CADD2300001	11111	8.00 15.00	1	1	1,346	210 36 00000	
4	000A	0103	CADD2310001	11111	8.00 15.00	1	5	1,346	210 36 00000	
4	000A	0103	DRFT1130001	11111	8.00 15.00	1	1	1,346	210 36 00000	
4	000A	0103	DRFT1140001	11111	8.00 15.00	1	2	1,346	210 36 00000	
4	000A	0103	DRFT1150001	11111	8.00 15.00	1	4	1,346	210 36 00000	
4	000A	0103	DRFT1161001	11111	8.00 15.00	1	4	1,346	210 36 00000	
4	000A	0103	DRFT1210001	11111	8.00 15.00	1	2	1,346	210 36 00000	
4	000A	0103	DRFT1220001	11111	8.00 15.00	1	2	1,346	210 36 00000	
4	000A	0103	DRFT1230001	11111	8.00 15.00	1	3	1,346	210 36 00000	
4	000A	0103	DRFT2310001	11111	8.00 15.00	1	4	1,346	210 36 00000	
4	000A	0103	DRFT2320001	11111	8.00 15.00	1	3	1,346	210 36 00000	
4	000A	0103	DRFT2330001	11111	8.00 15.00	1	4	1,346	210 36 00000	
4	000A	0103	DRFT2411001	11111	8.00 15.00	1	1	1,346	210 36 00000	
4	000A	0103	DRFT2421001	11111	8.00 15.00	1	5	1,346	210 36 00000	
4	000A	0103	DRFT2431001	11111	8.00 15.00	1	2	1,346	210 36 00000	
4	000A	0103	DRFT2441001	11111	8.00 15.00	1	2	1,346	210 36 00000	
4	000A	0103	DRFT2461001	11111	8.00 15.00	1	3	1,346	210 36 00000	
4	000A	0103	DRFT2511001	11111	8.00 15.00	1	1	1,346	210 36 00000	
4	000A	0103	DRFT2531003	11111	8.00 15.00	1	1	1,346	210 36 00000	
4	8	000A	0103	DRFT2451001	11111	8.00 16.00	1	1	1,346	210 36 00000
4	8	000A	0103	CADD1210007	11111	9.00 15.00	1	3	1,346	210 36 00000
4	8	000A	0103	DRFT1140007	11111	9.00 15.00	1	3	1,346	210 36 00000
4	8	000A	0103	DRFT1150007	11111	9.00 15.00	1	3	1,346	210 36 00000
4	8	000A	0103	DRFT1160001	11111	9.00 15.00	1	2	1,346	210 36 00000
4	8	000A	0103	DRFT1161007	11111	9.00 15.00	1	1	1,346	210 36 00000
	8	000A	0103	CADD1210003	11111	12.00 15.00	1	1	1,346	210 36 00000
		000A	0103	CADD1210B91	111	16.00 21.00		2	1,346	210 36 00000
		000A	0103	CADD2300B91	111	16.00 21.00	1	1	1,346	210 36 00000
		000A	0103	CADD2310B91	111	16.00 21.00	1	2	1,346	210 36 00000
		000A	0103	DRFT2310B91	111	16.00 21.00	1	1	1,346	210 36 00000
		000A	0103	DRFT2320B91	111	16.00 21.00	1	1	1,346	210 36 00000
		000A	0103	DRFT2330B91	111	16.00 21.00	1	1	1,346	210 36 00000
		000A	0103	DRFT2461B91	111	16.00 21.00	1	1	1,346	210 36 00000
		000A	0104	OSYS1100001	1111	8.00 9.00		3	1,325	210 20 00000
		000A	0104	INCT1900001	1111	9.00 10.30		5	1,325	210 20 00000
		000A	0104	INCT2996001	111	12.00 13.00		4	1,325	210 20 00000
		000A	0104	ISYS1400001	111	12.00 13.00	1	3	1,325	210 20 00000
		000A	0104	CPTR1010B91	1111	13.00 14.30		16	1,325	210 20 00000
4		000A	0107	HNUR1211002	11111	8.00 15.00		21	649	110 22 00000
		000A	0108	HNUR2723002	111	8.00 9.30		21	557	110 25 00000
	8	000A	0108	HNUR1211001	11111	8.00 11.00	1	27	557	110 25 00000
		000A	0108	HNUR1361001	111	12.00 13.30		30	557	110 25 00000
		000A	0108	HNUR1320001	11111	13.30 15.00		19	557	110 25 00000
		000A	0108	HNUR2523001	11	15.30 17.00		19	557	110 25 00000
		000A	0108	HNUR2133001	11	17.00 18.30		20	557	110 25 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/13/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	000A	0108	HNUR2723001	11	19.00 20.30		19	557	110 25 00000
	000A	0108	HNUR2813001	11	20.30 22.00		20	557	110 25 00000
	000A	0109	HNUR2123001	111	9.30 11.30		24	920	110 36 00000
	000A	0109	ELEC2991001	1 1	18.00 21.00		19	920	110 36 00000
	000A	0224	HNUR1300001	111	12.00 14.00		47	1,681	110 50 00000
	000A	0224	ELEC2991006	1 1	18.00 21.00		19	1,681	110 50 00000
	000A	0225	DVEN0092001	111111	8.00 9.00		1	875	210 29 00000
	000A	0225	DVMA0090001	111111	8.00 9.00	1	7	875	210 29 00000
	000A	0225	DVMA0091001	111111	8.00 9.00	1	3	875	210 29 00000
	000A	0225	DVMA0092001	111111	8.00 9.00	1	2	875	210 29 00000
	000A	0225	DVRE0090001	111111	8.00 9.00	1	1	875	210 29 00000
	000A	0225	DVRE0091001	111111	8.00 9.00	1	2	875	210 29 00000
	000A	0225	AHRE1000001	111	8.00 9.30	1	1	875	210 29 00000
4	000A	0225	DVMA0092010	1111	8.00 15.00	1	1	875	210 29 00000
	000A	0225	DVEN0091002	111111	9.00 10.00	1	2	875	210 29 00000
	000A	0225	DVMA0090002	111111	9.00 10.00	1	1	875	210 29 00000
	000A	0225	DVRE0091002	111111	9.00 10.00	1	2	875	210 29 00000
	000A	0225	AHMA1000002	111	9.30 11.00	1	4	875	210 29 00000
	000A	0225	AHRE1000002	111	9.30 11.00	1	4	875	210 29 00000
	000A	0225	DVEN0090003	111111	10.00 11.00	1	1	875	210 29 00000
	000A	0225	DVEN0091003	111111	10.00 11.00	1	3	875	210 29 00000
	000A	0225	DVEN0092003	111111	10.00 11.00	1	5	875	210 29 00000
	000A	0225	DVMA0090003	111111	10.00 11.00	1	4	875	210 29 00000
8	000A	0225	DVMA0091003	111111	10.00 11.00	1	3	875	210 29 00000
8	000A	0225	DVMA0092003	111111	10.00 11.00	1	1	875	210 29 00000
8	000A	0225	DVRE0091003	111111	10.00 11.00	1	3	875	210 29 00000
8	000A	0225	AHRE1000004	11	10.30 12.00	1	1	875	210 29 00000
8	000A	0225	DVEN0090004	111111	11.00 12.00	1	1	875	210 29 00000
8	000A	0225	DVEN0091004	111111	11.00 12.00	1	1	875	210 29 00000
8	000A	0225	DVMA0090004	111111	11.00 12.00	1	7	875	210 29 00000
8	000A	0225	DVMA0091004	111111	11.00 12.00	1	1	875	210 29 00000
8	000A	0225	DVMA0092004	111111	11.00 12.00	1	5	875	210 29 00000
8	000A	0225	DVRE0090004	111111	11.00 12.00	1	2	875	210 29 00000
8	000A	0225	DVRE0091004	111111	11.00 12.00	1	2	875	210 29 00000
8	000A	0225	DVRE0092004	111111	11.00 12.00	1	1	875	210 29 00000
	000A	0225	DVEN0090005	111111	12.00 13.00		2	875	210 29 00000
	000A	0225	DVMA0090005	111111	12.00 13.00	1	2	875	210 29 00000
	000A	0225	DVMA0092005	111111	12.00 13.00	1	1	875	210 29 00000
	000A	0225	DVRE0090005	111111	12.00 13.00	1	2	875	210 29 00000
	000A	0225	DVRE0091005	111111	12.00 13.00	1	2	875	210 29 00000
	000A	0225	DVRE0092004	111111	12.00 13.00	1	2	875	210 29 00000
	000A	0225	DVRE0090006	111111	13.00 14.00		1	875	210 29 00000
	000A	0225	DVRE0091006	111111	13.00 14.00	1	1	875	210 29 00000
	000A	0225	DVEN0090007	111111	14.00 15.00		2	875	210 29 00000
	000A	0225	DVEN0091007	111111	14.00 15.00	1	1	875	210 29 00000
	000A	0225	DVEN0092007	111111	14.00 15.00	1	1	875	210 29 00000
	000A	0225	DVMA0090007	111111	14.00 15.00	1	2	875	210 29 00000
	000A	0225	DVMA0092007	111111	14.00 15.00	1	2	875	210 29 00000
	000A	0225	DVRE0090007	111111	14.00 15.00	1	1	875	210 29 00000
	000A	0225	DVRE0091007	111111	14.00 15.00	1	2	875	210 29 00000
	000A	0225	DVRE0092007	111111	14.00 15.00	1	2	875	210 29 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/13/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000A	0225	DVEN0090008	11111	15.00 16.00		1	875	210 29	00000
	000A	0225	DVEN0091008	11111	15.00 16.00	1	3	875	210 29	00000
	000A	0225	DVEN0092008	11111	15.00 16.00	1	2	875	210 29	00000
	000A	0225	DVMA0090008	11111	15.00 16.00	1	13	875	210 29	00000
	000A	0225	DVMA0091008	11111	15.00 16.00	1	4	875	210 29	00000
	000A	0225	DVMA0092008	11111	15.00 16.00	1	6	875	210 29	00000
	000A	0225	DVRE0090008	11111	15.00 16.00	1	2	875	210 29	00000
	000A	0225	DVRE0091008	11111	15.00 16.00	1	5	875	210 29	00000
	000A	0237	DVEN0090997	11111	8.00 9.00		12	691	110 15	00000
	000A	0237	DVEN0091997	11111	9.00 10.00		12	691	110 15	00000
	000A	0237	DVEN0092997	11111	10.00 11.00		12	691	110 15	00000
	000A	0237	DVMA0090997	11111	12.00 13.00		12	691	110 15	00000
	000A	0237	DVMA0091997	11111	13.00 14.00		12	691	110 15	00000
	000A	0237	DVMA0092997	11111	14.00 15.00		12	691	110 15	00000
	000A	0237	ELEC2991005	1 1	18.00 21.00		10	691	110 15	00000
	000A	0241	ELEC2991002	1 1	18.00 21.00		21	656	110 28	00000
	000A	0244	ACCT1200001	11111	8.00 10.00		17	701	110 24	00000
	000A	0244	BUSM1050001	11111	11.00 12.00		14	701	110 24	00000
	000A	0244	OSYS1250001	111	12.00 13.00		11	701	110 24	00000
	000A	0244	ELEC2991003	1 1	18.00 21.00		9	701	110 24	00000
	000A	0245	CSRV1000001	111	13.00 14.00		12	685	110 30	00000
	000A	0245	BUSE1030001	111	14.00 15.00		3	685	110 30	00000
	000A	0245	BOTH1240C91	1	18.00 20.00		17	685	110 30	00000
	000A	0246	BOTH1300001	111	8.00 9.00		8	822	210 20	00000
	000A	0246	JOBS2450001	1	8.00 10.00		9	822	210 20	00000
	000A	0246	BOTH1120001	111	9.00 10.00		24	822	210 20	00000
	000A	0246	BUSE1045001	111	10.00 11.00		12	822	210 20	00000
	000A	0246	KYBD1111001	11111	12.00 13.00		15	822	210 20	00000
8	000A	0246	KYBD1010001	11111	12.00 15.00	1	18	822	210 20	00000
8	000A	0246	KYBD1000001	11111	12.00 15.00	1	10	822	210 20	00000
	000A	0246	JOBS2450002	11	15.00 16.00		25	822	210 20	00000
	000A	0247	BOTH1210001	111	8.00 9.00		4	812	210 25	00000
	000A	0247	BOTH2110001	111	9.00 10.00		3	812	210 25	00000
	000A	0247	BOTL1300001	111	9.00 10.00	1	2	812	210 25	00000
	000A	0247	BUSI1000001	111	9.00 10.00	1	1	812	210 25	00000
	000A	0247	BOTH1210002	111	10.00 11.00		3	812	210 25	00000
	000A	0247	MACH1350001	111	10.00 11.00	1	4	812	210 25	00000
	000A	0247	INCT2010001	11111	15.00 16.00		4	812	210 25	00000
	000A	0247	BOTH2110002	1	16.00 19.00		1	812	210 25	00000
	000A	0247	BOTH2110003	1	16.00 19.00		1	812	210 25	00000
	000A	0247	MACH1350002	1	16.00 19.00	1	3	812	210 25	00000
	000A	0247	BOTH1230001	1	18.00 21.00		14	812	210 25	00000
	000A	0248	INCT1210001	11111	8.00 9.00		7	596	210 20	00000
8	000A	0248	ORNT1000B91	11111	9.00 10.30	1	96	596	210 20	00000
	000A	0248	CPTR1310001	1111	11.00 12.00		5	596	210 20	00000
	000A	0248	CPTR1320001	1111	11.00 12.00	1	2	596	210 20	00000
	000A	0248	ISYS1650001	1111	11.00 12.00	1	2	596	210 20	00000
	000A	0248	CPTR1000001	111	11.00 12.00	1	7	596	210 20	00000
	000A	0248	ISYS1440001	1111	11.00 12.30	1	1	596	210 20	00000
	000A	0248	ISYS1650002	1111	12.00 13.00	1	3	596	210 20	00000
	000A	0248	CPTR1000002	111	12.00 13.00	1	2	596	210 20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/13/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
	000A	0248	ISYS1440002	1111	12.00 13.30	1	2	596	210	20	00000
	000A	0248	CPTR1310003	1111	13.00 14.00	1	3	596	210	20	00000
	000A	0248	CPTR1000003	111	13.00 14.00	1	1	596	210	20	00000
8	000A	0248	CPTR1320003	1111	13.00 14.30	1	3	596	210	20	00000
8	000A	0248	ISYS1440003	1111	13.00 14.30	1	3	596	210	20	00000
8	000A	0248	CPTR1600004	1111	14.00 15.00	1	1	596	210	20	00000
8	000A	0248	CPTR1000004	111	14.00 15.00	1	3	596	210	20	00000
8	000A	0248	CPTR1320004	1111	14.00 15.30	1	1	596	210	20	00000
8	000A	0248	CPTR1310005	1111	15.00 16.00	1	1	596	210	20	00000
8	000A	0248	CPTR2650005	1111	15.00 16.00	1	1	596	210	20	00000
8	000A	0248	CPTR1000005	111	15.00 16.00	1	17	596	210	20	00000
8	000A	0248	CPTR1320005	1111	15.00 16.30	1	4	596	210	20	00000
8	000A	0248	CPTR1310006	1111	16.00 17.00	1	1	596	210	20	00000
8	000A	0248	ISYS1650006	1111	16.00 17.00	1	1	596	210	20	00000
8	000A	0248	CPTR1000006	111	16.00 17.00	1	10	596	210	20	00000
8	000A	0248	CPTR1320006	1111	16.00 17.30	1	4	596	210	20	00000
8	000A	0248	ISYS1440006	1111	16.00 17.30	1	1	596	210	20	00000
	000A	0248	CPTR1000008	111	18.00 19.00		15	596	210	20	00000
	000A	0248	CPTR1000009	111	19.00 20.00		18	596	210	20	00000
	000A	0250	DVEN0090999	111111	8.00 9.00		20	521	110	24	00000
	000A	0250	DVEN0091999	111111	9.00 10.00		20	521	110	24	00000
	000A	0250	DVEN0092999	111111	10.00 11.00		20	521	110	24	00000
	000A	0250	DVMA0090999	111111	12.00 13.00		20	521	110	24	00000
	000A	0250	DVMA0091999	111111	13.00 14.00		20	521	110	24	00000
	000A	0250	DVMA0092999	111111	14.00 15.00		20	521	110	24	00000
	000A	0250	DVRE0090999	1111	17.00 19.30		10	521	110	24	00000
	000A	0250	DVRE0091999	1111	18.00 19.30	1	10	521	110	24	00000
	000A	0254	DVRE0090998	111111	8.00 9.00		12	448	110	14	00000
	000A	0254	DVRE0090998	111111	9.00 10.00		12	448	110	14	00000
	000A	0254	DVRE0091998	111111	10.00 11.00		12	448	110	14	00000
	000A	0254	DVRE0091998	111111	12.00 13.00		12	448	110	14	00000
	000A	0254	DVRE0092998	111111	13.00 14.00		12	448	110	14	00000
	000A	0254	DVRE0092998	111111	14.00 15.00		12	448	110	14	00000
	000A	0254	ELEC2991004	1 1	18.00 21.00		10	448	110	14	00000
	000B	0100	AUTO1700001	111111	8.00 12.00		12	800	210	30	00000
4	000B	0100	AUTO1100001	111111	8.00 15.00	1	18	800	210	30	00000
	8	000B	AUTO1700002	111111	12.00 15.00	1	16	800	210	30	00000
4	000B	0106	CTDP1211001	111111	8.00 15.00		5	7,947	210	15	00000
4	000C	0102	BARB1410001	111111	8.00 15.00		10	494	210	10	00000
4	000C	0107	BARB1441002	111111	8.00 15.00		19	567	210	30	00000
	000C	0118A	WELD2991001	11	17.00 21.00		8	1,122	210	30	00000
	000C	0118A	WELD2991002	11	17.00 21.00	1	4	1,122	210	30	00000
	000C	0118A	WELD2991004	11	17.00 21.00	1	6	1,122	210	30	00000
	000C	0118A	WELD2991005	11	17.00 21.00	1	3	1,122	210	30	00000
	000C	0118B	HEMS1120001	1 1	17.00 22.00		20	2,588	210	30	00000
4	000D	0101	ELEC2600001	111111	8.00 15.00		2	603	210	25	00000
4	000D	0101	IDEL2620001	111111	8.00 15.00	1	1	603	210	25	00000
4	000D	0101	IMMT1430001	111111	8.00 15.00	1	1	603	210	25	00000
4	000D	0101	IMMT1441001	111111	8.00 15.00	1	1	603	210	25	00000
4	000D	0101	INST1110001	111111	8.00 15.00	1	2	603	210	25	00000
4	000D	0101	INST1330001	111111	8.00 15.00	1	2	603	210	25	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/13/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	000D 0101	INST1410001	11111	8.00 15.00	1	4	603	210 25	00000
4	000D 0101	INST1420001	11111	8.00 15.00	1	5	603	210 25	00000
4	000D 0101	INST1430001	11111	8.00 15.00	1	5	603	210 25	00000
4	000D 0101	INST2610001	11111	8.00 15.00	1	4	603	210 25	00000
	000D 0101	IDEL2620002	1111	16.00 20.00		1	603	210 25	00000
	000D 0101	INST1110002	1111	16.00 20.00	1	2	603	210 25	00000
	000D 0101	INST1330002	1111	16.00 20.00	1	5	603	210 25	00000
	000D 0101	INST1410002	1111	16.00 20.00	1	3	603	210 25	00000
	000D 0101	INST1420002	1111	16.00 20.00	1	4	603	210 25	00000
	000D 0101	INST1430002	1111	16.00 20.00	1	6	603	210 25	00000
	000D 0101	INST2610002	1111	16.00 20.00	1	8	603	210 25	00000
4	000D 0103	ELTR2800001	11111	8.00 15.00		5	1,593	210 30	00000
4	000D 0103	ELTR2840001	11111	8.00 15.00	1	4	1,593	210 30	00000
4	000D 0103	ETRN1120001	11111	8.00 15.00	1	9	1,593	210 30	00000
4	000D 0103	ETRN1130001	11111	8.00 15.00	1	9	1,593	210 30	00000
4	000D 0103	ETRN1210001	11111	8.00 15.00	1	10	1,593	210 30	00000
	000D 0103	CPTR2830002	1111	16.00 20.00		1	1,593	210 30	00000
	000D 0103	ETLR2800002	1111	16.00 20.00	1	2	1,593	210 30	00000
	000D 0103	ETLR2840002	1111	16.00 20.00	1	1	1,593	210 30	00000
	000D 0103	ETRN1130002	1111	16.00 20.00	1	12	1,593	210 30	00000
	000D 0103	ETRN1210002	1111	16.00 20.00	1	14	1,593	210 30	00000
	000D 0103	ETRN1120002	1111	16.00 21.00	1	10	1,593	210 30	00000
4	000D 0104	WELD1110001	11111	8.00 15.00		22	511	110 24	00000
	000D 0104	WELD1140001	11111	12.00 15.00	1	9	511	110 24	00000
	000D 0104	WELD1110003	1111	16.00 20.00		2	511	110 24	00000
	000D 0104	WELD1120003	1111	16.00 20.00	1	5	511	110 24	00000
	000D 0104	WELD1130003	1111	16.00 20.00	1	2	511	110 24	00000
	000D 0104	WELD1140003	1111	16.00 20.00	1	3	511	110 24	00000
	000D 0104	WELD1510001	1111	16.00 20.00	1	4	511	110 24	00000
4	000D 0105	WELD1210001	11111	8.00 15.00		20	3,964	210 28	00000
4	000D 0105	WELD1310001	11111	8.00 15.00	1	14	3,964	210 28	00000
4	8 000D 0105	WELD1411001	11111	8.00 15.00	1	13	3,964	210 28	00000
	000D 0105	WELD1210003	1111	16.00 20.00		2	3,964	210 28	00000
	000D 0105	WELD1310003	1111	16.00 20.00	1	2	3,964	210 28	00000
	000D 0105	WELD1410003	1111	16.00 20.00	1	2	3,964	210 28	00000
	000D 0105	WELD1411003	1111	16.00 20.00	1	1	3,964	210 28	00000
4	000D 0106	WELD1412001	11111	8.00 15.00		14	1,717	210 12	00000
	000D 0106	WELD1420003	1111	16.00 20.00		1	1,717	210 12	00000
	000D 0106	WELD1512003	1111	16.00 20.00	1	2	1,717	210 12	00000
	000D 0106	WELD2110003	1111	16.00 20.00	1	2	1,717	210 12	00000
	000D 0106	WELD2111003	1111	16.00 20.00	1	2	1,717	210 12	00000
	000D 0106	WELD2210003	1111	16.00 20.00	1	2	1,717	210 12	00000
	000D 0106	WELD2991003	11	17.00 21.00	1	5	1,717	210 12	00000
4	000D 0108	CNCS1000001	11111	8.00 15.00		4	2,695	210 30	00000
4	000D 0108	CNCS1010001	11111	8.00 15.00	1	4	2,695	210 30	00000
4	000D 0108	CNCS1020001	11111	8.00 15.00	1	4	2,695	210 30	00000
4	000D 0108	CNCS1030001	11111	8.00 15.00	1	4	2,695	210 30	00000
4	000D 0108	CNCS1040001	11111	8.00 15.00	1	2	2,695	210 30	00000
4	000D 0108	CNCS1140001	11111	8.00 15.00	1	2	2,695	210 30	00000
4	000D 0109	IMMT1110001	11111	8.00 15.00		5	2,438	210 30	00000
4	000D 0109	IMMT1121001	11111	8.00 15.00	1	5	2,438	210 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/13/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 6

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	000D 0109	IMMT1210001	11111	8.00 15.00	1	7	2,438	210 30	00000
4	000D 0109	IMMT1220001	11111	8.00 15.00	1	3	2,438	210 30	00000
4	000D 0109	IMMT1221001	11111	8.00 15.00	1	3	2,438	210 30	00000
4	000D 0109	IMMT1230001	11111	8.00 15.00	1	3	2,438	210 30	00000
4	000D 0109	IMMT1231001	11111	8.00 15.00	1	3	2,438	210 30	00000
4	000D 0109	IMMT1311001	11111	8.00 15.00	1	6	2,438	210 30	00000
4	000D 0110	IMMT1120001	11111	8.00 15.00		4	408	210 10	00000
4	000D 0111	HACR1150001	11111	8.00 15.00		13	2,340	210 30	00000
4	000D 0111	HACR1160001	11111	8.00 15.00	1	14	2,340	210 30	00000
4	000D 0111	HACR1170B91	11111	8.00 15.00	1	8	2,340	210 30	00000
4	000D 0111	HACR1210B91	11111	8.00 15.00	1	2	2,340	210 30	00000
4	000D 0111	HACR1210B92	11111	8.00 15.00	1	3	2,340	210 30	00000
4	000D 0111	HACR1210B93	11111	8.00 15.00	1	2	2,340	210 30	00000
4	000D 0111	HACR1220B91	11111	8.00 15.00	1	3	2,340	210 30	00000
4	8 000D 0111	HACR1220B92	11111	8.00 15.00	1	2	2,340	210 30	00000
4	8 000D 0111	HACR1230B91	11111	8.00 15.00	1	3	2,340	210 30	00000
4	8 000D 0111	HACR1230B92	11111	8.00 15.00	1	2	2,340	210 30	00000
4	8 000D 0111	HACR1240B91	11111	8.00 15.00	1	2	2,340	210 30	00000
4	8 000D 0111	HACR1240B92	11111	8.00 15.00	1	3	2,340	210 30	00000
4	8 000D 0111	HACR1410B92	11111	8.00 15.00	1	3	2,340	210 30	00000
4	8 000D 0111	HACR1420B92	11111	8.00 15.00	1	3	2,340	210 30	00000
4	8 000D 0111	HACR2510B91	11111	8.00 15.00	1	2	2,340	210 30	00000
4	8 000D 0111	HACR2510B92	11111	8.00 15.00	1	4	2,340	210 30	00000
4	8 000D 0111	HACR2520B91	11111	8.00 15.00	1	4	2,340	210 30	00000
4	8 000D 0111	HACR2520B92	11111	8.00 15.00	1	1	2,340	210 30	00000
4	8 000D 0111	HACR2530B91	11111	8.00 15.00	1	8	2,340	210 30	00000
4	8 000D 0111	HACR2530B92	11111	8.00 15.00	1	1	2,340	210 30	00000
4	8 000D 0111	HACR2540B91	11111	8.00 15.00	1	8	2,340	210 30	00000
4	8 000D 0111	HACR2550B91	11111	8.00 15.00	1	7	2,340	210 30	00000
4	8 000D 0111	HACR2560B91	11111	8.00 15.00	1	6	2,340	210 30	00000
4	8 000D 0111	HACR2991B91	11111	8.00 15.00	1	2	2,340	210 30	00000
4	8 000D 0111	HACR2993B91	11111	8.00 15.00	1	2	2,340	210 30	00000
4	8 000D 0111	HACR2995B91	11111	8.00 15.00	1	8	2,340	210 30	00000
4	8 000D 0111	HACR2996B91	11111	8.00 15.00	1	2	2,340	210 30	00000
4	8 000D 0111	HACR2997B91	11111	8.00 15.00	1	2	2,340	210 30	00000
4	8 000D 0111	HACR2999B91	11111	8.00 15.00	1	2	2,340	210 30	00000
4	8 000D 0111	JOBS2450002	11111	8.00 15.00	1	7	2,340	210 30	00000
	8 000D 0111	HACR1170B92	11111	12.00 15.00	1	2	2,340	210 30	00000
	8 000D 0111	HACR1170B94	11111	12.00 15.00	1	2	2,340	210 30	00000
4	000D 0112	ELEC1120001	11111	8.00 15.00		9	2,390	210 30	00000
4	000D 0112	ELEC1210001	11111	8.00 15.00	1	12	2,390	210 30	00000
4	000D 0112	ELEC1220001	11111	8.00 15.00	1	4	2,390	210 30	00000
4	000D 0112	ELEC1230001	11111	8.00 15.00	1	3	2,390	210 30	00000
4	000D 0112	ELEC1330001	11111	8.00 15.00	1	3	2,390	210 30	00000
4	000D 0112	ELEC1210003	11111	12.00 15.00	1	3	2,390	210 30	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 104

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 64
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 168

TOTAL NUMBER OF RECORDS READ 300
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 300
NUMBER OF JOINT-CLASS RECORDS 207
NUMBER OF ALTERNATE WEEKS RECORDS
NUMBER OF DIFFERENT TIMES RECORDS
NUMBER OF INCONSISTENT RECORDS

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-DELTA OUACHITA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			574
WEEKLY STUDENT CONTACT HOURS	4044	899	4943
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1710	950	2660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	470	126	596
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	51660	28700	80360
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	10844	3342	14186
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8089	1798	9887
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	27.5	13.3	22.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	15.7	6.3	12.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	74.6	53.8	69.7

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			574
WEEKLY STUDENT CONTACT HOURS	4044	899	4943
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1710	950	2660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	470	126	596
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	51660	28700	80360
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	10844	3342	14186
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8089	1798	9887
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	27.5	13.3	22.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	15.7	6.3	12.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	74.6	53.8	69.7

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			36
TOTAL NUMBER OF STATIONS (CAPACITY)			829
WEEKLY STUDENT CONTACT HOURS	16772	549	17321
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3240	1800	5040
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1938	70	2008
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	74610	41450	116060
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	48864	1950	50814
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	33544	1098	34642
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	59.8	3.9	39.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	45.0	2.6	29.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	68.6	56.3	68.2

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			36
TOTAL NUMBER OF STATIONS (CAPACITY)			829
WEEKLY STUDENT CONTACT HOURS	16772	549	17321
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3240	1800	5040
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1938	70	2008
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	74610	41450	116060
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	48864	1950	50814
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	33544	1098	34642
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	59.8	3.9	39.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	45.0	2.6	29.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	68.6	56.3	68.2

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY