

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/13/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-FLORIDA PARISHES
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	000A	0102	CSRV1000001	1 1	8.00 9.30		13	210 15	00000
	000A	0102	CSRV2000001	1 1	9.45 11.15		2	210 15	00000
	000A	0102	WKEY0060001	1 1	14.30 16.00		5	210 15	00000
	000A	0104	ELLT1060001	111	7.30 9.30		6	110 30	00000
4	8	000A	0104	ORNT1000001	11	8.00 16.00	41	110 30	00000
4		000A	0104	ORNT1000002	1	8.00 16.00	24	110 30	00000
4		000A	0104	ORNT1000003	1	9.00 16.00	3	110 30	00000
		000A	0104	CRMJ1322001	1 1 1	10.00 10.50	9	110 30	00000
		000A	0104	CRMJ1330001	1 1 1	11.00 11.50	8	110 30	00000
	8	000A	0104	ZRPC1001001	1111	17.30 20.30	49	110 30	00000
8		000A	0104	ZRPC1002001	1111	17.30 20.30	15	110 30	00000
		000A	0105	ACCT1100001	1 1 1	8.00 9.10	6	210 21	00000
		000A	0105	ISYS1650001	1 1	8.00 9.40	1	210 21	00000
		000A	0105	ACCT1200001	1 1 1	9.10 10.20	7	210 21	00000
		000A	0105	BUSE1030001	1 1	10.00 11.15	12	210 21	00000
		000A	0105	ENGL1030001	1 1	10.00 11.15	14	210 21	00000
		000A	0105	ACCT1400001	1 1 1	10.20 11.30	1	210 21	00000
		000A	0105	BUSE1045001	1 1	11.45 13.00	6	210 21	00000
		000A	0105	BUSM1050001	1 1 1	12.00 12.50	7	210 21	00000
		000A	0105	ACCT1300001	1 1 1	12.50 14.00	1	210 21	00000
		000A	0105	BOTL2110001	1 1	13.00 14.15	1	210 21	00000
		000A	0105	BUSI1000E90	1 1	14.00 14.50	7	210 21	00000
		000A	0105	OSYS1250001	1 1	14.15 15.30	1	210 21	00000
		000A	0105	OSYS2530001	1 1	14.15 15.30	1	210 21	00000
		000A	0105	ACCT1250001	1 1	14.15 15.30	1	210 21	00000
		000A	0106	CPTR1000001	1 1 1	8.00 8.50	20	210 21	00000
		000A	0106	CPTR1002001	1 1 1	8.00 8.50	3	210 21	00000
		000A	0106	CPTR1600001	1 1	8.00 9.15	1	210 21	00000
		000A	0106	KYBD1010001	1 1 1	9.00 9.50	7	210 21	00000
		000A	0106	BOTH1300001	1 1	9.30 10.45	8	210 21	00000
		000A	0106	OSYS1100001	1 1 1	10.00 10.50	5	210 21	00000
		000A	0106	BOTH1120001	1 1	11.00 12.15	10	210 21	00000
		000A	0106	CPTR1002E90	1 1 1	12.30 13.20	10	210 21	00000
		000A	0106	ISYS1440001	1 1	12.55 15.00	7	210 21	00000
		000A	0106	CPTR1310001	1 1	13.00 14.40	1	210 21	00000
		000A	0106	KYBD1111001	1 1 1	13.50 15.00	6	210 21	00000
		000A	0106	CPTR1320001	1 1	13.55 16.00	4	210 21	00000
		000A	0106	JOBS2450001	1 1	14.45 16.00	7	210 21	00000
4		000A	0108	WELD110B001	11111	8.00 14.30	4	1,784 210 28	00000
4		000A	0108	WELD111B001	11111	8.00 14.30	4	1,784 210 28	00000
4		000A	0108	WELD1140001	11111	8.00 14.30	13	1,784 210 28	00000
4		000A	0108	WELD1210001	11111	8.00 14.30	8	1,784 210 28	00000
4		000A	0108	WELD1310001	11111	8.00 14.30	2	1,784 210 28	00000
4	8	000A	0108	WELD140B001	11111	8.00 14.30	13	1,784 210 28	00000
4	8	000A	0108	WELD1410001	11111	8.00 14.30	8	1,784 210 28	00000
4	8	000A	0108	WELD1411001	11111	8.00 14.30	12	1,784 210 28	00000
4	8	000A	0108	WELD1412001	11111	8.00 14.30	8	1,784 210 28	00000
4	8	000A	0108	WELD1420001	11111	8.00 14.30	8	1,784 210 28	00000
4	8	000A	0108	WELD1510001	11111	8.00 14.30	2	1,784 210 28	00000
4	8	000A	0108	WELD1511001	11111	8.00 14.30	4	1,784 210 28	00000
4	8	000A	0108	WELD1512001	11111	8.00 14.30	5	1,784 210 28	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2011
 RUN DATE 02/13/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-FLORIDA PARISHES
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	8	000A 0108	WELD210B001	111111	8.00 14.30	1	8	1,784	210 28	00000
4	8	000A 0108	WELD210C001	111111	8.00 14.30	1	4	1,784	210 28	00000
4	8	000A 0108	WELD2110001	111111	8.00 14.30	1	4	1,784	210 28	00000
4	8	000A 0108	WELD2111001	111111	8.00 14.30	1	4	1,784	210 28	00000
4	8	000A 0108	WELD220B001	111111	8.00 14.30	1	2	1,784	210 28	00000
4	8	000A 0108	WELD221B001	111111	8.00 14.30	1	2	1,784	210 28	00000
4	8	000A 0108	WELD2210001	111111	8.00 14.30	1	4	1,784	210 28	00000
4	8	000A 0108	WELD222B001	111111	8.00 14.30	1	1	1,784	210 28	00000
4	8	000A 0108	WELD2220001	111111	8.00 14.30	1	2	1,784	210 28	00000
4	8	000A 0108	WELD2221001	111111	8.00 14.30	1	2	1,784	210 28	00000
4	8	000A 0108	WELD2222001	111111	8.00 14.30	1	1	1,784	210 28	00000
4	8	000A 0108	WELD2230001	111111	8.00 14.30	1	4	1,784	210 28	00000
4	8	000A 0108	WELD230B001	111111	8.00 14.30	1	4	1,784	210 28	00000
4	8	000A 0108	WELD2310001	111111	8.00 14.30	1	1	1,784	210 28	00000
4	8	000A 0108	WELD2311001	111111	8.00 14.30	1	2	1,784	210 28	00000
4	8	000A 0108	WELD310B001	111111	8.00 14.30	1	2	1,784	210 28	00000
4	8	000A 0108	WELD310C001	111111	8.00 14.30	1	1	1,784	210 28	00000
4	8	000A 0108	WELD311B001	111111	8.00 14.30	1	2	1,784	210 28	00000
4	8	000A 0108	WELD410B001	111111	8.00 14.30	1	8	1,784	210 28	00000
4	8	000A 0108	WELD411B001	111111	8.00 14.30	1	12	1,784	210 28	00000
4	8	000A 0108	WELD412B001	111111	8.00 14.30	1	8	1,784	210 28	00000
4	8	000A 0108	WELD420B001	111111	8.00 14.30	1	8	1,784	210 28	00000
4	8	000A 0108	WELD510B001	111111	8.00 14.30	1	2	1,784	210 28	00000
4	8	000A 0108	WELD511B001	111111	8.00 14.30	1	4	1,784	210 28	00000
4	8	000A 0108	WELD512B001	111111	8.00 14.30	1	5	1,784	210 28	00000
		000A 0108	WELD2310002	1 1	18.00 21.00		1	1,784	210 28	00000
		000A 0108	WELD2995002	1 1	18.00 21.00	1	16	1,784	210 28	00000
		000A 0108	WELD310C002	1 1	18.00 21.00	1	1	1,784	210 28	00000
		000A 0108	WELD995B002	1 1	18.00 21.00	1	16	1,784	210 28	00000
4		000A 0115	AUTO1200001	111111	8.00 14.30		10	1,630	210 15	00000
4		000A 0115	AUTO1210001	111111	8.00 14.30	1	10	1,630	210 15	00000
4	8	000A 0115	AUTO1220001	111111	8.00 14.30	1	10	1,630	210 15	00000
4	8	000A 0115	AUTO1230001	111111	8.00 14.30	1	10	1,630	210 15	00000
4	8	000A 0115	AUTO1240001	111111	8.00 14.30	1	10	1,630	210 15	00000
4	8	000A 0115	AUTO1300001	111111	8.00 14.30	1	10	1,630	210 15	00000
4	8	000A 0115	AUTO1310001	111111	8.00 14.30	1	10	1,630	210 15	00000
4	8	000A 0115	AUTO1320001	111111	8.00 14.30	1	10	1,630	210 15	00000
4	8	000A 0115	AUTO1330001	111111	8.00 14.30	1	10	1,630	210 15	00000
4	8	000A 0115	AUTO1340001	111111	8.00 14.30	1	10	1,630	210 15	00000
		000A 0208	DVEN0090001	111	8.00 9.30		6	406	210 16	00000
		000A 0208	DVEN0091001	111	8.00 9.30	1	8	406	210 16	00000
		000A 0208	DVEN0092001	111	8.00 9.30	1	2	406	210 16	00000
		000A 0208	INCT1100001	11	8.00 10.30		3	406	210 16	00000
		000A 0208	AHSC1000001	111	8.00 12.00		9	406	210 16	00000
		000A 0208	DVMA0092001	111	8.00 12.00	1	11	406	210 16	00000
	8	000A 0208	DVMA0090001	111	9.30 11.00	1	30	406	210 16	00000
	8	000A 0208	DVMA0091001	111	9.30 11.00	1	12	406	210 16	00000
	8	000A 0208	INCT1120001	1	9.30 14.30	1	3	406	210 16	00000
	8	000A 0208	AHRE1000001	111	11.00 12.30	1	1	406	210 16	00000
	8	000A 0208	DVRE0090001	111	11.00 12.30	1	5	406	210 16	00000
	8	000A 0208	DVRE0091001	111	11.00 12.30	1	6	406	210 16	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/13/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-FLORIDA PARISHES
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	000A 0208	DVRE0092001	111	11.00 12.30	1	3	406	210 16	00000
	000A 0208	INCT1200001	11	12.00 15.00		2	406	210 16	00000
	000A 0208	ENGL2530001	1 1	14.30 16.00		5	406	210 16	00000
	000A 0209	MAST2140001	1 1	8.30 10.30		14	406	110 20	00000
	000A 0209	MAST2210001	1 1	8.30 11.30		15	406	110 20	00000
	000A 0209	HCOR1160001	1 1	11.30 13.30		14	406	110 20	00000
	000A 0210	CULN1110001	1 1	7.00 9.00		4	264	110 15	00000
	000A 0210	CULN1140001	1 1	12.50 14.55		5	264	110 15	00000
	000A 0210	CULN1160001	1 1 1	13.50 15.00		2	264	110 15	00000
	000A 0210	CULN1130001	1 1	21.05 23.00		4	264	110 15	00000
	000A 0211	CULN2410001	1 1 1	8.00 13.00		6	396	210 15	00000
	000A 0211	CULN2420001	1 1 1	8.00 13.00	1	6	396	210 15	00000
4	000A 0211	CULN2430001	1 1 1	8.00 13.50	1	5	396	210 15	00000
	000A 0211	CULN2995001	1 1 1	13.00 15.00	1	3	396	210 15	00000
	000A 0211	ZCUL1650001	1	17.00 20.00		7	396	210 15	00000
	000B 0401	HCOR1212120	1111	7.00 10.00		9	720	110 35	00000
	000B 0401	HNUR2713001	111	8.00 11.00	1	13	720	110 35	00000
	000B 0401	HNUR2611001	11	8.00 11.00	1	11	720	110 35	00000
	000B 0401	HNUR2123001	111	12.00 15.00		13	720	110 35	00000
	000B 0401	HNUR2523001	11	12.00 15.00	1	10	720	110 35	00000
	000B 0401	HNUR1211120	1111	12.00 16.00	1	9	720	110 35	00000
	000B 0403	HNUR1211001	1111	12.30 16.00		9	720	210 20	00000
	000D 0121	ELEC1330001	1111	9.00 10.30		8	600	210 10	00000
	000D 0121	ELLT2070001	111	9.30 11.30	1	4	600	210 10	00000
8	000D 0121	ELEC1420001	1111	10.30 12.00	1	8	600	210 10	00000
	000D 0121	ELEC1120001	111	12.00 16.00		6	600	210 10	00000
	000D 0121	ELLT2050001	11	17.00 20.00		2	600	210 10	00000
4	000E 0108B	WELD1110001	11111	8.00 14.30		9	336	110 20	00000
4	000E 0108B	WELD1120001	11111	8.00 14.30	1	1	336	110 20	00000
4	000E 0108B	WELD1130001	11111	8.00 14.30	1	1	336	110 20	00000
4	000G 0122	HNUR1212001	11111	7.00 15.00		39	600	110 40	00000
8	000G 0122	HNUR1300001	11111	8.00 11.00	1	37	600	110 40	00000
8	000G 0122	HNUR1361001	11111	8.00 11.00	1	38	600	110 40	00000
8	000G 0122	HNUR1411001	11111	8.00 11.00	1	41	600	110 40	00000
	000G 0122	HNUR1211003	11111	12.00 15.00		38	600	110 40	00000
8	000G 0122	HNUR1270001	11111	12.00 15.00	1	35	600	110 40	00000
8	000G 0122	HNUR1320001	11111	12.00 15.00	1	43	600	110 40	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	56
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	57
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	113
TOTAL NUMBER OF RECORDS READ	139
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	139
NUMBER OF JOINT-CLASS RECORDS	86
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-FLORIDA PARISHES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			7
TOTAL NUMBER OF STATIONS (CAPACITY)			180
WEEKLY STUDENT CONTACT HOURS	7217	784	8001
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	630	350	980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	712	56	768
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	16200	9000	25200
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	21905	1560	23465
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	14435	1568	16003
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	113.0	16.0	78.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	89.1	17.4	63.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	65.9	100.5	68.2

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			7
TOTAL NUMBER OF STATIONS (CAPACITY)			180
WEEKLY STUDENT CONTACT HOURS	7217	784	8001
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	630	350	980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	712	56	768
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	16200	9000	25200
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	21905	1560	23465
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	14435	1568	16003
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	113.0	16.0	78.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	89.1	17.4	63.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	65.9	100.5	68.2

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			10
TOTAL NUMBER OF STATIONS (CAPACITY)			181
WEEKLY STUDENT CONTACT HOURS	11165	237	11402
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	900	500	1400
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3670	66	3736
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	16290	9050	25340
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	88181	1554	89735
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	22330	474	22804
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	407.8	13.2	266.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	137.1	5.2	90.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	25.3	30.5	25.4

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			10
TOTAL NUMBER OF STATIONS (CAPACITY)			181
WEEKLY STUDENT CONTACT HOURS	11165	237	11402
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	900	500	1400
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3670	66	3736
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	16290	9050	25340
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	88181	1554	89735
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	22330	474	22804
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	407.8	13.2	266.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	137.1	5.2	90.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	25.3	30.5	25.4

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY