

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-HUEY P. LONG
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	0ROD ROD20	HNUR2713002	1 1	8.00 10.00		19	1,683	210 20	00000
4 8	0ROD ROD20	HNUR2813002	1 1	8.00 14.30	1	20	1,683	210 20	00000
8	0ROD ROD20	HNUR2523002	1 1	10.00 12.00	1	19	1,683	210 20	00000
	0ROD ROD20	HNUR2723002	1 1	12.30 14.30		20	1,683	210 20	00000
	0ROD ROD30	ORNT1000002	1 1	7.30 8.00		4	1,776	210 18	00000
	0ROD ROD30	BOTH1210002	1 1 1	8.00 8.50		8	1,776	210 18	00000
	0ROD ROD30	BUSM1050002	1 1 1	8.00 8.50	1	2	1,776	210 18	00000
	0ROD ROD30	CSRV1000V92	1 1	8.00 9.15		19	1,776	210 18	00000
	0ROD ROD30	BUSE1030V92	1 1	9.30 10.45		11	1,776	210 18	00000
	0ROD ROD30	ACCT1200002	1 1 1	10.00 11.50		10	1,776	210 18	00000
	0ROD ROD30	ACCT1100002	11111	10.00 12.00	1	1	1,776	210 18	00000
	0ROD ROD30	ACCT1200004	11111	10.00 12.00	1	1	1,776	210 18	00000
	0ROD ROD30	CPTR1002002	1 1	11.00 12.15	1	4	1,776	210 18	00000
	0ROD ROD30	DVMA0090002	1 1	11.00 14.00	1	6	1,776	210 18	00000
	0ROD ROD30	KYBD1010002	1 1	12.30 13.45	1	4	1,776	210 18	00000
	0ROD ROD30	SPPR2991002	1 1	13.00 14.00	1	1	1,776	210 18	00000
	0ROD ROD30	KYBD1111002	1 1 1	13.00 14.50		4	1,776	210 18	00000
	0ROD ROD30	JOBS2450004	1 1 1	14.00 14.50	1	2	1,776	210 18	00000
	0ROD ROD40	DVRE0092002	1 1	11.00 14.00		3	740	210 12	00000
	0ROD ROD40	AHRE1000002	11	11.00 15.00	1	2	740	210 12	00000
8	0ROD ROD40	AHSC1000002	11	11.00 15.00	1	16	740	210 12	00000
8	0ROD ROD40	AHSC1000004	11	11.00 15.00	1	2	740	210 12	00000
4	0ROD ROD60	CPTR1000002	11111	7.00 13.30		1	2,150	210 16	00000
4	0ROD ROD60	JOBS2450002	11111	7.00 13.30	1	1	2,150	210 16	00000
4	0ROD ROD60	JOBS2450006	11111	7.00 13.30	1	1	2,150	210 16	00000
4	0ROD ROD60	WELD1110002	11111	7.00 13.30	1	19	2,150	210 16	00000
4	0ROD ROD60	WELD1120002	11111	7.00 13.30	1	4	2,150	210 16	00000
4	0ROD ROD60	WELD1120004	11111	7.00 13.30	1	1	2,150	210 16	00000
4	0ROD ROD60	WELD1130002	11111	7.00 13.30	1	7	2,150	210 16	00000
4	0ROD ROD60	WELD1140002	11111	7.00 13.30	1	12	2,150	210 16	00000
4	0ROD ROD60	WELD1140004	11111	7.00 13.30	1	1	2,150	210 16	00000
4	0ROD ROD60	WELD1210002	11111	7.00 13.30	1	7	2,150	210 16	00000
4	0ROD ROD60	WELD1310002	11111	7.00 13.30	1	3	2,150	210 16	00000
4	0ROD ROD60	WELD1310004	11111	7.00 13.30	1	1	2,150	210 16	00000
4	0ROD ROD60	WELD1410002	11111	7.00 13.30	1	2	2,150	210 16	00000
4	0ROD ROD60	WELD1410004	11111	7.00 13.30	1	1	2,150	210 16	00000
4	0ROD ROD60	WELD1411002	11111	7.00 13.30	1	2	2,150	210 16	00000
4	0ROD ROD60	WELD1412002	11111	7.00 13.30	1	1	2,150	210 16	00000
4	0ROD ROD60	WELD1420002	11111	7.00 13.30	1	1	2,150	210 16	00000
4	0ROD ROD60	WELD2110002	11111	7.00 13.30	1	1	2,150	210 16	00000
4	0ROD ROD60	WELD2111002	11111	7.00 13.30	1	1	2,150	210 16	00000
4	0ROD ROD60	WELD2210002	11111	7.00 13.30	1	2	2,150	210 16	00000
4	0ROD ROD60	WELD2230002	11111	7.00 13.30	1	2	2,150	210 16	00000
4	0ROD ROD60	WELD2310002	11111	7.00 13.30	1	1	2,150	210 16	00000
4	0ROD ROD60	WELD2310004	11111	7.00 13.30	1	1	2,150	210 16	00000
	000A A0040	MATH1015C09	1 1	11.00 12.15		8	1,568	110 18	00000
	000A A0040	SPCH1015C09	1 1	15.30 16.45		10	1,568	110 18	00000
4	000A A0050	WELD1110001	11111	8.00 14.30		2	1,568	210 18	00000
4	000A A0050	WELD1120001	11111	8.00 14.30	1	3	1,568	210 18	00000
4	000A A0050	WELD1130001	11111	8.00 14.30	1	2	1,568	210 18	00000
4	000A A0050	WELD1210001	11111	8.00 14.30	1	8	1,568	210 18	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-HUEY P. LONG
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	000A A0050	WELD1310001	11111	8.00 14.30	1	7	1,568	210 18	00000
4	8 000A A0050	WELD1410001	11111	8.00 14.30	1	7	1,568	210 18	00000
4	8 000A A0050	WELD1411001	11111	8.00 14.30	1	5	1,568	210 18	00000
4	8 000A A0050	WELD1412001	11111	8.00 14.30	1	7	1,568	210 18	00000
4	8 000A A0050	WELD1420001	11111	8.00 14.30	1	5	1,568	210 18	00000
4	8 000A A0050	WELD1510001	11111	8.00 14.30	1	4	1,568	210 18	00000
4	8 000A A0050	WELD1511001	11111	8.00 14.30	1	6	1,568	210 18	00000
4	8 000A A0050	WELD1512001	11111	8.00 14.30	1	4	1,568	210 18	00000
4	8 000A A0050	WELD2110001	11111	8.00 14.30	1	7	1,568	210 18	00000
4	8 000A A0050	WELD2111001	11111	8.00 14.30	1	6	1,568	210 18	00000
4	8 000A A0050	WELD2112001	11111	8.00 14.30	1	1	1,568	210 18	00000
4	8 000A A0050	WELD2210001	11111	8.00 14.30	1	5	1,568	210 18	00000
4	8 000A A0050	WELD2221001	11111	8.00 14.30	1	1	1,568	210 18	00000
4	8 000A A0050	WELD2222001	11111	8.00 14.30	1	2	1,568	210 18	00000
4	8 000A A0050	WELD2230001	11111	8.00 14.30	1	6	1,568	210 18	00000
4	8 000A A0050	WELD2310001	11111	8.00 14.30	1	3	1,568	210 18	00000
4	8 000A A0050	WELD2311001	11111	8.00 14.30	1	2	1,568	210 18	00000
4	8 000A A0050	WELD2491001	11111	8.00 14.30	1	1	1,568	210 18	00000
4	8 000A A0050	WELD2993001	11111	8.00 14.30	1	2	1,568	210 18	00000
4	8 000A A0050	WELD2995001	11111	8.00 14.30	1	2	1,568	210 18	00000
8	000A A0210	BOTH1230V09	1 111	8.00 8.50		25	792	210 16	00000
8	000A A0210	BOTH1240V09	1 1 1	9.00 9.50		35	792	210 16	00000
	000A A0210	BOTH1300V09	1 1	9.00 10.15		1	792	210 16	00000
	000A A0210	BOTH1210001	1 1	9.30 11.15	1	10	792	210 16	00000
	000A A0210	KYBD1111003	11111	10.00 10.50	1	3	792	210 16	00000
	000A A0210	JOBS2450001	1 1	10.00 10.50	1	6	792	210 16	00000
	000A A0210	KYBD1010999	11111	10.00 11.00	1	3	792	210 16	00000
	000A A0210	KYBD1111001	11111	11.00 11.50		10	792	210 16	00000
	000A A0210	BOTH2110V09	1 1 1	12.00 12.50		1	792	210 16	00000
	000A A0210	CPTR1400001	1 1	12.30 13.45		4	792	210 16	00000
	000A A0210	BOTH1120V09	1 1 1	13.00 13.50		18	792	210 16	00000
8	000A A0210	BOTH2110V09	1 1 1	13.00 14.00	1	7	792	210 16	00000
	000A A0210	KYBD1010001	1 1 1	14.00 14.50		10	792	210 16	00000
	000A A0210	BOTH1300V09	1 1	14.00 15.15		9	792	210 16	00000
	000A A0220	ACCT1200001	11111	8.00 8.50		4	1,188	210 18	00000
	000A A0220	ACCT1100001	11111	10.00 10.50		7	1,188	210 18	00000
	000A A0220	ACCT1400001	1 1 1	11.00 12.30		6	1,188	210 18	00000
	000A A0220	CPTR1002001	1 1	12.30 13.45		16	1,188	210 18	00000
	000A A0220	CPTR1320001	1 1 1	13.00 13.50		6	1,188	210 18	00000
	000A A0220	ACCT1500B09	1 1	13.00 13.50	1	6	1,188	210 18	00000
	000A A0220	ORNT1000003	1	13.00 13.50	1	14	1,188	210 18	00000
	000A A0220	ISYS1440001	11111	14.00 14.50		7	1,188	210 18	00000
	000A A0220	CPTR1600001	1 1	14.00 15.15	1	8	1,188	210 18	00000
	000B B0010	HNUR2813001	1 1 1	8.00 10.00		25	3,672	210 30	00000
8	000B B0010	HNUR2713001	11111	8.00 11.00	1	25	3,672	210 30	00000
	000B B0010	HNUR2133001	11111	11.30 14.30		25	3,672	210 30	00000
	000C C0010	HNUR1211001	11111	8.00 11.00		4	1,116	210 15	00000
	000C C0010	HCOR1160001	11111	11.30 12.30		8	1,116	210 15	00000
	000C C0010	HPHL1011001	11111	12.30 14.30		19	1,116	210 15	00000
	000C C0020	DVEN0091001	111	8.00 9.20		2	576	110 10	00000
4	000C C0020	DVEN0090001	111	8.00 19.20	1	3	576	110 10	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/10/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-HUEY P. LONG
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000C	C0020	AHSC1000001	111	9.00 10.20	1	6	576	110 10 00000	
	000C	C0020	AHSC1000003	11	9.00 10.20	1	3	576	110 10 00000	
	000C	C0020	AHMA1000001	111	9.30 10.50	1	1	576	110 10 00000	
8	000C	C0020	DVMA0090001	111	9.30 10.50	1	19	576	110 10 00000	
8	000C	C0020	DVMA0091001	111	9.30 10.50	1	3	576	110 10 00000	
8	000C	C0020	DVMA0092001	111	9.30 10.50	1	2	576	110 10 00000	
	000C	C0020	DVRE0090001	111	10.50 12.10		1	576	110 10 00000	
	000C	C0020	DVRE0092001	111	10.50 12.10	1	3	576	110 10 00000	
	000C	C0020	DVEN0091003	111	11.00 12.50	1	2	576	110 10 00000	
8	000C	C0020	DVRE0091001	111	11.00 12.50	1	10	576	110 10 00000	
8	000C	C0020	DVEN0092001	111	12.30 13.50	1	2	576	110 10 00000	
8	000C	C0020	DVMA0091003	111	12.30 13.50	1	2	576	110 10 00000	
8	000C	C0020	DVMA0092003	111	12.30 13.50	1	2	576	110 10 00000	
8	000C	C0020	DVRE0092003	111	12.30 13.50	1	1	576	110 10 00000	
	000C	C0020	AHSC1000999	111111	14.00 16.00		3	576	110 10 00000	
	000D	D0010	BLDG1150002	111111	8.00 11.00		1	6,096	210 15 00000	
	000D	D0010	BLDG1220002	111111	8.00 11.00	1	1	6,096	210 15 00000	
	000D	D0010	BLDG1330002	111111	8.00 11.00	1	1	6,096	210 15 00000	
4	000D	D0010	BLDG1110001	111111	8.00 14.30	1	6	6,096	210 15 00000	
4	000D	D0010	BLDG1120001	111111	8.00 14.30	1	2	6,096	210 15 00000	
4	000D	D0010	BLDG1130001	111111	8.00 14.30	1	6	6,096	210 15 00000	
4	000D	D0010	BLDG1140001	111111	8.00 14.30	1	6	6,096	210 15 00000	
4	8	000D	D0010	BLDG1150001	111111	8.00 14.30	1	6	6,096	210 15 00000
4	8	000D	D0010	BLDG1220001	111111	8.00 14.30	1	2	6,096	210 15 00000
4	8	000D	D0010	BLDG1221001	111111	8.00 14.30	1	5	6,096	210 15 00000
4	8	000D	D0010	BLDG1310001	111111	8.00 14.30	1	2	6,096	210 15 00000
4	8	000D	D0010	BLDG1320001	111111	8.00 14.30	1	4	6,096	210 15 00000
4	8	000D	D0010	BLDG1330001	111111	8.00 14.30	1	8	6,096	210 15 00000
4	8	000D	D0010	BLDG1410001	111111	8.00 14.30	1	5	6,096	210 15 00000
4	8	000D	D0010	BLDG1420001	111111	8.00 14.30	1	5	6,096	210 15 00000
4	8	000D	D0010	BLDG2995001	111111	8.00 14.30	1	1	6,096	210 15 00000
4	8	000D	D0010	BLDG2996001	111111	8.00 14.30	1	1	6,096	210 15 00000
4	8	000D	D0010	CPTR1000001	111111	8.00 14.30	1	2	6,096	210 15 00000
4	8	000D	D0010	ORNT1000001	111111	8.00 14.30	1	9	6,096	210 15 00000
4	8	000D	D0010	WELD1140001	111111	8.00 14.30	1	1	6,096	210 15 00000
	8	000D	D0010	BLDG1221003	111111	11.30 14.30	1	1	6,096	210 15 00000
4	8	000D	D0020	ZMVI1000001	1	8.00 17.00		23	3,248	210 12 00000
4	8	000D	D0020	ZMVI1000002	1	8.00 17.00	1	6	3,248	210 12 00000
4	8	000D	D0020	ZMVI2000001	1	8.00 17.00	1	2	3,248	210 12 00000
4	8	000D	D0020	ZMVI2000002	1	8.00 17.00	1	8	3,248	210 12 00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	70
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	72
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	142
TOTAL NUMBER OF RECORDS READ	142
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	142
NUMBER OF JOINT-CLASS RECORDS	104
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-HUEY P. LONG

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			2
TOTAL NUMBER OF STATIONS (CAPACITY)			28
WEEKLY STUDENT CONTACT HOURS	429		429
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	180	100	280
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	103		103
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2520	1400	3920
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1126		1126
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	858		858
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	57.2	.0	36.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	34.0	.0	21.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	76.2	.0	76.2
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			2
TOTAL NUMBER OF STATIONS (CAPACITY)			28
WEEKLY STUDENT CONTACT HOURS	429		429
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	180	100	280
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	103		103
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2520	1400	3920
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1126		1126
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	858		858
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	57.2	.0	36.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	34.0	.0	21.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	76.2	.0	76.2

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			237
WEEKLY STUDENT CONTACT HOURS	8473		8473
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1260	700	1960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	611		611
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	21330	11850	33180
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	10872		10872
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	16946		16946
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	48.5	.0	31.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	79.4	.0	51.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	155.9	.0	155.9

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			237
WEEKLY STUDENT CONTACT HOURS	8473		8473
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1260	700	1960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	611		611
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	21330	11850	33180
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	10872		10872
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	16946		16946
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	48.5	.0	31.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	79.4	.0	51.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	155.9	.0	155.9

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY