

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/13/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 1

L.T.C. -NATCHITOCHE  
 BRANCH  
 PARISH  
 RELATION  
 NATCHITOCHE  
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	000A	0115	FRES1000002	1 1	8.00 9.30		3	1,700	115 18 00000
	000A	0115	CELL1211002	11111	8.00 11.20	1	3	1,700	115 18 00000
	000A	0115	INTR1110002	11111	8.00 11.20	1	3	1,700	115 18 00000
4	000A	0115	SPEC2993001	11111	8.00 13.45	1	6	1,700	115 18 00000
4	000A	0115	SPEC2995001	11111	8.00 13.45	1	1	1,700	115 18 00000
4	8	000A	CELL1211001	11111	8.00 14.45	1	16	1,700	115 18 00000
4	8	000A	CHEM1411001	11111	8.00 14.45	1	17	1,700	115 18 00000
4	8	000A	ELEC2530001	11111	8.00 14.45	1	10	1,700	115 18 00000
4	8	000A	PRAC2997001	11111	8.00 14.45	1	1	1,700	115 18 00000
4	8	000A	SHAM1130001	11111	8.00 14.45	1	16	1,700	115 18 00000
4	8	000A	THER1420001	11111	8.00 14.45	1	16	1,700	115 18 00000
	000A	0118	ALLI1000001	1 1 1	8.00 9.15		3	1,600	115 35 00000
	000A	0118	DEVE0090001	1 1 1	8.00 9.15	1	2	1,600	115 35 00000
	000A	0118	DEVE0091001	1 1 1	8.00 9.15	1	3	1,600	115 35 00000
	000A	0118	DEVE0092001	1 1 1	8.00 9.15	1	3	1,600	115 35 00000
8	000A	0118	FRES1000001	1 1	8.00 9.30		93	1,600	115 35 00000
	000A	0118	DEVE0091001	1 1 1	9.30 10.45		9	1,600	115 35 00000
	000A	0118	DEVE0092001	1 1 1	9.30 10.45	1	10	1,600	115 35 00000
	000A	0118	DEVE0090001	1 1	9.30 11.00		4	1,600	115 35 00000
	000A	0118	DEVE0091001	1 1	9.30 11.00	1	7	1,600	115 35 00000
	000A	0118	DEVE0092001	1 1	9.30 11.00	1	9	1,600	115 35 00000
	000A	0118	ALLI1000001	1 1 1	11.00 12.15		3	1,600	115 35 00000
	000A	0118	DEVE0090001	1 1 1	11.00 12.15	1	35	1,600	115 35 00000
	000A	0118	CUST1000001	1 1	12.35 15.05		17	1,600	115 35 00000
	000A	0118	CUST1000002	1 1	12.35 15.05	1	14	1,600	115 35 00000
	000A	0118	JOB 2450001	1 1 1	13.00 14.00		23	1,600	115 35 00000
	000A	0119	GED 2991001	11111	8.30 11.30		15	1,810	115 35 00000
	000A	0119	GED 2991002	11111	12.00 15.00		12	1,810	115 35 00000
	000A	0119	GED 2991003	11111	12.00 15.00	1	3	1,810	115 35 00000
	000A	0121	COLL1015001	1 1	11.00 12.15		7	940	110 20 00000
4	8	000A	INFA1241001	11111	7.30 15.00		5	600	110 1 00000
4	8	000A	PRES1341001	11111	7.30 15.00	1	4	600	110 1 00000
	8	000A	INTR1110002	1 1 1	8.00 9.30	1	2	600	110 1 00000
	000A	0129	FRES1000003	1 1	8.00 9.30		1	600	110 1 00000
	8	000A	INFA1210002	1 1	8.00 11.00	1	2	600	110 1 00000
	8	000A	INTR1110001	1 1 1	8.30 9.30		13	600	110 1 00000
	8	000A	INFA1210001	1 1	8.30 10.00		9	600	110 1 00000
	8	000A	NUTR1140001	1 1 1	9.30 10.30		8	600	110 1 00000
	8	000A	NUTR1140003	1 1 1	9.30 10.30	1	1	600	110 1 00000
	8	000A	NUTR1140002	1 1 1	9.30 11.00	1	2	600	110 1 00000
	8	000A	INFA1220001	1 1	10.30 12.00		3	600	110 1 00000
	8	000A	ORG 1420001	1 1 1	12.30 13.30		2	600	110 1 00000
	8	000A	SOCI1333001	1 1	12.30 14.00		9	600	110 1 00000
4	000A	0136	ADMI2123001	11111	6.45 15.15		10	1,378	110 35 00000
4	000A	0136	MEDI2123002	11111	6.45 15.15	1	10	1,378	110 35 00000
	000A	0136	ADVA1460001	11111	8.00 11.00	1	17	1,378	110 35 00000
4	000A	0136	MENT2530001	11111	8.00 15.00	1	15	1,378	110 35 00000
	8	000A	MATE2220001	11111	12.00 15.00	1	16	1,378	110 35 00000
	000A	0144	COMP1002002	1 1	9.30 11.00		30	1,840	140 30 00000
	000A	0144	COMP1002001	1 1	11.00 12.30		36	1,840	140 30 00000
	000A	0144	ADMI1210001	1	17.00 20.00		19	1,840	140 30 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/13/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 2

L.T.C. -NATCHITOCHE  
 BRANCH  
 PARISH  
 RELATION NATCHITOCHE  
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
	000A	0144	MEDI2110001	1	17.00 20.00	1	1	1,840	140 30	00000	
	000A	0144	MEDI1300001	1	17.00 20.00		29	1,840	140 30	00000	
	000A	0146	PRIN1100001	1 1 1	8.00 9.10		25	1,015	140 25	00000	
	000A	0146	PAYR1250001	1 1	8.00 9.15		6	1,015	140 25	00000	
	000A	0146	INTR1010999	1	8.00 9.30		3	1,015	140 25	00000	
	000A	0146	ADVA1250002	1	8.00 11.30		1	1,015	140 25	00000	
	000A	0146	INSU1230002	1	9.00 11.30	1	2	1,015	140 25	00000	
	000A	0146	PRIN1200001	1 1 1	9.20 10.30	1	10	1,015	140 25	00000	
	000A	0146	INSU1230001	1 1	9.50 11.05		15	1,015	140 25	00000	
	000A	0146	COMP1500001	1 1 1	10.40 11.50		11	1,015	140 25	00000	
	000A	0146	WORD1440001	1 1	11.05 12.45		1	1,015	140 25	00000	
	000A	0146	OFFI2530001	1 1 1	12.00 12.50		3	1,015	140 25	00000	
	000A	0146	CODI1240001	1 1	12.05 13.20		13	1,015	140 25	00000	
	000A	0146	BUSI1050001	1 1	12.50 14.05		16	1,015	140 25	00000	
	000A	0146	ADVA1250001	1 1	13.30 14.45		3	1,015	140 25	00000	
	000A	0147	MACH1350001	1 1 1	8.00 8.50		4	1,124	140 30	00000	
	000A	0147	PRES1600001	1 1 1	8.00 8.50	1	8	1,124	140 30	00000	
	000A	0147	INTR1111001	1 1	8.00 9.40		6	1,124	140 30	00000	
	000A	0147	INTR1010001	1 1 1	9.20 10.10		19	1,124	140 30	00000	
	000A	0147	INTR1010003	1 1 1	9.20 10.10	1	1	1,124	140 30	00000	
	000A	0147	DESK1650001	1 1 1	9.20 10.30	1	6	1,124	140 30	00000	
	000A	0147	BUSI1045001	1 1	9.50 11.05		13	1,124	140 30	00000	
	000A	0147	BUSI1030001	1 1 1	10.40 11.30		17	1,124	140 30	00000	
	000A	0147	RECO1100001	1 1	12.35 15.05		14	1,124	140 30	00000	
	000A	0147	RECO1100002	1 1	12.35 15.05	1	12	1,124	140 30	00000	
	000A	0147	INTR1010002	1 1	12.50 14.05		28	1,124	140 30	00000	
	000A	0156	BLUE1120002	11111	8.00 11.20		2	2,410	115 30	00000	
	000A	0156	INTR1110002	11111	8.00 11.20	1	2	2,410	115 30	00000	
	000A	0156	WELD1111002	11111	8.00 11.20	1	2	2,410	115 30	00000	
	000A	0156	MILL1320001	11111	8.00 12.00	1	3	2,410	115 30	00000	
	000A	0156	MILL1321001	11111	8.00 12.00	1	3	2,410	115 30	00000	
	000A	0156	MILL1330001	11111	8.00 12.00	1	7	2,410	115 30	00000	
	000A	0156	MILL1331001	11111	8.00 12.00	1	7	2,410	115 30	00000	
	000A	0156	INTR1110001	111	8.00 13.00	1	10	2,410	115 30	00000	
4	000A	0156	INDU1421001	11111	8.00 15.00	1	2	2,410	115 30	00000	
4	000A	0156	META1121001	11111	8.00 15.00	1	1	2,410	115 30	00000	
4	8	000A	0156	MOTO1430001	11111	8.00 15.00	1	9	2,410	115 30	00000
4	8	000A	0156	WELD1111001	11111	8.00 15.00	1	6	2,410	115 30	00000
4	8	000A	0156	WELD1112001	11111	8.00 15.00	1	1	2,410	115 30	00000
4	8	000A	0156	COOP2999001	1 1	8.00 15.30	1	3	2,410	115 30	00000
	8	000A	0156	OCCU1110001	1111	10.00 11.30	1	5	2,410	115 30	00000
	8	000A	0156	CUTT1310001	1111	10.00 14.00	1	5	2,410	115 30	00000
	8	000A	0156	OXYF1210001	1111	10.00 14.00	1	8	2,410	115 30	00000
	8	000A	0156	SMAW1410001	1111	10.00 14.00	1	3	2,410	115 30	00000
	8	000A	0156	GMAW2311001	1111	10.00 15.00	1	5	2,410	115 30	00000
4	8	000A	0156	FCAW2110001	1111	10.00 19.00	1	2	2,410	115 30	00000
4	8	000A	0156	FCAW2111001	1111	10.00 19.00	1	1	2,410	115 30	00000
4	8	000A	0156	GMAW2310001	1111	10.00 19.00	1	3	2,410	115 30	00000
4	8	000A	0156	GTAW2210001	1111	10.00 19.00	1	5	2,410	115 30	00000
4	8	000A	0156	GTAW2220001	1111	10.00 19.00	1	2	2,410	115 30	00000
4	8	000A	0156	GTAW2222001	1111	10.00 19.00	1	1	2,410	115 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/13/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 3

L.T.C. -NATCHITOCHE  
 BRANCH  
 PARISH  
 RELATION  
 NATCHITOCHE  
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	000A 0156	GTAW2230001	1111	10.00 19.00	1	4	2,410	115 30 00000
4	8	000A 0156	GTAW2250001	1111	10.00 19.00	1	1	2,410	115 30 00000
4	8	000A 0156	SMAW1411001	1111	10.00 19.00	1	5	2,410	115 30 00000
4	8	000A 0156	SMAW1412001	1111	10.00 19.00	1	2	2,410	115 30 00000
4	8	000A 0156	SMAW1510001	1111	10.00 19.00	1	3	2,410	115 30 00000
4	8	000A 0156	SMAW1512001	1111	10.00 19.00	1	1	2,410	115 30 00000
4	8	000A 0156	SPEC2990001	1111	10.00 19.00	1	1	2,410	115 30 00000
4	8	000A 0156	SPEC2994001	1111	10.00 19.00	1	1	2,410	115 30 00000
	8	000A 0156	CUTT1310003	1111	12.00 13.50	1	1	2,410	115 30 00000
	8	000A 0156	SMAW1410002	1111	12.00 13.50	1	7	2,410	115 30 00000
	8	000A 0156	WELD1130001	1111	12.30 15.00	1	7	2,410	115 30 00000
	8	000A 0156	ELEC1140001	1111	12.30 15.30	1	4	2,410	115 30 00000
	8	000A 0156	MATE1210001	11111	13.00 14.00	1	2	2,410	115 30 00000
	8	000A 0156	PIPE1311001	11111	13.00 15.00	1	11	2,410	115 30 00000
4	8	000A 0156	OCCU1110002	1111	13.50 13.50	1	7	2,410	115 30 00000
4		000A 0156	OCCU1110005	1111	13.50 13.50		1	2,410	115 30 00000
		000A 0156	CUTT1310002	1111	13.50 14.50		7	2,410	115 30 00000
		000A 0156	ELEC1140002	1111	13.50 14.50	1	7	2,410	115 30 00000
		000A 0156	ELEC1140005	1111	13.50 14.50	1	1	2,410	115 30 00000
		000A 0156	SMAW1410005	1111	13.50 14.50	1	1	2,410	115 30 00000
		000A 0156	SMAW1411002	1111	13.50 14.50	1	1	2,410	115 30 00000
		000A 0156	BLUE1120001	11111	14.00 15.00	1	8	2,410	115 30 00000
		000A 0163	HVAC1150002	11111	8.00 11.00		2	2,236	115 20 00000
		000A 0163	PRIN1160002	11111	8.00 11.00	1	2	2,236	115 20 00000
		000A 0163	SPEC2996001	11111	8.00 11.00	1	2	2,236	115 20 00000
4		000A 0163	HVAC1150001	11111	8.00 14.30	1	9	2,236	115 20 00000
4		000A 0163	PRIN1160001	11111	8.00 14.30	1	9	2,236	115 20 00000
4	8	000A 0163	PRIN1170001	11111	8.00 14.30	1	9	2,236	115 20 00000
4	8	000A 0163	SPEC2993001	11111	8.00 14.30	1	3	2,236	115 20 00000
4	8	000A 0163	COMM2920001	11111	8.00 15.00	1	1	2,236	115 20 00000
4	8	000A 0163	COMM2930001	11111	8.00 15.00	1	1	2,236	115 20 00000
	8	000A 0163	APPL1240001	1 1	12.00 15.00	1	1	2,236	115 20 00000
		000A 0163A	DIGI1240001	1 1	8.00 9.30		3	1,651	115 20 00000
		000A 0163A	COMP1100001	1 1 1	8.00 11.20		11	1,651	115 20 00000
		000A 0163A	FUND1120001	1 1 1	8.00 11.20	1	17	1,651	115 20 00000
	8	000A 0163A	TECH1110001	1 1 1	11.00 12.00	1	6	1,651	115 20 00000
		000A 0163A	INTR2110001	1 1 1	12.30 14.30		8	1,651	115 20 00000
		000A 0163A	TELE2130001	1 1	12.30 15.30		2	1,651	115 20 00000
		000A 0183	BATT1610001	11111	8.00 11.00		6	7,500	115 16 00000
		000A 0183	CHAR1630001	11111	8.00 11.00	1	2	7,500	115 16 00000
		000A 0183	GENE1600001	11111	8.00 11.00	1	5	7,500	115 16 00000
		000A 0183	STAR1620001	11111	8.00 11.00	1	2	7,500	115 16 00000
		000A 0183	BATT1610002	11111	8.00 11.20	1	1	7,500	115 16 00000
		000A 0183	GENE1600002	11111	8.00 11.20	1	1	7,500	115 16 00000
		000A 0183	STAR1620002	11111	8.00 11.20	1	1	7,500	115 16 00000
		000A 0183	ANTI1540001	11111	11.50 14.40		8	7,500	115 16 00000
		000A 0183	DISC1520001	11111	11.50 14.40	1	8	7,500	115 16 00000
		000A 0183	DRUM1510001	11111	11.50 14.40	1	8	7,500	115 16 00000
	8	000A 0183	HYDR1500001	11111	11.50 14.40	1	8	7,500	115 16 00000
	8	000A 0183	POWE1530001	11111	11.50 14.40	1	8	7,500	115 16 00000
	8	000A 0183	ANTI1540002	11111	12.00 14.40	1	2	7,500	115 16 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2011  
 RUN DATE 02/13/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 4

L.T.C.-NATCHITOCHE  
 BRANCH  
 PARISH  
 RELATION

NATCHITOCHE  
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	000A 0183	DISC1520002	11111	12.00 14.50	1	2	7,500	115 16	00000
8	000A 0183	DRUM1510002	11111	12.00 14.50	1	2	7,500	115 16	00000
8	000A 0183	HYDR1500002	11111	12.00 14.50	1	2	7,500	115 16	00000
8	000A 0183	POWE1530002	11111	12.00 14.50	1	2	7,500	115 16	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	41
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	62
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	103
TOTAL NUMBER OF RECORDS READ	157
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	157
NUMBER OF JOINT-CLASS RECORDS	105
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-NATCHITOCHE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			18
TOTAL NUMBER OF STATIONS (CAPACITY)			362
WEEKLY STUDENT CONTACT HOURS	3387	147	3534
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1620	900	2520
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	701	18	719
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	32580	18100	50680
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	15378	540	15918
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6775	294	7069
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	43.3	2.0	28.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	20.8	1.6	13.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	44.1	54.4	44.4

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			190
WEEKLY STUDENT CONTACT HOURS	2346		2346
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	524		524
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	17100	9500	26600
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	10498		10498
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4693		4693
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	52.9	.0	34.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	27.4	.0	17.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	44.7	.0	44.7

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			7
TOTAL NUMBER OF STATIONS (CAPACITY)			172
WEEKLY STUDENT CONTACT HOURS	1041	147	1188
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	630	350	980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	177	18	195
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	15480	8600	24080
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4880	540	5420
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2082	294	2376
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	28.1	5.1	19.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	13.4	3.4	9.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	42.7	54.4	43.8

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY