

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/09/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	A000 A0100	ORNT1000E09	1 1	8.00 9.00		48	2,372	110 100	00000
	A000 A0100	CPTR100091E	1 1	8.00 14.30		36	2,372	110 100	00000
	A000 A0100	CPTR100090E	1 1 1	8.30 9.00	1	50	2,372	110 100	00000
	A000 A0100	ORNT1000E09	1 1	9.00 10.00		47	2,372	110 100	00000
	A000 A0100	ORNT1000E09	1 1	10.00 11.00		48	2,372	110 100	00000
	A000 A0100	ORNT1000E09	1 1	11.00 12.00		42	2,372	110 100	00000
	A000 A0100	CPTR1002E09	1 1	11.00 12.30		29	2,372	110 100	00000
	A000 A0100	ORNT1000E09	1 1	13.00 14.00		24	2,372	110 100	00000
	A000 A0100	ORNT1000E09	1 1	18.00 19.00		43	2,372	110 100	00000
	A000 A0100	CPTR1000E09	1 1	18.00 19.30		23	2,372	110 100	00000
	A000 A0200	AHSC1000099	11	13.00 15.00		1	844	220 37	00000
	A000 A0203	HNUR2133000	1 11	8.00 10.00		26	884	110 50	00000
	A000 A0203	HNUR2523000	1 11	10.00 11.00		26	884	110 50	00000
	A000 A0203	HNUR2813000	1 1	12.00 13.00		26	884	110 50	00000
	A000 A0203	SPCH1015000	1	13.30 16.15		25	884	110 50	00000
	A000 A0203	PSYC2015001	1	17.00 20.00		28	884	110 50	00000
	A000 A0203	SPCH1015001	1	17.15 20.00		24	884	110 50	00000
	A000 A0300	MAST2140000	1 1	8.00 10.00		19	1,113	110 40	00000
	A000 A0300	MAST1120000	1	8.00 10.00	1	14	1,113	110 40	00000
	A000 A0300	BOTH1230000	1 1	8.00 10.30		12	1,113	110 40	00000
	A000 A0300	BOTH1250000	1 1	10.00 12.00		16	1,113	110 40	00000
	A000 A0300	BOTH1240000	1 1	10.30 12.00		12	1,113	110 40	00000
	A000 A0300	MAST2110000	1	10.30 15.30	1	30	1,113	110 40	00000
	A000 A0300	HCOR2995000	1 1	12.00 13.00		11	1,113	110 40	00000
	A000 A0300	MAST2130000	1 1	12.30 15.30		7	1,113	110 40	00000
	A000 A0300	MAST2210000	1 1	13.30 16.30		13	1,113	110 40	00000
	A000 A0300	ENGL1030000	1 1	14.00 15.30		12	1,113	110 40	00000
	A000 A0300	ENGL1060W01	1 1	15.30 17.00		18	1,113	110 40	00000
	A000 A0300	ENGL1060W01	1	17.30 20.30		29	1,113	110 40	00000
	A000 A0300	ENGL1015W01	1	17.30 20.30		32	1,113	110 40	00000
	C000 C0100	MATH1050000	1 1 1	7.45 9.00		13	970	210 28	00000
	C000 C0100	KYBD1010000	1 1 1	9.00 10.00		17	970	210 28	00000
	C000 C0100	KYBD1110099	1 1 1	9.00 10.00	1	1	970	210 28	00000
	C000 C0100	KYBD1111099	1111	10.00 11.00		1	970	210 28	00000
	C000 C0100	ACCT1100000	1111	11.30 12.40		11	970	210 28	00000
	C000 C0100	OSYS1100000	1 1 1	12.40 13.30		16	970	210 28	00000
	C000 C0100	CSRV1000000	1 1 1	13.45 14.30		20	970	210 28	00000
	C000 C0100	CPTR1310B09	1 11	17.00 19.00		1	970	210 28	00000
	C000 C0100	JOBS2450001	1	17.30 19.30		28	970	210 28	00000
4	C000 C0200	HACR2999000	1111	7.00 15.00		2	5,062	210 40	00000
4	C000 C0200	HACR1210000	1111	8.00 14.30	1	33	5,062	210 40	00000
4	C000 C0200	HACR2550000	1	8.00 14.30	1	15	5,062	210 40	00000
4	C000 C0200	HACR2560000	1	8.00 14.30		15	5,062	210 40	00000
4	C000 C0200	SOLR1000000	11111	8.00 15.00	1	6	5,062	210 40	00000
4	C000 C0200	SOLR1030000	1111	8.00 15.00	1	5	5,062	210 40	00000
4	C000 C0200	HACR2540000	1	8.00 15.30	1	15	5,062	210 40	00000
	C000 C0300	JOBS2450000	1 1	8.00 9.00		21	1,925	210 60	00000
4	C000 C0300	AHEN1000000	1111	8.00 15.00	1	1	1,925	210 60	00000
4	C000 C0300	AHMA1000000	1111	8.00 15.00	1	1	1,925	210 60	00000
4	C000 C0300	AHRE1000000	1111	8.00 15.00	1	1	1,925	210 60	00000
4	C000 C0300	DVEN0090000	1111	8.00 15.00	1	8	1,925	210 60	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/09/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	C000 C0300	DVEN0091000	1111	8.00 15.00	1	18	1,925	210 60	00000
4	C000 C0300	DVEN0092000	1111	8.00 15.00	1	13	1,925	210 60	00000
4	8 C000 C0300	DVMA0090000	1111	8.00 15.00	1	39	1,925	210 60	00000
4	8 C000 C0300	DVMA0091000	1111	8.00 15.00	1	21	1,925	210 60	00000
4	8 C000 C0300	DVMA0092000	1111	8.00 15.00	1	18	1,925	210 60	00000
4	8 C000 C0300	DVRE0090000	1111	8.00 15.00	1	7	1,925	210 60	00000
4	8 C000 C0300	DVRE0091000	1111	8.00 15.00	1	11	1,925	210 60	00000
4	8 C000 C0300	DVRE0092000	1111	8.00 15.00	1	13	1,925	210 60	00000
4	8 C000 C0300	AHSC1000000	11	13.00 15.00	1	20	1,925	210 60	00000
4	C000 C0300	DVMA0091001	11111	15.00 21.00		18	1,925	210 60	00000
4	C000 C0300	DVEN0090001	1111	15.00 21.00	1	1	1,925	210 60	00000
4	C000 C0300	DVEN0091001	1111	15.00 21.00	1	7	1,925	210 60	00000
4	C000 C0300	DVEN0092001	1111	15.00 21.00	1	8	1,925	210 60	00000
4	C000 C0300	DVMA0090001	1111	15.00 21.00	1	34	1,925	210 60	00000
4	C000 C0300	DVMA0092001	1111	15.00 21.00	1	7	1,925	210 60	00000
4	C000 C0300	DVRE0091001	1111	15.00 21.00	1	1	1,925	210 60	00000
4	C000 C0300	DVRE0092001	1111	15.00 21.00	1	4	1,925	210 60	00000
4	C000 C0304	DVED2993GD0	1 1	7.30 8.00		1	506	110 20	00000
4	C000 C0304	DVED2993GD0	1 1	8.00 11.30		24	506	110 20	00000
4	C000 C0304	DVED2993GD0	1 1	8.00 11.30		13	506	110 20	00000
4	C000 C0400	CADD1210000	1111	8.30 17.00		1	1,833	210 30	00000
4	C000 C0400	CADD2300000	1111	8.30 17.00	1	3	1,833	210 30	00000
4	C000 C0400	CADD2310000	1111	8.30 17.00	1	2	1,833	210 30	00000
4	C000 C0400	DRFT1120000	1111	8.30 17.00	1	10	1,833	210 30	00000
4	C000 C0400	DRFT1130000	1111	8.30 17.00	1	5	1,833	210 30	00000
4	C000 C0400	DRFT1140000	1111	8.30 17.00	1	8	1,833	210 30	00000
4	C000 C0400	DRFT1150000	1111	8.30 17.00	1	9	1,833	210 30	00000
4	C000 C0400	DRFT1161000	1111	8.30 17.00	1	1	1,833	210 30	00000
4	C000 C0400	DRFT1210000	1111	8.30 17.00	1	1	1,833	210 30	00000
4	C000 C0400	DRFT1220000	1111	8.30 17.00	1	3	1,833	210 30	00000
4	C000 C0400	DRFT1230000	1111	8.30 17.00	1	2	1,833	210 30	00000
4	8 C000 C0400	DRFT2310000	1111	8.30 17.00	1	1	1,833	210 30	00000
4	8 C000 C0400	DRFT2330000	1111	8.30 17.00	1	1	1,833	210 30	00000
4	8 C000 C0400	DRFT2461000	1111	8.30 17.00	1	1	1,833	210 30	00000
4	8 C000 C0400	DRFT2531000	1111	8.30 17.00	1	1	1,833	210 30	00000
4	8 C000 C0400	DRFT2561000	1111	8.30 17.00	1	2	1,833	210 30	00000
4	8 C000 C0400	DRFT2631000	1111	8.30 17.00	1	1	1,833	210 30	00000
4	8 C000 C0400	DRFT2661000	1111	8.30 17.00	1	1	1,833	210 30	00000
4	8 C000 C0400	DRFT1110000	1111	13.45 17.00	1	9	1,833	210 30	00000
4	C000 C0500	IMMT1221000	11111	8.00 15.00		1	3,363	210 30	00000
4	C000 C0500	IMMT1231000	11111	8.00 15.00	1	3	3,363	210 30	00000
4	C000 C0500	IMMT1241000	11111	8.00 15.00	1	3	3,363	210 30	00000
4	C000 C0500	IMMT1311000	11111	8.00 15.00	1	14	3,363	210 30	00000
4	C000 C0500	IMMT1321000	11111	8.00 15.00	1	11	3,363	210 30	00000
4	C000 C0503	IMMT1110000	11111	8.00 15.00		11	450	110 20	00000
4	C000 C0503	IMMT1120000	11111	8.00 15.00	1	15	450	110 20	00000
4	C000 C0503	IMMT1230000	11111	8.00 15.00	1	3	450	110 20	00000
4	8 C000 C0503	IMMT1320000	11111	8.00 15.00	1	11	450	110 20	00000
4	8 C000 C0503	IMMT1410000	11111	8.00 15.00	1	10	450	110 20	00000
4	8 C000 C0503	IMMT1503000	11111	8.00 15.00	1	12	450	110 20	00000
4	C000 C0600	WELD1210000	1111	8.00 15.00		15	2,552	210 25	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/09/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
4	C000	C0600	WELD1310000	1111	8.00 15.00	1	2	2,552	210 25	00000	
4	C000	C0600	WELD1410000	1111	8.00 15.00	1	14	2,552	210 25	00000	
4	8	C000	C0600	WELD1411000	1111	8.00 15.00	1	14	2,552	210 25	00000
4	8	C000	C0600	WELD1412000	1111	8.00 15.00	1	7	2,552	210 25	00000
4	8	C000	C0600	WELD2110000	1111	8.00 15.00	1	4	2,552	210 25	00000
4	8	C000	C0600	WELD2111000	1111	8.00 15.00	1	4	2,552	210 25	00000
4	8	C000	C0600	WELD2210000	1111	8.00 15.00	1	4	2,552	210 25	00000
4	8	C000	C0600	WELD2230000	1111	8.00 15.00	1	3	2,552	210 25	00000
4	8	C000	C0600	WELD2310000	1111	8.00 15.00	1	5	2,552	210 25	00000
		C000	C0600	WELD2491001	1 1	18.00 21.00		2	2,552	210 25	00000
		C000	C0600	WELD2492001	1 1	18.00 21.00	1	2	2,552	210 25	00000
		C000	C0601	IMMT1121000		8.00 11.00	1	10	450	110 20	00000
4		C000	C0601	IMMT1111000	1111	8.00 15.00		9	450	110 20	00000
4		C000	C0601	IMMT1112000	1111	8.00 15.00	1	13	450	110 20	00000
4		C000	C0601	IMMT1121000	1111	8.00 15.00	1	3	450	110 20	00000
4	8	C000	C0601	WELD1110000	1111	8.00 15.00	1	16	450	110 20	00000
4	8	C000	C0601	WELD1130000	1111	8.00 15.00	1	2	450	110 20	00000
4	8	C000	C0601	WELD1140000	1111	8.00 15.00	1	13	450	110 20	00000
4	8	C000	C0601	WELD1420000	1111	8.00 15.00	1	7	450	110 20	00000
4	8	C000	C0601	WELD1510000	1111	8.00 15.00	1	5	450	110 20	00000
4	8	C000	C0601	WELD1511000	1111	8.00 15.00	1	5	450	110 20	00000
4	8	C000	C0601	WELD1512000	1111	8.00 15.00	1	6	450	110 20	00000
4	8	C000	C0601	WELD2311000	1111	8.00 15.00	1	5	450	110 20	00000
4		C000	C0601	IMMT1500000		8.00 15.00	1	8	450	110 20	00000
		C000	C0601	WELD2460001	1111	18.00 21.00		4	450	110 20	00000
		C000	C0601	WELD2490001	1 1	18.00 21.00	1	11	450	110 20	00000
		C000	C0601	WELD2897001	1 1	18.00 21.00	1	1	450	110 20	00000
		D000	D0102	PTEC1010000	1 1	8.00 9.30		23	727	110 26	00000
		D000	D0102	PTEC1000099	1 1	9.00 10.30		16	727	110 26	00000
		D000	D0102	PTEC1010000	1 1 1	11.00 12.00		17	727	110 26	00000
		D000	D0102	PTEC1010000	1 1	12.00 13.30		11	727	110 26	00000
		D000	D0102	PTEC2912000	1 1	13.30 15.00		12	727	110 26	00000
		D000	D0102	PTEC2070000	1 1	13.45 15.15	1	15	727	110 26	00000
		D000	D0102	PTEC1320001	1	17.30 21.30		11	727	110 26	00000
		D000	D0102	PTEC1000001		18.00 20.00	1	12	727	110 26	00000
		D000	D0102	PTEC1010001	1	18.00 21.00		22	727	110 26	00000
		D000	D0102	PTEC2030001	1	18.00 21.00		24	727	110 26	00000
		D000	D0102	PTEC1010001		18.00 21.00	1	18	727	110 26	00000
		D000	D0106	PTEC1010000	1 1	9.00 10.30		23	615	240 23	00000
		D000	D0106	PTEC2030000	1 1	11.00 12.30		33	615	240 23	00000
		D000	D0106	PTEC1610000	1 1	12.00 12.30		24	615	240 23	00000
		D000	D0106	PTEC2630000	1 1	12.00 13.30		15	615	240 23	00000
		D000	D0106	PTEC1000000	1 1	14.00 16.00		13	615	240 23	00000
		D000	D0106	PTEC1320001	1	17.30 21.00		19	615	240 23	00000
		D000	D0106	PTEC1610001	1	17.30 21.30		21	615	240 23	00000
		D000	D0107	MATH1015000	1 1	8.00 9.30		19	633	110 51	00000
		D000	D0107	CPTR1000E09	1 1	8.00 9.30		16	633	110 51	00000
		D000	D0107	MATH1020000	1 1	9.30 11.00		24	633	110 51	00000
		D000	D0107	MATH1015000	1 1	9.30 11.00		25	633	110 51	00000
		D000	D0107	ENGL1015W00	1 1 1	11.00 12.00		33	633	110 51	00000
		D000	D0107	MATH1015000	1 1	14.00 16.00		26	633	110 51	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2011
 RUN DATE 02/09/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	D000	D0107	MATH1020000	1 1	14.30 16.00		12	633	110 51	00000
	D000	D0109	PTEC2030E09	1	15.00 18.00		28	604	240 26	00000
	D000	D0109	PTEC2070E09	1	15.00 18.00		16	604	240 26	00000
	D000	D0109	PTEC2070E09	1	18.00 21.00		16	604	240 26	00000
	D000	D0109	PTEC2440001	1	18.00 21.00	1	18	604	240 26	00000
	D000	D0109	PTEC2912001	1	18.00 21.00		19	604	240 26	00000
	D000	D0109	PTEC2630001	1	18.00 21.00		25	604	240 26	00000
4	D000	D0113	PTEC2911000	1	7.30 16.30		17	272	110 15	00000
	D000	D0117	PTEC2430000	1	7.00 12.00		14	3,245	220 80	00000
	D000	D0117	PTEC1310000	1 1	12.00 12.30		27	3,245	220 80	00000
	D000	D0117	PTEC1310000	1 1	12.00 12.30		24	3,245	220 80	00000
	D000	D0117	PTEC1320000	1 1	14.00 16.00		12	3,245	220 80	00000
	D000	D0117	PTEC1310001	1	17.30 21.30		22	3,245	220 80	00000
	D000	D0117	PTEC1310001	1	17.30 21.30		24	3,245	220 80	00000
	D000	D0117	PTEC2430001	1	17.30 21.30		13	3,245	220 80	00000
	D000	D0200	INST2820000	1 1	7.30 10.00		14	790	210 31	00000
	D000	D0200	ETRN1130000	1 1	7.30 10.00		12	790	210 31	00000
	D000	D0200	INST1330000	1 1	12.30 17.00		16	790	210 31	00000
	D000	D0200	INST2740000	1 1	12.30 17.00		11	790	210 31	00000
	D000	D0200	INST1420001	1	17.00 21.00		15	790	210 31	00000
	D000	D0200	ETRN1120001	1	17.00 21.30		13	790	210 31	00000
	D000	D0200	INST2730001	1	17.00 21.30		15	790	210 31	00000
	D000	D0200	PTEC2430001	1	17.30 21.30		14	790	210 31	00000
	D000	D0200	PTEC1610001	1	17.30 21.30		20	790	210 31	00000
	D000	D0204	ETRN1220001	1	17.00 21.00		20	479	210 20	00000
	D000	D0204	INST2830001	1	17.00 21.00		18	479	210 20	00000
	D000	D0300	ETRN1120000	11111	11.00 12.00		22	2,007	210 41	00000
	D000	D0300	INST1110000	11111	12.00 13.00		24	2,007	210 41	00000
	D000	D0300	INST1430000	1 1	13.00 15.30		17	2,007	210 41	00000
	D000	D0300	INST1410001	1 1	13.30 16.30		12	2,007	210 41	00000
	D000	D0300	ETRN1210001	1	17.00 21.00		30	2,007	210 41	00000
	D000	D0300	INST2620001	1 1	17.00 21.00		29	2,007	210 41	00000
	E000	E0100	HNUR1211000	11111	8.00 9.30		16	915	220 30	00000
	E000	E0100	MAST1210000	11111	9.30 11.00		32	915	220 30	00000
	E000	E0100	BOTH1120000	1 1 1	12.00 13.15		31	915	220 30	00000
8	E000	E0100	MAST1220000	11	13.00 15.30	1	20	915	220 30	00000
8	E000	E0100	BOTH1300000	1 1 1	13.15 14.45	1	25	915	220 30	00000
	E000	E0101	HEKG1011000	11	8.00 11.30		17	869	220 30	00000
4	E000	E0101	HPHL1011000	111	8.00 14.45		15	869	220 30	00000
	E000	E0101	MAST1110000	1	12.00 13.00		18	869	220 30	00000
	E000	E0101	HCOR1160000	1	12.00 13.30		12	869	220 30	00000
4	G000	GG010	WKEY0070000	1 1	8.00 15.00		5	1,426	110 30	00000
	G000	GG010	JOBS2450000	1 1	13.00 14.00		20	1,426	110 30	00000
	G000	GG010	JOBS2450000	1 1	14.00 15.00		12	1,426	110 30	00000
	G000	GG020	PTEC2030000	1 1	7.30 9.00		21	1,426	110 30	00000
	G000	GG020	PTEC2420000	1 1	9.30 11.30		18	1,426	110 30	00000
4	G000	GG020	ENGL1050000	1 1	12.30 12.30		5	1,426	110 30	00000
	G000	GG020	PTEC2440000	1 1	13.30 15.00		13	1,426	110 30	00000
	G000	GG020	PTEC2420001	1	16.30 21.30		16	1,426	110 30	00000
	G000	GG020	PTEC2420001	1	16.30 21.30		12	1,426	110 30	00000
	H000	HH010	PHSC1015001	1	16.30 19.30		24	1,056	210 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2011
 RUN DATE 02/09/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	H000 HH010	CHEM1410001	1	16.30 19.30		24	1,056	210 30	00000
	H000 HH010	CHEM1410001	1	16.30 19.30		24	1,056	210 30	00000
	H000 HH010	PHSC1016001	1	19.30 21.30		18	1,056	210 30	00000
	H000 HH010	CHEM1411001	1	19.30 21.30		19	1,056	210 30	00000
	H000 HH010	CHEM1411001	1	19.30 21.30		19	1,056	210 30	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	83
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	35
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	118
TOTAL NUMBER OF RECORDS READ	209
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	209
NUMBER OF JOINT-CLASS RECORDS	80
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-RIVER PARISHES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			15
TOTAL NUMBER OF STATIONS (CAPACITY)			476
WEEKLY STUDENT CONTACT HOURS	8285	874	9159
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1350	750	2100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	645	100	745
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	42840	23800	66640
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	22140	3580	25720
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	16570	1748	18318
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	47.8	13.3	35.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	38.7	7.3	27.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	74.8	48.8	71.2

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			15
TOTAL NUMBER OF STATIONS (CAPACITY)			476
WEEKLY STUDENT CONTACT HOURS	8285	874	9159
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1350	750	2100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	645	100	745
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	42840	23800	66640
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	22140	3580	25720
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	16570	1748	18318
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	47.8	13.3	35.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	38.7	7.3	27.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	74.8	48.8	71.2

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			21
TOTAL NUMBER OF STATIONS (CAPACITY)			659
WEEKLY STUDENT CONTACT HOURS	15537	1260	16797
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1890	1050	2940
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1073	158	1231
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	59310	32950	92260
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	40468	5934	46402
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	31074	2520	33594
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	56.8	15.0	41.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	52.4	7.6	36.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	76.8	42.5	72.4

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			13
TOTAL NUMBER OF STATIONS (CAPACITY)			362
WEEKLY STUDENT CONTACT HOURS	14182	1024	15206
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1170	650	1820
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	924	134	1058
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	32580	18100	50680
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	34842	4014	38856
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	28364	2048	30412
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	79.0	20.6	58.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	87.1	11.3	60.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	81.4	51.0	78.3

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-RIVER PARISHES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABBORATORY			
TOTAL NUMBER OF ROOMS			8
TOTAL NUMBER OF STATIONS (CAPACITY)			297
WEEKLY STUDENT CONTACT HOURS	1355	236	1591
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	720	400	1120
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	149	24	173
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	26730	14850	41580
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5626	1920	7546
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2710	472	3182
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	20.7	6.0	15.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	10.1	3.2	7.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	48.2	24.6	42.2

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY