

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/13/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 1

L.T.C.-SHREVEPORT BOSSIER  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	000A 0101	BARB1211001	111111	8.00 14.30		6	341	630 23	00000
4	000A 0101	BARB1231001	111111	8.00 14.30	1	3	341	630 23	00000
4	000A 0101	BARB1160003	111111	8.00 14.45	1	2	341	630 23	00000
4	000A 0101	BARB1441001	111111	8.00 14.45	1	16	341	630 23	00000
4	000A 0101	BARB2993001	111111	8.00 14.45	1	4	341	630 23	00000
4	000A 0104	BARB1321001	111111	8.00 14.30		6	495	110 32	00000
4	000A 0104	BARB1110003	111111	8.00 14.45	1	1	495	110 32	00000
4	000A 0104	BARB1120003	111111	8.00 14.45	1	1	495	110 32	00000
4	000A 0104	BARB1330001	111111	8.00 14.45	1	6	495	110 32	00000
4	000A 0104	BARB2120001	111111	8.00 14.45	1	3	495	110 32	00000
4	000A 0105	BARB1310001	111111	8.00 14.30		12	526	210 14	00000
4	000A 0105	BARB1350001	111111	8.00 14.30	1	4	526	210 14	00000
4	000A 0105	BARB1131003	111111	8.00 14.45	1	1	526	210 14	00000
4	8 000A 0105	BARB1341001	111111	8.00 14.45	1	10	526	210 14	00000
4	8 000A 0105	BARB2131001	111111	8.00 14.45	1	7	526	210 14	00000
4	8 000A 0105	BARB2630003	111111	8.00 14.45	1	1	526	210 14	00000
	000A 0200	JOBS2450001	111111	12.00 13.00		11	776	140 22	00000
	000A 0200	JOBS2450002	111111	12.00 13.00	1	9	776	140 22	00000
	000A 0200	BUSE1030001	1111	13.00 14.30		12	776	140 22	00000
	000A 0200	BUSE1050001	1111	13.00 14.30	1	7	776	140 22	00000
	000A 0201	ACCT1200001	1111	8.00 8.50		1	769	140 22	00000
	000A 0201	ACCT1100001	1111	9.00 9.50		8	769	140 22	00000
	000A 0202	KYBD1010700	111111	8.00 10.30		11	27	140 22	00000
	000A 0205	SPPR2995001	1111	8.00 9.30		1	499	210 15	00000
	000A 0205	SPPR2996001	1111	8.00 9.30	1	1	499	210 15	00000
	000A 0205	ISYS1650001	1111	11.45 13.00		8	499	210 15	00000
	000A 0205	ISYS1440001	1111	13.00 14.15		4	499	210 15	00000
	000A 0207	MACH1350002	1111	9.00 10.15		5	451	210 14	00000
	000A 0207	MACH1350001	1111	11.45 13.00		2	451	210 14	00000
	000A 0208	CSRV1000001	111111	8.00 9.00		18	511	210 15	00000
	8 000A 0208	OSYS1100001	111111	8.00 9.00	1	18	511	210 15	00000
	000A 0208	CPTR1000999	1	9.00 10.15		3	511	210 15	00000
	000A 0208	JOBS2450999	1	9.00 10.15		2	511	210 15	00000
	000A 0208	CPTR1000001	111111	9.30 10.45	1	20	511	210 15	00000
	8 000A 0208	CPTR1000002	111111	9.30 10.45	1	26	511	210 15	00000
	8 000A 0208	CPTR1002001	111111	9.30 10.45	1	5	511	210 15	00000
	8 000A 0208	CPTR1002002	111111	9.30 10.45	1	6	511	210 15	00000
	8 000A 0208	CPTR1002999	111111	9.30 10.45	1	1	511	210 15	00000
	8 000A 0208	CPTR1300001	1111	10.00 11.00	1	3	511	210 15	00000
	000A 0208	KYBD1010002	111111	11.45 13.00		13	511	210 15	00000
	8 000A 0208	KYBD1111001	111111	11.45 13.00	1	13	511	210 15	00000
	000A 0208	ISYS1550001	1111	13.00 14.15		1	511	210 15	00000
	8 000A 0208	CPTR1000900	1	17.00 20.00		25	511	210 15	00000
	000A 0208	JOBS2450900	1	17.00 20.00		9	511	210 15	00000
	4 000A 0209	DRFT1110001	111111	8.00 14.45		2	1,149	220 22	00000
	4 000A 0209	DRFT1120001	111111	8.00 14.45	1	2	1,149	220 22	00000
	4 000A 0209	DRFT1130001	111111	8.00 14.45	1	3	1,149	220 22	00000
	4 000A 0209	DRFT1140001	111111	8.00 14.45	1	2	1,149	220 22	00000
	4 000A 0209	DRFT1150001	111111	8.00 14.45	1	2	1,149	220 22	00000
	4 000A 0209	DRFT1161001	111111	8.00 14.45	1	4	1,149	220 22	00000
	4 000A 0209	DRFT1210001	111111	8.00 14.45	1	1	1,149	220 22	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2011  
 RUN DATE 02/13/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 2

L.T.C.-SHREVEPORT BOSSIER  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
4	000A	0209	DRFT1220001	11111	8.00 14.45	1	1	1,149	220 22	00000	
4	000A	0209	DRFT1230001	11111	8.00 14.45	1	1	1,149	220 22	00000	
4	000A	0209	DRFT2310001	11111	8.00 14.45	1	2	1,149	220 22	00000	
4	000A	0209	DRFT2320001	11111	8.00 14.45	1	2	1,149	220 22	00000	
4	000A	0209	DRFT2330001	11111	8.00 14.45	1	2	1,149	220 22	00000	
4	000A	0209	DRFT2991001	1	8.00 14.45	1	1	1,149	220 22	00000	
4	000A	0210	MATH1110002	11111	8.00 14.45		1	117	310 3	00000	
	000A	0211	WKEY0070001	11111	8.30 10.00		2	784	110 33	00000	
	000A	0211	WKEY0070002	11111	10.00 11.00		1	784	110 33	00000	
	000A	0213	BARB2993601	1	17.00 20.30		31	781	110 37	00000	
4	000B	0101	DAVT2610001	11111	8.00 14.45		1	33	110 22	00000	
4	000B	0101	DAVT2820001	11111	8.00 14.45	1	1	33	110 22	00000	
4	000B	0101	INCT2110001	1 1	8.00 14.45	1	10	33	110 22	00000	
4	000B	0101	MATH1110001	1	8.00 14.45		2	33	110 22	00000	
	000B	0101	INCT2850901	1 1	16.00 19.00		11	33	110 22	00000	
	000B	0102	INCT1200001	1 1	8.00 11.00		9	383	110 22	00000	
	000B	0102	INCT2902001	1 1	8.00 11.00	1	4	383	110 22	00000	
	000B	0102	INCT1100001	1 1	8.00 11.00		8	383	110 22	00000	
4	000B	0102	INCT2120001	1 1	8.00 14.45		2	383	110 22	00000	
4	000B	0102	INCT2130001	1 1	8.00 14.45	1	2	383	110 22	00000	
4	000B	0102	INCT2140001	1 1	8.00 14.45		8	383	110 22	00000	
4	000B	0102	INCT1120001	1	8.00 14.45		9	383	110 22	00000	
4	000B	0102	INCT1300001	1	8.00 14.45	1	12	383	110 22	00000	
	000B	0102	CPTR1010001	1 1	11.00 14.45		9	383	110 22	00000	
	000B	0102	INCT2020001	1 1	11.45 14.45	1	11	383	110 22	00000	
	000B	0102	INCT1110001	1 1	11.45 14.45		8	383	110 22	00000	
	000B	0103	AHSC1000001	11	7.30 9.25		22	297	110 20	00000	
	000B	0103	MATH1015C91	1 1	11.00 12.15		13	297	110 20	00000	
	000B	0103	SPCH1015C91	1 1	15.30 16.45		16	297	110 20	00000	
	000B	0103	INCT2030901	1 1	16.00 19.00		9	297	110 20	00000	
4	000B	0104	BARB1110001	11111	8.00 14.45		13	33	110 18	00000	
4	000B	0104	BARB1120001	11111	8.00 14.45	1	14	33	110 18	00000	
4	8	000B	0104	BARB1131001	11111	8.00 14.45	1	15	33	110 18	00000
4	8	000B	0104	BARB1140001	11111	8.00 14.45	1	23	33	110 18	00000
4	8	000B	0104	BARB1150001	11111	8.00 14.45	1	22	33	110 18	00000
4	8	000B	0104	BARB1160001	11111	8.00 14.45	1	16	33	110 18	00000
4	8	000B	0104	BARB1220001	11111	8.00 14.45	1	16	33	110 18	00000
4	8	000B	0104	BARB1410001	11111	8.00 14.45	1	15	33	110 18	00000
4	8	000B	0104	BARB2630001	11111	8.00 14.45	1	21	33	110 18	00000
4	8	000B	0104	BARB1420001	111 1	8.00 14.45	1	23	33	110 18	00000
4	000C	0101	HACR1150001	11111	8.00 15.00		20	78	110 13	00000	
4	8	000C	0101	HACR1160001	11111	8.00 15.00	1	20	78	110 13	00000
4	8	000C	0101	HACR1170001	11111	8.00 15.00	1	20	78	110 13	00000
4	8	000C	0101	HACR1210001	11111	8.00 15.00	1	1	78	110 13	00000
4	8	000C	0101	HACR1220001	11111	8.00 15.00	1	1	78	110 13	00000
4	8	000C	0101	HACR1230001	11111	8.00 15.00	1	1	78	110 13	00000
4	8	000C	0101	HACR1240001	11111	8.00 15.00	1	1	78	110 13	00000
4	8	000C	0101	HACR1420001	11111	8.00 15.00	1	1	78	110 13	00000
4	8	000C	0101	HACR2530001	11111	8.00 15.00	1	12	78	110 13	00000
4	8	000C	0101	HACR2540001	11111	8.00 15.00	1	13	78	110 13	00000
4	8	000C	0101	HACR2550001	11111	8.00 15.00	1	14	78	110 13	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/13/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 3

L.T.C.-SHREVEPORT BOSSIER  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	8	000C 0101	HACR2560001	111111	8.00 15.00	1	14	78	110 13	00000
		000C 0101	HACR1150901	1 1	17.00 20.00		6	78	110 13	00000
		000C 0101	HACR1160901	1 1	17.00 20.00	1	5	78	110 13	00000
		000C 0101	HACR1170901	1 1	17.00 20.00	1	1	78	110 13	00000
		000C 0101	HACR1410901	1 1	17.00 20.00	1	3	78	110 13	00000
		000C 0101	HACR1420901	1 1	17.00 20.00	1	2	78	110 13	00000
		000C 0101	HACR2510901	1 1	17.00 20.00	1	2	78	110 13	00000
	8	000C 0101	HACR2520901	1 1	17.00 20.00	1	2	78	110 13	00000
		000C 0101	HACR1210901	1 1	17.00 20.00		3	78	110 13	00000
		000C 0101	HACR1220901	1 1	17.00 20.00	1	5	78	110 13	00000
		000C 0101	HACR1230901	1 1	17.00 20.00	1	2	78	110 13	00000
		000C 0101	HACR1240901	1 1	17.00 20.00	1	3	78	110 13	00000
		000C 0101	HACR2530901	1 1	17.00 20.00	1	4	78	110 13	00000
		000C 0101	HACR2540901	1 1	17.00 20.00	1	3	78	110 13	00000
	8	000C 0101	HACR2550901	1 1	17.00 20.00	1	2	78	110 13	00000
	8	000C 0101	HACR2560901	1 1	17.00 20.00	1	2	78	110 13	00000
		000C 0103	CLRP1110700	111111	8.00 10.30		4	33	110 25	00000
		000C 0103	CLRP1121700	111111	8.00 10.30	1	4	33	110 25	00000
		000C 0103	CLRP1131700	111111	8.00 10.30	1	2	33	110 25	00000
4		000C 0103	CLRP1131001	111111	8.00 14.45	1	14	33	110 25	00000
4		000C 0103	CLRP1210001	111111	8.00 14.45	1	2	33	110 25	00000
		000C 0103	CLRP1121710	111111	10.30 14.00	1	5	33	110 25	00000
		000C 0103	CLRP1110710	111111	11.30 14.00	1	5	33	110 25	00000
	8	000C 0103	CLRP1131710	111111	11.30 14.00	1	3	33	110 25	00000
4		000C 0104	CLRP1110001	111111	8.00 14.45		12	33	110 22	00000
4		000C 0104	CLRP1121001	111111	8.00 14.45	1	12	33	110 22	00000
4		000C 0104	CLRP1140001	111111	8.00 14.45	1	4	33	110 22	00000
4		000C 0104	CLRP1150001	111111	8.00 14.45	1	5	33	110 22	00000
4	8	000C 0104	CLRP1220001	111111	8.00 14.45	1	4	33	110 22	00000
4	8	000C 0104	CLRP1230001	111111	8.00 14.45	1	2	33	110 22	00000
4	8	000C 0104	CLRP1311001	111111	8.00 14.45	1	4	33	110 22	00000
4	8	000C 0104	CLRP1320001	111111	8.00 14.45	1	2	33	110 22	00000
4	8	000C 0104	CLRP2111001	111111	8.00 14.45	1	3	33	110 22	00000
4	8	000C 0104	CLRP2121001	111111	8.00 14.45	1	3	33	110 22	00000
4	8	000C 0104	CLRP2130001	111111	8.00 14.45	1	14	33	110 22	00000
4	8	000C 0104	CLRP2140001	111111	8.00 14.45	1	5	33	110 22	00000
		000D 0101	JOBS2450700	111111	7.30 9.00		20	906	110 30	00000
		000D 0102	WELD1210700	111111	8.00 10.00		11	1,040	110 43	00000
		000D 0102	WELD1120700	111111	8.00 10.30	1	1	1,040	110 43	00000
		000D 0102	WELD1130700	111111	8.00 10.30	1	1	1,040	110 43	00000
		000D 0102	WELD1140700	111111	8.00 10.30	1	1	1,040	110 43	00000
		000D 0102	WELD1410700	111111	8.00 10.30	1	11	1,040	110 43	00000
		000D 0102	WELD1411700	111111	8.00 10.30	1	11	1,040	110 43	00000
		000D 0102	WELD1412700	111111	8.00 10.30	1	11	1,040	110 43	00000
		000D 0102	WELD1420700	111111	8.00 10.30	1	1	1,040	110 43	00000
		000D 0102	WELD2110700	111111	8.00 10.30	1	1	1,040	110 43	00000
		000D 0102	WELD2111700	111111	8.00 10.30	1	1	1,040	110 43	00000
		000D 0102	WELD2310700	111111	8.00 10.30	1	1	1,040	110 43	00000
4		000D 0102	WELD1110700	111111	8.00 14.00	1	11	1,040	110 43	00000
		000D 0102	WELD1110710	111111	11.30 14.00	1	3	1,040	110 43	00000
	8	000D 0102	WELD1120710	111111	11.30 14.00	1	7	1,040	110 43	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/13/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 4

L.T.C.-SHREVEPORT BOSSIER  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	000D 0102	WELD1130710	111111	11.30 14.00	1	2	1,040	110 43	00000
8	000D 0102	WELD1140710	111111	11.30 14.00	1	7	1,040	110 43	00000
8	000D 0102	WELD1210710	111111	11.30 14.00	1	3	1,040	110 43	00000
8	000D 0102	WELD1310710	111111	11.30 14.00	1	1	1,040	110 43	00000
8	000D 0102	WELD1410710	111111	11.30 14.00	1	3	1,040	110 43	00000
8	000D 0102	WELD1411710	111111	11.30 14.00	1	3	1,040	110 43	00000
8	000D 0102	WELD1412710	111111	11.30 14.00	1	3	1,040	110 43	00000
8	000D 0102	WELD1420710	111111	11.30 14.00	1	2	1,040	110 43	00000
8	000D 0102	WELD1510710	111111	11.30 14.00	1	1	1,040	110 43	00000
8	000D 0102	WELD1511710	111111	11.30 14.00	1	1	1,040	110 43	00000
8	000D 0102	WELD2110710	111111	11.30 14.00	1	2	1,040	110 43	00000
8	000D 0102	WELD2111710	111111	11.30 14.00	1	2	1,040	110 43	00000
8	000D 0102	WELD2310710	111111	11.30 14.00	1	7	1,040	110 43	00000
4	000D 0105	OAGT2996001	111111	7.30 17.00	1	17	67	110 25	00000
4	000D 0105	OAGT2996010	111	7.30 17.00	1	1	67	110 25	00000
4	000D 0105	OAGT2996002	1	7.30 17.00	1	9	67	110 25	00000
4	8 000D 0105	OAGT2996003	1	7.30 17.00	1	21	67	110 25	00000
4	8 000D 0105	OAGT2996006	1	7.30 17.00	1	1	67	110 25	00000
4	8 000D 0105	OAGT2996009	1	7.30 17.00	1	8	67	110 25	00000
4	8 000D 0105	OAGT2996014	1	7.30 17.00	1	8	67	110 25	00000
4	8 000D 0105	OAGT2996023	1	7.30 17.00	1	1	67	110 25	00000
4	000D 0105	OAGT2996020	111	7.30 17.00	1	5	67	110 25	00000
4	000D 0105	OAGT2996026	111	7.30 17.00	1	5	67	110 25	00000
4	000D 0105	OAGT2996015	1	7.30 17.00	1	2	67	110 25	00000
4	000D 0105	OAGT2996016	1	7.30 17.00	1	1	67	110 25	00000
4	000D 0105	OAGT2996018	1	7.30 17.00	1	1	67	110 25	00000
4	000D 0105	OAGT2996027	1	7.30 17.00	1	1	67	110 25	00000
4	000D 0105	OAGT2996032	1	7.30 17.00	1	2	67	110 25	00000
4	000D 0105	OAGT2996007	1	7.30 17.00	1	6	67	110 25	00000
4	000D 0105	OAGT2996011	1	7.30 17.00	1	2	67	110 25	00000
4	000D 0105	OAGT2996017	1	7.30 17.00	1	1	67	110 25	00000
4	000D 0105	OAGT2996019	1	7.30 17.00	1	1	67	110 25	00000
4	000D 0105	OAGT2996025	1	7.30 17.00	1	1	67	110 25	00000
4	000D 0105	OAGT2996028	1	7.30 17.00	1	2	67	110 25	00000
4	000D 0105	OAGT2996031	1	7.30 17.00	1	3	67	110 25	00000
4	000D 0105	OAGT2996004	1	7.30 17.00	1	24	67	110 25	00000
4	8 000D 0105	OAGT2996005	1	7.30 17.00	1	20	67	110 25	00000
4	8 000D 0105	OAGT2996008	1	7.30 17.00	1	9	67	110 25	00000
4	8 000D 0105	OAGT2996012	1	7.30 17.00	1	1	67	110 25	00000
4	8 000D 0105	OAGT2996013	1	7.30 17.00	1	4	67	110 25	00000
4	8 000D 0105	OAGT2996022	1	7.30 17.00	1	5	67	110 25	00000
4	8 000D 0105	OAGT2996024	1	7.30 17.00	1	1	67	110 25	00000
4	8 000D 0105	OAGT2996029	1	7.30 17.00	1	3	67	110 25	00000
4	8 000D 0105	OAGT2996030	1	7.30 17.00	1	1	67	110 25	00000
4	000D 0106	DPET1310001	111111	8.00 11.00	1	11	67	110 25	00000
4	000D 0106	DPET1120001	111111	8.00 14.30	1	6	67	110 25	00000
4	000D 0107	DPET2240001	111111	8.00 14.30	1	7	130	110 16	00000
4	000D 0107	DPET1330001	111111	12.00 14.30	1	11	130	110 16	00000
4	000D 0108	DPET1320001	111111	8.00 10.00	1	12	4,845	210 45	00000
4	000D 0108	DPET2140001	111111	8.00 11.00	1	9	4,845	210 45	00000
4	000D 0108	DPET2210001	111111	12.00 14.30	1	8	4,845	210 45	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/13/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 5

L.T.C.-SHREVEPORT BOSSIER  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000D	0112	WELD2311700	111111	8.00 10.30		72	210 30	00000	
4	000D	0112	WELD1110001	111111	8.00 14.45	1	72	210 30	00000	
4	000D	0112	WELD1120001	111111	8.00 14.45	1	72	210 30	00000	
4	8	000D	0112	WELD1130001	111111	8.00 14.45	1	72	210 30	00000
4	8	000D	0112	WELD1140001	111111	8.00 14.45	1	72	210 30	00000
4	8	000D	0112	WELD1210001	111111	8.00 14.45	1	72	210 30	00000
4	8	000D	0112	WELD1310001	111111	8.00 14.45	1	72	210 30	00000
4	8	000D	0112	WELD1410001	111111	8.00 14.45	1	72	210 30	00000
4	8	000D	0112	WELD1411001	111111	8.00 14.45	1	72	210 30	00000
4	8	000D	0112	WELD1411002	111111	8.00 14.45	1	72	210 30	00000
4	8	000D	0112	WELD1420001	111111	8.00 14.45	1	72	210 30	00000
4	8	000D	0112	WELD1510001	111111	8.00 14.45	1	72	210 30	00000
4	8	000D	0112	WELD1511001	111111	8.00 14.45	1	72	210 30	00000
4	8	000D	0112	WELD1512001	111111	8.00 14.45	1	72	210 30	00000
4	8	000D	0112	WELD2110001	111111	8.00 14.45	1	72	210 30	00000
4	8	000D	0112	WELD2111001	111111	8.00 14.45	1	72	210 30	00000
4	8	000D	0112	WELD2210001	111111	8.00 14.45	1	72	210 30	00000
4	8	000D	0112	WELD2230001	111111	8.00 14.45	1	72	210 30	00000
4	8	000D	0112	WELD2310001	111111	8.00 14.45	1	72	210 30	00000
4	8	000D	0112	WELD2311001	111111	8.00 14.45	1	72	210 30	00000
4	8	000D	0112	WELD2221001	111111	8.00 14.45	1	72	210 30	00000
	8	000D	0112	WELD2311710	111111	11.30 14.00	1	72	210 30	00000
		000D	0112	WELD2240901	111111	17.00 21.00		72	210 30	00000
		000D	0112	WELD2242901	111111	17.00 21.00	1	72	210 30	00000
		000D	0112	WELD2261901	111111	17.00 21.00	1	72	210 30	00000
		000D	0112	WELD1110901	111	17.00 21.00	1	72	210 30	00000
		000D	0112	WELD1120901	111	17.00 21.00	1	72	210 30	00000
		000D	0112	WELD1130901	111	17.00 21.00	1	72	210 30	00000
		000D	0112	WELD1140901	111	17.00 21.00	1	72	210 30	00000
		000D	0112	WELD1210901	111	17.00 21.00	1	72	210 30	00000
		000D	0112	WELD1310901	111	17.00 21.00	1	72	210 30	00000
		000D	0112	WELD1410901	111	17.00 21.00	1	72	210 30	00000
	8	000D	0112	WELD1411901	111	17.00 21.00	1	72	210 30	00000
	8	000D	0112	WELD1412901	111	17.00 21.00	1	72	210 30	00000
	8	000D	0112	WELD1511901	111	17.00 21.00	1	72	210 30	00000
	8	000D	0112	WELD1512901	111	17.00 21.00	1	72	210 30	00000
	8	000D	0112	WELD2110901	111	17.00 21.00	1	72	210 30	00000
	8	000D	0112	WELD2111901	111	17.00 21.00	1	72	210 30	00000
	8	000D	0112	WELD2113901	111	17.00 21.00	1	72	210 30	00000
	8	000D	0112	WELD2114901	111	17.00 21.00	1	72	210 30	00000
	8	000D	0112	WELD2210901	111	17.00 21.00	1	72	210 30	00000
	8	000D	0112	WELD2230901	111	17.00 21.00	1	72	210 30	00000
	8	000D	0112	WELD2310901	111	17.00 21.00	1	72	210 30	00000
	8	000D	0112	WELD2311901	111	17.00 21.00	1	72	210 30	00000
		000E	0114	HMDT1170700	111111	8.00 10.30		124	110 49	00000
		000E	0114	HMDT1170710	111111	11.30 14.00		124	110 49	00000
		000E	0115	HNUR1411001	111111	7.30 11.30		130	110 49	00000
		000E	0115	HNUR2113002	111111	7.30 11.30	1	130	110 49	00000
4	8	000E	0115	HNUR1460001	111	8.00 14.30	1	130	110 49	00000
	8	000E	0115	HNUR2523001	111111	9.35 11.30	1	130	110 49	00000
	8	000E	0115	HNUR2611001	11	9.35 11.30	1	130	110 49	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/13/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 6

L.T.C.-SHREVEPORT BOSSIER  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000E	0115	HNUR2991901	1	17.00 19.00		17	130	110 49 00000	
	000E	0115	HNUR1270901	1	17.00 20.00		36	130	110 49 00000	
	000E	0115	AHSC1000901	1	17.00 20.00		11	130	110 49 00000	
4	000E	0118	HNUR2993001	11	7.30 14.30		3	621	110 35 00000	
	000E	0118	HNUR2611901	1	17.00 20.00		5	621	110 35 00000	
	000E	0123	HNUR2133001	11111	7.30 11.30		31	300	110 48 00000	
8	000E	0123	ORNT1000003	11	9.00 14.00	1	58	300	110 48 00000	
8	000E	0123	HNUR2813001	11111	9.35 11.30	1	31	300	110 48 00000	
	000E	0123	HNUR2723001	11111	12.15 13.15		31	300	110 48 00000	
	000E	0123	HNUR2713001	11111	13.30 14.30		31	300	110 48 00000	
	000E	0125	OPET1221001	1 1 1	8.00 9.50		2	494	110 20 00000	
	000E	0125	OPET1111700	11111	8.00 10.30	1	3	494	110 20 00000	
	000E	0125	OPET1121700	11111	8.00 10.30	1	3	494	110 20 00000	
	000E	0125	OPET1131700	11111	8.00 10.30	1	3	494	110 20 00000	
	000E	0125	OPET1141700	11111	8.00 10.30	1	3	494	110 20 00000	
	000E	0125	OPET1151700	11111	8.00 10.30	1	1	494	110 20 00000	
	000E	0125	OPET1161700	11111	8.00 10.30	1	1	494	110 20 00000	
	000E	0125	OPET1111001	1 1 1	8.50 9.50	1	7	494	110 20 00000	
	000E	0125	OPET1141001	1 1	8.50 9.50		8	494	110 20 00000	
	000E	0125	OPET1121001	1 1 1	10.00 12.40		8	494	110 20 00000	
	000E	0125	OPET1151001	1 1	10.00 12.40		8	494	110 20 00000	
	000E	0125	OPET1131001	1 1 1	12.50 14.00		8	494	110 20 00000	
	000E	0125	OPET1161001	1 1	12.50 14.00		2	494	110 20 00000	
4	000E	0126	HPhL1011003	111	7.30 14.30		4	494	110 34 00000	
4	000E	0126	HPhL1022003	111	7.30 14.30	1	4	494	110 34 00000	
4	000E	0127	HNUR1211003	11	7.30 14.30		14	60	210 35 00000	
	000E	0127	HEKG1011003	111	8.00 11.30		2	60	210 35 00000	
4	000E	0127	MAST1210003	1 1	8.00 14.30	1	16	60	210 35 00000	
	000E	0127	HCOR1120003	1 1 1	9.00 11.15		16	60	210 35 00000	
	000E	0127	HCOR1160003	111	12.15 14.30		2	60	210 35 00000	
	000E	0127	HMDT1170003	1 1 1	12.30 14.00	1	15	60	210 35 00000	
	000E	0130	OPET2111001	1 1 1	8.00 9.50		3	267	210 23 00000	
	000E	0130	OPET1251001	1 1	8.00 9.50		1	267	210 23 00000	
	000E	0130	OPET2141001	1 1	8.00 9.50	1	3	267	210 23 00000	
	000E	0130	OPET1221700	11111	8.00 10.30	1	1	267	210 23 00000	
	000E	0130	OPET1331001	1 1	9.50 10.50	1	2	267	210 23 00000	
	000E	0130	OPET1231001	1 1 1	10.00 12.40		1	267	210 23 00000	
	000E	0130	OPET2121001	1 1 1	10.00 12.40	1	3	267	210 23 00000	
	000E	0130	OPET2151001	1 1	10.00 12.40		1	267	210 23 00000	
	000E	0130	OPET2131001	1 1 1	12.40 14.30		3	267	210 23 00000	
	000E	0130	OPET2161001	1 1	12.40 14.30		2	267	210 23 00000	
	000E	0145	ORNT1000001	11	9.00 14.00		88	714	610 65 00000	
	000E	0145	ORNT1000002	111	17.00 21.00		52	714	610 65 00000	
	000E	0147	HNUR2113001	11111	7.30 11.30		33	739	110 49 00000	
4	000E	0147	HNUR2123001	11111	7.30 23.00	1	33	739	110 49 00000	
	8	000E	0147	HNUR1320901	1	17.00 20.00	1	29	739	110 49 00000
	000E	0148	HNUR1270001	1 1	7.30 9.35		29	581	110 35 00000	
	000E	0148	HNUR1211001	1 1 1	7.30 11.30		37	581	110 35 00000	
	000E	0148	HNUR1320001	1 1	9.30 11.30		30	581	110 35 00000	
	000E	0148	HNUR1300001	1 1 1	12.15 14.30		42	581	110 35 00000	
	000E	0148	HNUR1361001	1 1	12.15 14.30		39	581	110 35 00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/13/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 7

L.T.C.-SHREVEPORT BOSSIER  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	000E	0148	HNUR1300901	1 1	17.00 20.00		38	110 35	00000
	000E	0150	AHMA1000001	1 1	8.00 9.15		7	110 150	00000
	000E	0150	AHEN1000001	1 1	8.00 9.15		1	110 150	00000
4	000E	0150	DVEN0090002	1	8.00 14.45		11	110 150	00000
	000E	0150	DVMA0090001	1 1	9.30 11.00	1	21	110 150	00000
	000E	0150	DVEN0090001	1 1	9.30 11.00		7	110 150	00000
	000E	0150	DVRE0090001	1	12.00 14.45		8	110 150	00000
	000E	0150	AHRE1000002	1	12.00 14.45		7	110 150	00000
	000E	0150	DVRE0090002	1	12.00 14.45		5	110 150	00000
	000E	0150	AHEN1000002	1	15.00 17.45		1	110 150	00000
	000E	0150	DVEN0090003	1	15.00 17.45	1	16	110 150	00000
	000E	0150	AHMA1000002	1	15.00 17.45		5	110 150	00000
	000E	0150	DVMA0090004	1	15.00 17.45	1	15	110 150	00000
	000E	0150	DVMA0090002	1	15.00 17.45		14	110 150	00000
	000E	0150	DVRE0090003	1	15.00 17.45		7	110 150	00000
	000E	0157	CULN1110700	111111	8.00 10.30		6	630 72	00000
	000E	0157	CULN1130700	111111	8.00 10.30	1	1	630 72	00000
	000E	0157	CULN1220001	111111	8.00 11.00	1	10	630 72	00000
4	000E	0157	CULN1321001	111111	8.00 13.30	1	11	630 72	00000
	000E	0158	CULN1110001	111111	8.00 11.00		8	210 34	00000
4	000E	0158	CULN1310001	111111	8.00 14.30	1	2	210 34	00000
	000E	0158	CULN2430001	111111	10.33 15.00	1	11	210 34	00000
	000E	0158	CULN1140001	111111	11.30 14.30	1	10	210 34	00000
	000E	0158	CULN1160001	111111	12.00 15.00	1	12	210 34	00000
	000E	0165	GRPH1100001	1111	8.00 10.00		6	210 33	00000
	000E	0165	GRPH2310001	1111	8.00 10.30	1	1	210 33	00000
	000E	0165	GRPH1200001	1111	10.00 11.30	1	6	210 33	00000
	000E	0167	CULN1140700	111111	8.00 10.30		1	110 30	00000
	000E	0167	CULN1170700	111111	8.00 10.30	1	6	110 30	00000
4	000E	0167	CULN1240001	111111	8.00 13.30	1	11	110 30	00000
4	000E	0167	CULN2440001	111111	8.00 14.30	1	3	110 30	00000
	000E	0167	CULN1230001	111111	8.30 13.30	1	13	110 30	00000
	000E	0167	CULN2995001	1111	9.00 10.30	1	1	110 30	00000
	000E	0167	CULN1130001	111111	9.30 12.30	1	10	110 30	00000
8	000E	0167	CULN1170001	111111	9.30 12.30	1	9	110 30	00000
	000E	0169	GRPH1300001	1111	8.00 11.00		2	220 20	00000
	000E	0169	GRPH1420001	1111	8.00 11.00	1	2	220 20	00000
	000E	0169	GRPH2320001	1111	10.30 13.30	1	1	220 20	00000
	000E	0169	GRPH1400001	1111	11.30 13.00	1	7	220 20	00000
	000E	0169	GRPH1350001	1111	11.30 14.30	1	2	220 20	00000
	000E	0169	GRPH1430001	1111	13.00 15.30	1	2	220 20	00000
	000E	0169	GRPH2993001	111111	14.30 15.30	1	1	220 20	00000
	000E	0170	GRPH1100700	111111	8.00 10.30		11	210 37	00000
	000E	0170	GRPH1200700	111111	8.00 10.30	1	3	210 37	00000
	000E	0170	GRPH1100710	111111	11.30 14.00		12	210 37	00000
	000E	0170	GRPH1200710	111111	11.30 14.00	1	2	210 37	00000
	000F	0102	AUTO1400700	111111	8.00 10.30		13	110 9	00000
8	000F	0102	AUTO1410700	111111	8.00 10.30	1	3	110 9	00000
8	000F	0102	AUTO1420700	111111	8.00 10.30	1	1	110 9	00000
8	000F	0102	AUTO1440700	111111	8.00 10.30	1	13	110 9	00000
8	000F	0102	AUTO1500700	111111	8.00 10.30	1	13	110 9	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2011  
 RUN DATE 02/13/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 8

L.T.C.-SHREVEPORT BOSSIER  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
8	000F 0102	AUTO1510700	111111	8.00 10.30	1	3	140	110 9	00000	
8	000F 0102	AUTO1520700	111111	8.00 10.30	1	3	140	110 9	00000	
8	000F 0102	AUTO1530700	111111	8.00 10.30	1	1	140	110 9	00000	
8	000F 0102	AUTO1600700	111111	8.00 10.30	1	13	140	110 9	00000	
8	000F 0102	AUTO1610700	111111	8.00 10.30	1	3	140	110 9	00000	
8	000F 0102	AUTO1620700	111111	8.00 10.30	1	1	140	110 9	00000	
8	000F 0102	AUTO1630700	111111	8.00 10.30	1	1	140	110 9	00000	
8	000F 0102	AUTO1800700	111111	8.00 10.30	1	3	140	110 9	00000	
8	000F 0102	AUTO1810700	111111	8.00 10.30	1	1	140	110 9	00000	
8	000F 0102	AUTO1400710	111111	11.30 14.00		18	140	110 9	00000	
8	000F 0102	AUTO1410710	111111	11.30 14.00	1	3	140	110 9	00000	
8	000F 0102	AUTO1440710	111111	11.30 14.00	1	18	140	110 9	00000	
8	000F 0102	AUTO1500710	111111	11.30 14.00	1	18	140	110 9	00000	
8	000F 0102	AUTO1510710	111111	11.30 14.00	1	3	140	110 9	00000	
8	000F 0102	AUTO1520710	111111	11.30 14.00	1	3	140	110 9	00000	
8	000F 0102	AUTO1600710	111111	11.30 14.00	1	18	140	110 9	00000	
8	000F 0102	AUTO1610710	111111	11.30 14.00	1	3	140	110 9	00000	
8	000F 0102	AUTO1800710	111111	11.30 14.00	1	3	140	110 9	00000	
4	000F 0109	AUTO1300001	111111	8.00 14.45		1	583	110 20	00000	
4	000F 0109	AUTO1310001	111111	8.00 14.45	1	1	583	110 20	00000	
4	000F 0109	AUTO1800001	111111	8.00 14.45	1	23	583	110 20	00000	
4	000F 0110	AUTO1320001	111111	8.00 14.45		1	731	110 20	00000	
4	000F 0110	AUTO1330001	111111	8.00 14.45	1	1	731	110 20	00000	
4	000F 0110	AUTO1340001	111111	8.00 14.45	1	1	731	110 20	00000	
4	000F 0110	AUTO1810001	111111	8.00 14.45	1	23	731	110 20	00000	
	000F 0115	ELEC1420901	111	16.30 21.00		8	782	110 30	00000	
	000F 0115	ELEC1440901	111	16.30 21.00	1	8	782	110 30	00000	
	000F 0117	ELEC2991001	1111	8.00 11.45		1	95	310 2	00000	
4	8	000F 0117	ELEC1210001	111111	8.00 14.45	1	5	95	310 2	00000
4	8	000F 0117	ELEC1311001	111111	8.00 14.45	1	5	95	310 2	00000
4	8	000F 0117	ELEC1330001	111111	8.00 14.45	1	6	95	310 2	00000
4	8	000F 0117	ELEC1410001	111111	8.00 14.45	1	6	95	310 2	00000
4	8	000F 0117	ELEC1420001	111111	8.00 14.45	1	6	95	310 2	00000
4	8	000F 0117	ELEC1440001	111111	8.00 14.45	1	6	95	310 2	00000
4	8	000F 0117	ELEC2460001	111111	8.00 14.45	1	10	95	310 2	00000
4	8	000F 0117	ELEC1430001	111111	8.00 14.55	1	7	95	310 2	00000
	000F 0117	ELEC1210901	111	16.30 21.00		2	95	310 2	00000	
	000F 0117	ELEC1220901	111	16.30 21.00	1	1	95	310 2	00000	
	8	000F 0117	ELEC1311901	111	16.30 21.00	1	2	95	310 2	00000
	8	000F 0117	ELEC1330901	111	16.30 21.00	1	4	95	310 2	00000
	8	000F 0117	ELEC1410901	111	16.30 21.00	1	5	95	310 2	00000
	8	000F 0117	ELEC1430901	111	16.30 21.00	1	2	95	310 2	00000
	8	000F 0117	ELEC2460901	111	16.30 21.00	1	3	95	310 2	00000
4	000F 0118	AUTO1820001	111111	8.00 14.45		23	500	210 100	00000	
4	000F 0118	AUTO1830001	111111	8.00 14.45	1	23	500	210 100	00000	
4	000F 0118	AUTO1840001	111111	8.00 14.45	1	23	500	210 100	00000	
4	000F 0118	AUTO1850001	111111	8.00 14.45	1	23	500	210 100	00000	
	000F 0119	ELEC1120001	111111	8.00 11.45		11	550	210 150	00000	
	000F 0119	ELEC1120901	111	16.30 21.00		4	550	210 150	00000	



ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	160
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	142
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	302
TOTAL NUMBER OF RECORDS READ	406
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	406
NUMBER OF JOINT-CLASS RECORDS	283
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

## SPACE UTILIZ - SUMMARY PAGE

## L.T.C.-SHREVEPORT BOSSIER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			44
TOTAL NUMBER OF STATIONS (CAPACITY)			1345
WEEKLY STUDENT CONTACT HOURS	33804	883	34687
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3960	2200	6160
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2865	101	2966
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	121050	67250	188300
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	86340	2453	88793
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	67608	1767	69375
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	72.3	4.6	48.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	55.9	2.6	36.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	78.3	72.0	78.1
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			41
TOTAL NUMBER OF STATIONS (CAPACITY)			1279
WEEKLY STUDENT CONTACT HOURS	33416	883	34300
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3690	2050	5740
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2780	101	2881
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	115110	63950	179060
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	84470	2453	86923
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	66833	1767	68600
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	75.3	4.9	50.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	58.1	2.8	38.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	79.1	72.0	78.9

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			66
WEEKLY STUDENT CONTACT HOURS	387		387
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	85		85
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5940	3300	9240
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1870		1870
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	775		775
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	31.5	.0	20.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	13.0	.0	8.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	41.4	.0	41.4

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			21
TOTAL NUMBER OF STATIONS (CAPACITY)			785
WEEKLY STUDENT CONTACT HOURS	13708	1158	14866
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1890	1050	2940
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1439	92	1531
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	70650	39250	109900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	55952	2580	58532
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	27416	2316	29732
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	76.1	8.8	52.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	38.8	5.9	27.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	49.0	89.8	50.8

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-SHREVEPORT BOSSIER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			743
WEEKLY STUDENT CONTACT HOURS	12710	1158	13868
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1710	950	2660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1251	92	1343
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	66870	37150	104020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	51912	2580	54492
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	25420	2316	27736
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	73.2	9.7	50.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	38.0	6.2	26.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	49.0	89.8	50.9

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABORATORY			
TOTAL NUMBER OF ROOMS			2
TOTAL NUMBER OF STATIONS (CAPACITY)			42
WEEKLY STUDENT CONTACT HOURS	998		998
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	180	100	280
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	188		188
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3780	2100	5880
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4040		4040
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1996		1996
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	104.4	.0	67.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	52.8	.0	33.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	49.4	.0	49.4

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY