

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/24/2015 08:55:27
 PAGE NUM 1

UNIVERSITY OF NEW ORLEANS
 BRANCH
 PARISH
 RELATION ORLEANS
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0001	0202	MATH1126721	1 1	16.30 17.45		31	725	110 40 00000
	0001	0202	PHYS1006721	1	16.30 19.15		28	725	110 40 00000
	0001	0204	MATH1115721	1 1	16.30 17.45		19	706	110 36 00000
	0001	0204	FIN 3300721	1	19.10 21.55		26	706	110 36 00000
	0001	0207	FTCA2650721	1	16.30 19.15		30	644	110 36 00000
	0001	0207	FA 1010721	1	16.30 19.15		28	644	110 36 00000
	0001	0207	FTCA2650722	1	16.30 19.15		32	644	110 36 00000
	0001	0209	BIOS1053721	1	16.30 19.15		44	1,298	110 75 00000
	0001	0209	BIOS1063721	1	16.30 19.15		67	1,298	110 75 00000
	0001	0209	FIN 3301721	1	19.10 21.50		35	1,298	110 75 00000
	0001	0210	FTCA2260721	1	16.30 19.15		17	644	110 29 00000
	0001	0210	EDGC6810721	1	19.30 22.15		10	644	110 29 00000
	0001	0211	MATH1125721	1 1	16.30 17.45		20	644	110 27 00000
	0001	0211	FA 1060721	1 1	16.30 19.15		15	644	110 27 00000
	0001	0214	FA 1551721	1 1	16.30 19.15		18	868	110 45 00000
	0001	0214	EDFR6705721	1	19.30 22.15		10	868	110 45 00000
	0001	0216	SOC 2962721	1	16.30 19.15		26	859	110 63 00000
	0001	0216	MATH2785721	1 1	17.45 19.00		21	859	110 63 00000
	0001	0216	HRT 2000721	1	19.10 21.55		24	859	110 63 00000
	0020	0101	BIOS3354001	1 1 1	9.00 9.50		20	1,002	110 85 00000
	0020	0101	BIOS3354002	1 1 1	9.00 9.50	1	25	1,002	110 85 00000
	0020	0101	BIOS3354003	1 1 1	9.00 9.50	1	24	1,002	110 85 00000
	0020	0101	MATH1125002	1 1 1	10.00 10.50		59	1,002	110 85 00000
	0020	0101	MATH1116003	1 1	11.00 12.15		56	1,002	110 85 00000
	0020	0101	BIOS4414001	1 1 1	12.00 12.50		25	1,002	110 85 00000
	0020	0101	BIOS4490003	1 1 1	12.00 12.50	1	11	1,002	110 85 00000
9	0020	0101	BIOS4490003	1 1 1	12.00 12.50		1	1,002	110 85 00000
	0020	0101	BIOS2313001	1 1 1	13.00 13.50		83	1,002	110 85 00000
	0020	0101	BIOS4590001	1 1	13.30 14.45		16	1,002	110 85 00000
9	0020	0101	BIOS4590001	1 1	13.30 14.45		4	1,002	110 85 00000
	0020	0101	BIOS4490002	1 1	15.00 16.15		34	1,002	110 85 00000
9	0020	0101	BIOS4490002	1 1	15.00 16.15		5	1,002	110 85 00000
	0020	0101	BIOS1083601	1 1	16.30 17.45		46	1,002	110 85 00000
	0020	0102	BIOS1071005	1	8.00 10.45		23	1,183	210 24 00000
	0020	0102	BIOS1071001	1	11.00 13.45		26	1,183	210 24 00000
	0020	0102	BIOS1071003	1	11.00 13.45		23	1,183	210 24 00000
	0020	0102	BIOS1071006	1	11.00 13.45		24	1,183	210 24 00000
	0020	0102	BIOS1071002	1	14.00 16.45		23	1,183	210 24 00000
	0020	0102	BIOS1071004	1	14.00 16.45		29	1,183	210 24 00000
	0020	0102	BIOS1071007	1	14.00 16.45		26	1,183	210 24 00000
	0020	0102	BIOS1071601	1	17.30 20.15		26	1,183	210 24 00000
	0020	0102	BIOS1071602	1	17.30 20.15		23	1,183	210 24 00000
	0020	0110	BIOS2014002	1	11.00 13.45		26	877	210 24 00000
	0020	0110	BIOS2014001	1	14.00 16.45		27	877	210 24 00000
	0020	0110	BIOS2014003	1	14.00 16.45		26	877	210 24 00000
	0020	0110	BIOS2014004	1	14.00 16.45		23	877	210 24 00000
	0020	0127	BIOS1301002	1	8.00 10.45		24	846	210 24 00000
	0020	0127	BIOS1301003	1	11.00 13.45		22	846	210 24 00000
	0020	0127	BIOS1301001	1	14.00 16.45		23	846	210 24 00000
	0020	0216	BIOS4974001	1 1	12.30 15.30		19	875	210 16 00000
9	0020	0216	BIOS4974001	1 1	12.30 15.30		2	875	210 16 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 11/24/2015 08:55:27

PAGE NUM 2

UNIVERSITY OF NEW ORLEANS

BRANCH

PARISH

RELATION

ORLEANS

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	0020	0216	BIOS4414001	1	13.00 15.45		25	875	210 16 00000
	0021	0165	PSYC1500001	1 1	8.00 9.15		167	3,980	110 277 00000
	0021	0165	PSYC1520001	1 1 1	9.00 9.50		318	3,980	110 277 00000
	0021	0165	ANTH1020001	1 1	9.30 10.45		103	3,980	110 277 00000
	0021	0165	BIOS1073001	1 1 1	10.00 10.50		164	3,980	110 277 00000
	0021	0165	POLI4990001	1 1 1	11.00 11.50		7	3,980	110 277 00000
9	0021	0165	POLI4990001	1 1 1	11.00 11.50		3	3,980	110 277 00000
	0021	0165	BIOS2014001	1 1	11.00 12.15		27	3,980	110 277 00000
	0021	0165	BIOS2014002	1 1	11.00 12.15	1	26	3,980	110 277 00000
	0021	0165	BIOS2014003	1 1	11.00 12.15	1	26	3,980	110 277 00000
	0021	0165	BIOS2014004	1 1	11.00 12.15	1	23	3,980	110 277 00000
	0021	0165	BIOS1063001	1 1 1	12.00 12.50		348	3,980	110 277 00000
	0021	0165	BIOS1053001	1 1	15.00 16.15		167	3,980	110 277 00000
	0021	0179	PSYC1000001	1 1 1	8.00 8.50		113	2,453	110 180 00000
	0021	0179	BIOS1083001	1 1 1	9.00 9.50		239	2,453	110 180 00000
	0021	0179	SOC 1051003	1 1	9.30 10.45		128	2,453	110 180 00000
	0021	0179	PSYC1000002	1 1 1	10.00 10.50		157	2,453	110 180 00000
	0021	0179	GEOG1001001	1 1 1	11.00 11.50		95	2,453	110 180 00000
	0021	0179	SOC 1051004	1 1	11.00 12.15		133	2,453	110 180 00000
	0021	0179	ANTH1010001	1 1 1	12.00 12.50		114	2,453	110 180 00000
	0021	0179	ANTH2051001	1 1 1	13.00 13.50		95	2,453	110 180 00000
	0021	0179	PSYC1000003	1 1	13.30 14.45		156	2,453	110 180 00000
	0021	0179	ANTH1010002	1 1 1	14.00 14.50		61	2,453	110 180 00000
	0021	0211	POLI4770001	1 1 1	9.00 9.50		13	1,334	110 105 00000
9	0021	0211	POLI4770001	1 1 1	9.00 9.50		1	1,334	110 105 00000
	0021	0211	FTCA2650001	1 1	9.30 10.45		29	1,334	110 105 00000
	0021	0211	GEOG1002001	1 1 1	10.00 10.50		31	1,334	110 105 00000
	0021	0211	MURP4200001	1 1	11.00 12.15		22	1,334	110 105 00000
9	0021	0211	MURP4200001	1 1	11.00 12.15		3	1,334	110 105 00000
	0021	0211	POLI4885001	1 1	13.30 14.45		33	1,334	110 105 00000
9	0021	0211	POLI4885001	1 1	13.30 14.45		6	1,334	110 105 00000
	0021	0211	URBN4000001	1	15.00 17.45		20	1,334	110 105 00000
9	0021	0211	URBN4000001	1	15.00 17.45		4	1,334	110 105 00000
	0021	0212	SOC 6573601	1	18.00 20.40		12	497	110 40 00000
	0021	0212	POLI6610601	1	18.00 20.45		17	497	110 40 00000
	0021	0213	MILS1001001	1	10.00 11.30		10	492	110 31 00000
	0021	0215	URBN3002001	1 1	9.30 10.45		26	508	110 32 00000
	0021	0215	ECON1204601	1	18.00 20.45		18	508	110 32 00000
8	0021	0218	FTCA6020601	1	16.30 19.15		12	455	310 1 00000
8	0021	0218	POLI6910601	1	18.00 20.45		9	455	310 1 00000
	0021	0219	ANTH1231001	1 1 1	10.00 10.50		31	509	110 38 00000
	0021	0219	ENGL1157053	1 1	11.00 12.15		24	509	110 38 00000
	0021	0219	ENGL2279197	1 1 1	12.00 12.50		22	509	110 38 00000
	0021	0219	PADM6010601	1	18.00 20.45		15	509	110 38 00000
	0021	0221	POLI6001602	1	18.00 20.45		7	334	110 22 00000
	0021	0259	PADM6901601	1	18.00 20.45		9	333	110 39 00000
	0021	0259	PADM6160601	1	18.00 20.45		13	333	110 39 00000
	0021	0259	POLI6003601	1	18.00 20.45		12	333	110 39 00000
	0021	0261	ENGL2258001	1 1 1	10.00 10.50		22	509	110 38 00000
	0021	0261	ENGL1157019	1 1 1	11.00 11.50		25	509	110 38 00000
	0021	0261	ENGL1157052	1 1	11.00 12.15		23	509	110 38 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/24/2015 08:55:27
 PAGE NUM 3

UNIVERSITY OF NEW ORLEANS
 BRANCH
 PARISH
 RELATION ORLEANS
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0021	0263	ENGL1157009	1 1 1	9.00 9.50		24	498	110 38 00000
	0021	0263	ENGL1157020	1 1 1	11.00 11.50		22	498	110 38 00000
	0021	0263	ENGL2043195	1 1 1	13.00 13.50		9	498	110 38 00000
	0021	0263	PADM4224601	1	18.00 20.45		1	498	110 38 00000
9	0021	0263	PADM4224601	1	18.00 20.45		10	498	110 38 00000
	0021	0264	SOC 4070001	1 1	9.30 10.45		19	766	110 51 00000
9	0021	0264	SOC 4070001	1 1	9.30 10.45		2	766	110 51 00000
	0021	0264	WGS 4070001	1 1	9.30 10.45	1	13	766	110 51 00000
	0021	0264	SPAN2001003	1 1	11.00 12.15		38	766	110 51 00000
	0021	0264	ENGL2041001	1 1 1	13.00 13.50		34	766	110 51 00000
	0021	0264	GEOG4513001	1 1	13.30 14.45		34	766	110 51 00000
	0021	0264	MURP4140001	1	15.00 17.45		6	766	110 51 00000
9	0021	0264	MURP4140001	1	15.00 17.45		9	766	110 51 00000
	0021	0264	MURP4030001	1	15.00 17.45		27	766	110 51 00000
	0021	0265	ENGL1157014	1 1 1	10.00 10.50		25	495	110 32 00000
	0021	0265	ANTH3330001	1 1	11.00 12.15		28	495	110 32 00000
	0021	0265	UNIV1001008	1	13.00 13.50		21	495	110 32 00000
	0021	0265	ENGL1157057	1 1	13.30 14.45		23	495	110 32 00000
	0021	0265	ANTH3090002	1 1	15.00 16.15		11	495	110 32 00000
	0021	0265	PADM4220601	1	18.00 20.45		4	495	110 32 00000
9	0021	0265	PADM4220601	1	18.00 20.45		11	495	110 32 00000
	0021	0267	POLI2151195	1 1 1	9.00 9.50		10	492	110 31 00000
	0021	0267	ENGL1158011	1 1 1	10.00 10.50		25	492	110 31 00000
	0021	0267	URBN2890001	1 1	11.00 12.15		15	492	110 31 00000
	0021	0267	ANTH3090001	1 1	15.00 16.15		26	492	110 31 00000
	0021	0267	EDCI6905495	1	17.00 19.40		7	492	110 31 00000
	0021	0268	ENGL4045001	1 1 1	10.00 10.50		27	796	110 51 00000
9	0021	0268	ENGL4045001	1 1 1	10.00 10.50		4	796	110 51 00000
	0021	0268	POLI4601001	1 1	11.00 12.15		28	796	110 51 00000
9	0021	0268	POLI4601001	1 1	11.00 12.15		4	796	110 51 00000
	0021	0268	ANTH4777001	1 1	13.30 14.45		16	796	110 51 00000
9	0021	0268	ANTH4777001	1 1	13.30 14.45		1	796	110 51 00000
	0021	0268	URBN6000601	1	18.00 20.45		33	796	110 51 00000
	0021	0268	PADM6130601	1	18.00 20.45		11	796	110 51 00000
	0021	0311	SOC 2707002	1	9.30 11.30		12	1,201	710 36 00000
	0021	0311	SOC 2708001	1 1 1	12.00 12.50		40	1,201	710 36 00000
	0021	0311	MURP4081001	1	15.00 17.45		5	1,201	710 36 00000
9	0021	0311	MURP4081001	1	15.00 17.45		11	1,201	710 36 00000
	0021	0311	MURP4710002	1	15.00 17.45		22	1,201	710 36 00000
	0021	0311	AADM6503601	1	18.00 20.40		13	1,201	710 36 00000
	0021	0311	MURP6020601	1	18.00 20.45		28	1,201	710 36 00000
	0021	0314	POLI6650001	1	15.00 17.45		14	637	110 42 00000
	0021	0314	MURP4061001	1	15.00 17.45		6	637	110 42 00000
9	0021	0314	MURP4061001	1	15.00 17.45		11	637	110 42 00000
	0021	0314	SOC 6107601	1	18.00 20.40		14	637	110 42 00000
	0021	0314	SOC 6785601	1	18.00 20.40		12	637	110 42 00000
	0021	0314	ANTH6801601	1	18.00 20.45		14	637	110 42 00000
	0021	0314	MURP6071601	1	18.00 20.45		14	637	110 42 00000
	0021	0315	SOC 2707003	1	13.30 15.30		10	958	210 22 00000
	0021	0315	SOC 2707001	1	15.00 17.00		8	958	210 22 00000
	0021	0316	UNIV1001013	1	11.00 11.50		20	640	110 42 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/24/2015 08:55:27
 PAGE NUM 4

UNIVERSITY OF NEW ORLEANS
 BRANCH
 PARISH
 RELATION ORLEANS
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0021	0316	POLI4999001	1	14.00 14.50		12	640	110 42 00000
	0021	0316	POLI6641601	1	18.00 20.45		13	640	110 42 00000
	0021	0316	POLI6700601	1	18.00 20.45		15	640	110 42 00000
	0021	0316	POLI6001601	1	18.00 20.45		12	640	110 42 00000
	0021	0317	URBN3710001	1 1	9.30 10.45		19	1,061	210 22 00000
	0021	0317	MURP4051001	1	15.00 17.45		9	1,061	210 22 00000
	0021	0317	GEOG4810001	1 1	16.30 17.45		13	1,061	210 22 00000
9	0021	0317	GEOG4810001	1 1	16.30 17.45		6	1,061	210 22 00000
	0021	0317	GEOG4805001	1 1	16.30 17.45		11	1,061	210 22 00000
9	0021	0317	GEOG4805001	1 1	16.30 17.45		11	1,061	210 22 00000
	0021	0318	ANTH4090002	1 1	9.30 10.45		22	780	110 47 00000
9	0021	0318	ANTH4090002	1 1	9.30 10.45		2	780	110 47 00000
	0021	0318	SOC 2707001	1 1 1	10.00 10.50		8	780	110 47 00000
	0021	0318	SOC 2707002	1 1 1	10.00 10.50	1	12	780	110 47 00000
	0021	0318	SOC 2707003	1 1 1	10.00 10.50	1	10	780	110 47 00000
	0021	0318	PSYC2320001	1 1	11.00 12.15		50	780	110 47 00000
	0021	0318	ENGL2238003	1 1 1	13.00 13.50		32	780	110 47 00000
	0021	0318	ANTH2052002	1 1	13.30 14.45		48	780	110 47 00000
	0021	0318	ANTH4090001	1 1	15.00 16.15		29	780	110 47 00000
9	0021	0318	ANTH4090001	1 1	15.00 16.15		1	780	110 47 00000
	0021	0318	AADM6501601	1	18.00 20.40		21	780	110 47 00000
	0021	0319	GEOG2151002	1 1	9.30 10.45		57	1,014	110 76 00000
	0021	0319	MATH2785001	1 1 1	10.00 10.50		58	1,014	110 76 00000
	0021	0319	MATH2785002	1 1 1	11.00 11.50		58	1,014	110 76 00000
	0021	0319	GEOG2356001	1 1	13.30 14.45		63	1,014	110 76 00000
	0021	0320	GEOG2151001	1 1 1	9.00 9.50		22	700	110 39 00000
	0021	0320	ENGL2218001	1 1 1	10.00 10.50		28	700	110 39 00000
	0021	0320	SOC 4101001	1 1 1	11.00 11.50		30	700	110 39 00000
	0021	0320	SOC 4098001	1 1	11.00 12.15		29	700	110 39 00000
9	0021	0320	SOC 4098001	1 1	11.00 12.15		3	700	110 39 00000
	0021	0320	SOC 4921001	1 1 1	13.00 13.50		31	700	110 39 00000
9	0021	0320	SOC 4921001	1 1 1	13.00 13.50		3	700	110 39 00000
	0021	0320	SOC 4094001	1 1	13.30 14.45		26	700	110 39 00000
9	0021	0320	SOC 4094001	1 1	13.30 14.45		1	700	110 39 00000
	0021	0320	SOC 4871001	1 1	15.00 16.15		25	700	110 39 00000
9	0021	0320	SOC 4871001	1 1	15.00 16.15		1	700	110 39 00000
	0021	0320	ANTH3301001	1	15.00 17.45		18	700	110 39 00000
	0021	0320	POLI4780601	1 1	16.30 17.45		30	700	110 39 00000
9	0021	0320	POLI4780601	1 1	16.30 17.45		5	700	110 39 00000
	0021	0320	SOC 6784601	1	18.00 20.40		20	700	110 39 00000
	0021	0362	GEOG4615001	1 1	9.30 10.45		20	489	110 37 00000
9	0021	0362	GEOG4615001	1 1	9.30 10.45		2	489	110 37 00000
	0021	0362	SOC 2962001	1 1 1	11.00 11.50		40	489	110 37 00000
	0021	0362	POLI2151002	1 1	11.00 12.15		40	489	110 37 00000
	0021	0362	POLI2600001	1 1 1	13.00 13.50		29	489	110 37 00000
	0021	0362	POLI4410001	1 1	15.00 16.15		12	489	110 37 00000
9	0021	0362	POLI4410001	1 1	15.00 16.15		2	489	110 37 00000
	0021	0362	SOC 4086001	1	15.00 17.40		29	489	110 37 00000
9	0021	0362	SOC 4086001	1	15.00 17.40		6	489	110 37 00000
	0021	0362	ANTH4723601	1 1	16.30 17.45		13	489	110 37 00000
9	0021	0362	ANTH4723601	1 1	16.30 17.45		2	489	110 37 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 11/24/2015 08:55:27

PAGE NUM 5

UNIVERSITY OF NEW ORLEANS

BRANCH

PARISH

RELATION

ORLEANS
MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0021	0366	POLI2200001	1 1	8.00 9.15		40	580	110 37 00000
	0021	0366	POLI4650001	1 1	9.30 10.45		34	580	110 37 00000
9	0021	0366	POLI4650001	1 1	9.30 10.45		1	580	110 37 00000
	0021	0366	POLI1010001	1 1 1	10.00 10.50		37	580	110 37 00000
	0021	0366	POLI2151001	1 1 1	11.00 11.50		38	580	110 37 00000
	0021	0366	GEOG3190001	1 1	11.00 12.15		38	580	110 37 00000
	0021	0366	SOC 2273001	1 1 1	13.00 13.50		40	580	110 37 00000
	0021	0366	POLI2151003	1 1	13.30 14.45		39	580	110 37 00000
	0021	0366	POLI2700001	1 1 1	14.00 14.50		32	580	110 37 00000
	0021	0366	SOC 4954001	1 1	15.00 16.15		24	580	110 37 00000
9	0021	0366	SOC 4954001	1 1	15.00 16.15		3	580	110 37 00000
	0021	0366	POLI2900001	1 1	15.00 16.15		22	580	110 37 00000
	0021	0366	SOC 4103601	1	18.00 20.40		25	580	110 37 00000
9	0021	0366	SOC 4103601	1	18.00 20.40		4	580	110 37 00000
	0021	0366	ENMG6401601	1	18.00 20.45		2	580	110 37 00000
	0021	0366	MANG6401601	1	18.00 20.45	1	9	580	110 37 00000
	0021	0366	PADM6401601	1	18.00 20.45	1	1	580	110 37 00000
	0021	0371	MURP4010501	1	9.00 11.40		5	629	110 39 00000
9	0021	0371	MURP4010501	1	9.00 11.40		10	629	110 39 00000
	0021	0381	DURB6850601	1	18.00 20.45		14	101	350 15 00000
	0022	0202	BIOS4534001	1 1 1	11.00 11.50		21	665	110 25 00000
	0022	0202	BIOS4490001	1 1	11.00 12.15		16	665	110 25 00000
9	0022	0202	BIOS4490001	1 1	11.00 12.15		10	665	110 25 00000
	0022	0202	BIOS6513001	1 1	11.00 12.15	1	10	665	110 25 00000
	0022	0202	BIOS3091001	1	14.00 14.50		15	665	110 25 00000
	0022	0206	BIOS2114001	1	11.00 13.45		20	1,737	210 25 00000
	0022	0206	BIOS2114003	1	11.00 13.45		24	1,737	210 25 00000
	0022	0206	BIOS2114002	1	14.00 16.45		23	1,737	210 25 00000
	0022	0206	BIOS2114004	1	14.00 16.45		24	1,737	210 25 00000
	0026	0103	FA 1010001	1 1 1	9.00 9.50		119	3,054	110 304 00000
	0026	0103	BIOS4103001	1 1	9.30 10.45		75	3,054	110 304 00000
9	0026	0103	BIOS4103001	1 1	9.30 10.45		3	3,054	110 304 00000
	0026	0103	CHEM4510001	1 1	9.30 10.45	1	9	3,054	110 304 00000
9	0026	0103	CHEM4510001	1 1	9.30 10.45		2	3,054	110 304 00000
	0026	0103	FA 1010002	1 1 1	10.00 10.50		120	3,054	110 304 00000
	0026	0103	HIST4506001	1 1 1	11.00 11.50		27	3,054	110 304 00000
	0026	0103	MATH2785004	1 1	11.00 12.15		57	3,054	110 304 00000
	0026	0103	HIST2502001	1 1 1	12.00 12.50		68	3,054	110 304 00000
	0026	0103	HIST2501002	1 1 1	13.00 13.50		70	3,054	110 304 00000
	0026	0103	EDFR6700601	1	16.30 19.15		28	3,054	110 304 00000
	0026	0103	EDFR6720601	1	19.00 21.45		10	3,054	110 304 00000
	0026	0106	HIST2502002	1 1	13.30 14.45		32	951	110 62 00000
	0026	0203	HIST2501003	1 1	9.30 10.45		63	1,240	110 96 00000
	0026	0203	HIST2603001	1 1	11.00 12.15		77	1,240	110 96 00000
	0026	0203	UNIV1001019	1	12.00 12.50		20	1,240	110 96 00000
	0026	0203	HIST3551001	1 1	13.30 14.45		68	1,240	110 96 00000
	0026	0203	HIST1001002	1 1	15.00 16.15		38	1,240	110 96 00000
	0026	0203	EDGC6860601	1	19.00 21.45		9	1,240	110 96 00000
	0026	0205	UNIV1001001	1	9.00 9.50		19	892	110 73 00000
	0026	0205	HIST2601001	1 1	9.30 10.45		80	892	110 73 00000
	0026	0205	A&S 1119195	1 1 1	10.00 10.50		20	892	110 73 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/24/2015 08:55:27
 PAGE NUM 6

UNIVERSITY OF NEW ORLEANS
 BRANCH
 PARISH
 RELATION ORLEANS
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0026	0205	A&S 1119196	1 1 1	10.00 10.50	1	20	892	110 73 00000
	0026	0205	A&S 1119197	1 1 1	10.00 10.50	1	21	892	110 73 00000
	0026	0205	UNIV1001005	1	11.00 11.50		19	892	110 73 00000
	0026	0205	UNIV1001020	1	11.00 11.50		20	892	110 73 00000
	0026	0205	UNIV1001014	1	13.30 14.20		20	892	110 73 00000
	0026	0205	UNIV1001024	1	14.00 14.50		21	892	110 73 00000
	0026	0205	EDGC6460001	1	16.00 18.45		5	892	110 73 00000
	0026	0206	ENGL1158002	1 1 1	8.00 8.50		24	951	110 63 00000
	0026	0206	HIST4201001	1 1 1	10.00 10.50		23	951	110 63 00000
9	0026	0206	HIST4201001	1 1 1	10.00 10.50		3	951	110 63 00000
	0026	0206	ENGL2152003	1 1	11.00 12.15		20	951	110 63 00000
	0026	0206	UNIV1001068	1	13.00 13.50		16	951	110 63 00000
	0026	0206	UNIV1001009	1	14.00 14.50		19	951	110 63 00000
	0026	0206	ENGL4154001	1 1	15.00 16.15		7	951	110 63 00000
9	0026	0206	ENGL4154001	1 1	15.00 16.15		7	951	110 63 00000
	0026	0206	EDCI3400496	1	16.30 19.15		23	951	110 63 00000
	0026	0206	EDSP4020601	1	17.00 19.45		18	951	110 63 00000
	0026	0206	EDCI6460601	1	17.00 19.45		5	951	110 63 00000
	0026	0208	ENGL1158001	1 1 1	8.00 8.50		23	951	110 63 00000
	0026	0208	UNIV1001004	1	10.00 10.50		20	951	110 63 00000
	0026	0208	UNIV1001006	1	11.00 11.50		21	951	110 63 00000
	0026	0208	UNIV1001035	1	11.00 11.50		19	951	110 63 00000
	0026	0208	ENGL4092001	1 1	11.00 12.15		25	951	110 63 00000
9	0026	0208	ENGL4092001	1 1	11.00 12.15		4	951	110 63 00000
	0026	0208	UNIV1001221	1	12.00 12.50		18	951	110 63 00000
	0026	0208	UNIV1001064	1	13.00 13.50		16	951	110 63 00000
	0026	0208	UNIV1001061	1	15.00 15.50		17	951	110 63 00000
	0026	0208	EDSP6780601	1	16.30 19.15		5	951	110 63 00000
	0026	0208	EDSP6010601	1	17.00 19.45		36	951	110 63 00000
	0026	0208	EDUC4100601	1	17.00 19.45		10	951	110 63 00000
	0026	0208	EDCI6300601	1	17.00 19.45		12	951	110 63 00000
	0026	0222	UNIV1001011	1	9.30 10.20		18	951	110 62 00000
	0026	0222	UNIV1001050	1	10.00 10.50		19	951	110 62 00000
	0026	0222	UNIV1001015	1	13.30 14.20		19	951	110 62 00000
	0026	0222	EDGC6430001	1	16.00 18.45		30	951	110 62 00000
	0026	0222	EDFR6715001	1	16.00 18.45		13	951	110 62 00000
	0026	0222	EDGC6450001	1	16.00 18.45		4	951	110 62 00000
	0026	0222	EDGC6896601	1	19.00 21.45		3	951	110 62 00000
	0026	0222	EDGC6400601	1	19.10 21.50		29	951	110 62 00000
	0026	0224	EDHP2320001	1 1	9.30 10.45		29	951	110 62 00000
	0026	0224	ENGL2071001	1 1 1	10.00 10.50		35	951	110 62 00000
	0026	0224	HIST4501001	1 1 1	11.00 11.50		24	951	110 62 00000
9	0026	0224	HIST4501001	1 1 1	11.00 11.50		3	951	110 62 00000
	0026	0224	ENGL2521001	1 1 1	12.00 12.50		34	951	110 62 00000
	0026	0224	UNIV1001023	1	13.00 13.50		19	951	110 62 00000
	0026	0224	EDCI3160001	1 1	13.30 14.45		40	951	110 62 00000
	0026	0224	HIST4543001	1 1	15.00 16.15		11	951	110 62 00000
9	0026	0224	HIST4543001	1 1	15.00 16.15		18	951	110 62 00000
	0026	0224	EDUC2100496	1 1	15.00 16.15		30	951	110 62 00000
	0026	0224	EDFR6700602	1	17.00 19.45		29	951	110 62 00000
	0026	0224	EDCI6800495	1	18.00 19.15		22	951	110 62 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/24/2015 08:55:27
 PAGE NUM 7

UNIVERSITY OF NEW ORLEANS
 BRANCH
 PARISH
 RELATION ORLEANS
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0026	0226	UNIV1001016	1	9.00 9.50		19	631	110 41 00000
	0026	0226	UNIV1001003	1	10.00 10.50		21	631	110 41 00000
	0026	0226	ENGL6900001	1 1	11.00 12.15		14	631	110 41 00000
	0026	0226	ENGL1157025	1 1 1	12.00 12.50		21	631	110 41 00000
	0026	0226	UNIV1001030	1	13.30 14.20		18	631	110 41 00000
	0026	0226	EDCI6900495	1	17.00 19.40		5	631	110 41 00000
	0026	0226	EDAD6816601	1	17.00 19.45		11	631	110 41 00000
	0026	0228	UNIV1001066	1	8.00 8.50		21	644	110 42 00000
	0026	0228	UNIV1001031	1	9.00 9.50		19	644	110 42 00000
	0026	0228	UNIV1001010	1	9.30 10.20		22	644	110 42 00000
	0026	0228	UNIV1001033	1	10.00 10.50		16	644	110 42 00000
	0026	0228	UNIV1001058	1	11.00 11.50		20	644	110 42 00000
	0026	0228	UNIV1001027	1	11.00 11.50		19	644	110 42 00000
	0026	0228	UNIV1001036	1	11.00 11.50		18	644	110 42 00000
	0026	0228	UNIV1001052	1	12.00 12.50		19	644	110 42 00000
	0026	0228	UNIV1001062	1	12.00 12.50		19	644	110 42 00000
	0026	0228	UNIV1001067	1	12.00 12.50		15	644	110 42 00000
	0026	0228	EDCI6530495	1	17.00 19.45		28	644	110 42 00000
	0026	0305Q	EDLS3100001	1 1	15.00 16.15		31	1,006	110 67 00000
	0026	0305Q	ENGL4240601	1	17.00 19.40		8	1,006	110 67 00000
9	0026	0305Q	ENGL4240601	1	17.00 19.40		5	1,006	110 67 00000
	0026	0305Q	EDLS4200601	1	17.00 19.45	1	7	1,006	110 67 00000
9	0026	0305Q	EDLS4200601	1	17.00 19.45		9	1,006	110 67 00000
	0026	0305Q	EDLS6710601	1	17.00 19.45		11	1,006	110 67 00000
	0026	0305R	EDSP3610002	1 1	11.00 12.15		31	851	210 57 00000
	0026	0305R	EDUC2204002	1 1	13.30 14.45		21	851	210 57 00000
	0026	0305R	EDSP4010486	1	16.30 19.15		11	851	210 57 00000
	0026	0305R	EDAD6860601	1	17.00 19.45		15	851	210 57 00000
	0026	0307	EDCI3500495	1 1 1	9.00 9.50		12	743	210 45 00000
	0026	0307	EDCI3540495	1 1	15.00 16.15		25	743	210 45 00000
	0026	0307	EDCI6430601	1	16.30 19.15		34	743	210 45 00000
	0026	0307	EDAD6890601	1	17.00 19.45		7	743	210 45 00000
	0026	0307	EDCI6600601	1	17.00 19.45		19	743	210 45 00000
	0026	0308	EDCI3410001	1 1	8.00 9.15		30	665	210 44 00000
	0026	0308	EDUC2200001	1 1 1	10.00 10.50		34	665	210 44 00000
	0026	0308	EDSP3610001	1 1 1	11.00 11.50		24	665	210 44 00000
	0026	0308	EDUC1010002	1 1	11.00 12.15		31	665	210 44 00000
	0026	0308	EDSP3620001	1 1 1	13.00 13.50		20	665	210 44 00000
	0026	0308	EDUC2100495	1 1	13.30 14.45		27	665	210 44 00000
	0026	0308	EDUC3110001	1 1 1	14.00 14.50		29	665	210 44 00000
	0026	0308	EDCI3310001	1 1	15.00 16.15		19	665	210 44 00000
	0026	0308	EDGC6660001	1	16.00 18.45		11	665	210 44 00000
	0026	0308	EDCI3440601	1	16.30 19.15		21	665	210 44 00000
	0026	0308	EDAD6940601	1	17.00 19.45		16	665	210 44 00000
	0026	0308B	EDUC1010001	1 1 1	10.00 10.50		28	669	210 45 00000
	0026	0308B	EDUC2204001	1 1	11.00 12.15		30	669	210 45 00000
	0026	0308B	EDSP3650001	1	11.30 14.30		1	669	210 45 00000
	0026	0308B	EDCI3311001	1 1	13.30 14.45		19	669	210 45 00000
	0026	0308B	EDUC3100001	1 1	15.00 16.15		29	669	210 45 00000
	0026	0308B	EDCI4260601	1	17.00 19.45		7	669	210 45 00000
9	0026	0308B	EDCI4260601	1	17.00 19.45		18	669	210 45 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/24/2015 08:55:27
 PAGE NUM 8

UNIVERSITY OF NEW ORLEANS
 BRANCH
 PARISH
 RELATION
 ORLEANS
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	0026	0308B	EDAD6812601	1	17.00 19.45	11	669	210 45	00000	
	0026	0308B	EDAD6930601	1	17.00 19.45	9	669	210 45	00000	
4	0026	0308C	EDUC4813001	111111	8.00 15.30	4	788	210 53	00000	
4	9	0026	0308C	EDUC4813001	111111	4	788	210 53	00000	
	0026	0308C	EDGC6439001	1	16.00 18.45	13	788	210 53	00000	
	0026	0308C	EDFR6430001	1	16.00 18.45	25	788	210 53	00000	
	0026	0308C	EDCI6220601	1	17.00 19.45	8	788	210 53	00000	
	0026	0308C	EDGC6550601	1	19.10 21.50	6	788	210 53	00000	
	0026	0308C	EDCI4620495	1	19.30 20.45	9	788	210 53	00000	
	9	0026	0308C	EDCI4620495	1	19.30 20.45	22	788	210 53	00000
	0026	0310	EDCI3150001	1 1 1	9.00 9.50	31	657	210 56	00000	
	0026	0310	EDCI3140001	1 1	9.30 10.45	26	657	210 56	00000	
	0026	0310	EDCI3340001	1 1	11.00 12.15	21	657	210 56	00000	
	0026	0310	EDFR6731001	1	16.00 18.45	10	657	210 56	00000	
	0026	0310	EDUC4000601	1	16.30 19.15	23	657	210 56	00000	
	0026	0310	EDCI6250601	1	17.00 19.45	10	657	210 56	00000	
	0026	0310	EDCI4240601	1	17.00 19.45	4	657	210 56	00000	
	9	0026	0310	EDCI4240601	1	17.00 19.45	10	657	210 56	00000
	0026	0310	EDCI4140601	1	19.00 21.40	3	657	210 56	00000	
	9	0026	0310	EDCI4140601	1	19.00 21.40	26	657	210 56	00000
8	0029	0134	ENME3716001	1	13.30 16.10	18	140	310 1	00000	
8	0029	0134	ENME3716601	1	18.00 20.40	18	140	310 1	00000	
	0029	0309	ENME3733001	1 1	15.00 16.15	27	466	110 20	00000	
	0029	0309	ENEE3501601	1 1	16.30 17.45	20	466	110 20	00000	
	0029	0309	ENCE6096601	1	18.00 20.40	7	466	110 20	00000	
	0029	0312	ENME6773601	1 1	16.30 17.45	11	443	110 20	00000	
	0029	0312	ENEE3091601	1	18.00 18.50	19	443	110 20	00000	
	0029	0312	ENME6728601	1 1	18.00 19.15	10	443	110 20	00000	
	0029	0312	ENCE6361601	1	18.00 20.40	11	443	110 20	00000	
	0029	0315	ENEE3535001	1 1	9.30 10.45	8	429	110 20	00000	
	0029	0315	ENEE6001001	1	13.00 13.50	10	429	110 20	00000	
	0029	0315	ENCE2310001	1	13.00 15.40	29	429	110 20	00000	
	0029	0315	ENCE6332001	1 1	13.30 14.45	6	429	110 20	00000	
	0029	0315	ENEE3092001	1 1	15.00 16.15	11	429	110 20	00000	
	0029	0315	ENCE2350601	1 1	16.30 17.45	11	429	110 20	00000	
	0029	0315	ENCE2350602	1 1	16.30 17.45	21	429	110 20	00000	
	0029	0315	ENEE6525601	1	18.00 20.40	7	429	110 20	00000	
	0029	0315	ENEE6564601	1	18.00 20.45	7	429	110 20	00000	
	0029	0316	ENME2750001	1	8.30 9.20	43	604	110 37	00000	
	0029	0316	ENCE2350001	1 1	9.30 10.45	23	604	110 37	00000	
	0029	0316	ENEE3533001	1 1 1	11.00 11.50	18	604	110 37	00000	
	0029	0316	ENCE3356001	1 1	11.00 12.40	38	604	110 37	00000	
	0029	0316	ENEE4097002	1 1 1	12.00 12.50	14	604	110 37	00000	
	0029	0316	ENCE3318001	1 1	13.30 14.45	35	604	110 37	00000	
	0029	0316	NAME2151001	1 1	15.00 16.15	18	604	110 37	00000	
	0029	0316	ENCE2351601	1 1	16.30 17.45	33	604	110 37	00000	
	0029	0316	NAME6121601	1 1	16.30 17.45	14	604	110 37	00000	
	0029	0316	NAME6098601	1 1	18.00 19.15	17	604	110 37	00000	
	0029	0316	NAME3120601	1 1	18.00 19.15	20	604	110 37	00000	
	0029	0317	ENCE3300001	1 1	9.30 10.45	12	626	110 37	00000	
	0029	0317	ENEE3587001	1 1	13.30 14.45	25	626	110 37	00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/24/2015 08:55:27
 PAGE NUM 9

UNIVERSITY OF NEW ORLEANS
 BRANCH
 PARISH
 RELATION ORLEANS
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0029	0317	ENCE6349601	1	16.00 18.40		10	626	110 37 00000
	0029	0317	ENME3735601	1 1	16.30 17.45		33	626	110 37 00000
	0029	0317	NAME6160601	1 1	18.00 19.15		12	626	110 37 00000
	0029	0318	ENME3734001	1 1	9.30 10.45		33	555	110 36 00000
	0029	0318	CSCI4302001	1 1	11.00 12.15		1	555	110 36 00000
	0029	0318	ENEE3583001	1 1	11.00 12.15	1	16	555	110 36 00000
	0029	0318	ENEE2550001	1 1	13.30 14.45		22	555	110 36 00000
	0029	0318	ENME3755601	1 1	16.30 17.45		29	555	110 36 00000
	0029	0318	ENEE2582601	1 1	16.30 17.45		30	555	110 36 00000
	0029	0318	ENME2750601	1	18.00 18.50		43	555	110 36 00000
	0029	0318	ENCE4359601	1 1	18.00 19.15		27	555	110 36 00000
9	0029	0318	ENCE4359601	1 1	18.00 19.15		27	555	110 36 00000
	0029	0318	ENCE3390601	1	18.00 20.40		41	555	110 36 00000
	0029	0319	ENCE2351001	1 1	9.30 10.45		33	616	110 41 00000
	0029	0319	ENEE3572001	1 1 1	10.00 10.50		14	616	110 41 00000
	0029	0319	ENME3776001	1 1	15.00 16.15		37	616	110 41 00000
	0029	0319	NAME3150001	1 1	15.00 16.15		18	616	110 41 00000
	0029	0319	ENEE3540601	1 1	16.30 17.45		29	616	110 41 00000
	0029	0319	NAME4170601	1 1	16.30 17.45		21	616	110 41 00000
	0029	0319	ENME4772601	1 1	18.00 19.15		16	616	110 41 00000
9	0029	0319	ENME4772601	1 1	18.00 19.15		5	616	110 41 00000
	0029	0319	ENME4096601	1	18.00 20.40		46	616	110 41 00000
	0029	0320	ENME2750001	1 1	9.30 10.45		43	594	110 36 00000
	0029	0320	ENME3771001	1 1 1	10.00 10.50		29	594	110 36 00000
	0029	0320	ENME2740001	1 1	11.00 12.15		33	594	110 36 00000
	0029	0320	ENCE4323601	1 1	12.00 13.30		35	594	110 36 00000
9	0029	0320	ENCE4323601	1 1	12.00 13.30		4	594	110 36 00000
	0029	0320	ENCE4386001	1	12.30 15.10		16	594	110 36 00000
	0029	0320	ENCE4723001	1 1	15.00 16.15		27	594	110 36 00000
9	0029	0320	ENCE4723001	1 1	15.00 16.15		7	594	110 36 00000
	0029	0320	ENCE4318001	1	15.00 17.40		40	594	110 36 00000
9	0029	0320	ENCE4318001	1	15.00 17.40		3	594	110 36 00000
	0029	0320	ENCE4319001	1	15.00 17.40		40	594	110 36 00000
9	0029	0320	ENCE4319001	1	15.00 17.40		3	594	110 36 00000
	0029	0320	ENCE4358601	1 1	16.30 17.45		29	594	110 36 00000
89	0029	0320	ENCE4358601	1 1	16.30 17.45		29	594	110 36 00000
	0029	0321	ENEE4097003	1 1	9.30 10.45		5	591	110 36 00000
9	0029	0321	ENEE4097003	1 1	9.30 10.45		5	591	110 36 00000
	0029	0321	NAME4097001	1 1	9.30 10.45	1	12	591	110 36 00000
9	0029	0321	NAME4097001	1 1	9.30 10.45		5	591	110 36 00000
	0029	0321	ENME3773001	1 1	11.00 12.15		27	591	110 36 00000
	0029	0321	NAME4097002	1 1	11.00 12.15		13	591	110 36 00000
9	0029	0321	NAME4097002	1 1	11.00 12.15		4	591	110 36 00000
	0029	0321	ENCE4322001	1 1	13.30 14.45		26	591	110 36 00000
9	0029	0321	ENCE4322001	1 1	13.30 14.45		2	591	110 36 00000
	0029	0321	NAME6097001	1 1	13.30 14.45		3	591	110 36 00000
	0029	0321	ENEE4535001	1 1	15.00 16.15		12	591	110 36 00000
9	0029	0321	ENEE4535001	1 1	15.00 16.15		4	591	110 36 00000
	0029	0321	NAME4096001	1 1	15.00 16.15		22	591	110 36 00000
9	0029	0321	NAME4096001	1 1	15.00 16.15		7	591	110 36 00000
	0029	0321	NAME3150001	1	16.30 17.45		18	591	110 36 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 11/24/2015 08:55:27

PAGE NUM 10

UNIVERSITY OF NEW ORLEANS

BRANCH

PARISH

RELATION

ORLEANS

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0029	0321	ENEE3522601	1 1	18.00 19.15		39	591	110 36 00000
	0029	0406	ENCE2301001	1 1	11.00 14.25		26	1,150	220 29 00000
	0029	0406	ENME1781001	1 1	13.30 16.00		23	1,150	220 29 00000
	0029	0406	ENME1781601	1 1	16.30 19.00		28	1,150	220 29 00000
	0029	0411	ENME3780001	1 1	11.00 12.15		27	1,074	210 24 00000
	0029	0415	ENCE4399001	1	9.00 11.00		10	1,097	210 84 00000
	0029	0415	ENCE4390001	1 1	11.00 12.15		8	1,097	210 84 00000
	0029	0506	ENME2711001	1	13.30 16.10		16	501	210 16 00000
	0029	0506	ENME2711002	1 1	13.30 16.10		12	501	210 16 00000
	0029	0511	ENCE2311601	1	18.00 20.40		25	880	220 24 00000
	0029	0511	ENCE2311602	1	18.00 20.40		28	880	220 24 00000
	0029	0511	ENCE2311603	1	18.00 20.40		24	880	220 24 00000
	0029	0514	ENME3711002	1	9.00 11.40		15	1,243	210 16 00000
	0029	0514	ENME3711001	1	13.30 16.10		14	1,243	210 16 00000
	0029	0611	ENEE3511601	1	18.00 20.45		9	783	210 20 00000
	0029	0615	ENEE3514001	1	8.00 10.45		12	643	250 10 00000
	0029	0713	ENEE2586601	1 1	18.00 20.45		28	810	210 35 00000
	0029	0716	ENEE3518001	1	13.00 15.45		14	734	210 24 00000
	0029	0717	ENEE3574001	1	12.00 14.45		5	715	210 24 00000
	0030	0115	FA 2550001	1 1	9.00 11.45		15	921	225 25 00000
	0030	0115	FA 1051001	1 1	9.30 12.15		20	921	225 25 00000
	0030	0115	FA 1051002	1 1	13.00 15.45		20	921	225 25 00000
	0030	0115	FA 3550004	1 1	13.30 16.15		9	921	225 25 00000
	0030	0115	FA 1551001	1 1	16.30 19.15		21	921	225 25 00000
	0030	0117	FA 3750001	1 1	9.30 12.15		20	2,004	210 20 00000
	0030	0117	FA 4750001	1 1	9.30 12.15	1	2	2,004	210 20 00000
	0030	0118	FA 1050001	1 1	9.30 12.15		18	1,493	210 25 00000
	0030	0118	FA 1050002	1 1	13.00 15.45		25	1,493	210 25 00000
	0030	0118	FA 1061001	1 1	13.30 16.15		8	1,493	210 25 00000
	0030	0118	FA 3301001	1 1	13.30 16.15	1	10	1,493	210 25 00000
	0030	0118	FA 3302001	1 1	13.30 16.15	1	3	1,493	210 25 00000
	0030	0119	FA 3550002	1 1	9.30 12.15		11	1,430	210 25 00000
	0030	0119	FA 3550001	1 1	13.00 15.45		14	1,430	210 25 00000
	0030	0119	FA 4550002	1 1	13.30 16.15		9	1,430	210 25 00000
	0030	0132	FA 2650001	1 1	9.30 12.15		21	1,570	210 30 00000
	0030	0132	FA 3650001	1 1	13.30 16.15		7	1,570	210 30 00000
	0030	0132	FA 4650001	1 1	13.30 16.15	1	2	1,570	210 30 00000
	0030	0134	FA 3550003	1 1	9.00 11.45		14	2,647	210 20 00000
	0030	0134	FA 4550001	1 1	9.30 12.15		2	2,647	210 20 00000
	0030	0137	FA 2750001	1 1	9.00 11.45		19	2,052	210 25 00000
	0030	0138	FA 1060001	1 1	9.00 11.45		24	1,352	210 25 00000
	0030	0138	FA 1060002	1 1	9.30 12.15		22	1,352	210 25 00000
	0030	0138	FA 1061002	1 1	13.00 15.45		7	1,352	210 25 00000
	0031	1000	EES 1004002	1 1	8.00 9.15		61	1,462	110 109 00000
	0031	1000	EES 1004001	1 1 1	9.00 9.50		58	1,462	110 109 00000
	0031	1000	PSYC2120001	1 1	9.30 10.45		121	1,462	110 109 00000
	0031	1000	EES 1000002	1 1 1	10.00 10.50		106	1,462	110 109 00000
	0031	1000	EES 1000195	1 1 1	10.00 10.50	1	6	1,462	110 109 00000
	0031	1000	EES 1000003	1 1 1	11.00 11.50		112	1,462	110 109 00000
	0031	1000	EES 2700001	1 1	11.00 12.15		33	1,462	110 109 00000
	0031	1000	EES 1000001	1 1	13.30 14.45		114	1,462	110 109 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 11/24/2015 08:55:27

PAGE NUM 11

UNIVERSITY OF NEW ORLEANS

BRANCH

PARISH

RELATION

ORLEANS

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0031	1000	EES 1000004	1 1	15.00 16.15	66	1,462	110 109	00000
	0031	1000	EES 2510001	1 1	15.00 16.15	20	1,462	110 109	00000
	0031	1000	EES 1002601	1 1	16.30 17.45	112	1,462	110 109	00000
	0031	1000	EES 2051601	1	16.30 19.15	47	1,462	110 109	00000
	0031	1000	EES 4560601	1	16.30 19.15	40	1,462	110 109	00000
9	0031	1000	EES 4560601	1	16.30 19.15	8	1,462	110 109	00000
	0031	1009	EES 1003001	1	12.30 15.10	12	701	110 24	00000
	0031	1009	EES 1003002	1	13.30 16.10	15	701	110 24	00000
	0031	1009	EES 2700001	1	13.30 16.10	33	701	110 24	00000
	0031	1009	EES 6762601	1	16.30 19.15	5	701	110 24	00000
9	0031	1009	EES 4900601	1	16.30 19.15	12	701	110 24	00000
	0031	1009	EES 4900601	1	16.30 19.15	5	701	110 24	00000
	0031	1023	EES 1005002	1	12.30 15.10	11	784	210 24	00000
	0031	1023	EES 1005003	1	13.30 16.10	11	784	210 24	00000
	0031	1023	EES 4096601	1	16.30 19.15	8	784	210 24	00000
9	0031	1023	EES 4096601	1	16.30 19.15	5	784	210 24	00000
	0031	1043	EES 1001002	1	11.00 13.40	10	787	210 24	00000
	0031	1043	EES 1001003	1	14.00 16.40	15	787	210 24	00000
	0031	1043	EES 1001601	1	18.00 20.40	10	787	210 24	00000
	0031	1056	UNIV1001063	1	8.00 8.50	20	699	210 47	00000
	0031	1056	EES 3100001	1 1	9.30 10.45	22	699	210 47	00000
	0031	1056	EES 6760001	1	10.00 12.40	15	699	210 47	00000
	0031	1056	EES 2740001	1 1	11.00 12.15	22	699	210 47	00000
	0031	1056	EES 6096001	1 1	11.00 12.15	5	699	210 47	00000
	0031	1056	EES 2740001	1	13.00 15.40	22	699	210 47	00000
	0031	1056	PHYS6194601	1 1	16.30 17.45	6	699	210 47	00000
	0031	1064	EES 6096002	1	10.00 12.00	5	731	350 40	00000
	0031	1064	EES 4099001	1 1	13.00 13.50	12	731	350 40	00000
	0031	1064	EES 6090001	1	15.00 15.50	6	731	350 40	00000
	0031	1064	EES 6096002	1	15.30 16.30	5	731	350 40	00000
	0031	1064	EES 6096602	1	18.00 20.40	4	731	350 40	00000
89	0031	2013	PSYC4550001	1 1 1	9.00 9.50	50	671	110 46	00000
	0031	2013	PSYC4550001	1 1 1	9.00 9.50	50	671	110 46	00000
	0031	2013	PSYC2380001	1 1 1	10.00 10.50	50	671	110 46	00000
	0031	2013	PSYC4510001	1 1	11.00 12.15	60	671	110 46	00000
9	0031	2013	PSYC4510001	1 1	11.00 12.15	1	671	110 46	00000
	0031	2013	ENEE2500001	1 1	13.30 14.45	50	671	110 46	00000
	0031	2013	PSYC4000601	1	18.00 20.40	26	671	110 46	00000
	0031	2025	PSYC1310001	1 1 1	11.00 11.50	30	721	110 50	00000
	0031	2025	PSYC1009190	1 1	11.00 12.15	27	721	110 50	00000
	0031	2025	PSYC1310001	1 1 1	11.50 12.20	30	721	110 50	00000
	0031	2025	PSYC1310002	1 1 1	13.00 13.50	20	721	110 50	00000
	0031	2025	PSYC1310003	1 1	13.30 14.45	29	721	110 50	00000
	0031	2025	PSYC1310002	1 1 1	13.50 14.20	20	721	110 50	00000
	0031	2025	PSYC1310003	1 1	14.45 15.15	29	721	110 50	00000
	0031	2027	PSYC7010001	1 1 1	10.00 10.50	3	721	110 10	00000
	0031	2027	PSYC6610001	1 1	13.30 14.45	10	721	110 10	00000
	0031	2027	PSYC6801001	1 1	15.00 16.15	8	721	110 10	00000
	0031	2041	PSYC6311001	1 1 1	8.00 8.50	8	683	350 45	00000
	0031	2041	PSYC6550001	1 1 1	9.00 9.50	7	683	350 45	00000
	0031	2041	PSYC6170001	1 1	9.30 10.45	5	683	350 45	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/24/2015 08:55:27
 PAGE NUM 12

UNIVERSITY OF NEW ORLEANS
 BRANCH
 PARISH
 RELATION ORLEANS
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0031	2041	PSYC6091001	1 1	11.00 12.15		13	683	350 45 00000
	0031	2078	PSYC2300001	1 1 1	9.00 9.50		25	1,085	210 73 00000
	0031	2078	PSYC2300002	1 1	9.30 10.45		31	1,085	210 73 00000
	0031	2078	PSYC2300001	1	9.50 10.50		25	1,085	210 73 00000
	0031	2078	PSYC2300002	1 1	10.45 11.15		31	1,085	210 73 00000
	0031	2078	PSYC4320001	1 1	13.30 14.45		24	1,085	210 73 00000
9	0031	2078	PSYC4320001	1 1	13.30 14.45		1	1,085	210 73 00000
	0031	2078	PSYC4320001	1 1	14.45 15.15		24	1,085	210 73 00000
9	0031	2078	PSYC4320001	1 1	14.45 15.15		1	1,085	210 73 00000
	0034	0104	FA 2202001	1 1 1	9.00 9.50		22	1,121	110 74 00000
	0034	0104	HUMS1090001	1 1	9.30 10.45		35	1,121	110 74 00000
	0034	0104	FA 2201001	1 1 1	11.00 11.50		37	1,121	110 74 00000
	0034	0104	FA 4240001	1 1	11.00 12.15		16	1,121	110 74 00000
9	0034	0104	FA 4240001	1 1	11.00 12.15		2	1,121	110 74 00000
	0034	0104	FA 4245001	1 1 1	13.00 13.50		17	1,121	110 74 00000
9	0034	0104	FA 4245001	1 1 1	13.00 13.50		1	1,121	110 74 00000
	0034	0104	FA 4270001	1 1	13.30 14.45		7	1,121	110 74 00000
9	0034	0104	FA 4270001	1 1	13.30 14.45		1	1,121	110 74 00000
	0034	0104	FA 4266001	1 1	15.00 16.15		9	1,121	110 74 00000
9	0034	0104	FA 4266001	1 1	15.00 16.15		7	1,121	110 74 00000
	0034	0104	HIST6001601	1	18.00 20.45		20	1,121	110 74 00000
	0034	0120	PHIL1000001	1 1 1	9.00 9.50		66	1,052	110 75 00000
	0034	0120	HIST3992001	1 1	9.30 10.45		61	1,052	110 75 00000
	0034	0120	PHIL2201001	1 1 1	10.00 10.50		50	1,052	110 75 00000
	0034	0120	PHIL2244001	1	11.00 11.50		21	1,052	110 75 00000
	0034	0120	PHIL2244002	1	11.00 11.50		22	1,052	110 75 00000
	0034	0120	PHIL2244003	1	11.00 11.50		23	1,052	110 75 00000
	0034	0120	MATH1125006	1 1	11.00 12.15		61	1,052	110 75 00000
	0034	0120	PHIL1000003	1 1 1	12.00 12.50		69	1,052	110 75 00000
	0034	0120	GER 1001001	1 1	13.30 14.45		39	1,052	110 75 00000
	0034	0120	HIST4603001	1	15.00 17.45		12	1,052	110 75 00000
9	0034	0120	HIST4603001	1	15.00 17.45		8	1,052	110 75 00000
	0034	0140	BIOS2114001	1 1	9.30 10.45		20	2,390	110 195 00000
	0034	0140	BIOS2114002	1 1	9.30 10.45	1	23	2,390	110 195 00000
	0034	0140	BIOS2114003	1 1	9.30 10.45	1	24	2,390	110 195 00000
	0034	0140	BIOS2114004	1 1	9.30 10.45	1	24	2,390	110 195 00000
	0034	0140	BIOS3453001	1 1 1	10.00 10.50		131	2,390	110 195 00000
	0034	0140	MUS 1000001	1 1	15.00 16.15		95	2,390	110 195 00000
	0034	0140	ENGL2311001	1 1	16.30 17.45		34	2,390	110 195 00000
	0034	0140	ENGL2311001	1	18.00 20.00		34	2,390	110 195 00000
	0034	0156	MATH2314001	1 1 1	9.00 9.50		54	1,097	110 75 00000
	0034	0156	MATH2785003	1 1	9.30 10.45		59	1,097	110 75 00000
	0034	0156	ENGL1158009	1 1 1	10.00 10.50		23	1,097	110 75 00000
	0034	0156	ENGL2090001	1 1 1	11.00 11.50		34	1,097	110 75 00000
	0034	0156	ENGL2238004	1 1	11.00 12.15		35	1,097	110 75 00000
	0034	0156	ENGL4801001	1 1	13.30 14.45		21	1,097	110 75 00000
9	0034	0156	ENGL4801001	1 1	13.30 14.45		6	1,097	110 75 00000
	0034	0156	ENGL2377601	1	18.00 20.40		32	1,097	110 75 00000
	0034	0172	HIST4991002	1 1	8.00 9.15		23	1,052	110 73 00000
9	0034	0172	HIST4991002	1 1	8.00 9.15		2	1,052	110 73 00000
	0034	0172	ENGL1157006	1 1 1	9.00 9.50		16	1,052	110 73 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/24/2015 08:55:27
 PAGE NUM 13

UNIVERSITY OF NEW ORLEANS
 BRANCH
 PARISH
 RELATION ORLEANS
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0034	0172	MATH1126003	1 1	9.30 10.45		57	1,052	110 73 00000
	0034	0172	HIST1010001	1 1 1	10.00 10.50		33	1,052	110 73 00000
	0034	0172	MATH2115001	1 1 1	11.00 11.50		59	1,052	110 73 00000
	0034	0172	HIST4575001	1 1	11.00 12.15		27	1,052	110 73 00000
9	0034	0172	HIST4575001	1 1	11.00 12.15		4	1,052	110 73 00000
	0034	0172	ENGL3394001	1 1 1	12.00 12.50		16	1,052	110 73 00000
	0034	0172	ENGL4401001	1 1 1	13.00 13.50		23	1,052	110 73 00000
9	0034	0172	ENGL4401001	1 1 1	13.00 13.50		5	1,052	110 73 00000
	0034	0172	ENGL2043004	1 1	15.00 16.15		33	1,052	110 73 00000
	0034	0172	ENGL6390602	1	18.00 20.40		12	1,052	110 73 00000
	0034	0197	ENGL6154602	1	18.00 20.40		11	933	650 9 00000
	0034	0210	ENGL1157002	1 1 1	8.00 8.50		24	551	110 36 00000
	0034	0210	ENGL1158004	1 1 1	9.00 9.50		23	551	110 36 00000
	0034	0210	PHIL3301001	1 1	9.30 10.45		11	551	110 36 00000
	0034	0210	ENGL1157013	1 1 1	10.00 10.50		24	551	110 36 00000
	0034	0210	ENGL2043002	1 1 1	11.00 11.50		34	551	110 36 00000
	0034	0210	ITAL1002001	1 1	11.00 12.15		21	551	110 36 00000
	0034	0210	PHIL3415001	1 1 1	12.00 12.50		17	551	110 36 00000
	0034	0210	ENGL1158020	1 1 1	13.00 13.50		23	551	110 36 00000
	0034	0210	PHIL3500001	1 1	13.30 14.45		9	551	110 36 00000
	0034	0210	ENGL2378001	1 1	15.00 16.15		31	551	110 36 00000
	0034	0210	ENGL6161604	1	18.00 20.40		7	551	110 36 00000
	0034	0210	ENGL6280601	1	18.00 20.40		15	551	110 36 00000
	0034	0212	ENGL1157003	1 1 1	8.00 8.50		24	536	110 34 00000
	0034	0212	ENGL1158030	1 1	9.30 10.45		22	536	110 34 00000
	0034	0212	ENGL1158010	1 1 1	10.00 10.50		24	536	110 34 00000
	0034	0212	ENGL1157021	1 1 1	11.00 11.50		25	536	110 34 00000
	0034	0212	ENGL1158036	1 1	11.00 12.15		24	536	110 34 00000
	0034	0212	ENGL1159195	1 1 1	12.00 12.50		20	536	110 34 00000
	0034	0212	WGS 2010001	1 1 1	13.00 13.50		28	536	110 34 00000
	0034	0212	JOUR4791001	1 1	13.30 14.45		17	536	110 34 00000
9	0034	0212	JOUR4791001	1 1	13.30 14.45		4	536	110 34 00000
	0034	0212	ITAL2001001	1 1	15.00 16.15		5	536	110 34 00000
	0034	0212	ENGL4391601	1 1	16.30 17.45		12	536	110 34 00000
9	0034	0212	ENGL4391601	1 1	16.30 17.45		11	536	110 34 00000
	0034	0212	ENGL6161602	1	18.00 20.40		9	536	110 34 00000
	0034	0212	ENGL6090602	1	18.00 20.40		8	536	110 34 00000
	0034	0212	ENGL6090601	1	18.00 20.40		13	536	110 34 00000
	0034	0220	SPAN1001001	1 1 1	9.00 9.50		38	790	110 56 00000
	0034	0220	SPAN1001006	1 1	9.30 10.45		35	790	110 56 00000
	0034	0220	SPAN2001001	1 1 1	10.00 10.50		35	790	110 56 00000
	0034	0220	SPAN1002001	1 1 1	11.00 11.50		37	790	110 56 00000
	0034	0220	SPAN1001007	1 1	11.00 12.15		36	790	110 56 00000
	0034	0220	SPAN1002002	1 1 1	12.00 12.50		37	790	110 56 00000
	0034	0220	FREN3405001	1 1	13.30 14.45		9	790	110 56 00000
	0034	0220	SPAN3405001	1 1	13.30 14.45	1	26	790	110 56 00000
	0034	0220	SPAN1002005	1 1	15.00 16.15		37	790	110 56 00000
	0034	0220	HIST4346001	1 1	16.30 17.45		23	790	110 56 00000
9	0034	0220	HIST4346001	1 1	16.30 17.45		4	790	110 56 00000
	0034	0226	ENGL2041003	1 1	8.00 9.15		35	818	110 49 00000
	0034	0226	ENGL1158007	1 1 1	9.00 9.50		24	818	110 49 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015
 RUN DATE 11/24/2015 08:55:27
 PAGE NUM 14

UNIVERSITY OF NEW ORLEANS

BRANCH
 PARISH
 RELATION

ORLEANS
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0034	0226	ENGL2043003	1 1	9.30 10.45		36	818	110 49 00000
	0034	0226	ENGL1157221	1 1 1	10.00 10.50		20	818	110 49 00000
	0034	0226	ENGL1158013	1 1 1	11.00 11.50		25	818	110 49 00000
	0034	0226	ANTH2052001	1 1	11.00 12.15		49	818	110 49 00000
	0034	0226	ENGL2090002	1 1 1	13.00 13.50		34	818	110 49 00000
	0034	0226	SPAN3031001	1 1	13.30 14.45		15	818	110 49 00000
	0034	0226	ENGL2041002	1 1	15.00 16.15		33	818	110 49 00000
	0034	0234	ENGL1157051	1 1	11.00 12.15		17	989	110 67 00000
	0034	0236	ENGL2090003	1 1	9.30 10.45		34	1,572	110 104 00000
	0034	0236	MATH1125003	1 1 1	11.00 11.50		59	1,572	110 104 00000
	0034	0236	FTCA4096001	1 1	13.30 14.45		27	1,572	110 104 00000
9	0034	0236	FTCA4096001	1 1	13.30 14.45		5	1,572	110 104 00000
	0034	0236	MUS 4001006	1 1	13.30 14.45	1	6	1,572	110 104 00000
9	0034	0236	MUS 4001006	1 1	13.30 14.45		5	1,572	110 104 00000
	0034	0236	ENGL2238005	1 1	15.00 16.15		30	1,572	110 104 00000
	0034	0236	HUMS2090001	1	15.00 17.45		21	1,572	110 104 00000
	0034	0250	ENGL1157045	1 1	9.30 10.45		24	880	110 55 00000
	0034	0250	PHIL3400001	1 1	11.00 12.15		23	880	110 55 00000
	0034	0250	PHYS4205001	1 1	15.00 16.15		5	880	110 55 00000
9	0034	0250	PHYS4205001	1 1	15.00 16.15		4	880	110 55 00000
	0034	0250	AADM6504001	1	15.00 17.40		17	880	110 55 00000
	0034	0250	AADM6502601	1	18.00 20.40		15	880	110 55 00000
	0034	0250	AADM6505601	1	18.00 20.40		22	880	110 55 00000
	0034	0256	ENGL4621001	1 1	9.30 10.45		21	822	110 55 00000
9	0034	0256	ENGL4621001	1 1	9.30 10.45		8	822	110 55 00000
	0034	0256	ENGL6280002	1 1	11.00 12.15		13	822	110 55 00000
	0034	0256	PHIL2314001	1 1	11.00 12.15		17	822	110 55 00000
	0034	0256	A&S 2999195	1	12.30 13.20		33	822	110 55 00000
	0034	0256	FREN1001003	1 1	13.30 14.45		35	822	110 55 00000
	0034	0256	ENGL4093001	1 1	15.00 16.15		20	822	110 55 00000
9	0034	0256	ENGL4093001	1 1	15.00 16.15		6	822	110 55 00000
	0034	0262	JAPN2001001	1 1	9.30 10.45		20	820	110 46 00000
	0034	0262	FREN1002002	1 1 1	11.00 11.50		29	820	110 46 00000
	0034	0262	JAPN1001001	1 1	11.00 12.15		36	820	110 46 00000
	0034	0262	FREN2001001	1 1 1	12.00 12.50		36	820	110 46 00000
	0034	0262	SPAN1002003	1 1 1	13.00 13.50		36	820	110 46 00000
	0034	0262	SPAN1001008	1 1	13.30 14.45		38	820	110 46 00000
	0034	0262	SPAN1002004	1 1 1	14.00 14.50		37	820	110 46 00000
	0034	0262	SPAN1001005	1 1	15.00 16.15		36	820	110 46 00000
	0034	0262	SPAN1002006	1 1	15.00 16.15		34	820	110 46 00000
	0034	0262	FREN4202601	1	16.30 19.15		8	820	110 46 00000
9	0034	0262	FREN4202601	1	16.30 19.15		5	820	110 46 00000
	0034	0262	SPAN4041601	1	16.30 19.15		11	820	110 46 00000
9	0034	0262	SPAN4041601	1	16.30 19.15		14	820	110 46 00000
	0034	0296	ENGL6001001	1 1	13.30 14.45		14	514	350 20 00000
	0034	0296	ENGL6154601	1	18.00 20.40		11	514	350 20 00000
	0034	0306	FREN1002004	1 1	13.30 14.45		10	543	110 37 00000
	0034	0306	ENGL6163601	1	18.00 20.40		12	543	110 37 00000
	0034	0312	ENGL 1000001	1 1	9.30 12.15		16	532	110 36 00000
	0034	0312	PHIL2311001	1 1	13.30 14.45		18	532	110 36 00000
	0034	0320	ENGL2341001	1 1 1	9.00 9.50		37	799	110 56 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 11/24/2015 08:55:27

PAGE NUM 15

UNIVERSITY OF NEW ORLEANS

BRANCH

PARISH

RELATION

ORLEANS

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0034	0320	GER 2001001	1 1	9.30 10.45		15	799	110 56 00000
	0034	0320	FREN1001001	1 1 1	11.00 11.50		38	799	110 56 00000
	0034	0320	GER 1002001	1 1	11.00 12.15		14	799	110 56 00000
	0034	0320	FREN1001002	1 1 1	12.00 12.50		38	799	110 56 00000
	0034	0320	FREN2002001	1 1	13.30 14.45		13	799	110 56 00000
	0034	0320	ENGL6390601	1	18.00 20.40		13	799	110 56 00000
	0034	0326	LAT 1011001	1 1	9.30 10.45		18	797	110 55 00000
	0034	0326	SOC 1051002	1 1 1	11.00 11.50		37	797	110 55 00000
	0034	0326	ENGL1158037	1 1	11.00 12.15		23	797	110 55 00000
	0034	0326	ENGL2258003	1 1	13.30 14.45		17	797	110 55 00000
	0034	0326	ENGL1157060	1 1	15.00 16.15		25	797	110 55 00000
	0034	0344	ENGL1157008	1 1 1	9.00 9.50		24	518	110 33 00000
	0034	0344	ENGL2152001	1 1 1	10.00 10.50		18	518	110 33 00000
	0034	0344	ENGL1157050	1 1	11.00 12.15		19	518	110 33 00000
	0034	0344	ENGL1158024	1 1	15.00 16.15		22	518	110 33 00000
	0034	0356	ENGL1157040	1 1	8.00 9.15		25	837	110 55 00000
	0034	0356	ENGL1158005	1 1 1	9.00 9.50		24	837	110 55 00000
	0034	0356	ENGL4918001	1 1	9.30 10.45		15	837	110 55 00000
9	0034	0356	ENGL4918001	1 1	9.30 10.45		6	837	110 55 00000
	0034	0356	FREN1002001	1 1 1	10.00 10.50		14	837	110 55 00000
	0034	0356	SPAN3002001	1 1 1	11.00 11.50		19	837	110 55 00000
	0034	0356	HIST3001001	1 1	11.00 12.15		18	837	110 55 00000
	0034	0356	SPAN1001004	1 1 1	12.00 12.50		37	837	110 55 00000
	0034	0356	JAPN1001002	1 1	13.30 14.45		22	837	110 55 00000
	0034	0362	SPAN2001002	1 1	8.00 9.15		18	797	110 56 00000
	0034	0362	ENGL2043001	1 1 1	9.00 9.50		35	797	110 56 00000
	0034	0362	PHIL1100001	1 1	9.30 10.45		31	797	110 56 00000
	0034	0362	SPAN2002001	1 1 1	10.00 10.50		25	797	110 56 00000
	0034	0362	SPAN1001003	1 1 1	11.00 11.50		37	797	110 56 00000
	0034	0362	FREN3031001	1 1	11.00 12.15		28	797	110 56 00000
	0034	0362	FREN1002003	1 1 1	12.00 12.50		22	797	110 56 00000
	0034	0362	ITAL1001001	1 1	13.30 14.45		37	797	110 56 00000
	0034	0362	ENGL2208001	1 1 1	14.00 14.50		34	797	110 56 00000
	0034	0362	FREN3041001	1 1	15.00 16.15		11	797	110 56 00000
	0034	0370	ENGL1157005	1 1 1	8.00 8.50		25	541	110 36 00000
	0034	0370	ENGL1157007	1 1 1	9.00 9.50		23	541	110 36 00000
	0034	0370	ENGL2032001	1 1	9.30 10.45		30	541	110 36 00000
	0034	0370	ENGL2031001	1 1 1	11.00 11.50		35	541	110 36 00000
	0034	0370	ENGL1159196	1 1 1	12.00 12.50		20	541	110 36 00000
	0034	0370	ENGL1157030	1 1 1	13.00 13.50		25	541	110 36 00000
	0034	0370	ENGL2377001	1 1 1	14.00 14.50		30	541	110 36 00000
	0034	0370	ENGL2228001	1 1	15.00 16.15		29	541	110 36 00000
	0034	0370	ENGL6007001	1 1	16.30 17.45		13	541	110 36 00000
	0034	0370	SPAN6196601	1	16.30 19.15		11	541	110 36 00000
	0034	0372	ENGL2342001	1 1	9.30 10.45		35	1,069	110 74 00000
	0034	0372	MATH1126001	1 1 1	10.00 10.50		64	1,069	110 74 00000
	0034	0372	MATH2314002	1 1 1	11.00 11.50		61	1,069	110 74 00000
	0034	0372	PHIL1000002	1 1	11.00 12.15		67	1,069	110 74 00000
	0034	0372	ENGL2152004	1 1	13.30 14.45		19	1,069	110 74 00000
	0034	0390	ENGL1158006	1 1 1	9.00 9.50		25	798	210 34 00000
	0034	0390	ENGL1158029	1 1	9.30 10.45		25	798	210 34 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/24/2015 08:55:27
 PAGE NUM 16

UNIVERSITY OF NEW ORLEANS
 BRANCH
 PARISH
 RELATION ORLEANS
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0034	0390	ENGL1158014	1 1 1	11.00 11.50		22	798	210 34 00000
	0034	0390	ENGL2155001	1 1	11.00 12.15		18	798	210 34 00000
	0034	0390	ENGL1158018	1 1 1	12.00 12.50		24	798	210 34 00000
	0034	0390	ENGL2152002	1 1 1	13.00 13.50		21	798	210 34 00000
	0034	0390	ENGL1158040	1 1	13.30 14.45		25	798	210 34 00000
	0034	0390	ENGL1158022	1 1 1	14.00 14.50		23	798	210 34 00000
	0034	0390	ENGL1158043	1 1	15.00 16.15		23	798	210 34 00000
	0034	0396	FA 3291001	1 1 1	13.00 13.50		5	514	110 34 00000
	0034	0396	ENGL6600001	1 1	15.00 16.15		8	514	110 34 00000
	0034	0396	ENGL6801601	1 1	16.30 17.45		10	514	110 34 00000
	0034	0396	ENGL6161603	1	18.00 20.40		9	514	110 34 00000
	0034	0396	HIST6501601	1	18.00 20.45		9	514	110 34 00000
8	0035	0217	FTCA2160001	1 1	13.30 14.45		10	1,059	110 5 00000
	0038	0100	MATH1115011	1 1	8.00 9.15		49	825	110 52 00000
	0038	0100	MATH1115001	1 1 1	9.00 9.50		30	825	110 52 00000
	0038	0100	MATH1125005	1 1	9.30 10.45		56	825	110 52 00000
	0038	0100	MATH1125001	1 1 1	10.00 10.50		59	825	110 52 00000
	0038	0100	CSCI3080001	1	11.00 11.50		11	825	110 52 00000
	0038	0100	MATH2111001	1111	11.00 12.05		49	825	110 52 00000
	0038	0100	MATH1125007	1 1	13.30 14.45		57	825	110 52 00000
	0038	0100	MATH2511001	1 1	15.00 16.15		53	825	110 52 00000
	0038	0100	ENME3720601	1 1	16.30 17.45		33	825	110 52 00000
	0038	0100	ENME3770601	1 1	18.00 19.15		48	825	110 52 00000
	0038	0102	BIOS2743001	1 1 1	9.00 9.50		128	2,179	110 165 00000
	0038	0102	BIOS1073002	1 1	9.30 10.45		115	2,179	110 165 00000
	0038	0102	BIOS1303001	1 1 1	11.00 11.50		119	2,179	110 165 00000
	0038	0102	MATH2107002	1 1	11.00 12.15		22	2,179	110 165 00000
	0038	0102	CSCI1000001	1 1	14.00 14.50		28	2,179	110 165 00000
	0038	0102	CSCI1000002	1 1	14.00 14.50	1	23	2,179	110 165 00000
	0038	0102	CSCI1000003	1 1	14.00 14.50	1	23	2,179	110 165 00000
	0038	0102	CSCI1000004	1 1	14.00 14.50	1	21	2,179	110 165 00000
	0038	0102	MATH2111002	1111	15.00 16.05		55	2,179	110 165 00000
	0038	0112	MATH1115002	1 1 1	9.00 9.50		29	759	110 51 00000
	0038	0112	MATH1116002	1 1	9.30 10.45		14	759	110 51 00000
	0038	0112	MATH2107001	1 1 1	11.00 11.50		48	759	110 51 00000
	0038	0112	MATH1126004	1 1	11.00 12.15		49	759	110 51 00000
	0038	0112	MATH4990001	1 1 1	12.00 12.50		10	759	110 51 00000
9	0038	0112	MATH4990001	1 1 1	12.00 12.50		4	759	110 51 00000
	0038	0112	MATH6242001	1 1	13.30 14.45		7	759	110 51 00000
	0038	0118	ENGL2072001	1 1	13.30 14.45		34	760	110 50 00000
	0038	0121	MATH1115006	1 1 1	8.00 8.50		29	764	110 50 00000
	0038	0121	MATH3221001	1 1	11.00 12.15		30	764	110 50 00000
	0038	0121	MATH3721001	1 1 1	12.00 12.50		43	764	110 50 00000
	0038	0121	MATH2109001	1111	13.30 14.20		17	764	110 50 00000
	0038	0121	MATH2221002	1 1	15.00 16.15		35	764	110 50 00000
	0038	0121	URBN6005601	1	18.00 20.45		20	764	110 50 00000
	0038	0122	MATH1115012	1 1	9.30 10.45		45	767	110 50 00000
	0038	0122	MATH1115004	1 1 1	10.00 10.50		29	767	110 50 00000
	0038	0122	CSCI3090001	1	11.00 11.50		16	767	110 50 00000
	0038	0122	MATH1021001	1 1	11.00 12.15		40	767	110 50 00000
	0038	0122	MATH4101001	1 1 1	13.00 13.50		22	767	110 50 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/24/2015 08:55:27
 PAGE NUM 17

UNIVERSITY OF NEW ORLEANS
 BRANCH
 PARISH
 RELATION ORLEANS
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0038	0122	MATH4101001	1 1 1	13.00 13.50	2	767	110 50	00000
	0038	0122	BIOS3590001	1 1	13.30 14.45	42	767	110 50	00000
	0038	0123	MATH1115013	1 1	9.30 10.45	48	779	110 52	00000
	0038	0123	MATH1115221	1 1 1	11.00 11.50	30	779	110 52	00000
	0038	0123	MATH1115014	1 1	11.00 12.15	51	779	110 52	00000
	0038	0123	MATH1023001	1 1 1	12.00 12.50	24	779	110 52	00000
	0038	0123	MATH2108001	1 1 1	13.00 13.50	28	779	110 52	00000
	0038	0123	MATH4801001	1 1	15.00 16.15	15	779	110 52	00000
9	0038	0123	MATH4801001	1 1	15.00 16.15	18	779	110 52	00000
	0038	0209	CSCI1581001	1	11.00 12.50	30	775	210 51	00000
	0038	0209	CSCI2121001	1	11.00 12.50	26	775	210 51	00000
	0038	0209	CSCI2121601	1	16.30 18.20	10	775	210 51	00000
	0038	0209	CSCI1581602	1	16.30 18.20	10	775	210 51	00000
	0038	0209	CSCI1581601	1	18.00 19.50	27	775	210 51	00000
	0038	0212	CSCI1000002	1	9.00 9.50	23	749	210 51	00000
	0038	0212	CSCI1000003	1	10.00 10.50	23	749	210 51	00000
	0038	0212	CSCI1000004	1	11.00 11.50	21	749	210 51	00000
	0038	0212	CSCI1000001	1	14.00 14.50	28	749	210 51	00000
	0038	0214	CSCI2120001	1 1	9.30 10.45	36	766	110 51	00000
	0038	0214	MATH4311001	1 1 1	10.00 10.50	10	766	110 51	00000
9	0038	0214	MATH4311001	1 1 1	10.00 10.50	13	766	110 51	00000
	0038	0214	CSCI4631001	1 1 1	11.00 11.50	6	766	110 51	00000
9	0038	0214	CSCI4631001	1 1 1	11.00 11.50	10	766	110 51	00000
	0038	0214	CSCI2450001	1 1	11.00 12.15	35	766	110 51	00000
	0038	0214	MATH2112002	1111	13.30 14.35	39	766	110 51	00000
	0038	0214	MATH2107601	1 1	18.00 19.15	30	766	110 51	00000
	0038	0214	MATH2108601	1 1	18.00 19.15	40	766	110 51	00000
	0038	0218	CSCI1583001	1 1 1	9.00 9.50	33	758	110 51	00000
	0038	0218	CSCI2125001	1 1 1	11.00 11.50	28	758	110 51	00000
	0038	0218	MATH6341001	1 1	11.00 12.15	7	758	110 51	00000
	0038	0218	CSCI2467001	1 1 1	12.00 12.50	9	758	110 51	00000
	0038	0218	MATH1115009	1 1 1	13.00 13.50	30	758	110 51	00000
	0038	0218	MATH1115016	1 1	13.30 14.45	49	758	110 51	00000
	0038	0218	MATH2109601	1 1	16.30 18.15	29	758	110 51	00000
	0038	0218	CSCI4401601	1 1	19.30 20.45	20	758	110 51	00000
9	0038	0218	CSCI4401601	1 1	19.30 20.45	6	758	110 51	00000
	0038	0219	CSCI4210001	1 1 1	9.00 9.50	6	759	110 51	00000
9	0038	0219	CSCI4210001	1 1 1	9.00 9.50	7	759	110 51	00000
	0038	0219	ENGL1157016	1 1 1	10.00 10.50	24	759	110 51	00000
	0038	0219	CSCI1205001	1 1 1	11.00 11.50	43	759	110 51	00000
	0038	0219	MATH1115015	1 1	11.00 12.15	47	759	110 51	00000
	0038	0219	MATH1115008	1 1 1	12.00 12.50	28	759	110 51	00000
	0038	0219	MATH6381001	1 1 1	13.00 13.50	22	759	110 51	00000
	0038	0219	MATH1115017	1 1	13.30 14.45	48	759	110 51	00000
	0038	0219	CSCI1583601	1 1	16.30 17.45	34	759	110 51	00000
	0038	0219	CSCI1205601	1 1	19.30 20.45	42	759	110 51	00000
	0038	0226	ENGL1157004	1 1 1	8.00 8.50	24	640	110 42	00000
	0038	0226	ENGL1158026	1 1	8.00 9.15	25	640	110 42	00000
	0038	0226	CSCI2025001	1 1 1	9.00 9.50	28	640	110 42	00000
	0038	0226	CSCI4125001	1 1	9.30 10.45	17	640	110 42	00000
9	0038	0226	CSCI4125001	1 1	9.30 10.45	13	640	110 42	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/24/2015 08:55:27
 PAGE NUM 18

UNIVERSITY OF NEW ORLEANS
 BRANCH
 PARISH
 RELATION
 ORLEANS
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0038	0226	MATH1115003	1 1 1	10.00 10.50		28	640	110 42 00000
	0038	0226	MATH1115005	1 1 1	11.00 11.50		30	640	110 42 00000
	0038	0226	MATH1115007	1 1 1	12.00 12.50		29	640	110 42 00000
	0038	0226	MATH1115221	1	12.30 13.20		30	640	110 42 00000
	0038	0226	MATH1115010	1 1 1	13.00 13.50		28	640	110 42 00000
	0038	0226	CSCI4501001	1 1	15.00 16.15		17	640	110 42 00000
9	0038	0226	CSCI4501001	1 1	15.00 16.15		2	640	110 42 00000
	0038	0226	CSCI4460601	1 1	16.30 17.45		9	640	110 42 00000
9	0038	0226	CSCI4460601	1 1	16.30 17.45		7	640	110 42 00000
	0038	0226	CSCI6401601	1 1	18.00 19.15		14	640	110 42 00000
	0038	0226	CSCI4623601	1 1	19.30 20.45		13	640	110 42 00000
9	0038	0226	CSCI4623601	1 1	19.30 20.45		13	640	110 42 00000
	0038	0226	CSCI6990601	1 1	19.30 20.45		19	640	110 42 00000
	0038	0229	ENGL1157001	1 1 1	8.00 8.50		24	424	110 27 00000
	0038	0229	ENGL1157044	1 1	9.30 10.45		25	424	110 27 00000
	0038	0229	ENGL2161001	1 1 1	10.00 10.50		13	424	110 27 00000
	0038	0229	ENGL4161001	1 1 1	11.00 11.50		12	424	110 27 00000
9	0038	0229	ENGL4161001	1 1 1	11.00 11.50		3	424	110 27 00000
	0038	0229	ENGL2154001	1 1 1	12.00 12.50		15	424	110 27 00000
	0038	0229	ENGL1157221	1	12.30 13.30		20	424	110 27 00000
	0038	0229	ENGL2161002	1 1	13.30 14.45		12	424	110 27 00000
	0038	0229	ENGL1157035	1 1 1	14.00 14.50		24	424	110 27 00000
	0038	0307	CSCI6631001	1 1	11.00 12.15		7	99	220 17 00000
	0039	0101	FA 6501001	1 1	13.00 13.50		4	305	310 10 00000
	0039	0101	FA 6502001	1 1	14.00 14.50		2	305	310 10 00000
	0039	0103	MUS 3111001	1 1	9.00 9.50		8	2,167	220 100 00000
	0039	0103	MUS 4111001	1 1	9.00 9.50	1	8	2,167	220 100 00000
	0039	0103	MUS 4807001	1 1	11.00 12.15		7	2,167	220 100 00000
9	0039	0103	MUS 4807001	1 1	11.00 12.15		3	2,167	220 100 00000
	0039	0103	MUS 4109001	1 1	12.30 13.45		3	2,167	220 100 00000
9	0039	0103	MUS 4109001	1 1	12.30 13.45		7	2,167	220 100 00000
	0039	0103	MUS 1902001	1 1	13.30 17.45		20	2,167	220 100 00000
	0039	0103	MUS 4902001	1 1	13.30 17.45	1	6	2,167	220 100 00000
9	0039	0103	MUS 4902001	1 1	13.30 17.45		17	2,167	220 100 00000
	0039	0103	MUS 4705001	1	14.00 16.00		9	2,167	220 100 00000
	0039	0103	MUS 1908001	1	16.00 18.00		28	2,167	220 100 00000
	0039	0103	MUS 4908001	1	16.00 18.00	1	8	2,167	220 100 00000
9	0039	0103	MUS 4908001	1	16.00 18.00		1	2,167	220 100 00000
	0039	0103	MUS 1908001	1	19.00 21.00		28	2,167	220 100 00000
	0039	0103	MUS 4908001	1	19.00 21.00	1	8	2,167	220 100 00000
9	0039	0103	MUS 4908001	1	19.00 21.00		1	2,167	220 100 00000
	0039	0103A	MUS 4106001	1	18.00 20.45		9	1,167	220 100 00000
9	0039	0103A	MUS 4106001	1	18.00 20.45		2	1,167	220 100 00000
	0039	0107	MUS 3705001	1 1	11.00 12.15		11	435	110 13 00000
	0039	0107	MUS 3706001	1 1	12.30 13.20		7	435	110 13 00000
	0039	0109	MUS 2001004	1 1	8.00 8.50		7	4,852	610 372 00000
	0039	0109	MUS 1900001	1	13.00 13.50		109	4,852	610 372 00000
	0039	0117	FTCA2335001	1 1 1	9.00 9.50		15	2,519	610 250 00000
	0039	0117	FTCA2335002	1 1 1	11.00 11.50		16	2,519	610 250 00000
	0039	0117	FTCA4570001	1 1	15.00 16.15		12	2,519	610 250 00000
9	0039	0117	FTCA4570001	1 1	15.00 16.15		2	2,519	610 250 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 11/24/2015 08:55:27

PAGE NUM 19

UNIVERSITY OF NEW ORLEANS

BRANCH

PARISH

RELATION

ORLEANS

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0039	0118	FTCA1800001	1 1	8.00 8.50		20	2,591	210 50 00000
	0039	0121	FTCA1300003	1 1 1	10.00 10.50		16	1,128	210 65 00000
	0039	0121	FTCA1300001	1 1	11.00 12.15		13	1,128	210 65 00000
	0039	0121	FTCA1300002	1 1	13.30 14.45		16	1,128	210 65 00000
	0039	0121	FTCA6330001	1 1	15.00 16.15		8	1,128	210 65 00000
	0039	0121	FTCA4330001	1 1	15.00 16.15		15	1,128	210 65 00000
	0039	0203	MUS 1904001	1 1 1	11.00 12.15		32	1,032	110 64 00000
	0039	0203	MUS 4904001	1 1 1	11.00 12.15	1	7	1,032	110 64 00000
9	0039	0203	MUS 4904001	1 1 1	11.00 12.15		1	1,032	110 64 00000
	0039	0203	MUS 4001005	1 1	11.00 12.15		11	1,032	110 64 00000
9	0039	0203	MUS 4001005	1 1	11.00 12.15		6	1,032	110 64 00000
	0039	0203	MUS 2001003	1 1	12.30 13.20		6	1,032	110 64 00000
	0039	0203	MUS 4001003	1 1	12.30 13.20	1	1	1,032	110 64 00000
9	0039	0203	MUS 4001003	1 1	12.30 13.20		1	1,032	110 64 00000
	0039	0203	MUS 1511001	1 1	13.00 13.50		16	1,032	110 64 00000
	0039	0203	MUS 1905001	1 1	14.00 15.45		7	1,032	110 64 00000
	0039	0203	MUS 4905001	1 1	14.00 15.45	1	10	1,032	110 64 00000
9	0039	0203	MUS 4905001	1 1	14.00 15.45		1	1,032	110 64 00000
	0039	0203	MUS 4001007	1	16.00 18.00		4	1,032	110 64 00000
9	0039	0203	MUS 4001007	1	16.00 18.00		3	1,032	110 64 00000
	0039	0204	FTCA3511002	1	9.00 9.50		6	977	110 65 00000
	0039	0204	FTCA3511001	1	11.00 11.50		5	977	110 65 00000
	0039	0204	FTCA3511003	1	15.00 15.50		9	977	110 65 00000
	0039	0214	FA 6801001	1 1	8.00 9.15		9	4,444	110 22 00000
	0039	0214	FTCA3510001	1 1	9.30 10.45		20	4,444	110 22 00000
	0039	0214	FTCA2510001	1 1 1	10.00 10.50		19	4,444	110 22 00000
	0039	0214	FTCA2510002	1 1	11.00 12.15		20	4,444	110 22 00000
	0039	0214	FTCA2510003	1 1	13.30 14.45		19	4,444	110 22 00000
	0039	0214	FTCA4251001	1 1	15.00 16.15		8	4,444	110 22 00000
	0039	0214	FTCA6510601	1	16.30 19.15		8	4,444	110 22 00000
	0039	0215	MUS 3382001	1 1	9.30 10.45		5	747	110 15 00000
	0039	0215	MUS 3383001	1 1	9.30 10.45	1	10	747	110 15 00000
	0039	0215	MUS 1706001	1 1	11.00 11.50		9	747	110 15 00000
	0039	0215	MUS 1407001	1 1	13.00 13.50		12	747	110 15 00000
	0039	0215	MUS 1611001	1 1	14.00 14.50		12	747	110 15 00000
	0039	0216	MUS 1405001	1 1	12.30 13.20		5	662	210 18 00000
	0039	0216	MUS 2109001	1 1	14.00 14.50		19	662	210 18 00000
	0039	0313	FTCA1620001	1 1 1	9.00 9.50		64	1,024	110 67 00000
	0039	0313	FTCA1620002	1 1	9.30 10.45		60	1,024	110 67 00000
	0039	0313	FTCA1000001	1 1 1	11.00 11.50		72	1,024	110 67 00000
	0039	0313	FTCA2260001	1 1	11.00 12.15		17	1,024	110 67 00000
	0039	0313	FTCA4540001	1 1	13.30 14.45		34	1,024	110 67 00000
9	0039	0313	FTCA4540001	1 1	13.30 14.45		4	1,024	110 67 00000
	0039	0313	FTCA4545001	1 1	13.30 14.45		35	1,024	110 67 00000
9	0039	0313	FTCA4545001	1 1	13.30 14.45		7	1,024	110 67 00000
	0039	0316	FTCA4450001	1 1	9.30 10.45		15	856	110 55 00000
9	0039	0316	FTCA4450001	1 1	9.30 10.45		3	856	110 55 00000
	0039	0316	FTCA2650002	1 1 1	11.00 11.50		30	856	110 55 00000
	0039	0316	FTCA2250001	1 1	11.00 12.15		19	856	110 55 00000
	0039	0316	FTCA4580001	1 1	15.00 16.15		19	856	110 55 00000
	0039	0316	FTCA6060001	1	15.00 17.45		19	856	110 55 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 11/24/2015 08:55:27

PAGE NUM 20

UNIVERSITY OF NEW ORLEANS

BRANCH

PARISH

RELATION

ORLEANS

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0039	0316	FTCA6580601	1	18.00 20.45		12	856	110 55 00000
	0039	0317	MUS 1101001	11111	9.00 10.50		30	840	110 56 00000
	0039	0317	MUS 2205001	1 1	11.00 12.15		12	840	110 56 00000
	0039	0317	MUS 6300001	1 1	11.00 12.15	1	7	840	110 56 00000
	0039	0317	MUS 1907001	1	13.00 13.50		3	840	110 56 00000
	0039	0317	MUS 4907001	1	13.00 13.50	1	1	840	110 56 00000
9	0039	0317	MUS 4907001	1	13.00 13.50		2	840	110 56 00000
	0039	0317	MUS 2201001	1 1	15.00 16.15		29	840	110 56 00000
	0039	0317	MUS 4205001	1	16.30 19.15		6	840	110 56 00000
9	0039	0317	MUS 4205001	1	16.30 19.15		4	840	110 56 00000
	0039	0318	MUS 2109001	1 1	9.30 10.45		19	366	110 56 00000
	0039	0318	MUS 2103001	1 1	10.00 10.50		16	366	110 56 00000
	0039	0318	MUS 1003001	1 1 1	11.00 11.50		58	366	110 56 00000
	0039	0318	MUS 1100001	1 1	11.00 12.15		29	366	110 56 00000
	0039	0318	MUS 3911001	1	12.30 13.20		21	366	110 56 00000
	0039	0318	MUS 1004001	1 1	13.30 14.45		42	366	110 56 00000
	0039	0318	MUS 2101001	1 1	13.30 14.45	1	15	366	110 56 00000
	0039	0318	MUS 4001009	1	16.00 18.00		8	366	110 56 00000
9	0039	0318	MUS 4001009	1	16.00 18.00		4	366	110 56 00000
	0039	0319	FTCA3460001	1 1	8.00 9.15		17	1,025	110 62 00000
	0039	0319	FTCA1005001	1 1	9.30 10.45		35	1,025	110 62 00000
	0039	0319	FTCA4150001	1 1	11.00 12.15		17	1,025	110 62 00000
	0039	0319	FTCA6150001	1 1	11.00 12.15	1	1	1,025	110 62 00000
	0039	0319	FTCA2320601	1	16.30 19.15		39	1,025	110 62 00000
	0039	0319	FTCA4460601	1	16.30 19.15		7	1,025	110 62 00000
9	0039	0319	FTCA4460601	1	16.30 19.15		6	1,025	110 62 00000
	0039	0319	FTCA6250601	1	18.00 20.45		10	1,025	110 62 00000
	0039	0320	FTCA2565001	1 1 1	8.00 8.50		17	919	210 58 00000
	0039	0320	FTCA2565004	1 1	8.00 9.15		20	919	210 58 00000
	0039	0320	FTCA2565002	1 1 1	9.00 9.50		18	919	210 58 00000
	0039	0320	FTCA4566001	1 1	9.30 10.45		10	919	210 58 00000
9	0039	0320	FTCA4566001	1 1	9.30 10.45		6	919	210 58 00000
	0039	0320	FTCA2565003	1 1 1	10.00 10.50		19	919	210 58 00000
	0039	0320	FTCA4575001	1 1 1	11.00 11.50		11	919	210 58 00000
9	0039	0320	FTCA4575001	1 1 1	11.00 11.50		2	919	210 58 00000
	0039	0320	FTCA3520001	1 1	11.00 12.15		14	919	210 58 00000
	0039	0320	FTCA6565001	1 1	13.30 14.45		9	919	210 58 00000
	0039	0320	FTCA3060001	1	15.00 17.00		1	919	210 58 00000
	0039	0320	FTCA2060001	1	15.00 17.45		10	919	210 58 00000
	0039	0320	FTCA4500601	1	16.30 19.15		9	919	210 58 00000
9	0039	0320	FTCA4500601	1	16.30 19.15		10	919	210 58 00000
	0039	0323	FTCA11110001	1 1	9.30 10.45		17	1,048	110 67 00000
	0039	0323	FTCA1100001	1 1 1	11.00 11.50		20	1,048	110 67 00000
	0039	0323	FTCA4265001	1 1	11.00 12.15		10	1,048	110 67 00000
9	0039	0323	FTCA4265001	1 1	11.00 12.15		3	1,048	110 67 00000
	0039	0323	FTCA4125601	1	16.00 18.45		12	1,048	110 67 00000
	0039	0326	FTCA4200601	1	18.00 20.45		3	231	350 12 00000
	0039	0326	FTCA6200601	1	18.00 20.45	1	4	231	350 12 00000
	0039	0344	FA 3203001	1 1 1	13.00 13.50		1	246	220 15 00000
	0040	0104	HRT 3145001	1 1	9.30 10.45		11	645	220 33 00000
	0040	0104	HRT 2030001	1	15.00 17.45		25	645	220 33 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 11/24/2015 08:55:27

PAGE NUM 21

UNIVERSITY OF NEW ORLEANS

BRANCH

PARISH

RELATION

ORLEANS

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0040	0104	HRT 4319601	1	18.00 20.45		3	645	220 33 00000
	0040	0104	HRT 6495601	1	18.00 20.45	1	9	645	220 33 00000
	0043	1001	CHEM2217003	1	8.00 8.50		19	1,155	110 91 00000
	0043	1001	CHEM4310001	1 1 1	9.00 9.50		10	1,155	110 91 00000
	0043	1001	MATH2314003	1 1	9.30 10.45		54	1,155	110 91 00000
	0043	1001	MATH1031001	1 1 1	10.00 10.50		79	1,155	110 91 00000
	0043	1001	CHEM1017003	1 1 1	11.00 11.50		93	1,155	110 91 00000
	0043	1001	CHEM4210001	1 1	11.00 12.15		4	1,155	110 91 00000
9	0043	1001	CHEM4210001	1 1	11.00 12.15		5	1,155	110 91 00000
	0043	1001	BIOS1001001	1	12.00 12.50		63	1,155	110 91 00000
	0043	1001	CHEM2217002	1	13.30 14.20		19	1,155	110 91 00000
	0043	1001	CHEM2000001	1	13.30 15.00		9	1,155	110 91 00000
	0043	1001	CHEM2217602	1	17.00 17.50		18	1,155	110 91 00000
	0043	1008	CHEM2017004	1	12.00 15.00		20	1,320	210 27 00000
	0043	1008	CHEM2017001	1	13.30 16.30		23	1,320	210 27 00000
	0043	1008	CHEM2017003	1	13.30 16.30		21	1,320	210 27 00000
	0043	1008	CHEM2017002	1	14.00 17.00		21	1,320	210 27 00000
	0043	1008	CHEM2017601	1	17.00 20.00		20	1,320	210 27 00000
8	0043	1024	CHEM2018003	1	13.30 16.30		15	1,282	210 6 00000
8	0043	1024	CHEM2018002	1	14.00 17.00		24	1,282	210 6 00000
	0043	1026	CHEM2025002	1 1	14.00 17.00		11	1,350	210 24 00000
	0043	1026	CHEM2025001	1 1	14.30 17.30		14	1,350	210 24 00000
	0043	1053	PHYS1031011	1 1 1	8.00 8.50		24	1,091	110 91 00000
	0043	1053	PHYS1031012	1 1 1	8.00 8.50	1	23	1,091	110 91 00000
	0043	1053	PHYS1031013	1 1 1	8.00 8.50	1	24	1,091	110 91 00000
	0043	1053	PHYS1005195	1 1 1	9.00 9.50		9	1,091	110 91 00000
	0043	1053	PHYS1031021	1 1	9.30 10.45		21	1,091	110 91 00000
	0043	1053	PHYS1031022	1 1	9.30 10.45	1	10	1,091	110 91 00000
	0043	1053	PHYS1031023	1 1	9.30 10.45	1	12	1,091	110 91 00000
	0043	1053	PHYS1031024	1 1	9.30 10.45	1	1	1,091	110 91 00000
	0043	1053	PHYS1061001	1 1 1	10.00 10.50		92	1,091	110 91 00000
	0043	1053	BIOS3653001	1 1	11.00 12.15		49	1,091	110 91 00000
	0043	1053	PHYS1032001	1 1 1	12.00 12.50		45	1,091	110 91 00000
	0043	1053	ENCE4340001	1 1	13.30 14.45		46	1,091	110 91 00000
	0043	1053	PHYS3198001	1	15.00 16.15		3	1,091	110 91 00000
	0043	1053	PHYS6198001	1	15.00 16.15	1	1	1,091	110 91 00000
	0043	1053	PHYS1032601	1 1	18.00 19.15		26	1,091	110 91 00000
	0043	1053	PHYS1007601	1	19.30 21.20		8	1,091	110 91 00000
	0043	1074	CHEM1008001	1	9.30 12.30		19	861	210 24 00000
	0043	1074	CHEM1008002	1	13.30 16.30		24	861	210 24 00000
	0043	1074	CHEM1008003	1	13.30 16.30		23	861	210 24 00000
	0043	1074	CHEM1008004	1	13.30 16.30		24	861	210 24 00000
	0043	1074	CHEM1008601	1	16.30 19.30		22	861	210 24 00000
	0043	1074	CHEM1008602	1	16.30 19.30		15	861	210 24 00000
	0043	1077	PHYS1033001	1	13.00 14.50		24	624	210 24 00000
	0043	1077	PHYS1033002	1	13.00 14.50		24	624	210 24 00000
	0043	1077	PHYS1033003	1	13.00 14.50		25	624	210 24 00000
	0043	1077	PHYS1033004	1	13.00 14.50		21	624	210 24 00000
	0043	1079	PHYS1034001	1	13.00 14.50		24	642	210 24 00000
	0043	1079	PHYS1065001	1	13.00 14.50		9	642	210 24 00000
	0043	1079	PHYS1065002	1	13.00 14.50		17	642	210 24 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 11/24/2015 08:55:27

PAGE NUM 22

UNIVERSITY OF NEW ORLEANS

BRANCH

PARISH

RELATION

ORLEANS

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0043	1079	PHYS1065003	1	13.00 14.50		13	642	210 24 00000
	0043	1079	PHYS1065004	1	13.00 14.50		7	642	210 24 00000
	0043	1079	PHYS1034002	1	15.00 16.50		23	642	210 24 00000
	0043	1079	PHYS1034601	1	19.30 21.20		21	642	210 24 00000
	0043	1081	PHYS1063001	1	13.00 14.50		24	576	210 24 00000
	0043	1081	PHYS1063005	1	13.00 14.50		17	576	210 24 00000
	0043	1081	PHYS1063002	1	13.00 14.50		24	576	210 24 00000
	0043	1081	PHYS1063003	1	13.00 14.50		23	576	210 24 00000
	0043	1081	PHYS1063004	1	15.00 16.50		23	576	210 24 00000
	0043	1081	PHYS1063601	1	19.30 21.20		24	576	210 24 00000
	0043	1086	CHEM1007001	1	9.30 12.30		22	882	210 24 00000
	0043	1086	CHEM1007003	1	13.30 16.30		25	882	210 24 00000
	0043	1086	CHEM1007005	1	13.30 16.30		22	882	210 24 00000
	0043	1086	CHEM1007006	1	13.30 16.30		23	882	210 24 00000
	0043	1086	CHEM1007601	1	16.30 19.30		24	882	210 24 00000
	0043	1086	CHEM1007602	1	16.30 19.30		23	882	210 24 00000
	0043	1088	CHEM1007002	1	13.30 16.30		22	872	210 24 00000
	0043	1088	CHEM1007004	1	13.30 16.30		26	872	210 24 00000
	0043	1088	CHEM1007007	1	13.30 16.30		22	872	210 24 00000
	0043	2002	PHYS4201001	1 1	8.00 9.15		2	648	210 15 00000
	0043	2035	BIOS1081005	1	8.00 10.45		22	1,192	210 24 00000
	0043	2035	BIOS1081001	1	11.00 13.45		24	1,192	210 24 00000
	0043	2035	BIOS1081003	1	11.00 13.45		28	1,192	210 24 00000
	0043	2035	BIOS1081006	1	11.00 13.45		25	1,192	210 24 00000
	0043	2035	BIOS1081002	1	14.00 16.45		27	1,192	210 24 00000
	0043	2035	BIOS1081004	1	14.00 16.45		25	1,192	210 24 00000
	0043	2035	BIOS1081007	1	14.00 16.45		23	1,192	210 24 00000
	0043	2035	BIOS1081008	1	14.00 16.45		23	1,192	210 24 00000
	0043	2035	BIOS1081601	1	18.00 20.45		24	1,192	210 24 00000
	0043	2035	BIOS1081602	1	18.00 20.45		25	1,192	210 24 00000
	0043	2049	HIST1002001	1 1 1	9.00 9.50		76	1,106	110 89 00000
	0043	2049	HIST1001001	1 1 1	10.00 10.50		59	1,106	110 89 00000
	0043	2049	MATH2112001	1111	11.00 12.05		36	1,106	110 89 00000
	0043	2052	PHYS6194001	1 1	9.30 10.45		13	370	110 25 00000
	0043	2052	CHEM2217001	1	11.00 11.50		20	370	110 25 00000
	0043	2052	CHEM2217005	1	11.00 11.50		20	370	110 25 00000
	0043	2052	CHEM6696601	1 1	16.30 17.45		4	370	110 25 00000
	0043	2062	BIOS4534001	1	12.00 14.45		21	605	410 20 00000
	0043	2068	CHEM3310001	1 1 1	9.00 9.50		25	706	110 59 00000
	0043	2068	CHEM3610001	1 1	9.30 10.45		18	706	110 59 00000
	0043	2068	CHEM4410001	1 1 1	10.00 10.50		3	706	110 59 00000
9	0043	2068	CHEM4410001	1 1 1	10.00 10.50		6	706	110 59 00000
	0043	2068	CHEM2117001	1 1	11.00 12.15		29	706	110 59 00000
	0043	2068	MATH1125004	1 1 1	12.00 12.50		62	706	110 59 00000
	0043	2068	CHEM2025001	1	13.30 14.30		14	706	110 59 00000
	0043	2068	CHEM2025002	1	13.30 14.30	1	11	706	110 59 00000
	0043	2068	CHEM4310001	1	14.00 14.50		10	706	110 59 00000
	0043	2068	ENME2750601	1 1	16.30 17.45		43	706	110 59 00000
	0043	2071	BIOS3354003	1	9.00 11.45		24	958	110 18 00000
	0043	2071	BIOS3354001	1	14.00 16.45		20	958	110 18 00000
	0043	2071	BIOS3354002	1	14.00 16.45		25	958	110 18 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 11/24/2015 08:55:27

PAGE NUM 23

UNIVERSITY OF NEW ORLEANS

BRANCH

PARISH

RELATION

ORLEANS

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0043	2072	PHYS1005001	1 1 1	9.00 9.50		87	1,074	110 86 00000
	0043	2072	MATH1031003	1 1	9.30 10.45		69	1,074	110 86 00000
	0043	2072	PHYS1062001	1 1 1	10.00 10.50		37	1,074	110 86 00000
	0043	2072	MATH2115002	1 1	11.00 12.15		42	1,074	110 86 00000
	0043	2072	CHEM3710001	1 1 1	13.00 13.50		44	1,074	110 86 00000
	0043	2072	MATH2221001	1 1	13.30 14.45		60	1,074	110 86 00000
	0043	2081	PHYS4302001	1 1 1	10.00 10.50		5	688	250 6 00000
9	0043	2081	PHYS4302001	1 1 1	10.00 10.50		1	688	250 6 00000
	0043	2108	PHYS1031011	1	11.00 11.50		24	801	110 53 00000
	0043	2108	PHYS1031021	1	11.00 11.50		21	801	110 53 00000
	0043	2108	PHYS4501001	1 1	11.00 12.15	1	7	801	110 53 00000
9	0043	2108	PHYS4501001	1 1	11.00 12.15		3	801	110 53 00000
	0043	2108	PHYS1011001	1	11.00 12.50	1	4	801	110 53 00000
	0043	2108	PHYS1031012	1	12.00 12.50		23	801	110 53 00000
	0043	2108	PHYS1031023	1	12.00 12.50		12	801	110 53 00000
	0043	2108	PHYS1031013	1	15.00 15.50		24	801	110 53 00000
	0043	2108	PHYS1031022	1	15.00 15.50		10	801	110 53 00000
	0043	2120	MATH1031002	1 1	8.00 9.15		77	1,110	110 86 00000
	0043	2120	PHYS1010001	1 1	9.30 10.45		34	1,110	110 86 00000
	0043	2120	MATH1116001	1 1 1	10.00 10.50		46	1,110	110 86 00000
	0043	2120	CHEM6610001	1 1 1	11.00 11.50		8	1,110	110 86 00000
	0043	2120	MATH2314004	1 1	11.00 12.15		41	1,110	110 86 00000
	0043	2120	MATH1126002	1 1 1	12.00 12.50		59	1,110	110 86 00000
	0043	2120	CHEM6214001	1 1 1	13.00 13.50		6	1,110	110 86 00000
	0043	2120	MATH2785005	1 1	13.30 14.45		49	1,110	110 86 00000
	0043	2120	PHYS1061601	1 1	18.00 19.15		91	1,110	110 86 00000
	0049	0103	CHEM2218001	1	8.00 8.50		19	1,733	110 120 00000
	0049	0103	CHEM2217004	1	8.30 9.20		23	1,733	110 120 00000
	0049	0103	CHEM2217001	1 1	9.30 10.45		20	1,733	110 120 00000
	0049	0103	CHEM2217002	1 1	9.30 10.45	1	19	1,733	110 120 00000
	0049	0103	CHEM2217003	1 1	9.30 10.45	1	19	1,733	110 120 00000
	0049	0103	CHEM2217004	1 1	9.30 10.45	1	23	1,733	110 120 00000
	0049	0103	CHEM2217005	1 1	9.30 10.45	1	20	1,733	110 120 00000
	0049	0103	CHEM1017001	1 1 1	10.00 10.50		109	1,733	110 120 00000
	0049	0103	CHEM2218001	1 1 1	11.00 11.50		19	1,733	110 120 00000
	0049	0103	CHEM2218002	1 1 1	11.00 11.50	1	16	1,733	110 120 00000
	0049	0103	CHEM1018001	1 1	11.00 12.15		86	1,733	110 120 00000
	0049	0103	CHEM2218002	1	12.00 12.50		16	1,733	110 120 00000
	0049	0103	CHEM1018002	1 1 1	13.00 13.50		109	1,733	110 120 00000
	0049	0103	CHEM1017002	1 1	13.30 14.45		112	1,733	110 120 00000
	0049	0103	CHEM6095001	1	15.00 17.00		41	1,733	110 120 00000
	0049	0103	CHEM6095001	1	15.00 17.00		41	1,733	110 120 00000
	0049	0103	CHEM2217601	1	17.00 17.50		20	1,733	110 120 00000
	0049	0103	CHEM2217603	1	17.00 17.50		20	1,733	110 120 00000
	0049	0103	CHEM1017601	1 1	18.00 19.15		87	1,733	110 120 00000
	0049	0103	CHEM2217601	1 1	18.00 19.15		20	1,733	110 120 00000
	0049	0103	CHEM2217602	1 1	18.00 19.15	1	18	1,733	110 120 00000
	0049	0103	CHEM2217603	1 1	18.00 19.15	1	20	1,733	110 120 00000
	0049	0109	UNIV1001051	1	9.00 9.50		20	494	350 20 00000
	0049	0109	UNIV1001060	1	11.00 11.50		20	494	350 20 00000
	0049	0109	UNIV1001053	1	13.00 13.50		20	494	350 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 11/24/2015 08:55:27

PAGE NUM 24

UNIVERSITY OF NEW ORLEANS

BRANCH

PARISH

RELATION

ORLEANS

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0049	0109	UNIV1001054	1	14.00 14.50		19	494	350 20 00000
	0055	0122	FIN 2302001	1 1	8.00 9.15		61	2,159	110 160 00000
	0055	0122	ACCT2100001	1 1 1	9.00 9.50		85	2,159	110 160 00000
	0055	0122	ACCT3161001	1 1	9.30 10.45		18	2,159	110 160 00000
	0055	0122	ACCT2100002	1 1 1	10.00 10.50		105	2,159	110 160 00000
	0055	0122	ACCT4152001	1 1	11.00 12.15		25	2,159	110 160 00000
9	0055	0122	ACCT4152001	1 1	11.00 12.15		10	2,159	110 160 00000
	0055	0122	BIO1063601	1 1	18.00 19.15		63	2,159	110 160 00000
	0055	0122	BA 6011601	1	18.00 20.45		9	2,159	110 160 00000
	0055	0122	MANG6467601	1	18.00 20.45	1	17	2,159	110 160 00000
	0055	0122	PADM6180601	1	18.00 20.45	1	17	2,159	110 160 00000
	0055	0129	BA 3010001	1 1 1	9.00 9.50		65	2,159	110 160 00000
	0055	0129	ECON1203002	1 1	9.30 10.45		163	2,159	110 160 00000
	0055	0129	BA 3010002	1 1 1	10.00 10.50		64	2,159	110 160 00000
	0055	0129	ECON1204002	1 1	11.00 12.15		64	2,159	110 160 00000
	0055	0129	ENMG6096601	1	18.00 20.40		11	2,159	110 160 00000
	0055	0129	ECON1203601	1	18.00 20.45		63	2,159	110 160 00000
	0055	0137	ECON1204001	1 1 1	8.00 8.50		55	2,155	110 160 00000
	0055	0137	BA 1000001	1 1	8.00 9.15		110	2,155	110 160 00000
	0055	0137	ECON1203001	1 1 1	9.00 9.50		102	2,155	110 160 00000
	0055	0137	BA 3010003	1 1	9.30 10.45		69	2,155	110 160 00000
	0055	0137	SOC 1051001	1 1 1	10.00 10.50		106	2,155	110 160 00000
	0055	0137	FIN 1330001	1 1	11.00 12.15		83	2,155	110 160 00000
	0055	0137	QMBE2786001	1 1 1	12.00 12.50		95	2,155	110 160 00000
	0055	0137	QMBE2786002	1 1	13.30 14.45		61	2,155	110 160 00000
	0055	0137	ACCT2100601	1	18.00 20.45		86	2,155	110 160 00000
	0055	0137	BA 3010601	1	18.00 20.45		57	2,155	110 160 00000
	0055	0137	ACCT3124601	1	18.00 20.45		61	2,155	110 160 00000
	0055	0137	QMBE2786601	1	18.00 20.45		39	2,155	110 160 00000
	0055	0205	MANG3401003	1 1	9.30 10.45		63	1,145	110 80 00000
	0055	0205	MKT 3501001	1 1 1	10.00 10.50		28	1,145	110 80 00000
	0055	0205	MKT 3501002	1 1 1	11.00 11.50		52	1,145	110 80 00000
	0055	0205	MANG3401004	1 1	11.00 12.15		39	1,145	110 80 00000
	0055	0205	FIN 6315001	1	13.30 16.15		6	1,145	110 80 00000
	0055	0205	MANG4470601	1	18.00 20.45		28	1,145	110 80 00000
	0055	0205	MANG6470601	1	18.00 20.45	1	4	1,145	110 80 00000
	0055	0205	MANG4400601	1	18.00 20.45		31	1,145	110 80 00000
	0055	0205	BA 6014601	1	18.00 20.45		22	1,145	110 80 00000
	0055	0205	FIN 4370601	1	18.00 20.45		11	1,145	110 80 00000
9	0055	0205	FIN 4370601	1	18.00 20.45		9	1,145	110 80 00000
	0055	0207	ECON4306001	1 1	9.30 10.45		1	1,178	140 80 00000
	0055	0207	FIN 4306001	1 1	9.30 10.45	1	17	1,178	140 80 00000
	0055	0207	MANG3402001	1 1 1	10.00 10.50		32	1,178	140 80 00000
	0055	0207	MANG3402002	1 1 1	11.00 11.50		29	1,178	140 80 00000
	0055	0207	MKT 3510001	1 1	11.00 12.15		33	1,178	140 80 00000
	0055	0207	MANG4750001	1 1	13.30 14.45		20	1,178	140 80 00000
	0055	0207	MANG6750001	1 1	13.30 14.45	1	2	1,178	140 80 00000
	0055	0207	MANG4480001	1 1	15.00 16.15		33	1,178	140 80 00000
	0055	0207	MANG4480002	1 1	16.30 17.45		36	1,178	140 80 00000
	0055	0207	MANG3402601	1	18.00 20.45		18	1,178	140 80 00000
	0055	0207	BA 6780601	1	18.00 20.45		27	1,178	140 80 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 11/24/2015 08:55:27

PAGE NUM 25

UNIVERSITY OF NEW ORLEANS

BRANCH

PARISH

RELATION

ORLEANS

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0055	0207	QMBE4400601	1	18.00 20.45		26	1,178	140 80 00000
	0055	0207	MANG4730495	1	18.00 20.45		22	1,178	140 80 00000
	0055	0207	MANG6730495	1	18.00 20.45	1	1	1,178	140 80 00000
	0055	0208E	BA 2780003	1 1	9.30 10.45		41	2,223	140 62 00000
	0055	0208E	BA 2780001	1 1 1	10.00 10.50		53	2,223	140 62 00000
	0055	0208E	BA 2780002	1 1 1	11.00 11.50		54	2,223	140 62 00000
	0055	0208E	BA 2780004	1 1	11.00 12.15		52	2,223	140 62 00000
	0055	0208E	QMBE2787001	1	13.00 13.50		42	2,223	140 62 00000
	0055	0208E	QMBE2787003	1	13.00 13.50		45	2,223	140 62 00000
	0055	0208E	QMBE2787002	1	15.00 15.50		41	2,223	140 62 00000
	0055	0208E	QMBE2787004	1	15.00 15.50		27	2,223	140 62 00000
	0055	0208E	ACCT3120001	1	16.00 17.45		52	2,223	140 62 00000
	0055	0208E	QMBE2787601	1	17.00 17.50		10	2,223	140 62 00000
	0055	0208E	QMBE2787602	1	17.00 17.50		33	2,223	140 62 00000
	0055	0208E	ACCT3120601	1	18.00 19.45		39	2,223	140 62 00000
	0055	0208E	BA 2780601	1	18.00 20.45		29	2,223	140 62 00000
	0055	0208E	QMBE6780601	1	18.00 20.45		39	2,223	140 62 00000
	0055	0209	MANG3467001	1 1	9.30 10.45		66	1,147	110 80 00000
	0055	0209	MANG3401001	1 1 1	10.00 10.50		36	1,147	110 80 00000
	0055	0209	MANG3401002	1 1 1	11.00 11.50		39	1,147	110 80 00000
	0055	0209	MANG3467002	1 1	11.00 12.15		66	1,147	110 80 00000
	0055	0209	QMBE6283001	1	13.30 16.15		7	1,147	110 80 00000
	0055	0209	ECON6204001	1	15.00 17.45		6	1,147	110 80 00000
	0055	0209	MKT 6503001	1	15.00 17.45		11	1,147	110 80 00000
	0055	0209	ENMG6095601	1	18.00 20.45		3	1,147	110 80 00000
	0055	0209	MANG6480601	1	18.00 20.45	1	18	1,147	110 80 00000
	0055	0209	ACCT6153601	1	18.00 20.45		23	1,147	110 80 00000
	0055	0209	FIN 6302601	1	18.00 20.45		20	1,147	110 80 00000
	0055	0209	MANG3401601	1	18.00 20.45		18	1,147	110 80 00000
	0055	0210	MANG3402003	1 1	9.30 10.45		68	1,159	110 80 00000
	0055	0210	ACCT3131001	1 1 1	10.00 10.50		52	1,159	110 80 00000
	0055	0210	ACCT2130001	1 1 1	11.00 11.50		69	1,159	110 80 00000
	0055	0210	MANG3402004	1 1	11.00 12.15		33	1,159	110 80 00000
	0055	0210	ACCT6130001	1	15.00 17.45		15	1,159	110 80 00000
	0055	0210	ACCT4152601	1	18.00 20.45		17	1,159	110 80 00000
9	0055	0210	ACCT4152601	1	18.00 20.45		2	1,159	110 80 00000
	0055	0210	ACCT3161601	1	18.00 20.45		43	1,159	110 80 00000
	0055	0210	ACCT4400601	1	18.00 20.45		35	1,159	110 80 00000
	0055	0210	ACCT6130601	1	18.00 20.45		34	1,159	110 80 00000
	0055	0214	FIN 3302001	1 1 1	9.00 9.50		22	1,197	110 80 00000
	0055	0214	ACCT3152001	1 1	9.30 10.45		40	1,197	110 80 00000
	0055	0214	ECON2221001	1 1 1	10.00 10.50		66	1,197	110 80 00000
	0055	0214	ACCT3141001	1 1 1	11.00 11.50		44	1,197	110 80 00000
	0055	0214	HRT 2070001	1 1	11.00 12.15		44	1,197	110 80 00000
	0055	0214	ACCT2130003	1 1	13.30 14.45		26	1,197	110 80 00000
	0055	0214	ECON2000001	1 1	16.30 17.45		54	1,197	110 80 00000
	0055	0214	MANG4422601	1	18.00 20.45		51	1,197	110 80 00000
9	0055	0214	MANG4422601	1	18.00 20.45		2	1,197	110 80 00000
	0055	0214	ACCT3122601	1	18.00 20.45		68	1,197	110 80 00000
	0055	0214	MANG6476601	1	18.00 20.45		42	1,197	110 80 00000
	0055	0214	MANG6476602	1	18.00 20.45		9	1,197	110 80 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015
 RUN DATE 11/24/2015 08:55:27
 PAGE NUM 26

UNIVERSITY OF NEW ORLEANS
 BRANCH
 PARISH
 RELATION

ORLEANS
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0055	0219	UNIV1001057	1	9.30 10.20	18	611	110 40	00000
	0055	0219	UNIV1001025	1	9.30 10.20	21	611	110 40	00000
	0055	0219	UNIV1001012	1	11.00 11.50	19	611	110 40	00000
	0055	0219	UNIV1001007	1	12.00 12.50	20	611	110 40	00000
	0055	0219	UNIV1001195	1	13.30 14.20	19	611	110 40	00000
	0055	0219	FIN 6319001	1	14.00 16.45	6	611	110 40	00000
	0055	0219	ACCT4162601	1	18.00 20.45	9	611	110 40	00000
	0055	0219	ACCT4162601	1	18.00 20.45	4	611	110 40	00000
	0055	0219	MKT 3530601	1	18.00 20.45	23	611	110 40	00000
	0055	0219	MKT 6555601	1	18.00 20.45	7	611	110 40	00000
	0055	0219	MKT 4575601	1	18.00 20.45	8	611	110 40	00000
	0055	0219	MKT 6575601	1	18.00 20.45	7	611	110 40	00000
	0055	0220	MKT 3501003	1 1	9.30 10.45	59	1,146	110 80	00000
	0055	0220	MATH1032001	1 1 1	10.00 10.50	45	1,146	110 80	00000
	0055	0220	HRT 3016001	1 1	11.00 12.15	38	1,146	110 80	00000
	0055	0220	ECON6200001	1	13.30 16.15	19	1,146	110 80	00000
	0055	0220	ECON6209001	1	14.00 16.45	11	1,146	110 80	00000
	0055	0220	BA 6097601	1	18.00 20.45	29	1,146	110 80	00000
	0055	0220	MKT 4580601	1	18.00 20.45	40	1,146	110 80	00000
	0055	0220	ECON6200601	1	18.00 20.45	58	1,146	110 80	00000
	0055	0220	MKT 3501601	1	18.00 20.45	23	1,146	110 80	00000
	0055	0221	MANG2790001	1 1 1	10.00 10.50	36	896	110 40	00000
	0055	0221	MANG2790002	1 1 1	11.00 11.50	34	896	110 40	00000
	0055	0221	BA 1001003	1 1	11.00 12.15	39	896	110 40	00000
	0055	0221	MANG4468001	1 1	13.30 14.45	41	896	110 40	00000
	0055	0221	MANG6468001	1 1	13.30 14.45	5	896	110 40	00000
	0055	0221	ECON4250001	1	15.00 17.45	21	896	110 40	00000
	0055	0221	FIN 6300601	1	18.00 20.45	30	896	110 40	00000
	0055	0221	ECON4250601	1	18.00 20.45	29	896	110 40	00000
	0055	0221	ACCT6143601	1	18.00 20.45	16	896	110 40	00000
	0055	0221	ACCT4168601	1	18.00 20.45	2	896	110 40	00000
	0055	0221	ACCT6168601	1	18.00 20.45	18	896	110 40	00000
	0055	0222	FIN 3300003	1 1	8.00 9.15	71	1,179	110 80	00000
	0055	0222	FIN 3300001	1 1 1	9.00 9.50	48	1,179	110 80	00000
	0055	0222	FIN 3300004	1 1	9.30 10.45	36	1,179	110 80	00000
	0055	0222	FIN 2335001	1 1	11.00 12.15	47	1,179	110 80	00000
	0055	0222	FIN 3321001	1 1	13.30 14.45	53	1,179	110 80	00000
	0055	0222	ECON2000601	1 1	16.30 17.45	70	1,179	110 80	00000
	0055	0222	FIN 4304601	1	18.00 20.45	28	1,179	110 80	00000
	0055	0222	ACCT3121601	1	18.00 20.45	64	1,179	110 80	00000
	0055	0222	ACCT3152601	1	18.00 20.45	36	1,179	110 80	00000
	0055	0222	ACCT6151601	1	18.00 20.45	22	1,179	110 80	00000
	0055	0223	MKT 3580001	1 1	9.30 10.45	22	922	110 40	00000
	0055	0223	MKT 3505001	1 1	11.00 12.15	28	922	110 40	00000
	0055	0223	MKT 4590001	1 1	13.30 14.45	12	922	110 40	00000
	0055	0223	MKT 3540001	1 1	15.00 16.15	28	922	110 40	00000
	0055	0223	FIN 4400601	1	18.00 20.45	26	922	110 40	00000
	0055	0223	ACCT6169601	1	18.00 20.45	32	922	110 40	00000
	0055	0223	MKT 3540601	1	18.00 20.45	19	922	110 40	00000
	0055	0223	MANG2790601	1	18.00 20.45	17	922	110 40	00000
	0055	0224	BA 4056001	1 1	9.30 10.45	16	609	110 40	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 11/24/2015 08:55:27

PAGE NUM 27

UNIVERSITY OF NEW ORLEANS

BRANCH

PARISH

RELATION

ORLEANS

MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0055	0224	BA 4056001	1 1	9.30 10.45		4	609	110 40 00000
	0055	0224	QMBE6281001	1 1	11.00 12.15		11	609	110 40 00000
	0055	0224	ECON6203001	1	12.00 14.45		7	609	110 40 00000
	0055	0224	QMBE6280001	1	12.00 14.45		5	609	110 40 00000
	0055	0224	ECON3000001	1 1	13.30 14.45		13	609	110 40 00000
	0055	0224	FIN 7051001	1	13.30 16.15		7	609	110 40 00000
	0055	0224	HRT 6001601	1	18.00 20.45		24	609	110 40 00000
	0055	0224	HRT 6300601	1	18.00 20.45		19	609	110 40 00000
	0055	0224	HRT 6301601	1	18.00 20.45		20	609	110 40 00000
	0055	0224	HRT 6200601	1	18.00 20.45		14	609	110 40 00000
	0055	0225	MANG2790003	1 1	9.30 10.45		31	856	110 80 00000
	0055	0225	MANG2790004	1 1	11.00 12.15		32	856	110 80 00000
	0055	0225	MANG4480004	1 1	13.30 14.45		28	856	110 80 00000
	0055	0225	BA 1001001	1 1	15.00 16.15		40	856	110 80 00000
	0055	0225	HRT 4000001	1	15.00 17.45		20	856	110 80 00000
	0055	0225	MKT 4400601	1	18.00 20.45		35	856	110 80 00000
	0055	0225	MKT 6503601	1	18.00 20.45		30	856	110 80 00000
	0055	0225	ACCT6185601	1	18.00 20.45		16	856	110 80 00000
	0055	0225	ACCT6131601	1	18.00 20.45		38	856	110 80 00000
	0055	0226	BA 3021001	1 1	9.30 10.45		54	1,145	110 80 00000
	0055	0226	HRT 3011001	1 1 1	11.00 11.50		31	1,145	110 80 00000
	0055	0226	ACCT2130002	1 1	11.00 12.15		23	1,145	110 80 00000
	0055	0226	MKT 3501004	1 1	13.30 14.45		38	1,145	110 80 00000
	0055	0226	HRT 2000002	1 1	15.00 16.15		65	1,145	110 80 00000
	0055	0226	ACCT6125601	1	18.00 20.45		57	1,145	110 80 00000
	0055	0226	ACCT2100602	1	18.00 20.45		19	1,145	110 80 00000
	0055	0226	ACCT2130602	1	18.00 20.45		39	1,145	110 80 00000
	0055	0226	BA 3021601	1	18.00 20.45		53	1,145	110 80 00000
	0055	0227	BA 1001002	1 1	8.00 9.15		37	878	110 80 00000
	0055	0227	HRT 3150001	1 1	9.30 10.45		10	878	110 80 00000
	0055	0227	FIN 4308001	1 1 1	11.00 11.50		13	878	110 80 00000
9	0055	0227	FIN 4308001	1 1 1	11.00 11.50		13	878	110 80 00000
	0055	0227	HRT 3240001	1 1	11.00 12.15		32	878	110 80 00000
	0055	0227	HRT 3140001	1 1	13.30 14.45		30	878	110 80 00000
	0055	0227	MANG4487001	1 1	15.00 16.15		19	878	110 80 00000
	0055	0227	MKT 3505002	1 1	15.00 16.15		20	878	110 80 00000
	0055	0227	MKT 3515601	1	18.00 20.45		18	878	110 80 00000
	0055	0227	MANG4740495	1	18.00 20.45		12	878	110 80 00000
	0055	0227	MANG6740495	1	18.00 20.45	1	2	878	110 80 00000
	0055	0227	BA 6013601	1	18.00 20.45		14	878	110 80 00000
	0055	0227	MANG4480601	1	18.00 20.45		33	878	110 80 00000
	0055	0228	ACCT3122001	1 1	8.00 9.15		53	1,173	110 80 00000
	0055	0228	HRT 2000001	1 1 1	9.00 9.50		74	1,173	110 80 00000
	0055	0228	MANG4480003	1 1	9.30 10.45		35	1,173	110 80 00000
	0055	0228	FIN 3300002	1 1 1	10.00 10.50		52	1,173	110 80 00000
	0055	0228	HRT 2020001	1 1 1	11.00 11.50		74	1,173	110 80 00000
	0055	0228	ACCT3121001	1 1	11.00 12.15		71	1,173	110 80 00000
	0055	0228	ACCT3121002	1 1	13.30 14.45		19	1,173	110 80 00000
	0055	0228	ACCT3123001	1 1	15.00 16.15		33	1,173	110 80 00000
	0055	0228	ACCT3141601	1	18.00 20.45		41	1,173	110 80 00000
	0055	0228	ENMG6095602	1	18.00 20.45		1	1,173	110 80 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015
 RUN DATE 11/24/2015 08:55:27
 PAGE NUM 28

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C
	0055 0228	MANG6480602	1	18.00 20.45	1
	0055 0228	ACCT3123601	1	18.00 20.45	
	0055 0228	ACCT3131601	1	18.00 20.45	

UNIVERSITY OF NEW ORLEANS

BRANCH
 PARISH
 RELATION
 ORLEANS
 MAIN CAMPUS

TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
15	1,173	110 80	00000
27	1,173	110 80	00000
44	1,173	110 80	00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -	
	THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,	
	THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	2
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -	
	CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - -	10
	PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -	136
	THERE SHOULD BE NO DUPLICATES.	

----- T O T A L S -----

TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	148
TOTAL NUMBER OF RECORDS READ	- - - - -	1,380
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	1,244
NUMBER OF JOINT-CLASS RECORDS	- - - - -	73
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/24/2015 08:55:27

PAGE NUM 1

UNIVERSITY OF NEW ORLEANS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			198
TOTAL NUMBER OF STATIONS (CAPACITY)			11,316
WEEKLY STUDENT CONTACT HOURS	75,353	11,986	87,339
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	17,820	9,900	27,720
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,407	1,061	5,468
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,018,440	565,800	1,584,240
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	311,144	70,046	381,190
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	150,706	23,972	174,678
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	24.7	10.7	19.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	14.8	4.2	11.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	48.4	34.2	45.8
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			195
TOTAL NUMBER OF STATIONS (CAPACITY)			11,172
WEEKLY STUDENT CONTACT HOURS	73,885	11,379	85,264
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	17,550	9,750	27,300
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,317	1,011	5,328
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,005,480	558,600	1,564,080
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	304,592	66,406	370,998
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	147,770	22,758	170,528
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	24.6	10.4	19.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	14.7	4.1	10.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	48.5	34.3	46.0

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/24/2015 08:55:27

PAGE NUM 2

UNIVERSITY OF NEW ORLEANS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			144
WEEKLY STUDENT CONTACT HOURS	1,468	607	2,075
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	90	50	140
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	12,960	7,200	20,160
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,552	3,640	10,192
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,936	1,214	4,150
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	33.3	33.3	33.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	22.7	16.9	20.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	44.8	33.4	40.7
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			252
TOTAL NUMBER OF STATIONS (CAPACITY)			4,049
WEEKLY STUDENT CONTACT HOURS	11,557	1,363	12,920
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	22,680	12,600	35,280
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,347	179	1,526
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	364,410	202,450	566,860
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	50,857	7,595	58,452
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	23,114	2,727	25,841
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	5.9	1.4	4.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	6.3	1.3	4.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	45.4	35.9	44.2

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/24/2015 08:55:27

PAGE NUM 3

UNIVERSITY OF NEW ORLEANS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			144
TOTAL NUMBER OF STATIONS (CAPACITY)			2,934
WEEKLY STUDENT CONTACT HOURS	10,602	997	11,599
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	12,960	7,200	20,160
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,221	135	1,356
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	264,060	146,700	410,760
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	42,483	5,367	47,850
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	21,204	1,995	23,199
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	9.4	1.9	6.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	8.0	1.4	5.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	49.9	37.2	48.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABBORATORY			
TOTAL NUMBER OF ROOMS			108
TOTAL NUMBER OF STATIONS (CAPACITY)			1,115
WEEKLY STUDENT CONTACT HOURS	955	366	1,321
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	9,720	5,400	15,120
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	126	44	170
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	100,350	55,750	156,100
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,374	2,228	10,602
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,910	732	2,642
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	1.3	.8	1.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	1.9	1.3	1.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	22.8	32.9	24.9

UNIVERSITY OF NEW ORLEANS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*RESEARCH/NONCLASS LAB.			
TOTAL NUMBER OF ROOMS			239
TOTAL NUMBER OF STATIONS (CAPACITY)			1,222
WEEKLY STUDENT CONTACT HOURS	51		51
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	21,510	11,950	33,460
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	12		12
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	109,980	61,100	171,080
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	96		96
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	102		102
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	.1	.0	.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	.1	.0	.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	106.3	.0	106.3

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY