

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 10/16/2013 14:53:15
 PAGE NUM 1

L.T.C. -ALEXANDRIA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	A000	A203	KYBD1010A01	1 1 1	8.00 8.50		12	1,051	210 29	00000
	A000	A205	CPTR1002A03	1 1 1	9.00 9.50		18	1,051	210 33	00000
	A000	A205	OSYS1100A01	1 1 1	12.00 12.50		11	1,051	210 33	00000
	A000	A205	ISYS1650A01	1	12.30 13.30		13	1,051	210 33	00000
	A000	A205	CPTR1310A01	1 111	14.00 14.50		14	1,051	210 33	00000
	A000	A206	CPTR1002A01	1 1 1	8.00 9.50		9	778	110 22	00000
	A000	A206	HURM1300A01	1 1 1	9.00 9.50	1	9	778	110 22	00000
	A000	A206	CSRV1000A02	1 1	9.30 10.55		11	778	110 22	00000
	A000	A206	CSRV1000A01	1 1 1	10.00 10.50		19	778	110 22	00000
	A000	A207	KYBD1111A01	1 1 1	11.00 11.50		10	582	210 22	00000
	A000	A207	CPTR1002A04	1 1	11.05 12.35		11	582	210 22	00000
	A000	A214	ACCT1100A01	1 1 1	9.00 9.50		11	800	110 22	00000
	A000	A214	ACCT1200A01	1 1 1	10.00 10.50		5	800	110 22	00000
	A000	A214	BUSM1050A01	111 1	12.05 12.50		8	800	110 22	00000
	B000	B001	DRFT1145A01	11111	7.30 8.55		9	1,694	210 23	00000
4	B000	B001	DRFT2361A01	11111	7.30 12.55	1	1	1,694	210 23	00000
4	B000	B001	DRFT2363A01	11111	7.30 12.55	1	1	1,694	210 23	00000
	B000	B001	DRFT1230A01	11111	8.00 10.00	1	2	1,694	210 23	00000
	B000	B001	CADD1210A01	11111	8.00 11.00	1	1	1,694	210 23	00000
	B000	B001	CADD1210A02	11111	8.00 11.00	1	2	1,694	210 23	00000
	B000	B001	CADD1215A01	11111	8.00 11.00	1	2	1,694	210 23	00000
	B000	B001	CADD1215A02	11111	8.00 11.00	1	3	1,694	210 23	00000
	B000	B001	DRFT1161A02	11111	8.00 11.00	1	1	1,694	210 23	00000
	B000	B001	DRFT2310A01	11111	8.00 11.00	1	2	1,694	210 23	00000
	B000	B001	DRFT2320A01	11111	8.00 11.00	1	2	1,694	210 23	00000
	B000	B001	DRFT2320A02	11111	8.00 12.55	1	4	1,694	210 23	00000
8	B000	B001	DRFT2330A01	11111	8.00 12.55	1	6	1,694	210 23	00000
8	B000	B001	DRFT2341A01	11111	8.00 12.55	1	2	1,694	210 23	00000
8	B000	B001	DRFT2343A01	11111	8.00 12.55	1	2	1,694	210 23	00000
8	B000	B001	DRFT2351A01	11111	8.00 12.55	1	1	1,694	210 23	00000
8	B000	B001	DRFT2353A01	11111	8.00 12.55	1	1	1,694	210 23	00000
8	B000	B001	CADD1210A03	11111	9.00 10.30	1	1	1,694	210 23	00000
	B000	B001	CADD1215A03	11111	11.00 13.00		1	1,694	210 23	00000
	B000	B001	DRFT1110A01	11111	11.30 14.30	1	7	1,694	210 23	00000
	B000	B001	DRFT1120A01	11111	11.30 14.30	1	8	1,694	210 23	00000
	B000	B001	DRFT1130A01	11111	11.30 14.30	1	8	1,694	210 23	00000
	B000	B001	DRFT1161A01	11111	11.30 14.30	1	9	1,694	210 23	00000
	B000	B001	DRFT2310A02	11111	13.05 14.30	1	1	1,694	210 23	00000
	B000	B001	DRFT2320A03	11111	14.35 16.00		1	1,694	210 23	00000
	B000	B010	ORNT1000A01	1 1	8.00 8.50		7	640	110 40	00000
	B000	B010	ORNT1000A02	1 1	9.00 9.50		9	640	110 40	00000
	B000	B010	ORNT1000A03	1 1	10.00 10.50		14	640	110 40	00000
8	B000	B011	JOBS2450A01	1 1	13.00 13.50		3	100	310 1	00000
	B000	B011	JOBS2450A02	1 1	14.00 14.50		1	100	310 1	00000
	C000	C001	ELEC1120A01	1 1 1	7.30 10.55		15	1,978	210 20	00000
	C000	C001	ELEC1210A01	1 1 1	11.30 14.55		12	1,978	210 20	00000
	C000	C002	ELEC1420A01	1 1 1	7.30 9.30		13	1,636	210 20	00000
	C000	C002	ELEC1440A01	1 1 1	9.35 12.30		13	1,636	210 20	00000
	C000	C002	ELEC1330A01	1 1 1	13.00 15.00		12	1,636	210 20	00000
	C000	C015	HACR1150A02	11111	7.05 8.25		1	870	210 20	00000
	C000	C015	HACR1150A01	11111	8.00 9.20	1	5	870	210 20	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013
 RUN DATE 10/16/2013 14:53:15
 PAGE NUM 2

L.T.C.-ALEXANDRIA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	C000	C015	HACR1170A02	11111	8.00 9.20	1	8	870	210 20 00000
	C000	C015	HACR2530A01	11111	8.00 9.20	1	8	870	210 20 00000
	C000	C015	HACR1160A02	11111	8.30 10.00	1	1	870	210 20 00000
	C000	C015	HACR1160A01	11111	9.30 10.55	1	5	870	210 20 00000
8	C000	C015	HACR1180A02	11111	9.30 10.55	1	8	870	210 20 00000
8	C000	C015	HACR2540A01	11111	9.30 10.55	1	8	870	210 20 00000
	C000	C015	HACR1170A01	11111	11.00 12.55		5	870	210 20 00000
	C000	C015	HACR1210A01	11111	11.00 12.55	1	3	870	210 20 00000
	C000	C015	HACR1410A01	11111	11.00 12.55	1	5	870	210 20 00000
	C000	C015	HACR2550A01	11111	11.00 12.55	1	8	870	210 20 00000
	C000	C015	HACR1180A01	11111	13.00 14.30		5	870	210 20 00000
	C000	C015	HACR1220A01	11111	13.00 14.30	1	3	870	210 20 00000
	C000	C015	HACR1420A01	11111	13.00 14.30	1	5	870	210 20 00000
	C000	C015	HACR2560A01	11111	13.00 14.30	1	8	870	210 20 00000
	C000	C015	HACR2520A01	11111	14.35 15.35		11	870	210 20 00000
	D000	D001	IMFG1200A01	1 1 1	8.00 10.40		7	5,214	210 20 00000
	D000	D001	ELEC2540A01	1 1	8.00 10.50		13	5,214	210 20 00000
	D000	D001	IMFG1300A01	1 1	8.00 12.30	1	10	5,214	210 20 00000
8	D000	D001	ELEC2720A01	1 1	11.30 14.20	1	14	5,214	210 20 00000
8	D000	D001	IMFG1100A01	1 1	13.00 14.30	1	7	5,214	210 20 00000
	D000	D002	IMMT1321A01	1 1	8.00 10.50		5	627	110 40 00000
	D000	D002	IMMT2995A01	1 1 1	9.00 10.50		1	627	110 40 00000
	D000	D002	IMMT1320A01	1 1	11.30 12.50		5	627	110 40 00000
	D000	D002	IMFG1120A01	1 1 1	11.30 14.20		8	627	110 40 00000
	D000	D002	IMMT1311A01	1 1	13.00 14.50		4	627	110 40 00000
4	8	E000	HNUR1212A01	1 1	6.30 12.30		30	2,004	210 11 00000
	8	E000	HNUR1302A01	1 1 1	8.00 9.55		34	2,004	210 11 00000
	8	E000	HNUR1002A02	1 1	8.00 10.00		31	2,004	210 11 00000
	8	E000	HCOR1210A02	1 1 1	10.00 11.45		37	2,004	210 11 00000
	8	E000	HNUR2991A01	1	10.05 12.00		22	2,004	210 11 00000
	8	E000	HNUR1312A01	1	10.05 12.15		30	2,004	210 11 00000
	8	E000	HNUR1211A02	11111	12.45 15.00		30	2,004	210 11 00000
4		E000	HCOR1212A01	111	6.30 15.00		12	864	110 36 00000
		E000	HNUR1002A01	1 1	8.00 9.59	1	17	864	110 36 00000
		E000	HCOR1200A01	11	8.00 10.00	1	17	864	110 36 00000
		E000	HNUR1211A01	11111	10.00 12.00		12	864	110 36 00000
		E000	HCOR1210A01	11	10.00 12.00	1	17	864	110 36 00000
		E000	HNUR1272A01	111	16.00 17.25		12	840	110 25 00000
		E000	HNUR1311A01	111	17.30 19.25		12	840	110 25 00000
		E000	HNUR1322A01	111	19.30 21.15		12	840	110 25 00000
4		E000	HNUR2153A01	1	6.30 15.00		22	744	110 20 00000
4		E000	HNUR2123A01	11	6.30 15.00		22	744	110 20 00000
		E000	HNUR1460A01	1	12.00 15.00		20	744	110 20 00000
		E000	HNUR2611A01	1111	12.30 15.00		19	744	110 20 00000
	F000	F001	WELD1411A03	11111	8.00 11.00		1	2,914	210 15 00000
	F000	F001	WELD1412A02	11111	8.00 11.00	1	1	2,914	210 15 00000
4		F000	WELD1411A02	11111	8.00 14.30	1	2	2,914	210 15 00000
4		F000	WELD1412A01	11111	8.00 14.30	1	2	2,914	210 15 00000
4		F000	WELD1420A01	11111	8.00 14.30	1	2	2,914	210 15 00000
4		F000	WELD2994A01	11111	8.00 14.30	1	5	2,914	210 15 00000
4		F000	WELD2994A02	11111	8.00 14.30	1	1	2,914	210 15 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013

RUN DATE 10/16/2013 14:53:15

PAGE NUM 3

L.T.C.-ALEXANDRIA

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	F000	F001	WELD2994A03	11111	8.00 14.30	1	2,914	210 15	00000
8	F000	F001	WELD1140A01	1 1	10.15 11.45	1	2,914	210 15	00000
8	F000	F001	WELD1411A04	11111	11.30 14.30	1	2,914	210 15	00000
8	F000	F001	WELD1412A03	11111	11.30 14.30	1	2,914	210 15	00000
8	F000	F001	WELD1210A01	11111	12.00 13.00	1	2,914	210 15	00000
8	F000	F001	WELD1310A01	11111	12.00 13.00	1	2,914	210 15	00000
8	F000	F001	WELD1411A01	11111	12.00 14.30	1	2,914	210 15	00000
8	F000	F001	WELD1410A01	11111	13.05 14.30	1	2,914	210 15	00000
	F000	F001	WELD1140A02	11111	16.00 17.00		2,914	210 15	00000
	F000	F001	WELD1411A05	11111	16.00 19.30	1	2,914	210 15	00000
	F000	F001	WELD1412A04	11111	16.00 19.30	1	2,914	210 15	00000
	F000	F001	WELD2111A06	11111	16.00 19.30	1	2,914	210 15	00000
	F000	F001	WELD2310A05	11111	16.00 19.30	1	2,914	210 15	00000
	F000	F001	WELD1420A02	11111	16.00 20.00	1	2,914	210 15	00000
	F000	F001	WELD1510A02	11111	16.00 20.00	1	2,914	210 15	00000
	F000	F001	WELD1511A03	11111	16.00 20.00	1	2,914	210 15	00000
	F000	F001	WELD2994A05	11111	16.00 20.00	1	2,914	210 15	00000
8	F000	F001	ZRWD1000RR2	11	16.30 19.30	1	2,914	210 15	00000
8	F000	F001	ZRWD1000RR1	1111	17.00 21.00	1	2,914	210 15	00000
8	F000	F001	WELD1210A02	11111	17.05 18.10	1	2,914	210 15	00000
8	F000	F001	WELD1310A02	11111	17.05 18.10	1	2,914	210 15	00000
	F000	F001	WELD1410A02	11111	18.15 19.45		2,914	210 15	00000
	F000	F009	WELD2110A03	11111	8.00 11.00		2,350	210 15	00000
	F000	F009	WELD2111A04	11111	8.00 11.00	1	2,350	210 15	00000
4	F000	F009	WELD1510A01	11111	8.00 14.30	1	2,350	210 15	00000
4	F000	F009	WELD1511A01	11111	8.00 14.30	1	2,350	210 15	00000
4	F000	F009	WELD1512A01	11111	8.00 14.30	1	2,350	210 15	00000
4	F000	F009	WELD2110A01	11111	8.00 14.30	1	2,350	210 15	00000
4	F000	F009	WELD2110A02	11111	8.00 14.30	1	2,350	210 15	00000
4	8	F000	F009	WELD2111A01	11111	8.00 14.30	2,350	210 15	00000
4	8	F000	F009	WELD2111A02	11111	8.00 14.30	2,350	210 15	00000
4	8	F000	F009	WELD2111A03	11111	8.00 14.30	2,350	210 15	00000
4	8	F000	F009	WELD2210A01	11111	8.00 14.30	2,350	210 15	00000
4	8	F000	F009	WELD2310A01	11111	8.00 14.30	2,350	210 15	00000
4	8	F000	F009	WELD2310A02	11111	8.00 14.30	2,350	210 15	00000
4	8	F000	F009	WELD2311A01	11111	8.00 14.30	2,350	210 15	00000
4	8	F000	F009	WELD2311A02	11111	8.00 14.30	2,350	210 15	00000
4	8	F000	F009	WELD1511A02	1 1 1	8.00 14.30	2,350	210 15	00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - - THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	26
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - - CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - - PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	38
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - - THERE SHOULD BE NO DUPLICATES.	

----- T O T A L S -----

TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	64
TOTAL NUMBER OF RECORDS READ	- - - - -	140
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	140
NUMBER OF JOINT-CLASS RECORDS	- - - - -	83
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZ - SUMMARY PAGE

L.T.C. -ALEXANDRIA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			73
TOTAL NUMBER OF STATIONS (CAPACITY)			1,995
WEEKLY STUDENT CONTACT HOURS	1,894	144	2,038
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6,570	3,650	10,220
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	293	24	317
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	179,550	99,750	279,300
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,837	600	9,437
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,788	288	4,076
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	4.5	.7	3.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	2.1	.3	1.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	42.9	48.0	43.2
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			73
TOTAL NUMBER OF STATIONS (CAPACITY)			1,995
WEEKLY STUDENT CONTACT HOURS	1,894	144	2,038
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6,570	3,650	10,220
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	293	24	317
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	179,550	99,750	279,300
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,837	600	9,437
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,788	288	4,076
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	4.5	.7	3.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	2.1	.3	1.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	42.9	48.0	43.2

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			159
TOTAL NUMBER OF STATIONS (CAPACITY)			2,990
WEEKLY STUDENT CONTACT HOURS	8,030	245	8,275
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	14,310	7,950	22,260
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,232	77	3,309
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	269,100	149,500	418,600
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	57,504	1,155	58,659
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	16,060	490	16,550
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	22.6	1.0	14.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	6.0	.3	4.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	27.9	42.4	28.2

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			159
TOTAL NUMBER OF STATIONS (CAPACITY)			2,990
WEEKLY STUDENT CONTACT HOURS	8,030	245	8,275
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	14,310	7,950	22,260
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,232	77	3,309
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	269,100	149,500	418,600
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	57,504	1,155	58,659
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	16,060	490	16,550
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	22.6	1.0	14.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	6.0	.3	4.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	27.9	42.4	28.2

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY