

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013
 RUN DATE 10/15/2013 11:35:40
 PAGE NUM 1

L.T.C.-AVOYELLES
 BRANCH
 PARISH
 RELATION

AVOYELLES
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	A000	0007	SPPR2996002	1 1 1	8.00 9.50	12	1,260	110 40	00000
	A000	0007	DVED2991001	1 1	8.00 9.59	6	1,260	110 40	00000
	A000	0007	ORNT1000001	11 11	12.30 13.20	9	1,260	110 40	00000
	A000	0007	DVED2991005	1 1 1	12.30 14.20	12	1,260	110 40	00000
	A000	0007	DVED2991002	1 1	12.30 14.29	25	1,260	110 40	00000
4	A000	034A	HNUR1311001	1 1	8.00 14.30	14	1,170	110 50	00000
	A000	034A	HNUR1312001	1111	10.00 11.59	13	1,170	110 50	00000
	A000	034A	HNUR1272001	1111	11.30 14.30	13	1,170	110 50	00000
4	A000	034B	HNUR1311002	1 1	8.00 14.30	19	1,170	210 50	00000
	A000	034B	HNUR1312002	11111	10.00 11.59	19	1,170	210 50	00000
	A000	034B	HNUR1272002	1111	11.30 14.30	20	1,170	210 50	00000
	B000	0002	HNUR1322002	1111	8.00 9.59	21	1,000	210 20	00000
8	B000	0002	HCOR2997002	1111	8.00 10.59	17	1,000	210 20	00000
8	B000	0002	HNUR1460002	1111	8.00 10.59	21	1,000	210 20	00000
4	B000	0002	HNUR1000002	1	8.00 14.30	1	1,000	210 20	00000
	B000	0017	HNUR1322001	11111	8.00 9.59	14	814	210 20	00000
	B000	0017	HNUR1460001	11111	8.00 10.59	15	814	210 20	00000
8	B000	0017	HCOR2997001	1111	8.00 10.59	12	814	210 20	00000
	B000	0018	HNUR1002001	1 1	7.30 9.29	6	594	210 18	00000
	B000	0018	HNUR1211002	1 1 1	7.30 10.59	22	594	210 18	00000
8	B000	0018	HNUR1002002	1 1 1	8.00 9.29	23	594	210 18	00000
	B000	0018	HCOR2991001	1 1 1	9.30 10.59	23	594	210 18	00000
	B000	0018	HCOR2991002	1 1	9.30 11.29	11	594	210 18	00000
	B000	0018	CPTR1002002	1 1 1	11.25 13.29	8	594	210 18	00000
	B000	0018	HCOR1200001	1 1	12.00 13.29	8	594	210 18	00000
	B000	0022	JOBS2450001	1 1	10.00 10.59	1	2,737	730 30	00000
	B000	0022	CPTR1000002	1 1	11.00 13.29	1	2,737	730 30	00000
	B000	0022	WELD1210004	11111	13.30 14.29	1	2,737	730 30	00000
	B000	0022	JOBS2450004	1 1	13.30 14.29	1	2,737	730 30	00000
	B000	0022	JOBS2450005	11111	14.30 15.29	2	2,737	730 30	00000
	B000	0022	CPTR1000003	1 1	14.30 15.29	1	2,737	730 30	00000
	B000	0029	WELD2220002	1 1 1	7.00 9.59	1	2,700	210 16	00000
	B000	0029	WELD1110007	11111	8.00 8.59	2	2,700	210 16	00000
	B000	0029	WELD1110009	1 1 1	8.00 9.29	1	2,700	210 16	00000
	B000	0029	WELD1110002	1 1 1	8.00 9.59	1	2,700	210 16	00000
	B000	0029	CPTR1000001	1 1	8.00 9.59	3	2,700	210 16	00000
8	B000	0029	WELD1110001	1 1	8.00 9.59	27	2,700	210 16	00000
8	B000	0029	WELD1310002	1 1	8.00 9.59	3	2,700	210 16	00000
8	B000	0029	WELD1130001	1 1	8.00 9.59	6	2,700	210 16	00000
8	B000	0029	WELD1411001	1 1 1	8.00 10.59	28	2,700	210 16	00000
8	B000	0029	WELD1511001	1 1 1	8.00 10.59	12	2,700	210 16	00000
8	B000	0029	WELD2110001	1 1 1	8.00 10.59	3	2,700	210 16	00000
8	B000	0029	WELD2220001	1 1 1	8.00 10.59	5	2,700	210 16	00000
8	B000	0029	WELD2230003	1 1 1	8.00 10.59	2	2,700	210 16	00000
8	B000	0029	WELD2310001	1 1 1	8.00 10.59	4	2,700	210 16	00000
	B000	0029	WELD1120001	1 1	8.00 10.59	8	2,700	210 16	00000
	B000	0029	WELD1412002	1 1	8.00 12.00	2	2,700	210 16	00000
	B000	0029	WELD1130002	11111	9.00 9.59	1	2,700	210 16	00000
	B000	0029	WELD1210008	11111	9.00 9.59	2	2,700	210 16	00000
	B000	0029	WELD1210009	1 1 1	9.30 10.59	1	2,700	210 16	00000
	B000	0029	WELD1410007	11111	10.00 10.59	3	2,700	210 16	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 10/15/2013 11:35:40
 PAGE NUM 2

L.T.C. - AVOYELLES
 BRANCH
 PARISH
 RELATION

AVOYELLES
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	B000	0029	WELD1210003	1 1 1	10.00 11.59	1	2,700	210 16	00000
8	B000	0029	WELD1210001	1 1	10.00 11.59	27	2,700	210 16	00000
8	B000	0029	WELD1140001	1 1	10.00 12.00	1	2,700	210 16	00000
	B000	0029	WELD2230004	1 1 1	10.00 13.29	1	2,700	210 16	00000
	B000	0029	WELD1420001	1 1	10.00 14.29	1	2,700	210 16	00000
	B000	0029	WELD2110002	1 1	10.00 14.29	1	2,700	210 16	00000
9	B000	0029	WELD2110002	1 1	10.00 14.29	1	2,700	210 16	00000
	B000	0029	WELD2111002	1 1	10.00 14.29	3	2,700	210 16	00000
	B000	0029	WELD2210001	1 1	10.00 14.29	5	2,700	210 16	00000
	B000	0029	WELD1411003	11111	11.00 12.29	1	2,700	210 16	00000
	B000	0029	WELD1410005	1 1 1	11.00 13.29	1	2,700	210 16	00000
	B000	0029	WELD1110004	1 1	11.00 13.29	1	2,700	210 16	00000
	B000	0029	WELD1210002	1 1 1	11.00 14.29	1	2,700	210 16	00000
	B000	0029	WELD1412001	1 1 1	11.00 14.29	8	2,700	210 16	00000
	B000	0029	WELD1512001	1 1 1	11.00 14.29	11	2,700	210 16	00000
	B000	0029	WELD2111001	1 1 1	11.00 14.29	4	2,700	210 16	00000
8	B000	0029	WELD2222001	1 1 1	11.00 14.29	1	2,700	210 16	00000
8	B000	0029	WELD2230002	1 1 1	11.00 14.29	3	2,700	210 16	00000
8	B000	0029	WELD2311001	1 1 1	11.00 14.29	5	2,700	210 16	00000
	B000	0029	WELD2310002	1 1	11.00 15.30	7	2,700	210 16	00000
	B000	0029	WELD1210005	11111	11.30 12.29	1	2,700	210 16	00000
	B000	0029	WELD1110003	11111	12.30 13.29	1	2,700	210 16	00000
	B000	0029	WELD1410004	11111	12.30 13.29	2	2,700	210 16	00000
	B000	0029	WELD2210003	11111	12.30 13.59	1	2,700	210 16	00000
	B000	0029	WELD1420002	11111	12.30 14.29	1	2,700	210 16	00000
	B000	0029	WELD1512002	11111	12.30 14.29	1	2,700	210 16	00000
	B000	0029	WELD2210002	11111	12.30 14.29	1	2,700	210 16	00000
	B000	0029	WELD1410002	1 1 1	12.30 14.29	1	2,700	210 16	00000
	B000	0029	WELD1140002	1 1	12.30 14.29	1	2,700	210 16	00000
	B000	0029	WELD1410001	1 1	12.30 14.29	1	2,700	210 16	00000
	B000	0029	WELD1310001	1	12.30 14.29	6	2,700	210 16	00000
	B000	0029	WELD1110006	11111	13.30 15.29	1	2,700	210 16	00000
	B000	0029	WELD1411002	11111	13.30 15.29	1	2,700	210 16	00000
	B000	0029	WELD1210006	1 1	13.30 15.29	1	2,700	210 16	00000
	B000	0029	WELD1140003	11111	14.00 14.59	1	2,700	210 16	00000
	B000	0029	WELD1410003	11111	14.30 15.29	1	2,700	210 16	00000
8	C000	0001	HCOR1210001	1 1	13.30 15.50	11	437	110 6	00000
	C000	0005	SPPR2993001	11	8.00 8.50	2	995	210 18	00000
	C000	0005	BUSM1050001	1 1	8.00 9.20	24	995	210 18	00000
8	C000	0005	BUSM1050004	1 1	8.00 9.20	14	995	210 18	00000
	C000	0005	SPPR2995004	1	8.00 10.29	1	995	210 18	00000
	C000	0005	CSRV1000002	1 1 1	10.00 10.50	21	995	210 18	00000
	C000	0005	SPPR2991001	1	11.00 11.50	1	995	210 18	00000
	C000	0005	SPPR2991002	1 1	11.00 11.50	18	995	210 18	00000
4	C000	0005	SPPR2995001	1 1	12.30 12.30	20	995	210 18	00000
	C000	0005	BUSE1030001	1 1 1	12.30 13.20	6	995	210 18	00000
	C000	0005	SPPR2995003	1 1	12.30 14.20	1	995	210 18	00000
	C000	0014	ISYS1650002	1111	11.00 11.50	11	995	210 18	00000
8	C000	0014	CPTR1002001	1 1 1	11.00 11.59	28	995	210 18	00000
	C000	0014	CPTR1310001	1 1	12.30 14.20	11	995	210 18	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
FALL DATA 2013
RUN DATE 10/15/2013 11:35:40

L.T.C.-AVOYELLES

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - - THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	4
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - - CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - - PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	21
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - - THERE SHOULD BE NO DUPLICATES.	1

----- T O T A L S -----

TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	26
TOTAL NUMBER OF RECORDS READ	- - - - -	101
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	100
NUMBER OF JOINT-CLASS RECORDS	- - - - -	61
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZ - SUMMARY PAGE

L.T.C. -AVOYELLES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			21
TOTAL NUMBER OF STATIONS (CAPACITY)			648
WEEKLY STUDENT CONTACT HOURS	801		801
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,890	1,050	2,940
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	124		124
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	58,320	32,400	90,720
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,280		5,280
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,602		1,602
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	6.6	.0	4.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	2.7	.0	1.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	30.3	.0	30.3
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			21
TOTAL NUMBER OF STATIONS (CAPACITY)			648
WEEKLY STUDENT CONTACT HOURS	801		801
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,890	1,050	2,940
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	124		124
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	58,320	32,400	90,720
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,280		5,280
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,602		1,602
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	6.6	.0	4.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	2.7	.0	1.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	30.3	.0	30.3

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			102
TOTAL NUMBER OF STATIONS (CAPACITY)			1,906
WEEKLY STUDENT CONTACT HOURS	4,381		4,381
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	9,180	5,100	14,280
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,155		1,155
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	171,540	95,300	266,840
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	21,758		21,758
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,763		8,763
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	12.6	.0	8.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	5.1	.0	3.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	40.3	.0	40.3

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			102
TOTAL NUMBER OF STATIONS (CAPACITY)			1,906
WEEKLY STUDENT CONTACT HOURS	4,381		4,381
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	9,180	5,100	14,280
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,155		1,155
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	171,540	95,300	266,840
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	21,758		21,758
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,763		8,763
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	12.6	.0	8.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	5.1	.0	3.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	40.3	.0	40.3

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY