

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2014  
 RUN DATE 11/17/2014 09:48:03  
 PAGE NUM 1

L.T.C.-AVOUELLES  
 BRANCH  
 PARISH  
 RELATION  
 AVOUELLES  
 OTHER

| ERRORS/<br>WARNINGS<br>----- | BLDNG./ROOM<br>NO. | COURSE/SECT.<br>NO. | MEETING<br>DAYS<br>MTWTFSS | BEGIN - END<br>TIMES | J A D I<br>N L I N<br>T T F C | TOTAL<br>REG | NET ASSIGN.<br>SQ. FT. | ROOM<br>TYPE &<br>CAPACITY | RECRD<br>NO. |    |       |
|------------------------------|--------------------|---------------------|----------------------------|----------------------|-------------------------------|--------------|------------------------|----------------------------|--------------|----|-------|
| 8                            | A000               | 0017                | HNUR2996G01                | 1                    | 8.00 11.00                    |              | 25                     | 54                         | 315          | 1  | 00000 |
| 8                            | A000               | 0017                | HNUR2173G01                | 1                    | 8.00 11.00                    |              | 25                     | 54                         | 315          | 1  | 00000 |
| 8                            | A000               | 0017                | HNUR2611G01                | 1                    | 12.00 14.00                   |              | 25                     | 54                         | 315          | 1  | 00000 |
| 8                            | A000               | 0017                | HNUR2173G01                | 1                    | 12.00 14.00                   |              | 25                     | 54                         | 315          | 1  | 00000 |
|                              | A000               | 0022                | HNUR1211G07                | 111111               | 8.00 10.30                    |              | 19                     | 496                        | 110          | 20 | 00000 |
| 89                           | A000               | 0022                | HNUR1211G07                | 1                    | 8.00 10.30                    |              | 19                     | 496                        | 110          | 20 | 00000 |
|                              | A000               | 0022                | HCOR1212G06                | 1111                 | 8.00 10.30                    |              | 10                     | 496                        | 110          | 20 | 00000 |
|                              | A000               | 0022                | HCOR1212G07                | 1111                 | 8.00 10.30                    | 1            | 9                      | 496                        | 110          | 20 | 00000 |
| 4                            | A000               | 034A                | HNUR1212G01                | 1                    | 6.30 12.30                    |              | 18                     | 1,170                      | 110          | 50 | 00000 |
|                              | A000               | 034A                | HNUR1211G01                | 1                    | 8.00 11.00                    |              | 18                     | 1,170                      | 110          | 50 | 00000 |
|                              | A000               | 034A                | HNUR1302G01                | 1 1                  | 8.00 11.00                    |              | 24                     | 1,170                      | 110          | 50 | 00000 |
|                              | A000               | 034A                | HNUR2997G01                | 1                    | 8.00 11.00                    |              | 15                     | 1,170                      | 110          | 50 | 00000 |
|                              | A000               | 034A                | HNUR1211G01                | 1                    | 9.00 11.00                    |              | 18                     | 1,170                      | 110          | 50 | 00000 |
|                              | A000               | 034A                | HNUR1312G01                | 1                    | 12.00 15.00                   |              | 26                     | 1,170                      | 110          | 50 | 00000 |
|                              | A000               | 034A                | HNUR1212G01                | 1                    | 12.00 16.00                   |              | 18                     | 1,170                      | 110          | 50 | 00000 |
| 4                            | B000               | 0017                | HNUR2173G01                | 1                    | 6.00 14.30                    |              | 25                     | 814                        | 210          | 20 | 00000 |
| 4                            | B000               | 0017                | HNUR2133G01                | 11                   | 6.00 14.30                    |              | 25                     | 814                        | 210          | 20 | 00000 |
|                              | B000               | 0017                | HNUR2133G01                | 1                    | 8.00 12.00                    |              | 25                     | 814                        | 210          | 20 | 00000 |
| 4                            | B000               | 0018                | HCOR1212G01                | 11                   | 6.30 12.30                    |              | 21                     | 594                        | 210          | 18 | 00000 |
|                              | B000               | 0018                | HCOR1210G01                | 1                    | 8.00 8.50                     |              | 21                     | 594                        | 210          | 18 | 00000 |
|                              | B000               | 0018                | HNUR1211G02                | 11                   | 8.00 11.00                    |              | 21                     | 594                        | 210          | 18 | 00000 |
|                              | B000               | 0018                | HCOR1210G01                | 1                    | 8.00 11.00                    |              | 21                     | 594                        | 210          | 18 | 00000 |
|                              | B000               | 0018                | HCOR1200G01                | 1                    | 8.00 11.00                    |              | 22                     | 594                        | 210          | 18 | 00000 |
|                              | B000               | 0018                | HCOR1320G01                | 1                    | 9.00 12.00                    |              | 20                     | 594                        | 210          | 18 | 00000 |
|                              | B000               | 0018                | HCOR1200G01                | 1                    | 12.00 13.20                   |              | 22                     | 594                        | 210          | 18 | 00000 |
|                              | B000               | 0018                | HNUR1211G02                | 11                   | 12.00 13.30                   |              | 21                     | 594                        | 210          | 18 | 00000 |
|                              | B000               | 0018                | HNUR2997G02                | 1                    | 12.30 14.30                   |              | 14                     | 594                        | 210          | 18 | 00000 |
|                              | B000               | 0026                | WELD1130G01                | 1 1                  | 8.00 9.59                     |              | 6                      | 312                        | 110          | 20 | 00000 |
|                              | B000               | 0026                | WELD1120G01                | 1 1                  | 11.30 14.30                   |              | 8                      | 312                        | 110          | 20 | 00000 |
|                              | B000               | 0026                | WELD1140G01                | 1 1 1                | 13.30 14.30                   |              | 17                     | 312                        | 110          | 20 | 00000 |
|                              | B000               | 0029                | WELD1140G02                | 1 1 1                | 8.00 9.59                     |              | 6                      | 2,700                      | 210          | 16 | 00000 |
|                              | B000               | 0029                | WELD1110G01                | 1 1                  | 8.00 9.59                     |              | 17                     | 2,700                      | 210          | 16 | 00000 |
|                              | B000               | 0029                | WELD1411G01                | 1 1 1                | 8.00 10.29                    |              | 20                     | 2,700                      | 210          | 16 | 00000 |
| 8                            | B000               | 0029                | WELD2110G01                | 1 1 1                | 8.00 10.29                    | 1            | 9                      | 2,700                      | 210          | 16 | 00000 |
| 8                            | B000               | 0029                | WELD2210G01                | 1 1 1                | 8.00 10.29                    | 1            | 3                      | 2,700                      | 210          | 16 | 00000 |
| 8                            | B000               | 0029                | WELD1511G01                | 1 1 1                | 8.00 10.59                    | 1            | 1                      | 2,700                      | 210          | 16 | 00000 |
| 8                            | B000               | 0029                | WELD2222G01                | 1 1 1                | 8.00 10.59                    | 1            | 4                      | 2,700                      | 210          | 16 | 00000 |
|                              | B000               | 0029                | WELD2310G01                | 1 1                  | 8.00 11.29                    |              | 7                      | 2,700                      | 210          | 16 | 00000 |
|                              | B000               | 0029                | WELD1420G01                | 1 1                  | 8.00 12.00                    | 1            | 1                      | 2,700                      | 210          | 16 | 00000 |
|                              | B000               | 0029                | WELD2220G01                | 1 1                  | 8.00 12.00                    | 1            | 6                      | 2,700                      | 210          | 16 | 00000 |
| 8                            | B000               | 0029                | WELD1210G01                | 1 1                  | 10.00 11.59                   | 1            | 17                     | 2,700                      | 210          | 16 | 00000 |
| 8                            | B000               | 0029                | WELD1310G01                | 1 1                  | 10.00 12.00                   | 1            | 4                      | 2,700                      | 210          | 16 | 00000 |
|                              | B000               | 0029                | WELD1412G01                | 1 1 1                | 10.30 13.29                   |              | 20                     | 2,700                      | 210          | 16 | 00000 |
|                              | B000               | 0029                | WELD2230G01                | 1 1 1                | 10.30 13.30                   | 1            | 2                      | 2,700                      | 210          | 16 | 00000 |
| 8                            | B000               | 0029                | WELD2111G01                | 1 1 1                | 10.30 14.30                   | 1            | 10                     | 2,700                      | 210          | 16 | 00000 |
| 8                            | B000               | 0029                | WELD2311G01                | 1 1 1                | 10.30 14.30                   | 1            | 4                      | 2,700                      | 210          | 16 | 00000 |
| 8                            | B000               | 0029                | WELD1120G02                | 1 1 1                | 11.00 14.29                   | 1            | 2                      | 2,700                      | 210          | 16 | 00000 |
| 8                            | B000               | 0029                | WELD2994G01                | 1 1 1                | 11.00 14.29                   | 1            | 2                      | 2,700                      | 210          | 16 | 00000 |
| 8                            | B000               | 0029                | WELD1512G01                | 1 1 1                | 11.00 14.30                   | 1            | 3                      | 2,700                      | 210          | 16 | 00000 |
|                              | B000               | 0029                | WELD1140G03                | 1 1                  | 12.30 14.29                   |              | 9                      | 2,700                      | 210          | 16 | 00000 |
|                              | B000               | 0029                | WELD1310G02                | 1 1                  | 12.30 14.29                   | 1            | 3                      | 2,700                      | 210          | 16 | 00000 |

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2014  
 RUN DATE 11/17/2014 09:48:03  
 PAGE NUM 2

L.T.C.-AVOYELLES  
 BRANCH  
 PARISH  
 RELATION  
 AVOYELLES  
 OTHER

| ERRORS/<br>WARNINGS<br>----- | BLDNG./ROOM<br>NO. | COURSE/SECT.<br>NO. | MEETING<br>DAYS<br>MTWTFSS | BEGIN - END<br>TIMES | J A D I<br>N L I N<br>T T F C | TOTAL<br>REG | NET ASSIGN.<br>SQ. FT. | ROOM<br>TYPE &<br>CAPACITY | RECRD<br>NO. |
|------------------------------|--------------------|---------------------|----------------------------|----------------------|-------------------------------|--------------|------------------------|----------------------------|--------------|
| 8                            | B000 0029          | WELD1410G01         | 1 1                        | 12.30 14.30          | 1                             | 19           | 2,700                  | 210 16                     | 00000        |
|                              | C000 0005          | CSRV1000G01         | 1 1 1                      | 8.00 8.50            |                               | 10           | 995                    | 210 18                     | 00000        |
|                              | C000 0005          | LFRM1000G04         | 1                          | 8.00 9.50            |                               | 1            | 995                    | 210 18                     | 00000        |
|                              | C000 0005          | ACCT1100G01         | 1 1                        | 8.00 9.55            | 1                             | 13           | 995                    | 210 18                     | 00000        |
|                              | C000 0005          | LFRE0091G01         | 1 1                        | 10.00 11.00          |                               | 1            | 995                    | 210 18                     | 00000        |
|                              | C000 0005          | BUSE1030G02         | 1 1 1                      | 11.00 11.50          |                               | 14           | 995                    | 210 18                     | 00000        |
| 8                            | C000 0005          | LFRM1000G02         | 1                          | 12.00 13.50          |                               | 30           | 995                    | 210 18                     | 00000        |
|                              | C000 0005          | LFRM1000G05         | 1                          | 12.00 13.50          |                               | 3            | 995                    | 210 18                     | 00000        |
|                              | C000 0005          | OSYS1100G01         | 1 1 1                      | 12.30 13.20          |                               | 9            | 995                    | 210 18                     | 00000        |
|                              | C000 0005          | LFRE0091G01         | 1 1 1                      | 13.30 14.30          |                               | 1            | 995                    | 210 18                     | 00000        |
|                              | C000 0005          | LFMA0091G01         | 1 1                        | 14.00 15.00          | 1                             | 1            | 995                    | 210 18                     | 00000        |
|                              | C000 0005          | LFRM1000G03         | 1                          | 14.00 15.50          |                               | 11           | 995                    | 210 18                     | 00000        |
|                              | C000 0005          | LFRM1000G06         | 1                          | 14.00 15.50          |                               | 23           | 995                    | 210 18                     | 00000        |
|                              | C000 0005          | LFMA0091G01         | 1 1                        | 15.30 17.00          |                               | 1            | 995                    | 210 18                     | 00000        |
|                              | C000 0014          | KYBD1010G01         | 1 1 1                      | 9.00 9.50            |                               | 8            | 995                    | 210 18                     | 00000        |
|                              | C000 0014          | KYBD1111G01         | 1 1 1                      | 9.00 10.50           | 1                             | 6            | 995                    | 210 18                     | 00000        |
|                              | C000 0014          | ISYS1440G01         | 1                          | 12.00 13.15          |                               | 10           | 995                    | 210 18                     | 00000        |
|                              | C000 0014          | CPTR1002G01         | 1 1 1                      | 13.30 14.40          |                               | 4            | 995                    | 210 18                     | 00000        |
|                              | C000 0014          | CPTR1000G03         | 1                          | 16.00 17.30          |                               | 10           | 995                    | 210 18                     | 00000        |
|                              | C000 0014          | CPTR1000G04         | 1                          | 16.00 17.30          |                               | 1            | 995                    | 210 18                     | 00000        |
|                              | C000 0014          | CPTR1000G05         | 1                          | 16.00 17.30          |                               | 13           | 995                    | 210 18                     | 00000        |

D E S C R I P T I O N   A N D   S U M M A R Y   O F   E R R O R S   &   W A R N I N G S

|  |   |    |
|--|---|----|
| 1 = ERROR  | - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE. |    |
| 2 = ERROR  | - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.  |    |
| 3 = ERROR  | - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00   |    |
| 4 = WARNING  | - CLASS TIME EXCEEDS 5 HOURS.   | 4  |
| 5 = ERROR  | - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.  |    |
| 7 = ERROR  | - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS  |    |
| 8 = WARNING  | - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.  | 18 |
| 9 = WARNING  | - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.  | 1  |
| ----- T O T A L S -----  |   |    |
| TOTAL ERRORS   |   |    |
| TOTAL WARNINGS   |   | 23 |
| TOTAL NUMBER OF RECORDS READ                                       |   | 72 |
| TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION |   | 71 |
| NUMBER OF JOINT-CLASS RECORDS                                      |   | 20 |
| NUMBER OF ALTERATE WEEKS RECORDS                                   |   |    |
| NUMBER OF DIFFERENT TIMES RECORDS                                  |   |    |
| NUMBER OF INCONSISTENT RECORDS                                     |   |    |

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/17/2014 09:48:03  
 PAGE NUM 1

L.T.C.-AVOUELLES

|  | DAY USE<br>(0600-1700) | NIGHT USE<br>(1700-2300) | T O T A L<br>(0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| <b>*CLASSROOM FACILITIES</b>   |                        |                          |                          |
| TOTAL NUMBER OF ROOMS  |                        |                          | 6                        |
| TOTAL NUMBER OF STATIONS (CAPACITY)  |                        |                          | 146                      |
| WEEKLY STUDENT CONTACT HOURS   | 1,087                  |                          | 1,087                    |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS                    | 540                    | 300                      | 840                      |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS                       | 145                    |                          | 145                      |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS         | 13,140                 | 7,300                    | 20,440                   |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 4,520                  |                          | 4,520                    |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS                    | 2,175                  |                          | 2,175                    |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE   | 26.9                   | .0                       | 17.3                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE                                     | 16.6                   | .0                       | 10.6                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS                   | 48.1                   | .0                       | 48.1                     |
|  | DAY USE<br>(0600-1700) | NIGHT USE<br>(1700-2300) | T O T A L<br>(0600-2300) |
| <b>CLASSROOM</b>   |                        |                          |                          |
| TOTAL NUMBER OF ROOMS  |                        |                          | 6                        |
| TOTAL NUMBER OF STATIONS (CAPACITY)  |                        |                          | 146                      |
| WEEKLY STUDENT CONTACT HOURS   | 1,087                  |                          | 1,087                    |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS                    | 540                    | 300                      | 840                      |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS                       | 145                    |                          | 145                      |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS         | 13,140                 | 7,300                    | 20,440                   |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 4,520                  |                          | 4,520                    |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS                    | 2,175                  |                          | 2,175                    |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE   | 26.9                   | .0                       | 17.3                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE                                     | 16.6                   | .0                       | 10.6                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS                   | 48.1                   | .0                       | 48.1                     |

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/17/2014 09:48:03  
 PAGE NUM 2

L.T.C.-AVOYELLES

|  | DAY USE<br>(0600-1700) | NIGHT USE<br>(1700-2300) | T O T A L<br>(0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| <b>*LABORATORY FACILITIES</b>  |                        |                          |                          |
| TOTAL NUMBER OF ROOMS  |                        |                          | 8                        |
| TOTAL NUMBER OF STATIONS (CAPACITY)  |                        |                          | 180                      |
| WEEKLY STUDENT CONTACT HOURS   | 2,979                  |                          | 2,979                    |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS                    | 720                    | 400                      | 1,120                    |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS                       | 564                    |                          | 564                      |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS         | 16,200                 | 9,000                    | 25,200                   |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 9,596                  |                          | 9,596                    |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS                    | 5,959                  |                          | 5,959                    |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE   | 78.3                   | .0                       | 50.4                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE                                     | 36.8                   | .0                       | 23.6                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS                   | 62.1                   | .0                       | 62.1                     |
|  | DAY USE<br>(0600-1700) | NIGHT USE<br>(1700-2300) | T O T A L<br>(0600-2300) |
| <b>CLASS LABORATORY</b>  |                        |                          |                          |
| TOTAL NUMBER OF ROOMS  |                        |                          | 8                        |
| TOTAL NUMBER OF STATIONS (CAPACITY)  |                        |                          | 180                      |
| WEEKLY STUDENT CONTACT HOURS   | 2,979                  |                          | 2,979                    |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS                    | 720                    | 400                      | 1,120                    |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS                       | 564                    |                          | 564                      |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS         | 16,200                 | 9,000                    | 25,200                   |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 9,596                  |                          | 9,596                    |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS                    | 5,959                  |                          | 5,959                    |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE   | 78.3                   | .0                       | 50.4                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE                                     | 36.8                   | .0                       | 23.6                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS                   | 62.1                   | .0                       | 62.1                     |

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY