

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 11/19/2015 16:01:18

PAGE NUM 1

L.T.C.-BATON ROUGE

BRANCH

PARISH

RELATION

E.B.R.

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	DBR1	0109	JOBS2450A01	1	17.00 19.00		3	2,666	140 35 00000
	DBR1	0117	CDYC1230A01	1	8.00 10.10		13	568	110 36 00000
	DBR1	0117	CDYC1110A01	1 1	8.30 10.00		13	568	110 36 00000
	DBR1	0117	CDYC1420A01	1 1 1	10.01 11.45		19	568	110 36 00000
	DBR1	0117	CDYC1410A01	1 1	10.11 12.10		17	568	110 36 00000
	DBR1	0117	CDYC1220A01	111	12.11 13.50		14	568	110 36 00000
	DBR1	0117	CDYC1210A01	111	14.00 15.40		10	568	110 36 00000
	DBR1	0117	CDYC1210A02	1 1	17.30 20.00		12	568	110 36 00000
	DBR1	0124C	CDYC1151A01	111	8.30 11.30		2	484	210 10 00000
	DBR1	0124C	CDYC1241A01	111	8.30 11.30	1	2	484	210 10 00000
	DBR1	0124C	CDYC1341A01	111	8.30 11.30	1	4	484	210 10 00000
	DBR1	0124C	CDYC1151A02	111	13.30 16.30		2	484	210 10 00000
	DBR1	0124C	CDYC1241A02	111	13.30 16.30	1	2	484	210 10 00000
	DBR1	0124C	CDYC1341A02	111	13.30 16.30	1	2	484	210 10 00000
	DBR1	0127B	CULN2430A01	1111	7.00 8.45		6	1,100	210 20 00000
	DBR1	0127B	CULN1140A01	1 1 1	7.00 8.45	1	15	1,100	210 20 00000
	DBR1	0127B	CULN1321A01	11111	9.16 11.05		4	1,100	210 20 00000
	DBR1	0127B	CULN1240A01	1111	11.06 15.37		3	1,100	210 20 00000
	DBR1	0127B	CULN2410A01	1111	13.06 14.55	1	7	1,100	210 20 00000
	DBR1	0127B	CULN2420A01	1111	14.56 16.45		7	1,100	210 20 00000
	DBR1	0128A	INTE1200A01	1 1 1	11.00 13.00		9	832	140 21 00000
	DBR1	0128B	CULN2310A01	11111	7.00 9.40		6	832	140 20 00000
	DBR1	0128J	INTE2110A01	1 1 1	8.00 10.00		8	1,216	140 36 00000
	DBR1	0128J	INTE2120A01	1 1	8.00 11.00		3	1,216	140 36 00000
	DBR1	0131	HACR2995A01	1111	6.44 7.59		3	3,893	220 40 00000
	DBR1	0131	GRPH2991A01	1	7.00 9.10		18	3,893	220 40 00000
	DBR1	0131	GRPH1100A01	1 1	7.00 11.00		11	3,893	220 40 00000
	DBR1	0131	GRPH2993A01	1	7.00 11.20		4	3,893	220 40 00000
4	DBR1	0131	GRPH1200A01	1	7.00 12.30		8	3,893	220 40 00000
	DBR1	0131	HACR1210A01	1111	8.00 9.45	1	22	3,893	220 40 00000
	DBR1	0131	GRPH2110 A1	1111	8.00 10.15	1	3	3,893	220 40 00000
	DBR1	0131	HACR2510A01	1111	8.00 10.15	1	9	3,893	220 40 00000
4	DBR1	0131	GRPH1300A01	1 1	8.00 13.30	1	9	3,893	220 40 00000
	DBR1	0131	GRPH2420A01	1111	9.00 11.00	1	2	3,893	220 40 00000
8	DBR1	0131	HACR1220A01	1111	9.46 11.35	1	22	3,893	220 40 00000
8	DBR1	0131	HACR2520A01	1111	10.16 12.35	1	9	3,893	220 40 00000
8	DBR1	0131	GRPH2120A01	1111	12.00 14.00	1	3	3,893	220 40 00000
8	DBR1	0131	GRPH1420A01	1111	12.00 14.30	1	10	3,893	220 40 00000
8	DBR1	0131	HACR1230A01	1111	12.05 13.50	1	22	3,893	220 40 00000
8	DBR1	0131	HACR2530A01	1111	13.05 14.35	1	9	3,893	220 40 00000
8	DBR1	0131	HACR1240A01	1111	13.51 15.40	1	23	3,893	220 40 00000
8	DBR1	0131	HACR2991A01	1111	15.21 15.55	1	7	3,893	220 40 00000
	DBR1	0207	HNUR2113A01	11	8.00 11.00		8	978	110 25 00000
	DBR1	0207	HNUR1460A01	1 1	11.30 14.45		8	978	110 25 00000
	DBR1	0208	HNUR2611A01	1	8.00 9.50		8	1,149	210 20 00000
	DBR1	0208	HNUR2123A01	11	8.00 11.20		13	1,149	210 20 00000
	DBR1	0208	HNUR1320A01	1	10.00 11.50		8	1,149	210 20 00000
	DBR1	0208	HNUR2745A01	1 1	12.45 15.20		14	1,149	210 20 00000
	DBR1	0217	DRFT1110A01	11111	7.00 8.00		16	1,347	210 20 00000
	DBR1	0217	CADD1210A01	11111	7.00 8.25	1	1	1,347	210 20 00000
8	DBR1	0217	DRFT1120A01	11111	8.01 8.50	1	16	1,347	210 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/19/2015 16:01:18
 PAGE NUM 2

L.T.C.-BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	DBR1	0217	DRFT2310A01	11111	8.26 9.55	1	4	1,347	210 20 00000
8	DBR1	0217	DRFT1130A01	11111	8.51 9.55	1	14	1,347	210 20 00000
	DBR1	0217	DRFT1145A01	11111	9.56 11.25		15	1,347	210 20 00000
	DBR1	0217	DRFT2320A01	11111	9.56 11.25	1	5	1,347	210 20 00000
	DBR1	0217	DRFT1161A01	11111	11.26 12.15		15	1,347	210 20 00000
	DBR1	0217	DRFT2330A01	11111	11.26 12.55	1	6	1,347	210 20 00000
	DBR1	0217	DRFT1230A01	1111	12.16 13.20	1	3	1,347	210 20 00000
	DBR1	0217	DRFT2343A01	1111	12.21 15.25	1	4	1,347	210 20 00000
	DBR1	0217	DRFT1215A01	1111	12.56 14.45	1	1	1,347	210 20 00000
	DBR1	0217	CADD1215A01	1111	14.46 16.35		6	1,347	210 20 00000
	DBR1	0218	CULN1220A01	1 1	8.00 10.30		1	1,022	110 40 00000
4	DBR1	0218	ORNT1000A01	11	8.30 16.30	1	23	1,022	110 40 00000
	DBR1	0218	CULN1170A01	1 1 1	8.46 10.30	1	6	1,022	110 40 00000
	DBR1	0218	CULN1130A01	1 1 1	10.11 11.55	1	11	1,022	110 40 00000
	DBR1	0218	CULN1160A01	1 1	10.31 13.05		10	1,022	110 40 00000
	DBR1	0218	CULN1110A01	1 1	13.01 15.35		13	1,022	110 40 00000
	DBR1	0225	CSRV1000A01	1 1	8.00 9.30		8	1,032	140 25 00000
	DBR1	0225	OADM1330A01	1 1	8.00 10.00		5	1,032	140 25 00000
	DBR1	0225	OADM1200A01	1 1	9.35 11.35		3	1,032	140 25 00000
	DBR1	0225	OADM1650A01	1 1	10.05 12.05		7	1,032	140 25 00000
	DBR1	0225	OADM1180A01	1 1	12.05 13.35		5	1,032	140 25 00000
	DBR1	0225	OADM1550A01	1 1	12.35 14.35		5	1,032	140 25 00000
	DBR1	0225	OADM2335A01	1 1	13.40 15.10		7	1,032	140 25 00000
	DBR1	0225	OADM2630A01	1 1	14.40 16.10		4	1,032	140 25 00000
	DBR1	0225	OADM2530A01	1 1	15.15 16.45		4	1,032	140 25 00000
	DBR3	0144	WELD1110A01	1111	7.00 8.05		31	5,391	210 47 00000
	DBR3	0144	WELD2210A01	1111	7.00 8.20	1	7	5,391	210 47 00000
	DBR3	0144	WELD1420A01	1111	7.00 8.35	1	10	5,391	210 47 00000
8	DBR3	0144	WELD1140A01	1111	8.06 8.45	1	30	5,391	210 47 00000
8	DBR3	0144	WELD1510A01	1111	8.36 10.15	1	12	5,391	210 47 00000
8	DBR3	0144	WELD1210A01	1111	8.46 9.25	1	30	5,391	210 47 00000
	DBR3	0144	WELD1310A01	1111	9.26 10.20		33	5,391	210 47 00000
	DBR3	0144	WELD1511A01	1111	10.16 11.55	1	7	5,391	210 47 00000
8	DBR3	0144	WELD1411A01	1111	10.21 12.00	1	37	5,391	210 47 00000
8	DBR3	0144	WELD1512A01	1111	11.56 13.35	1	6	5,391	210 47 00000
8	DBR3	0144	WELD2110A01	1111	12.01 14.10	1	18	5,391	210 47 00000
8	DBR3	0144	WELD1412A01	1111	13.36 15.00	1	3	5,391	210 47 00000
8	DBR3	0144	WELD2111A01	1111	14.11 16.20	1	19	5,391	210 47 00000
8	DBR3	0144	WELD2220A01	1111	15.01 17.10	1	4	5,391	210 47 00000
8	DBR3	0144	WELD2310A01	1111	16.21 18.20	1	23	5,391	210 47 00000
8	DBR3	0144	WELD2221A01	1111	17.11 19.20	1	4	5,391	210 47 00000
8	DBR3	0144	WELD2311A01	1111	18.21 20.40	1	15	5,391	210 47 00000
8	DBR3	0144	WELD2222A01	1111	19.21 21.30	1	5	5,391	210 47 00000
8	DPA2	0203	WELD1110P01	11111	7.00 7.50		28	2,496	210 15 00000
8	DPA2	0203	WELD2221P01	11111	7.00 8.40	1	2	2,496	210 15 00000
4	DPA2	0203	WELD1140P01	11111	7.51 8.20	1	10	2,496	210 15 00000
4	DPA2	0203	WELD1210P01	11111	8.21 8.50		10	2,496	210 15 00000
	DPA2	0203	WELD1310P01	11111	8.51 9.30		18	2,496	210 15 00000
	DPA2	0203	WELD1412P01	11111	9.31 10.45		9	2,496	210 15 00000
	DPA2	0203	WELD1411P01	11111	9.31 10.50	1	9	2,496	210 15 00000
	DPA2	0203	WELD2110P01	11111	10.51 12.30		1	2,496	210 15 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015
 RUN DATE 11/19/2015 16:01:18
 PAGE NUM 3

L.T.C.-BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	DPA2 0203	WELD1511P01	11111	11.21 12.40	1	2	2,496	210 15	00000
	DPA2 0203	WELD1512P01	11111	12.41 14.00		3	2,496	210 15	00000
	DPA2 0203	WELD2220P01	11111	14.01 15.40		2	2,496	210 15	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
FALL DATA 2015
RUN DATE 11/19/2015 16:01:18

L.T.C.-BATON ROUGE

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -	
	THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,	
	THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	5
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -	
	CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - -	27
	PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -	
	THERE SHOULD BE NO DUPLICATES.	

----- T O T A L S -----

TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	32
TOTAL NUMBER OF RECORDS READ	- - - - -	105
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	105
NUMBER OF JOINT-CLASS RECORDS	- - - - -	51
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/19/2015 16:01:18

PAGE NUM 1

L.T.C. -BATON ROUGE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			52
TOTAL NUMBER OF STATIONS (CAPACITY)			1,260
WEEKLY STUDENT CONTACT HOURS	1,488	66	1,554
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4,680	2,600	7,280
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	299	14	313
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	113,400	63,000	176,400
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,496	500	9,996
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,977	132	3,109
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	6.4	.5	4.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	2.6	.2	1.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	31.4	26.4	31.1
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			36
TOTAL NUMBER OF STATIONS (CAPACITY)			878
WEEKLY STUDENT CONTACT HOURS	1,114	60	1,174
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,240	1,800	5,040
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	171	10	181
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	79,020	43,900	122,920
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,230	360	6,590
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,229	120	2,349
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	5.3	.6	3.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	2.8	.3	1.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	35.8	33.3	35.6

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/19/2015 16:01:18

PAGE NUM 2

L.T.C.-BATON ROUGE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			16
TOTAL NUMBER OF STATIONS (CAPACITY)			382
WEEKLY STUDENT CONTACT HOURS	374	6	380
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,440	800	2,240
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	128	4	132
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	34,380	19,100	53,480
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,266	140	3,406
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	748	12	760
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	8.9	.5	5.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	2.2	.1	1.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	22.9	8.6	22.3
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			27
TOTAL NUMBER OF STATIONS (CAPACITY)			593
WEEKLY STUDENT CONTACT HOURS	5,132	240	5,372
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,430	1,350	3,780
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,091	60	1,151
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	53,370	29,650	83,020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	31,242	2,820	34,062
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	10,264	480	10,744
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	44.9	4.4	30.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	19.2	1.6	12.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	32.9	17.0	31.5

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/19/2015 16:01:18

PAGE NUM 3

L.T.C. -BATON ROUGE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			24
TOTAL NUMBER OF STATIONS (CAPACITY)			501
WEEKLY STUDENT CONTACT HOURS	3,676	240	3,916
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,160	1,200	3,360
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	820	60	880
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	45,090	25,050	70,140
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	20,402	2,820	23,222
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,352	480	7,832
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	38.0	5.0	26.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	16.3	1.9	11.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	36.0	17.0	33.7
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABBORATORY			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			92
WEEKLY STUDENT CONTACT HOURS	1,456		1,456
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	271		271
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	8,280	4,600	12,880
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	10,840		10,840
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,912		2,912
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	100.4	.0	64.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	35.2	.0	22.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	26.9	.0	26.9

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY