

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/21/2013 15:00:45
 PAGE NUM 1

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	0050	0100	INCT1100077	11111	8.00 8.50		14		210 15	00000
8	0050	0100	INCT2545077	1111	10.00 10.55		25	1,368	210 15	00000
	0050	0100	INCT2902077	1111	11.00 11.50		2	1,368	210 15	00000
4	0050	0101	DRFT1110086	1111	8.00 15.00		11	975	210 14	00000
4	0050	0103	CADD1210085	11111	8.00 15.00		10	1,346	210 36	00000
4	0050	0103	CADD1210086	11111	8.00 15.00	1	1	1,346	210 36	00000
4	0050	0103	CADD1215086	11111	8.00 15.00	1	10	1,346	210 36	00000
4	0050	0103	DRFT2310088	11111	8.00 15.00	1	2	1,346	210 36	00000
4	9	0050	DRFT2310088	11111	8.00 15.00		1	1,346	210 36	00000
4	0050	0103	DRFT2320088	11111	8.00 15.00	1	5	1,346	210 36	00000
4	0050	0103	DRFT2330089	11111	8.00 15.00	1	3	1,346	210 36	00000
4	0050	0103	DRFT2343089	11111	8.00 15.00	1	1	1,346	210 36	00000
4	0050	0103	DRFT2344089	11111	8.00 15.00	1	1	1,346	210 36	00000
4	0050	0103	DRFT2346090	11111	8.00 15.00	1	3	1,346	210 36	00000
4	0050	0103	DRFT1120086	1111	8.00 15.00	1	15	1,346	210 36	00000
4	8	0050	DRFT1130087	1111	8.00 15.00	1	9	1,346	210 36	00000
4	8	0050	DRFT1145087	1111	8.00 15.00	1	14	1,346	210 36	00000
4	89	0050	DRFT1145087	1111	8.00 15.00		2	1,346	210 36	00000
4	8	0050	DRFT1160087	1111	8.00 15.00	1	4	1,346	210 36	00000
4	8	0050	DRFT1161088	1111	8.00 15.00	1	5	1,346	210 36	00000
4	8	0050	DRFT1215088	1111	8.00 15.00	1	2	1,346	210 36	00000
4	8	0050	DRFT1230088	1111	8.00 15.00	1	4	1,346	210 36	00000
	0050	0104	CPTR1010075	1111	9.00 9.50		20	1,325	210 20	00000
	0050	0104	ACCT1500073	1111	10.00 10.55		6	1,325	210 20	00000
	0050	0104	ACCT1250073	111	11.00 11.55		5	1,325	210 20	00000
	0050	0104	INCT1900077	1111	13.00 13.50		25	1,325	210 20	00000
	0050	0104	INCT2110077	1 1	17.30 20.45		17	1,325	210 20	00000
	0050	0104	INCT2130077	1 1	17.30 20.45	1	1	1,325	210 20	00000
4	0050	0108	HNUR2133113	111	8.00 15.00		13	557	110 25	00000
4	0050	0108	HNUR2523113	111	8.00 15.00	1	12	557	110 25	00000
4	0050	0108	HNUR2813127	111	8.00 15.00	1	11	557	110 25	00000
4	0050	0108	HNUR2133113	11	8.00 15.00		13	557	110 25	00000
	0050	0109	HNUR2123114	111	8.00 10.50		22	920	110 36	00000
4	0050	0109	HNUR1460114	111	8.00 15.00	1	22	920	110 36	00000
4	8	0050	HNUR2611114	111	8.00 15.00	1	21	920	110 36	00000
4	8	0050	HNUR2713127	111	8.00 15.00	1	25	920	110 36	00000
	8	0050	HNUR2123114	111	12.00 13.20	1	22	920	110 36	00000
	0050	0224	HNUR1211114	11111	8.00 10.50		31	1,681	110 50	00000
4	0050	0224	HNUR1270114	11111	8.00 15.00	1	32	1,681	110 50	00000
4	8	0050	HNUR1411114	11111	8.00 15.00	1	34	1,681	110 50	00000
	8	0050	HNUR1320114	11111	12.00 13.20	1	31	1,681	110 50	00000
	8	0050	HNUR1361115	11111	12.00 13.20	1	31	1,681	110 50	00000
4	0050	0225	AHEN1000091	11111	8.00 15.00		3	875	210 29	00000
4	0050	0225	AHMA1000092	11111	8.00 15.00	1	1	875	210 29	00000
4	0050	0225	AHRE1000092	11111	8.00 15.00	1	3	875	210 29	00000
4	0050	0225	DVEN 90090	11111	8.00 15.00	1	1	875	210 29	00000
4	0050	0225	DVEN 91090	11111	8.00 15.00	1	1	875	210 29	00000
4	0050	0225	DVEN 92090	11111	8.00 15.00	1	3	875	210 29	00000
4	0050	0225	DVMA 90090	11111	8.00 15.00	1	14	875	210 29	00000
4	0050	0225	DVMA 91091	11111	8.00 15.00	1	9	875	210 29	00000
4	8	0050	DVMA 92091	11111	8.00 15.00	1	15	875	210 29	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/21/2013 15:00:45
 PAGE NUM 2

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	89	0050 0225	DVMA 92091	11111	8.00 15.00		2	875	210 29 00000
4	8	0050 0225	DVRE 91091	11111	8.00 15.00	1	5	875	210 29 00000
4	8	0050 0225	DVRE 92091	11111	8.00 15.00	1	4	875	210 29 00000
		0050 0244	ACCT1300073	1111	8.00 9.50		6	701	110 24 00000
		0050 0244	ACCT1400073	1111	8.00 9.55	1	6	701	110 24 00000
		0050 0244	BUSM1050074	1111	12.00 12.55		12	701	110 24 00000
		0050 0244	ACCT1100072	11111	13.00 14.55		15	701	110 24 00000
		0050 0244	ACCT1200073	11111	13.00 14.55	1	14	701	110 24 00000
		0050 0245	CSRV1000077	111	8.00 8.55		24	685	110 30 00000
		0050 0245	BUSE1030074	111	9.00 9.50		15	685	110 30 00000
		0050 0245	BIOL 101137	1	16.00 18.30		12	685	110 30 00000
		0050 0245	BOTH1240073	111	18.00 20.45	1	20	685	110 30 00000
		0050 0246	JOBS2450078	1	8.00 9.50		17	822	210 20 00000
		0050 0246	KYBD1010079	11111	10.00 10.50		12	822	210 20 00000
		0050 0246	KYBD1111079	11111	10.00 10.50	1	18	822	210 20 00000
8		0050 0246	KYBD1000079	1111	10.00 10.50	1	6	822	210 20 00000
8		0050 0246	KYBD1010079	1111	10.00 10.50	1	2	822	210 20 00000
		0050 0246	BOTH1300073	111	13.00 13.55		9	822	210 20 00000
		0050 0246	BOTH1120073	111	14.00 14.55		8	822	210 20 00000
		0050 0246	JOBS2450078	11	15.00 16.15		13	822	210 20 00000
		0050 0247	BOTH1230074	111	9.00 9.55		7	812	210 25 00000
		0050 0247	BOTL2110074	111	9.00 9.55	1	2	812	210 25 00000
		0050 0247	MATR1350181	1111	10.00 10.55		2	812	210 25 00000
		0050 0247	BOTH1210073	111	10.00 10.55	1	9	812	210 25 00000
		0050 0247	BOTL1210074	111	10.00 10.55	1	2	812	210 25 00000
		0050 0247	CPTR1000074	1111	12.00 12.50		17	812	210 25 00000
		0050 0247	OSYS1100080	111	12.00 12.55	1	10	812	210 25 00000
		0050 0247	CPTR1310075	1111	12.00 13.15	1	1	812	210 25 00000
		0050 0247	ISYS1650078	1111	12.00 13.15	1	3	812	210 25 00000
		0050 0247	BOTH2110073	111	13.00 13.55	1	1	812	210 25 00000
		0050 0247	ISYS1440077	1111	13.00 14.30	1	1	812	210 25 00000
8		0050 0247	CPTR1000074	1111	14.00 14.50	1	12	812	210 25 00000
8		0050 0247	CPTR2650076	1111	14.00 15.15	1	1	812	210 25 00000
8		0050 0247	CPTR1320075	1111	14.00 15.30	1	3	812	210 25 00000
8		0050 0247	CPTR1000074	1111	15.00 15.50	1	2	812	210 25 00000
8		0050 0247	CPTR1320075	1111	15.00 16.30	1	4	812	210 25 00000
8		0050 0247	ISYS1440078	1111	15.00 16.30	1	2	812	210 25 00000
8		0050 0247	CPTR1000075	1111	15.00 16.50	1	2	812	210 25 00000
8		0050 0247	ORNT1000079	11111	15.15 15.55	1	65	812	210 25 00000
89		0050 0247	ORNT1000079	11111	15.15 15.55		50	812	210 25 00000
89		0050 0247	ORNT1000079	11111	15.15 15.55		17	812	210 25 00000
89		0050 0247	ORNT1000079	11111	15.15 15.55		6	812	210 25 00000
		0050 0247	CPTR1000074	1111	16.00 16.50		1	812	210 25 00000
		0050 0247	CPTR1600076	1111	16.00 16.50	1	1	812	210 25 00000
		0050 0247	CPTR1310077	1111	16.00 17.15	1	3	812	210 25 00000
		0050 0247	ISYS1650078	1111	16.00 17.15	1	1	812	210 25 00000
		0050 0247	CPTR1000074	1111	17.00 17.50	1	2	812	210 25 00000
		0050 0247	ISYS1650078	1111	17.00 18.15	1	1	812	210 25 00000
		0050 0247	CPTR1320076	1111	18.00 19.30	1	1	812	210 25 00000
		0050 0248	EMSE1100187	1 1	17.30 21.30		18	596	210 20 00000
4		0051 0100	AUTO1100176	11111	8.00 15.00		21	800	210 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/21/2013 15:00:45
 PAGE NUM 3

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	0051	0100	AUTO1110176	11111	8.00 15.00	1	21	800	210 30 00000
4	8	0051	0100	AUTO1120176	11111	8.00 15.00	1	21	800 210 30 00000
4	8	0051	0100	AUTO1130176	11111	8.00 15.00	1	21	800 210 30 00000
4	8	0051	0100	AUTO1200177	11111	8.00 15.00	1	2	800 210 30 00000
4	8	0051	0100	AUTO1210177	11111	8.00 15.00	1	2	800 210 30 00000
4	8	0051	0100	AUTO1220177	11111	8.00 15.00	1	2	800 210 30 00000
4	8	0051	0100	AUTO1230177	11111	8.00 15.00	1	2	800 210 30 00000
4	8	0051	0100	AUTO1240176	11111	8.00 15.00	1	17	800 210 30 00000
4	8	0051	0100	AUTO1300177	11111	8.00 15.00	1	2	800 210 30 00000
4	8	0051	0100	AUTO1310177	11111	8.00 15.00	1	1	800 210 30 00000
4	8	0051	0100	AUTO1320177	11111	8.00 15.00	1	1	800 210 30 00000
4	8	0051	0100	AUTO1330178	11111	8.00 15.00	1	1	800 210 30 00000
4	8	0051	0100	AUTO1340176	11111	8.00 15.00	1	2	800 210 30 00000
4	8	0051	0100	AUTO1400123	11111	8.00 15.00	1	4	800 210 30 00000
4	8	0051	0100	AUTO1410123	11111	8.00 15.00	1	4	800 210 30 00000
4	8	0051	0100	AUTO1420123	11111	8.00 15.00	1	1	800 210 30 00000
4	8	0051	0100	AUTO1430123	11111	8.00 15.00	1	1	800 210 30 00000
4	8	0051	0100	AUTO1440123	11111	8.00 15.00	1	4	800 210 30 00000
4	8	0051	0100	AUTO1520123	11111	8.00 15.00	1	1	800 210 30 00000
4	8	0051	0100	AUTO1530123	11111	8.00 15.00	1	1	800 210 30 00000
4	8	0051	0100	AUTO1610178	11111	8.00 15.00	1	14	800 210 30 00000
4	8	0051	0100	AUTO1620124	11111	8.00 15.00	1	16	800 210 30 00000
4	8	0051	0100	AUTO1630178	11111	8.00 15.00	1	1	800 210 30 00000
4	8	0051	0100	AUTO1650178	11111	8.00 15.00	1	3	800 210 30 00000
4	8	0051	0100	AUTO1660178	11111	8.00 15.00	1	15	800 210 30 00000
4	8	0051	0100	AUTO1720177	11111	8.00 15.00	1	3	800 210 30 00000
4	8	0051	0100	AUTO1730177	11111	8.00 15.00	1	1	800 210 30 00000
4	8	0051	0100	AUTO1740177	11111	8.00 15.00	1	2	800 210 30 00000
4	8	0051	0100	AUTO1800178	11111	8.00 15.00	1	13	800 210 30 00000
4	8	0051	0100	AUTO1840179	11111	8.00 15.00	1	1	800 210 30 00000
4		0052	0102	BARB1211098	11111	8.00 15.00		10	494 210 10 00000
4	8	0052	0102	BARB1341101	11111	8.00 15.00	1	11	494 210 10 00000
4	89	0052	0102	BARB1341101	11111	8.00 15.00		3	494 210 10 00000
4	8	0052	0102	BARB1441104	11111	8.00 15.00	1	2	494 210 10 00000
4	8	0052	0102	BARB2131106	11111	8.00 15.00	1	6	494 210 10 00000
4		0052	0104	BARB1131095	11111	8.00 15.00		1	497 210 12 00000
4		0052	0104	BARB1231099	11111	8.00 15.00	1	8	497 210 12 00000
4		0052	0104	BARB1321100	11111	8.00 15.00	1	5	497 210 12 00000
4	9	0052	0104	BARB1321100	11111	8.00 15.00		3	497 210 12 00000
4		0052	0107	BARB1110094	11111	8.00 15.00		20	567 210 30 00000
4		0052	0107	BARB1120094	11111	8.00 15.00	1	8	567 210 30 00000
4	9	0052	0107	BARB1120094	11111	8.00 15.00		10	567 210 30 00000
4	8	0052	0107	BARB1131095	11111	8.00 15.00	1	10	567 210 30 00000
4	8	0052	0107	BARB1140095	11111	8.00 15.00	1	10	567 210 30 00000
4	89	0052	0107	BARB1140095	11111	8.00 15.00		8	567 210 30 00000
4	8	0052	0107	BARB1150095	11111	8.00 15.00	1	9	567 210 30 00000
4	8	0052	0107	BARB1160096	11111	8.00 15.00	1	9	567 210 30 00000
4	8	0052	0107	BARB1220098	11111	8.00 15.00	1	9	567 210 30 00000
4	8	0052	0107	BARB1310099	11111	8.00 15.00	1	5	567 210 30 00000
4	8	0052	0107	BARB1310111	11111	8.00 15.00	1	3	567 210 30 00000
4	8	0052	0107	BARB1330100	11111	8.00 15.00	1	7	567 210 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/21/2013 15:00:45
 PAGE NUM 4

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	8	0052	0107	BARB1350101	11111	8.00 15.00	1	567	210 30 00000
4	8	0052	0107	BARB1410102	11111	8.00 15.00	1	567	210 30 00000
4	89	0052	0107	BARB1410102	11111	8.00 15.00	2	567	210 30 00000
4	8	0052	0107	BARB1420103	11111	8.00 15.00	1	567	210 30 00000
4	8	0052	0107	BARB1430103	11111	8.00 15.00	1	567	210 30 00000
4	8	0052	0107	BARB2111105	11111	8.00 15.00	1	567	210 30 00000
4	89	0052	0107	BARB2111105	11111	8.00 15.00	5	567	210 30 00000
4	8	0052	0107	BARB2120105	11111	8.00 15.00	1	567	210 30 00000
4	8	0052	0107	BARB2630106	11111	8.00 15.00	1	567	210 30 00000
4	8	0052	0107	BARB2630113	11111	8.00 15.00	1	567	210 30 00000
4	8	0052	0107	BARB2991106	11111	8.00 15.00	1	567	210 30 00000
4	8	0052	0107	BARB2993107	11111	8.00 15.00	1	567	210 30 00000
4	8	0052	0107	BARB2995107	11111	8.00 15.00	1	567	210 30 00000
4	8	0052	0107	BARB2996108	11111	8.00 15.00	1	567	210 30 00000
4	8	0052	0107	BARB2999108	11111	8.00 15.00	1	567	210 30 00000
4		0053	0103	ETRN1120163	11111	8.00 15.00	14	1,593	210 30 00000
4		0053	0103	ETRN1125160	11111	8.00 15.00	7	1,593	210 30 00000
4		0053	0103	ETRN1130163	11111	8.00 15.00	13	1,593	210 30 00000
4	8	0053	0103	ETRN1210163	11111	8.00 15.00	15	1,593	210 30 00000
4	8	0053	0103	ETRN1215160	11111	8.00 15.00	1	1,593	210 30 00000
4	89	0053	0103	ETRN1215160	11111	8.00 15.00	1	1,593	210 30 00000
4	8	0053	0103	ETRN1220164	11111	8.00 15.00	1	1,593	210 30 00000
4	89	0053	0103	ETRN1220164	11111	8.00 15.00	7	1,593	210 30 00000
4	89	0053	0103	ETRN1220164	11111	8.00 15.00	1	1,593	210 30 00000
4	8	0053	0103	ETRN1235161	11111	8.00 15.00	3	1,593	210 30 00000
4	8	0053	0103	ETRN1420164	11111	8.00 15.00	1	1,593	210 30 00000
4	89	0053	0103	ETRN1420164	11111	8.00 15.00	7	1,593	210 30 00000
4	8	0053	0103	ETRN2110161	11111	8.00 15.00	1	1,593	210 30 00000
4	8	0053	0103	ETRN2120162	11111	8.00 15.00	1	1,593	210 30 00000
4	8	0053	0103	ETRN2130161	11111	8.00 15.00	2	1,593	210 30 00000
4	8	0053	0103	ETRN2600163	11111	8.00 15.00	1	1,593	210 30 00000
4	8	0053	0103	ETRN2620162	11111	8.00 15.00	1	1,593	210 30 00000
4	8	0053	0103	ETRN2720162	11111	8.00 15.00	3	1,593	210 30 00000
4	8	0053	0103	ETRN2800161	11111	8.00 15.00	3	1,593	210 30 00000
4	8	0053	0103	ETRN2810162	11111	8.00 15.00	1	1,593	210 30 00000
4	8	0053	0103	ETRN2840161	11111	8.00 15.00	2	1,593	210 30 00000
4	8	0053	0103	INST1110164	11111	8.00 15.00	5	1,593	210 30 00000
4	8	0053	0103	INST1110165	11111	8.00 15.00	1	1,593	210 30 00000
4	8	0053	0103	INST1330165	11111	8.00 15.00	2	1,593	210 30 00000
4	8	0053	0103	INST1410165	11111	8.00 15.00	3	1,593	210 30 00000
4	89	0053	0103	INST1410165	11111	8.00 15.00	1	1,593	210 30 00000
4	8	0053	0103	INST1420165	11111	8.00 15.00	4	1,593	210 30 00000
4	8	0053	0103	INST1430165	11111	8.00 15.00	7	1,593	210 30 00000
4	8	0053	0103	INST1430166	11111	8.00 15.00	2	1,593	210 30 00000
4	8	0053	0103	INST2610166	11111	8.00 15.00	6	1,593	210 30 00000
4	89	0053	0103	INST2610166	11111	8.00 15.00	4	1,593	210 30 00000
4	8	0053	0103	INST2620164	11111	8.00 15.00	1	1,593	210 30 00000
4	8	0053	0103	INST2630164	11111	8.00 15.00	1	1,593	210 30 00000
4	89	0053	0103	INST2630164	11111	8.00 15.00	6	1,593	210 30 00000
4	8	0053	0103	INST2630164	11111	8.00 15.00	1	1,593	210 30 00000
4	8	0053	0103	INST2730165	11111	8.00 15.00	10	1,593	210 30 00000
4	8	0053	0103	INST2740166	11111	8.00 15.00	7	1,593	210 30 00000
4	8	0053	0103	INST2820166	11111	8.00 15.00	7	1,593	210 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/21/2013 15:00:45
 PAGE NUM 5

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	8	0053 0103	INST2830166	11111	8.00 15.00	1	7	1,593	210 30 00000
4	8	0053 0103	INST2840166	11111	8.00 15.00	1	7	1,593	210 30 00000
4	8	0053 0104	WELD11110124	11111	8.00 15.00		38	511	110 24 00000
4	8	0053 0104	WELD1120124	11111	8.00 15.00	1	8	511	110 24 00000
4	8	0053 0104	WELD1130124	11111	8.00 15.00	1	29	511	110 24 00000
4	8	0053 0104	WELD1140124	11111	8.00 15.00	1	37	511	110 24 00000
4	8	0053 0104	WELD1210124	11111	8.00 15.00	1	35	511	110 24 00000
4	8	0053 0104	WELD1310124	11111	8.00 15.00	1	15	511	110 24 00000
4	8	0053 0104	WELD1410124	11111	8.00 15.00	1	38	511	110 24 00000
4	8	0053 0104	WELD2221187	11111	8.00 15.00	1	1	511	110 24 00000
4		0053 0105	IMMT1111135	11111	8.00 15.00		2	3,964	210 28 00000
4		0053 0105	IMMT1112135	11111	8.00 15.00	1	2	3,964	210 28 00000
4		0053 0105	WELD1411124	11111	8.00 15.00	1	24	3,964	210 28 00000
4	8	0053 0105	WELD1412124	11111	8.00 15.00	1	20	3,964	210 28 00000
4	8	0053 0105	WELD1420125	11111	8.00 15.00	1	18	3,964	210 28 00000
4	8	0053 0105	WELD1510125	11111	8.00 15.00	1	12	3,964	210 28 00000
4	8	0053 0105	WELD1511125	11111	8.00 15.00	1	9	3,964	210 28 00000
4	8	0053 0105	WELD1512125	11111	8.00 15.00	1	6	3,964	210 28 00000
4	8	0053 0105	WELD2110125	11111	8.00 15.00	1	14	3,964	210 28 00000
4	8	0053 0105	WELD2111125	11111	8.00 15.00	1	16	3,964	210 28 00000
4	8	0053 0105	WELD2210125	11111	8.00 15.00	1	10	3,964	210 28 00000
4	8	0053 0105	WELD2220126	11111	8.00 15.00	1	3	3,964	210 28 00000
4	8	0053 0105	WELD2222126	11111	8.00 15.00	1	1	3,964	210 28 00000
4	8	0053 0105	WELD2230125	11111	8.00 15.00	1	9	3,964	210 28 00000
4	8	0053 0105	WELD2310125	11111	8.00 15.00	1	13	3,964	210 28 00000
4	8	0053 0105	WELD2311125	11111	8.00 15.00	1	10	3,964	210 28 00000
		0053 0107	HPHL1022126	11111	8.00 13.00		9	466	110 15 00000
4		0053 0107	HPHL1011126	11111	8.00 13.20	1	9	466	110 15 00000
4		0053 0109	IMMT1110134	11111	8.00 15.00		2	2,438	210 30 00000
4		0053 0109	IMMT1121135	11111	8.00 15.00	1	2	2,438	210 30 00000
4		0053 0109	IMMT1131169	11111	8.00 15.00	1	1	2,438	210 30 00000
4		0053 0109	IMMT1210135	11111	8.00 15.00	1	1	2,438	210 30 00000
4		0053 0109	IMMT1421168	11111	8.00 15.00	1	2	2,438	210 30 00000
4		0053 0110	IMMT1120135	11111	8.00 15.00		3	408	210 10 00000
4		0053 0110	IMMT1220136	11111	8.00 15.00	1	1	408	210 10 00000
4		0053 0110	IMMT1221136	11111	8.00 15.00	1	2	408	210 10 00000
4		0053 0110	IMMT1230136	11111	8.00 15.00	1	1	408	210 10 00000
4		0053 0110	IMMT1231136	11111	8.00 15.00	1	3	408	210 10 00000
4		0053 0110	IMMT1241136	11111	8.00 15.00	1	3	408	210 10 00000
4		0053 0110	IMMT1410138	11111	8.00 15.00	1	1	408	210 10 00000
4		0053 0111	HACR1150116	11111	8.00 15.00		5	2,340	210 30 00000
4		0053 0111	HACR1160116	11111	8.00 15.00	1	5	2,340	210 30 00000
4		0053 0111	HACR1170116	11111	8.00 15.00	1	6	2,340	210 30 00000
4		0053 0111	HACR1180116	11111	8.00 15.00	1	4	2,340	210 30 00000
4		0053 0111	HACR1210117	11111	8.00 15.00	1	4	2,340	210 30 00000
4		0053 0111	HACR1220117	11111	8.00 15.00	1	4	2,340	210 30 00000
4		0053 0111	HACR1230117	11111	8.00 15.00	1	4	2,340	210 30 00000
4		0053 0111	HACR1240117	11111	8.00 15.00	1	4	2,340	210 30 00000
4		0053 0111	HACR1410117	11111	8.00 15.00	1	1	2,340	210 30 00000
4		0053 0111	HACR1420118	11111	8.00 15.00	1	1	2,340	210 30 00000
4		0053 0111	HACR2510118	11111	8.00 15.00	1	1	2,340	210 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/21/2013 15:00:45
 PAGE NUM 6

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.	
4	0053	0111	HACR2520118	11111	8.00 15.00	1	2,340	210	30	00000	
4	9	0053	0111	HACR2520118	11111	8.00 15.00	1	2,340	210	30	00000
4		0053	0111	HACR2530118	11111	8.00 15.00	1	2,340	210	30	00000
4	8	0053	0111	HACR2540118	11111	8.00 15.00	1	2,340	210	30	00000
4	8	0053	0111	HACR2550119	11111	8.00 15.00	1	2,340	210	30	00000
4	8	0053	0111	HACR2550181	11111	8.00 15.00	1	2,340	210	30	00000
4	8	0053	0111	HACR2560119	11111	8.00 15.00	1	2,340	210	30	00000
4		0053	0112	ELEC1120080	11111	8.00 15.00	9	2,390	210	30	00000
4		0053	0112	ELEC1210080	11111	8.00 15.00	1	2,390	210	30	00000
4	9	0053	0112	ELEC1210080	11111	8.00 15.00	1	2,390	210	30	00000
4		0053	0112	ELEC1220081	11111	8.00 15.00	1	2,390	210	30	00000
4	9	0053	0112	ELEC1220081	11111	8.00 15.00	2	2,390	210	30	00000
4		0053	0112	ELEC1230081	11111	8.00 15.00	1	2,390	210	30	00000
4		0053	0112	ELEC1311081	11111	8.00 15.00	1	2,390	210	30	00000
4		0053	0112	ELEC1330082	11111	8.00 15.00	1	2,390	210	30	00000
4	8	0053	0112	ELEC1410083	11111	8.00 15.00	1	2,390	210	30	00000
4	8	0053	0112	ELEC1420082	11111	8.00 15.00	1	2,390	210	30	00000
4	8	0053	0112	ELEC1430082	11111	8.00 15.00	1	2,390	210	30	00000
4	89	0053	0112	ELEC1430082	11111	8.00 15.00	1	2,390	210	30	00000
4	8	0053	0112	ELEC1440083	11111	8.00 15.00	1	2,390	210	30	00000
4	8	0053	0112	ELEC2460080	11111	8.00 15.00	1	2,390	210	30	00000
4	8	0053	0112	ELEC2520083	11111	8.00 15.00	1	2,390	210	30	00000
4	8	0053	0112	ELEC2540083	11111	8.00 15.00	1	2,390	210	30	00000
4	8	0053	0112	ELEC2720083	11111	8.00 15.00	1	2,390	210	30	00000
4	8	0053	0112	SOLR1000084	11111	8.00 15.00	1	2,390	210	30	00000
4	8	0053	0112	SOLR1010084	11111	8.00 15.00	1	2,390	210	30	00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	219
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	159
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	22
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		400
TOTAL NUMBER OF RECORDS READ		281
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		259
NUMBER OF JOINT-CLASS RECORDS		216
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/21/2013 15:00:45
 PAGE NUM 1

L.T.C.-DELTA OUACHITA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			574
WEEKLY STUDENT CONTACT HOURS	13,991	180	14,171
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,710	950	2,660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	614	18	632
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	51,660	28,700	80,360
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	17,325	540	17,865
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	27,983	360	28,343
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	35.9	1.9	23.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	54.2	1.3	35.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	161.5	66.7	158.7
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			574
WEEKLY STUDENT CONTACT HOURS	13,991	180	14,171
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,710	950	2,660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	614	18	632
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	51,660	28,700	80,360
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	17,325	540	17,865
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	27,983	360	28,343
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	35.9	1.9	23.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	54.2	1.3	35.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	161.5	66.7	158.7

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/21/2013 15:00:45
 PAGE NUM 2

L.T.C.-DELTA OUACHITA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			36
TOTAL NUMBER OF STATIONS (CAPACITY)			829
WEEKLY STUDENT CONTACT HOURS	37,658	290	37,948
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,240	1,800	5,040
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,890	56	1,946
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	74,610	41,450	116,060
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	46,714	1,180	47,894
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	75,316	580	75,896
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	58.3	3.1	38.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	100.9	1.4	65.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	161.2	49.2	158.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			36
TOTAL NUMBER OF STATIONS (CAPACITY)			829
WEEKLY STUDENT CONTACT HOURS	37,658	290	37,948
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,240	1,800	5,040
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,890	56	1,946
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	74,610	41,450	116,060
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	46,714	1,180	47,894
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	75,316	580	75,896
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	58.3	3.1	38.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	100.9	1.4	65.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	161.2	49.2	158.5

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY