

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/17/2015 20:09:23
 PAGE NUM 1

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	0050	0100	INCT1100035	1 1 1	8.00 9.50		10	1,368	210 15	00000
	0050	0100	INCT1800073	1 1	8.00 10.00		10	1,368	210 15	00000
	0050	0100	INCT2996244	1 1	10.00 11.30		1	1,368	210 15	00000
	0050	0100	INCT1900218	1 1 1	10.00 11.50		14	1,368	210 15	00000
	0050	0100	INCT2840218	1 1	12.00 15.30		17	1,368	210 15	00000
	0050	0100	INCT2902035	1	12.30 15.00		3	1,368	210 15	00000
	0050	0100	INCT1200218	1 1	12.30 15.30		14	1,368	210 15	00000
	0050	0101	DRFT11110079	11111	7.30 8.59		5	975	210 14	00000
	0050	0101	DRFT11110165	1 1 1	7.30 8.59	1	1	975	210 14	00000
	0050	0101	DRFT11110165	1 1	7.30 8.59		1	975	210 14	00000
	0050	0101	INST2740224	1	8.00 8.50	1	4	975	210 14	00000
	0050	0101	DRFT11110079	11111	9.30 12.30		2	975	210 14	00000
	0050	0101	DRFT11110147	11111	12.00 14.55	1	1	975	210 14	00000
	0050	0101	INST2740224	1 1 1	16.00 17.50		4	975	210 14	00000
	0050	0101	DRFT11110080	1111	16.00 21.00	1	3	975	210 14	00000
	0050	0101	SPPR2991247	1 1	17.05 19.50	1	1	975	210 14	00000
	0050	0103	DRFT1120080	11111	7.30 9.25		2	1,346	210 36	00000
	0050	0103	DRFT1130136	1111	7.40 8.55	1	1	1,346	210 36	00000
	0050	0103	DRFT1130125	11111	8.00 8.59	1	2	1,346	210 36	00000
	0050	0103	CADD1215124	11111	8.00 10.59	1	3	1,346	210 36	00000
	0050	0103	DRFT1145136	11111	8.00 10.59	1	1	1,346	210 36	00000
	0050	0103	DRFT1145040	11111	8.00 11.00	1	5	1,346	210 36	00000
	0050	0103	DRFT1215135	11111	8.00 11.00	1	2	1,346	210 36	00000
	0050	0103	DRFT2310041	11111	8.00 11.00	1	2	1,346	210 36	00000
	0050	0103	DRFT2310080	11111	8.00 11.00	1	2	1,346	210 36	00000
	0050	0103	DRFT1120040	11111	9.05 11.30	1	3	1,346	210 36	00000
	0050	0103	DRFT1161040	11111	9.15 11.00	1	1	1,346	210 36	00000
	0050	0103	DRFT1161122	11111	9.15 11.00	1	2	1,346	210 36	00000
	0050	0103	DRFT1145232	11111	9.15 12.15	1	1	1,346	210 36	00000
	0050	0103	DRFT1145224	11111	9.30 12.25	1	3	1,346	210 36	00000
	0050	0103	DRFT1160040	1111	11.05 11.59	1	5	1,346	210 36	00000
	0050	0103	DRFT1230041	1111	12.00 12.59		2	1,346	210 36	00000
	0050	0103	DRFT1130040	1111	12.00 13.59	1	4	1,346	210 36	00000
	0050	0103	DRFT1215041	11111	12.00 14.45	1	1	1,346	210 36	00000
	0050	0103	DRFT1120139	1111	12.00 14.55	1	1	1,346	210 36	00000
	0050	0103	CADD1210079	11111	12.00 14.59	1	4	1,346	210 36	00000
	0050	0103	DRFT1215123	11111	12.00 14.59	1	3	1,346	210 36	00000
	0050	0103	DRFT2320080	11111	12.00 14.59	1	1	1,346	210 36	00000
	0050	0103	DRFT2330125	11111	12.00 14.59	1	3	1,346	210 36	00000
	0050	0103	DRFT11110039	11111	12.00 15.10	1	1	1,346	210 36	00000
	0050	0103	DRFT1120080	11111	12.00 15.10	1	2	1,346	210 36	00000
	0050	0103	CADD1210039	11111	12.05 14.55	1	2	1,346	210 36	00000
	0050	0103	CADD1215039	11111	13.05 15.59	1	1	1,346	210 36	00000
	0050	0103	DRFT1161135	1111	14.00 14.59	1	2	1,346	210 36	00000
4	0050	0103	CADD1210233	1 1	15.05 20.50		1	1,346	210 36	00000
	0050	0103	DRFT2342042	1111	16.00 20.50	1	1	1,346	210 36	00000
	0050	0103	DRFT2344042	1111	16.00 20.50	1	1	1,346	210 36	00000
	0050	0103	CADD1210079	1111	16.00 20.55	1	6	1,346	210 36	00000
	0050	0103	DRFT1120122	11111	16.00 20.59	1	3	1,346	210 36	00000
	0050	0103	CADD1215079	1111	16.05 16.55	1	2	1,346	210 36	00000
	0050	0103	DRFT1230041	1111	16.05 16.59	1	2	1,346	210 36	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 11/17/2015 20:09:23

PAGE NUM 2

L.T.C.-DELTA OUACHITA

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0050	0103	CADD1215039	1111	16.05 20.55	1	5	1,346	210 36 00000
	0050	0103	DRFT2320222	11111	16.05 20.59	1	1	1,346	210 36 00000
	0050	0103	DRFT1215222	11111	16.10 18.50	1	2	1,346	210 36 00000
	0050	0103	DRFT2330222	11111	16.10 18.55	1	1	1,346	210 36 00000
	0050	0103	DRFT2346222	11111	16.10 19.30	1	2	1,346	210 36 00000
	0050	0103	DRFT1161122	1111	18.30 20.50	1	1	1,346	210 36 00000
	0050	0103	DRFT1145124	11111	18.30 20.59	1	1	1,346	210 36 00000
	0050	0103	CADD1215122	1111	19.00 20.50	1	1	1,346	210 36 00000
	0050	0103	DRFT1230223	1111	19.00 20.59	1	1	1,346	210 36 00000
	0050	0103	DRFT2310222	11111	19.05 20.55	1	2	1,346	210 36 00000
	0050	0103	DRFT2320139	11111	19.05 20.59	1	1	1,346	210 36 00000
	0050	0103	DRFT2330237	11111	19.10 20.59	1	3	1,346	210 36 00000
	0050	0103	CADD1215139	11111	20.00 21.30	1	1	1,346	210 36 00000
	0050	0103	DRFT2330139	11111	21.00 22.30	1	2	1,346	210 36 00000
	0050	0103	DRFT1160040	1111	21.05 22.00	1	1	1,346	210 36 00000
	0050	0104	ELEC2991060	11 1	18.00 19.00		15	1,325	210 20 00000
	0050	0104	ELEC2993060	11 1	19.05 21.00		15	1,325	210 20 00000
	0050	0105	DRFT2341222	11111	19.00 21.55		1	1,417	210 50 00000
	0050	0107	HCOR1120169	1 1	8.00 9.15		11	649	110 22 00000
	0050	0107	HNUR1211047	11111	8.00 11.00	1	31	649	110 22 00000
4	8	0050	0107	MAST1210165	1 1 1	1	11	649	110 22 00000
4	8	0050	0107	HNUR1211164	11111	1	13	649	110 22 00000
4	8	0050	0107	HEKG1011165	1 1	1	11	649	110 22 00000
	0050	0107	HMDT1170165	1 1 1	13.30 15.00		12	649	110 22 00000
4		0050	0107	HNUR1212047	11111		19	649	110 22 00000
	0050	0108	HNUR2123047	111	8.00 9.20		17	557	110 25 00000
	0050	0108	HNUR2723083	11	9.30 10.50		17	557	110 25 00000
	0050	0108	HNUR2611144	111	12.00 15.00		13	557	110 25 00000
	0050	0109	HNUR1411047	11111	8.00 11.00		26	920	110 36 00000
	0050	0109	HNUR1270048	1 1	12.00 15.00		26	920	110 36 00000
	0050	0109	HNUR1361048	1 1	12.00 15.00		29	920	110 36 00000
	0050	0109	HNUR1320048	1	12.00 15.00		27	920	110 36 00000
	0050	0109	ELEC2991060	11 1	18.00 19.00		20	920	110 36 00000
	0050	0109	ELEC2993060	11 1	19.05 21.00		20	920	110 36 00000
	0050	0111	HNUR2523047	111	12.00 13.20		9	631	210 21 00000
	0050	0111	HNUR2813050	111	13.30 15.00		9	631	210 21 00000
	0050	0224	HNUR1300048	111	12.00 15.00		19	1,681	110 50 00000
	0050	0224	HNUR1300207	111	17.30 20.30		16	1,681	110 50 00000
	0050	0241	DL A9999 N4	11111	8.00 11.00		30	656	110 28 00000
	0050	0241	ELEC2991060	11 11	18.00 19.00		14	656	110 28 00000
	0050	0241	ELEC2993061	11 1	19.05 21.00		14	656	110 28 00000
	0050	0244	HNUR2133047	111	8.00 9.20		9	701	110 24 00000
	0050	0244	ELEC2991060	11 1	18.00 19.00		25	701	110 24 00000
	0050	0244	ELEC2993060	11 1	19.05 21.00		25	701	110 24 00000
	0050	0245	ENGL 099210	1 1 1	8.00 8.50		8	685	110 30 00000
	0050	0245	MATH 095121	1 1	8.00 9.15		9	685	110 30 00000
	0050	0245	MATH 099121	1 1	9.30 10.45		6	685	110 30 00000
	0050	0245	ENGL 095210	1 1 1	10.00 10.50		1	685	110 30 00000
	0050	0245	PSYC 201063	1	16.10 18.30		12	685	110 30 00000
	0050	0245	READ 095114	1	16.30 19.00		1	685	110 30 00000
	0050	0246	BOTH2110033	1 1 1	8.00 8.50		6	822	210 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 11/17/2015 20:09:23

PAGE NUM 3

L.T.C.-DELTA OUACHITA

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0050	0246	ACCT1250032	1 1	8.00 9.15		4	822	210 20 00000
	0050	0246	BOTH1210032	1 1 1	9.00 9.50		3	822	210 20 00000
	0050	0246	ACCT1100032	11111	10.00 10.59		3	822	210 20 00000
	0050	0246	BOTH1230033	1 1 1	11.00 11.50		4	822	210 20 00000
	0050	0246	JOBS2450073	1 1	11.00 11.50		8	822	210 20 00000
	0050	0246	ACCT1300214	1111	11.51 12.29		3	822	210 20 00000
	0050	0246	MATR1350065	1 1	12.30 13.45		2	822	210 20 00000
	0050	0246	OSYS1100036	1 1	12.30 13.45		3	822	210 20 00000
	0050	0246	BOTH1120032	1111	14.00 15.15		4	822	210 20 00000
	0050	0246	BOTH1300220	1111	14.00 15.15	1	3	822	210 20 00000
	0050	0246	JOBS2450036	1 1	15.16 16.06		14	822	210 20 00000
	0050	0246	JOBS2450222	1 1	16.00 16.50		12	822	210 20 00000
	0050	0246	CPTR1000225	1 1	16.08 16.58		6	822	210 20 00000
	0050	0247	HURM1300214	1 1 1	8.00 9.15		4	812	210 25 00000
	0050	0247	CPTR1002214	1 1	8.00 9.15		5	812	210 25 00000
	0050	0247	BUSE1045072	1 1 1	9.00 9.50		3	812	210 25 00000
	0050	0247	ORNT1000036	1111	10.00 10.50		17	812	210 25 00000
	0050	0247	CPTR1000033	1 1	12.30 13.45		5	812	210 25 00000
	0050	0247	CPTR1000033	1 1	12.30 13.45		1	812	210 25 00000
	0050	0247	CPTR1000033	1 1	14.00 15.15		4	812	210 25 00000
	0050	0247	CPTR1000034	1 1	14.00 15.15		1	812	210 25 00000
	0050	0247	CPTR1000033	1	16.00 18.30		21	812	210 25 00000
	0050	0248	EMSE2030233	11	9.00 10.50		5	596	210 20 00000
	0050	0248	EMSE2030233	11	9.00 10.50		6	596	210 20 00000
	0050	0248	EMSE2010233	11	12.00 15.50		9	596	210 20 00000
	0050	0248	EMSE2010233	11	12.00 15.50		2	596	210 20 00000
	0050	0248	EMSE2080233	1 1	16.00 16.50		11	596	210 20 00000
	0050	0248	EMSE1100066	11 1	17.30 21.30		19	596	210 20 00000
	0050	0250	DL A9999 N4	11111	8.00 11.00		30	521	110 24 00000
	0050	0250	DL A9999 N4	11111	12.30 15.30		30	521	110 24 00000
	0050	0250	ELEC2991060	11 1	18.00 19.00		8	521	110 24 00000
	0050	0250	ELEC2993061	11 1	19.05 21.00		8	521	110 24 00000
8	0050	0254	ELEC2991060	11 1	18.00 19.00		25	448	110 14 00000
8	0050	0254	ELEC2993060	11 1	19.05 21.00		25	448	110 14 00000
	0051	0100	AUTO1620166	111	8.00 9.15		5	800	210 30 00000
	0051	0100	AUTO1600169	11	8.00 9.50		1	800	210 30 00000
	0051	0100	AUTO1500167	1	8.00 9.50	1	9	800	210 30 00000
	0051	0100	AUTO1520168	1	8.00 9.50		9	800	210 30 00000
	0051	0100	AUTO1850167	11	8.00 9.50		3	800	210 30 00000
	0051	0100	AUTO1540168	1	8.00 9.50	1	5	800	210 30 00000
	0051	0100	AUTO1810166	11	8.00 9.50		6	800	210 30 00000
	0051	0100	AUTO1200240	1	8.00 9.59	1	2	800	210 30 00000
	0051	0100	AUTO1840167	11	8.00 10.50		4	800	210 30 00000
	0051	0100	AUTO2995168	1	8.00 10.50		1	800	210 30 00000
	0051	0100	AUTO1630166	111	9.20 10.30	1	6	800	210 30 00000
	0051	0100	AUTO1510167	1	9.55 11.40		5	800	210 30 00000
	0051	0100	AUTO1530168	1	9.55 11.40		7	800	210 30 00000
	0051	0100	AUTO1800166	11	9.55 11.40		6	800	210 30 00000
	0051	0100	AUTO1610169	11	10.00 10.50		1	800	210 30 00000
	0051	0100	AUTO1640166	1	10.35 11.25		5	800	210 30 00000
	0051	0100	AUTO1650166	1	10.35 11.25		2	800	210 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/17/2015 20:09:23
 PAGE NUM 4

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	0051	0100	AUTO1660166	1	10.35 11.25		2	800	210 30	00000
	0051	0100	AUTO1600228	11111	12.00 12.50		6	800	210 30	00000
	0051	0100	AUTO1400168	11	12.00 12.50	1	1	800	210 30	00000
	0051	0100	AUTO1700166	11	12.00 12.50	1	6	800	210 30	00000
	0051	0100	AUTO1730166	11	12.00 12.50		6	800	210 30	00000
	0051	0100	AUTO1100168	11	12.00 13.50		4	800	210 30	00000
	0051	0100	AUTO1430167	11	12.00 13.50		4	800	210 30	00000
	0051	0100	AUTO2996239	1	12.00 14.59	1	1	800	210 30	00000
	0051	0100	AUTO2997245	1	12.00 14.59		1	800	210 30	00000
4	0051	0100	AUTO1610229	11111	12.51 13.20	1	6	800	210 30	00000
	0051	0100	AUTO1410168	11	13.00 13.50	1	1	800	210 30	00000
	0051	0100	AUTO1710167	11	13.00 13.50	1	6	800	210 30	00000
	0051	0100	AUTO1740166	11	13.00 13.50		6	800	210 30	00000
	0051	0100	AUTO1620229	11111	13.21 14.00	1	6	800	210 30	00000
	0051	0100	AUTO1720167	11	14.00 14.50		6	800	210 30	00000
	0051	0100	AUTO1110168	1	14.00 15.50	1	3	800	210 30	00000
	0051	0100	AUTO1120167	1	14.00 15.50		3	800	210 30	00000
	0051	0100	AUTO1130167	1	14.00 15.50		6	800	210 30	00000
	0051	0100	AUTO1630229	11111	14.01 14.50	1	6	800	210 30	00000
	0051	0100	AUTO2991220	1	15.15 16.35		1	800	210 30	00000
	0051	0106	BARB1330147	11111	16.00 19.00		1	7,947	210 15	00000
8	0052	0102	BARB1441164	11111	7.45 10.45		12	494	210 10	00000
	0052	0102	BARB1211108	11111	7.45 11.45	1	12	494	210 10	00000
	0052	0102	BARB1441164	11111	12.00 14.59		10	494	210 10	00000
	0052	0104	BARB1231109	11111	12.00 14.25		1	497	210 12	00000
	0052	0107	BARB2131123	11111	7.45 11.45		1	567	210 30	00000
	0052	0107	BARB2630110	1111	8.00 9.00	1	1	567	210 30	00000
	0052	0107	BARB1120107	11111	8.00 9.35	1	10	567	210 30	00000
	0052	0107	BARB1140108	11111	8.00 11.10	1	1	567	210 30	00000
	0052	0107	BARB1150123	11111	8.00 11.10	1	1	567	210 30	00000
	0052	0107	BARB1310244	11111	9.01 11.59	1	1	567	210 30	00000
	0052	0107	BARB1160108	11111	9.40 11.15	1	10	567	210 30	00000
	0052	0107	BARB2131164	11111	11.30 13.30		12	567	210 30	00000
	0052	0107	BARB1120107	11111	11.30 14.40	1	1	567	210 30	00000
	0052	0107	BARB1140108	11111	11.50 13.25	1	11	567	210 30	00000
	0052	0107	BARB1410108	1	12.00 12.59	1	2	567	210 30	00000
	0052	0107	BARB1160108	11	12.00 14.00		2	567	210 30	00000
	0052	0107	BARB1150108	11	12.00 14.00		2	567	210 30	00000
	0052	0107	BARB2630109	1	13.00 14.00		2	567	210 30	00000
	0052	0107	BARB1321244	11111	13.00 14.59	1	1	567	210 30	00000
	0052	0107	BARB1110107	11111	13.30 14.20	1	9	567	210 30	00000
	0052	0107	BARB1420164	11111	13.45 14.45	1	12	567	210 30	00000
	0052	0107	BARB2120164	11111	14.50 15.50		12	567	210 30	00000
	0053	0101	INST1110172	1 1 1	8.00 8.50		17	603	210 25	00000
	0053	0101	INST2740173	111	8.00 10.50	1	2	603	210 25	00000
	0053	0101	INST1330173	1	9.00 9.50		12	603	210 25	00000
	0053	0101	INST2630173	1 1	9.00 10.50		7	603	210 25	00000
	0053	0101	INST1330173	1 1	9.00 11.50		12	603	210 25	00000
	0053	0101	INST1410173	1 1	9.00 11.50		7	603	210 25	00000
	0053	0101	INST1410173	1	10.00 10.50		7	603	210 25	00000
	0053	0101	INST2820174	11111	11.00 11.50		2	603	210 25	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/17/2015 20:09:23
 PAGE NUM 5

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	0053	0101	INST1420173	1	11.00 11.50	1	10	603	210 25	00000
	0053	0101	INST1430173	1	12.00 12.50		8	603	210 25	00000
	0053	0101	INST1420173	1 1	12.00 13.50		10	603	210 25	00000
	0053	0101	INST2610173	1 1	12.00 13.50	1	5	603	210 25	00000
	0053	0101	INST1430173	1 1	12.00 13.50		8	603	210 25	00000
	0053	0101	ETRN1120237	11111	13.00 13.50	1	14	603	210 25	00000
	0053	0101	INST2610173	1	13.00 13.50	1	5	603	210 25	00000
	0053	0101	INST2620173	1	13.00 13.50	1	9	603	210 25	00000
	0053	0101	INST2830174	1	14.00 14.50		1	603	210 25	00000
	0053	0101	INST2620173	111	14.00 15.50		9	603	210 25	00000
	0053	0101	INST2730173	11	14.00 15.50	1	7	603	210 25	00000
	0053	0101	INST2830174	11	14.00 15.50		1	603	210 25	00000
	0053	0101	INST2730173	1	15.00 15.50		7	603	210 25	00000
	0053	0101	INST2840174	1	15.00 15.50	1	2	603	210 25	00000
	0053	0101	INST2840174	1 1	15.00 16.20		2	603	210 25	00000
	0053	0101	INST2840236	11111	16.00 16.50	1	1	603	210 25	00000
	0053	0103	ETRN1120174	11111	8.00 8.50		7	1,593	210 30	00000
	0053	0103	ELEC1120073	11111	8.00 9.59	1	6	1,593	210 30	00000
	0053	0103	ELEC2520038	11111	8.00 10.30	1	1	1,593	210 30	00000
	0053	0103	ELEC1330074	11111	8.00 12.50	1	4	1,593	210 30	00000
	0053	0103	ELEC2540074	11111	8.00 12.50	1	1	1,593	210 30	00000
4	0053	0103	ELEC1330074	11111	8.00 13.50	1	1	1,593	210 30	00000
4	0053	0103	ELEC2520074	11111	8.00 13.50	1	1	1,593	210 30	00000
4	0053	0103	ELEC2540038	11111	8.00 13.50	1	3	1,593	210 30	00000
4	0053	0103	ELEC2720038	11111	8.00 13.50	1	1	1,593	210 30	00000
4	0053	0103	ELEC2720074	11111	8.00 13.50	1	1	1,593	210 30	00000
8	0053	0103	ETRN1130174	11111	9.00 9.50	1	21	1,593	210 30	00000
	0053	0103	ETRN1210174	11111	10.00 10.50		22	1,593	210 30	00000
	0053	0103	ETRN1220174	11111	11.00 11.50		20	1,593	210 30	00000
	0053	0103	ELEC1120130	11111	12.30 14.00		2	1,593	210 30	00000
	0053	0103	ELEC1420073	11111	13.00 14.59	1	6	1,593	210 30	00000
	0053	0103	ELEC1440137	11111	14.00 15.50	1	3	1,593	210 30	00000
	0053	0103	SOLR1010039	11111	14.00 16.59	1	3	1,593	210 30	00000
	0053	0103	ETRN1420174	111	16.00 16.50	1	8	1,593	210 30	00000
	0053	0103	ELEC2540223	1111	16.00 16.59	1	4	1,593	210 30	00000
	0053	0103	ELEC2520223	1111	16.00 17.00	1	7	1,593	210 30	00000
	0053	0103	ETRN1420174	1	16.00 17.50	1	8	1,593	210 30	00000
	0053	0103	INST2830229	11111	19.00 19.50		2	1,593	210 30	00000
	0053	0105	WELD1110158	1111	8.00 8.50		8	3,964	210 28	00000
	0053	0105	WELD1120175	11111	8.00 8.55	1	10	3,964	210 28	00000
	0053	0105	WELD1412189	11111	8.00 9.25	1	1	3,964	210 28	00000
	0053	0105	WELD2110094	11111	8.00 9.25	1	2	3,964	210 28	00000
	0053	0105	WELD2111094	11111	8.00 9.25	1	1	3,964	210 28	00000
	0053	0105	WELD2210116	11111	8.00 9.25	1	1	3,964	210 28	00000
	0053	0105	WELD1420190	11111	8.00 9.35	1	2	3,964	210 28	00000
	0053	0105	WELD1510192	11111	8.00 9.35	1	1	3,964	210 28	00000
	0053	0105	WELD1511194	11111	8.00 9.35	1	1	3,964	210 28	00000
	0053	0105	WELD2885120	11111	8.00 9.35	1	1	3,964	210 28	00000
4	0053	0105	WELD1130178	11111	8.00 14.55	1	1	3,964	210 28	00000
4	0053	0105	WELD1210182	11111	8.00 14.55	1	1	3,964	210 28	00000
4	0053	0105	WELD1310184	11111	8.00 14.55	1	1	3,964	210 28	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 11/17/2015 20:09:23

PAGE NUM 6

L.T.C.-DELTA OUACHITA

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
4	0053	0105	WELD1410187	11111	8.00 14.55	1	3,964	210 28	00000	
4	0053	0105	WELD1412190	11111	8.00 14.55	1	3,964	210 28	00000	
4	0053	0105	WELD2110115	11111	8.00 14.55	1	3,964	210 28	00000	
4	9	0053	0105	WELD2110115	11111	8.00 14.55	1	3,964	210 28	00000
4	0053	0105	WELD2111197	11111	8.00 14.55	1	3,964	210 28	00000	
4	0053	0105	WELD2310117	11111	8.00 14.55	1	3,964	210 28	00000	
4	0053	0105	WELD1420192	11111	8.00 15.00	1	3,964	210 28	00000	
4	0053	0105	WF T9999 N3	11111	8.00 17.00	1	3,964	210 28	00000	
8	0053	0105	WELD1130177	11111	9.00 9.50	1	21	3,964	210 28	00000
8	0053	0105	WELD1210180	11111	9.00 9.50	1	2	3,964	210 28	00000
8	0053	0105	WELD1120175	11111	9.00 9.55	1	1	3,964	210 28	00000
8	0053	0105	WELD1412189	11111	9.30 10.55	1	3	3,964	210 28	00000
8	0053	0105	WELD2110094	11111	9.30 10.55	1	2	3,964	210 28	00000
8	0053	0105	WELD2111094	11111	9.30 10.55	1	1	3,964	210 28	00000
8	0053	0105	WELD2311130	11111	9.30 10.55	1	1	3,964	210 28	00000
8	0053	0105	WELD2310096	11111	9.36 10.59	1	4	3,964	210 28	00000
8	0053	0105	WELD1420191	11111	9.40 11.15	1	1	3,964	210 28	00000
8	0053	0105	WELD1510192	11111	9.40 11.15	1	1	3,964	210 28	00000
8	0053	0105	WELD1512094	11111	9.40 11.15	1	2	3,964	210 28	00000
8	0053	0105	WELD1140179	11111	10.00 10.50	1	19	3,964	210 28	00000
8	0053	0105	WELD1310183	11111	10.00 10.50	1	2	3,964	210 28	00000
	0053	0105	WELD1130177	11111	12.00 12.50		1	3,964	210 28	00000
	0053	0105	WELD1210181	11111	12.00 12.50	1	7	3,964	210 28	00000
	0053	0105	WELD1310183	11111	12.00 12.50	1	1	3,964	210 28	00000
	0053	0105	WELD1110158	11111	12.00 12.50	1	11	3,964	210 28	00000
	0053	0105	WELD1120176	11111	12.00 12.55	1	1	3,964	210 28	00000
	0053	0105	WELD1411188	11111	12.00 13.25	1	3	3,964	210 28	00000
	0053	0105	WELD1412189	11111	12.00 13.25	1	1	3,964	210 28	00000
	0053	0105	WELD2110129	11111	12.00 13.25	1	1	3,964	210 28	00000
	0053	0105	WELD2111129	11111	12.00 13.25	1	4	3,964	210 28	00000
	0053	0105	WELD2210116	11111	12.00 13.25	1	3	3,964	210 28	00000
	0053	0105	WELD2310129	11111	12.00 13.25	1	2	3,964	210 28	00000
	0053	0105	WELD2311129	11111	12.00 13.25	1	2	3,964	210 28	00000
	0053	0105	WELD2330098	11111	12.00 13.25	1	1	3,964	210 28	00000
8	0053	0105	WELD1420191	11111	12.00 13.35	1	5	3,964	210 28	00000
8	0053	0105	WELD1511194	11111	12.00 13.35	1	1	3,964	210 28	00000
8	0053	0105	WELD2220095	11111	12.00 13.35	1	1	3,964	210 28	00000
8	0053	0105	WELD1210181	11111	13.00 13.50	1	12	3,964	210 28	00000
8	0053	0105	WELD1120176	11111	13.00 13.55	1	1	3,964	210 28	00000
8	0053	0105	WELD1410185	11111	13.00 13.55	1	7	3,964	210 28	00000
8	0053	0105	WELD2310097	11111	13.30 14.50	1	3	3,964	210 28	00000
8	0053	0105	WELD1412189	11111	13.30 14.55	1	6	3,964	210 28	00000
8	0053	0105	WELD2110129	11111	13.30 14.55	1	1	3,964	210 28	00000
8	0053	0105	WELD2111129	11111	13.30 14.55	1	2	3,964	210 28	00000
8	0053	0105	WELD2210116	11111	13.30 14.55	1	2	3,964	210 28	00000
8	0053	0105	WELD2230117	11111	13.30 14.55	1	2	3,964	210 28	00000
8	0053	0105	WELD2311097	11111	13.30 14.55	1	2	3,964	210 28	00000
8	0053	0105	WELD1420191	11111	13.40 15.15	1	1	3,964	210 28	00000
8	0053	0105	WELD1512132	11111	13.40 15.15	1	1	3,964	210 28	00000
8	0053	0105	WELD2220198	11111	13.40 15.15	1	1	3,964	210 28	00000
8	0053	0105	WELD2222117	11111	13.40 15.15	1	1	3,964	210 28	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/17/2015 20:09:23
 PAGE NUM 7

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
8	0053	0105	WELD1130178	11111	14.00 14.50	1	2	3,964	210 28	00000
8	0053	0105	WELD1140179	11111	14.00 14.50	1	1	3,964	210 28	00000
8	0053	0105	WELD1310183	11111	14.00 14.50	1	2	3,964	210 28	00000
8	0053	0105	WELD1120176	11111	14.00 14.55	1	1	3,964	210 28	00000
8	0053	0105	WELD1410186	11111	14.00 14.55	1	12	3,964	210 28	00000
8	0053	0105	WELD1110158	11111	14.50 15.55	1	11	3,964	210 28	00000
8	0053	0105	WELD1140179	11111	15.00 15.50	1	4	3,964	210 28	00000
8	0053	0105	WELD1310183	11111	15.00 15.50	1	5	3,964	210 28	00000
8	0053	0105	WELD2110128	11111	15.00 16.40	1	1	3,964	210 28	00000
8	0053	0105	WELD1411188	11111	15.00 16.40	1	7	3,964	210 28	00000
8	0053	0105	WELD1412189	11111	15.00 16.40	1	1	3,964	210 28	00000
8	0053	0105	WELD2110094	11111	15.00 16.40	1	1	3,964	210 28	00000
8	0053	0105	WELD2210198	11111	15.00 16.40	1	1	3,964	210 28	00000
8	0053	0105	WELD2310097	11111	15.00 16.40	1	1	3,964	210 28	00000
8	0053	0105	WELD1210181	11111	16.00 16.59	1	11	3,964	210 28	00000
8	0053	0105	WELD1420191	11111	16.00 17.55	1	3	3,964	210 28	00000
8	0053	0105	WELD2221199	11111	16.00 17.55	1	1	3,964	210 28	00000
8	0053	0105	WELD2111115	11111	16.00 20.00	1	1	3,964	210 28	00000
8	0053	0105	WELD1120177	11111	16.00 20.00	1	1	3,964	210 28	00000
89	0053	0105	WELD1120177	11111	16.00 20.00	1	1	3,964	210 28	00000
8	0053	0105	WELD1130178	11111	16.00 20.00	1	1	3,964	210 28	00000
8	0053	0105	WELD1130179	11111	16.00 20.00	1	1	3,964	210 28	00000
8	0053	0105	WELD1140180	11111	16.00 20.00	1	1	3,964	210 28	00000
8	0053	0105	WELD1410187	11111	16.00 20.00	1	1	3,964	210 28	00000
8	0053	0105	WELD1411189	11111	16.00 20.00	1	1	3,964	210 28	00000
89	0053	0105	WELD1411189	11111	16.00 20.00	1	2	3,964	210 28	00000
8	0053	0105	WELD1412190	11111	16.00 20.00	1	1	3,964	210 28	00000
89	0053	0105	WELD1412190	11111	16.00 20.00	1	1	3,964	210 28	00000
89	0053	0105	WELD1412190	11111	16.00 20.00	1	2	3,964	210 28	00000
8	0053	0105	WELD1420192	11111	16.00 20.00	1	1	3,964	210 28	00000
8	0053	0105	WELD2110196	11111	16.00 20.00	1	1	3,964	210 28	00000
89	0053	0105	WELD2110196	11111	16.00 20.00	1	1	3,964	210 28	00000
89	0053	0105	WELD2110196	11111	16.00 20.00	1	1	3,964	210 28	00000
8	0053	0105	WELD2111115	11111	16.00 20.00	1	1	3,964	210 28	00000
8	0053	0105	WELD2210198	11111	16.00 20.00	1	1	3,964	210 28	00000
8	0053	0105	WELD2220199	11111	16.00 20.00	1	1	3,964	210 28	00000
8	0053	0105	WELD2230202	11111	16.00 20.00	1	1	3,964	210 28	00000
89	0053	0105	WELD2230202	11111	16.00 20.00	1	1	3,964	210 28	00000
8	0053	0105	WELD2311203	11111	16.00 20.00	1	1	3,964	210 28	00000
89	0053	0105	WELD2311203	11111	16.00 20.00	1	1	3,964	210 28	00000
8	0053	0105	WELD1310183	11111	17.00 17.59	1	1	3,964	210 28	00000
8	0053	0105	WELD2111128	11111	17.00 18.40	1	2	3,964	210 28	00000
8	0053	0105	WELD2210198	11111	17.00 18.40	1	1	3,964	210 28	00000
8	0053	0105	WELD2311118	11111	17.00 18.40	1	2	3,964	210 28	00000
8	0053	0105	WELD2993241	1 1	17.00 21.00	1	63	3,964	210 28	00000
8	0053	0105	WELD1410186	11111	17.15 18.20	1	11	3,964	210 28	00000
8	0053	0105	WELD1310183	11111	18.00 18.59	1	1	3,964	210 28	00000
8	0053	0105	WELD1510193	11111	18.00 19.55	1	1	3,964	210 28	00000
8	0053	0105	WELD2110094	11111	18.00 19.55	1	1	3,964	210 28	00000
8	0053	0105	WELD2111095	11111	18.00 19.55	1	1	3,964	210 28	00000
8	0053	0105	WELD2210198	11111	18.00 19.55	1	1	3,964	210 28	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/17/2015 20:09:23
 PAGE NUM 8

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.	
8	0053	0105	WELD2222201	1111	18.00 19.55	1	3,964	210	28	00000	
8	0053	0105	WELD2310128	1111	18.00 19.55	1	3,964	210	28	00000	
8	0053	0105	WELD1411188	1111	18.45 20.00	1	3,964	210	28	00000	
8	0053	0105	WELD1310183	1111	19.00 19.59	1	3,964	210	28	00000	
	0053	0109	IMMT2997235	11	16.07 20.00	3	2,438	210	30	00000	
	0053	0110	IMMT1110153	111	8.00 10.00	8	408	210	10	00000	
	0053	0110	IMMT1320140	111	8.00 10.00	1	408	210	10	00000	
	0053	0110	IMMT1410231	111	8.00 10.00	1	408	210	10	00000	
	0053	0110	IMMT1120153	111	10.05 11.20	7	408	210	10	00000	
	0053	0110	IMMT1330052	111	10.15 12.00	2	408	210	10	00000	
	0053	0110	IMMT2995231	11	11.00 12.30	1	408	210	10	00000	
	0053	0110	IMMT1110153	11111	12.00 13.15	2	408	210	10	00000	
	0053	0110	IMMT1121153	11111	12.00 13.15	8	408	210	10	00000	
	0053	0110	IMMT1230051	111	13.00 14.50	1	408	210	10	00000	
8	0053	0110	IMMT1111153	11111	13.20 14.00	8	408	210	10	00000	
8	0053	0110	IMMT1120153	11111	13.20 14.00	2	408	210	10	00000	
	0053	0111	HACR1150170	11111	8.00 8.50	9	2,340	210	30	00000	
	0053	0111	HACR1210170	11111	8.00 8.50	1	2,340	210	30	00000	
	0053	0111	HACR1410170	11111	8.00 8.50	10	2,340	210	30	00000	
	0053	0111	HACR2510172	11111	8.00 8.50	2	2,340	210	30	00000	
4	0053	0111	HACR2520172	11111	9.00 9.20	2	2,340	210	30	00000	
	0053	0111	HACR1160170	11111	9.00 9.50	9	2,340	210	30	00000	
	0053	0111	HACR1220170	11111	9.00 9.50	1	2,340	210	30	00000	
	0053	0111	HACR2510170	11111	9.00 9.50	10	2,340	210	30	00000	
4	0053	0111	HACR2530172	11111	9.30 9.50	2	2,340	210	30	00000	
4	0053	0111	HACR2520171	11111	10.00 10.20	10	2,340	210	30	00000	
	0053	0111	HACR1170170	11111	10.00 10.50	9	2,340	210	30	00000	
	0053	0111	HACR1230170	11111	10.00 10.50	1	2,340	210	30	00000	
	0053	0111	HACR2540172	11111	10.00 10.50	2	2,340	210	30	00000	
4	0053	0111	HACR2530171	11111	10.30 10.50	10	2,340	210	30	00000	
	0053	0111	HACR1180170	11111	12.00 12.50	8	2,340	210	30	00000	
	0053	0111	HACR1240170	11111	12.00 12.50	1	2,340	210	30	00000	
	0053	0111	HACR2540171	11111	12.00 12.50	10	2,340	210	30	00000	
	0053	0111	HACR2550172	11111	12.00 12.50	1	2,340	210	30	00000	
	0053	0111	HACR1180171	11111	12.00 14.50	1	2,340	210	30	00000	
	0053	0111	HACR1150246	11111	12.00 15.00	3	2,340	210	30	00000	
	0053	0111	HACR1160247	11111	12.00 15.00	3	2,340	210	30	00000	
4	0053	0111	HACR1410172	11111	13.00 13.20	1	2,340	210	30	00000	
4	0053	0111	HACR2560172	11111	13.00 13.20	1	2,340	210	30	00000	
	0053	0111	HACR1210172	11111	13.00 13.50	5	2,340	210	30	00000	
	0053	0111	HACR2550171	11111	13.00 13.50	2	2,340	210	30	00000	
4	8	0053	0111	HACR1420172	11111	13.30 13.50	11	2,340	210	30	00000
4		0053	0111	HACR2560171	11111	14.00 14.20	3	2,340	210	30	00000
	0053	0111	IMMT2997244	1 1	16.00 20.00	1	2,340	210	30	00000	
8	0053	0111	WELD2991241	1 1	17.00 21.00	62	2,340	210	30	00000	
8	0053	0111	IMMT2997243	1 1	17.05 20.59	2	2,340	210	30	00000	
	0053	0112	ELEC1230037	11111	8.00 10.30	5	2,390	210	30	00000	
9	0053	0112	ELEC1230037	11111	8.00 10.30	3	2,390	210	30	00000	
	0053	0112	ELEC2460037	11111	8.00 10.30	5	2,390	210	30	00000	
9	0053	0112	ELEC2460037	11111	8.00 10.30	2	2,390	210	30	00000	
	0053	0112	ELEC1220074	11111	8.00 11.00	2	2,390	210	30	00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015
 RUN DATE 11/17/2015 20:09:23
 PAGE NUM 9

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
4	0053 0112	ELEC1311037	11111	8.00 11.50	1	3	2,390	210 30	00000	
	0053 0112	ELEC1220074	11111	8.00 13.50	1	2	2,390	210 30	00000	
	0053 0112	ELEC1311037	11111	12.00 13.00	1	3	2,390	210 30	00000	
	0053 0112	ELEC1430037	11111	12.00 13.50	1	6	2,390	210 30	00000	
	0053 0112	ELEC1210037	11111	12.00 14.00	1	10	2,390	210 30	00000	
8	0053 0112	ELEC1210036	11111	12.00 15.50	1	6	2,390	210 30	00000	
8	0053 0112	ELEC1410038	11111	14.00 15.55	1	1	2,390	210 30	00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
FALL DATA 2015
RUN DATE 11/17/2015 20:09:23

L.T.C.-DELTA OUACHITA

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - - THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	31
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - - CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - - PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	100
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - - THERE SHOULD BE NO DUPLICATES.	11

----- T O T A L S -----

TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	142
TOTAL NUMBER OF RECORDS READ	- - - - -	415
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	404
NUMBER OF JOINT-CLASS RECORDS	- - - - -	257
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/17/2015 20:09:23

PAGE NUM 1

L.T.C.-DELTA OUACHITA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			574
WEEKLY STUDENT CONTACT HOURS	4,613	986	5,599
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,710	950	2,660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	478	110	588
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	51,660	28,700	80,360
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	12,549	3,224	15,773
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,226	1,972	11,198
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	28.0	11.6	22.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	17.9	6.9	13.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	73.5	61.2	71.0
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			574
WEEKLY STUDENT CONTACT HOURS	4,613	986	5,599
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,710	950	2,660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	478	110	588
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	51,660	28,700	80,360
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	12,549	3,224	15,773
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,226	1,972	11,198
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	28.0	11.6	22.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	17.9	6.9	13.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	73.5	61.2	71.0

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/17/2015 20:09:23
PAGE NUM 2

L.T.C.-DELTA OUACHITA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			36
TOTAL NUMBER OF STATIONS (CAPACITY)			829
WEEKLY STUDENT CONTACT HOURS	9,256	1,775	11,031
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,240	1,800	5,040
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,918	509	6,427
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	74,610	41,450	116,060
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	168,183	15,892	184,075
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	18,513	3,550	22,063
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	182.7	28.3	127.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	24.8	8.6	19.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	11.0	22.3	12.0
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			36
TOTAL NUMBER OF STATIONS (CAPACITY)			829
WEEKLY STUDENT CONTACT HOURS	9,256	1,775	11,031
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,240	1,800	5,040
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,918	509	6,427
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	74,610	41,450	116,060
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	168,183	15,892	184,075
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	18,513	3,550	22,063
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	182.7	28.3	127.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	24.8	8.6	19.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	11.0	22.3	12.0

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY