

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 12/13/2013 12:03:08
 PAGE NUM 1

L.T.C.-GULF AREA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.	
	A000	0102	MATH0900G01	1 1 1	8.00 8.50		6	928	210 25	00000	
	A000	0103	HIST1040G01	1 1 1	8.00 8.50		1	1,160	210 25	00000	
4	A000	0103	ORNT1000G01	1 1	8.00 16.00	1	24	1,160	210 25	00000	
	A000	0103	MUSC1010G01	1 1 1	9.00 9.50	1	2	1,160	210 25	00000	
	A000	0103	ACCT1400G01	1 1 1	11.00 12.15		15	1,160	210 25	00000	
	A000	0103	ENGL0092G01	1 1	16.30 17.45		1	1,160	210 25	00000	
	A000	0106	ACCT1100G01	1 1	8.00 8.50		9	1,000	210 22	00000	
	A000	0106	ACCT1100G01	1 1	8.00 9.15		9	1,000	210 22	00000	
	A000	0106	CPTR1002G01	1 1 1	9.00 9.50		18	1,000	210 22	00000	
	A000	0106	ACCT1500G01	1 1	9.25 11.05		10	1,000	210 22	00000	
	A000	0106	ACCT1200G01	1 1	10.00 10.50		4	1,000	210 22	00000	
	A000	0106	ACCT1200G01	1 1	10.50 12.05		4	1,000	210 22	00000	
	A000	0106	CSRV1000G01	1 1	13.00 14.15		17	1,000	210 22	00000	
	A000	0106	BUSM1050G01	1 1 1	14.00 15.15		11	1,000	210 22	00000	
	A000	0107	CPTR1310G01	1 1 1	8.00 9.15		15	1,140	210 25	00000	
	A000	0107	OSYS1100G01	1 1	8.00 9.15		10	1,140	210 25	00000	
	A000	0107	KYBD1010G01	1 1	9.25 10.40		15	1,140	210 25	00000	
	A000	0107	MATR1350G01	1 1 1	10.00 10.50		13	1,140	210 25	00000	
	A000	0107	ISYS1650G01	1 1	10.50 12.30		8	1,140	210 25	00000	
	A000	0107	BUSE1030G01	1 1 1	11.00 11.50		14	1,140	210 25	00000	
	A000	0107	ISYS1440G01	1 1	13.00 13.50		8	1,140	210 25	00000	
	A000	0107	ISYS1440G01	1 1	13.00 14.15		8	1,140	210 25	00000	
8	A000	0121	HNUR2991G01	1 1	13.00 13.50		12	520	210 20	00000	
8	A000	0214	MAST1130G01	1 1	8.00 9.20		14	1,391	215	00000	
8	A000	0214	HEKG1113G01	1 1 1	8.00 9.50		6	1,391	215	00000	
8	A000	0214	MAST1210G01	1 1	9.30 11.20		17	1,391	215	00000	
8	A000	0214	HCOR1601G01	1 1 1	10.00 11.10		4	1,391	215	00000	
8	A000	0214	HCOR1801G01	1 1 1	12.00 13.10		5	1,391	215	00000	
8	A000	0214	MAST2210G01	1 1	12.30 15.30		4	1,391	215	00000	
8	A000	0216	HNUR1361G01	11111	8.00 9.20		31	1,188	215	00000	
8	A000	0216	HNUR1270G01	111	8.00 9.20	1	28	1,188	215	00000	
4	8	A000	0216	HPHL1013G01	1 1	8.00 14.00	1	4	1,188	215	00000
8	A000	0216	HNUR1211G01	11111	9.30 11.00	1	21	1,188	215	00000	
8	A000	0216	HNUR1411G01	11111	9.30 11.00	1	29	1,188	215	00000	
8	A000	0216	HNUR1211G01	11111	12.00 12.50		21	1,188	215	00000	
8	A000	0216	HNUR1411G01	11111	12.00 12.50	1	29	1,188	215	00000	
8	A000	0216	HNUR1300G01	11111	13.00 14.20		31	1,188	215	00000	
8	A000	0216	HNUR1320G01	11111	14.30 15.20		30	1,188	215	00000	
8	A000	0216	HNUR2991G02	111	14.30 15.20	1	30	1,188	215	00000	
	A000	0227	HCOR1120G01	1 1	8.00 8.50		16	672	110 20	00000	
	A000	0227	HMDT1170G01	1	8.00 8.50		16	672	110 20	00000	
	A000	0227	MAST1220G01	1 1 1	9.00 10.50		17	672	110 20	00000	
	A000	0227	MAST1110G01	1 1 1	12.00 12.50		24	672	110 20	00000	
8	A000	0227	MAST1120G01	1 1 1	12.00 12.50	1	23	672	110 20	00000	
	A000	0227	HPHL1013G01	1 1 1	13.15 14.45		4	672	110 20	00000	
	B000	0310	WELD1310G01	11111	8.00 8.40		9	2,400	210 29	00000	
	B000	0310	WELD1411G02	11111	8.00 9.30	1	2	2,400	210 29	00000	
	B000	0310	WELD2112B31	11111	8.00 9.30	1	1	2,400	210 29	00000	
	B000	0310	WELD2220G01	11111	8.00 9.30	1	1	2,400	210 29	00000	
	B000	0310	WELD2230G02	11111	8.00 9.30	1	1	2,400	210 29	00000	
	B000	0310	WELD1412G01	11111	8.41 10.00	1	3	2,400	210 29	00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 12/13/2013 12:03:08
 PAGE NUM 2

L.T.C.-GULF AREA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.	
	B000	0310	WELD2111G01	11111	8.51 10.10	1	3	2,400	210	29	00000
	B000	0310	WELD1210G01	11111	9.31 10.22	1	8	2,400	210	29	00000
	B000	0310	WELD2310G02	11111	9.31 11.00	1	1	2,400	210	29	00000
	B000	0310	WELD1511G01	11111	9.31 11.01	1	1	2,400	210	29	00000
	B000	0310	WELD2113G01	11111	9.31 11.01	1	1	2,400	210	29	00000
	B000	0310	WELD2221G01	11111	9.31 11.01	1	2	2,400	210	29	00000
	B000	0310	WELD2110G01	11111	10.01 11.25	1	5	2,400	210	29	00000
	B000	0310	WELD2311G01	11111	10.11 11.36	1	3	2,400	210	29	00000
8	B000	0310	WELD1410G01	11111	10.23 11.12	1	8	2,400	210	29	00000
8	B000	0310	WELD2311G02	11111	11.01 12.30	1	1	2,400	210	29	00000
8	B000	0310	WELD2114B31	11111	11.02 12.32	1	1	2,400	210	29	00000
8	B000	0310	WELD2222B31	11111	11.02 12.32	1	2	2,400	210	29	00000
8	B000	0310	WELD1411G01	11111	11.13 13.00	1	11	2,400	210	29	00000
8	B000	0310	WELD2310G01	11111	11.26 12.46	1	6	2,400	210	29	00000
8	B000	0310	WELD1420G01	11111	11.37 13.20	1	3	2,400	210	29	00000
8	B000	0310	WELD1420G03	11111	12.31 14.10	1	1	2,400	210	29	00000
8	B000	0310	WELD2440G01	11111	12.47 13.40	1	3	2,400	210	29	00000
8	B000	0310	WELD1510G04	11111	13.15 14.45	1	1	2,400	210	29	00000
	B000	0317	HACR1150G01	1 1 1	8.00 9.50		5	900	210	6	00000
8	B000	0317	HACR1210G01	1 1 1	8.00 9.50	1	10	900	210	6	00000
8	B000	0317	HACR1410G01	1 1	8.00 9.50	1	3	900	210	6	00000
	B000	0317	HACR2540G01	1 11	8.00 10.50		3	900	210	6	00000
	B000	0317	HACR1160G01	1 1	8.00 10.50	1	6	900	210	6	00000
8	B000	0317	HACR1220G01	1 1	8.00 10.50	1	9	900	210	6	00000
	B000	0317	HACR1150G02	1 1 1	10.00 11.50		1	900	210	6	00000
	B000	0317	HACR1420G01	1 1	10.00 11.50	1	3	900	210	6	00000
	B000	0317	HACR1180G01	1 1	11.30 14.20		5	900	210	6	00000
8	B000	0317	HACR1240G01	1 1	11.30 14.20	1	9	900	210	6	00000
8	B000	0317	HACR2520G02	1 1	12.00 14.20	1	2	900	210	6	00000
	B000	0317	HACR1170G01	1 1 1	12.30 14.20		5	900	210	6	00000
8	B000	0317	HACR1230G01	1 1 1	12.30 14.20	1	9	900	210	6	00000
8	B000	0317	HACR2510G01	1 1 1	12.30 14.20	1	2	900	210	6	00000
	B000	0323	COSM1220G01	11111	7.00 9.00		2	806	210	3	00000
	B000	0323	COSM1230G01	11111	9.15 11.30		2	806	210	3	00000
	B000	0323	COSM1411G01	11111	12.00 13.00		1	806	210	3	00000
	B000	0323	COSM2510G01	11111	14.00 15.15		1	806	210	3	00000
	B000	0328	COSM1121G50	11111	8.30 9.50		11	750	110	24	00000
	B000	0328	COSM1211G50	11111	10.00 10.50		16	750	110	24	00000
	B000	0328	COSM1130G50	11111	11.20 12.50		20	750	110	24	00000
	B000	0328	COSM1110G50	11111	13.00 14.30		19	750	110	24	00000
8	B000	0329	COSM1311G01	1	8.00 9.00		16	1,676	210	9	00000
8	B000	0329	COSM1121G01	11111	8.00 9.20	1	13	1,676	210	9	00000
8	B000	0329	COSM1311G01	1 1	8.00 12.00	1	16	1,676	210	9	00000
8	B000	0329	COSM1321G01	1 1	8.00 12.00		16	1,676	210	9	00000
8	B000	0329	COSM1321G01	1	9.05 11.05		16	1,676	210	9	00000
8	B000	0329	COSM1211G01	11111	9.30 10.30	1	14	1,676	210	9	00000
	B000	0329	COSM1130G01	11111	11.00 12.30		14	1,676	210	9	00000
8	B000	0329	COSM2540G01	1	11.35 12.35	1	10	1,676	210	9	00000
89	B000	0329	COSM2540G01	1 1 1	12.30 14.30		10	1,676	210	9	00000
8	B000	0329	COSM1420G01	1 1	12.35 13.35		16	1,676	210	9	00000
8	B000	0329	COSM1420G01	1	12.45 13.45		16	1,676	210	9	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013

RUN DATE 12/13/2013 12:03:08

PAGE NUM 3

L.T.C.-GULF AREA

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	B000	0329	COSM1110G01	11111	13.00 14.30	1	16	1,676	210 9 00000
8	B000	0329	COSM2530G01	1 1	13.40 14.50	1	16	1,676	210 9 00000
8	B000	0329	COSM2530G01	1	13.50 14.30		16	1,676	210 9 00000
	B000	0335	WELD1110G01	11111	8.00 8.50		7	324	210 13 00000
	B000	0335	WELD1130G01	11111	8.00 8.50	1	4	324	210 13 00000
	B000	0335	WELD1140G01	11111	8.51 9.30		13	324	210 13 00000
	B000	0335	WELD1120G02	11111	12.50 13.50		1	324	210 13 00000
	C000	0402	NCCR1000G01	11111	7.30 8.30		2	625	110 15 00000
	C000	0402	IAMT2150G01	11111	7.30 9.20	1	2	625	110 15 00000
	C000	0402	IAMT2170G02	11111	9.25 10.20		1	625	110 15 00000
	C000	0402	IAMT2140G03	11111	10.00 10.59	1	1	625	110 15 00000
	C000	0402	IAMT2150G02	11111	10.25 12.15	1	2	625	110 15 00000
	C000	0402	IAMT2175G01	11111	13.00 14.35		1	625	110 15 00000
	C000	0402	IAMT1135G01	11111	13.32 15.00	1	5	625	110 15 00000
	C000	0407	IAMT2110G01	11111	7.30 8.30		3	638	110 15 00000
	C000	0407	IAMT2230G01	11111	7.30 8.30	1	6	638	110 15 00000
	C000	0407	IAMT1140G01	11111	7.30 8.55	1	4	638	110 15 00000
8	C000	0407	IAMT1110G01	11111	8.31 9.29	1	24	638	110 15 00000
8	C000	0407	IAMT2310G01	11111	8.31 10.21	1	1	638	110 15 00000
8	C000	0407	IAMT2140G01	11111	9.01 9.59	1	3	638	110 15 00000
	C000	0407	IAMT2140G02	11111	10.00 11.00		1	638	110 15 00000
	C000	0407	IAMT2220G01	11111	13.00 14.30		1	638	110 15 00000
	C000	0407	IAMT1180G01	11111	13.11 14.11	1	8	638	110 15 00000
	C000	0408	IAMT2160G01	11111	8.31 9.59		3	3,657	210 15 00000
	C000	0408	IAMT1150G01	11111	9.00 10.24	1	6	3,657	210 15 00000
8	C000	0408	IAMT1120G01	11111	9.30 11.00	1	25	3,657	210 15 00000
8	C000	0408	IAMT2145G01	11111	10.00 10.55	1	2	3,657	210 15 00000
8	C000	0408	IAMT2175G03	11111	10.00 11.36	1	1	3,657	210 15 00000
	C000	0408	IAMT2175G02	11111	11.56 13.31		1	3,657	210 15 00000
	C000	0412	IAMT1160G01	11111	10.25 11.49		6	2,800	210 15 00000
	C000	0412	IAMT2170G01	11111	11.30 12.50	1	2	2,800	210 15 00000
	C000	0412	IAMT2210G01	11111	11.30 12.59	1	1	2,800	210 15 00000
	C000	0412	IAMT1130G01	11111	11.31 13.31	1	4	2,800	210 15 00000
	C000	0412	IAMT1170G01	11111	12.10 13.10	1	8	2,800	210 15 00000
	C000	0412	IAMT1190G01	11111	14.12 15.00		4	2,800	210 15 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
FALL DATA 2013
RUN DATE 12/13/2013 12:03:08

L.T.C.-GULF AREA

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - - THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	2
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - - CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - - PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	53
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - - THERE SHOULD BE NO DUPLICATES.	1

----- T O T A L S -----

TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	56
TOTAL NUMBER OF RECORDS READ	- - - - -	137
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	136
NUMBER OF JOINT-CLASS RECORDS	- - - - -	66
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 12/13/2013 12:03:08

PAGE NUM 1

L.T.C.-GULF AREA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			7
TOTAL NUMBER OF STATIONS (CAPACITY)			129
WEEKLY STUDENT CONTACT HOURS	1,144		1,144
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	630	350	980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	234		234
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	11,610	6,450	18,060
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,200		4,200
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,288		2,288
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	37.1	.0	23.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	19.7	.0	12.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	54.5	.0	54.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			7
TOTAL NUMBER OF STATIONS (CAPACITY)			129
WEEKLY STUDENT CONTACT HOURS	1,144		1,144
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	630	350	980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	234		234
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	11,610	6,450	18,060
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,200		4,200
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,288		2,288
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	37.1	.0	23.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	19.7	.0	12.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	54.5	.0	54.5

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 12/13/2013 12:03:08

PAGE NUM 2

L.T.C. -GULF AREA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			27
TOTAL NUMBER OF STATIONS (CAPACITY)			432
WEEKLY STUDENT CONTACT HOURS	3,493		3,493
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,430	1,350	3,780
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	618		618
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	38,880	21,600	60,480
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,813		8,813
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,987		6,987
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	25.4	.0	16.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	18.0	.0	11.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	79.3	.0	79.3
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			27
TOTAL NUMBER OF STATIONS (CAPACITY)			432
WEEKLY STUDENT CONTACT HOURS	3,493		3,493
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,430	1,350	3,780
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	618		618
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	38,880	21,600	60,480
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,813		8,813
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,987		6,987
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	25.4	.0	16.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	18.0	.0	11.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	79.3	.0	79.3

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY