

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/01/2013 07:48:22
 PAGE NUM 1

L.T.C. -HAMMOND
 BRANCH
 PARISH
 RELATION

TANGIPAHOA
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0LCA	0206	SPCH1015C01	1	17.00 20.00		14	441	110 20 00000
	0LCA	0208	HMDT1170C01	1 1 1	10.15 11.30		16	504	110 24 00000
	0LCA	0208	MAST1110C01	1 1 1	10.15 11.30	1	14	504	110 24 00000
8	0LCA	0208	MAST1120C01	1 1 1	10.15 11.30	1	12	504	110 24 00000
	0LCA	0208	HCOR1120C01	1 1 1	12.00 13.15		12	504	110 24 00000
	0LCA	0208	MAST2130C01	1 1 1	14.00 16.00		6	504	110 24 00000
	0LCA	0209	DVMA0090C01	1 1 1	8.00 8.50		15	504	210 21 00000
	0LCA	0209	DVMA0092C02	1 1	8.00 9.15		10	504	210 21 00000
	0LCA	0209	DVRE0090C01	1 1	8.00 9.15	1	8	504	210 21 00000
	0LCA	0209	MAST1220C01	1 1 1	8.00 10.00		16	504	210 21 00000
8	0LCA	0209	DVMA0090C02	1 1 1	9.00 9.50	1	18	504	210 21 00000
	0LCA	0209	DVRE0091C01	1 1	9.30 10.45		13	504	210 21 00000
	0LCA	0209	DVRE0092C01	1 1	9.30 10.45	1	4	504	210 21 00000
	0LCA	0209	DVMA0090C03	1 1 1	10.00 10.50		5	504	210 21 00000
	0LCA	0209	DVMA0091C01	1 1 1	10.00 10.50	1	2	504	210 21 00000
	0LCA	0209	DVMA0091C02	1 1 1	10.00 10.50	1	1	504	210 21 00000
	0LCA	0209	DVMA0092C01	1 1 1	10.00 10.50	1	7	504	210 21 00000
	0LCA	0209	AHSC1000C01	1 1 1	12.00 12.50		7	504	210 21 00000
	0LCA	0209	AHRE1000C01	1 1	12.00 12.50	1	1	504	210 21 00000
	0LCA	0209	DVEN0090C02	1 1 1	12.01 12.50	1	13	504	210 21 00000
	0LCA	0209	DVEN0090C03	1 1 1	12.01 12.50	1	1	504	210 21 00000
	0LCA	0209	DVEN0091C01	1 1	12.30 13.45		13	504	210 21 00000
	0LCA	0209	DVRE0092C02	1 1	12.30 13.45	1	2	504	210 21 00000
	0LCA	0209	AHMA1000C01	1 1 1	13.00 13.50		3	504	210 21 00000
	0LCA	0209	DVEN0091C05	1 1	14.00 15.15		7	504	210 21 00000
	0LCA	0209	DVEN0092C04	1 1	14.00 15.15	1	5	504	210 21 00000
	0LCA	0209	DVMA0090C20	1 1	14.00 15.15	1	3	504	210 21 00000
	0LCA	0209	DVMA0091C03	1 1 1	14.30 15.20		9	504	210 21 00000
	0LCA	0209	DVMA0092C11	1 1 1	14.30 15.20	1	3	504	210 21 00000
	0LCA	0209	DVEN0090C04	1 1 1	15.30 16.20		13	504	210 21 00000
	0LCA	0209	DVEN0091C03	1 1 1	15.30 16.20	1	4	504	210 21 00000
	0LCA	0209	DVEN0092C03	1 1 1	15.30 16.20	1	2	504	210 21 00000
	0LCA	0209	DVMA0090C04	1 1	15.30 16.45		13	504	210 21 00000
	0LCA	0209	DVMA0091C04	1 1	15.30 16.45	1	1	504	210 21 00000
	0LCA	0209	DVMA0092C04	1 1	15.30 16.45	1	5	504	210 21 00000
8	0LCA	0209	DVRE0091C03	1 1	16.30 17.20	1	19	504	210 21 00000
	0LCA	0210	MAST2210C01	1 1 1	8.00 10.00		9	504	110 18 00000
	0LCA	0210	MAST1210C01	1 1	8.00 10.00		8	504	110 18 00000
	0LCA	0210	HCOR1160C01	1 1	10.30 11.30		11	504	110 18 00000
	0LCA	0210	MAST2140C01	1 1 1	11.00 12.25		12	504	110 18 00000
	0LCA	0210	MAST1230C01	1 1 1	12.30 13.30		7	504	110 18 00000
	0LCA	0211	ZCCA1000C01	11111	17.00 20.00		10	1,720	220 27 00000
	0LCA	0211	ENGL1015C01	1	17.00 20.00	1	9	1,720	220 27 00000
	0LCA	0401	BUSN1010C01	1 1 1	8.00 8.50		13	1,479	210 28 00000
	0LCA	0401	KYBD1010C01	1 1 1	8.00 8.50	1	8	1,479	210 28 00000
	0LCA	0401	CSSK1000C03	1	8.00 8.50		11	1,479	210 28 00000
	0LCA	0401	CSRV1000C01	1 1 1	9.00 9.50		13	1,479	210 28 00000
	0LCA	0401	CSRV1000C05	1 1 1	9.00 9.50	1	1	1,479	210 28 00000
	0LCA	0401	ACCT2100C01	1 1 1	10.00 10.50		8	1,479	210 28 00000
	0LCA	0401	BUSN1100C01	1 1 1	11.00 11.50		13	1,479	210 28 00000
	0LCA	0401	CSRV1000C02	1 1	12.00 13.20		9	1,479	210 28 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013

RUN DATE 11/01/2013 07:48:22

PAGE NUM 2

L.T.C. -HAMMOND

BRANCH

PARISH

RELATION

TANGIPAHOA

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0LCA	0401	CSRV1000C04	1 1	12.00 13.20	1	1,479	210 28	00000
	0LCA	0401	JOBS2450C01	1 1 1	12.30 13.10		1,479	210 28	00000
	0LCA	0401	CSSK1000C10	1	13.30 14.30		1,479	210 28	00000
	0LCA	0401	CSSK1000C02	1	13.30 14.30		1,479	210 28	00000
	0LCA	0401	BUS02530C01	1 1	13.30 14.55		1,479	210 28	00000
	0LCA	0401	BUS02530C02	1 1	13.30 14.55	1	1,479	210 28	00000
	0LCA	0402	KYBD1111C01	1 1 1	8.00 9.20		600	210 24	00000
	0LCA	0402	KYBD1010C02	1 1	9.30 10.55		600	210 24	00000
	0LCA	0402	KYBD1010C03	1 1	9.30 10.55	1	600	210 24	00000
	0LCA	0402	KYBD1111C02	1 1	9.30 11.35	1	600	210 24	00000
	0LCA	0402	BOTH1350C01	1 1 1	11.00 11.50		600	210 24	00000
	0LCA	0402	BOTH2110C01	1 1 1	13.30 14.25		600	210 24	00000
	0LCA	0403	CPTR1002C01	1 1 1	8.00 8.50		630	210 26	00000
	0LCA	0403	CPTR1002C02	1 1 1	8.00 8.50	1	630	210 26	00000
	0LCA	0403	BUSN1000C01	1 1 1	10.00 10.50		630	210 26	00000
	0LCA	0403	BOTH1230C01	1 1 1	12.30 13.20		630	210 26	00000
	0LCA	0403	BUS01310C02	1 1 1	12.30 13.50	1	630	210 26	00000
	0LCA	0403	BUS01650C02	1 1 1	12.30 13.50	1	630	210 26	00000
	0LCA	0403	BUS01440C02	1 1 1	12.30 14.05	1	630	210 26	00000
	0LCA	0404	BUS01440C01	1 1 1	9.00 9.50		600	210 24	00000
	0LCA	0404	CDYC1151C01	1 1 1	9.00 11.55	1	600	210 24	00000
	0LCA	0404	BUS01320C01	1 1 1	10.00 10.50	1	600	210 24	00000
	0LCA	0404	BUS01650C01	1 1 1	11.00 11.50		600	210 24	00000
	0LCA	0404	CDYC1210C02	1 1	13.00 14.30		600	210 24	00000
	0LCA	0404	CDYC1332C02	1	13.00 16.00		600	210 24	00000
	0LCA	0404	CDYC1330C02	1 1	13.30 15.25		600	210 24	00000
	0LCA	0404	CDYC1330C01	1 1	18.00 19.55		600	210 24	00000
	0LCA	0404	CDYC1332C01	1 1	18.00 19.55	1	600	210 24	00000
	0LCA	0404	CDYC1110C01	1	18.00 20.50	1	600	210 24	00000
	0LCA	0404	CDYC1110C02	1	18.00 20.50	1	600	210 24	00000
	0LCA	0404	CDYC1230C01	1	18.00 20.50		600	210 24	00000
	0LCA	0404	CDYC1210C01	1	18.00 21.00		600	210 24	00000
	0LCA	0404	CDYC1210C03	1	18.00 21.00	1	600	210 24	00000
	0LCA	0414	HNUR1211C01	11111	8.00 11.00		1,891	110 50	00000
	0LCA	0414	HNUR1411C01	11111	8.00 11.00	1	1,891	110 50	00000
8	0LCA	0414	HNUR1270C01	1 1	8.00 11.00	1	1,891	110 50	00000
	0LCA	0414	HNUR1300C01	1 1 1	11.40 14.50		1,891	110 50	00000
	0LCA	0414	HNUR1320C01	1 1	11.40 14.50		1,891	110 50	00000
	0LCA	0414	HPHM2000C01	1 1	16.30 20.30		1,891	110 50	00000
	0LCA	0414	HPHM2000C02	1 1	16.30 20.30	1	1,891	110 50	00000
	0LCA	0414	HPHM1513C01	1 1	16.30 21.00	1	1,891	110 50	00000
8	0LCA	0427	INTE1000C01	1 1 1	8.00 8.50		270	210 6	00000
	0LCA	0427	INTE1900C01	1 1	8.00 10.20		270	210 6	00000
8	0LCA	0427	INTE1100C01	1 1 1	9.00 9.50		270	210 6	00000
8	0LCA	0427	INTE1110C01	1 1 1	10.00 11.50		270	210 6	00000
8	0LCA	0427	JOBS2450C02	1 1	10.30 11.30		270	210 6	00000
8	0LCA	0427	CPTR1000C01	1 1	12.00 13.25		270	210 6	00000
8	0LCA	0427	CSRV1000C03	1 1 1	13.00 14.00		270	210 6	00000
8	0LCA	0427	CSRV1000C06	1 1 1	13.00 14.00	1	270	210 6	00000
8	0LCA	0427	INTE2902C01	11111	13.00 14.45	1	270	210 6	00000
8	0LCA	0427	INTE2902C02	11111	13.00 14.45	1	270	210 6	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013
 RUN DATE 11/01/2013 07:48:22
 PAGE NUM 3

L.T.C. -HAMMOND
 BRANCH
 PARISH
 RELATION

TANGIPAHOA
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0LCA	0434	INTE1200C01	1 1	8.00 10.20		26	2,666	210 48 00000
	0LCA	0434	INTE2130C01	1 1	8.00 10.20	1	12	2,666	210 48 00000
	0LCA	0434	INTE2130C02	1 1	8.00 10.25		11	2,666	210 48 00000
	0LCA	0434	INTE1330C01	1	8.00 11.45		7	2,666	210 48 00000
	0LCA	0434	INTE2020C01	1 1 1	10.00 11.35	1	17	2,666	210 48 00000
	0LCA	0434	CPTR1000C03	1 1	10.30 11.55		7	2,666	210 48 00000
	0LCA	0434	CPTR1000C02	1 1	10.30 12.00		17	2,666	210 48 00000
	0LCA	0434	INTE2010C01	1 1	10.30 12.50		19	2,666	210 48 00000
	0LCA	0434	INTE2850C01	1 1 1	12.00 13.20		26	2,666	210 48 00000
	0LCA	0434	INTE2110C01	1 1 1	13.00 14.25	1	20	2,666	210 48 00000
	0LCA	0434	INTE1210C01	1	15.05 19.50		12	2,666	210 48 00000
4	0LCA	0434	INTE2030C01	1	15.05 20.35		17	2,666	210 48 00000
4	0LCA	0434	INTE2030C03	1	15.05 20.35	1	1	2,666	210 48 00000
	0LCA	0500	ELEC2460C01	111	8.00 8.50		5	5,268	220 20 00000
	0LCA	0500	ELEC2460C02	111	8.00 8.50	1	1	5,268	220 20 00000
4	0LCA	0500	ELEC1440C01	111	8.00 14.30	1	14	5,268	220 20 00000
	0LCA	0500	WELD1411C01	11111	11.30 12.50	1	8	5,268	220 20 00000
4	0LCA	0500A	HACR1210C01	11	8.00 15.00		5	320	110 20 00000
4	0LCA	0500A	HACR1220C01	11	8.00 15.00	1	5	320	110 20 00000
4	0LCA	0500A	HACR1170C01	11	8.00 15.25		15	320	110 20 00000
4	8	0LCA	0500A	11	8.00 15.25	1	17	320	110 20 00000
4	8	0LCA	0500A	11	8.00 15.25	1	14	320	110 20 00000
4	8	0LCA	0500A	11	8.00 15.25	1	14	320	110 20 00000
	8	0LCA	0500A	11	12.00 15.00	1	1	320	110 20 00000
	0LCA	0500B	BLDG1120C01	111	8.00 8.50		7	320	110 20 00000
	0LCA	0500B	BLDG1310C01	11	8.00 13.00		11	320	110 20 00000
	0LCA	0500B	BLDG1210C01	111	9.00 14.00		13	320	110 20 00000
4	0LCA	0500B	BLDG1110C15	11111	15.00 21.00		13	320	110 20 00000
4	0LCA	0500B	BLDG1120C15	11111	15.00 21.00	1	13	320	110 20 00000
4	8	0LCA	0500B	11111	15.00 21.00	1	13	320	110 20 00000
4	8	0LCA	0500B	11111	15.00 21.00	1	13	320	110 20 00000
4	8	0LCA	0500B	11111	15.00 21.00	1	13	320	110 20 00000
4	0LCA	0500C	ELEC1120C02	11	8.00 14.00		1	288	110 20 00000
4	0LCA	0500C	ELEC1210C02	11	8.00 14.00	1	1	288	110 20 00000
4	0LCA	0500C	ELEC1330C01	111	8.00 14.30	1	13	288	110 20 00000
4	0LCA	0500C	ELEC1420C01	111	8.00 14.30	1	13	288	110 20 00000
4	8	0LCA	0500C	11	8.00 15.00	1	10	288	110 20 00000
4	8	0LCA	0500C	11	8.00 15.00	1	10	288	110 20 00000
	0LCA	0520	WELD2110C01	11111	7.50 9.10		6	2,206	220 22 00000
	0LCA	0520	WELD1420C01	11111	7.50 9.25	1	5	2,206	220 22 00000
	0LCA	0520	WELD1310C01	11111	8.36 9.10	1	1	2,206	220 22 00000
	0LCA	0520	WELD2110C03	11111	9.11 10.30		1	2,206	220 22 00000
	0LCA	0520	WELD2111C01	11111	9.11 10.30	1	5	2,206	220 22 00000
	0LCA	0520	WELD1510C01	11111	9.26 11.00	1	8	2,206	220 22 00000
	0LCA	0520	WELD1410C01	11111	10.01 10.50	1	10	2,206	220 22 00000
	0LCA	0520	WELD2310C01	11111	10.31 11.50	1	6	2,206	220 22 00000
	0LCA	0520	WELD2310C03	11111	10.31 11.50	1	1	2,206	220 22 00000
8	0LCA	0520	WELD1511C01	11111	11.30 13.05	1	7	2,206	220 22 00000
8	0LCA	0520	WELD2311C01	11111	12.20 13.40	1	7	2,206	220 22 00000
8	0LCA	0520	WELD2311C03	11111	12.20 13.40	1	1	2,206	220 22 00000
8	0LCA	0520	WELD1412C01	11111	12.51 14.10	1	2	2,206	220 22 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/01/2013 07:48:22
 PAGE NUM 4

L.T.C. -HAMMOND
 BRANCH
 PARISH
 RELATION

TANGIPAHOA
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	0LCA 0520	WELD1512C01	11111	13.06 14.40	1	6	2,206	220 22	00000
	0LCA 0520	WELD1410C02	1 1	17.00 18.55		2	2,206	220 22	00000
	0LCA 0520	WELD2110C02	1 1	17.00 20.20	1	2	2,206	220 22	00000
	0LCA 0520	WELD1420C02	1 1	17.00 20.45	1	2	2,206	220 22	00000
	0LCA 0521	WELD1110C01	11111	7.50 8.35		10	240	210 16	00000
	0LCA 0521	WELD1140C01	11111	8.36 9.10		11	240	210 16	00000
	0LCA 0521	WELD1210C01	11111	9.11 10.00		11	240	210 16	00000
	0LCA 0521	WELD1130C01	11111	13.41 14.30		5	240	210 16	00000
	0LCA 0521	WELD1130C03	11111	13.41 14.30	1	1	240	210 16	00000
	0LCA 0521	WELD1110C02	1 1	17.00 18.55		3	240	210 16	00000
	0LCA 0521	WELD1140C02	1 1	18.56 20.20		8	240	210 16	00000
	0LCA 0521	WELD1210C02	1 1	18.56 20.50	1	1	240	210 16	00000
4	0LCA 0535	CSSK1000C16	11111	15.00 21.00		14	352	110 20	00000
4	0LCA 0535	ELEC1120C15	11111	15.00 21.00	1	15	352	110 20	00000
4	8 0LCA 0535	ELEC1210C15	11111	15.00 21.00	1	15	352	110 20	00000
4	8 0LCA 0535	ELEC1430C15	11111	15.00 21.00	1	15	352	110 20	00000
4	0LCA 0540	AUTO1602C01	11111	8.00 14.30		10	6,006	220 8	00000
4	8 0LCA 0540	AUTO1602C02	11111	8.00 14.30	1	17	6,006	220 8	00000
4	8 0LCA 0540	AUTO1602C04	11111	8.00 14.30	1	1	6,006	220 8	00000
4	8 0LCA 0540	CSSK1000C01	111	8.00 15.00	1	9	6,006	220 8	00000
4	8 0LCA 0540	AUTO1602C03	11111	10.31 12.00	1	2	6,006	220 8	00000
4	0LCA 0541	AUTO1101C01	11111	8.00 14.30		10	392	110 15	00000
4	0LCA 0541	AUTO1601C01	11111	8.00 14.30	1	10	392	110 15	00000
	0LCA 0544	AUTO1201C02	11111	8.00 8.50		2	278	110 25	00000
4	0LCA 0544	AUTO1201C01	11111	8.00 14.30	1	18	278	110 25	00000
4	0LCA 0544	AUTO1601C02	11111	8.00 14.30	1	18	278	110 25	00000
	8 0LCA 0544	AUTO1601C03	11111	8.51 10.30	1	2	278	110 25	00000
	0LCB 0220	SPCH1015I01	1 1	8.00 9.15		26	839	110 30	00000
	0LCB 0220	SPCH1015I03	1 1	8.00 9.15		19	839	110 30	00000
	0LCB 0220	HIST2020I02	1 1	9.30 10.45		8	839	110 30	00000
	0LCB 0220	HIST2020I01	1 1	9.30 10.45		23	839	110 30	00000
	0LCB 0220	SOCL2015I01	1 1	11.30 12.45		18	839	110 30	00000
	0LCB 0220	PSYC2015I03	1 1	13.00 14.15		18	839	110 30	00000
	0LCB 0225	BIOL1010I01	1 1	8.00 9.15		24	741	110 30	00000
	0LCB 0225	MATH1015I02	1 1	9.30 10.45		16	741	110 30	00000
	0LCB 0225	ENGL1015I02	1 1	9.30 10.45		23	741	110 30	00000
	0LCB 0225	HIST1010I01	1 1	11.00 12.15		26	741	110 30	00000
	0LCB 0225	DVEN0092I01	1 1	11.00 12.15		14	741	110 30	00000
	0LCB 0225	HIST2010I01	1 1	11.00 12.15	1	28	741	110 30	00000
	0LCB 0228	HIST1020I01	1 1	8.00 9.15		17	741	110 30	00000
	0LCB 0228	CSSK1000I04	1	9.30 10.20		9	741	110 30	00000
	0LCB 0228	MUSC1010I04	1 1	9.30 10.45		17	741	110 30	00000
	0LCB 0228	CSSK1000I01	1	11.00 11.50		12	741	110 30	00000
	0LCB 0228	BIOL1020I01	1 1	11.00 12.15		15	741	110 30	00000
	0LCB 0228	MUSC1010I01	1 1	12.30 13.45		19	741	110 30	00000
	0LCB 0228	MUSC1010I03	1 1	13.00 14.15		16	741	110 30	00000
	0LCB 0228	MUSC1010I02	1 1	14.30 15.45		22	741	110 30	00000
	0LCB 0230	DVMA0090I01	1 1	8.00 9.15		23	720	110 18	00000
8	0LCB 0230	ENGL1015I01	1 1	8.00 9.15	1	16	720	110 18	00000
	0LCB 0230	DVEN0090I01	1 1	9.30 10.45		18	720	110 18	00000
	0LCB 0230	ENGL1025I01	1 1	12.30 13.45		21	720	110 18	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013
 RUN DATE 11/01/2013 07:48:22
 PAGE NUM 5

L.T.C. -HAMMOND
 BRANCH
 PARISH
 RELATION

TANGIPAHOA
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0LCB	0230	DVEN0091I01	1 1	16.00 17.15	8	720	110 18	00000
	0LCB	0230	DVMA0091I01	1 1	16.00 17.15	14	720	110 18	00000
	0LCB	0234	DVMA0092I04	1 1	8.00 9.15	24	709	110 25	00000
	0LCB	0234	SPCH1015I04	1 1	11.30 12.45	14	709	110 25	00000
	0LCB	0234	MATH1015I01	1 1	12.30 13.45	22	709	110 25	00000
	0LCB	0234	DVMA0092I01	1 1	14.30 15.45	25	709	110 25	00000
	0LCC	0334	BIOL1010I10	1 1	12.30 13.45	5	618	110 30	00000
	0LCC	0334	DVMA0092I10	1 1	15.30 16.45	6	618	110 30	00000
	0LCC	0334	DVMA0090I10	1 1	17.00 18.15	6	618	110 30	00000
	0LCC	0336	SPCH1015I10	1 1	14.00 15.15	6	657	110 30	00000
	0LCC	0336	ENGL1015I10	1 1	15.30 16.45	3	657	110 30	00000
	0LCC	0336	PSYC2015I10	1 1	17.00 18.15	5	657	110 30	00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -	
	THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,	
	THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	32
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -	
	CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - -	35
	PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -	
	THERE SHOULD BE NO DUPLICATES.	

----- T O T A L S -----

TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	67
TOTAL NUMBER OF RECORDS READ	- - - - -	216
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	216
NUMBER OF JOINT-CLASS RECORDS	- - - - -	94
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/01/2013 07:48:22

PAGE NUM 1

L.T.C. -HAMMOND

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			17
TOTAL NUMBER OF STATIONS (CAPACITY)			425
WEEKLY STUDENT CONTACT HOURS	12,045	75	12,120
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,530	850	2,380
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,378	18	1,396
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	38,250	21,250	59,500
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	32,941	480	33,421
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	24,090	150	24,240
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	90.1	2.1	58.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	63.0	.7	40.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	73.1	31.3	72.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			17
TOTAL NUMBER OF STATIONS (CAPACITY)			425
WEEKLY STUDENT CONTACT HOURS	12,045	75	12,120
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,530	850	2,380
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,378	18	1,396
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	38,250	21,250	59,500
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	32,941	480	33,421
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	24,090	150	24,240
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	90.1	2.1	58.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	63.0	.7	40.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	73.1	31.3	72.5

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/01/2013 07:48:22

PAGE NUM 2

L.T.C. -HAMMOND

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			327
WEEKLY STUDENT CONTACT HOURS	5,039	439	5,478
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,260	700	1,960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	780	114	894
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	29,430	16,350	45,780
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	17,970	2,624	20,594
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	10,078	878	10,956
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	61.9	16.3	45.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	34.2	5.4	23.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	56.1	33.5	53.2
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			8
TOTAL NUMBER OF STATIONS (CAPACITY)			193
WEEKLY STUDENT CONTACT HOURS	3,041	224	3,265
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	720	400	1,120
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	573	56	629
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	17,370	9,650	27,020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	15,260	1,168	16,428
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,083	448	6,531
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	79.6	14.0	56.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	35.0	4.6	24.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	39.9	38.4	39.8

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/01/2013 07:48:22

PAGE NUM 3

L.T.C. -HAMMOND

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABBORATORY			
TOTAL NUMBER OF ROOMS			6
TOTAL NUMBER OF STATIONS (CAPACITY)			134
WEEKLY STUDENT CONTACT HOURS	1,997	215	2,212
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	540	300	840
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	207	58	265
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	12,060	6,700	18,760
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,710	1,456	4,166
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,995	430	4,425
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	38.3	19.3	31.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	33.1	6.4	23.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	147.4	29.5	106.2

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY