

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013
 RUN DATE 10/22/2013 12:15:24
 PAGE NUM 1

L.T.C.-HUEY P. LONG
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	EB00	0203	HNUR2611EB2	11111	8.00 9.25		16	1,000	115 35 00000
	EB00	0203	HNUR2523B02	11111	9.30 11.00		15	1,000	115 35 00000
	EB00	0203	HNUR2123B01	11111	11.30 14.00		19	1,000	115 35 00000
	EB00	0205	HCOR1210B01	1 1	8.00 11.00		32	1,000	115 40 00000
	EB00	0205	HNUR1302B01	1 1	8.00 11.00		32	1,000	115 40 00000
	EB00	0205	HNUR1002B02	1 1 1	8.00 11.30		34	1,000	115 40 00000
	EB00	0205	HNUR1211B01	1 1	11.30 14.30		27	1,000	115 40 00000
	EB00	0209	HNUR1002B03	1 1	8.00 9.00		7	1,000	115 30 00000
	EB00	0209	HPHM1503B02	1 11	8.00 11.00		11	1,000	115 30 00000
	EB00	0209	HPHM1513B01	1 11	8.00 11.00	1	11	1,000	115 30 00000
	EB00	0209	HPHM1200B01	1 1 1	9.15 11.15	1	8	1,000	115 30 00000
	EB00	0209	HPHM1400B01	1 1	12.00 14.00		13	1,000	115 30 00000
	EB00	0209	HPHM1300B01	1 1	12.15 13.45		8	1,000	115 30 00000
	EB00	0213	HNUR1002B01	1 1 1	8.00 9.15		9	1,000	115 30 00000
	EB00	0213	HNUR1211B02	1 1	8.00 11.00		9	1,000	115 30 00000
	EB00	0213	HNUR1211B02	1 1	12.00 14.00		9	1,000	115 30 00000
	EB00	0302	HCOR1801B01	1 1	8.00 9.55		18	962	140 24 00000
	EB00	0302	KYBD1111B01	1 1	9.30 12.00	1	13	962	140 24 00000
	EB00	0302	JOBS2450B01	1 1	10.01 11.00		7	962	140 24 00000
	EB00	0302	KYBD1010B01	1 1	10.01 11.25		8	962	140 24 00000
	EB00	0302	BOTH1240B02	1 1	12.30 14.00		14	962	140 24 00000
	EB00	0400	WELD2230B01	11111	7.00 8.30		6	3,640	210 24 00000
	EB00	0400	BLDG1150B01	1 1 1	7.00 8.55	1	4	3,640	210 24 00000
	EB00	0400	BLDG1410B01	11111	7.00 9.00	1	2	3,640	210 24 00000
4	EB00	0400	BLDG1220B01	11111	8.00 14.00	1	2	3,640	210 24 00000
4	EB00	0400	BLDG1221B01	11111	8.00 14.00	1	2	3,640	210 24 00000
	EB00	0400	BLDG1420B01	11111	9.01 11.00	1	2	3,640	210 24 00000
	EB00	0400	BLDG1310B01	11111	9.01 11.50	1	3	3,640	210 24 00000
	EB00	0400	BLDG1140B02	11111	10.01 12.00	1	4	3,640	210 24 00000
	EB00	0400	BLDG1320B01	11111	11.51 14.30	1	3	3,640	210 24 00000
	EB00	0400	BLDG1130B01	11111	12.01 14.00	1	4	3,640	210 24 00000
	EB00	0400	WELD1420B03	1 1	13.01 15.30	1	2	3,640	210 24 00000
	EB00	0402	BLDG1330B01	1 1	8.00 8.55		4	912	115 24 00000
4	EB00	0402	ZMVI2000B01	11	8.00 17.00		17	912	115 24 00000
4	EB00	0402	ZMVI1000B01	1	8.00 17.00	1	21	912	115 24 00000
4	EB00	0402	ZMVI3000B01	1	8.00 17.00		1	912	115 24 00000
	EB00	0402	BLDG1110B01	11111	9.01 10.00		4	912	115 24 00000
	EB00	0402	BLDG1221B02	11111	11.01 14.45		1	912	115 24 00000
	EB00	0402	WELD1140B01	1 1	13.05 14.35	1	8	912	115 24 00000
	EB00	0402	BLDG1120B01	1 1 1	14.01 15.00		5	912	115 24 00000
	EB00	0406	WELD1411B01	11111	7.00 8.30		8	4,004	210 40 00000
	EB00	0406	WELD2111B02	11111	7.00 8.30	1	1	4,004	210 40 00000
	EB00	0406	WELD2310B03	11111	7.00 8.30	1	1	4,004	210 40 00000
	EB00	0406	WELD1420B01	1 1 1	7.00 9.30	1	5	4,004	210 40 00000
	EB00	0406	WELD1512B01	1 1	7.00 9.30	1	1	4,004	210 40 00000
	EB00	0406	WELD1210B01	11111	7.00 10.00	1	6	4,004	210 40 00000
4	EB00	0406	WELD2991B01	11111	8.00 14.30	1	1	4,004	210 40 00000
	EB00	0406	WELD2111B03	11111	8.31 9.59	1	1	4,004	210 40 00000
	EB00	0406	WELD1412B01	11111	8.31 10.00	1	13	4,004	210 40 00000
	EB00	0406	WELD2210B02	11111	8.31 10.00	1	1	4,004	210 40 00000
	EB00	0406	WELD2310B01	11111	8.31 10.00	1	5	4,004	210 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 10/22/2013 12:15:24
 PAGE NUM 2

L.T.C.-HUEY P. LONG
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	EB00	0406	WELD1420E03	1 1 1	9.31 11.00	1	1	4,004	210 40	00000
	EB00	0406	WELD1510B01	1 1 1	9.31 12.00	1	1	4,004	210 40	00000
	EB00	0406	WELD2110B01	11111	10.01 11.29	1	13	4,004	210 40	00000
8	EB00	0406	WELD2230B02	11111	10.01 11.30	1	5	4,004	210 40	00000
8	EB00	0406	WELD1310B01	11111	10.05 11.20	1	2	4,004	210 40	00000
8	EB00	0406	WELD2110B03	11111	10.05 14.30	1	1	4,004	210 40	00000
8	EB00	0406	WELD1410B01	11111	11.30 14.30	1	3	4,004	210 40	00000
8	EB00	0406	WELD2111B01	11111	11.31 13.00	1	14	4,004	210 40	00000
8	EB00	0406	WELD2311B01	11111	11.31 13.00	1	9	4,004	210 40	00000
8	EB00	0406	WELD1140B02	11111	12.00 13.30	1	1	4,004	210 40	00000
8	EB00	0406	WELD1511B01	1 1 1	12.01 14.30	1	2	4,004	210 40	00000
8	EB00	0406	WELD1130B01	1 1 1	12.01 15.00	1	8	4,004	210 40	00000
8	EB00	0406	WELD2210B01	11111	13.01 14.00	1	11	4,004	210 40	00000
8	EB00	0406	WELD2310B02	11111	13.01 14.30	1	4	4,004	210 40	00000
	EB00	0409	WELD1110B01	11111	7.00 10.00		8	912	115 24	00000
	EB00	0409	WELD1120B01	11111	10.01 12.00		7	912	115 24	00000
	EE00	0002	HNUR1002E02	1	8.00 10.00		23	1,683	115 30	00000
	EE00	0002	HCOR1210E02	1 1	8.00 11.00		23	1,683	115 30	00000
	EE00	0002	HNUR1302E02	1 1	8.00 11.00		23	1,683	115 30	00000
	EE00	0002	HNUR1312E02	1 1	11.30 13.45		22	1,683	115 30	00000
	EE00	0002	HNUR1211E02	1 1	11.30 14.30		21	1,683	115 30	00000
	EE00	0003	BUSE1030E01	1 1	8.00 9.15		32	1,760	140 30	00000
	EE00	0003	KYBD1010E01	1 1 1	10.00 10.50		2	1,760	140 30	00000
	EE00	0003	KYBD1111E01	1 1 1	10.00 11.45	1	1	1,760	140 30	00000
	EE00	0003	CPTR1002E01	1 1	13.50 15.00		18	1,760	140 30	00000
	EE00	0006	WELD1110E01	11111	7.00 7.40		1	2,150	210 20	00000
	EE00	0006	WELD1410E01	11111	7.00 7.55	1	1	2,150	210 20	00000
	EE00	0006	WELD2310E01	11111	7.00 8.30	1	1	2,150	210 20	00000
	EE00	0006	WELD2110E01	11111	7.00 8.40	1	3	2,150	210 20	00000
	EE00	0006	WELD1120E01	11111	7.45 8.45	1	2	2,150	210 20	00000
	EE00	0006	WELD1412E02	11111	7.59 9.34	1	1	2,150	210 20	00000
	EE00	0006	WELD1510E01	11111	8.35 10.00	1	1	2,150	210 20	00000
	EE00	0006	WELD1130E01	11111	8.50 9.30	1	3	2,150	210 20	00000
	EE00	0006	WELD2230E02	11111	9.30 11.05		1	2,150	210 20	00000
	EE00	0006	WELD1140E01	11111	9.35 10.05	1	2	2,150	210 20	00000
	EE00	0006	WELD2111E02	11111	9.35 10.15	1	2	2,150	210 20	00000
	EE00	0006	WELD1412E01	11111	9.35 11.05	1	2	2,150	210 20	00000
	EE00	0006	WELD1140EJ1	1 1	10.00 11.00	1	7	2,150	210 20	00000
	EE00	0006	WELD1110EJ1	1 1 1	10.00 11.15		7	2,150	210 20	00000
	EE00	0006	WELD1512E01	11111	10.05 11.35	1	1	2,150	210 20	00000
	EE00	0006	WELD1210E01	11111	10.10 10.50	1	1	2,150	210 20	00000
	EE00	0006	WELD2311E01	11111	10.10 11.40	1	1	2,150	210 20	00000
	EE00	0006	WELD1310E01	11111	10.55 11.25	1	2	2,150	210 20	00000
	EE00	0006	WELD1420E01	11111	11.10 12.40	1	1	2,150	210 20	00000
	EE00	0006	WELD2111E01	11111	11.10 12.40	1	1	2,150	210 20	00000
	EE00	0006	WELD2330E03	11111	11.10 12.40	1	1	2,150	210 20	00000
	EE00	0006	WELD1411E01	11111	11.30 13.00	1	3	2,150	210 20	00000
	EE00	0006	WELD2230E01	11111	11.40 13.10	1	1	2,150	210 20	00000
	EE00	0006	WELD2330E01	11111	11.45 13.15	1	1	2,150	210 20	00000
	EE00	0006	WELD2210E01	11111	12.45 14.00	1	3	2,150	210 20	00000
	EE00	0006	WELD2310E02	11111	13.05 14.35	1	1	2,150	210 20	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013
 RUN DATE 10/22/2013 12:15:24
 PAGE NUM 3

L.T.C.-HUEY P. LONG
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	EE00 0006	WELD2330E02	11111	13.05 14.35	1	1	2,150		210 20	00000
	EE00 0006	JOBS2450E01	11111	14.05 14.35	1	2	2,150		210 20	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
FALL DATA 2013
RUN DATE 10/22/2013 12:15:24

L.T.C.-HUEY P. LONG

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -	
	THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,	
	THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	6
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -	
	CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - -	12
	PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -	
	THERE SHOULD BE NO DUPLICATES.	

----- T O T A L S -----

TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	18
TOTAL NUMBER OF RECORDS READ	- - - - -	104
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	104
NUMBER OF JOINT-CLASS RECORDS	- - - - -	65
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/22/2013 12:15:24

PAGE NUM 1

L.T.C.-HUEY P. LONG

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			7
TOTAL NUMBER OF STATIONS (CAPACITY)			184
WEEKLY STUDENT CONTACT HOURS	379		379
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	630	350	980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	64		64
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	16,560	9,200	25,760
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,716		1,716
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	758		758
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	10.2	.0	6.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	4.6	.0	2.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	44.2	.0	44.2
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			7
TOTAL NUMBER OF STATIONS (CAPACITY)			184
WEEKLY STUDENT CONTACT HOURS	379		379
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	630	350	980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	64		64
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	16,560	9,200	25,760
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,716		1,716
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	758		758
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	10.2	.0	6.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	4.6	.0	2.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	44.2	.0	44.2

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/22/2013 12:15:24

PAGE NUM 2

L.T.C.-HUEY P. LONG

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			7
TOTAL NUMBER OF STATIONS (CAPACITY)			204
WEEKLY STUDENT CONTACT HOURS	1,683		1,683
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	630	350	980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,127		1,127
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	18,360	10,200	28,560
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	33,168		33,168
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,367		3,367
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	178.9	.0	115.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	18.3	.0	11.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	10.2	.0	10.2
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			7
TOTAL NUMBER OF STATIONS (CAPACITY)			204
WEEKLY STUDENT CONTACT HOURS	1,683		1,683
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	630	350	980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,127		1,127
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	18,360	10,200	28,560
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	33,168		33,168
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,367		3,367
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	178.9	.0	115.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	18.3	.0	11.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	10.2	.0	10.2

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY