

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/13/2014 08:45:42
 PAGE NUM 1

L.T.C.-HUEY P. LONG
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	EB00 0200	HNUR1212B01	1	6.30 12.30		35	1,911	210 40	00000
	EB00 0200	HNUR1211B01	1	8.00 11.00		35	1,911	210 40	00000
	EB00 0200	HNUR1302B01	1 1	8.00 11.00		26	1,911	210 40	00000
	EB00 0200	HNUR1211B01	1	9.00 11.00		35	1,911	210 40	00000
	EB00 0200	HNUR1211B02	11	12.00 13.30		4	1,911	210 40	00000
	EB00 0200	HNUR1312B01	1	12.00 15.00		35	1,911	210 40	00000
	EB00 0200	HNUR1212B01	1	12.00 16.00		35	1,911	210 40	00000
	EB00 0203	HCOR1210B01	1	8.00 11.00		6	1,000	115 35	00000
4	EB00 0205	HNUR2143B01	1	6.30 14.30		18	1,000	115 40	00000
4	EB00 0205	HNUR2123B01	11	6.30 14.30		19	1,000	115 40	00000
	EB00 0205	HNUR2143B01	1	8.00 11.00		18	1,000	115 40	00000
	EB00 0205	HNUR2123B01	111	8.00 11.00		19	1,000	115 40	00000
9	EB00 0205	HNUR2123B01	1	8.00 11.00		19	1,000	115 40	00000
9	EB00 0205	HNUR2123B01	1	8.00 11.00		19	1,000	115 40	00000
	EB00 0205	HNUR2183B01	1	8.30 11.00		18	1,000	115 40	00000
	EB00 0205	HNUR2143B01	11	11.45 14.30		18	1,000	115 40	00000
	EB00 0205	HNUR2123B01	1	11.45 14.45		19	1,000	115 40	00000
	EB00 0205	HNUR2993B01	1	12.00 14.45		9	1,000	115 40	00000
	EB00 0209	HPHM1200B01	1	8.00 11.00		6	1,000	115 30	00000
	EB00 0209	HPHM1500B01	1	8.00 11.00		7	1,000	115 30	00000
	EB00 0209	HPHM1510B01	1	8.00 11.00	1	6	1,000	115 30	00000
	EB00 0209	HPHM1500B01	11	8.00 11.00		7	1,000	115 30	00000
	EB00 0209	HPHM1510B01	11	8.00 11.00	1	6	1,000	115 30	00000
	EB00 0209	HPHM1410B01	1	11.45 13.30		7	1,000	115 30	00000
	EB00 0209	HPHM1300B01	1	11.45 14.45		6	1,000	115 30	00000
	EB00 0209	HPHM1500B01	1	11.45 14.45		7	1,000	115 30	00000
	EB00 0209	HPHM1510B01	1	11.45 14.45	1	6	1,000	115 30	00000
4	EB00 0213	HCOR1212B01	11	6.30 12.30		4	1,000	115 30	00000
	EB00 0213	HCOR1210B01	1	8.00 8.50		6	1,000	115 30	00000
	EB00 0213	HNUR1211B02	11	8.00 11.00		4	1,000	115 30	00000
	EB00 0213	HCOR1200B01	1	8.00 11.00		12	1,000	115 30	00000
	EB00 0213	HCOR1320B01	1	9.00 12.00		6	1,000	115 30	00000
	EB00 0213	HCOR1200B01	1	12.00 13.20		12	1,000	115 30	00000
	EB00 0306	KYBD1010B01	1 1 1	9.00 9.50		1	962	140 24	00000
	EB00 0306	KYBD1111B01	1 1 1	9.00 10.50	1	4	962	140 24	00000
	EB00 0306	BOTH1240B01	1 1	10.00 11.10		12	962	140 24	00000
	EB00 0306	CPTR1002B01	1 1 1	13.30 14.40		2	962	140 24	00000
	EB00 0307	LFRM1000B01	1	8.00 9.50		9	962	140 30	00000
	EB00 0307	LFRM1000B04	1	8.00 9.50		3	962	140 30	00000
	EB00 0307	BUSM1050B01	11111	9.00 9.59	1	4	962	140 30	00000
	EB00 0307	LFRE0092B01	1 1	11.00 12.00		1	962	140 30	00000
	EB00 0307	CPTR1000B02	1	12.00 13.25		19	962	140 30	00000
	EB00 0307	LFRM1000B02	1	12.00 13.50		28	962	140 30	00000
	EB00 0307	LFRM1000B05	1	12.00 13.50		11	962	140 30	00000
	EB00 0307	CPTR1000B03	1	13.30 15.00		4	962	140 30	00000
	EB00 0307	LFMA0091B01	1 1	14.00 15.00	1	5	962	140 30	00000
	EB00 0307	LFRM1000B06	1	14.00 15.50		1	962	140 30	00000
	EB00 0307	LFRE0092B01	1 1 1	14.30 15.30		1	962	140 30	00000
	EB00 0307	LFMA0092B01	1 1	15.00 16.00	1	1	962	140 30	00000
	EB00 0307	LFMA0091B01	1 1	15.30 17.00	1	5	962	140 30	00000
	EB00 0307	LFMA0092B01	1 1	15.30 17.00		1	962	140 30	00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	EB00	0402	BLDG1150B01	11111	7.00 9.00		2	912	115 24 00000	
	EB00	0402	BLDG1410B01	11111	7.00 9.00	1	1	912	115 24 00000	
4	EB00	0402	BLDG1220B01	11111	8.00 14.00	1	5	912	115 24 00000	
4	EB00	0402	BLDG1221B01	11111	8.00 14.00	1	5	912	115 24 00000	
4	EB00	0402	ZMVI2000B01	11	8.00 17.00	1	4	912	115 24 00000	
4	8	EB00	0402	ZMVI1000B01	1	8.00 17.00	1	30	912	115 24 00000
	8	EB00	0402	BLDG1110B01	11111	9.01 10.00	1	2	912	115 24 00000
	8	EB00	0402	BLDG1310B01	11111	9.01 11.30	1	1	912	115 24 00000
	8	EB00	0402	BLDG1140B01	11111	10.01 12.00	1	2	912	115 24 00000
	8	EB00	0402	BLDG1320B01	11111	11.31 14.00	1	2	912	115 24 00000
	8	EB00	0402	BLDG1330B02	11111	12.01 13.00	1	2	912	115 24 00000
	8	EB00	0402	BLDG1130B01	11111	12.01 13.59	1	2	912	115 24 00000
	EB00	0402	BLDG1120B01	1 1 1	14.01 15.00		4	912	115 24 00000	
	EB00	0406	WELD1411B01	11111	7.00 8.30		7	4,004	210 40 00000	
	EB00	0406	WELD2111B02	11111	7.00 8.30	1	1	4,004	210 40 00000	
	EB00	0406	WELD2230B01	11111	7.00 8.30	1	3	4,004	210 40 00000	
	EB00	0406	WELD2310B02	11111	7.00 8.30	1	1	4,004	210 40 00000	
	EB00	0406	WELD1512B01	1 1 1	7.00 9.00	1	6	4,004	210 40 00000	
	EB00	0406	WELD1420B01	1 1 1	7.00 9.30	1	5	4,004	210 40 00000	
	EB00	0406	WELD1110B01	11111	7.00 10.00	1	11	4,004	210 40 00000	
	EB00	0406	WELD1210B01	11111	7.00 10.00	1	13	4,004	210 40 00000	
	EB00	0406	WELD2993B01	11111	7.00 10.00	1	2	4,004	210 40 00000	
	EB00	0406	WELD1110B02	11111	8.00 8.59	1	8	4,004	210 40 00000	
	8	EB00	0406	WELD1110B03	11111	8.00 8.59	1	7	4,004	210 40 00000
	8	EB00	0406	WELD1210B02	11111	8.00 8.59	1	4	4,004	210 40 00000
	8	EB00	0406	WELD1412B01	11111	8.31 10.00	1	6	4,004	210 40 00000
	8	EB00	0406	WELD2210B02	11111	8.31 10.00	1	2	4,004	210 40 00000
	8	EB00	0406	WELD2310B01	11111	8.31 10.00	1	3	4,004	210 40 00000
	8	EB00	0406	WELD1140B02	11111	9.00 9.59	1	11	4,004	210 40 00000
	8	EB00	0406	WELD1410B02	11111	9.00 9.59	1	1	4,004	210 40 00000
	8	EB00	0406	WELD1510B01	1 1 1	9.31 12.00	1	6	4,004	210 40 00000
	8	EB00	0406	WELD1310B01	11111	10.01 11.26	1	18	4,004	210 40 00000
	8	EB00	0406	WELD2110B01	11111	10.01 11.30	1	6	4,004	210 40 00000
	8	EB00	0406	WELD2230B02	11111	10.01 11.30	1	1	4,004	210 40 00000
	8	EB00	0406	WELD1120B01	11111	10.01 12.00	1	13	4,004	210 40 00000
	8	EB00	0406	WELD1410B01	11111	11.30 14.30	1	3	4,004	210 40 00000
	8	EB00	0406	WELD2111B01	11111	11.31 13.00	1	6	4,004	210 40 00000
	8	EB00	0406	WELD2311B01	11111	11.31 13.00	1	6	4,004	210 40 00000
	8	EB00	0406	WELD1511B01	1 1 1	12.01 14.30	1	7	4,004	210 40 00000
	8	EB00	0406	WELD2221B01	1 1 1	12.01 14.30	1	1	4,004	210 40 00000
	8	EB00	0406	WELD1130B01	11111	12.01 14.55	1	12	4,004	210 40 00000
	8	EB00	0406	WELD1140B01	1 1	13.00 14.25	1	1	4,004	210 40 00000
	8	EB00	0406	WELD2210B01	11111	13.01 14.00	1	4	4,004	210 40 00000
	8	EB00	0406	WELD2310E01	11111	13.01 14.30	1	2	4,004	210 40 00000
4	EB00	0409	ZFTH1000B01	1111	7.00 16.00		5	912	115 24 00000	
4	9	EB00	0409	ZFTH1000B01	1111	7.00 16.00		5	912	115 24 00000
	EB00	0409	ZFTH1000B01	111	17.00 20.00		5	912	115 24 00000	
	9	EB00	0409	ZFTH1000B01	111	17.00 20.00		5	912	115 24 00000
4	EE00	0002	HNUR2143E01	1	6.30 14.30		15	1,683	115 30 00000	
	9	EE00	0002	HNUR2143E01	1	8.00 11.00		15	1,683	115 30 00000
	EE00	0002	HNUR2123E01	111	8.00 11.00		17	1,683	115 30 00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2014
 RUN DATE 11/13/2014 08:45:42
 PAGE NUM 3

L.T.C.-HUEY P. LONG
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	EE00	0002	HNUR2123E01	1	8.00 11.00		17	1,683	115 30 00000
89	EE00	0002	HNUR2123E01	1	8.00 11.00		17	1,683	115 30 00000
	EE00	0002	HNUR2183E01	1	8.30 11.00		15	1,683	115 30 00000
	EE00	0002	HNUR2143E01	11	11.45 14.30		15	1,683	115 30 00000
	EE00	0002	HNUR2123E01	1	11.45 14.45		17	1,683	115 30 00000
	EE00	0002	HNUR2993E01	1	12.00 14.45		12	1,683	115 30 00000
	EE00	0002	HNUR2997E01	1 1	12.30 14.30		3	1,683	115 30 00000
4	EE00	0003	HCOR1212E01	11	6.30 12.30		3	1,760	140 30 00000
4	EE00	0003	HCOR1212E02	1	6.30 12.30	1	3	1,760	140 30 00000
4	EE00	0003	HCOR1212E02	111	6.30 12.30		3	1,760	140 30 00000
4	EE00	0003	HNUR2123E01	11	6.30 14.30	1	17	1,760	140 30 00000
	EE00	0003	CSRV1000E02	1 1 1	8.00 8.50	1	14	1,760	140 30 00000
	EE00	0003	HCOR1210E01	1	8.00 8.50	1	3	1,760	140 30 00000
	EE00	0003	ACCT1100E01	1 1	8.00 9.55		3	1,760	140 30 00000
	EE00	0003	HNUR1211E02	1111	8.00 11.00	1	3	1,760	140 30 00000
	EE00	0003	HNUR1211E01	11	8.00 11.00	1	3	1,760	140 30 00000
	EE00	0003	HNUR1211E02	1	8.00 11.00	1	3	1,760	140 30 00000
	EE00	0003	HCOR1210E01	1	8.00 11.00		3	1,760	140 30 00000
	EE00	0003	HCOR1200E01	1	8.00 11.00		3	1,760	140 30 00000
	EE00	0003	KYBD1111F01	1 1 1	9.00 10.50		6	1,760	140 30 00000
	EE00	0003	HCOR1320E01	1	9.00 12.00	1	3	1,760	140 30 00000
	EE00	0003	OSYS2530E01	1 1	11.15 11.55		8	1,760	140 30 00000
	EE00	0003	HNUR1211E02	1111	11.45 13.30	1	3	1,760	140 30 00000
9	EE00	0003	HNUR1211E02	1	11.45 13.30		3	1,760	140 30 00000
	EE00	0003	HCOR1200E01	1	12.00 13.20		3	1,760	140 30 00000
	EE00	0003	HNUR1211E01	11	12.00 13.30		3	1,760	140 30 00000
	EE00	0003	BUSE1045E01	1 1	13.30 14.45		8	1,760	140 30 00000
	EE00	0004	LFRM1000E01	1	8.00 9.50		2	960	140 20 00000
	EE00	0004	LFRE0091E01	1 1	10.00 11.00		2	960	140 20 00000
	EE00	0004	LFRE0091E01	1 1 1	13.30 14.30		2	960	140 20 00000
	EE00	0006	WELD1210E01	11111	8.00 9.00		2	2,150	210 20 00000
	EE00	0006	WELD1310E01	11111	8.00 9.00	1	1	2,150	210 20 00000
4	EE00	0006	WELD1512E01	11111	8.00 14.30	1	2	2,150	210 20 00000
4	EE00	0006	WELD1510E01	11111	8.00 15.00	1	1	2,150	210 20 00000
4	EE00	0006	WELD1511E01	11111	8.00 15.00	1	2	2,150	210 20 00000
	EE00	0006	WELD1410E01	11111	9.15 10.30	1	2	2,150	210 20 00000
	EE00	0006	WELD1411E01	11111	9.15 11.40	1	1	2,150	210 20 00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	18
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	29
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	8
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		55
TOTAL NUMBER OF RECORDS READ		139
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		131
NUMBER OF JOINT-CLASS RECORDS		64
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/13/2014 08:45:42

PAGE NUM 1

L.T.C.-HUEY P. LONG

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			7
TOTAL NUMBER OF STATIONS (CAPACITY)			184
WEEKLY STUDENT CONTACT HOURS	920		920
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	630	350	980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	340		340
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	16,560	9,200	25,760
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,862		9,862
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,840		1,840
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	54.0	.0	34.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	11.1	.0	7.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	18.7	.0	18.7
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			7
TOTAL NUMBER OF STATIONS (CAPACITY)			184
WEEKLY STUDENT CONTACT HOURS	920		920
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	630	350	980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	340		340
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	16,560	9,200	25,760
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,862		9,862
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,840		1,840
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	54.0	.0	34.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	11.1	.0	7.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	18.7	.0	18.7

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/13/2014 08:45:42
 PAGE NUM 2

L.T.C.-HUEY P. LONG

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			7
TOTAL NUMBER OF STATIONS (CAPACITY)			204
WEEKLY STUDENT CONTACT HOURS	2,577		2,577
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	630	350	980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	822		822
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	18,360	10,200	28,560
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	27,580		27,580
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,154		5,154
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	130.5	.0	83.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	28.1	.0	18.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	18.7	.0	18.7
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			7
TOTAL NUMBER OF STATIONS (CAPACITY)			204
WEEKLY STUDENT CONTACT HOURS	2,577		2,577
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	630	350	980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	822		822
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	18,360	10,200	28,560
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	27,580		27,580
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,154		5,154
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	130.5	.0	83.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	28.1	.0	18.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	18.7	.0	18.7

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY