

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2013  
 RUN DATE 12/13/2013 12:04:54  
 PAGE NUM 1

L.T.C.-LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	A000	0101	HPHM1200L01	1 1 1	8.00 10.50		7	760	210 20	00000
	A000	0101	HPHM1400L01	1 1 1	8.00 10.50	1	14	760	210 20	00000
	A000	0101	HPHM1300L01	1 1 1	11.00 14.50		7	760	210 20	00000
	A000	0102	CDYC1341L01	1 1 1	8.00 9.15		4	1,024	210 20	00000
8	A000	0102	ENGL1010L31	1 1 1	9.00 9.50	1	30	1,024	210 20	00000
8	A000	0102	CDYC2211L01	11111	9.30 10.45	1	8	1,024	210 20	00000
8	A000	0102	CDYC1341L02	1 1	10.00 10.50	1	4	1,024	210 20	00000
	A000	0102	CDYC1341L03	1 1 1	16.30 17.45		5	1,024	210 20	00000
	A000	0103	HNUR2611L01	11	12.00 14.00		17	544	210 11	00000
	A000	0105	HNUR1411L01	11 1	8.00 9.59		26	1,680	110 90	00000
	A000	0105	HNUR1300L01	11	8.00 9.59	1	21	1,680	110 90	00000
	A000	0105	HNUR1361L01	1	8.00 9.59		25	1,680	110 90	00000
	A000	0105	HNUR1211L01	1111	8.00 10.00	1	11	1,680	110 90	00000
	A000	0105	HNUR1320L01	1	8.00 11.00	1	17	1,680	110 90	00000
	A000	0105	HNUR1411L01	1	8.00 11.00	1	26	1,680	110 90	00000
	A000	0105	HNUR1361L01	1 1	10.00 12.00		25	1,680	110 90	00000
	A000	0105	HNUR1270L01	1	10.01 12.00		19	1,680	110 90	00000
	A000	0105	HNUR1270L01	1	11.01 12.00		19	1,680	110 90	00000
	A000	0105	HNUR1300L01	1 1	13.00 15.00		21	1,680	110 90	00000
	A000	0105	HNUR1320L01	1	13.00 15.00		17	1,680	110 90	00000
	A000	0106	CDYC1333L02	1 1	8.00 9.15		2	986	210 20	00000
	A000	0106	CDYC1050L01	1 1	9.30 10.45		16	986	210 20	00000
	A000	0106	CDYC1332L01	1 1	11.00 12.45		3	986	210 20	00000
	A000	0106	CDYC1333L01	1 1	14.00 15.15		14	986	210 20	00000
	A000	0106	CDYC1140L01	1 1	16.30 17.45		5	986	210 20	00000
	A000	0106	CDYC1120L01	1	18.00 20.50		7	986	210 20	00000
	A000	0106	CDYC2005L01	1	18.00 20.50		12	986	210 20	00000
	A000	0107	CPTR1002L01	1 1 1	8.00 8.50		14	620	210 20	00000
	A000	0107	KYBD1010L01	1 1 1	9.00 9.50		21	620	210 20	00000
	A000	0107	CSRV1000L01	1 1	9.25 10.40		24	620	210 20	00000
	A000	0107	MATR1350L01	1 1 1	10.00 10.50		4	620	210 20	00000
	A000	0107	KYBD1111L01	1 1	10.50 12.05		16	620	210 20	00000
	A000	0107	KYBD1111L01	1 1	11.00 11.50		16	620	210 20	00000
	A000	0107	BOTH2110L01	1 1 1	12.00 12.50		4	620	210 20	00000
	A000	0107	CPTR1002L02	1 1 1	13.00 13.50		1	620	210 20	00000
8	A000	0108	SURG1111L01	11	8.00 11.00		7	100	310 1	00000
8	A000	0108	SURG1111L01	11	12.00 14.00		7	100	310 1	00000
	A000	0110	SURG1321L01	1 1	8.00 11.00		8	1,034	210 20	00000
	A000	0110	SURG1211L01	1 1	8.00 11.00		7	1,034	210 20	00000
	A000	0110	SURG2310L01	1 1	8.00 13.00		14	1,034	210 20	00000
	A000	0110	SURG1321L01	1 1	12.00 14.00		8	1,034	210 20	00000
	A000	0110	SURG1211L01	1 1	12.00 14.00		7	1,034	210 20	00000
	A000	0112	CULN1160L01	11111	7.00 7.50		5	2,752	630 120	00000
	A000	0112	CULN1140L01	11111	8.00 8.50		18	2,752	630 120	00000
4	A000	0112	CULN1240L01	11111	8.00 13.25	1	5	2,752	630 120	00000
	A000	0112	CULN2310L01	11111	9.00 11.50	1	12	2,752	630 120	00000
	A000	0112	CULN1130L01	11111	11.00 11.50	1	17	2,752	630 120	00000
	A000	0112	CULN1170L01	11111	12.00 12.50		19	2,752	630 120	00000
	A000	0112	CULN1110L01	11111	14.00 14.50		20	2,752	630 120	00000
	A000	0112	CULN1321L01	11111	14.00 16.00	1	11	2,752	630 120	00000
	A000	0114	ACCT1100L01	1 1	8.00 8.50		24	945	210 30	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2013  
 RUN DATE 12/13/2013 12:04:54  
 PAGE NUM 2

L.T.C.-LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	A000	0114	ACCT1100L01	1 1	8.00 9.15		24	945	210 30 00000
	A000	0114	ACCT1200L01	1 1	9.00 9.50		18	945	210 30 00000
	A000	0114	ACCT1200L01	1 1	9.25 10.40		18	945	210 30 00000
	A000	0114	BUSE1030L01	1 1 1	10.00 10.50		27	945	210 30 00000
	A000	0114	MATH1105L04	1 1	11.00 12.15		30	945	210 30 00000
	A000	0114	GBUS2010L05	1 1 1	12.00 12.50		11	945	210 30 00000
	A000	0114	MATH2040L01	1 1	12.30 13.45		24	945	210 30 00000
	A000	0114	MATH1105L02	1 1	13.00 14.15		30	945	210 30 00000
	A000	0114	MATH0921L10	1 1	18.00 19.15		22	945	210 30 00000
	A000	0201	BOTH1230L01	1 1 1	8.00 8.50		13	576	210 20 00000
	A000	0201	ISYS1440L01	1 1	9.00 9.50		14	576	210 20 00000
	A000	0201	ISYS1440L01	1 1	9.25 10.40		14	576	210 20 00000
	A000	0201	BUSE1045L01	1 1 1	10.00 10.50		21	576	210 20 00000
	A000	0201	BOTH1210L01	1 1	10.50 12.05		13	576	210 20 00000
	A000	0201	OSYS1100L01	1 1	13.00 14.15		25	576	210 20 00000
4	A000	0203	JOBS2450L01	1111	8.00 15.30		25	589	210 20 00000
8	A000	0203	BIOL1010L03	1 1	9.30 13.00	1	29	589	210 20 00000
8	A000	0203	BIOL1020L03	1 1	9.30 13.00	1	29	589	210 20 00000
	A000	0203	ENGL2210L01	1 1	13.00 14.15		12	589	210 20 00000
	A000	0300	MATH0921L05	1 1 1	8.00 8.50		30	459	110 30 00000
	A000	0300	MATH0920L06	1 1	8.00 10.15		29	459	110 30 00000
	A000	0300	MATH0900L01	1 1 1	9.00 9.50		31	459	110 30 00000
	A000	0300	MATH0920L02	1	10.00 10.50		32	459	110 30 00000
	A000	0300	MATH0920L02	1 1	10.00 11.50		32	459	110 30 00000
	A000	0300	MATH0920L07	1 1	11.00 13.15		29	459	110 30 00000
	A000	0300	MATH0920L03	1 1	13.00 15.15		29	459	110 30 00000
	A000	0300	MATH0900L02	1 1	14.00 15.15		32	459	110 30 00000
	A000	0300	MATH0920L04	1 1	15.30 17.45		27	459	110 30 00000
	A000	0300	MATH0920L05	1 1	18.00 20.15		29	459	110 30 00000
	A000	0301	ENGL0091L04	1 1 1	8.00 8.50		14	1,000	110 20 00000
8	A000	0301	SOCI2010L01	1 1 1	9.00 9.50		31	1,000	110 20 00000
	A000	0301	MATH0900L06	1 1 1	10.00 10.50		25	1,000	110 20 00000
	A000	0301	MATH0900L07	1 1	10.50 12.05		26	1,000	110 20 00000
	A000	0301	MATH0921L01	1 1 1	11.00 13.15		29	1,000	110 20 00000
	A000	0301	COLS1001L11	1 1	12.30 13.45		30	1,000	110 20 00000
	A000	0301	MATH1100L16	1 1	14.00 17.30		29	1,000	110 20 00000
	A000	0302	CHEM1410L02	1 1 1	9.30 10.20		16	459	210 20 00000
	A000	0302	SPCH1010L07	1 1	9.30 10.45		26	459	210 20 00000
	A000	0302	CLTS1030L02	1 1 1	10.30 11.40		13	459	210 20 00000
	A000	0302	ENGL2020L01	1 1	14.00 15.15		14	459	210 20 00000
	A000	0302	CEBB9999999	1	17.00 21.00		22	459	210 20 00000
	A000	0402	PSYC2020L01	1 1	8.00 11.30		17	704	210 15 00000
	A000	0404	BOTH1120L01	1 1 1	8.00 8.50		10	680	210 21 00000
	A000	0404	CPTR1002L05	1 1	9.25 10.40		8	680	210 21 00000
	A000	0404	BOTH1300L01	1 1 1	10.00 10.50		11	680	210 21 00000
	A000	0404	CPTR1002L04	1 1 1	11.00 11.50		11	680	210 21 00000
8	A000	0404	BUSM1050L01	1 1 1	11.00 12.05	1	25	680	210 21 00000
	A000	0404	READ0092L12	1 1	15.00 18.30		12	680	210 21 00000
	A000	0408	CPTR1000L01	1 1 1	7.00 7.50		6	1,540	210 30 00000
4	A000	0408	ORNT1000L02	11	8.00 16.00		16	1,540	210 30 00000
	A000	0408	BOTH1240L01	1 1 1	9.00 9.50	1	11	1,540	210 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2013  
 RUN DATE 12/13/2013 12:04:54  
 PAGE NUM 3

L.T.C.-LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	A000	0408	PREK1001L03	1 1	9.30 10.45		27	1,540	210 30 00000	
	A000	0408	ACCT1300L01	1 1	10.50 12.30		13	1,540	210 30 00000	
	A000	0408	INTE1010L01	1 1 1	11.00 12.00		8	1,540	210 30 00000	
	A000	0408	ENGL1020L07	1 1	13.00 14.15		20	1,540	210 30 00000	
	A000	0408	ACCT1500L01	1 1	13.00 14.45		9	1,540	210 30 00000	
	A000	0408	CDYC1330L01	1 1	14.30 15.45		6	1,540	210 30 00000	
8	A000	0408	HNUR2991L01	11	16.01 17.00		46	1,540	210 30 00000	
	A000	0408	ENGL1010L27	1 1	18.00 21.30		9	1,540	210 30 00000	
4	A000	0411	ORNT1000L01	11	8.00 16.00		38	1,705	110 40 00000	
	A000	0413	MATH0920L01	1	8.00 8.50		30	1,430	210 30 00000	
	A000	0413	MATH0920L01	1 1	8.00 9.50		30	1,430	210 30 00000	
4	8	A000	0413	JOBS2450L02	1111	8.00 15.30	1	21	1,430	210 30 00000
8	A000	0413	MATH1100L15	1 1 1	11.00 13.15	1	25	1,430	210 30 00000	
	A000	0413	MATH0921L04	1 1	14.00 17.30		25	1,430	210 30 00000	
8	A000	0415	HBIO1130L01	1 1	8.30 9.50		24	472	210 15 00000	
	A000	0415	HNUR2991L02	1111	15.30 16.00		23	472	210 15 00000	
	A000	0500	ELEC1220L01	11111	7.30 8.20		4	4,709	210 22 00000	
	A000	0500	ELEC2542L01	11111	7.30 11.20	1	7	4,709	210 22 00000	
	A000	0500	ELEC1330L01	11111	8.30 9.20	1	4	4,709	210 22 00000	
	A000	0500	ELEC1420L01	11111	9.30 10.20		4	4,709	210 22 00000	
	A000	0500	ELEC1120L01	11111	10.30 12.20		21	4,709	210 22 00000	
	A000	0500	ELEC1410L01	11111	10.30 12.20	1	4	4,709	210 22 00000	
	A000	0500	ELEC1440L01	11111	12.30 13.30		3	4,709	210 22 00000	
	A000	0500	ELEC1210L01	11111	12.30 14.20	1	20	4,709	210 22 00000	
	A000	0500	ELEC2543L01	11111	14.31 17.00		6	4,709	210 22 00000	
	A000	0500C	ETRN2720L01	1 1	7.30 9.50		13	315	110 15 00000	
	A000	0500C	ETRN1235L01	11111	10.00 11.50		13	315	110 15 00000	
8	A000	0500D	ETRN1125L01	11111	8.00 9.50		13	342	215 00000	
8	A000	0500D	ETRN2840L01	1 1 1	8.00 9.50	1	15	342	215 00000	
8	A000	0500D	ETRN2110L01	11111	10.00 11.50		11	342	215 00000	
8	A000	0500D	ETRN1000L01	1 1	12.30 13.20		13	342	215 00000	
8	A000	0500D	TECM1110L01	1 1	12.30 14.30		12	342	215 00000	
8	A000	0500D	ETRN2120L01	1 1	12.30 14.30		11	342	215 00000	
4	8	A000	0501B	CLTS2922L01	1111	7.00 15.30		7	98	215 00000
4	8	A000	0501B	CLTS2932L01	1111	7.00 15.30	1	7	98	215 00000
8	A000	0501B	CLTS1030L01	1 1 1	8.00 9.10	1	12	98	215 00000	
8	A000	0501B	CLTS2710L01	1 1	8.30 10.05		15	98	215 00000	
8	A000	0501B	CLTS2410L01	1 1 1	9.30 10.20		10	98	215 00000	
8	A000	0501B	CLTS2450L01	1 1	10.15 11.50		8	98	215 00000	
8	A000	0501B	CLTS2080L01	1 1 1	12.00 13.20		8	98	215 00000	
8	A000	0501B	CLTS2912L01	1	12.30 16.00	1	7	98	215 00000	
8	A000	0501B	CLTS2942L01	1	12.30 16.00	1	7	98	215 00000	
8	A000	0501B	HBIO1131L01	1	13.00 15.00		12	98	215 00000	
8	A000	0501B	HBIO1131L02	1	13.00 15.00		12	98	215 00000	
8	A000	0501B	CLTS2411L01	1	13.30 15.00		10	98	215 00000	
	A000	0503A	AUTO1801L01	1111	8.00 11.30		13	2,080	210 20 00000	
	A000	0503B	AUTO1000L01	1	8.00 9.40		23	396	110 20 00000	
	A000	0503B	AUTO2995L01	1 1	8.00 11.00		2	396	110 20 00000	
	A000	0503B	AUTO1600L01	1111	8.00 11.30	1	19	396	110 20 00000	
8	A000	0503B	AUTO1601L01	1111	8.00 11.30	1	18	396	110 20 00000	
8	A000	0503B	AUTO1811L01	1111	8.00 11.30	1	13	396	110 20 00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2013  
 RUN DATE 12/13/2013 12:04:54  
 PAGE NUM 4

L.T.C.-LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	A000	0503B	AUTO1500L01	1111	12.30 13.45		12	396	110 20 00000
	A000	0503B	AUTO1800L01	1111	12.30 14.00	1	14	396	110 20 00000
8	A000	0503H	AUTO1610L01	1111	8.00 11.30		16	550	210 5 00000
8	A000	0503H	AUTO1611L01	1111	8.00 11.30	1	16	550	210 5 00000
8	A000	0503H	AUTO1821L01	1111	8.00 11.30	1	13	550	210 5 00000
8	A000	0503H	AUTO1501L01	1111	12.30 13.45		13	550	210 5 00000
8	A000	0503H	AUTO1810L01	1111	12.30 14.00	1	14	550	210 5 00000
8	A000	0503H	AUTO1820L01	1111	12.30 14.00	1	15	550	210 5 00000
	A000	0504	MTTC2110L01	1 1	8.00 8.50		8	3,528	210 20 00000
	A000	0504	MTTC2510L01	1 1	8.00 8.50	1	6	3,528	210 20 00000
	A000	0504	MTTC2310L01	1 1 1	8.00 9.15		7	3,528	210 20 00000
	A000	0504	MTTC2410L01	1 1	8.00 9.15		6	3,528	210 20 00000
	A000	0504	MTTC2120L01	1 1	9.00 10.15	1	8	3,528	210 20 00000
	A000	0504	MTTC2320L01	1 1 1	9.16 10.55		6	3,528	210 20 00000
	A000	0504	MTTC2420L01	1 1	9.16 11.15		6	3,528	210 20 00000
	A000	0504	MTTC2210L01	1 1	10.25 11.15	1	8	3,528	210 20 00000
	A000	0504	MTTC2331L01	1 1 1	11.16 12.00		6	3,528	210 20 00000
	A000	0504	MTTC2431L01	1 1	11.16 12.00		7	3,528	210 20 00000
	A000	0504	MTTC2220L01	1 1	11.16 12.05	1	7	3,528	210 20 00000
	A000	0504	MTTC2710L01	1 1 1	12.01 14.30		5	3,528	210 20 00000
	A000	0504	MTTC2230L01	1 1	12.06 14.35		9	3,528	210 20 00000
	A000	0504	MTTC2431L01	1 1	12.30 14.15	1	7	3,528	210 20 00000
	A000	0506	WELD1310L01	11111	6.00 6.40		6	3,528	210 40 00000
	A000	0506	WELD1110LOA	11111	6.00 6.50	1	12	3,528	210 40 00000
	A000	0506	WELD1130L01	11111	6.00 6.50	1	6	3,528	210 40 00000
	A000	0506	WELD1120L01	11111	6.00 7.00	1	4	3,528	210 40 00000
	A000	0506	WELD1510L02	11111	6.00 7.30	1	4	3,528	210 40 00000
	A000	0506	WELD2220L01	11111	6.00 7.30	1	3	3,528	210 40 00000
	A000	0506	WELD1410L03	11111	6.41 7.31	1	5	3,528	210 40 00000
	A000	0506	WELD1412L01	11111	6.41 8.00	1	3	3,528	210 40 00000
	A000	0506	WELD1140L01	11111	6.51 7.30	1	12	3,528	210 40 00000
	A000	0506	WELD2111L01	11111	6.51 8.10	1	3	3,528	210 40 00000
8	A000	0506	WELD2210L02	11111	6.51 8.10	1	3	3,528	210 40 00000
8	A000	0506	WELD2310L02	11111	7.01 8.21	1	3	3,528	210 40 00000
8	A000	0506	WELD1210L01	11111	7.31 8.22	1	13	3,528	210 40 00000
8	A000	0506	WELD1420L02	11111	7.31 9.01	1	4	3,528	210 40 00000
8	A000	0506	WELD2113L01	11111	7.31 9.01	1	3	3,528	210 40 00000
8	A000	0506	WELD1411L02	11111	7.32 9.45	1	5	3,528	210 40 00000
8	A000	0506	WELD2110L01	11111	8.01 9.25	1	1	3,528	210 40 00000
8	A000	0506	WELD2311L01	11111	8.11 9.36	1	6	3,528	210 40 00000
8	A000	0506	WELD2110L02	11111	8.22 9.42	1	3	3,528	210 40 00000
8	A000	0506	WELD1410L01	11111	8.23 9.12	1	13	3,528	210 40 00000
8	A000	0506	WELD1512L01	11111	9.02 10.32	1	4	3,528	210 40 00000
8	A000	0506	WELD2222L01	11111	9.02 10.32	1	3	3,528	210 40 00000
8	A000	0506	WELD1411L01	11111	9.13 11.00	1	12	3,528	210 40 00000
8	A000	0506	WELD2310L01	11111	9.26 10.46	1	3	3,528	210 40 00000
8	A000	0506	WELD1420L01	11111	9.37 11.20	1	6	3,528	210 40 00000
8	A000	0506	WELD2111L02	11111	9.43 11.05	1	4	3,528	210 40 00000
8	A000	0506	WELD1412L02	11111	9.46 11.01	1	5	3,528	210 40 00000
	A000	0506	WELD1130L02	11111	11.02 11.52		4	3,528	210 40 00000
	A000	0506	WELD2440L02	11111	11.02 11.52	1	3	3,528	210 40 00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	A000	0506	WELD1110L02	1111	14.30 15.20		11	3,528	210 40 00000
	A000	0506	WELD1140L02	1111	15.21 16.30		11	3,528	210 40 00000
	A000	0506	WELD1210L02	1111	16.31 17.20		11	3,528	210 40 00000
	A000	0506	WELD1110L03	11	17.00 18.45	1	6	3,528	210 40 00000
	A000	0506	WELD1130L03	11	17.00 18.45	1	5	3,528	210 40 00000
	A000	0506	WELD1210L03	11	17.00 18.45	1	2	3,528	210 40 00000
	A000	0506	WELD2230L02	11	17.00 20.00	1	1	3,528	210 40 00000
	A000	0506	WELD1410L02	1111	17.21 18.30	1	11	3,528	210 40 00000
	A000	0506	WELD1140L03	11	18.46 20.00		8	3,528	210 40 00000
	A000	0506	WELD2310L03	11	18.46 20.00	1	7	3,528	210 40 00000
	A000	0601A	INTE1200L02	1 1 1	8.00 9.50		18	775	110 20 00000
	A000	0601A	INTE1100L02	1 1	8.00 10.40		15	775	110 20 00000
8	A000	0601A	INTE2110L01	1 1	8.00 10.40	1	17	775	110 20 00000
	A000	0601A	INTE1210L01	1 1 1	10.00 11.50		17	775	110 20 00000
	A000	0601A	INTE2902L01	1 1	11.00 15.00		8	775	110 20 00000
	A000	0601A	INTE1900L01	1 1 1	13.00 14.50		19	775	110 20 00000
	A000	0601E	INTE1010L01	1 1 1	10.00 10.59		8	644	215 20 00000
	A000	0601G	INTE2060L01	1 1 1	8.00 9.50		19	748	210 15 00000
	A000	0601G	INTE1800L01	1 1	8.00 10.40		19	748	210 15 00000
	A000	0601G	INTE2070L01	1 1 1	10.00 11.50		21	748	210 15 00000
	A000	0601G	INTE1100L01	1 1	10.50 14.00		14	748	210 15 00000
	A000	0601G	INTE1300L01	1 1 1	13.00 15.50		17	748	210 15 00000
	A000	0601G	SPPR2996L01	1 1	14.10 15.25		17	748	210 15 00000
	A000	0601H	INTE1200L01	1 1 1	8.00 9.50		18	456	210 15 00000
	A000	0601H	INTE1110L01	1 1	10.50 14.00		17	456	210 15 00000
	A000	0603	CADD1210L01	11111	7.30 8.50		3	3,111	210 30 00000
	A000	0603	DRFT1110L02	1 1	7.30 8.59	1	9	3,111	210 30 00000
	A000	0603	DRFT1120L01	1 1	7.30 8.59		6	3,111	210 30 00000
	A000	0603	DRFT1160L01	1 1	7.30 8.59	1	10	3,111	210 30 00000
	A000	0603	DRFT1230L01	1	7.30 9.20		4	3,111	210 30 00000
	A000	0603	DRFT1145L01	1111	7.30 9.29		1	3,111	210 30 00000
	A000	0603	DRFT2310L01	1111	7.30 9.29	1	2	3,111	210 30 00000
	A000	0603	DRFT2330L01	1111	7.30 9.29	1	8	3,111	210 30 00000
	A000	0603	DRFT2346L01	11111	8.00 10.59	1	9	3,111	210 30 00000
	A000	0603	DRFT2356L01	11111	8.00 10.59	1	2	3,111	210 30 00000
	A000	0603	DRFT2343L01	11111	8.01 10.59	1	5	3,111	210 30 00000
	A000	0603	DRFT1130L01	1 1	9.00 10.59	1	9	3,111	210 30 00000
	A000	0603	DRFT1161L01	1 1	9.30 10.59		7	3,111	210 30 00000
	A000	0603	DRFT1145L02	1111	9.30 11.29	1	12	3,111	210 30 00000
	A000	0603	DRFT2310L02	1111	9.30 11.29	1	5	3,111	210 30 00000
	A000	0603	DRFT2362L01	11111	11.00 12.29	1	1	3,111	210 30 00000
	A000	0603	DRFT2363L01	11111	11.00 12.29	1	1	3,111	210 30 00000
	A000	0603	DRFT2366L01	11111	11.00 12.29	1	2	3,111	210 30 00000
	A000	0603	DRFT1110L01	1 1	11.30 12.59	1	8	3,111	210 30 00000
	A000	0603	DRFT1120L02	1 1	11.30 12.59		8	3,111	210 30 00000
	A000	0603	DRFT1160L02	1 1	11.30 12.59	1	8	3,111	210 30 00000
	A000	0603	DRFT2320L01	1111	11.30 13.29	1	3	3,111	210 30 00000
	A000	0603	DRFT1215L01	11111	12.00 13.20	1	7	3,111	210 30 00000
	A000	0603	CADD1210L02	11111	12.30 14.59	1	2	3,111	210 30 00000
	A000	0603	DRFT2342L01	11111	12.30 14.59	1	4	3,111	210 30 00000
	A000	0603	DRFT2353L01	11111	12.30 14.59	1	3	3,111	210 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2013  
 RUN DATE 12/13/2013 12:04:54  
 PAGE NUM 6

L.T.C.-LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	A000	0603	DRFT2352L01	11111	12.30 15.29	1	3,111	210 30	00000	
	A000	0603	DRFT1130L02	1 1	13.30 14.59	1	3,111	210 30	00000	
	A000	0603	DRFT1161L02	1 1	13.30 14.59		3,111	210 30	00000	
	A000	0603	DRFT1230L02	1	13.30 15.20		3,111	210 30	00000	
	A000	0603	DRFT2320L02	11111	13.30 15.29		3,111	210 30	00000	
	A000	0605	GRPH1100L01	1 1	9.30 10.20		2,967	210 20	00000	
	A000	0605	GRPH1200L01	1 1	10.30 11.20		2,967	210 20	00000	
	A000	0605	GRPH1350L01	1 1	11.30 12.20		2,967	210 20	00000	
	A000	0605	GRPH1100L01	1 1	11.30 12.45	1	2,967	210 20	00000	
	A000	0605	GRPH1350L02	1	11.30 13.20		2,967	210 20	00000	
	A000	0605	GRPH1400L01	1 1	12.30 13.20		2,967	210 20	00000	
	A000	0605	GRPH1400L02	1 1	12.30 13.20	1	2,967	210 20	00000	
	A000	0605	GRPH1200L01	1 1	12.50 13.40	1	2,967	210 20	00000	
	A000	0605	GRPH1350L01	1	14.00 17.20		2,967	210 20	00000	
	A000	0605	GRPH2120L01	1	14.00 17.20		2,967	210 20	00000	
	A000	0605	GRPH2110L01	1	14.00 18.10		2,967	210 20	00000	
	A000	0605	GRPH1400L01	1	17.25 18.15	1	2,967	210 20	00000	
4	A000	0607	CIVL1120L01	111 1	7.00 7.50		546	110 20	00000	
	A000	0607	CIVL1141L01	1 1	8.00 14.30		546	110 20	00000	
	A000	0607	CIVL1240L01	1 1 1	10.00 10.50		546	110 20	00000	
	A000	0607	CIVL1320L01	1 1 1	11.00 11.50		546	110 20	00000	
	A000	0607	CIVL1321L01	1	12.30 15.15		546	110 20	00000	
	A000	0607	CIVL1330L01	1 1 1	13.00 13.50		546	110 20	00000	
	A000	0607	CIVL1430L01	1 1 1	14.00 14.50		546	110 20	00000	
	A000	0607	CIVL1121L01	1	14.00 17.55	1	546	110 20	00000	
	A000	0607	CIVL2560L01	1 1	15.00 16.30		546	110 20	00000	
	A000	0609	HACR2520L01	11111	8.00 8.50		3,055	210 20	00000	
	A000	0609	HACR2560L03	11111	8.00 8.50	1	3,055	210 20	00000	
	A000	0609	HACR1150L01	11111	8.00 9.30	1	3,055	210 20	00000	
	A000	0609	HACR1210L01	11111	8.00 9.30	1	3,055	210 20	00000	
	A000	0609	HACR2530L01	11111	9.00 9.50	1	3,055	210 20	00000	
8	A000	0609	HACR2550L02	11111	9.00 10.45	1	3,055	210 20	00000	
8	A000	0609	HACR1160L01	11111	9.31 10.50	1	3,055	210 20	00000	
8	A000	0609	HACR1220L01	11111	9.31 10.50	1	3,055	210 20	00000	
	A000	0609	HACR2510L01	11111	9.51 11.10	1	3,055	210 20	00000	
	A000	0609	HACR2560L02	11111	11.45 12.35		3,055	210 20	00000	
	A000	0609	HACR1170L01	11111	11.45 13.05	1	3,055	210 20	00000	
	A000	0609	HACR1230L01	11111	11.45 13.05	1	3,055	210 20	00000	
	A000	0609	HACR2550L01	11111	11.45 13.05	1	3,055	210 20	00000	
	A000	0609	HACR2810L01	11111	11.45 13.05	1	3,055	210 20	00000	
	A000	0609	HACR1180L01	11111	13.06 14.30		3,055	210 20	00000	
	A000	0609	HACR1240L01	11111	13.06 14.30	1	3,055	210 20	00000	
	A000	0609	HACR2820L01	11111	13.06 14.30	1	3,055	210 20	00000	
	A000	0609	HACR2540L02	11111	13.06 14.36	1	3,055	210 20	00000	
	A000	0609	CEAC0060L01	11	16.30 20.30		3,055	210 20	00000	
4	G000	0105	AMTA2020L01	11111	8.00 14.25		445	110 15	00000	
4	8	G000	0105	AMTA2031L01	11111	8.00 14.25	9	445	110 15	00000
4	8	G000	0105	AMTA2050L01	11111	8.00 14.25	14	445	110 15	00000
4	8	G000	0105	AMTA2060L01	11111	8.00 14.25	15	445	110 15	00000
4	8	G000	0105	AMTA2130L01	11111	8.00 14.25	15	445	110 15	00000
4	8	G000	0105	AMTA2140L01	11111	8.00 14.25	14	445	110 15	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2013  
 RUN DATE 12/13/2013 12:04:54  
 PAGE NUM 7

L.T.C.-LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER		RECRD NO.	
								ROOM TYPE & CAPACITY			
4	8	G000 0105	AMTA2010L01	1111	8.00 14.25	1	15	445	110	15	00000
4		G000 0113	AMTA2140L02	11111	8.00 14.25		13	615	110	15	00000
4	8	G000 0113	AMTG1010L01	11111	8.00 14.25	1	14	615	110	15	00000
4	8	G000 0113	AMTG1020L01	11111	8.00 14.25	1	14	615	110	15	00000
4	8	G000 0113	AMTG1030L01	11111	8.00 14.25	1	13	615	110	15	00000
4	8	G000 0113	AMTG1040L01	11111	8.00 14.25	1	13	615	110	15	00000
4	8	G000 0113	AMTG1050L01	11111	8.00 14.25	1	13	615	110	15	00000
4	8	G000 0113	AMTG1060L01	11111	8.00 14.25	1	14	615	110	15	00000
4	8	G000 0113	AMTG1070L01	11111	8.00 14.25	1	14	615	110	15	00000
4	8	G000 0113	AMTG1080L01	11111	8.00 14.25	1	14	615	110	15	00000
4	8	G000 0113	AMTG1110L01	11111	8.00 14.25	1	14	615	110	15	00000
4	8	G000 0113	AMTG1110L02	11111	8.00 14.25	1	1	615	110	15	00000
4	8	G000 0113	AMTP2991L01	11111	8.00 14.25	1	14	615	110	15	00000
4		G000 0114	AMTP2210L01	11111	8.00 14.30		14	5,301	210	20	00000
4		G000 0114	AMTP2230L01	11111	8.00 14.30	1	13	5,301	210	20	00000
4	8	G000 0114	AMTP2260L01	11111	8.00 14.30	1	15	5,301	210	20	00000
4	8	G000 0114	AMTP2270L01	11111	8.00 14.30	1	15	5,301	210	20	00000
4	8	G000 0114	AMTP2280L01	11111	8.00 14.30	1	15	5,301	210	20	00000
4	8	G000 0114	AMTP2290L01	11111	8.00 14.30	1	13	5,301	210	20	00000

D E S C R I P T I O N   A N D   S U M M A R Y   O F   E R R O R S   &   W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	33
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	81
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		114
TOTAL NUMBER OF RECORDS READ		325
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		325
NUMBER OF JOINT-CLASS RECORDS		138
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		



SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 12/13/2013 12:04:54

PAGE NUM 1

L.T.C.-LAFAYETTE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>*CLASSROOM FACILITIES</b>			
TOTAL NUMBER OF ROOMS			22
TOTAL NUMBER OF STATIONS (CAPACITY)			483
WEEKLY STUDENT CONTACT HOURS	12,900	145	13,045
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,980	1,100	3,080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	737	10	747
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43,470	24,150	67,620
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	19,230	300	19,530
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	25,800	290	26,090
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	37.2	.9	24.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	59.4	1.2	38.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	134.2	96.7	133.6
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>CLASSROOM</b>			
TOTAL NUMBER OF ROOMS			22
TOTAL NUMBER OF STATIONS (CAPACITY)			483
WEEKLY STUDENT CONTACT HOURS	12,900	145	13,045
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,980	1,100	3,080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	737	10	747
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43,470	24,150	67,620
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	19,230	300	19,530
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	25,800	290	26,090
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	37.2	.9	24.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	59.4	1.2	38.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	134.2	96.7	133.6

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 12/13/2013 12:04:54

PAGE NUM 2

L.T.C.-LAFAYETTE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>*LABORATORY FACILITIES</b>			
TOTAL NUMBER OF ROOMS			55
TOTAL NUMBER OF STATIONS (CAPACITY)			943
WEEKLY STUDENT CONTACT HOURS	14,632	452	15,084
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4,950	2,750	7,700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,607	62	1,669
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	84,870	47,150	132,020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	35,475	1,840	37,315
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	29,265	904	30,169
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	32.5	2.3	21.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	34.5	1.9	22.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	82.5	49.1	80.8
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>CLASS LABORATORY</b>			
TOTAL NUMBER OF ROOMS			55
TOTAL NUMBER OF STATIONS (CAPACITY)			943
WEEKLY STUDENT CONTACT HOURS	14,632	452	15,084
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4,950	2,750	7,700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,607	62	1,669
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	84,870	47,150	132,020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	35,475	1,840	37,315
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	29,265	904	30,169
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	32.5	2.3	21.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	34.5	1.9	22.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	82.5	49.1	80.8

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY