

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 11/06/2015 09:34:48

PAGE NUM 1

L.T.C. - LAFAYETTE

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	A000	0103	HNUR2133L01	11	8.00 10.25		24	544	210 11 00000
8	A000	0103	HNUR2713L01	1	10.35 12.45		22	544	210 11 00000
8	A000	0103	HNUR2723L01	1	10.35 12.45		23	544	210 11 00000
8	A000	0103	HNUR2813L01	1	13.15 15.05		24	544	210 11 00000
	A000	0105	HNUR1300L01	1 1	8.00 10.45		65	1,680	110 90 00000
	A000	0105	HNUR1211L01	1 1 1	8.00 10.55		60	1,680	110 90 00000
4	A000	0105	HNUR1411L01	1 1	8.00 13.10	1	63	1,680	110 90 00000
	A000	0105	HNUR1320L01	1 1	10.55 11.45		60	1,680	110 90 00000
	A000	0105	HNUR1361L01	1 1	12.15 14.05		65	1,680	110 90 00000
	A000	0110	CIVL1480L01	1 1 1	8.00 8.50		4	1,034	210 20 00000
	A000	0110	CIVL1240L01	1 1	8.00 9.15		16	1,034	210 20 00000
	A000	0110	CIVL2630L01	1 1 1	9.00 9.50		4	1,034	210 20 00000
	A000	0110	CIVL1120L01	1 1	9.25 10.40		15	1,034	210 20 00000
	A000	0110	CIVL2560L01	1 1 1	10.00 10.50		4	1,034	210 20 00000
	A000	0110	CIVL1121L01	1	10.50 12.40		15	1,034	210 20 00000
	A000	0110	CIVL1330L01	1	10.50 12.40		15	1,034	210 20 00000
	A000	0110	CIVL2620L01	1 1 1	11.00 11.50		5	1,034	210 20 00000
	A000	0110	CIVL1320L01	1 1 1	12.00 12.50		4	1,034	210 20 00000
	A000	0110	CIVL1321L01	1	13.30 15.20		4	1,034	210 20 00000
	A000	0114	ASDV2430L01	1 1 1	8.00 9.10		4	945	210 30 00000
	A000	0114	ASDV2620L01	1 1 1	9.20 10.30		4	945	210 30 00000
	A000	0114	INTE1210L02	1 1	9.30 11.45		24	945	210 30 00000
	A000	0114	ASDV2550L01	1 1 1	10.40 11.50		4	945	210 30 00000
	A000	0114	INTE1210L01	1 1	12.15 14.30		24	945	210 30 00000
	A000	0114	ASDV1220L01	1 1 1	12.30 13.40		24	945	210 30 00000
	A000	0114	ASDV1205L01	1 1 1	13.50 15.00		23	945	210 30 00000
	A000	0116	INTC2400L02	1 1	10.00 11.50		20	945	210 30 00000
	A000	0116	INTC2500L02	1 1	12.00 13.50		18	945	210 30 00000
	A000	0116	LFEN0083L15	1 1	15.00 16.15		19	945	210 30 00000
	A000	0116	LFEN0083L16	1 1	15.10 16.25		20	945	210 30 00000
	A000	0300	DRFT2203L01	1 1 1	8.30 10.55		14	459	110 30 00000
	A000	0300	INTC2400L01	1 1	14.00 15.50		29	459	110 30 00000
	A000	0300	INTC2500L01	1 1	16.00 17.50		30	459	110 30 00000
4	A000	0301	CULN1207L01	1 1	8.00 14.50		28	1,000	110 20 00000
	A000	0301	CULN1103L01	1 1 1	9.00 9.50		29	1,000	110 20 00000
	A000	0301	CULN1102L01	1 1 1	10.00 11.10		28	1,000	110 20 00000
	A000	0301	CULN1203L01	1 1 1	11.20 12.10		28	1,000	110 20 00000
	A000	0301	LFMA0083L32	1 1	15.00 16.15		19	1,000	110 20 00000
	A000	0301	LFMA0083L33	1 1	15.10 16.25		19	1,000	110 20 00000
	A000	0302	CCFS1003L40	111	7.00 7.50		30	459	210 20 00000
	A000	0302	CCFS1003L41	1 1 1	8.00 8.50		28	459	210 20 00000
	A000	0302	CCFS1003L44	1 1	8.00 9.15		28	459	210 20 00000
	A000	0302	CLTS2410L01	1 1	10.25 11.40		13	459	210 20 00000
	A000	0302	CCFS1003L43	1 1	13.40 14.55		29	459	210 20 00000
	A000	0302	CCFS1003L42	1 1	15.00 16.15		30	459	210 20 00000
	A000	0408	JOBS2450L02	1	14.30 16.20		30	1,540	210 30 00000
8	A000	0409	NURS1100L01	1 1	10.25 12.00		40	1,485	210 12 00000
8	A000	0409	NURS1100L01	1 1	12.30 14.05		40	1,485	210 12 00000
	A000	0411	NURS2200L01	1 1	8.00 9.50		27	1,705	110 40 00000
	A000	0411	NURS1100L01	1 1	8.00 10.15		40	1,705	110 40 00000
	A000	0411	NURS2220L01	1 1	10.00 12.15		27	1,705	110 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 11/06/2015 09:34:48

PAGE NUM 2

L.T.C. -LAFAYETTE

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
8	A000	0500A	TECM1110L01	1 1 1	13.00 13.50		14	228	215	00000
8	A000	0500D	ETRN1004L01	1 1 1	8.00 9.50		15	342	215	00000
8	A000	0500D	ETRN2120L01	1 1 1	10.00 11.10		16	342	215	00000
8	A000	0500D	ETRN2840L01	1 1 1	11.20 12.30		16	342	215	00000
8	A000	0500D	ETRN2130L01	1 1 1	13.00 14.10		15	342	215	00000
8	A000	0501A	CLTS2080L01	1 1	8.00 10.15		12	242	310	1 00000
8	A000	0501A	CLTS1030L01	1 1	10.20 12.10		30	242	310	1 00000
8	A000	0501B	CLTS2710L01	1 1	12.30 14.20		9	98	215	00000
8	A000	0501B	CLTS2411L01	1	14.30 16.20		6	98	215	00000
	A000	0503A	AUTO1002L01	1	8.00 9.50		20	2,080	210	20 00000
	A000	0503A	AUTO1504L01	111	8.00 9.50		20	2,080	210	20 00000
	A000	0503A	AUTO1206L01	1111	8.00 10.30	1	9	2,080	210	20 00000
8	A000	0503A	AUTO1605L01	1111	10.00 14.45	1	20	2,080	210	20 00000
8	A000	0503A	AUTO1615L01	1111	10.00 14.45	1	20	2,080	210	20 00000
8	A000	0503A	AUTO2304L01	1111	10.40 12.30	1	8	2,080	210	20 00000
	A000	0503A	AUTO1406L01	1111	13.00 15.15		9	2,080	210	20 00000
	A000	0506	WELD1102L01	11111	8.00 9.00		29	3,528	210	40 00000
	A000	0506	WELD1003L01	11111	8.00 9.35	1	29	3,528	210	40 00000
8	A000	0506	WELD1306L01	11111	9.10 13.00	1	29	3,528	210	40 00000
8	A000	0506	WELD1206L01	11111	9.45 13.35	1	29	3,528	210	40 00000
	A000	0601E	INTE1200L01	1 1	9.30 11.45		23	644	215	20 00000
	A000	0601E	INTE2120L01	1 1 1	11.00 12.25		25	644	215	20 00000
	A000	0601E	INTE1200L02	1 1	12.15 14.30		25	644	215	20 00000
	A000	0601E	INTE1100L02	1 1 1	12.30 15.25		20	644	215	20 00000
8	A000	0601E	INTE1110L02	1 1 1	12.30 15.25	1	22	644	215	20 00000
8	A000	0601G	INTE2030L01	1 1	8.00 10.15		25	748	210	15 00000
8	A000	0601G	INTE1100L01	1 1 1	8.00 10.55		24	748	210	15 00000
8	A000	0601G	INTE1110L01	1 1 1	8.00 10.55	1	24	748	210	15 00000
	A000	0601G	INTE2840L01	1 1	10.25 12.40		22	748	210	15 00000
	A000	0603	DRFT1306L01	11111	7.30 10.55		16	3,111	210	30 00000
	A000	0603	DRFT1406L01	11111	7.30 10.55	1	17	3,111	210	30 00000
	A000	0603	DRFT1106L01	11111	11.00 14.25		24	3,111	210	30 00000
8	A000	0603	DRFT1206L01	11111	11.00 14.25	1	24	3,111	210	30 00000
	A000	0603	DRFT2106L01	1111	14.30 16.45		13	3,111	210	30 00000
8	A000	0605A	DGMD1100L01	1 1	8.00 9.50		24	744	210	15 00000
	A000	0605A	DGMD1140L01	1	8.00 10.45		22	744	210	15 00000
	A000	0605A	DGMD2500L01	1 1	8.00 11.25		12	744	210	15 00000
8	A000	0605A	DGMD2520L01	1 1	8.00 11.25	1	13	744	210	15 00000
8	A000	0605A	DGMD1120L01	1 1	10.00 11.50		24	744	210	15 00000
	A000	0605A	DGMD2510L01	1 1	12.00 15.25		13	744	210	15 00000
8	A000	0605A	DGMD2700L01	1 1	12.00 15.25	1	13	744	210	15 00000
	A000	0605A	DGMD1130L01	1 1	12.20 14.10		22	744	210	15 00000
	A000	0605A	DGMD2900L01	1 1	14.20 17.45		5	744	210	15 00000
	A000	0605A	DGMD2910L01	1 1	14.20 17.45	1	5	744	210	15 00000
	A000	0605A	THEA2070L01	1 1	16.35 17.50		23	744	210	15 00000
8	A000	0605B	INTC2070L01	1	18.00 21.40		19	620	210	10 00000
8	A000	0605B	INTC2070L02	1	18.00 21.40		20	620	210	10 00000
	A000	0609	HACR1003L01	11111	9.00 9.50		19	3,055	210	20 00000
	A000	0609	HACR1107L01	11111	10.00 12.10		19	3,055	210	20 00000
	A000	0609	HACR1207L01	11111	12.40 14.50		19	3,055	210	20 00000
4	8	G000	0106	AVMT2107L01	11111	8.00 14.25	8	201	410	4 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
FALL DATA 2015
RUN DATE 11/06/2015 09:34:48
PAGE NUM 3

L.T.C.-LAFAYETTE
BRANCH
PARISH
RELATION

ERRORS/ WARNINGS		BLDNG./ROOM NO.		COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES		J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER ROOM TYPE & CAPACITY		RECRD NO.
4	8	G000	0106	AVMT2407L01	11111	8.00	14.25	1	10	201	410	4	00000
4	8	G000	0106	AVMT2607L01	11111	8.00	14.25	1	4	201	410	4	00000
4		G000	0113	AVMT1107L01	11111	8.00	14.25		14	615	110	15	00000
4		G000	0113	AVMT1307L01	11111	8.00	14.25	1	6	615	110	15	00000
4	8	G000	0113	AVMT2307L01	11111	8.00	14.25	1	9	615	110	15	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
FALL DATA 2015
RUN DATE 11/06/2015 09:34:48

L.T.C.-LAFAYETTE

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -	
	THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,	
	THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	8
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -	
	CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - -	35
	PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -	
	THERE SHOULD BE NO DUPLICATES.	

----- T O T A L S -----

TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	43
TOTAL NUMBER OF RECORDS READ	- - - - -	107
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	107
NUMBER OF JOINT-CLASS RECORDS	- - - - -	19
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/06/2015 09:34:48

PAGE NUM 1

L.T.C. -LAFAYETTE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			22
TOTAL NUMBER OF STATIONS (CAPACITY)			483
WEEKLY STUDENT CONTACT HOURS	4,532		4,532
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,980	1,100	3,080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	379		379
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43,470	24,150	67,620
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,955		11,955
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,065		9,065
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	19.1	.0	12.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	20.9	.0	13.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	75.8	.0	75.8
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			22
TOTAL NUMBER OF STATIONS (CAPACITY)			483
WEEKLY STUDENT CONTACT HOURS	4,532		4,532
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,980	1,100	3,080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	379		379
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43,470	24,150	67,620
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,955		11,955
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,065		9,065
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	19.1	.0	12.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	20.9	.0	13.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	75.8	.0	75.8

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/06/2015 09:34:48
PAGE NUM 2

L.T.C. -LAFAYETTE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			55
TOTAL NUMBER OF STATIONS (CAPACITY)			943
WEEKLY STUDENT CONTACT HOURS	8,558	156	8,714
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4,950	2,750	7,700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	885	16	901
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	84,870	47,150	132,020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	21,246	160	21,406
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	17,117	312	17,429
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	17.9	.6	11.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	20.2	.7	13.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	80.6	195.0	81.4
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			55
TOTAL NUMBER OF STATIONS (CAPACITY)			943
WEEKLY STUDENT CONTACT HOURS	8,558	156	8,714
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4,950	2,750	7,700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	885	16	901
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	84,870	47,150	132,020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	21,246	160	21,406
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	17,117	312	17,429
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	17.9	.6	11.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	20.2	.7	13.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	80.6	195.0	81.4

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY