

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 10/22/2013 12:19:42
 PAGE NUM 1

L.T.C.-MANSFIELD
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	MA0A	Z001	ELEC1120001	11111	8.00 11.00		5	818	210 16 00000
	MA0A	Z001	ELEC1210001	11111	11.30 14.30		5	818	210 16 00000
	MA0A	Z001	ELEC1120002	11111	12.00 14.30	1	1	818	210 16 00000
	MA0A	Z001	ORNT1000002	1	14.31 15.31		2	818	210 16 00000
	MA0A	Z002	WELD1110001	11111	8.00 8.40		3	690	210 13 00000
	MA0A	Z002	WELD1140001	11111	8.50 9.20		3	690	210 13 00000
	MA0A	Z002	WELD1120002	11111	10.15 11.00		1	690	210 13 00000
	MA0A	Z002	WELD1120001	11111	11.30 12.50		4	690	210 13 00000
	MA0A	Z002	ORNT1000003	11	11.30 13.30	1	7	690	210 13 00000
	MA0A	Z002	WELD1110002	11111	12.00 12.38	1	1	690	210 13 00000
	MA0A	Z002	WELD1140002	11111	13.20 14.00		1	690	210 13 00000
	MA0A	Z003	ELEC2996001	11111	19.00 20.30		7	877	210 17 00000
4	MA0A	0111	ORNT1000001	11	8.00 15.00		30	672	610 60 00000
	MA0A	0111	DVMA0091002	11111	12.40 15.40	1	7	672	610 60 00000
	MA0A	0112	ACCT1100001	1 1 1	8.00 9.20		10	528	110 17 00000
	MA0A	0112	ACCT1200001	1 1 1	9.30 10.50		2	528	110 17 00000
	MA0A	0112	BUSM1050001	1 1 1	9.30 10.50	1	3	528	110 17 00000
	MA0A	0112	BUSE1030001	1 1 1	11.00 12.00		13	528	110 17 00000
	MA0A	0112	BUSM1050002	1 1 1	12.45 13.49		2	528	110 17 00000
	MA0A	0112	BUSE1030002	1 1 1	14.40 15.40		2	528	110 17 00000
	MA0A	0112	BUSM1050003	1 1 1	14.40 15.44	1	2	528	110 17 00000
	MA0A	0113	HNUR2523001	11111	10.15 12.00		20	480	110 36 00000
	MA0A	0113	HNUR1460001	11111	13.40 14.30		20	480	110 36 00000
	MA0A	0114	HNUR1361001	11111	9.40 11.40		23	480	110 36 00000
	MA0A	0114	HNUR1320001	11111	12.30 14.20		21	480	110 36 00000
	MA0A	0115	HEKG1113001	11111	8.00 12.00		19	480	110 36 00000
	MA0A	0115	HNUR1211001	11111	8.00 12.00	1	21	480	110 36 00000
	MA0A	0115	HCOR1200001	1 1	12.45 14.30		19	480	110 36 00000
	MA0A	0115	BOTH1120002	1 1	12.45 15.15	1	10	480	110 36 00000
	MA0A	0116	DVRE0091001	1111	8.00 9.20		5	421	110 16 00000
	MA0A	0116	DVMA0091001	111	9.30 10.36		12	421	110 16 00000
	MA0A	0116	DVEN0091001	111	11.00 12.06		4	421	110 16 00000
	MA0A	0116	CPTR1002003	11111	15.50 17.40		7	421	110 16 00000
	MA0A	0117	DVED2991001	11111	8.00 11.30		33	814	140 33 00000
	MA0A	0117	DVED2991002	11111	11.45 15.15		2	814	140 33 00000
	MA0A	0117	DVED2991004	11111	11.45 15.15	1	13	814	140 33 00000
	MA0A	0117	DVED2991005	11111	11.45 15.15	1	12	814	140 33 00000
	MA0A	0121	BOTH1230001	11111	8.00 9.15		1	900	140 24 00000
	MA0A	0121	CPTR1002001	11111	8.00 9.15	1	18	900	140 24 00000
	MA0A	0121	BOTH2110001	11111	8.00 9.20	1	1	900	140 24 00000
	MA0A	0121	OSYS1100001	11111	8.00 9.20	1	16	900	140 24 00000
8	MA0A	0121	JOBS2450001	1 1	8.00 9.20	1	4	900	140 24 00000
	MA0A	0121	CPTR1310001	1 1 1	9.30 10.35		1	900	140 24 00000
	MA0A	0121	KYBD1010001	11111	9.30 10.45	1	15	900	140 24 00000
	MA0A	0121	KYBD1010002	11111	9.30 10.50	1	2	900	140 24 00000
	MA0A	0121	KYBD1111001	11111	9.30 10.50	1	16	900	140 24 00000
	MA0A	0121	BOTH1210002	11111	11.00 12.00		1	900	140 24 00000
	MA0A	0121	CSRV1000002	11111	11.00 12.00	1	1	900	140 24 00000
	MA0A	0121	BUSE1045001	1 1 1	11.00 12.00	1	7	900	140 24 00000
	MA0A	0121	BOTH1240001	1 1	11.00 12.13		2	900	140 24 00000
	MA0A	0121	CSRV1000001	1 1	11.00 12.13	1	13	900	140 24 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 10/22/2013 12:19:42
 PAGE NUM 2

L.T.C.-MANSFIELD
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	MA0A	0121	ISYS1440001	1 1 1	12.45 14.05		1	900	140 24	00000
	MA0A	0121	BOTH1210001	1 1	12.45 15.15		6	900	140 24	00000
	MA0A	0121	BOTH2110003	1 1 1	14.00 14.50		2	900	140 24	00000
	MA0A	0121	BOTH2110004	1 1 1	14.40 15.30	1	1	900	140 24	00000
	MA0A	0121	ISYS1440002	1 1 1	14.40 15.30	1	1	900	140 24	00000
	MA0A	0127	HNUR2123001	11111	7.45 10.00		20	3,191	210 63	00000
	MA0A	0127	HNUR2113001	11111	7.45 12.00	1	25	3,191	210 63	00000
	MA0A	0127	HNUR1411001	11111	12.30 15.30		24	3,191	210 63	00000
	MA0A	0127	HNUR2611001	11111	12.40 13.30	1	19	3,191	210 63	00000
	MA0A	0133	WELD1411001	11111	8.00 9.15		5	2,520	210 50	00000
	MA0A	0133	WELD2210001	11111	8.00 9.15	1	6	2,520	210 50	00000
	MA0A	0133	WELD1420001	11111	8.00 9.30	1	2	2,520	210 50	00000
	MA0A	0133	WELD1512002	11111	8.00 9.35	1	2	2,520	210 50	00000
	MA0A	0133	WELD2311002	11111	9.20 10.29	1	1	2,520	210 50	00000
	MA0A	0133	WELD2310002	11111	9.20 10.40	1	1	2,520	210 50	00000
	MA0A	0133	WELD1412001	11111	9.25 10.40	1	4	2,520	210 50	00000
	MA0A	0133	WELD2230001	11111	9.25 10.40	1	3	2,520	210 50	00000
	MA0A	0133	WELD1510001	11111	9.45 11.15	1	2	2,520	210 50	00000
	MA0A	0133	WELD1512001	11111	9.45 11.15	1	1	2,520	210 50	00000
	MA0A	0133	WELD1412002	11111	10.20 11.20	1	1	2,520	210 50	00000
	MA0A	0133	WELD2110001	11111	11.30 12.45		6	2,520	210 50	00000
	MA0A	0133	WELD2310001	11111	11.30 12.45	1	2	2,520	210 50	00000
	MA0A	0133	WELD1511001	11111	12.00 13.30	1	2	2,520	210 50	00000
	MA0A	0133	WELD2111002	11111	12.46 13.39	1	1	2,520	210 50	00000
	MA0A	0133	WELD2111001	11111	13.00 14.15	1	6	2,520	210 50	00000
	MA0A	0133	WELD2311001	11111	13.00 14.15	1	2	2,520	210 50	00000
	MA0A	0133	WELD1420002	11111	14.20 15.30		1	2,520	210 50	00000
	MA0A	0133	WELD2230002	11111	14.20 15.35	1	1	2,520	210 50	00000
	MA0A	0137	WELD1310002	11111	9.30 10.00		1	192	110 15	00000
	MA0A	0137	WELD1210001	11111	9.30 10.10	1	5	192	110 15	00000
	MA0A	0137	WELD1410001	11111	10.20 11.00		4	192	110 15	00000
	MA0A	0137	WELD1410002	11111	12.40 13.10		1	192	110 15	00000
	MA0A	0137	WELD1310001	11111	13.00 13.30	1	4	192	110 15	00000
	MA0A	0137	WELD1130001	11111	15.00 15.30		6	192	110 15	00000
	MA0B	PN01	HNUR1270001	11111	8.00 9.25		20	784	140 40	00000
	MA0B	PN01	CPTR1002002	1 1	12.45 15.15		7	784	140 40	00000

DESCRIPTION AND SUMMARY OF ERRORS & WARNINGS

- 1 = ERROR - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.
- 2 = ERROR - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -
- 3 = ERROR - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -
- 4 = WARNING - CLASS TIME EXCEEDS 5 HOURS. - - - - - 1
- 5 = ERROR - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -
CIRCULATION, CUSTODIAL OR MECHANICAL.
- 7 = ERROR - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -
- 8 = WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - - 1
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.
- 9 = WARNING - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -
THERE SHOULD BE NO DUPLICATES.

----- T O T A L S -----

TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	2
TOTAL NUMBER OF RECORDS READ	- - - - -	87
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	87
NUMBER OF JOINT-CLASS RECORDS	- - - - -	42
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/22/2013 12:19:42
 PAGE NUM 1

L.T.C.-MANSFIELD

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			9
TOTAL NUMBER OF STATIONS (CAPACITY)			253
WEEKLY STUDENT CONTACT HOURS	3,935		3,935
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	810	450	1,260
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	568		568
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	22,770	12,650	35,420
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	15,834		15,834
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,870		7,870
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	70.1	.0	45.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	34.6	.0	22.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	49.7	.0	49.7
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			6
TOTAL NUMBER OF STATIONS (CAPACITY)			156
WEEKLY STUDENT CONTACT HOURS	2,043		2,043
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	540	300	840
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	315		315
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	14,040	7,800	21,840
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,417		8,417
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,087		4,087
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	58.3	.0	37.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	29.1	.0	18.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	48.6	.0	48.6

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/22/2013 12:19:42
 PAGE NUM 2

L.T.C.-MANSFIELD

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			97
WEEKLY STUDENT CONTACT HOURS	1,891		1,891
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	253		253
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	8,730	4,850	13,580
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,417		7,417
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,783		3,783
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	93.7	.0	60.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	43.3	.0	27.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	51.0	.0	51.0
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			5
TOTAL NUMBER OF STATIONS (CAPACITY)			159
WEEKLY STUDENT CONTACT HOURS	1,895	52	1,947
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	450	250	700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	345	15	360
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	14,310	7,950	22,260
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	13,576	255	13,831
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,790	105	3,895
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	76.7	6.0	51.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	26.5	1.3	17.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	27.9	41.2	28.2

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/22/2013 12:19:42
 PAGE NUM 3

L.T.C.-MANSFIELD

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			5
TOTAL NUMBER OF STATIONS (CAPACITY)			159
WEEKLY STUDENT CONTACT HOURS	1,895	52	1,947
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	450	250	700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	345	15	360
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	14,310	7,950	22,260
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	13,576	255	13,831
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,790	105	3,895
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	76.7	6.0	51.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	26.5	1.3	17.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	27.9	41.2	28.2

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY