

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 10/22/2013 12:20:54
 PAGE NUM 1

L.T.C.-NATCHITOCHE
 BRANCH
 PARISH
 RELATION
 NATCHITOCHE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	MB0A	0115	ORNT1000B02	11	7.30 14.45		14	115 18	00000
	MB0A	0115	CPTR1000B01	1 1 1	8.00 10.55	1	3	115 18	00000
	MB0A	0115	COSM11110BH1	11111	8.00 11.00	1	1	115 18	00000
8	MB0A	0115	COSM1121B01	1 1	8.00 11.25	1	15	115 18	00000
8	MB0A	0115	COSM1321B01	1 1	8.00 11.25	1	5	115 18	00000
8	MB0A	0115	COSM2540B01	1 1 1	8.00 12.15	1	1	115 18	00000
4	MB0A	0115	COSM1430B01	1 1 1	8.00 14.45	1	2	115 18	00000
4	MB0A	0115	COSM1411B01	1 1 1	8.30 14.30	1	2	115 18	00000
8	MB0A	0115	COSM1110B01	1 1 1	11.00 14.45	1	16	115 18	00000
8	MB0A	0115	COSM1230B01	1 1	11.30 14.45	1	15	115 18	00000
8	MB0A	0115	COSM2510B01	1 1	11.30 14.45	1	15	115 18	00000
	MB0A	0118	DVMA0090B01	1 1	10.00 11.15		13	115 35	00000
	MB0A	0118	DVMA0091B01	1 1	12.00 12.50		1	115 35	00000
	MB0A	0118	DVRE0090B01	1 1	13.00 13.50		6	115 35	00000
	MB0A	0118	DVRE0091B01	1 1	13.00 13.50	1	4	115 35	00000
	MB0A	0118	DVEN0090B01	1 1	14.00 14.50		2	115 35	00000
	MB0A	0118	DVEN0091B01	1 1	14.00 14.50	1	1	115 35	00000
	MB0A	0119	DVED2991B01	11111	8.30 11.30		24	115 35	00000
	MB0A	0119	DVED2993B01	11111	8.30 11.30	1	14	115 35	00000
	MB0A	0119	DVED2995B01	11111	8.30 11.30	1	1	115 35	00000
	MB0A	0119	DVED2991B02	11111	12.00 15.00		9	115 35	00000
	MB0A	0121	MATH1015B01	1 1	8.00 9.15		4	110 20	00000
	MB0A	0121	SPCH1015B01	1 1	15.00 16.15		3	110 20	00000
	MB0A	0133	ORNT1000B04	11	13.00 15.00		2	140 27	00000
	MB0A	0136	HNUR2813B01	11	8.00 11.00		18	110 35	00000
4	MB0A	0136	HNUR2133B01	111	8.00 15.00	1	18	110 35	00000
	MB0A	0136	HNUR2723B01	11	12.00 15.00	1	17	110 35	00000
	MB0A	0137	CDYC1241B02	11111	8.00 9.25		1	645 20	00000
	MB0A	0137	CDYC11110B01	1 1 1	8.00 9.25	1	5	645 20	00000
	MB0A	0137	CDYC1210B01	1 1	8.00 9.25	1	5	645 20	00000
	MB0A	0137	CDYC1220B01	11111	9.30 10.55		7	645 20	00000
	MB0A	0137	CDYC1320B01	11111	9.30 10.55	1	4	645 20	00000
	MB0A	0137	CDYC1330B01	11111	11.30 12.55		3	645 20	00000
	MB0A	0137	CDYC1332B01	11111	11.30 12.55	1	3	645 20	00000
	MB0A	0137	CDYC1230B01	1 1	13.00 14.25		1	645 20	00000
	MB0A	0137	CDYC1420B03	1 1	13.00 14.25	1	5	645 20	00000
	MB0A	0137	CDYC1420B01	1 1	14.30 16.00		1	645 20	00000
	MB0A	0144	BOTH1120B01	1	13.30 15.25		13	140 30	00000
	MB0A	0145	BUSE1045B01	1 1	8.00 9.15		13	110 20	00000
	MB0A	0145	BUSE1030B01	1 1 1	9.30 10.20		13	110 20	00000
	MB0A	0145	BUSM1050B01	1 1	9.30 10.45	1	7	110 20	00000
	MB0A	0145	BOTH1300B01	1 1 1	11.00 11.50		1	110 20	00000
	MB0A	0145	OSYS2530B01	1 1	11.00 12.15	1	5	110 20	00000
	MB0A	0145	CSRV1000B01	1 1 1	12.30 13.20		17	110 20	00000
	MB0A	0146	BOTH1230B01	1 1	8.00 9.15		2	140 25	00000
	MB0A	0146	ACCT1100B01	1 1 1	8.00 9.20	1	8	140 25	00000
	MB0A	0146	BOTH1240B01	1 1	9.30 10.45		8	140 25	00000
	MB0A	0146	MATR1350B02	1 1	9.30 10.45	1	2	140 25	00000
	MB0A	0146	ACCT1200B01	1 1 1	9.30 10.50	1	11	140 25	00000
	MB0A	0146	CPTR1310B02	1 1 1	9.30 10.50	1	1	140 25	00000
	MB0A	0146	MATR1350B04	1 1 1	11.00 11.50		1	140 25	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 10/22/2013 12:20:54
 PAGE NUM 2

L.T.C.-NATCHITOCHE
 BRANCH
 PARISH
 RELATION
 NATCHITOCHE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	MB0A	0146	SPPR2991B03	1 1	11.00 11.50	1	170	140 25	00000	
	MB0A	0146	BOTH2110B02	1 1	11.00 12.15	1	170	140 25	00000	
	MB0A	0146	CPTR1320B03	1 1 1	11.00 12.20	1	170	140 25	00000	
	MB0A	0146	KYBD1111B01	1 1 1	11.00 12.20	1	170	140 25	00000	
	MB0A	0146	BOTH1210B01	1 1	11.00 12.20	1	170	140 25	00000	
	MB0A	0146	MATR1350B03	1 1	11.00 12.20	1	170	140 25	00000	
8	MB0A	0146	CPTR1320B02	1 1	11.00 12.30	1	170	140 25	00000	
	MB0A	0146	BOTH2110B01	1 1 1	12.30 13.50	1	170	140 25	00000	
	MB0A	0146	CPTR1310B01	1 1 1	12.30 13.50	1	170	140 25	00000	
	MB0A	0146	BOTH1230B02	1 1	12.45 14.00	1	170	140 25	00000	
	MB0A	0146	OSYS1100B01	1 1	12.45 14.00	1	170	140 25	00000	
	MB0A	0146	MATR1350B05	1 1 1	14.00 15.20	1	170	140 25	00000	
	MB0A	0146	CPTR1320B01	1 1 1	14.00 15.25	1	170	140 25	00000	
	MB0A	0146	SPPR2991B02	1 1	14.15 15.05	1	170	140 25	00000	
	MB0A	0146	CPTR1600B01	1 1	14.15 15.30	1	170	140 25	00000	
4	MB0A	0147	ORNT1000B06	11	7.30 15.00	12	40	140 30	00000	
	MB0A	0147	CPTR1002B01	1 1 1	8.30 9.20	1	40	140 30	00000	
	MB0A	0147	KYBD1010B01	1 1 1	11.00 11.50	26	40	140 30	00000	
	MB0A	0147	ISYS1650B02	1 1	11.00 12.15	1	40	140 30	00000	
	MB0A	0147	ISYS1440B01	1 1 1	11.00 12.20	1	40	140 30	00000	
	MB0A	0147	ISYS1650B01	1 1	12.45 14.00	6	40	140 30	00000	
	MB0A	0147	MATR1350B01	1 1	12.45 14.00	2	40	140 30	00000	
	MB0A	0147	ORNT1000B07	1 1 1	13.30 14.45	1	40	140 30	00000	
	MB0A	0147	JOBS2450B01	1 1	14.00 15.00	26	40	140 30	00000	
	MB0A	0147	SPPR2991B01	1 1	14.15 15.05	1	40	140 30	00000	
4	MB0A	0156	IMMT1110B01	11111	7.30 8.00	6	255	115 30	00000	
	MB0A	0156	ORNT1000B05	11	7.30 15.30	1	255	115 30	00000	
	MB0A	0156	IMMT1330B01	11111	8.00 9.00	11	255	115 30	00000	
	MB0A	0156	IMMT1230B01	1111	8.00 9.00	2	255	115 30	00000	
	MB0A	0156	IMMT1241B01	11111	8.00 11.00	3	255	115 30	00000	
	MB0A	0156	IMMT1320B01	11111	8.05 9.25	16	255	115 30	00000	
8	MB0A	0156	IMMT1120B01	11111	9.05 10.00	2	255	115 30	00000	
8	MB0A	0156	IMMT1331B01	11111	9.05 11.55	1	255	115 30	00000	
8	MB0A	0156	IMMT1231B01	11111	9.05 12.00	2	255	115 30	00000	
8	MB0A	0156	IMMT1321B01	11111	9.30 11.45	1	255	115 30	00000	
	MB0A	0156	IMMT1311B01	11111	11.55 15.05	15	255	115 30	00000	
	MB0A	0156	IMMT1121B05	11111	12.30 15.30	1	255	115 30	00000	
	MB0A	0163	HACR1210BH1	11111	8.00 11.00	2	5	115 20	00000	
	MB0A	0163	HACR1220BH1	11111	8.00 11.00	1	5	115 20	00000	
	MB0A	0163	HACR1220B01	1 1	8.00 12.00	12	5	115 20	00000	
	MB0A	0163	HACR1240B01	1 1	8.00 12.00	12	5	115 20	00000	
4	MB0A	0163	HACR2530B01	1 1	8.00 13.55	1	5	115 20	00000	
4	8	MB0A	0163	HACR2910B01	11111	8.00 14.30	2	5	115 20	00000
4	8	MB0A	0163	HACR2920B01	11111	8.00 14.30	2	5	115 20	00000
4	8	MB0A	0163	HACR1210B01	1 1 1	8.00 14.30	12	5	115 20	00000
4	8	MB0A	0163	HACR1230B01	1 1 1	8.00 14.30	12	5	115 20	00000
	MB0A	163A	ORNT1000B03	11111	8.30 11.30	2	6	115 20	00000	
	MB0A	163A	ELEC1220B01	1 1 1	8.30 11.30	1	6	115 20	00000	
	MB0A	163A	ELEC1430B01	1 1 1	8.30 11.30	1	6	115 20	00000	
	MB0A	163A	ELEC1440B01	1 1 1	8.30 11.30	1	6	115 20	00000	
	MB0A	163A	CPTR1000B02	1 1	8.30 11.30	1	6	115 20	00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 10/22/2013 12:20:54
 PAGE NUM 3

L.T.C.-NATCHITOCHE
 BRANCH
 PARISH
 RELATION
 NATCHITOCHE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	MB0A	163A	ELEC1230B01	1 1	8.30 11.30	1	3	6	115 20 00000
	MB0A	163A	ELEC1330B01	1 1	8.30 11.30	1	2	6	115 20 00000
	MB0A	163A	ELEC1420B01	1 1	8.30 11.30	1	1	6	115 20 00000
	MB0A	163A	ELEC2460B01	1 1	8.30 11.30	1	4	6	115 20 00000
	MB0A	163A	ELEC2540B01	1 1	8.30 11.30	1	2	6	115 20 00000
8	MB0A	163A	IMMT1421B01	1 1	8.30 11.30	1	1	6	115 20 00000
8	MB0A	163A	IMMT1430B01	1 1	8.30 11.30	1	3	6	115 20 00000
	MB0A	163A	ELEC1120B01	11111	12.00 15.30		4	6	115 20 00000
	MB0A	163A	ELEC1210B01	11111	12.00 15.30	1	7	6	115 20 00000
	MB0A	163A	ELEC1311B01	11111	12.00 15.30	1	5	6	115 20 00000
	MB0A	163A	ELEC2520B01	1 1 1	12.00 15.30	1	3	6	115 20 00000
	MB0A	163A	IMMT1410B01	1 1 1	12.00 15.30	1	9	6	115 20 00000
8	MB0A	163A	IMMT1411B01	1 1 1	12.00 15.30	1	9	6	115 20 00000
8	MB0A	163A	ELEC2720B01	1 1	12.00 15.30	1	4	6	115 20 00000
8	MB0A	163A	IMMT1441B01	1 1	12.00 15.30	1	2	6	115 20 00000
	MB0C	0184	WELD2993B01	1111	9.00 10.00		1	53	115 20 00000
	MB0C	0184	WELD2210B03	1111	9.00 10.35	1	2	53	115 20 00000
	MB0C	0184	WELD2311B01	1111	9.00 11.00	1	1	53	115 20 00000
	MB0C	0184	WELD1110B01	1111	9.30 10.30	1	9	53	115 20 00000
	MB0C	0184	WELD1110B03	1111	9.30 10.30	1	1	53	115 20 00000
	MB0C	0184	WELD1420B01	1111	9.30 11.30	1	5	53	115 20 00000
	MB0C	0184	WELD1511B01	1111	9.30 11.30	1	5	53	115 20 00000
8	MB0C	0184	WELD1140B01	1111	10.35 11.35	1	8	53	115 20 00000
8	MB0C	0184	WELD1140B03	1111	10.35 11.35	1	1	53	115 20 00000
8	MB0C	0184	WELD2210B04	1111	11.00 13.00	1	1	53	115 20 00000
8	MB0C	0184	WELD2230B02	1111	11.10 12.40	1	2	53	115 20 00000
8	MB0C	0184	WELD1110BH1	1111	11.30 14.30	1	8	53	115 20 00000
8	MB0C	0184	WELD1410BH1	1111	11.30 14.30	1	8	53	115 20 00000
8	MB0C	0184	WELD1130B01	1111	11.35 12.35	1	1	53	115 20 00000
8	MB0C	0184	WELD2111B01	1111	11.35 12.35	1	6	53	115 20 00000
8	MB0C	0184	WELD1210B01	1111	11.40 12.40	1	11	53	115 20 00000
8	MB0C	0184	WELD1210B03	1111	11.40 12.40	1	1	53	115 20 00000
	MB0C	0184	WELD1410B01	1111	13.15 14.15		11	53	115 20 00000
	MB0C	0184	WELD1410B03	1111	13.15 14.15	1	1	53	115 20 00000
	MB0C	0184	WELD1512B01	1111	13.15 15.00	1	1	53	115 20 00000
	MB0C	0184	WELD1412B01	1111	13.15 15.15	1	2	53	115 20 00000
	MB0C	0184	WELD1120B01	1111	14.00 15.15	1	6	53	115 20 00000
8	MB0C	0184	WELD1411B01	1111	14.20 16.00	1	11	53	115 20 00000
8	MB0C	0184	WELD1411B03	1111	14.20 16.00	1	1	53	115 20 00000
8	MB0C	0184	WELD2310B01	1111	15.05 16.05	1	3	53	115 20 00000
8	MB0C	0184	WELD2210B01	1111	15.30 17.00	1	2	53	115 20 00000
8	MB0C	0184	IMMT1111B01	1111	15.35 18.45	1	2	53	115 20 00000
8	MB0C	0184	IMMT1112B01	1111	15.35 18.45	1	3	53	115 20 00000
8	MB0C	0184	WELD1310B01	1111	16.05 17.05	1	5	53	115 20 00000
8	MB0C	0184	WELD1510B01	1111	16.10 18.10	1	2	53	115 20 00000
8	MB0C	0184	WELD2110B01	1111	16.20 18.00	1	5	53	115 20 00000
8	MB0C	0184	WELD2230B01	1111	17.05 18.30	1	3	53	115 20 00000
8	MB0C	0184	WELD2994B01	1111	17.05 18.45	1	1	53	115 20 00000
8	MB0C	0184	CPTR1000B04	1111	17.10 18.10	1	2	53	115 20 00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	11
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	44
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		55
TOTAL NUMBER OF RECORDS READ		151
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		151
NUMBER OF JOINT-CLASS RECORDS		115
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/22/2013 12:20:54

PAGE NUM 1

L.T.C.-NATCHITOCHEs

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			18
TOTAL NUMBER OF STATIONS (CAPACITY)			362
WEEKLY STUDENT CONTACT HOURS	1,641		1,641
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,620	900	2,520
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	367		367
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	32,580	18,100	50,680
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	10,061		10,061
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,282		3,282
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	22.7	.0	14.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	10.1	.0	6.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	32.6	.0	32.6
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			190
WEEKLY STUDENT CONTACT HOURS	777		777
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1,540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	114		114
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	17,100	9,500	26,600
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,270		3,270
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,554		1,554
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	11.5	.0	7.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	9.1	.0	5.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	47.5	.0	47.5

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/22/2013 12:20:54
 PAGE NUM 2

L.T.C.-NATCHITOCHE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			7
TOTAL NUMBER OF STATIONS (CAPACITY)			172
WEEKLY STUDENT CONTACT HOURS	864		864
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	630	350	980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	253		253
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	15,480	8,600	24,080
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,791		6,791
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,728		1,728
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	40.2	.0	25.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	11.2	.0	7.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	25.4	.0	25.4

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY