

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 10/06/2015 09:34:15

PAGE NUM 1

L.T.C. - NATCHITOCHES

BRANCH

PARISH

RELATION

NATCHITOCH

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	MB0A	0115	COSM1211B00	1 1	8.00 10.00		16	1,722	210 50 00000
	MB0A	0115	COSM1220B00	1 1 1	8.00 11.00		2	1,722	210 50 00000
	MB0A	0115	COSM1311B00	1 1	8.00 11.00	1	15	1,722	210 50 00000
	MB0A	0115	COSM1230B00	11111	9.03 11.00	1	1	1,722	210 50 00000
	MB0A	0115	COSM2540B00	1	9.05 11.30	1	15	1,722	210 50 00000
	MB0A	0115	COSM1420B00	1 1	10.34 11.34		16	1,722	210 50 00000
	MB0A	0115	COSM2993B00	1 1 1	11.02 11.47		2	1,722	210 50 00000
	MB0A	0115	COSM1411B00	1	12.15 14.45		1	1,722	210 50 00000
	MB0A	0115	COSM1321B00	11 11	12.17 14.17	1	17	1,722	210 50 00000
	MB0A	0115	COSM2530B00	1 1 1	13.19 14.30	1	1	1,722	210 50 00000
	MB0A	0118	ORNT1000B00	11111	8.30 9.30		30	1,600	110 60 00000
	MB0A	0118	SPPR2991B00	11111	8.30 9.30	1	1	1,600	110 60 00000
	MB0A	0118	SPPR2993B00	11111	8.30 9.30	1	3	1,600	110 60 00000
	MB0A	0118	JOBS2450B00	1 1	10.30 11.30		6	1,600	110 60 00000
	MB0A	0118	ORNT1000B00	11111	12.00 13.00		2	1,600	110 60 00000
	MB0A	0119	ORNT1000B00	11111	8.00 8.30		16	1,764	110 45 00000
	MB0A	0119	IMFG1100B00	1 1 1	8.32 11.30		21	1,764	110 45 00000
	MB0A	0119	IMFG1200B00	1 1	8.32 11.30		22	1,764	110 45 00000
	MB0A	0119	IMFG1120B00	1 1 1	8.32 11.32		21	1,764	110 45 00000
	MB0A	0119	IMFG1200B00	1 1	10.32 11.30		22	1,764	110 45 00000
	MB0A	0119	IMFG1120B00	1 1 1	10.32 11.32		21	1,764	110 45 00000
	MB0A	0119	DVMA0090B00	1	12.00 12.30		7	1,764	110 45 00000
	MB0A	0119	DVRE0091B00	1	12.00 14.00		2	1,764	110 45 00000
	MB0A	0119	DVRE0092B00	1	12.00 14.00	1	1	1,764	110 45 00000
	MB0A	0119	IMFG1300B00	1 1	12.00 15.00	1	22	1,764	110 45 00000
	MB0A	0119	DVMA0090B00	11	12.33 13.15	1	7	1,764	110 45 00000
	MB0A	0119	DVEN0091B00	1	13.30 14.00		1	1,764	110 45 00000
	MB0A	0119	DVEN0090B00	1	14.00 16.00		2	1,764	110 45 00000
	MB0A	0119	DVEN0091B00	1	14.00 16.00	1	1	1,764	110 45 00000
	MB0A	0119	IMFG1300B00	1 1	14.02 15.00	1	22	1,764	110 45 00000
	MB0A	0129	CDYC1320B00	1 1 1	8.30 9.00		21	575	110 20 00000
	MB0A	0129	CDYC1410B00	1 1	8.30 9.15		15	575	110 20 00000
	MB0A	0129	CDYC1130B00	1 1	10.05 11.30		8	575	110 20 00000
	MB0A	0129	CDYC1220B00	1 1 1	10.20 11.20		9	575	110 20 00000
	MB0A	0129	CDYC1410B00	1 1	12.00 12.50		6	575	110 20 00000
9	MB0A	0129	CDYC1410B00	1	12.00 12.50		1	575	110 20 00000
	MB0A	0129	CDYC1230B00	1 1 1	12.05 12.45		8	575	110 20 00000
4	MB0A	0129	CDYC1130B00	1	12.30 12.50	1	7	575	110 20 00000
	MB0A	0130	IMFG1320B00	1 1 1	8.00 11.00		1	600	410 15 00000
	MB0A	0130	IMFG1420B00	1 1	12.00 15.00		1	600	410 15 00000
	MB0A	0131	IMFG1250B00	1 1 1	12.00 15.30		3	523	210 10 00000
	MB0A	0133	ORNT1000B00	1	8.00 9.00		1	625	140 25 00000
	MB0A	0133	CPTR1000B00	1 1	8.32 10.00		2	625	140 25 00000
	MB0A	0134	CPTR1000B00	1 1	8.00 8.30		2	400	110 16 00000
	MB0A	0134	COSM1230B00	11111	8.00 9.00	1	1	400	110 16 00000
	MB0A	0134	COSM2540B00	1	8.00 9.00	1	15	400	110 16 00000
	MB0A	0134	COSM1420B00	1 1	10.02 10.32		16	400	110 16 00000
	MB0A	0134	JOBS2450B00	1111	14.20 14.50		1	400	110 16 00000
	MB0A	0134	COSM2530B00	1 1 1	14.20 14.50	1	1	400	110 16 00000
4	MB0A	0136	HNUR1211B00	11111	8.00 8.25		27	1,320	110 40 00000
	MB0A	0136	HNUR2996B00	11111	8.00 9.15	1	1	1,320	110 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 10/06/2015 09:34:15

PAGE NUM 2

L.T.C. - NATCHITOCHES

BRANCH

PARISH

RELATION

NATCHITOCH

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	MB0A	0136	HNUR1100B00	11111	9.30 11.00		33	1,320	110 40 00000
	MB0A	0136	HNUR1322B00	11111	12.00 12.55		33	1,320	110 40 00000
	MB0A	0136	HNUR1000B00	11111	13.00 13.55		33	1,320	110 40 00000
	MB0A	0136	ORNT1000B00	11111	15.05 16.05		10	1,320	110 40 00000
	MB0A	0136	HNUR1211B00	11	16.30 17.00		12	1,320	110 40 00000
	MB0A	0137	CDYC1320B00	1 1 1	9.02 10.15		21	2,500	210 25 00000
	MB0A	0137	CDYC1410B00	1 1	9.17 10.00		15	2,500	210 25 00000
	MB0A	0137	CDYC1220B00	1 1 1	11.22 12.00		9	2,500	210 25 00000
	MB0A	0137	CDYC1151B00	11111	11.30 13.30	1	1	2,500	210 25 00000
	MB0A	0137	CDYC1130B00	1 1	11.32 12.05	1	8	2,500	210 25 00000
	MB0A	0137	CDYC2991B00	1 1	12.00 13.00	1	2	2,500	210 25 00000
4	MB0A	0137	CDYC1230B00	1 1 1	12.47 13.05		8	2,500	210 25 00000
4	MB0A	0137	CDYC1130B00	1 1	12.52 13.20	1	7	2,500	210 25 00000
4	MB0A	0137	CDYC1410B00	1 1	12.53 13.20		6	2,500	210 25 00000
4	9	MB0A	0137	CDYC1410B00	1		1	2,500	210 25 00000
	MB0A	0137	CDYC1151B00	11111	13.00 15.00	1	5	2,500	210 25 00000
	MB0A	0137	CDYC1241B00	11111	13.00 15.00	1	2	2,500	210 25 00000
	MB0A	0144	CPTR1310B00	1 1 1	8.41 9.20		8	1,900	140 60 00000
	MB0A	0144	KYBD1111B00	1 1 1	9.32 10.20		9	1,900	140 60 00000
	MB0A	0144	CPTR1320B00	1 1 1	10.06 10.45	1	5	1,900	140 60 00000
	MB0A	0144	ACCT1100B00	1 1	10.36 12.50		14	1,900	140 60 00000
	MB0A	0144	ACCT1200B00	1 1	10.36 12.50	1	3	1,900	140 60 00000
	MB0A	0144	ISYS1440B00	1 1 1	11.56 12.55		3	1,900	140 60 00000
	MB0A	0144	BOTH1210B00	1 1	12.35 13.50		6	1,900	140 60 00000
	MB0A	0144	BUSE1030B00	1 1	12.55 13.30	1	6	1,900	140 60 00000
	MB0A	0145	BOTH1120B00	1 1	9.20 10.35		5	888	110 30 00000
	MB0A	0145	BOTH1300B00	1 1	9.20 10.35	1	4	888	110 30 00000
	MB0A	0145	CSRV1000B00	1 1 1	10.00 10.55		16	888	110 30 00000
	MB0A	0145	OSYS1100B00	1 1 1	10.00 10.55	1	14	888	110 30 00000
	MB0A	0145	BOTH1240B00	1 1 1	12.30 13.25		5	888	110 30 00000
	MB0A	0146	CPTR1310B00	1 1 1	8.00 8.40		8	1,000	140 30 00000
	MB0A	0146	ISYS1650B00	1 1	8.00 8.50		9	1,000	140 30 00000
	MB0A	0146	ISYS1650B00	1 1	8.51 9.40		9	1,000	140 30 00000
	MB0A	0146	CPTR1320B00	1 1 1	9.25 10.05		5	1,000	140 30 00000
	MB0A	0146	ACCT1100B00	1 1	9.45 10.35		14	1,000	140 30 00000
	MB0A	0146	ACCT1200B00	1 1	9.45 10.35	1	3	1,000	140 30 00000
	MB0A	0146	ISYS1440B00	1 1 1	11.15 11.55		3	1,000	140 30 00000
	MB0A	0146	OSYS2530B00	1 1 1	13.00 13.50		4	1,000	140 30 00000
	MB0A	0146	BUSE1030B00	1 1	13.33 14.10		6	1,000	140 30 00000
	MB0A	0146	CPTR1002B00	1 1 1	13.55 15.45		11	1,000	140 30 00000
	MB0A	0146	BUSE1045B00	1 1	14.15 15.05		11	1,000	140 30 00000
	MB0A	0147	KYBD1010B00	1 1 1	8.00 8.55		8	864	110 40 00000
	MB0A	0147	SPPR2995B00	1 1 1	8.00 9.15	1	2	864	110 40 00000
	MB0A	0147	BOTH2110B00	1 1	8.00 9.15		4	864	110 40 00000
	MB0A	0147	KYBD1111B00	1 1 1	9.00 9.30		9	864	110 40 00000
	MB0A	0147	BOTH1230B00	1 1	10.40 11.55		9	864	110 40 00000
	MB0A	0147	MATR1350B00	1 1 1	11.00 11.55		3	864	110 40 00000
	MB0A	0147	JOBS2450B00	1 1 1	13.30 14.45		18	864	110 40 00000
	MB0A	0147	BUSM1050B00	1 1 1	13.30 15.00	1	3	864	110 40 00000
	MB0A	0147	ORNT1000B00	1 1	14.00 14.50		11	864	110 40 00000
	MB0A	0156	WELD1110B00	1 1	8.00 9.00		7	2,180	210 15 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 10/06/2015 09:34:15
 PAGE NUM 3

L.T.C. - NATCHITOCHES
 BRANCH
 PARISH
 RELATION

NATCHITOCH
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	MB0A	0156	WELD1140B00	1	8.00 9.00		7	2,180	210 15 00000
	MB0A	0156	WELD1210B00	1 1	10.10 11.10		7	2,180	210 15 00000
	MB0A	0156	WELD1110B00	1 1	12.00 13.00		3	2,180	210 15 00000
	MB0A	0156	WELD1140B00	1	12.00 13.00		3	2,180	210 15 00000
	MB0A	0156	WELD1210B00	1 1	14.10 15.10		3	2,180	210 15 00000
	MB0A	0159	IMFG1340B00	1 1 1	8.00 11.00		1	2,050	210 15 00000
	MB0A	0159	IMFG1440B00	1 1 1	8.00 11.00	1	1	2,050	210 15 00000
	MB0A	0159	IMFG1315B00	1 1	8.00 11.00		1	2,050	210 15 00000
	MB0A	0159	IMFG1321B00	1 1	8.00 11.00	1	1	2,050	210 15 00000
	MB0A	0159	IMFG1421B00	1 1 1	12.00 15.00		1	2,050	210 15 00000
	MB0A	0159	IMFG1130B00	1 1	12.00 15.00		1	2,050	210 15 00000
	MB0A	0162	HACR2810B00	1	8.00 10.00		1	400	110 20 00000
	MB0A	0162	HACR2820B00	1	8.00 10.00	1	1	400	110 20 00000
	MB0A	0162	HACR1210B00	1	8.00 11.00	1	9	400	110 20 00000
	MB0A	0162	HACR1230B00	1	8.00 11.00	1	9	400	110 20 00000
	MB0A	0162	HACR1220B00	1	11.30 14.30		9	400	110 20 00000
	MB0A	0162	HACR1240B00	1	11.30 14.30	1	9	400	110 20 00000
	MB0A	0163	HACR1210B00	1111	8.00 11.00		9	2,304	210 25 00000
	MB0A	0163	HACR1230B00	1111	8.00 11.00	1	9	2,304	210 25 00000
	MB0A	0163	HACR2810B00	11111	10.05 15.00	1	1	2,304	210 25 00000
	MB0A	0163	HACR2820B00	11111	10.05 15.00	1	1	2,304	210 25 00000
	MB0A	0163	HACR2995B00	1 1 1	11.00 12.00	1	1	2,304	210 25 00000
	MB0A	0163	HACR1220B00	1111	11.30 14.30	1	9	2,304	210 25 00000
8	MB0A	0163	HACR1240B00	1111	11.30 14.30	1	9	2,304	210 25 00000
8	MB0A	135A	HNUR1211B00	11111	8.27 9.27		27	840	210 10 00000
	MB0A	135A	HNUR1212B00	11111	14.00 15.00		14	840	210 10 00000
89	MB0A	135A	HNUR1212B00	11111	14.00 15.00		13	840	210 10 00000
	MB0A	135A	HCOR1212B00	11	16.30 21.00		12	840	210 10 00000
	MB0A	135A	HNUR1211B00	11	17.03 21.00		12	840	210 10 00000
	MB0A	156C	WELD1110B00	1	8.00 9.00		7	500	110 16 00000
	MB0A	156C	WELD1140B00	1	8.00 9.00		7	500	110 16 00000
	MB0A	156C	WELD1210B00	1	10.10 11.10		7	500	110 16 00000
	MB0A	156C	WELD1110B00	1	12.00 13.00		3	500	110 16 00000
	MB0A	156C	WELD1140B00	1	12.00 13.00		3	500	110 16 00000
	MB0A	156C	WELD1210B00	1	14.10 15.10		3	500	110 16 00000
	MB0A	163A	ELMT2520B00	1 1 1	8.00 11.30		2	2,050	210 15 00000
	MB0A	163A	INST1110B00	1 1	9.03 11.30		5	2,050	210 15 00000
	MB0A	163A	IIET1413B00	1 1 1	10.33 11.30		5	2,050	210 15 00000
	MB0A	163A	IIET1433B00	1 1 1	10.33 11.30	1	2	2,050	210 15 00000
9	MB0A	163A	IIET1433B00	1 1 1	10.33 11.30		1	2,050	210 15 00000
	MB0A	163A	IIET2733B00	1 1 1	10.33 11.30	1	3	2,050	210 15 00000
	MB0A	163A	IMFG1235B00	11111	12.00 15.30		5	2,050	210 15 00000
	MB0A	163A	INST1330B00	11111	13.03 15.30	1	5	2,050	210 15 00000
	MB0A	163A	IIET1214B00	1 1 1	13.03 15.30	1	1	2,050	210 15 00000
9	MB0A	163A	IIET1214B00	1 1 1	13.03 15.30		1	2,050	210 15 00000
	MB0A	163A	IIET2123B00	1 1 1	13.03 15.30	1	3	2,050	210 15 00000
	MB0A	163A	IMFG1220B00	1 1 1	13.03 15.30	1	1	2,050	210 15 00000
	MB0A	163B	INST1110B00	1 1	8.00 9.00		5	500	110 10 00000
	MB0A	163B	IIET1413B00	1 1 1	8.00 10.30		5	500	110 10 00000
	MB0A	163B	IIET1433B00	1 1 1	8.00 10.30	1	2	500	110 10 00000
9	MB0A	163B	IIET1433B00	1 1 1	8.00 10.30		1	500	110 10 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 10/06/2015 09:34:15
 PAGE NUM 4

L.T.C. -NATCHITOCHE
 BRANCH
 PARISH
 RELATION

NATCHITOCH
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	MB0A 163B	IIET2733B00	1 1 1	8.00 10.30	1	3	500	110 10	00000
	MB0A 163B	INST1330B00	11111	12.00 13.00		5	500	110 10	00000
	MB0A 163B	IIET1214B00	1 1 1	12.00 13.00	1	1	500	110 10	00000
9	MB0A 163B	IIET1214B00	1 1 1	12.00 13.00		1	500	110 10	00000
	MB0A 163B	IMFG1220B00	1 1 1	12.00 13.00	1	1	500	110 10	00000
	MB0A 163B	IIET2123B00	1 1	12.00 13.00		3	500	110 10	00000
	MB0C 0184	WELD2993B00	1111	9.00 10.00		3	3,364	210 20	00000
	MB0C 0184	WELD1512B00	1111	9.00 11.00	1	1	3,364	210 20	00000
	MB0C 0184	WELD1110B00	111	9.30 10.30	1	5	3,364	210 20	00000
	MB0C 0184	WELD1511B00	1111	9.30 11.30	1	5	3,364	210 20	00000
	MB0C 0184	WELD1420B00	111	9.30 11.30	1	7	3,364	210 20	00000
	MB0C 0184	CPTR1000B00	111	10.00 11.30	1	1	3,364	210 20	00000
	MB0C 0184	WELD1140B00	111	10.35 11.32	1	6	3,364	210 20	00000
	MB0C 0184	WELD1130B00	111	11.35 12.35		2	3,364	210 20	00000
	MB0C 0184	WELD2410B00	111	11.35 12.45	1	3	3,364	210 20	00000
	MB0C 0184	WELD1210B00	111	11.40 12.40	1	6	3,364	210 20	00000
	MB0C 0184	WELD1410B00	111	13.15 14.15		6	3,364	210 20	00000
	MB0C 0184	WELD1512B00	1111	13.15 15.00	1	4	3,364	210 20	00000
	MB0C 0184	WELD1412B00	1111	13.15 15.15	1	12	3,364	210 20	00000
	MB0C 0184	WELD2210B00	111	13.40 15.10	1	1	3,364	210 20	00000
	MB0C 0184	WELD1120B00	111	14.00 15.15	1	2	3,364	210 20	00000
8	MB0C 0184	WELD1411B00	1111	14.20 16.00	1	8	3,364	210 20	00000
8	MB0C 0184	WELD2310B00	111	15.20 17.00	1	3	3,364	210 20	00000
8	MB0C 0184	WELD1110B00	111	16.00 17.00	1	9	3,364	210 20	00000
8	MB0C 0184	WELD2210B00	111	16.00 17.00	1	2	3,364	210 20	00000
8	MB0C 0184	WELD1310B00	111	16.05 17.05	1	4	3,364	210 20	00000
8	MB0C 0184	WELD1510B00	111	16.10 18.10	1	8	3,364	210 20	00000
8	MB0C 0184	WELD1140B00	111	17.03 18.03	1	13	3,364	210 20	00000
8	MB0C 0184	WELD2310B00	111	17.03 18.03	1	2	3,364	210 20	00000
8	MB0C 0184	WELD2994B00	1111	17.05 18.45	1	1	3,364	210 20	00000
8	MB0C 0184	WELD1210B00	111	18.05 19.05	1	13	3,364	210 20	00000
	MB0C 0185	WELD2311B00	1111	9.00 11.00		6	2,262	210 5	00000
	MB0C 0185	WELD2230B00	111	11.10 12.40		3	2,262	210 5	00000
8	MB0C 0185	WELD2111B00	1111	11.35 12.35	1	8	2,262	210 5	00000
	MB0C 0185	WELD2310B00	111	15.05 16.05		1	2,262	210 5	00000
	MB0C 0185	WELD2210B00	111	15.30 17.00	1	3	2,262	210 5	00000
	MB0C 0185	WELD2110B00	111	16.20 18.00	1	1	2,262	210 5	00000
	MB0C 0185	WELD2230B00	111	17.05 18.30	1	2	2,262	210 5	00000
	MB0C 184A	WELD1110B00	1	9.30 10.30		5	440	110 12	00000
	MB0C 184A	WELD1420B00	1	9.30 11.30	1	7	440	110 12	00000
	MB0C 184A	CPTR1000B00	1	10.00 11.30	1	1	440	110 12	00000
8	MB0C 184A	WELD1140B00	1	10.35 11.32	1	6	440	110 12	00000
8	MB0C 184A	WELD2230B00	1	11.10 12.40	1	3	440	110 12	00000
8	MB0C 184A	WELD1130B00	1	11.35 12.35	1	2	440	110 12	00000
8	MB0C 184A	WELD2410B00	1	11.35 12.45	1	3	440	110 12	00000
8	MB0C 184A	WELD1210B00	1	11.40 12.40	1	6	440	110 12	00000
	MB0C 184A	WELD1410B00	1	13.15 14.15		6	440	110 12	00000
	MB0C 184A	WELD2210B00	1	13.40 15.10	1	1	440	110 12	00000
	MB0C 184A	WELD1120B00	1	14.00 15.15	1	2	440	110 12	00000
	MB0C 184A	WELD2310B00	1	15.05 16.05	1	1	440	110 12	00000
9	MB0C 184A	WELD2310B00	1	15.20 17.00		3	440	110 12	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015
 RUN DATE 10/06/2015 09:34:15
 PAGE NUM 5

L.T.C.-NATCHITOCHES
 BRANCH
 PARISH
 RELATION

NATCHITOCH
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	MB0C 184A	WELD2210B00	1	15.30 17.00	1	3	440	110 12	00000
8	MB0C 184A	WELD1110B00	1	16.00 17.00	1	9	440	110 12	00000
8	MB0C 184A	WELD2210B00	1	16.00 17.00	1	2	440	110 12	00000
8	MB0C 184A	WELD1310B00	1	16.05 17.05	1	4	440	110 12	00000
8	MB0C 184A	WELD1510B00	1	16.10 18.10	1	8	440	110 12	00000
8	MB0C 184A	WELD2110B00	1	16.20 18.00	1	1	440	110 12	00000
8	MB0C 184A	WELD1140B00	1	17.03 18.03	1	13	440	110 12	00000
8	MB0C 184A	WELD2310B00	1	17.03 18.03	1	2	440	110 12	00000
8	MB0C 184A	WELD2230B00	1	17.05 18.30	1	2	440	110 12	00000
8	MB0C 184A	CPTR1000B00	1111	17.10 18.10	1	7	440	110 12	00000
8	MB0C 184A	WELD1210B00	1	18.05 19.05	1	13	440	110 12	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
FALL DATA 2015
RUN DATE 10/06/2015 09:34:15

L.T.C.-NATCHITOCHES

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - - THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	6
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - - CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - - PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	29
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - - THERE SHOULD BE NO DUPLICATES.	8

----- T O T A L S -----

TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	43
TOTAL NUMBER OF RECORDS READ	- - - - -	215
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	207
NUMBER OF JOINT-CLASS RECORDS	- - - - -	100
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/06/2015 09:34:15

PAGE NUM 1

L.T.C. -NATCHITOCHES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			17
TOTAL NUMBER OF STATIONS (CAPACITY)			485
WEEKLY STUDENT CONTACT HOURS	3,089	59	3,148
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,530	850	2,380
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	642	17	659
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43,650	24,250	67,900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	21,451	204	21,655
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,179	118	6,297
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	42.0	2.0	27.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	14.2	.5	9.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	28.8	57.8	29.1
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			370
WEEKLY STUDENT CONTACT HOURS	2,662	59	2,721
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,260	700	1,960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	520	17	537
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	33,300	18,500	51,800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	16,211	204	16,415
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,325	118	5,443
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	41.3	2.4	27.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	16.0	.6	10.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	32.8	57.8	33.2

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/06/2015 09:34:15
PAGE NUM 2

L.T.C. -NATCHITOCHES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			115
WEEKLY STUDENT CONTACT HOURS	427		427
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	122		122
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	10,350	5,750	16,100
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,240		5,240
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	854		854
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	45.2	.0	29.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	8.3	.0	5.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	16.3	.0	16.3
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			240
WEEKLY STUDENT CONTACT HOURS	2,492	197	2,689
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1,540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	990	59	1,049
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	21,600	12,000	33,600
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	21,560	885	22,445
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,985	394	5,379
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	100.0	10.7	68.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	23.1	3.3	16.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	23.1	44.5	24.0

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/06/2015 09:34:15

PAGE NUM 3

L.T.C. -NATCHITOCHES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			240
WEEKLY STUDENT CONTACT HOURS	2,492	197	2,689
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1,540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	990	59	1,049
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	21,600	12,000	33,600
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	21,560	885	22,445
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,985	394	5,379
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	100.0	10.7	68.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	23.1	3.3	16.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	23.1	44.5	24.0

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY