

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 10/14/2015 15:41:12
 PAGE NUM 1

L.T.C. -NORTHWEST
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	0MCS	0112	HCOR1200C01	1111	8.00 9.25		21	712	110 22	00000
	0MCS	0112	BOTH1300C01	1 1	8.00 9.30	1	1	712	110 22	00000
	0MCS	0112	HCOR1601C01	1111	12.00 13.00		16	712	110 22	00000
	0MCS	0115	HPHL1013C01	11 11	8.00 11.00		10	712	110 22	00000
8	0MCS	0115	HNUR1211C04	1111	9.35 11.00	1	23	712	110 22	00000
	0MCS	0131	ORNT1000C21	1	11.45 14.45		32	693	210 17	00000
	0MCS	0134	DVMA0090C01	1111	8.00 9.00		16	696	210 17	00000
	0MCS	0134	BUSE1030C02	1 1 1	10.00 11.00		12	696	210 17	00000
	0MCS	0134	BUSE1045C01	1 1 1	10.00 11.00	1	3	696	210 17	00000
	0MCS	0134	BUSM1050C02	1111	12.10 13.10		9	696	210 17	00000
	0MCS	0134	ORNT1000C22	1	12.30 15.30		3	696	210 17	00000
	0MCS	0134	DVEN0091C01	1111	13.30 14.30		3	696	210 17	00000
	0MCS	0134	DVRE0092C01	1111	13.30 14.30	1	3	696	210 17	00000
	0MCS	0135	ACCT1250C01	1	8.00 11.00		5	822	210 25	00000
	0MCS	0135	CPTR1320C01	11111	9.05 10.05	1	4	822	210 25	00000
	0MCS	0135	KYBD1111C01	1 1 1	9.05 10.05	1	10	822	210 25	00000
	0MCS	0135	ISYS1440C01	11111	10.10 11.10		2	822	210 25	00000
	0MCS	0135	OSYS1100C01	1 1	10.10 11.40	1	20	822	210 25	00000
	0MCS	0135	BOTH1240C01	1 1	14.10 15.30		3	822	210 25	00000
	0MCS	0137	ACCT1200C01	1	8.00 11.00		8	546	210 25	00000
	0MCS	0138	ISYS1650C01	1111	8.00 9.00		2	938	210 35	00000
	0MCS	0138	BOTH2110C01	111	8.00 9.00	1	1	938	210 35	00000
	0MCS	0138	MATR1350C01	111	8.00 9.00	1	2	938	210 35	00000
	0MCS	0138	KYBD1010C01	1 1 1	9.05 10.05		13	938	210 35	00000
	0MCS	0138	JOBS2450C01	1 1	9.05 10.05		2	938	210 35	00000
	0MCS	0138	OSYS2530C01	1 1 1	12.05 13.05		2	938	210 35	00000
	0MCS	0138	CPTR1000C01	1 1	12.15 13.45	1	8	938	210 35	00000
	0MCS	0138	CPTR1002C01	1 1	12.15 13.45	1	6	938	210 35	00000
	0MCS	0138	BOTH1230C01	1 1	12.40 14.10		3	938	210 35	00000
	0MCS	0138	HCOR1801C01	1 1 1	14.15 15.35		11	938	210 35	00000
	0MCS	0138	BOTH1210C01	1 1	14.15 15.45		16	938	210 35	00000
	0MCS	0140	HNUR2996C01	1 1	8.00 9.25		17	1,223	110 41	00000
	0MCS	0140	HNUR1211C01	1 1 1	9.35 11.45		20	1,223	110 41	00000
	0MCS	0141	HNUR1411C01	11111	8.00 9.25		30	1,223	110 41	00000
	0MCS	0141	HNUR1363C01	11111	9.35 11.00		30	1,223	110 41	00000
	0MCS	0141	HNUR1000C01	1 1 1	12.00 13.25		29	1,223	110 41	00000
	0MCS	0141	HNUR1322C01	1 1	12.00 13.25		22	1,223	110 41	00000
	0MCS	0141	HNUR1100C01	11111	13.35 15.00		28	1,223	110 41	00000
	0MCS	0142	HNUR2128C01	1 1	8.00 11.00		24	1,223	210 25	00000
	0MCS	0142	HNUR2722C01	1 1	12.00 13.25		24	1,223	210 25	00000
	0MCS	0142	HNUR2522C01	1 1	13.35 15.00		20	1,223	210 25	00000
	0MCS	0143	HNUR2138C01	1 1	8.00 11.00		16	1,223	210 25	00000
	0MCS	0143	HNUR2712C01	1 1	12.00 13.25		16	1,223	210 25	00000
	0MCS	0143	HNUR2812C01	1 1	13.35 15.00		16	1,223	210 25	00000
4	0MCT	0100	AUTO1200C01	11111	8.00 8.25		21	5,314	210 30	00000
	0MCT	0100	OPET1221C01	11111	8.00 9.20	1	1	5,314	210 30	00000
4	0MCT	0100	AUTO1210C01	11111	8.30 8.55	1	21	5,314	210 30	00000
4	0MCT	0100	AUTO1220C01	11111	9.00 9.25		21	5,314	210 30	00000
	0MCT	0100	OPET1231C01	11111	9.25 10.20		1	5,314	210 30	00000
4	0MCT	0100	AUTO1230C01	11111	9.30 9.55	1	21	5,314	210 30	00000
4	0MCT	0100	AUTO1240C01	11111	10.00 10.25		21	5,314	210 30	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 10/14/2015 15:41:12
 PAGE NUM 2

L.T.C. -NORTHWEST
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	0MCT	0100	OPET1241C01	11111	10.25 11.20		1		210 30	00000
4	0MCT	0100	AUTO1300C01	11111	10.30 10.55	1	19	5,314	210 30	00000
	0MCT	0100	AUTO1310C01	11111	11.25 11.55		19	5,314	210 30	00000
	0MCT	0100	OPET1251C01	11111	11.25 12.10	1	1	5,314	210 30	00000
4	0MCT	0100	AUTO1320C01	11111	12.00 12.25	1	19	5,314	210 30	00000
4	0MCT	0100	AUTO1330C01	11111	12.30 12.55		19	5,314	210 30	00000
4	0MCT	0100	AUTO1340C01	11111	13.00 13.25		19	5,314	210 30	00000
	0MCT	0101	AUTO1830C01	11111	8.00 8.45		2	1,064	110 32	00000
	0MCT	0101	AUTO1840C01	11111	8.50 9.55		3	1,064	110 32	00000
	0MCT	0101	AUTO1850C01	11111	10.00 10.45		2	1,064	110 32	00000
4	0MCT	0101	JOBS2450C08	11111	10.50 11.15		2	1,064	110 32	00000
	0MCT	0101	OPET1261C01	11111	12.15 13.10		1	1,064	110 32	00000
	0MCT	0101	OPET1341C01	11111	13.15 14.45		1	1,064	110 32	00000
	0MCT	0101	CPTR1000C08	11111	13.30 14.05	1	19	1,064	110 32	00000
4	0MCT	0101	AUTO1430C01	11111	14.10 14.35		6	1,064	110 32	00000
4	0MCT	0101	AUTO1440C01	11111	14.40 15.05		5	1,064	110 32	00000
4	0MCT	0101	AUTO1520C01	11111	15.10 15.25		1	1,064	110 32	00000
	0MCT	0110	ELEC1110C01	1 1 1	8.00 9.00		13	989	210 16	00000
8	0MCT	0110	ETRN1120C01	11111	8.00 9.15	1	19	989	210 16	00000
8	0MCT	0110	ETRN1220C02	11111	8.00 9.15	1	17	989	210 16	00000
	0MCT	0110	ETRN1210C01	11111	11.00 12.15		19	989	210 16	00000
	0MCT	0112	ELEC1130C01	1 1	9.01 10.01		14	951	110 16	00000
8	0MCT	0112	ETRN1130C01	11111	9.30 10.45	1	19	951	110 16	00000
	0MCT	0112	ETRN1220C01	11111	13.15 14.30		18	951	110 16	00000
	0MCT	0114	INST1330C01	11111	8.00 10.30		19	890	110 16	00000
8	0MCT	0114	INST1430C01	11111	9.30 10.45	1	16	890	110 16	00000
	0MCT	0114	INST1420C01	11111	13.15 14.30		19	890	110 16	00000
	0MCT	0116	INST2730C01	11111	8.00 9.15		16	1,018	210 16	00000
	0MCT	0116	INST1410C01	11111	10.45 12.15		19	1,018	210 16	00000
	0MCT	0116	INST2610C01	11111	13.00 14.30		16	1,018	210 16	00000
	0MCT	0119	INST1110C01	11111	13.00 14.15		14	1,277	110 32	00000
	0MCT	0119	CPTR1000C09	11111	14.15 15.00		15	1,277	110 32	00000
4	0MCT	0119	JOBS2450C09	11111	14.31 15.01	1	16	1,277	110 32	00000
	0MCT	0119	ORNT1000CN9	1111	15.00 15.15	1	15	1,277	110 32	00000
	0MCT	0119	ETRN1120CN1	1111	15.16 16.31		17	1,277	110 32	00000
	0MCT	0119	ETRN1130CN1	1111	16.45 18.00		17	1,277	110 32	00000
	0MCT	0119	ETRN1210CN1	1111	18.01 19.16		17	1,277	110 32	00000
	0MCT	0119	ETRN1220CN1	1111	19.40 21.00		17	1,277	110 32	00000
	0MCT	0121	INST2620C01	11111	9.30 11.30		16	885	210 16	00000
	0MCT	0121	INST2630C01	11111	12.30 14.00		16	885	210 16	00000
	0MCT	0122	ETRN1420C01	11111	8.00 9.30		14	716	210 16	00000
	0MCT	0122	INST2740C01	11111	9.45 12.00		14	716	210 16	00000
	0MCT	0123	INST2820C01	11111	8.00 9.15		16	1,269	110 16	00000
	0MCT	0124	INST2830C01	11111	9.30 11.15		16	672	210 16	00000
	0MCT	0124	INST2840C01	11111	13.00 14.45		16	672	210 16	00000
	0MCT	0132	MTTC2510C01	11111	8.00 9.15		1	3,642	210 25	00000
	0MCT	0132	MTTC2331C01	11111	11.45 14.10		2	3,642	210 25	00000
	0MCT	0132	MTTC2431C01	11111	11.45 14.10	1	2	3,642	210 25	00000
	0MCT	0132	MTTC2210C01	11111	12.30 13.30	1	6	3,642	210 25	00000
	0MCT	0132	MTTC2230C01	11111	13.45 16.10		6	3,642	210 25	00000
4	0MCT	0132	MTTC2991C01	11111	14.15 14.40	1	1	3,642	210 25	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 10/14/2015 15:41:12
 PAGE NUM 3

L.T.C. -NORTHWEST
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.	
	0MCT	0132	MTTC2993C01	11111	14.15 15.05	1	1	3,642	210 25	00000	
	0MCT	0132	MTTC2995C01	11111	14.15 15.30	1	1	3,642	210 25	00000	
	0MCT	0134	ELEC2460C06	11111	8.00 8.40		6	1,945	210 25	00000	
	0MCT	0134	ELEC1230C01	11111	8.00 9.15	1	2	1,945	210 25	00000	
	0MCT	0134	IMMT1441C01	11111	8.00 9.40	1	2	1,945	210 25	00000	
	0MCT	0134	ELEC1330C01	11111	8.00 10.12	1	1	1,945	210 25	00000	
	0MCT	0134	IMMT1411C01	11111	8.20 9.30	1	11	1,945	210 25	00000	
	0MCT	0134	ELEC1311C01	1 1 1	8.37 10.49	1	6	1,945	210 25	00000	
	0MCT	0134	ELEC1220C06	11111	8.45 9.58	1	5	1,945	210 25	00000	
	0MCT	0134	ELEC1430C01	11111	9.20 10.20	1	2	1,945	210 25	00000	
8	0MCT	0134	IMMT1421C01	11111	9.35 11.10	1	11	1,945	210 25	00000	
8	0MCT	0134	ELEC1230C06	11111	10.00 11.15	1	4	1,945	210 25	00000	
8	0MCT	0134	ELEC1210C01	11111	10.01 12.01	1	2	1,945	210 25	00000	
8	0MCT	0134	ELEC1420C01	11111	10.13 11.25	1	2	1,945	210 25	00000	
4	8	0MCT	0134	JOBS2450C06	11111	11.15 11.40	1	1	1,945	210 25	00000
8	0MCT	0134	IMMT1430C01	11111	11.15 13.40	1	9	1,945	210 25	00000	
8	0MCT	0134	ELEC1210C02	1 1 1	11.26 13.26	1	19	1,945	210 25	00000	
	0MCT	0134	ELEC1220C01	1 1	12.03 13.15		19	1,945	210 25	00000	
	0MCT	0134	DVRE0091C01	1111	13.30 14.30		7	1,945	210 25	00000	
	0MCT	0134	JOBS2450C05	11111	13.45 14.45	1	1	1,945	210 25	00000	
	0MCT	0134	CPTR1000C05	11111	14.50 15.50		2	1,945	210 25	00000	
	0MCT	0135	IMMT1311C01	11111	8.00 8.50		7	1,980	210 25	00000	
	0MCT	0135	ELEC1330C02	1 1 1	8.00 9.12	1	6	1,980	210 25	00000	
	0MCT	0135	IMMT1320C01	11111	8.55 9.30	1	7	1,980	210 25	00000	
	0MCT	0135	IMMT1321C01	11111	9.35 10.50		7	1,980	210 25	00000	
4	0MCT	0135	ELEC1230C02	11111	10.50 12.02		6	1,980	210 25	00000	
	0MCT	0135	IMMT1330C01	11111	10.55 11.15	1	4	1,980	210 25	00000	
	0MCT	0135	IMMT1331C01	11111	11.20 12.30		4	1,980	210 25	00000	
	0MCT	0135	ELEC1440C01	11111	11.30 13.20	1	2	1,980	210 25	00000	
	0MCT	0135	IMMT1121C01	11111	13.55 15.25		1	1,980	210 25	00000	
	0MCT	0136	CPTR1000C07	11111	8.00 8.36		7	606	110 25	00000	
	0MCT	0136	MTTC2110C01	11111	8.40 9.40		6	606	110 25	00000	
	0MCT	0136	JOBS2450C07	11111	9.30 10.00	1	1	606	110 25	00000	
	0MCT	0136	MTTC2120C01	11111	9.45 12.15	1	6	606	110 25	00000	
4	0MCT	0136	MTTC2710C01	11111	14.30 17.00		3	606	110 25	00000	
	0MCT	0137	IMMT1410C01	11111	8.00 8.15		10	606	110 25	00000	
	0MCT	0137	ELEC1120C01	11111	8.00 10.00	1	7	606	110 25	00000	
4	0MCT	0137	IMMT1120C01	11111	13.20 13.50		1	606	110 25	00000	
	0MCT	0138	IMMT1110C01	11111	8.00 8.15		7	606	110 25	00000	
	0MCT	0140	WELD2111C01	11111	8.00 9.24		7	2,741	210 25	00000	
	0MCT	0140	WELD2210C01	11111	8.00 9.24	1	4	2,741	210 25	00000	
	0MCT	0140	WELD2310C01	11111	8.00 9.24	1	5	2,741	210 25	00000	
	0MCT	0140	WELD1420C01	11111	8.00 9.36	1	5	2,741	210 25	00000	
	0MCT	0140	WELD1510C01	11111	8.00 9.36	1	3	2,741	210 25	00000	
	0MCT	0140	IMMT1111C01	11111	8.20 11.00	1	1	2,741	210 25	00000	
	0MCT	0140	WELD2230C01	11111	9.25 10.49	1	4	2,741	210 25	00000	
	0MCT	0140	WELD2311C01	11111	9.25 10.49	1	9	2,741	210 25	00000	
8	0MCT	0140	WELD1511C01	11111	9.37 11.13	1	2	2,741	210 25	00000	
	0MCT	0140	WELD1512C01	11111	11.15 12.51		2	2,741	210 25	00000	
	0MCT	0140	WELD1410C01	11111	11.20 12.08	1	7	2,741	210 25	00000	
	0MCT	0140	IMMT1112C01	11111	12.00 13.15	1	1	2,741	210 25	00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015
 RUN DATE 10/14/2015 15:41:12
 PAGE NUM 4

L.T.C.-NORTHWEST
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0MCT	0140	WELD1412C01	11111	12.10 13.34	1	5	2,741	210 25 00000
	0MCT	0140	WELD1210C01	11111	12.52 13.40	1	9	2,741	210 25 00000
	0MCT	0140	WELD2110C01	11111	13.35 14.59	1	4	2,741	210 25 00000
	0MCT	0140	WELD1411C01	11111	13.35 15.00	1	2	2,741	210 25 00000
	0MCT	0140	WELD1310C01	11111	13.41 14.17	1	4	2,741	210 25 00000
	0MCT	0140	WELD1110CNP	1111	15.00 16.00		11	2,741	210 25 00000
	0MCT	0140	WELD1412CN1	1111	15.30 17.15	1	1	2,741	210 25 00000
	0MCT	0140	WELD2110CN1	1111	15.30 17.15	1	3	2,741	210 25 00000
	0MCT	0140	WELD2230CN1	1111	15.30 17.15	1	3	2,741	210 25 00000
	0MCT	0140	WELD2311CN1	1111	15.30 17.15	1	2	2,741	210 25 00000
	0MCT	0140	WELD2210CN1	1111	16.00 17.45	1	2	2,741	210 25 00000
	0MCT	0140	WELD1130CNP	1111	16.15 17.15	1	11	2,741	210 25 00000
	0MCT	0140	WELD1210CN1	1111	16.35 17.35	1	1	2,741	210 25 00000
	0MCT	0140	WELD1420CN1	1111	17.25 19.25	1	4	2,741	210 25 00000
8	0MCT	0140	WELD1140CNP	1111	17.30 18.15	1	11	2,741	210 25 00000
8	0MCT	0140	WELD2111CN1	1111	17.30 19.15	1	1	2,741	210 25 00000
8	0MCT	0140	WELD2310CN1	1111	17.40 19.05	1	3	2,741	210 25 00000
8	0MCT	0140	WELD1510CN1	1111	18.00 20.00	1	2	2,741	210 25 00000
8	0MCT	0140	WELD1411CN1	1111	18.30 19.15	1	1	2,741	210 25 00000
8	0MCT	0140	WELD1410CN1	1111	18.45 19.45	1	1	2,741	210 25 00000
8	0MCT	0140	WELD1410CNP	1111	19.00 20.00	1	11	2,741	210 25 00000
	0MCT	0144	WELD1110C01	11111	8.00 8.48		7	175	110 25 00000
	0MCT	0144	WELD1120C01	11111	8.50 9.50		7	175	110 25 00000
	0MCT	0144	CPTR1000C04	11111	9.40 10.20	1	4	175	110 25 00000
	0MCT	0144	WELD1130C01	11111	9.51 10.39	1	1	175	110 25 00000
4	0MCT	0144	JOBS2450C04	11111	10.25 10.50	1	3	175	110 25 00000
	0MCT	0144	WELD1140C01	11111	10.40 11.16	1	8	175	110 25 00000
	0MCT	0144	WELD1130CN1	1111	15.30 16.30		1	175	110 25 00000
	0MCT	0144	WELD1120CN1	1111	16.35 17.50		1	175	110 25 00000
	0MCT	0144	JOBS2450CN4	1111	19.30 20.00		1	175	110 25 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
FALL DATA 2015
RUN DATE 10/14/2015 15:41:12

L.T.C.-NORTHWEST

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -	
	THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,	
	THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	20
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -	
	CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - -	20
	PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -	
	THERE SHOULD BE NO DUPLICATES.	

----- T O T A L S -----

TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	40
TOTAL NUMBER OF RECORDS READ	- - - - -	183
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	183
NUMBER OF JOINT-CLASS RECORDS	- - - - -	85
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/14/2015 15:41:12

PAGE NUM 1

L.T.C. -NORTHWEST

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			365
WEEKLY STUDENT CONTACT HOURS	3,520	206	3,726
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,260	700	1,960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	580	28	608
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	32,850	18,250	51,100
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	15,710	868	16,578
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,041	412	7,453
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	46.0	4.0	31.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	21.4	2.3	14.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	44.8	47.5	45.0
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			365
WEEKLY STUDENT CONTACT HOURS	3,520	206	3,726
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,260	700	1,960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	580	28	608
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	32,850	18,250	51,100
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	15,710	868	16,578
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,041	412	7,453
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	46.0	4.0	31.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	21.4	2.3	14.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	44.8	47.5	45.0

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/14/2015 15:41:12

PAGE NUM 2

L.T.C. -NORTHWEST

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			20
TOTAL NUMBER OF STATIONS (CAPACITY)			423
WEEKLY STUDENT CONTACT HOURS	5,279	170	5,449
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,800	1,000	2,800
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,423	92	1,515
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	38,070	21,150	59,220
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	34,393	2,300	36,693
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	10,559	340	10,899
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	79.1	9.2	54.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	27.7	1.6	18.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	30.7	14.8	29.7
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			20
TOTAL NUMBER OF STATIONS (CAPACITY)			423
WEEKLY STUDENT CONTACT HOURS	5,279	170	5,449
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,800	1,000	2,800
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,423	92	1,515
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	38,070	21,150	59,220
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	34,393	2,300	36,693
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	10,559	340	10,899
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	79.1	9.2	54.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	27.7	1.6	18.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	30.7	14.8	29.7

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY