

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 10/22/2015 15:58:21
 PAGE NUM 1

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	A000	A100	SPCH1015BJ2	1	9.00 11.50		15	2,372	680 100 00000
	A000	A100	SPCH1015BJ1	1	18.00 20.50		25	2,372	680 100 00000
	A000	A203	ENGL1015BJ4	1	9.00 11.50		8	884	110 30 00000
	A000	A203	ENGL1015BJ1	1 1	10.00 11.20		24	884	110 30 00000
	A000	A203	ENGL1060BJ1	1 1	12.00 13.20		25	884	110 30 00000
	A000	A203	ENGL1015BJ2	1 1	14.00 15.20		24	884	110 30 00000
	A000	A203	ENGL1060BJ2	1	17.00 19.50		23	884	110 30 00000
	A000	A203	ENGL1015BJ3	1	17.00 19.50		21	884	110 30 00000
	A000	A203	SPCH1015BJ3	1	18.00 20.50		24	884	110 30 00000
	A000	A300	ORNT1000BJ2	1	10.30 11.20		22	1,113	110 40 00000
	A000	A300	ORNT1000BJ3	1	17.00 17.50		24	1,113	110 40 00000
	A000	A303	HNUR2213B01	1111	8.00 10.50		15	786	220 24 00000
9	A000	A303	HNUR2213B01	111	8.00 10.50		15	786	220 24 00000
89	A000	A303	HNUR2213B01	11	8.00 10.50		15	786	220 24 00000
	A000	A303	HNUR2563B01	1111	12.00 13.50		15	786	220 24 00000
9	A000	A303	HNUR2563B01	11	12.00 13.50		15	786	220 24 00000
	A000	A303	PHSC1015BJ1	1	18.00 20.50		10	786	220 24 00000
	A000	A303	PHSC1015BJ2	1	18.00 20.50		11	786	220 24 00000
	A000	A306	OSYS2530BJ1	1	12.00 14.50		10	687	220 24 00000
	A000	A306	INST1410B01	1	17.00 20.50		14	687	220 24 00000
	A000	A306	INST1331B02	1 1	18.00 20.50		16	687	220 24 00000
	C000	C100	KYBD1111BJ1	1 1 1	8.30 11.20		16	970	210 28 00000
	C000	C100	KYBD1010B01	1 1	8.30 11.20	1	11	970	210 28 00000
	C000	C100	CPTR1005BJ2	1	12.00 14.50		21	970	210 28 00000
	C000	C100	CPTR1320BJ1	1	12.30 14.50		15	970	210 28 00000
	C000	C100	CPTR1310BJ1	1 1	16.00 17.50		9	970	210 28 00000
	C000	C100	CPTR1005BJ1	1	17.00 19.50		23	970	210 28 00000
	C000	C100	CPTR1112B01	1	18.00 19.50		20	970	210 28 00000
	C000	C200	HACR1210B01	1 1 1	8.00 9.50		11	5,062	210 40 00000
	C000	C200	HACR1220B01	1 1 1	8.00 10.50	1	11	5,062	210 40 00000
	C000	C200	HACR1230B01	1 1 1	8.00 10.50	1	11	5,062	210 40 00000
	C000	C200	HACR1240B01	1 1 1	8.00 10.50	1	11	5,062	210 40 00000
	C000	C200	HACR2560B01	1 1	8.00 10.50		4	5,062	210 40 00000
	C000	C200	HACR2540B01	1 1	8.00 11.50	1	4	5,062	210 40 00000
	C000	C200	HACR2550B01	1 1	8.00 11.50	1	4	5,062	210 40 00000
	C000	C200	INST1130B01	1	16.00 19.50		12	5,062	210 40 00000
	C000	C300	IMMT1112B01	1111	8.00 9.50		6	1,925	210 60 00000
	C000	C300	IMMT1122B01	1111	8.00 9.50	1	7	1,925	210 60 00000
	C000	C300	IMMT1133B01	1111	8.00 9.50	1	15	1,925	210 60 00000
	C000	C300	WELD1120B01	1111	8.00 9.50	1	7	1,925	210 60 00000
	C000	C300	DVMA0090B01	1 1	10.00 11.50		27	1,925	210 60 00000
	C000	C300	DVEN0090B01	1 1	10.00 11.50		9	1,925	210 60 00000
	C000	C300	DVMA0091B01	1 1	13.00 14.50		30	1,925	210 60 00000
	C000	C300	DVMA0092B01	1 1	13.00 14.50	1	43	1,925	210 60 00000
	C000	C300	DVEN0091B01	1 1	13.00 14.50		26	1,925	210 60 00000
	C000	C300	DVEN0092B01	1 1	13.00 14.50	1	29	1,925	210 60 00000
	C000	C300	DVMA0090B02	1 1	17.00 18.50		16	1,925	210 60 00000
	C000	C300	DVMA0091B02	1 1	17.00 18.50	1	14	1,925	210 60 00000
	C000	C300	DVMA0092B02	1 1	17.00 18.50	1	30	1,925	210 60 00000
	C000	C400	OSYS1100B01	1	8.00 10.50		8	1,833	210 30 00000
	C000	C400	CSRV1000B01	1	8.00 10.50		3	1,833	210 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 10/22/2015 15:58:21
 PAGE NUM 2

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	C000	C400	BUSE1045B01	1	8.00 10.50		9	210 30	00000	
	C000	C400	ORNT1000BJ5	1	9.00 9.50		19	210 30	00000	
	C000	C400	JOBS2450B03	1	12.30 14.20		29	210 30	00000	
	C000	C400	ORNT1000BJ7	1	13.00 13.50		15	210 30	00000	
	C000	C400	ORNT1000BJ4	1	15.00 15.50		22	210 30	00000	
	C000	C400	JOBS2450B01	1	18.00 19.50		32	210 30	00000	
	C000	C400	JOBS2450B02	1	18.00 19.50		31	210 30	00000	
8	C000	C401	ORNT1000BJ1	1	9.00 9.50		25	115	00000	
8	C000	C401	ORNT1000BJ6	1	10.00 10.50		20	115	00000	
8	C000	C401	ACCT1300B01	1111	11.00 12.50		1	115	00000	
8	C000	C401	ACCT1400B01	1111	13.00 13.50		1	115	00000	
	C000	C500	IMMT1102B01	1	8.00 9.50		11	3,363	210 30	00000
	C000	C500	IMMT2123B01	1	10.30 13.20		1	3,363	210 30	00000
	C000	C500	IMMT1143B01	11	13.00 14.20		6	3,363	210 30	00000
	C000	C503	IMMT1013B01	11	8.00 9.20		8	450	110 20	00000
	C000	C503	IMMT1123B01	11	8.00 10.50		4	450	110 20	00000
	C000	C503	IMMT1142B01	11	10.00 10.50		6	450	110 20	00000
	C000	C503	IMMT2103B01	11	12.30 13.50		6	450	110 20	00000
	C000	C503	IMMT1102B02	1	16.30 18.20		9	450	110 20	00000
	C000	C503	IMMT1142B02	1	16.30 18.20		15	450	110 20	00000
	C000	C503	IMMT2103B02	1	16.30 19.20		16	450	110 20	00000
	C000	C600	WELD1130B01	11111	8.00 8.50		1	2,552	210 25	00000
	C000	C600	WELD2210B01	11111	8.00 8.50	1	1	2,552	210 25	00000
	C000	C600	WELD1210B01	11111	8.00 9.50	1	5	2,552	210 25	00000
	C000	C600	WELD1410B01	11111	8.00 9.50	1	7	2,552	210 25	00000
	C000	C600	WELD1412B01	11111	8.00 9.50	1	7	2,552	210 25	00000
	C000	C600	WELD1420B01	11111	8.00 9.50	1	5	2,552	210 25	00000
	C000	C600	WELD1510B01	11111	8.00 9.50	1	2	2,552	210 25	00000
	C000	C600	WELD1511B01	11111	8.00 9.50	1	1	2,552	210 25	00000
	C000	C600	WELD1512B01	11111	8.00 9.50	1	2	2,552	210 25	00000
	C000	C600	WELD2110B01	11111	8.00 9.50	1	3	2,552	210 25	00000
	C000	C600	WELD2220B01	11111	8.00 9.50	1	3	2,552	210 25	00000
8	C000	C600	WELD2221B01	11111	8.00 9.50	1	7	2,552	210 25	00000
8	C000	C600	WELD2222B01	11111	8.00 9.50	1	2	2,552	210 25	00000
8	C000	C600	WELD2230B01	11111	8.00 9.50	1	1	2,552	210 25	00000
8	C000	C600	WELD2310B01	11111	8.00 9.50	1	3	2,552	210 25	00000
	D000	D102	PTEC1000B02	1 1	7.30 8.20		18	727	110 26	00000
	D000	D102	PTEC1000B01	1 1	8.00 8.50		20	727	110 26	00000
	D000	D102	PTEC2070B01	1 1	9.30 10.50		21	727	110 26	00000
	D000	D102	PTEC2070B02	1 1	9.30 10.50		20	727	110 26	00000
	D000	D102	PTEC2070B03	1 1	13.00 14.20		13	727	110 26	00000
	D000	D102	PTEC2030B04	1 1	13.00 14.20		8	727	110 26	00000
	D000	D102	PTEC1000B04	1	18.00 19.50		15	727	110 26	00000
	D000	D102	PTEC1010B06	1	18.00 20.50		15	727	110 26	00000
	D000	D102	PTEC1010B07	1	18.00 20.50		17	727	110 26	00000
	D000	D106	PTEC1310B02	1 1	8.00 9.50		21	615	110 23	00000
	D000	D106	PTEC1010B03	1 1	10.00 11.20		22	615	110 23	00000
	D000	D106	PTEC1010B04	1 1	12.00 13.20		12	615	110 23	00000
	D000	D106	PTEC1010B05	1 1	12.00 13.20		11	615	110 23	00000
	D000	D106	PTEC2420B01	1 1	13.30 15.50		20	615	110 23	00000
	D000	D106	PTEC2420B03	1 1	13.30 15.50		21	615	110 23	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015
 RUN DATE 10/22/2015 15:58:21
 PAGE NUM 3

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	D000	D106	PTEC2420B04	1	17.00 21.50		20	615	110 23	00000
	D000	D106	PTEC1310B05	1	17.30 21.20		18	615	110 23	00000
	D000	D106	PTEC1310B06	1	17.30 21.20		18	615	110 23	00000
	D000	D107	PTEC2030B06	1	8.00 10.50		11	633	110 51	00000
	D000	D107	MATH1020BJ3	1 1	9.00 10.20		20	633	110 51	00000
	D000	D107	MATH1020BJ1	1 1	13.00 14.20		25	633	110 51	00000
	D000	D107	MATH1015BJ2	1 1	13.00 14.20		26	633	110 51	00000
	D000	D107	MATH1015BJ3	1	13.00 15.50		21	633	110 51	00000
	D000	D107	INST1430B01	1 1	15.00 16.50		7	633	110 51	00000
	D000	D107	MATH1020BJ2	1	17.30 20.20		21	633	110 51	00000
	D000	D107	PTEC2912B02	1	18.00 20.50		17	633	110 51	00000
	D000	D107	PTEC2030B05	1	18.00 20.50		23	633	110 51	00000
	D000	D109	MATH1015BJ1	1 1	9.00 10.20		26	604	240 26	00000
	D000	D109	PTEC2440B01	1	13.00 15.50		19	604	240 26	00000
	D000	D109	PTEC2440B02	1	13.00 15.50		19	604	240 26	00000
	D000	D109	PTEC1000B03	1	18.00 19.50		20	604	240 26	00000
	D000	D109	PTEC2440B03	1	18.00 20.50		15	604	240 26	00000
	D000	D109	PTEC2440B04	1	18.00 20.50		15	604	240 26	00000
	D000	D117	PTEC2430B01	1	7.00 11.50		12	3,245	220 80	00000
	D000	D117	PTEC2430B02	1	7.00 11.50		12	3,245	220 80	00000
	D000	D117	PTEC1610B01	1 1	8.00 9.50		20	3,245	220 80	00000
	D000	D117	PTEC1010B02	1 1	10.00 11.20		19	3,245	220 80	00000
	D000	D117	PTEC1610B03	1 1	13.00 14.50		19	3,245	220 80	00000
	D000	D117	PTEC1610B04	1 1	13.30 15.20		13	3,245	220 80	00000
	D000	D117	PTEC2430B03	1	16.00 20.50		12	3,245	220 80	00000
	D000	D117	PTEC2430B04	1	16.00 20.50		12	3,245	220 80	00000
	D000	D117	PTEC1610B06	1	17.30 21.20		21	3,245	220 80	00000
	D000	D117	PTEC2912B01	1	18.00 20.50		14	3,245	220 80	00000
	D000	D200	INST1120B01	1 1	8.00 9.50		16	790	210 31	00000
	D000	D200	INST1120B03	1 1	8.00 9.50		8	790	210 31	00000
	D000	D200	INST1110B01	1	8.00 11.50		13	790	210 31	00000
	D000	D200	INST1331B01	1 1	11.00 13.50		10	790	210 31	00000
	D000	D200	INST1420B02	1 1	13.00 14.50		6	790	210 31	00000
	D000	D200	INST1120B02	1	13.00 16.50		9	790	210 31	00000
	D000	D200	INST1420B04	1 1	18.00 19.50		4	790	210 31	00000
	D000	D200	INST2625B01	1 1	18.00 20.50		16	790	210 31	00000
	D000	D204	INST1215B01	1 1	14.00 16.50		10	479	110 20	00000
	D000	D204	INST1215B02	1 1	14.00 16.50		13	479	110 20	00000
	D000	D204	INST2731B01	1	17.30 21.20		8	479	110 20	00000
	D000	D204	INST1110B02	1	17.30 21.20		16	479	110 20	00000
	D000	D300	PTEC1010B01	1 1	8.00 9.20		15	2,007	210 41	00000
	D000	D300	PTEC1310B01	1 1	8.00 9.50		19	2,007	210 41	00000
	D000	D300	PTEC2030B01	1 1	10.00 11.20		22	2,007	210 41	00000
	D000	D300	PTEC2030B02	1 1	10.00 11.20		21	2,007	210 41	00000
	D000	D300	INST1420B03	1 1	15.00 16.50		9	2,007	210 41	00000
	D000	D300	INST1420B01	1 1	15.00 16.50		13	2,007	210 41	00000
	D000	D300	INST1120B04	1 1	17.00 18.50		7	2,007	210 41	00000
	D000	D305	INST2741B01	1 1	13.00 15.50		8	161	215 16	00000
	D000	D305	INST1425B01	1 1	17.30 20.20		17	161	215 16	00000
	D000	D305	INST1110B05	1 1	18.00 19.50		8	161	215 16	00000
	E000	E100	BOTH1210B01	1	8.00 10.50		16	915	210 30	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 10/22/2015 15:58:21
 PAGE NUM 4

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	E000	E100	BOTH1300B01	1	8.00 11.00		20	915	210 30	00000
4	E000	E100	HEKG11113B01	1	8.00 13.50		6	915	210 30	00000
4	E000	E100	HPHL1013B01	11	8.00 14.50		9	915	210 30	00000
	E000	E100	BOTH1120B01	1	12.00 14.50		23	915	210 30	00000
	E000	E100	HCOR1601B01	1	12.00 15.50		12	915	210 30	00000
	E000	E200	MAST1221B01	1 1	8.00 10.50		2	869	210 30	00000
	E000	E200	BOTH1230B01	1 1	8.00 10.50		4	869	210 30	00000
	E000	E200	BOTH1240B01	1 1	8.00 10.50	1	6	869	210 30	00000
	E000	E200	MAST2140B01	1 1	11.00 14.50		5	869	210 30	00000
	E000	E200	MAST1111B01	1	12.00 14.50		11	869	210 30	00000
	E000	E200	MAST2131B01	1 1	13.00 14.20		3	869	210 30	00000
	G000	G100	PTEC2630B01	1 1	8.00 9.20		9	1,426	110 30	00000
	G000	G100	PTEC1610B02	1 1	8.00 9.50	1	19	1,426	110 30	00000
	G000	G100	PTEC1320B01	1 1	10.00 11.50		21	1,426	110 30	00000
	G000	G100	PTEC1320B02	1 1	10.00 11.50		20	1,426	110 30	00000
	G000	G100	PTEC1310B03	1 1	13.00 14.50		17	1,426	110 30	00000
	G000	G100	PTEC1320B03	1 1	13.00 14.50	1	19	1,426	110 30	00000
	G000	G100	PTEC1310B04	1 1	13.00 14.50		17	1,426	110 30	00000
	G000	G100	PTEC1320B04	1 1	13.00 14.50	1	16	1,426	110 30	00000
	G000	G100	PTEC2912B04	1 1	15.00 16.20		11	1,426	110 30	00000
	G000	G100	PTEC1320B05	1	17.30 21.20		21	1,426	110 30	00000
	G000	G100	PTEC1320B06	1	17.30 21.20		22	1,426	110 30	00000
	G000	G100	PTEC2070B04	1	18.00 20.50		17	1,426	110 30	00000
	G000	G100	PTEC2630B03	1	18.00 20.50		19	1,426	110 30	00000
	G000	G100	PTEC2070B05	1	18.00 20.50		18	1,426	110 30	00000
	G000	G100	PTEC1010B08	1	18.00 20.50		17	1,426	110 30	00000
4	G000	G100	PTEC2630B04	1	18.00 20.50	1	19	1,426	110 30	00000
	I000	I100	DVED2991B01	1111	8.00 21.50		44	750	110 30	00000
	J000	J100	CHEM1410BJ2	1	9.00 11.50		18	750	210 50	00000
	J000	J100	PHSC1015BJ3	1 1	10.30 11.50		12	750	210 50	00000
	J000	J100	PHSC1016B03	1	10.30 12.20		9	750	210 50	00000
	J000	J100	PTEC2630B02	1 1	13.00 14.20		19	750	210 50	00000
	J000	J100	CHEM1410BJ3	1 1	13.00 14.30		4	750	210 50	00000
	J000	J100	CHEM1410BJ1	1 1	17.00 18.20		25	750	210 50	00000
	J000	J100	PHSC1016B04	1	18.30 20.20		11	750	210 50	00000
	J000	J200	PHSC1016B01	1	16.00 17.50		16	750	210 25	00000
	J000	J200	PHSC1016B02	1 1	16.00 17.50		14	750	210 25	00000
	J000	J200	CHEM1411B01	1	18.30 20.20		17	750	210 25	00000
	J000	J200	CHEM1411B02	1	18.30 20.20		17	750	210 25	00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	3
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	9
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	3
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		15
TOTAL NUMBER OF RECORDS READ		192
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		189
NUMBER OF JOINT-CLASS RECORDS		32
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/22/2015 15:58:21
 PAGE NUM 1

L.T.C.-RIVER PARISHES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			16
TOTAL NUMBER OF STATIONS (CAPACITY)			415
WEEKLY STUDENT CONTACT HOURS	3,527	1,319	4,846
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,440	800	2,240
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	328	142	470
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	37,350	20,750	58,100
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,422	4,252	13,674
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,054	2,638	9,692
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	22.8	17.8	21.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	18.9	12.7	16.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	74.9	62.0	70.9
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			15
TOTAL NUMBER OF STATIONS (CAPACITY)			390
WEEKLY STUDENT CONTACT HOURS	3,527	1,319	4,846
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,350	750	2,100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	328	142	470
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	35,100	19,500	54,600
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,422	4,252	13,674
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,054	2,638	9,692
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	24.3	18.9	22.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	20.1	13.5	17.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	74.9	62.0	70.9

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/22/2015 15:58:21
 PAGE NUM 2

L.T.C.-RIVER PARISHES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			21
TOTAL NUMBER OF STATIONS (CAPACITY)			695
WEEKLY STUDENT CONTACT HOURS	4,565	1,121	5,686
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,890	1,050	2,940
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	957	134	1,091
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	62,550	34,750	97,300
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	35,874	5,496	41,370
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,131	2,242	11,373
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	50.6	12.8	37.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	14.6	6.5	11.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	25.5	40.8	27.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			465
WEEKLY STUDENT CONTACT HOURS	3,730	780	4,510
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,260	700	1,960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	841	88	929
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	41,850	23,250	65,100
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	29,170	3,608	32,778
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,461	1,560	9,021
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	66.7	12.6	47.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	17.8	6.7	13.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	25.6	43.2	27.5

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/22/2015 15:58:21
 PAGE NUM 3

L.T.C.-RIVER PARISHES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABORATORY			
TOTAL NUMBER OF ROOMS			7
TOTAL NUMBER OF STATIONS (CAPACITY)			230
WEEKLY STUDENT CONTACT HOURS	835	341	1,176
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	630	350	980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	116	46	162
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	20,700	11,500	32,200
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,704	1,888	8,592
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,670	682	2,352
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	18.4	13.1	16.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	8.1	5.9	7.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	24.9	36.1	27.4

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY