

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013

RUN DATE 11/18/2013 11:19:34

PAGE NUM 1

L.T.C. -SOWELA

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	ADMN	1103	OADM1200 01	1 1	9.25 10.40		21	958	210 19 00000	
	ADMN	1103	OADM1100 01	1 1 1	10.00 10.50		26	958	210 19 00000	
	ADMN	1103	BUSI1080 01	1 1	10.50 12.05		23	958	210 19 00000	
	ADMN	1103	ACCT1510 01	1 1 1	11.00 11.50		9	958	210 19 00000	
	ADMN	1103	OADM1100 02	1 1 1	13.00 13.50		22	958	210 19 00000	
	ADMN	1104	ACCT1210 01	1 1	8.00 9.15		22	958	210 19 00000	
	ADMN	1104	OADM2530 01	1 1 1	9.00 9.50		18	958	210 19 00000	
	ADMN	1104	OADM2640 01	1 1	9.25 10.40		11	958	210 19 00000	
	ADMN	1104	OADM1450 01	1 1 1	10.00 10.50		16	958	210 19 00000	
	ADMN	1104	OADM1330 01	1 1	10.50 12.05		16	958	210 19 00000	
	ADMN	1104	OADM1650 01	1 1 1	11.00 11.50		7	958	210 19 00000	
8	ADMN	1142	CULN1130 01	1 1	7.00 9.00		24	715	210 15 00000	
	ADMN	1142	CULN2310 01	1	7.00 12.00		5	715	210 15 00000	
4	ADMN	1142	CULN1210 01	1 1	7.00 15.00		20	715	210 15 00000	
4	ADMN	1142	ZWDR1018101	1	8.00 16.30		4	715	210 15 00000	
4	ADMN	1142	ZWDR1018104	1	8.00 16.30	1	9	715	210 15 00000	
4	ADMN	1142	ZWDR1018105	1	8.00 16.30	1	8	715	210 15 00000	
	ADMN	1142	CULN1230 01	1 1	8.05 11.00		18	715	210 15 00000	
8	ADMN	1142	CULN2460 01	1 1	10.00 14.00	1	6	715	210 15 00000	
8	ADMN	1142	CULN1160 01	1 1 1	11.00 14.00	1	22	715	210 15 00000	
8	ADMN	1142	CULN2400 01	1 1	11.05 15.00	1	16	715	210 15 00000	
	ADMN	1142	CULN2450 01	1	12.05 16.00		18	715	210 15 00000	
	ADMN	1144	CULN1220 01	1	7.00 8.00		21	981	210 20 00000	
	ADMN	1144	CULN2310 01	1	7.00 12.00		5	981	210 20 00000	
4	ADMN	1144	CULN1210 01	1 1	7.00 15.00		20	981	210 20 00000	
	ADMN	1144	CULN1230 01	1 1	8.05 11.00		18	981	210 20 00000	
	ADMN	1144	CULN2460 01	1 1	10.00 14.00	1	6	981	210 20 00000	
8	ADMN	1144	CULN1120 01	1 1	11.05 12.45	1	22	981	210 20 00000	
	ADMN	1144	CULN2400 01	1 1	11.05 15.00		16	981	210 20 00000	
	ADMN	1144	CULN2450 01	1	12.05 16.00		18	981	210 20 00000	
8	ADMN	1147	CULN1130 01	1 1	7.00 9.00		24	160	210 5 00000	
4	8	ADMN	1147	CULN1210 01	1 1	7.00 15.00	1	20	160	210 5 00000
	8	ADMN	1147	CULN1230 01	1 1	8.05 11.00		18	160	210 5 00000
	8	ADMN	1147	CULN2400 01	1 1	11.05 15.00		16	160	210 5 00000
8	ADMN	1149	CULN1130 01	1 1	7.00 9.00		24	512	210 10 00000	
4	8	ADMN	1149	CULN1210 01	1 1	7.00 15.00	1	20	512	210 10 00000
	8	ADMN	1149	CULN1230 01	1 1	8.05 11.00		18	512	210 10 00000
	8	ADMN	1149	CULN2460 01	1 1	10.00 14.00	1	6	512	210 10 00000
	8	ADMN	1149	CULN2400 01	1 1	11.05 15.00	1	16	512	210 10 00000
	ADMN	1151	CULN1130 01	1 1	7.00 9.00		24	1,900	210 51 00000	
4	ADMN	1151	CULN1210 01	1 1	7.00 15.00	1	20	1,900	210 51 00000	
	ADMN	1151	CULN1230 01	1 1	8.05 11.00		18	1,900	210 51 00000	
	ADMN	1151	CULN1010 01	1 1 1	9.05 10.00	1	22	1,900	210 51 00000	
	ADMN	1151	CULN2460 01	1 1	10.00 14.00		6	1,900	210 51 00000	
	ADMN	1151	CULN1160 01	1 1 1	11.00 14.00	1	22	1,900	210 51 00000	
8	ADMN	1152	CULN1130 01	1 1	7.00 9.00		24	703	210 15 00000	
	ADMN	1152	CULN2310 01	1	7.00 12.00		5	703	210 15 00000	
	ADMN	1152	CULN1230 01	1 1	8.05 11.00	1	18	703	210 15 00000	
8	ADMN	1152	CULN2460 01	1 1	10.00 14.00	1	6	703	210 15 00000	
8	ADMN	1152	CULN2400 01	1 1	11.05 15.00	1	16	703	210 15 00000	
	ADMN	1152	CULN2450 01	1	12.05 16.00		18	703	210 15 00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/18/2013 11:19:34
 PAGE NUM 2

L.T.C.-SOWELA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS		BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER		ROOM TYPE & CAPACITY	RECRD NO.
4	8	ADMN	1201	ANUR2212 01	111	6.45 15.00		20	387	210	10	00000
4	8	ADMN	1201	ANUR2312 01	111	6.45 15.00	1	22	387	210	10	00000
	8	ADMN	1201	ANUR2323 01	11111	11.00 15.00	1	21	387	210	10	00000
		ADMN	1202	ANUR2310 01	11111	8.00 10.50		22	514	110	24	00000
		ADMN	1202	ANUR2323 01	11111	11.00 15.00		21	514	110	24	00000
	8	ADMN	1202	ANUR2340 01	11111	12.30 13.20	1	21	514	110	24	00000
		ADMN	1202	ANUR2353 01	11111	13.30 15.20		22	514	110	24	00000
		ADMN	1204	ANUR2210 01	11111	8.00 10.50		20	514	110	24	00000
		ADMN	1204	ANUR2223 01	11111	11.00 11.50		17	514	110	24	00000
		ADMN	1204	ANUR2230 01	11111	12.30 13.20		20	514	110	24	00000
		ADMN	1204	ANUR2243 01	11111	13.30 14.20		17	514	110	24	00000
		ADMN	1205	ITEC2999 01			1	8	1,597	240	30	00000
		ADMN	1205	ITEC2110 01	1 1 1	8.30 9.50		24	1,597	240	30	00000
		ADMN	1205	ITEC2120 01	1 1	8.30 10.30		19	1,597	240	30	00000
		ADMN	1205	ITEC2670 01	1 1 1	10.00 10.50		10	1,597	240	30	00000
		ADMN	1205	ITEC2010 01	1 1	10.50 12.05		23	1,597	240	30	00000
		ADMN	1205	ITEC1100 01	1 1 1	11.00 11.50		28	1,597	240	30	00000
		ADMN	1205	ITEC1101 01	1	12.00 13.50		14	1,597	240	30	00000
		ADMN	1205	ITEC1101 02	1	12.00 13.50		14	1,597	240	30	00000
		ADMN	1205	ITEC1000 99	111	18.00 20.00		15	1,597	240	30	00000
		ADMN	1206	ANUR1060 01	1	8.00 9.50		42	1,001	110	35	00000
		ADMN	1206	ANUR1350 01	1	8.00 11.50		44	1,001	110	35	00000
		ADMN	1206	ANUR1233 01	111	8.00 11.50		41	1,001	110	35	00000
		ADMN	1206	ANUR1040 01	11111	12.30 14.20		42	1,001	110	35	00000
	8	ADMN	1206	ANUR1240 01	11111	12.30 14.20	1	42	1,001	110	35	00000
		ADMN	1206	ACNA1110 01	1111	15.30 16.20		20	1,001	110	35	00000
		ADMN	1206	ACNA1120 01	1111	16.30 17.20		20	1,001	110	35	00000
		ADMN	1206	ACNA1160 01	1111	17.30 18.20		20	1,001	110	35	00000
		ADMN	1206	ANUR1233 02	1111	18.30 21.00		20	1,001	110	35	00000
		ADMN	1207	BUSI2300 01	1 1 1	8.00 8.50		24	1,137	210	35	00000
		ADMN	1207	ITEC1000 04	1 1	8.00 9.15		29	1,137	210	35	00000
		ADMN	1207	BUSI1030 01	1 1 1	9.00 9.50		22	1,137	210	35	00000
		ADMN	1207	ITEC1000 05	1 1	9.25 10.40		31	1,137	210	35	00000
		ADMN	1207	ITEC1010 01	1 1 1	10.00 10.50		28	1,137	210	35	00000
		ADMN	1207	ITEC1000 06	1 1	10.50 12.05		29	1,137	210	35	00000
		ADMN	1207	ITEC1210 01	1 1 1	11.00 11.50		27	1,137	210	35	00000
		ADMN	1207	ITEC1531 01	1 1	12.00 13.15		12	1,137	210	35	00000
		ADMN	1207	ACCT1110 04	1	17.30 20.05		9	1,137	210	35	00000
		ADMN	1207	ITEC1000 07	1	17.30 20.05		30	1,137	210	35	00000
		ADMN	1208	ACCT1250 01	1 1 1	10.00 10.50		19	1,032	110	45	00000
		ADMN	1209	ITEC2998 01			1	4	1,337	240	32	00000
		ADMN	1209	ITEC1000 01	1 1 1	8.00 8.50		31	1,337	240	32	00000
		ADMN	1209	ITEC1005 01	1 1 1	10.00 10.50		29	1,337	240	32	00000
		ADMN	1209	ITEC1320 01	1 1	10.50 12.05		24	1,337	240	32	00000
		ADMN	1209	ITEC1000 02	1 1 1	11.00 11.50		32	1,337	240	32	00000
		ADMN	1209	ITEC1550 01	1 1	12.15 13.30		12	1,337	240	32	00000
		ADMN	1209	ITEC1000 03	1 1 1	13.00 13.50		29	1,337	240	32	00000
		ADMN	1209	MEDL1300 01	1	17.30 20.05		15	1,337	240	32	00000
		ADMN	1209	OADM1150 01	1	17.30 20.05		17	1,337	240	32	00000
		ADMN	1210	BUSI1210 01	1 1 1	9.00 9.50		24	480	110	30	00000
		ADMN	1210	BUSI1030 02	1 1	9.25 10.40		22	480	110	30	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013

RUN DATE 11/18/2013 11:19:34

PAGE NUM 3

L.T.C.-SOWELA

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	ADMN	1210	MATH1020 01	1 1 1	10.00 10.50		25	480	110 30 00000
	ADMN	1210	MATH1020 02	1 1 1	11.00 11.50		25	480	110 30 00000
	ADMN	1210	MATH1020 04	1 1	16.30 17.45		26	480	110 30 00000
	ADMN	1210	ITEC1000 99	111	18.00 20.00		15	480	110 30 00000
	ADMN	1212	TPMA9999 01	1 1	8.00 9.15		8	504	110 24 00000
	ADMN	1212	TPMA9999 02	1 1	12.15 13.30		11	504	110 24 00000
	ADMN	1214	ACCT1110 01	1 1 1	9.00 9.50		24	528	110 22 00000
	ADMN	1214	ACCT1110 02	1 1 1	10.00 10.50		23	528	110 22 00000
	ADMN	1214	ACCT1110 03	1 1	10.50 12.05		22	528	110 22 00000
	ADMN	1214	ACCT2010 01	1 1 1	11.00 11.50		15	528	110 22 00000
	ADMN	1214	ACCT2020 01	1	17.30 20.05		14	528	110 22 00000
	ADMN	1217	TPSC9999 01	1 1	9.25 10.40		41	718	110 30 00000
	ADMN	1217	TPEN9999 03	1 1 1	10.00 10.50		14	718	110 30 00000
4	ADMN	1234	ANUR2212 01	111	6.45 15.00		20	1,639	210 30 00000
4	ADMN	1234	ANUR2312 01	111	6.45 15.00	1	22	1,639	210 30 00000
	ADMN	1234	ANUR1060 01	1	8.00 9.50		42	1,639	210 30 00000
	ADMN	1234	ANUR1350 01	1	8.00 11.50		44	1,639	210 30 00000
	ADMN	1234	ANUR1233 01	111	8.00 11.50		41	1,639	210 30 00000
8	ADMN	1234	ANUR2323 01	11111	11.00 15.00	1	21	1,639	210 30 00000
8	ADMN	1234	ANUR2230 01	11111	12.30 13.20	1	20	1,639	210 30 00000
8	ADMN	1234	ANUR2340 01	11111	12.30 13.20	1	21	1,639	210 30 00000
8	ADMN	1234	ANUR1240 01	11111	12.30 14.20	1	42	1,639	210 30 00000
8	ADMN	1234	ANUR2243 01	11111	13.30 14.20	1	17	1,639	210 30 00000
	ADMN	1234	ANUR1233 02	1111	18.30 21.00		20	1,639	210 30 00000
4	ADMN	1238	ANUR2212 01	111	6.45 15.00		20	830	210 16 00000
4	ADMN	1238	ANUR2312 01	111	6.45 15.00	1	22	830	210 16 00000
8	ADMN	1238	CULN1130 01	1 1	7.00 9.00	1	24	830	210 16 00000
8	ADMN	1238	ANUR1060 01	1	8.00 9.50		42	830	210 16 00000
8	ADMN	1238	ANUR2210 01	11111	8.00 10.50	1	20	830	210 16 00000
8	ADMN	1238	ANUR2310 01	11111	8.00 10.50	1	22	830	210 16 00000
8	ADMN	1238	ANUR1350 01	1	8.00 11.50	1	44	830	210 16 00000
8	ADMN	1238	ANUR1233 01	111	8.00 11.50		41	830	210 16 00000
8	ADMN	1238	ANUR2223 01	11111	11.00 11.50	1	17	830	210 16 00000
8	ADMN	1238	ANUR2323 01	11111	11.00 15.00	1	21	830	210 16 00000
8	ADMN	1238	ANUR2230 01	11111	12.30 13.20	1	20	830	210 16 00000
8	ADMN	1238	ANUR2340 01	11111	12.30 13.20	1	21	830	210 16 00000
8	ADMN	1238	ANUR1240 01	11111	12.30 14.20	1	42	830	210 16 00000
8	ADMN	1238	ANUR2243 01	11111	13.30 14.20	1	17	830	210 16 00000
8	ADMN	1238	ANUR2353 01	11111	13.30 15.20	1	22	830	210 16 00000
	ADMN	1238	ANUR1233 02	1111	18.30 21.00		20	830	210 16 00000
	AVCR	0805	TSMA0092 17	1 1	8.00 9.15		27	742	110 30 00000
	AVCR	0805	TSEN0091 03	1 1 1	9.00 9.50		28	742	110 30 00000
	AVCR	0805	MATH1100 13	1 1	9.25 10.40		16	742	110 30 00000
	AVCR	0805	TSEN0093 04	1 1	10.00 10.50		17	742	110 30 00000
	AVCR	0805	MATH1100 10	1 1	10.50 12.05		20	742	110 30 00000
	AVCR	0805	TSMA0093 05	1 1 1	11.00 11.50		30	742	110 30 00000
	AVCR	0805	TSMA0093 08	1 1	12.15 13.30		20	742	110 30 00000
	AVCR	0814	TSMA0092 05	1	12.00 13.15		24	600	210 25 00000
	AVCR	0818	TSMA0093 01	1 1 1	7.00 7.50		27	720	110 28 00000
	AVCR	0818	TSMA0093 02	1 1 1	8.00 8.50		30	720	110 28 00000
	AVCR	0818	TSMA0093 09	1 1	8.00 9.15		30	720	110 28 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/18/2013 11:19:34
 PAGE NUM 4

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	AVCR	0818	TSMA0093 03	1 1 1	9.00 9.50		30	720	110 28	00000
	AVCR	0818	MATH1100 08	1 1	9.25 10.40		25	720	110 28	00000
	AVCR	0818	MATH1100 12	11111	11.00 11.50		25	720	110 28	00000
8	AVCR	0818	TSMA0093 12	11111	11.00 11.50	1	32	720	110 28	00000
	AVCR	0818	MATH1100 01	1 1	12.00 13.15		29	720	110 28	00000
	AVCR	0818	MATH2100 01	1 1	12.15 13.30		26	720	110 28	00000
	AVCR	0820	MATH1100 04	1 1 1	8.00 8.50		28	720	110 28	00000
	AVCR	0820	MATH1100 07	1 1	8.00 9.15		30	720	110 28	00000
	AVCR	0820	TSMA0092 13	1 1	9.25 10.40		27	720	110 28	00000
	AVCR	0820	MATH1100 05	1 1 1	10.00 10.50		30	720	110 28	00000
	AVCR	0820	TSMA0092 15	11111	11.00 11.50		27	720	110 28	00000
8	AVCR	0820	TSMA0093 11	11111	11.00 11.50	1	21	720	110 28	00000
	AVCR	0820	TSMA0092 06	1 1	12.00 13.15		31	720	110 28	00000
	AVIA	0400	AMTA2060 01	1 1 1	8.00 10.55		7	19,594	210 49	00000
	AVIA	0400	AMTG1070 01	1 1 1	8.00 10.55	1	14	19,594	210 49	00000
	AVIA	0400	AMTA2020 01	1 1	8.00 10.55		4	19,594	210 49	00000
	AVIA	0400	AMTA2050 01	1 1	8.00 10.55	1	3	19,594	210 49	00000
	AVIA	0400	AMTA2090 01	1 1	8.00 10.55	1	4	19,594	210 49	00000
8	AVIA	0401	AMTG1090 01	1 1 1	12.05 15.05		15	416	210 8	00000
8	AVIA	0401	AMTA2090 01	1 1 1	12.05 15.10	1	4	416	210 8	00000
	AVIA	0401	AMTA2090 01	1 1	12.05 15.10		4	416	210 8	00000
8	AVIA	0401	AMTG1090 01	1 1	12.05 15.10	1	15	416	210 8	00000
	AVIA	0404	AMTG1010 01	1 1 1	8.00 10.55		15	647	210 13	00000
8	AVIA	0404	AMTG1070 01	1 1 1	8.00 10.55	1	14	647	210 13	00000
8	AVIA	0404	AMTG1080 01	1 1 1	8.00 10.55	1	16	647	210 13	00000
8	AVIA	0404	AMTG1090 01	1 1 1	8.00 10.55	1	15	647	210 13	00000
	AVIA	0404	AMTG1010 01	1 1	8.00 10.55		15	647	210 13	00000
8	AVIA	0404	AMTG1070 01	1 1	8.00 10.55	1	14	647	210 13	00000
8	AVIA	0404	AMTG1080 01	1 1	8.00 10.55	1	16	647	210 13	00000
8	AVIA	0404	AMTG1090 01	1 1	8.00 10.55	1	15	647	210 13	00000
	AVIA	0404	AMTG1010 01	1 1 1	12.05 15.10		15	647	210 13	00000
8	AVIA	0404	AMTG1070 01	1 1 1	12.05 15.10	1	14	647	210 13	00000
8	AVIA	0404	AMTG1080 01	1 1 1	12.05 15.10	1	16	647	210 13	00000
	AVIA	0404	AMTG1010 01	1 1	12.05 15.10		15	647	210 13	00000
8	AVIA	0404	AMTG1070 01	1 1	12.05 15.10	1	14	647	210 13	00000
8	AVIA	0404	AMTG1080 01	1 1	12.05 15.10	1	16	647	210 13	00000
	AVIA	0408	AMTA2000 01	1 1 1	8.00 10.55		5	508	110 15	00000
	AVIA	0408	AMTA2020 01	1 1 1	8.00 10.55	1	4	508	110 15	00000
	AVIA	0408	AMTA2050 01	1 1 1	8.00 10.55	1	3	508	110 15	00000
	AVIA	0408	AMTA2060 01	1 1 1	8.00 10.55	1	7	508	110 15	00000
	AVIA	0408	AMTA2090 01	1 1 1	8.00 10.55	1	4	508	110 15	00000
	AVIA	0408	AMTA2000 01	1 1	8.00 10.55		5	508	110 15	00000
	AVIA	0408	AMTA2020 01	1 1	8.00 10.55	1	4	508	110 15	00000
	AVIA	0408	AMTA2050 01	1 1	8.00 10.55	1	3	508	110 15	00000
	AVIA	0408	AMTA2060 01	1 1	8.00 10.55	1	7	508	110 15	00000
	AVIA	0408	AMTA2090 01	1 1	8.00 10.55	1	4	508	110 15	00000
	AVIA	0408	AMTA2070 01	1 1	8.00 10.55		5	508	110 15	00000
	AVIA	0408	AMTA2020 01	1 1 1	12.05 15.10		4	508	110 15	00000
	AVIA	0408	AMTA2050 01	1 1 1	12.05 15.10	1	3	508	110 15	00000
	AVIA	0408	AMTA2060 01	1 1 1	12.05 15.10	1	7	508	110 15	00000
	AVIA	0408	AMTA2020 01	1 1	12.05 15.10		4	508	110 15	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/18/2013 11:19:34
 PAGE NUM 5

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.	
	AVIA	0408	AMTA2050 01	1 1	12.05 15.10	1	3	508	110	15	00000
	AVIA	0408	AMTA2060 01	1 1	12.05 15.10	1	7	508	110	15	00000
	AVIA	0408	AMTA2070 01	1 1	12.05 15.10		5	508	110	15	00000
4	AVIA	0408	ZWDR1024100	11111	15.00 21.00	1	13	508	110	15	00000
	AVIA	0409	AMTP2210 01	1 1 1	8.00 10.55		11	497	110	12	00000
8	AVIA	0409	AMTP2220 01	1 1 1	8.00 10.55	1	9	497	110	12	00000
8	AVIA	0409	AMTP2300 01	1 1 1	8.00 10.55	1	13	497	110	12	00000
	AVIA	0409	AMTP2210 01	1 1	8.00 10.55		11	497	110	12	00000
8	AVIA	0409	AMTP2220 01	1 1	8.00 10.55	1	9	497	110	12	00000
8	AVIA	0409	AMTP2300 01	1 1	8.00 10.55	1	13	497	110	12	00000
	AVIA	0409	AMTP2220 01	1 1 1	12.05 15.10		9	497	110	12	00000
	AVIA	0409	AMTP2220 01	1 1	12.05 15.10		9	497	110	12	00000
	AVIA	0412	AMTA2070 01	1	8.00 10.55		5	471	210	9	00000
	AVIA	0412	AMTA2000 01	1 1 1	12.05 15.05		5	471	210	9	00000
	AVIA	0412	AMTA2000 01	1 1	12.05 15.10		5	471	210	9	00000
	AVIA	0412	AMTA2070 01	1	12.05 15.10	1	5	471	210	9	00000
	AVIA	0413	AMTA2020 01	1 1 1	12.05 15.10		4	365	210	7	00000
	AVIA	0414	AMTA2020 01	1 1 1	8.00 10.55		4	277	210	6	00000
8	AVIA	0414	AMTP2210 01	1 1 1	12.05 15.10		11	277	210	6	00000
	AVIA	0415	AMTP2220 01	1 1 1	8.00 10.55		9	1,271	210	8	00000
8	AVIA	0416	AMTP2210 01	1 1 1	12.05 15.10		11	603	210	6	00000
89	AVIA	0416	AMTP2210 01	1 1 1	12.05 15.10		11	603	210	6	00000
8	AVIA	0416	AMTP2300 01	1 1 1	12.05 15.10	1	13	603	210	6	00000
8	AVIA	0416	AMTP2300 01	1 1	12.05 15.10		13	603	210	6	00000
	AVIA	0417	AMTP2210 01	1 1	12.05 15.10		11	471	210	9	00000
	AVIA	0418	AMTA2050 01	1 1 1	8.00 10.55		3	753	210	15	00000
	AVIA	0419	AMTA2050 01	1 1 1	12.05 15.10		3	556	210	11	00000
	AVIA	0421	AMTP2210 01	1 1	12.05 15.10		11	13,140	210	49	00000
	CMSC	0102	ANUR1350 30	111	8.00 10.50		34	296	210	35	00000
8	CMSC	0102	ANUR1040 30	1 1	8.00 11.00	1	34	296	210	35	00000
	CMSC	0102	ANUR1060 30	1 1	10.00 11.00		34	296	210	35	00000
	CMSC	0102	ANUR1233 30	11111	12.00 15.00		34	296	210	35	00000
8	CMSC	0102	ANUR1240 30	1111	12.30 15.00	1	26	296	210	35	00000
	CMSC	0104	ACNA1110 30	1 1	8.00 10.00		16	800	115	15	00000
	CMSC	0104	ACNA1120 30	1	8.00 11.00		16	800	115	15	00000
	CMSC	0104	ACNA1160 30	1 1	10.05 11.05		16	800	115	15	00000
	CMSC	0104	ANUR1233 31	111	11.30 14.30		16	800	115	15	00000
	CMSC	0203	OADM1100 30	1 1 1	8.00 8.50		16	730	210	20	00000
	CMSC	0203	OADM1150 30	1 1	8.00 9.15		17	730	210	20	00000
	CMSC	0203	OADM1180 30	1 1	10.50 12.05		10	730	210	20	00000
	CMSC	0203	BUSI1080 30	1 1 1	11.00 11.50		12	730	210	20	00000
	CMSC	0203	TSMA0092 30	1 1	12.00 13.15		9	730	210	20	00000
	CMSC	0203	TSMA0092 31	1 1	13.25 14.40		13	730	210	20	00000
	CMSC	0207	ACCT2020 30	1 1	8.00 9.15		8	720	110	20	00000
	CMSC	0207	ACCT1110 30	1 1	9.25 10.40		13	720	110	20	00000
	CMSC	0207	ENGL1010 30	1 1 1	12.00 13.15		18	720	110	20	00000
	CMSC	0207	ACCT1210 30	1 1	12.15 13.30		8	720	110	20	00000
	CMSC	0300	CRMJ1110 01	1 1	9.25 10.40		8	1,032	110	25	00000
	CMSC	0300	CRMJ1220 30	1 1	10.50 12.05		9	1,032	110	25	00000
	CMSC	0300	PTEC1010 30	1 1 1	12.00 14.00		7	1,032	110	25	00000
	CMSC	0300	PTEC1010 70	1 1 1	12.00 14.00	1	1	1,032	110	25	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/18/2013 11:19:34
 PAGE NUM 6

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	CMSC	0300	PTEC2030 30	1 1 1	12.00 14.00	1	8	1,032	110 25	00000
	CMSC	0300	PTEC2030 55	1 1 1	12.00 14.00	1	1	1,032	110 25	00000
	CMSC	0304	ELEC2460 30	1 1	8.00 8.50		11	2,177	210 24	00000
	CMSC	0304	INST1112 30	1 1 1	8.00 9.55		2	2,177	210 24	00000
	CMSC	0304	ELEC1122 30	1 1	9.00 11.30		12	2,177	210 24	00000
	CMSC	0304	ELEC1220 30	1 1 1	10.00 11.40		3	2,177	210 24	00000
	CMSC	0304	INST1111 30	1 1 1	12.00 14.00		12	2,177	210 24	00000
	CMSC	0304	INST1010 30	1 1	12.00 14.15		16	2,177	210 24	00000
	CMSC	0304	INST1111 57	1 1 1	12.01 14.00		14	2,177	210 24	00000
	CMSC	0304	INST1010 56	1 1	12.01 14.00		14	2,177	210 24	00000
	CMSC	0401	WELD1110 30	11111	8.00 10.55		4	410	110 20	00000
	CMSC	0401	WELD1210 30	11111	8.00 10.55	1	4	410	110 20	00000
	CMSC	0401	WELD1310 30	11111	8.00 10.55	1	4	410	110 20	00000
	CMSC	0401	WELD1410 30	11111	8.00 10.55	1	4	410	110 20	00000
	CMSC	0401	WELD1411 30	11111	8.00 10.55	1	4	410	110 20	00000
4	CMSC	0401	WELD1120 02	11111	8.00 14.30	1	4	410	110 20	00000
4	CMSC	0401	WELD1130 02	11111	8.00 14.30	1	4	410	110 20	00000
4	CMSC	0401	WELD2220 30	11111	8.00 14.30	1	1	410	110 20	00000
8	CMSC	0401	WELD1110 30	11111	12.05 13.10	1	4	410	110 20	00000
8	CMSC	0401	WELD1210 30	11111	12.05 15.10	1	4	410	110 20	00000
8	CMSC	0401	WELD1310 30	11111	12.05 15.10	1	4	410	110 20	00000
8	CMSC	0401	WELD1410 30	11111	12.05 15.10	1	4	410	110 20	00000
8	CMSC	0401	WELD1411 30	11111	12.05 15.10	1	4	410	110 20	00000
8	CMSC	0401	WELD1110 70	11111	12.15 14.15	1	3	410	110 20	00000
8	CMSC	0401	WELD1410 70	11111	12.15 14.15	1	1	410	110 20	00000
	CPTR	0100	BIOL1010 01	1 1 1	8.00 8.50		32	696	110 25	00000
	CPTR	0100	BIOL1010 04	1 1	8.00 9.15		34	696	110 25	00000
	CPTR	0100	BIOL1010 02	1 1 1	9.00 9.50		32	696	110 25	00000
	CPTR	0100	BIOL1010 05	1 1	9.25 10.40		34	696	110 25	00000
	CPTR	0100	BIOL1020 01	1 1 1	10.00 10.50		31	696	110 25	00000
	CPTR	0100	CHEM1010 03	1 1 1	11.00 11.50		25	696	110 25	00000
	CPTR	0100	BIOL1010 03	1 1	12.00 13.15		32	696	110 25	00000
	CPTR	0100	BIOL1010 06	1 1	12.15 13.30		30	696	110 25	00000
	CPTR	0101	CHEM1010 04	1 1	8.00 9.15		23	638	110 30	00000
	CPTR	0101	PHSC1000 02	1 1 1	9.00 9.50		23	638	110 30	00000
	CPTR	0101	CHEM1010 06	1 1	9.25 10.40		10	638	110 30	00000
	CPTR	0101	PHSC1000 03	1 1 1	10.00 10.50		25	638	110 30	00000
	CPTR	0101	CHEM1010 05	1 1	10.50 12.05		26	638	110 30	00000
	CPTR	0101	PHSC1000 04	1 1 1	11.00 11.50		12	638	110 30	00000
	CPTR	0101	PHSC1000 01	1 1	12.00 13.15		20	638	110 30	00000
	CPTR	0101	PHSC1000 05	1 1	12.15 13.30		9	638	110 30	00000
	CPTR	0103	GART1010 01	1 1	8.00 9.50		21	696	210 25	00000
	CPTR	0103	GART1240 01	1 1	8.00 10.40		21	696	210 25	00000
	CPTR	0103	GART1040 01	1 1 1	10.00 11.35		20	696	210 25	00000
	CPTR	0103	GART1030 01	1 1	12.15 14.40		20	696	210 25	00000
	CPTR	0103	GART1210 01	1 1 1	13.00 14.35		19	696	210 25	00000
	CPTR	0103	GART1220 01	1 1	14.55 17.45		9	696	210 25	00000
	CPTR	0103	GART1030 02	1 1	17.15 19.40		11	696	210 25	00000
	CPTR	0106	CADD1101 01	1111	8.00 9.50		19	679	210 20	00000
	CPTR	0106	DRFT1101 01	1111	10.00 10.50		16	679	210 20	00000
	CPTR	0106	DRFT1102 01	1111	12.00 12.50		15	679	210 20	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013

RUN DATE 11/18/2013 11:19:34

PAGE NUM 7

L.T.C.-SOWELA

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	CPTR	0106	DRFT1103 01	1111	13.00 13.50		15	679	210 20 00000
	CPTR	0106	DRFT1104 01	1111	14.00 14.50		14	679	210 20 00000
	CPTR	0108	CADD1101 01	1111	8.00 9.50		19	705	210 20 00000
	CPTR	0108	DRFT1101 01	1111	10.00 10.50		16	705	210 20 00000
	CPTR	0108	DRFT1102 01	1111	12.00 12.50		15	705	210 20 00000
	CPTR	0108	DRFT1103 01	1111	13.00 13.50		15	705	210 20 00000
	CPTR	0108	DRFT1104 01	1111	14.00 14.50		14	705	210 20 00000
	CPTR	0109	DRFT2402 01	1111	8.00 9.05		17	686	210 14 00000
	CPTR	0109	DRFT2303 01	1111	9.15 10.20		17	686	210 14 00000
	CPTR	0109	DRFT2305 01	1111	10.30 11.35		15	686	210 14 00000
	CPTR	0109	DRFT2302 01	1111	12.30 13.35		7	686	210 14 00000
	CPTR	0109	DRFT2404 01	1111	13.45 14.50		2	686	210 14 00000
	CPTR	0109	CADD1201 01	1111	14.40 16.30	1	6	686	210 14 00000
	CPTR	0110	DRFT1205 01	1111	12.00 12.50		6	704	210 19 00000
	CPTR	0110	DRFT2301 01	1111	13.00 14.15		9	704	210 19 00000
	CPTR	0110	DRFT1201 01	1111	13.40 14.30	1	6	704	210 19 00000
	CPTR	0111	BIOL1011 02	1	9.25 11.15		5	1,189	210 30 00000
	CPTR	0111	BIOL1011 01	1	13.25 15.05		7	1,189	210 30 00000
	CPTR	0114	CHEM1010 02	1 1 1	9.00 9.50		27	1,160	210 23 00000
	CPTR	0114	CHEM1011 05	1	10.50 13.20		11	1,160	210 23 00000
	CPTR	0114	CHEM1011 01	1	12.00 14.30		20	1,160	210 23 00000
	CPTR	0114	CHEM1011 02	1	12.30 15.00		20	1,160	210 23 00000
	CPTR	0114	CHEM1011 03	1	13.25 15.05		21	1,160	210 23 00000
	CPTR	0114	CHEM1010 01	1 1	17.00 18.15		20	1,160	210 23 00000
	CPTR	0114	CHEM1011 04	1	18.20 20.50		20	1,160	210 23 00000
	CPTR	0300	GART1020 01	1 1 1	8.00 9.35		21	2,507	210 50 00000
	CPTR	0300	GART1010 01	1 1	8.00 9.50	1	21	2,507	210 50 00000
	CPTR	0300	GART2120 01	1 1	8.00 10.30		11	2,507	210 50 00000
	CPTR	0300	GART2110 01	1 1	12.15 14.40		18	2,507	210 50 00000
	CPTR	0300	GART2250 01	1 1	12.15 14.40	1	5	2,507	210 50 00000
	CPTR	0300	GART2500 01	1	13.00 14.50		9	2,507	210 50 00000
	CPTR	0302	GART1020 01	1 1 1	8.00 9.35		21	2,725	210 35 00000
	CPTR	0302	GART2120 01	1 1	8.00 10.30		11	2,725	210 35 00000
	CPTR	0302	GART2210 01	1 1 1	10.00 11.35		19	2,725	210 35 00000
	CPTR	0302	GART2250 01	1 1	12.15 14.40		5	2,725	210 35 00000
	CPTR	0302	GART2500 01	1	13.00 14.50		9	2,725	210 35 00000
	CPTR	0311	GART1010 01	1 1	8.00 9.50		21	1,723	210 30 00000
	CPTR	0311	GART1030 01	1 1	12.15 14.40		20	1,723	210 30 00000
	CPTR	0311	GART2110 01	1 1	12.15 14.40	1	18	1,723	210 30 00000
	EMCH	0309	ELEC1430 01	1 1	10.05 12.25		29	1,145	210 23 00000
	EMCH	0309	GAEC2200 01	1 1	18.00 21.00		11	1,145	210 23 00000
	EMCH	0310	ELEC1220 02	1 1 1	8.00 9.45		21	1,756	210 40 00000
	EMCH	0310	ELEC1220 01	1 1 1	10.00 11.45		24	1,756	210 40 00000
	EMCH	0310	ELEC1220 04	1 1	12.30 14.30		19	1,756	210 40 00000
	EMCH	0310	ELEC2220 01	1 1 1	13.00 14.20		15	1,756	210 40 00000
	EMCH	0310	ELEC2220 02	1 1	17.00 18.45		12	1,756	210 40 00000
	EMCH	0310	ELEC1220 03	1 1	17.00 19.30		20	1,756	210 40 00000
	EMCH	0313	INST1010 06	1 1 1	8.00 9.20		34	3,160	210 40 00000
	EMCH	0313	ELEC1312 01	1 1	8.00 9.30		33	3,160	210 40 00000
	EMCH	0313	ELEC1312 02	1 1	9.45 11.15		21	3,160	210 40 00000
	EMCH	0313	ELEC1230 01	1 1 1	10.00 11.45		22	3,160	210 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/18/2013 11:19:34
 PAGE NUM 8

L.T.C.-SOWELA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	EMCH	0313	INST1010 01	1 1	12.30 14.10		36	3,160	210 40	00000
	EMCH	0313	ELEC1230 02	1 1	12.30 14.50		16	3,160	210 40	00000
	EMCH	0313	INST1010 05	1 1	14.30 15.40		33	3,160	210 40	00000
	EMCH	0313	GAEC1100 01	1 1	18.00 21.00		39	3,160	210 40	00000
8	EMCH	0313	GAEC1110 01	1 1	18.00 21.00	1	39	3,160	210 40	00000
8	EMCH	0314	INST2812 01	1 1 1	10.01 11.21		27	483	210 17	00000
8	EMCH	0314	INST2722 01	1 1 1	12.30 14.15		27	483	210 17	00000
	EMCH	0316	GAEC1200 01	1 1	18.00 21.00		19	587	110 30	00000
	EMCH	0316	GAEC1210 01	1 1	18.00 21.00	1	19	587	110 30	00000
	EMCH	0320	INST1111 03	1 1 1	8.00 9.55		24	1,238	210 25	00000
	EMCH	0320	INST1111 01	1 1 1	10.00 11.55		32	1,238	210 25	00000
8	EMCH	0320	INST1010 02	1 1	10.30 12.10		42	1,238	210 25	00000
	EMCH	0320	INST1111 02	1 1 1	12.30 14.15		27	1,238	210 25	00000
	EMCH	0320	INST1111 05	1 1	13.00 15.45		27	1,238	210 25	00000
	EMCH	0324	INST1310 02	1 1	12.30 14.10		21	1,091	210 22	00000
	EMCH	0324	GAEC1300 01	1 1	18.00 21.00		20	1,091	210 22	00000
	EMCH	0325	INST1112 01	1 1 1	10.00 11.50		26	2,724	210 45	00000
	EMCH	0325	INST1112 02	1 1 1	13.00 14.50		22	2,724	210 45	00000
	EMCH	0325	INST1111 04	1 1	17.00 19.45		31	2,724	210 45	00000
	EMCH	0325	GAEC2300 01	1 1	18.00 21.00		14	2,724	210 45	00000
	EMCH	0327	INST1410 02	1 1	7.59 9.59		28	1,049	110 40	00000
	EMCH	0327	INST2420 01	1 1	8.00 10.10		26	1,049	110 40	00000
	EMCH	0327	INST2420 02	1 1	12.06 14.15		25	1,049	110 40	00000
	EMCH	0327	INST1410 01	1 1	14.30 16.30		27	1,049	110 40	00000
	EMCH	0327	INST1310 01	1 1	14.30 16.30		28	1,049	110 40	00000
9	EMCH	0327	INST1310 01	1 1	14.30 16.30		28	1,049	110 40	00000
	EMCH	0327	INST1010 03	1 1	16.40 18.40		22	1,049	110 40	00000
9	EMCH	0327	INST1010 03	1 1	16.40 18.40		22	1,049	110 40	00000
	EMCH	0327	INST1010 04	1 1	18.45 20.45		11	1,049	110 40	00000
9	EMCH	0327	INST1010 04	1 1	18.45 20.45		11	1,049	110 40	00000
	EMCH	0328B	INST1410 02	1 1	7.59 9.59		28	1,131	210 23	00000
8	EMCH	0328B	INST2732 01	1 1 1	8.00 9.20	1	26	1,131	210 23	00000
	EMCH	0328B	INST2420 01	1 1	8.00 10.10		26	1,131	210 23	00000
	EMCH	0328B	INST2732 02	1 1	10.00 12.20	1	7	1,131	210 23	00000
	EMCH	0328B	INST2812 01	1 1 1	10.01 11.21		27	1,131	210 23	00000
	EMCH	0328B	INST2420 02	1 1	12.06 14.15		25	1,131	210 23	00000
8	EMCH	0328B	INST1310 02	1 1	12.30 14.10	1	21	1,131	210 23	00000
	EMCH	0328B	INST1410 01	1 1	14.30 16.30		27	1,131	210 23	00000
	EMCH	0328B	INST1310 01	1 1	14.30 16.30		28	1,131	210 23	00000
8	EMCH	0328C	INST1410 02	1 1	7.59 9.59		28	135	210 4	00000
8	EMCH	0328C	INST2732 01	1 1 1	8.00 9.20	1	26	135	210 4	00000
8	EMCH	0328C	INST2420 01	1 1	8.00 10.10		26	135	210 4	00000
8	EMCH	0328C	INST2722 02	1 1 1	10.00 11.45		19	135	210 4	00000
8	EMCH	0328C	INST2732 02	1 1	10.00 12.20		7	135	210 4	00000
8	EMCH	0328C	INST2420 02	1 1	12.06 14.15	1	25	135	210 4	00000
8	EMCH	0328C	INST2722 01	1 1 1	12.30 14.15		27	135	210 4	00000
8	EMCH	0328C	INST1410 01	1 1	14.30 16.30		27	135	210 4	00000
	EMCH	0328X	INST1410 02	1 1	7.59 9.59		28	2,157	210 25	00000
8	EMCH	0328X	INST1010 06	1 1 1	8.00 9.20	1	34	2,157	210 25	00000
8	EMCH	0328X	INST2732 01	1 1 1	8.00 9.20	1	26	2,157	210 25	00000
	EMCH	0328X	INST2420 01	1 1	8.00 10.10		26	2,157	210 25	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/18/2013 11:19:34
 PAGE NUM 9

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	EMCH	0328X	INST2722 02	1 1 1	10.00 11.45		19	2,157	210 25	00000
	EMCH	0328X	INST2732 02	1 1	10.00 12.20		7	2,157	210 25	00000
	EMCH	0328X	INST2812 01	1 1 1	10.01 11.21		27	2,157	210 25	00000
8	EMCH	0328X	INST1010 02	1 1	10.30 12.10		42	2,157	210 25	00000
8	EMCH	0328X	INST2420 02	1 1	12.06 14.15	1	25	2,157	210 25	00000
	EMCH	0328X	INST1010 01	1 1	12.30 14.10		36	2,157	210 25	00000
	EMCH	0328X	INST1310 02	1 1	12.30 14.10		21	2,157	210 25	00000
	EMCH	0328X	INST1010 05	1 1	14.30 15.40		33	2,157	210 25	00000
8	EMCH	0328X	INST1410 01	1 1	14.30 16.30	1	27	2,157	210 25	00000
	EMCH	0328X	INST1310 01	1 1	14.30 16.30		28	2,157	210 25	00000
	EMCH	0328X	INST1010 03	1 1	16.40 18.40		22	2,157	210 25	00000
	EMCH	0328X	INST1010 04	1 1	18.45 20.45		11	2,157	210 25	00000
	MTLS	0103	WELD1110 01	11111	8.00 10.00		16	435	110 25	00000
	MTLS	0103	WELD1410 01	11111	8.00 12.05	1	16	435	110 25	00000
8	MTLS	0103	WELD1411 01	11111	8.00 12.05	1	20	435	110 25	00000
8	MTLS	0103	WELD1517 01	11111	8.00 12.05	1	3	435	110 25	00000
8	MTLS	0103	WELD2221 01	11111	8.00 12.05	1	3	435	110 25	00000
8	MTLS	0103	WELD2311 01	11111	8.00 12.05	1	1	435	110 25	00000
8	MTLS	0103	WELD1120 01	11111	10.05 12.05	1	17	435	110 25	00000
	MTLS	0103	WELD1130 01	11111	13.00 15.30		17	435	110 25	00000
	MTLS	0103	WELD1410 01	11111	13.00 17.00	1	16	435	110 25	00000
8	MTLS	0103	WELD1420 01	11111	13.00 17.00	1	12	435	110 25	00000
8	MTLS	0103	WELD2222 01	11111	13.00 17.00	1	1	435	110 25	00000
	MTLS	0104	WELD1110 01	11111	8.00 10.00		16	435	110 25	00000
	MTLS	0104	WELD1210 01	11111	8.00 12.05	1	18	435	110 25	00000
8	MTLS	0104	WELD1410 01	11111	8.00 12.05	1	16	435	110 25	00000
8	MTLS	0104	WELD1411 01	11111	8.00 12.05	1	20	435	110 25	00000
8	MTLS	0104	WELD1517 01	11111	8.00 12.05	1	3	435	110 25	00000
8	MTLS	0104	WELD2221 01	11111	8.00 12.05	1	3	435	110 25	00000
8	MTLS	0104	WELD2311 01	11111	8.00 12.05	1	1	435	110 25	00000
8	MTLS	0104	WELD1120 01	11111	10.05 12.05	1	17	435	110 25	00000
	MTLS	0104	WELD1130 01	11111	13.00 15.30		17	435	110 25	00000
	MTLS	0104	WELD1410 01	11111	13.00 17.00	1	16	435	110 25	00000
8	MTLS	0104	WELD1420 01	11111	13.00 17.00	1	12	435	110 25	00000
8	MTLS	0104	WELD2222 01	11111	13.00 17.00	1	1	435	110 25	00000
4	MTLS	0105	ZWDR1020100	11111	8.00 16.30		14	3,915	220 35	00000
4	MTLS	0105	ZWDR1021100	1111	8.00 16.30	1	6	3,915	220 35	00000
4	MTLS	0105	ZWDR1023101	1	8.00 16.30		5	3,915	220 35	00000
4	MTLS	0105	ZWDR1023103	1	8.00 16.30	1	7	3,915	220 35	00000
4	MTLS	0105	ZWDR1023100	1	8.00 17.00	1	17	3,915	220 35	00000
	MTLS	0105	ZWDR1020102	11111	16.00 21.00		8	3,915	220 35	00000
	MTLS	0105	ZWDR1028100	111	17.00 21.00	1	5	3,915	220 35	00000
	MTLS	0106	WELD1510 01	11111	8.00 12.05		10	4,186	210 36	00000
	MTLS	0106	WELD2230 01	11111	8.00 12.05	1	4	4,186	210 36	00000
	MTLS	0106	WELD1310 01	11111	12.10 17.05		17	4,186	210 36	00000
	MTLS	0106	WELD1516 01	11111	13.00 17.00	1	3	4,186	210 36	00000
	MTLS	0106	WELD2220 01	11111	13.00 17.00	1	4	4,186	210 36	00000
	MTLS	0106	WELD2310 01	11111	13.00 17.00	1	6	4,186	210 36	00000
	MTLS	0106	WELD2311 01	11111	13.00 17.00	1	1	4,186	210 36	00000
	MTLS	0111	WELD2230 01	11111	8.00 12.05		4	433	110 29	00000
	MTLS	0111	WELD2220 01	11111	13.00 17.00		4	433	110 29	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013

RUN DATE 11/18/2013 11:19:34

PAGE NUM 10

L.T.C.-SOWELA

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	MTLS	0111	WELD2310 01	11111	13.00 17.00	1	6	433	110 29 00000
	MTLS	0117	WELD1310 01	11111	12.10 17.05		17	3,210	210 20 00000
	PTEC	0101	PTEC2621 01	1 1	9.35 10.50		29	1,776	210 30 00000
	PTEC	0101	PTEC2911 01	111	11.30 14.10		16	1,776	210 30 00000
	PTEC	0101	PTEC2911 02	111	18.00 20.40		22	1,776	210 30 00000
	PTEC	0102	PTEC2421 02	1	9.25 11.05		17	590	210 30 00000
	PTEC	0102	PTEC2420 02	1	11.15 12.05		9	590	210 30 00000
	PTEC	0102	PTEC2911 01	111	11.30 14.10	1	16	590	210 30 00000
	PTEC	0102	PTEC2421 01	1	12.00 13.40		14	590	210 30 00000
	PTEC	0102	PTEC2911 02	111	18.00 20.40		22	590	210 30 00000
	PTEC	0104	PTEC1000 01	1	10.00 10.50		28	590	210 30 00000
	PTEC	0104	PTEC1000 02	1	10.00 10.50		18	590	210 30 00000
	PTEC	0104	PTEC2421 01	1	12.00 13.40		14	590	210 30 00000
	PTEC	0104	PTEC2430 01	111	14.30 16.00		18	590	210 30 00000
	PTEC	0104	PTEC2430 02	111	16.15 17.45		18	590	210 30 00000
	PTEC	0106	PTEC1610 01	1 1 1	7.45 8.50		28	590	210 30 00000
	PTEC	0106	PTEC2420 01	1 1 1	9.00 9.50		20	590	210 30 00000
	PTEC	0106	PTEC2421 02	1	9.25 11.05		17	590	210 30 00000
	PTEC	0106	PTEC2070 01	1 1 1	11.00 11.50		29	590	210 30 00000
	PTEC	0106	PTEC2420 02	1	11.15 12.05		9	590	210 30 00000
	PTEC	0106	PTEC2630 01	1 1 1	13.00 13.50		26	590	210 30 00000
	PTEC	0106	PTEC1610 02	1	17.00 17.50		26	590	210 30 00000
	PTEC	0106	PTEC2420 04	1 1	18.00 19.15		20	590	210 30 00000
	PTEC	0106	PTEC2421 04	1 1	19.25 20.15		17	590	210 30 00000
	PTEC	0107	PTEC1010 04	1 1	8.00 9.15		28	590	210 30 00000
	PTEC	0107	PTEC1010 01	1 1 1	9.00 9.50		28	590	210 30 00000
	PTEC	0107	PTEC2030 03	1 1	9.25 10.40		29	590	210 30 00000
	PTEC	0107	PTEC2030 01	1 1 1	10.00 10.50		30	590	210 30 00000
	PTEC	0107	PTEC1010 02	1 1 1	11.00 11.50		29	590	210 30 00000
	PTEC	0107	PTEC2030 02	1 1 1	12.00 12.50		29	590	210 30 00000
	PTEC	0107	PTEC1010 03	1 1	16.00 17.15		29	590	210 30 00000
	PTEC	0107	PTEC1610 03	1 1	17.30 19.10		24	590	210 30 00000
8	PTEC	0108	PTEC1610 01	1 1 1	7.45 8.50		28	590	210 30 00000
	PTEC	0108	PTEC2440 01	1 1 1	8.00 8.50	1	20	590	210 30 00000
	PTEC	0108	PTEC1010 04	1 1	8.00 9.15		28	590	210 30 00000
8	PTEC	0108	PTEC2440 02	1 1	8.00 9.15	1	20	590	210 30 00000
	PTEC	0108	PTEC1010 01	1 1 1	9.00 9.50		28	590	210 30 00000
8	PTEC	0108	PTEC2420 01	1 1 1	9.00 9.50	1	20	590	210 30 00000
	PTEC	0108	PTEC2421 02	1	9.25 11.05		17	590	210 30 00000
	PTEC	0108	PTEC1010 02	1 1 1	11.00 11.50		29	590	210 30 00000
	PTEC	0108	PTEC2420 02	1	11.15 12.05		9	590	210 30 00000
	PTEC	0108	PTEC2421 01	1	12.00 13.40		14	590	210 30 00000
	PTEC	0108	PTEC1010 03	1 1	16.00 17.15		29	590	210 30 00000
8	PTEC	0108	PTEC1610 02	1	17.00 17.50	1	26	590	210 30 00000
	PTEC	0108	PTEC1610 03	1 1	17.30 19.10		24	590	210 30 00000
	PTEC	0108	PTEC2420 04	1 1	18.00 19.15	1	20	590	210 30 00000
	PTEC	0108	PTEC2421 04	1 1	19.25 20.15		17	590	210 30 00000
	PTEC	0124	PTEC2440 01	1 1 1	8.00 8.50		20	610	110 30 00000
	PTEC	0124	PTEC2440 02	1 1	8.00 9.15		20	610	110 30 00000
	PTEC	0124	PTEC2620 01	1 1	11.00 12.05		29	610	110 30 00000
	PTEC	0124	PTEC2630 02	1 1	12.15 13.30		25	610	110 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013

RUN DATE 11/18/2013 11:19:34

PAGE NUM 11

L.T.C.-SOWELA

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	PTEC 0125	PTEC1310 02	1 1	9.25 11.05		24	310	110 30	00000
	PTEC 0125	PTEC1320 02	1 1	11.30 13.10		21	310	110 30	00000
	PTEC 0125	PTEC1320 03	1 1	13.15 14.55		23	310	110 30	00000
	PTEC 0125	PTEC1310 03	1 1	15.10 16.50		25	310	110 30	00000
	PTEC 0125	PTEC1310 01	1 1	15.30 17.10		24	310	110 30	00000
	PTEC 0125	PTEC1320 01	1 1	18.00 19.15		14	310	110 30	00000
	RAAH 0102	TSMA0092 07	1 1 1	7.00 7.50		31	756	110 32	00000
	RAAH 0102	TSMA0092 08	1 1 1	8.00 8.50		29	756	110 32	00000
	RAAH 0102	ENGL1010 08	1 1	8.00 9.15		22	756	110 32	00000
	RAAH 0102	TSMA0092 09	1 1 1	10.00 10.50		31	756	110 32	00000
	RAAH 0102	SKIL1000 02	1 1	10.50 12.05		27	756	110 32	00000
	RAAH 0102	TSMA0092 10	1 1 1	11.00 11.50		31	756	110 32	00000
	RAAH 0102	TSEN0091 08	1 1	12.00 13.15		22	756	110 32	00000
	RAAH 0102	JOBS2450 02	1 1	12.15 13.05		16	756	110 32	00000
	RAAH 0102	TSMA0092 01	1 1	13.25 14.40		31	756	110 32	00000
	RAAH 0102	JOBS2450 01	1 1	13.25 14.40		17	756	110 32	00000
	RAAH 0102	TSMA0093 06	1 1	17.30 18.45		30	756	110 32	00000
	RAAH 0102	MATH1100 02	1	18.50 20.05		27	756	110 32	00000
	RAAH 0113	HIST2010 01	1 1	12.00 13.15		31	1,181	110 60	00000
	RAAH 0114	HIST2020 04	1 1	9.25 10.40		35	1,181	110 36	00000
	RAAH 0114	HIST1220 01	1 1 1	10.00 10.50		28	1,181	110 36	00000
	RAAH 0114	HIST2020 03	1 1	10.50 12.05		38	1,181	110 36	00000
	RAAH 0114	HIST1220 02	1 1 1	11.00 11.50		31	1,181	110 36	00000
	RAAH 0114	HIST2020 06	1 1	12.15 13.30		30	1,181	110 36	00000
	RAAH 0114	HIST2020 02	1 1	13.25 14.20		32	1,181	110 36	00000
	RAAH 0124	TSMA0092 14	11111	8.00 8.50		24	799	110 32	00000
	RAAH 0124	TSMA0093 10	11111	8.00 8.50	1	21	799	110 32	00000
	RAAH 0124	TSEN0093 02	1 1 1	9.00 9.50		23	799	110 32	00000
	RAAH 0124	ENGL1010 15	1 1	9.25 10.40		25	799	110 32	00000
	RAAH 0124	ENGL1010 02	1 1 1	10.00 10.50		28	799	110 32	00000
	RAAH 0124	ENGL1010 16	1 1 1	11.00 11.50		27	799	110 32	00000
	RAAH 0124	ENGL1020 04	1 1	12.15 13.30		11	799	110 32	00000
	RAAH 0124	TSEN0093 07	1 1	17.30 18.45		10	799	110 32	00000
	RAAH 0124	GAPC1200 01	11	18.00 21.00	1	4	799	110 32	00000
	RAAH 0125	TSEN0093 01	1 1 1	8.00 8.50		12	759	110 32	00000
	RAAH 0125	HIST2010 03	1 1	9.25 10.40		27	759	110 32	00000
	RAAH 0125	TSMA0092 11	1 1 1	11.00 11.50		30	759	110 32	00000
	RAAH 0125	HIST2010 04	1 1	12.15 13.30		29	759	110 32	00000
	RAAH 0125	ENGL1010 13	1	17.00 18.15		24	759	110 32	00000
	RAAH 0126	TSEN0091 02	1 1 1	9.00 9.50		26	763	110 32	00000
	RAAH 0126	SKIL1000 01	1 1	9.25 10.40		25	763	110 32	00000
	RAAH 0126	ENGL1010 12	11111	11.00 11.50		28	763	110 32	00000
	RAAH 0126	TSEN0093 09	11111	11.00 11.50	1	10	763	110 32	00000
	RAAH 0126	ENGL1010 06	1 1	13.25 14.40		28	763	110 32	00000
	RAAH 0126	ENGL1010 11	1	18.00 19.15		27	763	110 32	00000
	RAAH 0126	GAPC1210 01	11	18.00 21.00	1	4	763	110 32	00000
	RAAH 0126	GAPC1300 01	11	18.00 21.00	1	3	763	110 32	00000
	RAAH 0127	MATH1100 03	1 1 1	8.00 8.50		29	776	110 32	00000
	RAAH 0127	MATH1020 03	1 1 1	9.00 9.50		26	776	110 32	00000
	RAAH 0127	TSMA0092 12	1 1	9.25 10.40		28	776	110 32	00000
	RAAH 0127	TSMA0093 04	1 1 1	10.00 10.50		29	776	110 32	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/18/2013 11:19:34
 PAGE NUM 12

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.	
	RAAH	0127	MATH1100	09	1 1	10.50 12.05	27	776	110	32	00000
	RAAH	0127	MATH1100	06	1 1 1	11.00 11.50	34	776	110	32	00000
	RAAH	0127	TSM0093	07	1 1	12.15 13.30	29	776	110	32	00000
	RAAH	0127	GAPC1100	01	11	18.00 21.00	27	776	110	32	00000
8	RAAH	0127	GAPC1110	01	11	18.00 21.00	1	776	110	32	00000
8	RAAH	0127	GAPC2200	01	11	18.00 21.00	1	776	110	32	00000
8	RAAH	0127	GAPC2300	01	11	18.00 21.00	1	776	110	32	00000
	RAAH	0226	PSYC2010	02	1 1 1	8.00 8.50	43	1,059	110	40	00000
	RAAH	0226	PSYC2010	03	1 1 1	9.00 9.50	39	1,059	110	40	00000
	RAAH	0226	HIST2010	02	1 1 1	10.00 10.50	40	1,059	110	40	00000
	RAAH	0226	PSYC2010	07	1 1	10.50 12.05	39	1,059	110	40	00000
	RAAH	0226	PSYC2010	04	1 1 1	11.00 11.50	38	1,059	110	40	00000
	RAAH	0226	PSYC2010	01	1 1	12.00 13.15	38	1,059	110	40	00000
	RAAH	0226	PSYC2010	08	1 1	12.15 13.30	39	1,059	110	40	00000
	RAAH	0226	HIST2020	01	1	17.30 20.10	36	1,059	110	40	00000
	RAAH	0226	PSYC2010	06	1	17.30 20.10	27	1,059	110	40	00000
	RAAH	0226	PSYC2010	05	1	17.30 20.10	26	1,059	110	40	00000
	RAAH	0227	CRMJ1220	01	1 1 1	8.00 8.50	27	1,059	110	40	00000
	RAAH	0227	CRMJ1120	01	1 1	8.00 9.15	33	1,059	110	40	00000
	RAAH	0227	CRMJ1110	02	1 1 1	9.00 9.50	33	1,059	110	40	00000
	RAAH	0227	CRMJ1220	03	1 1	9.25 10.40	26	1,059	110	40	00000
	RAAH	0227	CRMJ1230	01	1 1 1	10.00 10.50	20	1,059	110	40	00000
	RAAH	0227	CRMJ2520	01	1 1 1	11.00 11.50	16	1,059	110	40	00000
	RAAH	0227	CRMJ1410	01	1 1	13.25 14.40	23	1,059	110	40	00000
	RAAH	0228	ENGL1010	08	1 1	8.00 9.15	22	1,097	210	35	00000
	RAAH	0228	ENGL1010	09	1 1	8.00 9.15	1	1,097	210	35	00000
8	RAAH	0228	ENGL1010	14	1 1	8.00 9.15	1	1,097	210	35	00000
	RAAH	0228	ENGL1010	01	1	9.00 9.50	28	1,097	210	35	00000
	RAAH	0228	ENGL1010	15	1 1	9.25 10.40	25	1,097	210	35	00000
	RAAH	0228	ENGL1010	02	1 1 1	10.00 10.50	28	1,097	210	35	00000
	RAAH	0228	ENGL1010	18	1	10.50 12.05	13	1,097	210	35	00000
	RAAH	0228	ENGL1010	07	1	10.50 12.05	26	1,097	210	35	00000
8	RAAH	0228	ENGL1010	12	11111	11.00 11.50	1	1,097	210	35	00000
8	RAAH	0228	ENGL1010	03	1 1 1	11.00 11.50	1	1,097	210	35	00000
8	RAAH	0228	ENGL1010	16	1 1 1	11.00 11.50	1	1,097	210	35	00000
	RAAH	0228	ENGL1010	05	1	12.00 13.15	27	1,097	210	35	00000
	RAAH	0228	ENGL1010	10	1 1	12.15 13.30	28	1,097	210	35	00000
	RAAH	0228	ENGL1010	17	1 1	12.15 13.30	1	1,097	210	35	00000
	RAAH	0228	ENGL1010	06	1 1	13.25 14.40	28	1,097	210	35	00000
	RAAH	0228	ENGL1010	13	1	17.00 18.15	24	1,097	210	35	00000
	RAAH	0228	ENGL1010	11	1	18.00 19.15	27	1,097	210	35	00000
	RAAH	0229	TSEN0091	09	11111	8.00 8.50	27	754	110	32	00000
8	RAAH	0229	TSEN0093	08	11111	8.00 8.50	1	754	110	32	00000
	RAAH	0229	TSEN0091	07	1 1	9.25 10.40	27	754	110	32	00000
	RAAH	0229	ARTS1200	02	1 1	10.50 12.05	32	754	110	32	00000
	RAAH	0229	TSEN0093	05	1 1 1	11.00 11.50	13	754	110	32	00000
	RAAH	0229	ARTS1200	01	1 1	12.00 13.15	28	754	110	32	00000
	RAAH	0229	ARTS1200	03	1 1	12.15 13.30	26	754	110	32	00000
	RAAH	0229	TSM0092	02	1 1	16.00 17.15	29	754	110	32	00000
	RAAH	0229	TSM0092	04	1 1	17.25 18.40	28	754	110	32	00000
	RAAH	0230	CRMJ2510	01	1 1 1	10.00 10.50	20	754	110	32	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013

RUN DATE 11/18/2013 11:19:34

PAGE NUM 13

L.T.C.-SOWELA

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	RAAH	0241	PSYC2335 01	1 1	8.00 9.15		21	776	110 32 00000
	RAAH	0241	ENGL1010 01	1	9.00 9.50		28	776	110 32 00000
	RAAH	0241	ENGL1020 01	1 1	9.25 10.40		26	776	110 32 00000
	RAAH	0241	ENGL2030 01	1 1 1	10.00 10.50		8	776	110 32 00000
	RAAH	0241	ENGL1010 18	1	10.50 12.05		13	776	110 32 00000
	RAAH	0241	ENGL1010 05	1	12.00 13.15		27	776	110 32 00000
	RAAH	0241	ENGL1010 17	1 1	12.15 13.30		25	776	110 32 00000
	RAAH	0242	TSEN0091 01	1 1 1	8.00 8.50		26	763	110 32 00000
	RAAH	0242	ENGL1010 09	1 1	8.00 9.15		28	763	110 32 00000
	RAAH	0242	TSEN0093 03	1 1	9.25 10.40		11	763	110 32 00000
	RAAH	0242	TSEN0091 04	1 1 1	10.00 10.50		26	763	110 32 00000
	RAAH	0242	ENGL2535 01	1	10.50 12.05		27	763	110 32 00000
	RAAH	0242	ENGL1010 07	1	10.50 12.05		26	763	110 32 00000
	RAAH	0242	ENGL1010 03	1 1 1	11.00 11.50		29	763	110 32 00000
	RAAH	0242	ENGL1010 10	1 1	12.15 13.30		28	763	110 32 00000
	RAAH	0242	TSMA0092 16	1 1	17.25 18.40		27	763	110 32 00000
	RAAH	0242	HIST2010 05	1 1	17.30 18.45		25	763	110 32 00000
	RAAH	0243	ENGL1010 14	1 1	8.00 9.15		32	759	110 32 00000
	RAAH	0243	CRMJ1110 03	1 1 1	11.00 11.50		25	759	110 32 00000
	RAAH	0243	CRMJ1322 01	1 1	12.00 13.15		28	759	110 32 00000
	RAAH	0243	CRMJ1120 02	1 1	12.15 13.30		25	759	110 32 00000
	RAAH	0243	CRMJ2112 01	1 1	13.25 14.40		15	759	110 32 00000
	RAAH	0243	CRMJ2552 01	1	15.00 15.50		11	759	110 32 00000
	RAAH	0243	TSEN0091 05	1 1	17.20 18.35		25	759	110 32 00000
	RAAH	0243	TSEN0091 06	1 1	18.45 20.00		17	759	110 32 00000
	RAAH	0244	TSRE0091 03	1 1 1	8.00 8.50		25	799	110 35 00000
	RAAH	0244	TSRE0091 06	1 1	8.00 9.15		22	799	110 35 00000
	RAAH	0244	TSRE0091 07	1 1	9.25 10.40		23	799	110 35 00000
	RAAH	0244	TSRE0091 04	1 1 1	10.00 10.50		28	799	110 35 00000
	RAAH	0244	TSRE0091 08	1 1	10.50 12.05		25	799	110 35 00000
	RAAH	0244	TSRE0091 05	1 1 1	11.00 11.50		22	799	110 35 00000
	RAAH	0244	ENGL1020 03	1 1	12.00 13.15		21	799	110 35 00000
	RAAH	0244	TSRE0091 09	1 1	12.15 13.30		22	799	110 35 00000
	RAAH	0244	TSRE0091 01	1 1	13.25 14.40		23	799	110 35 00000
	RAAH	0244	TSRE0091 02	1 1	17.30 18.45		22	799	110 35 00000
	TRAN	0001	AUTO1002 01	11111	8.00 10.55		18	698	210 30 00000
	TRAN	0001	AUTO1602 01	11111	8.00 10.55	1	19	698	210 30 00000
8	TRAN	0001	AUTO1702 02	11111	8.00 10.55	1	18	698	210 30 00000
8	TRAN	0001	AUTO1822 02	11111	8.00 10.55	1	16	698	210 30 00000
	TRAN	0002	AUTO1702 01	11111	8.00 10.55		17	698	210 30 00000
	TRAN	0002	AUTO1812 01	11111	8.00 10.55	1	16	698	210 30 00000
8	TRAN	0002	AUTO1822 01	11111	8.00 10.55	1	17	698	210 30 00000
	TRAN	0002	AUTO1002 99	1111	16.00 20.00		5	698	210 30 00000
	TRAN	0002	AUTO1102 99	1111	16.00 20.00	1	5	698	210 30 00000
	TRAN	0002	ORNT1000 99	1111	16.00 20.00	1	19	698	210 30 00000
	TRAN	0003	CLRP1110 01	11111	8.00 10.55		6	698	210 30 00000
	TRAN	0003	CLRP1121 01	11111	8.00 10.55	1	6	698	210 30 00000
	TRAN	0003	CLRP1320 01	11111	8.00 10.55	1	15	698	210 30 00000
	TRAN	0003	CLRP2121 01	11111	12.05 13.10		11	698	210 30 00000
	TRAN	0003	CLRP2130 01	11111	12.05 15.10	1	10	698	210 30 00000
	TRAN	0100	AUTO1002 01	11111	12.05 15.10		18	4,322	210 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013
 RUN DATE 11/18/2013 11:19:34
 PAGE NUM 14

L.T.C.-SOWELA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	TRAN 0100	AUT01602 01	11111	12.05 15.10	1	19	4,322	210 40	00000	
	TRAN 0100	AUT01702 02	11111	12.05 15.10	1	18	4,322	210 40	00000	
8	TRAN 0100	AUT01822 02	11111	12.05 15.10	1	16	4,322	210 40	00000	
	TRAN 0200	AUT01702 01	11111	12.05 15.10		17	4,362	210 40	00000	
	TRAN 0200	AUT01812 01	11111	12.05 15.10	1	16	4,362	210 40	00000	
	TRAN 0200	AUT01822 01	11111	12.05 15.10	1	17	4,362	210 40	00000	
	TRAN 0300	CLRP1121 01	11111	8.00 10.55		6	3,954	210 40	00000	
	TRAN 0300	CLRP1320 01	11111	8.00 10.55	1	15	3,954	210 40	00000	
	TRAN 0300	CLRP2121 01	11111	12.05 13.10		11	3,954	210 40	00000	
	TRAN 0300	CLRP2130 01	11111	12.05 15.10	1	10	3,954	210 40	00000	
	TRAN 0301	CLRP1121 01	11111	8.00 10.55		6	360	210 6	00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
FALL DATA 2013
RUN DATE 11/18/2013 11:19:34

L.T.C.-SOWELA

DESCRIPTION AND SUMMARY OF ERRORS & WARNINGS

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	23
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	124
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	4

----- T O T A L S -----

TOTAL ERRORS		
TOTAL WARNINGS		151
TOTAL NUMBER OF RECORDS READ		674
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		668
NUMBER OF JOINT-CLASS RECORDS		177
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		2

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/18/2013 11:19:34

PAGE NUM 1

L.T.C. -SOWELA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			57
TOTAL NUMBER OF STATIONS (CAPACITY)			1,666
WEEKLY STUDENT CONTACT HOURS	24,064	2,088	26,152
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5,130	2,850	7,980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,991	219	3,210
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	149,940	83,300	233,240
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	75,331	7,174	82,505
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	48,129	4,176	52,305
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	58.3	7.7	40.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	32.1	5.0	22.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	63.9	58.2	63.4
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			57
TOTAL NUMBER OF STATIONS (CAPACITY)			1,666
WEEKLY STUDENT CONTACT HOURS	24,064	2,088	26,152
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5,130	2,850	7,980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,991	219	3,210
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	149,940	83,300	233,240
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	75,331	7,174	82,505
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	48,129	4,176	52,305
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	58.3	7.7	40.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	32.1	5.0	22.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	63.9	58.2	63.4

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/18/2013 11:19:34
PAGE NUM 2

L.T.C. -SOWELA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			76
TOTAL NUMBER OF STATIONS (CAPACITY)			1,974
WEEKLY STUDENT CONTACT HOURS	40,239	2,762	43,001
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6,840	3,800	10,640
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,569	277	4,846
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	177,660	98,700	276,360
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	117,539	8,673	126,212
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	80,478	5,525	86,003
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	66.8	7.3	45.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	45.3	5.6	31.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	68.5	63.7	68.1
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			72
TOTAL NUMBER OF STATIONS (CAPACITY)			1,829
WEEKLY STUDENT CONTACT HOURS	39,287	2,702	41,989
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6,480	3,600	10,080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,375	253	4,628
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	164,610	91,450	256,060
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	110,749	7,833	118,582
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	78,574	5,405	83,979
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	67.5	7.0	45.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	47.7	5.9	32.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	70.9	69.0	70.8

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/18/2013 11:19:34

PAGE NUM 3

L.T.C. -SOWELA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABBORATORY			
TOTAL NUMBER OF ROOMS			4
TOTAL NUMBER OF STATIONS (CAPACITY)			145
WEEKLY STUDENT CONTACT HOURS	952	60	1,012
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	360	200	560
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	194	24	218
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	13,050	7,250	20,300
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,790	840	7,630
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,904	120	2,024
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	53.9	12.0	38.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	14.6	1.7	10.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	28.0	14.3	26.5

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY