

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	ADMN	1142	CULN1130 01	1 1	6.00 6.50		23	715	210 15 00000
8	ADMN	1142	CULN1220 01	1 1	6.00 6.50	1	9	715	210 15 00000
8	ADMN	1142	CULN2460 01	1	6.00 6.50	1	20	715	210 15 00000
	ADMN	1142	CULN1210 01		6.00 8.50		11	715	210 15 00000
4 8	ADMN	1142	CULN2010 01		6.00 12.50	1	14	715	210 15 00000
	ADMN	1142	CULN2460 01	1	6.30 7.50		20	715	210 15 00000
4	ADMN	1142	CULN1210 01	1	6.30 15.00		11	715	210 15 00000
4	ADMN	1142	CULN2400 01	1	7.00 13.50		14	715	210 15 00000
8	ADMN	1142	CULN1230 01	1	7.50 12.50	1	10	715	210 15 00000
8	ADMN	1142	CULN1010 01	1	8.00 8.50	1	21	715	210 15 00000
	ADMN	1142	CULN2450 01	1	8.00 12.50		15	715	210 15 00000
4	ADMN	1142	CULN2310 01	1	8.00 13.30		17	715	210 15 00000
	ADMN	1142	CULN1160 01	1 1	9.00 13.50		23	715	210 15 00000
	ADMN	1142	CULN1010 01	1	9.25 10.40		21	715	210 15 00000
	ADMN	1142	CULN1120 01	1	10.50 12.05		23	715	210 15 00000
	ADMN	1142	CULN1120 01	1	10.50 13.30		23	715	210 15 00000
	ADMN	1142	CULN1220 01	1 1	16.00 16.50		9	715	210 15 00000
8	ADMN	1142	CULN1010 01	1	16.00 16.50	1	21	715	210 15 00000
	ADMN	1142	ZWDR1039100	1	18.00 20.30		7	715	210 15 00000
	ADMN	1142	ZWDR1040100	1	18.00 20.30		6	715	210 15 00000
	ADMN	1144	CULN1130 01	1 1	6.00 6.50		23	981	210 20 00000
8	ADMN	1144	CULN2460 01	1	6.00 6.50	1	20	981	210 20 00000
	ADMN	1144	CULN1130 01	1 1	6.00 7.45		23	981	210 20 00000
	ADMN	1144	CULN1210 01		6.00 8.50		11	981	210 20 00000
4	ADMN	1144	CULN2400 01	1	7.00 13.50		14	981	210 20 00000
	ADMN	1144	CULN1230 01	1	7.50 12.50	1	10	981	210 20 00000
	ADMN	1144	CULN2450 01	1	8.00 12.50		15	981	210 20 00000
4	ADMN	1144	CULN2310 01	1	8.00 13.30		17	981	210 20 00000
8	ADMN	1144	CULN1120 01	1	10.50 12.05	1	23	981	210 20 00000
	ADMN	1144	CULN1120 01	1	10.50 13.30		23	981	210 20 00000
8	ADMN	1147	CULN1130 01	1 1	6.00 6.50		23	160	215 5 00000
8	ADMN	1147	CULN1220 01	1 1	6.00 6.50	1	9	160	215 5 00000
8	ADMN	1147	CULN2460 01	1	6.00 6.50	1	20	160	215 5 00000
8	ADMN	1147	CULN1130 01	1 1	6.00 7.45		23	160	215 5 00000
8	ADMN	1147	CULN1210 01		6.00 8.50		11	160	215 5 00000
4 8	ADMN	1147	CULN2010 01		6.00 12.50	1	14	160	215 5 00000
4 8	ADMN	1147	CULN2400 01	1	7.00 13.50		14	160	215 5 00000
8	ADMN	1147	CULN1230 01	1	7.50 12.50	1	10	160	215 5 00000
8	ADMN	1147	CULN2450 01	1	8.00 12.50		15	160	215 5 00000
4 8	ADMN	1147	CULN2310 01	1	8.00 13.30		17	160	215 5 00000
8	ADMN	1147	CULN1160 01	1 1	9.00 13.50		23	160	215 5 00000
8	ADMN	1147	CULN1120 01	1	10.50 12.05		23	160	215 5 00000
8	ADMN	1147	CULN1120 01	1	10.50 13.30		23	160	215 5 00000
8	ADMN	1147	CULN1220 01	1 1	16.00 16.50		9	160	215 5 00000
8	ADMN	1149	CULN1130 01	1 1	6.00 6.50		23	512	215 5 00000
8	ADMN	1149	CULN2460 01	1	6.00 6.50	1	20	512	215 00000
8	ADMN	1149	CULN1130 01	1 1	6.00 7.45		23	512	215 00000
8	ADMN	1149	CULN1210 01		6.00 8.50		11	512	215 00000
4 8	ADMN	1149	CULN2010 01		6.00 12.50	1	14	512	215 00000
4 8	ADMN	1149	CULN1210 01	1	6.30 15.00		11	512	215 00000
8	ADMN	1149	CULN2450 01	1	8.00 12.50		15	512	215 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2014  
 RUN DATE 11/11/2014 12:16:36  
 PAGE NUM 2

L.T.C.-SOWELA  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
4	8	ADMN 1149	CULN2310 01	1	8.00 13.30		17	512	215	00000
		ADMN 1151	CULN1130 01	1 1	6.00 6.50		23	1,900	210 51	00000
		ADMN 1151	CULN2460 01	1	6.00 6.50	1	20	1,900	210 51	00000
		ADMN 1151	CULN1210 01	1	6.00 8.50		11	1,900	210 51	00000
4		ADMN 1151	CULN2010 01	1	6.00 12.50	1	14	1,900	210 51	00000
4		ADMN 1151	CULN1210 01	1	6.30 15.00		11	1,900	210 51	00000
		ADMN 1151	CULN2450 01	1	8.00 12.50		15	1,900	210 51	00000
4		ADMN 1151	CULN2310 01	1	8.00 13.30		17	1,900	210 51	00000
4		ADMN 1151	ZWDR1018100	1	8.00 16.30		6	1,900	210 51	00000
4		ADMN 1151	ZWDR1018101	1	8.00 16.30	1	12	1,900	210 51	00000
4		ADMN 1151	ZWDR1018102	1	8.00 16.30	1	5	1,900	210 51	00000
		ADMN 1151	CULN1160 01	1 1	9.00 13.50		23	1,900	210 51	00000
		ADMN 1151	ZWDR1044100	1	17.00 17.30		2	1,900	210 51	00000
		ADMN 1152	CULN1130 01	1 1	6.00 6.50		23	703	210 15	00000
	8	ADMN 1152	CULN2460 01	1	6.00 6.50	1	20	703	210 15	00000
		ADMN 1152	CULN1210 01	1	6.00 8.50		11	703	210 15	00000
		ADMN 1152	CULN2460 01	1	6.30 7.50		20	703	210 15	00000
4		ADMN 1152	CULN1210 01	1	6.30 15.00		11	703	210 15	00000
4		ADMN 1152	CULN2400 01	1	7.00 13.50		14	703	210 15	00000
	8	ADMN 1152	CULN1230 01	1	7.50 12.50	1	10	703	210 15	00000
	8	ADMN 1152	CULN1010 01	1	8.00 8.50	1	21	703	210 15	00000
		ADMN 1152	CULN2450 01	1	8.00 12.50		15	703	210 15	00000
4		ADMN 1152	CULN2310 01	1	8.00 13.30		17	703	210 15	00000
		ADMN 1152	CULN1160 01	1 1	9.00 13.50		23	703	210 15	00000
		ADMN 1152	CULN1010 01	1	9.25 10.40		21	703	210 15	00000
		ADMN 1152	CULN1120 01	1	10.50 12.05		23	703	210 15	00000
		ADMN 1152	CULN1120 01	1	10.50 13.30		23	703	210 15	00000
		ADMN 1152	CULN1010 01	1	16.00 16.50		21	703	210 15	00000
		ADMN 1200	BUSI1210 01	1 1 1	9.00 9.50		20	514	110 30	00000
		ADMN 1200	MATH1020 01	1 1 1	10.00 10.50		24	514	110 30	00000
		ADMN 1200	MATH1020 02	1 1 1	11.00 11.50		23	514	110 30	00000
		ADMN 1204	ZWDR1013100	1	18.00 21.00		8	514	110 34	00000
		ADMN 1205	ITEC2999 01			1	3		240 40	00000
		ADMN 1205	ITEC2110 01	1 1 1	8.00 9.30		30	1,597	240 40	00000
		ADMN 1205	ITEC2010 01	1	10.50 12.05		11	1,597	240 40	00000
		ADMN 1205	ITEC1100 01	1 1 1	11.00 11.50		21	1,597	240 40	00000
		ADMN 1205	ITEC1101 01	1 1	12.00 12.50		21	1,597	240 40	00000
		ADMN 1205	OADM1150 01	1	17.30 20.05		10	1,597	240 40	00000
		ADMN 1207	CULN1130 01	1 1	6.00 6.50		23	1,137	240 35	00000
		ADMN 1207	CULN1220 01	1 1	6.00 6.50	1	9	1,137	240 35	00000
		ADMN 1207	CULN2460 01	1	6.00 6.50	1	20	1,137	240 35	00000
		ADMN 1207	CULN2460 01	1	6.30 7.50		20	1,137	240 35	00000
		ADMN 1207	BUSI2300 01	1 1 1	8.00 8.50		29	1,137	240 35	00000
		ADMN 1207	BUSI1030 01	1 1 1	9.00 9.50		24	1,137	240 35	00000
		ADMN 1207	ITEC1000 05	1 1	9.25 10.40		30	1,137	240 35	00000
		ADMN 1207	ITEC1010 01	1 1 1	10.00 10.50		26	1,137	240 35	00000
		ADMN 1207	ITEC1000 06	1	10.50 12.05		23	1,137	240 35	00000
		ADMN 1207	ITEC1210 01	1 1 1	11.00 11.50		29	1,137	240 35	00000
		ADMN 1207	ITEC1532 01	1 1	12.00 13.15		9	1,137	240 35	00000
		ADMN 1207	ITEC1000 07	1 1	12.15 13.30		30	1,137	240 35	00000
		ADMN 1207	CULN1220 01	1 1	16.00 16.50		9	1,137	240 35	00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	ADMN	1207	ITEC1000 99	1111	17.00 20.00		19	1,137	240 35 00000
	ADMN	1208	TPEN9999 01	1 1 1	8.00 8.50		15	1,032	210 45 00000
	ADMN	1208	TPMA9999 01	1 1	8.00 9.15		6	1,032	210 45 00000
	ADMN	1208	TPEN9999 02	1 1 1	9.00 9.50		22	1,032	210 45 00000
	ADMN	1208	TPSC9999 01	1 1	9.25 10.40		1	1,032	210 45 00000
	ADMN	1208	TPEN9999 03	1 1 1	10.00 10.50		13	1,032	210 45 00000
	ADMN	1208	TPMA9999 02	1 1	12.15 13.30		10	1,032	210 45 00000
	ADMN	1209	ITEC2998 01			1	5	1,337	240 32 00000
	ADMN	1209	ITEC1000 01	1 1 1	9.00 9.50		28	1,337	240 32 00000
	ADMN	1209	ITEC1320 01	1 1	9.25 10.40		29	1,337	240 32 00000
	ADMN	1209	ITEC1500 01	1 1 1	10.00 10.50		30	1,337	240 32 00000
	ADMN	1209	ITEC1550 01	1 1	10.50 12.05		10	1,337	240 32 00000
	ADMN	1209	ITEC1000 02	1 1 1	11.00 11.50		30	1,337	240 32 00000
	ADMN	1209	ITEC1000 04	1	13.00 13.50		23	1,337	240 32 00000
	ADMN	1209	MEDL1300 01	1	17.30 20.05		13	1,337	240 32 00000
	ADMN	1212	BUSI1030 02	1 1	10.50 12.05		23	504	110 24 00000
	ADMN	1212	ITEC1000 99	1111	17.00 20.00		19	504	110 24 00000
8	ADMN	1212	ORNT1000 99	1111	17.00 20.00	1	20	504	110 24 00000
	ADMN	1214	ACCT1110 01	1 1 1	8.00 8.50		25	528	110 25 00000
	ADMN	1214	ACCT2020 01	1 1	8.00 9.15		21	528	110 25 00000
	ADMN	1214	ACCT2996 01	1 1 1	9.00 9.50		15	528	110 25 00000
	ADMN	1214	ACCT1110 02	1 1	9.25 10.40		21	528	110 25 00000
	ADMN	1214	ACCT1250 01	1 1 1	10.00 10.50		12	528	110 25 00000
	ADMN	1214	ACCT1110 05	1 1	10.50 12.05		18	528	110 25 00000
	ADMN	1214	ACCT2010 01	1 1 1	11.00 11.50		18	528	110 25 00000
	ADMN	1214	ACCT1110 03	1	17.30 20.05		9	528	110 25 00000
	ADMN	1215	OADM1450 01	1 1 1	8.00 8.50		11	651	140 30 00000
	ADMN	1215	ACCT1210 01	1 1	8.00 9.15		12	651	140 30 00000
	ADMN	1215	OADM1330 01	1 1 1	9.00 9.50		17	651	140 30 00000
	ADMN	1215	ACCT1510 01	1 1	9.25 10.40		16	651	140 30 00000
	ADMN	1215	OADM2640 01	1 1	10.50 12.05		14	651	140 30 00000
	ADMN	1215	OADM2530 01	1	16.00 16.50		18	651	140 30 00000
	ADMN	1217	OADM1100 01	1 1 1	9.00 9.50		19	718	140 30 00000
	ADMN	1217	OADM1200 01	1 1	9.25 10.40		10	718	140 30 00000
	ADMN	1217	OADM1100 02	1 1 1	10.00 10.50		24	718	140 30 00000
	ADMN	1217	BUSI1080 01	1 1	10.50 12.05		20	718	140 30 00000
	ADMN	1217	OADM1100 03	1 1 1	11.00 11.50		11	718	140 30 00000
	ADMN	1238	CULN1010 01	1	8.00 8.50		21	830	210 16 00000
	ADMN	1238	CULN1010 01	1	9.25 10.40		21	830	210 16 00000
	ADMN	1238	CULN1120 01	1	10.50 12.05		23	830	210 16 00000
	ADMN	1238	CULN1120 01	1	10.50 13.30		23	830	210 16 00000
	ADMN	1238	CULN1010 01	1	16.00 16.50		21	830	210 16 00000
	ADMN	1238	ACCT1110 03	1	17.30 20.05		9	830	210 16 00000
	AVCR	0805	TSMA0092 12	1 1	8.00 9.15		26	742	110 30 00000
	AVCR	0805	MATH1100 08	1 1	9.25 10.40		29	742	110 30 00000
	AVCR	0805	TSMA0093 16	1 1 1	10.00 10.50		25	742	110 30 00000
	AVCR	0805	MATH1100014	1 1	10.51 12.05		26	742	110 30 00000
	AVCR	0805	TSMA0093 14	1 1 1	11.00 11.50		28	742	110 30 00000
	AVCR	0805	MATH1100 12	1 1	12.00 13.15		27	742	110 30 00000
	AVCR	0805	TSMA0093 08	1 1	12.15 13.30		28	742	110 30 00000
	AVCR	0805	GAEC1300 01	1 1	18.00 21.00		29	742	110 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2014  
 RUN DATE 11/11/2014 12:16:36  
 PAGE NUM 4

L.T.C.-SOWELA  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	AVCR	0818	MATH1100 07	1 1 1	8.00 8.50		31	720	110 28 00000
	AVCR	0818	MATH1100 03	1 1	8.00 9.15		27	720	110 28 00000
	AVCR	0818	TSMA0093 09	1 1 1	9.00 9.50		25	720	110 28 00000
	AVCR	0818	MATH1100 10	1 1	9.25 10.40		30	720	110 28 00000
	AVCR	0818	TSMA0093 10	1 1 1	10.00 10.50		27	720	110 28 00000
	AVCR	0818	MATH2100 01	1 1	10.50 12.05		29	720	110 28 00000
	AVCR	0818	TSMA0092 11	1 1 1	11.00 11.50		27	720	110 28 00000
	AVCR	0818	TSMA0092 21	11111	13.15 14.05		14	720	110 28 00000
	AVCR	0818	TSMA0093 13	11111	13.15 14.05	1	11	720	110 28 00000
	AVCR	0818	GAEC1200 01	1 1	18.00 21.00		20	720	110 28 00000
	AVCR	0818	GAEC1210 01	1 1	18.00 21.00	1	20	720	110 28 00000
	AVCR	0820	TSMA0093 02	1 1 1	7.00 7.50		25	720	110 28 00000
	AVCR	0820	TSMA0092 05	11111	8.00 8.50		24	720	110 28 00000
	AVCR	0820	TSMA0093 04	11111	8.00 8.50	1	12	720	110 28 00000
	AVCR	0820	TSMA0092 06	1 1	9.25 10.40		27	720	110 28 00000
	AVCR	0820	MATH1100 09	1 1 1	10.00 10.50		26	720	110 28 00000
	AVCR	0820	TSMA0092 20	11111	11.00 11.50		28	720	110 28 00000
8	AVCR	0820	TSMA0093 12	11111	11.00 11.50	1	21	720	110 28 00000
	AVCR	0820	TSMA0092 18	1 1	12.00 13.15		26	720	110 28 00000
	AVCR	0820	GAEC1200 02	1 1	18.00 21.00		20	720	110 28 00000
	AVCR	0820	GAEC1210 02	1 1	18.00 21.00	1	20	720	110 28 00000
	AVIA	0400	AMTA2060 01	11111	12.05 15.10		9	19,594	210 49 00000
	AVIA	0400	AMTA2140 01	11111	12.05 15.10	1	7	19,594	210 49 00000
	AVIA	0400	AMTP2200 01	11111	12.05 15.10	1	5	19,594	210 49 00000
	AVIA	0401	AMTA2090 01	11111	12.05 15.10		11	416	210 8 00000
	AVIA	0404	AMTG1010 01	11111	8.00 11.30		16	647	210 13 00000
8	AVIA	0404	AMTG1070 01	11111	8.00 11.30	1	17	647	210 13 00000
8	AVIA	0404	AMTG1080 01	11111	8.00 11.30	1	18	647	210 13 00000
8	AVIA	0404	AMTG1090 01	11111	8.00 11.30	1	15	647	210 13 00000
	AVIA	0408	AMTP2200 01	11111	8.00 10.55		5	508	110 15 00000
	AVIA	0408	AMTP2300 01	11111	8.00 10.55	1	4	508	110 15 00000
	AVIA	0408	AMTP2270 01	1111	8.00 10.55	1	5	508	110 15 00000
	AVIA	0408	AMTP2310 01	1111	8.00 10.55	1	4	508	110 15 00000
	AVIA	0409	AMTA2040 01	11111	8.00 10.55		7	497	110 12 00000
	AVIA	0409	AMTA2050 01	11111	8.00 10.55	1	10	497	110 12 00000
8	AVIA	0409	AMTA2060 01	11111	8.00 10.55	1	9	497	110 12 00000
8	AVIA	0409	AMTA2090 01	11111	8.00 10.55	1	11	497	110 12 00000
8	AVIA	0409	AMTA2140 01	11111	8.00 10.55	1	7	497	110 12 00000
	AVIA	0409	AMTA2040 01	11111	12.05 15.10		7	497	110 12 00000
	AVIA	0412	AMTA2060 01	11111	8.00 10.55		9	471	210 9 00000
	AVIA	0412	AMTA2060 01	11111	12.05 15.10		9	471	210 9 00000
4	AVIA	0413	AMTP2210 01	11111	8.00 15.10		5	365	210 7 00000
	AVIA	0414	AMTP2210 01	11111	8.00 10.55		5	277	210 6 00000
	AVIA	0414	AMTP2210 01	11111	12.05 15.10		5	277	210 6 00000
	AVIA	0415	AMTP2270 01	1111	12.05 15.10		5	1,271	210 8 00000
	AVIA	0415	AMTP2310 01	1111	12.05 15.10	1	4	1,271	210 8 00000
	AVIA	0416	AMTP2300 01	11111	12.05 15.10		4	603	210 6 00000
4	AVIA	0417	AMTP2210 01	11111	8.00 15.10		5	471	210 9 00000
9	AVIA	0417	AMTP2210 01	11111	12.05 15.10		5	471	210 9 00000
	AVIA	0418	AMTA2040 01	11111	8.00 10.55		7	753	210 15 00000
	AVIA	0418	AMTA2050 01	11111	8.00 10.55	1	10	753	210 15 00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	AVIA	0418	AMTA2040 01	11111	12.05 15.10		753	210 15	00000	
	AVIA	0418	AMTA2050 01	11111	12.05 15.10	1	753	210 15	00000	
	AVIA	0419	AMTA2050 01	11111	12.05 15.10		556	210 11	00000	
	AVIA	0421	AMTP2210 01	11111	8.00 10.55		13,140	210 49	00000	
	AVIA	0421	AMTP2210 01	11111	12.05 15.10		13,140	210 49	00000	
4	CMSC	0102	ANUR2340 30	111	5.30 15.00		296	210 35	00000	
	CMSC	0102	ANUR2353 30	1	8.00 9.50		296	210 35	00000	
	CMSC	0102	ANUR2243 30	1	8.00 9.50		296	210 35	00000	
	CMSC	0102	ANUR2310 30	11	10.00 11.00		296	210 35	00000	
4	CMSC	0104	ANUR1233 30	11111	6.30 15.00		800	110 15	00000	
	CMSC	0104	ACNA1110 30	1 1	8.00 10.00	1	800	110 15	00000	
	CMSC	0104	ACNA1120 30	1	8.00 11.00		800	110 15	00000	
	CMSC	0104	ACNA1160 30	1 1	10.00 11.00		800	110 15	00000	
	CMSC	0201	ACCT2020 30	1 1	8.00 9.15		907	210 20	00000	
	CMSC	0201	ACCT1110 30	1 1	9.25 10.40		907	210 20	00000	
	CMSC	0201	ACCT2996 30	1 1	10.50 12.05		907	210 20	00000	
	CMSC	0203	OADM1100 30	1 1 1	8.00 8.50		730	210 20	00000	
	CMSC	0203	OADM1150 30	1 1	8.00 9.15		730	210 20	00000	
8	CMSC	0203	TSMA0092 30	1111	8.35 9.50	1	730	210 20	00000	
8	CMSC	0203	TSMA0093 30	1111	8.35 9.50	1	730	210 20	00000	
8	CMSC	0203	OADM1150 32	1 1	9.25 10.40	1	730	210 20	00000	
	CMSC	0203	TSMA0092 01	1 1	10.50 12.05		730	210 20	00000	
	CMSC	0203	BUSI1080 30	1 1 1	11.00 11.50	1	730	210 20	00000	
	CMSC	0203	OADM1180 30	1 1	12.15 13.30		730	210 20	00000	
	CMSC	0203	TSMA0093 15	1 1	12.15 13.30	1	730	210 20	00000	
	CMSC	0203	TSMA0092 02	1 1	13.25 14.40		730	210 20	00000	
	CMSC	0207	ENGL1010 30	1	12.00 13.15		720	210 20	00000	
	CMSC	0207	CRMJ1110 03	1 1	12.15 13.30		720	210 20	00000	
	CMSC	0207	CRMJ1220 02	1 1	13.40 14.55		720	210 20	00000	
	CMSC	0300	PTEC1010 51	11111	8.00 10.00		1,032	680 25	00000	
	CMSC	0300	PTEC1010 30	1 1	12.00 13.15		1,032	680 25	00000	
	CMSC	0300	PTEC2030 30	1 1	13.25 14.40		1,032	680 25	00000	
	CMSC	0304	ELEC2460 30	1 1	8.00 8.50		2,177	210 24	00000	
	CMSC	0304	ELEC1230 03	1 1 1	8.00 9.45		2,177	210 24	00000	
8	CMSC	0304	INST1111 51	11111	8.00 10.00	1	2,177	210 24	00000	
8	CMSC	0304	ELEC1122 03	1 1	9.00 10.25	1	2,177	210 24	00000	
	CMSC	0304	ELEC2220 04	1 1 1	10.00 11.15		2,177	210 24	00000	
	CMSC	0304	INST1111 30	1 1 1	12.00 14.00		2,177	210 24	00000	
	CMSC	0304	INST1010 31	1 1	12.00 14.00		2,177	210 24	00000	
	CMSC	0401	WELD1110 55	11111	8.00 10.00		410	110 20	00000	
	CMSC	0401	WELD1410 55	11111	8.00 10.00	1	410	110 20	00000	
4	CMSC	0401	WELD1110 30	11111	8.00 14.30	1	410	110 20	00000	
4	CMSC	0401	WELD1120 30	11111	8.00 14.30	1	410	110 20	00000	
4	8	CMSC	0401	WELD1130 30	11111	8.00 14.30	1	410	110 20	00000
4	8	CMSC	0401	WELD1210 30	11111	8.00 14.30	1	410	110 20	00000
4	8	CMSC	0401	WELD1310 30	11111	8.00 14.30	1	410	110 20	00000
4	8	CMSC	0401	WELD1410 30	11111	8.00 14.30	1	410	110 20	00000
4	8	CMSC	0401	WELD1411 30	11111	8.00 14.30	1	410	110 20	00000
4	8	CMSC	0401	WELD1420 30	11111	8.00 14.30	1	410	110 20	00000
4	8	CMSC	0401	WELD1510 30	11111	8.00 14.30	1	410	110 20	00000
4	8	CMSC	0401	WELD1514 30	11111	8.00 14.30	1	410	110 20	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2014  
 RUN DATE 11/11/2014 12:16:36  
 PAGE NUM 6

L.T.C.-SOWELA  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	8	CMSC 0401	WELD1515 30	11111	8.00 14.30	1	410	110 20	00000
4	8	CMSC 0401	WELD1517 30	11111	8.00 14.30	1	410	110 20	00000
4	8	CMSC 0401	WELD2210 30	11111	8.00 14.30	1	410	110 20	00000
4	8	CMSC 0401	WELD2220 30	11111	8.00 14.30	1	410	110 20	00000
4	8	CMSC 0401	WELD2221 30	11111	8.00 14.30	1	410	110 20	00000
4	8	CMSC 0401	WELD2230 30	11111	8.00 14.30	1	410	110 20	00000
4	8	CMSC 0401	WELD2312 30	11111	8.00 14.30	1	410	110 20	00000
		CMSC 0401	ZWDR1045103	1111	17.30 21.00		410	110 20	00000
		CMSC 0405	ZWDR1045103	1111	17.30 21.00		2,000	210 20	00000
		CPTR 0100	PHSC1200 02	1 1	9.25 10.40		696	110 15	00000
		CPTR 0100	DRFT1201 01	1 1 1	11.00 11.50		696	110 15	00000
		CPTR 0100	DRFT1205 01	1 1 1	12.00 13.15		696	110 15	00000
		CPTR 0100	DRFT2301 01	1 1	12.30 14.20		696	110 15	00000
		CPTR 0101	CHEM1010 04	1 1	8.00 9.15		638	110 30	00000
		CPTR 0101	PHSC1000 02	1 1 1	9.00 9.50		638	110 30	00000
		CPTR 0101	CHEM1010 06	1 1	9.25 10.40		638	110 30	00000
		CPTR 0101	CHEM1010 05	1 1	10.50 12.05		638	110 30	00000
		CPTR 0101	PHSC1000 04	1 1 1	11.00 11.50		638	110 30	00000
		CPTR 0101	PHSC1000 01	1 1	12.00 13.15		638	110 30	00000
		CPTR 0101	PHSC1000 05	1 1	12.15 13.30		638	110 30	00000
		CPTR 0103	GART1010 01	1 1	8.00 9.50		696	210 25	00000
		CPTR 0103	GART1240 01	1 1	8.00 10.40		696	210 25	00000
		CPTR 0103	GART1040 01	1 1 1	10.00 11.35		696	210 25	00000
		CPTR 0103	GART2230 01	1 1	12.15 14.20		696	210 25	00000
		CPTR 0103	GART1230 01	1 1 1	13.00 14.35		696	210 25	00000
		CPTR 0103	GART1040 02	1 1	14.50 17.30		696	210 25	00000
		CPTR 0108	CADD1101 01	1 1	7.50 10.45		705	210 20	00000
		CPTR 0108	DRFT1101 01	1 1 1	8.00 8.50		705	210 20	00000
		CPTR 0108	DRFT1102 01	1 1 1	9.00 9.50		705	210 20	00000
		CPTR 0108	DRFT1103 01	1 1 1	10.00 10.50		705	210 20	00000
		CPTR 0108	CADD1101 02	1 1	12.00 14.55		705	210 20	00000
		CPTR 0108	DRFT1104 01	1 1	12.15 13.40		705	210 20	00000
		CPTR 0108	DRFT1101 02	1 1	17.25 18.40		705	210 20	00000
		CPTR 0108	DRFT1102 02	1 1	18.45 20.00		705	210 20	00000
		CPTR 0109	CADD1201 01	1 1 1	7.50 9.50		686	210 14	00000
		CPTR 0109	DRFT2305 01	1 1	7.50 9.55		686	210 14	00000
		CPTR 0109	DRFT2303 01	1 1	10.00 11.50		686	210 14	00000
		CPTR 0109	DRFT2404 01	1 1 1	10.00 12.30		686	210 14	00000
		CPTR 0109	DRFT2302 01	1 1	13.00 14.05		686	210 14	00000
		CPTR 0110	CADD1101 01	1 1	7.50 10.45		704	210 19	00000
		CPTR 0110	DRFT1101 01	1 1 1	8.00 8.50		704	210 19	00000
		CPTR 0110	DRFT1102 01	1 1 1	9.00 9.50		704	210 19	00000
		CPTR 0110	DRFT1103 01	1 1 1	10.00 10.50		704	210 19	00000
		CPTR 0110	CADD1101 02	1 1	12.00 14.55		704	210 19	00000
		CPTR 0110	DRFT1104 01	1 1	12.15 13.40		704	210 19	00000
		CPTR 0111	BIOL1010 01	1 1 1	8.00 8.50		1,189	210 30	00000
		CPTR 0111	BIOL1010 04	1 1	8.00 9.15		1,189	210 30	00000
		CPTR 0111	BIOL1010 02	1 1 1	9.00 9.50		1,189	210 30	00000
		CPTR 0111	BIOL1010 05	1 1	9.25 10.40		1,189	210 30	00000
		CPTR 0111	BIOL1020 01	1 1 1	10.00 10.50		1,189	210 30	00000
		CPTR 0111	PHSC1200 01	1 1	10.50 12.05		7	210 30	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2014  
 RUN DATE 11/11/2014 12:16:36  
 PAGE NUM 7

L.T.C.-SOWELA  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	CPTR	0111	BIOL1010 03	1 1	12.00 13.15		32	1,189	210 30 00000
	CPTR	0111	BIOL1010 06	1 1	12.15 13.30		32	1,189	210 30 00000
	CPTR	0111	BIOL1011 01	1	13.25 15.05		15	1,189	210 30 00000
	CPTR	0114	CHEM1010 07	1111	7.45 8.50		6	1,160	210 23 00000
	CPTR	0114	CHEM1011 07	1	8.00 10.50		8	1,160	210 23 00000
8	CPTR	0114	CHEM1010 02	1 1 1	9.00 9.50	1	28	1,160	210 23 00000
	CPTR	0114	BIOL1011 02	1	9.25 11.15		6	1,160	210 23 00000
	CPTR	0114	CHEM1011 05	1	10.50 13.20		19	1,160	210 23 00000
	CPTR	0114	CHEM1010 03	1 1 1	11.00 11.50		28	1,160	210 23 00000
	CPTR	0114	CHEM1011 07	1	12.00 14.00		8	1,160	210 23 00000
	CPTR	0114	CHEM1011 01	1	12.00 14.30		22	1,160	210 23 00000
	CPTR	0114	CHEM1011 02	1	12.30 15.00		20	1,160	210 23 00000
	CPTR	0114	CHEM1011 03	1	13.25 15.05		19	1,160	210 23 00000
	CPTR	0114	CHEM1010 01	1 1	17.00 18.15		27	1,160	210 23 00000
	CPTR	0114	CHEM1011 06	1	18.20 20.50		19	1,160	210 23 00000
	CPTR	0114	CHEM1011 04	1	18.20 20.50		17	1,160	210 23 00000
	CPTR	0300	GART1030 01	1 1	8.00 10.40		11	2,507	210 20 00000
	CPTR	0300	GART2110 01	1 1	12.15 14.40		15	2,507	210 20 00000
	CPTR	0300	GART1030 02	1 1	17.15 19.30		10	2,507	210 20 00000
	CPTR	0302	GART1220 01	1 1 1	8.00 9.35		18	2,725	210 35 00000
	CPTR	0302	GART2500 01	1	8.00 10.40		5	2,725	210 35 00000
	CPTR	0302	GART2130 01	1 1 1	10.00 11.35		11	2,725	210 35 00000
	CPTR	0302	GART2210 01	1 1	12.15 14.40		10	2,725	210 35 00000
	CPTR	0302	GART1020 01	1 1 1	13.00 14.35		22	2,725	210 35 00000
	CPTR	0302	GART2260 01	1 1	15.00 16.15		2	2,725	210 35 00000
	EMCH	0309	ELEC1122 01	1 1	8.00 9.25		28	1,145	210 25 00000
	EMCH	0309	ELEC1122 02	1 1	10.00 11.25		25	1,145	210 25 00000
	EMCH	0309	PTEC1310 07	1 1	10.00 11.40		26	1,145	210 25 00000
	EMCH	0309	GAPC1100 01	1	18.00 21.00		13	1,145	210 25 00000
	EMCH	0309	GAPC1110 01	1	18.00 21.00	1	13	1,145	210 25 00000
	EMCH	0309	GAPC1100 01	1	18.00 21.00		13	1,145	210 25 00000
	EMCH	0309	GAPC1110 01	1	18.00 21.00	1	13	1,145	210 25 00000
	EMCH	0309X	ELEC1122 01	1 1	8.00 9.25		28	1,130	210 23 00000
	EMCH	0309X	ELEC1122 02	1 1	10.00 11.25		25	1,130	210 23 00000
	EMCH	0310	ELEC2220 01	1 1 1	8.00 9.15		20	1,756	210 40 00000
	EMCH	0310	ELEC1220 01	1 1	8.00 9.50		20	1,756	210 40 00000
	EMCH	0310	ELEC1220 02	1 1 1	10.00 11.40		20	1,756	210 40 00000
	EMCH	0310	ELEC1220 03	1 1 1	12.30 14.50		18	1,756	210 40 00000
	EMCH	0310	ELEC2220 02	1 1	13.00 14.20		18	1,756	210 40 00000
	EMCH	0310	ELEC2220 03	1 1	17.00 18.45		10	1,756	210 40 00000
	EMCH	0310	ELEC1220 04	1 1	18.30 20.20		12	1,756	210 40 00000
	EMCH	0312	CCSS0000 04	1	8.50 10.05		3	1,177	240 36 00000
	EMCH	0312	CCSS0000 01	1	11.00 11.50		23	1,177	240 36 00000
	EMCH	0312	CCSS0000 03	1	12.00 12.50		17	1,177	240 36 00000
	EMCH	0312	CCSS0000 02	1	12.50 14.05		18	1,177	240 36 00000
	EMCH	0313	ELEC1312 01	1 1	8.00 9.30		32	3,160	210 40 00000
	EMCH	0313	ELEC1230 01	1 1	9.40 11.55		25	3,160	210 40 00000
	EMCH	0313	ELEC1230 02	1 1 1	10.00 11.45		22	3,160	210 40 00000
	EMCH	0313	ELEC1312 02	1 1	13.00 14.30		25	3,160	210 40 00000
	EMCH	0313	ELEC1312 03	1 1	14.40 16.10		19	3,160	210 40 00000
	EMCH	0314	INST2812 01	1 1 1	8.00 9.10		13	483	210 18 00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	EMCH	0314	INST2812 02	1 1	9.30 11.00		21	483	210 18 00000
	EMCH	0314	INST2722 03	1 1	12.30 14.30		21	483	210 18 00000
	EMCH	0314	INST2722 04	1 1	14.40 16.35		20	483	210 18 00000
	EMCH	0315	INST2722 01	1 1 1	8.00 9.45		20	596	210 25 00000
	EMCH	0315	INST2722 02	1 1 1	10.00 11.45		20	596	210 25 00000
	EMCH	0315	INST2812 03	1 1	14.00 15.30		8	596	210 25 00000
	EMCH	0315	GAEC2200 01	1 1	18.00 21.00		20	596	210 25 00000
	EMCH	0316	ELEC1430 01	1 1	14.00 15.55		25	587	110 30 00000
	EMCH	0316	GAPC1300 01	1	18.00 21.00		3	587	110 30 00000
	EMCH	0316	GAPC2200 01	1	18.00 21.00	1	3	587	110 30 00000
	EMCH	0316	GAPC2300 01	1	18.00 21.00	1	3	587	110 30 00000
	EMCH	0316	GAEC2300 01	1 1	18.00 21.00		11	587	110 30 00000
	EMCH	0316	GAPC1300 01	1	18.00 21.00	1	3	587	110 30 00000
	EMCH	0316	GAPC2200 01	1	18.00 21.00	1	3	587	110 30 00000
	EMCH	0316	GAPC2300 01	1	18.00 21.00	1	3	587	110 30 00000
	EMCH	0320	INST1111 01	1 1 1	8.00 9.55		29	1,238	210 25 00000
	EMCH	0320	INST1111 03	1 1	9.30 10.55		29	1,238	210 25 00000
	EMCH	0320	INST1111 04	1 1	12.00 13.50		32	1,238	210 25 00000
	EMCH	0320	INST1111 02	1 1 1	12.30 14.15		29	1,238	210 25 00000
	EMCH	0320	GAEC1100 02	1 1	18.00 21.00		24	1,238	210 25 00000
8	EMCH	0320	GAEC1110 02	1 1	18.00 21.00	1	24	1,238	210 25 00000
8	EMCH	0324	INST2732 01	1 1	8.00 9.30		34	1,091	210 22 00000
8	EMCH	0324	INST1410 01	1 1	10.10 12.10		38	1,091	210 22 00000
8	EMCH	0324	INST1310 01	1 1	12.30 14.10		35	1,091	210 22 00000
8	EMCH	0324	INST1310 03	1 1	16.40 18.20		34	1,091	210 22 00000
	EMCH	0324	GAPC1200 01	1	18.00 21.00		19	1,091	210 22 00000
8	EMCH	0324	GAPC1210 01	1	18.00 21.00	1	19	1,091	210 22 00000
	EMCH	0324	GAPC1200 01	1	18.00 21.00		19	1,091	210 22 00000
8	EMCH	0324	GAPC1210 01	1	18.00 21.00	1	19	1,091	210 22 00000
8	EMCH	0324	INST1410 03	1 1	18.30 20.10	1	34	1,091	210 22 00000
	EMCH	0325	INST1112 01	1 1	10.00 12.15		27	2,724	210 45 00000
	EMCH	0325	INST1112 02	1 1 1	13.00 14.50		19	2,724	210 45 00000
	EMCH	0325	INST1112 03	1 1	16.40 18.30		17	2,724	210 45 00000
	EMCH	0325	GAEC1100 01	1 1	18.00 21.00		23	2,724	210 45 00000
	EMCH	0325	GAEC1110 01	1 1	18.00 21.00	1	23	2,724	210 45 00000
	EMCH	0325	INST1111 05	1 1	18.40 20.30	1	21	2,724	210 45 00000
	EMCH	0327	PTEC1310 06	1 1	8.00 9.40		26	1,049	110 40 00000
	EMCH	0327	INST2420 01	1 1	8.00 9.50		24	1,049	110 40 00000
	EMCH	0327	INST1010 05	1 1	10.00 11.30		35	1,049	110 40 00000
	EMCH	0327	INST1010 01	1 1	10.00 11.30		36	1,049	110 40 00000
	EMCH	0327	INST2420 02	1 1	12.30 14.30		25	1,049	110 40 00000
	EMCH	0327	INST1010 02	1 1	14.30 15.40		37	1,049	110 40 00000
	EMCH	0327	INST2420 03	1 1	16.40 18.30		8	1,049	110 40 00000
	EMCH	0327	INST1010 03	1 1	18.40 19.50		37	1,049	110 40 00000
	EMCH	0328A	INST2812 01	1 1 1	8.00 9.10		13	1,131	210 23 00000
8	EMCH	0328A	PTEC1310 06	1 1	8.00 9.40	1	26	1,131	210 23 00000
	EMCH	0328A	INST2420 01	1 1	8.00 9.50		24	1,131	210 23 00000
	EMCH	0328A	INST2812 02	1 1	9.30 11.00		21	1,131	210 23 00000
	EMCH	0328A	INST2420 02	1 1	12.30 14.30		25	1,131	210 23 00000
	EMCH	0328A	INST2812 03	1 1	14.00 15.30		8	1,131	210 23 00000
	EMCH	0328A	INST2420 03	1 1	16.40 18.30		8	1,131	210 23 00000



BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2014  
 RUN DATE 11/11/2014 12:16:36  
 PAGE NUM 9

L.T.C.-SOWELA  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
8	EMCH	0328B	INST2732 01	1 1	8.00 9.30		34	213	210 4 00000	
8	EMCH	0328B	INST2420 01	1 1	8.00 9.50	1	24	213	210 4 00000	
8	EMCH	0328B	INST1410 01	1 1	10.10 12.10		38	213	210 4 00000	
8	EMCH	0328B	INST2420 02	1 1	12.30 14.30		25	213	210 4 00000	
8	EMCH	0328B	INST2420 03	1 1	16.40 18.30		8	213	210 4 00000	
8	EMCH	0328B	INST1410 03	1 1	18.30 20.10		34	213	210 4 00000	
8	EMCH	0328C	INST2420 01	1 1	8.00 9.50		24	135	210 4 00000	
8	EMCH	0328C	INST2420 02	1 1	12.30 14.30		25	135	210 4 00000	
8	EMCH	0328C	INST2420 03	1 1	16.40 18.30		8	135	210 4 00000	
	EMCH	0328X	PTEC1310 06	1 1	8.00 9.40		26	2,157	210 25 00000	
	EMCH	0328X	INST1010 05	1 1	10.00 11.30		35	2,157	210 25 00000	
	EMCH	0328X	INST1010 01	1 1	10.00 11.30		36	2,157	210 25 00000	
	EMCH	0328X	INST1010 03	1 1	18.40 19.50		37	2,157	210 25 00000	
4	MECH	0601	ZWDR1021100	1111	8.00 15.00		7	552	210 30 00000	
4	MECH	0616S	ZWDR1021100	1111	8.00 15.00		7	167	210 30 00000	
4	MTLS	0103	WELD1516 01	11111	7.00 12.30		14	435	210 44 00000	
4	MTLS	0103	WELD1110 01	11111	13.00 18.30		18	435	210 44 00000	
4	MTLS	0103	WELD1120 01	11111	13.00 18.30	1	21	435	210 44 00000	
4	MTLS	0103	WELD1130 01	11111	13.00 18.30	1	21	435	210 44 00000	
4	8	MTLS	0103	WELD1210 01	11111	13.00 18.30	1	18	435	210 44 00000
4	8	MTLS	0103	WELD1410 01	11111	13.00 18.30	1	18	435	210 44 00000
4	8	MTLS	0103	WELD1411 01	11111	13.00 19.30	1	19	435	210 44 00000
	8	MTLS	0103	ZWDR1028101	1111	17.30 21.00	1	9	435	210 44 00000
4	MTLS	0104	WELD1420 01	11111	7.00 12.30		16	435	210 44 00000	
4	MTLS	0104	WELD1510 01	11111	7.00 12.30	1	10	435	210 44 00000	
4	MTLS	0104	WELD1516 01	11111	7.00 12.30	1	14	435	210 44 00000	
4	MTLS	0104	WELD2110 01	11111	7.00 12.30	1	7	435	210 44 00000	
4	MTLS	0104	WELD2210 01	11111	7.00 12.30	1	4	435	210 44 00000	
4	MTLS	0104	WELD2220 01	11111	7.00 12.30	1	4	435	210 44 00000	
4	MTLS	0104	WELD2310 01	11111	7.00 12.30	1	7	435	210 44 00000	
4	MTLS	0104	WELD1110 01	11111	13.00 18.30		18	435	210 44 00000	
4	MTLS	0104	WELD1120 01	11111	13.00 18.30	1	21	435	210 44 00000	
4	MTLS	0104	WELD1130 01	11111	13.00 18.30	1	21	435	210 44 00000	
4	8	MTLS	0104	WELD1210 01	11111	13.00 18.30	1	18	435	210 44 00000
4	8	MTLS	0104	WELD1410 01	11111	13.00 18.30	1	18	435	210 44 00000
4	8	MTLS	0104	WELD1411 01	11111	13.00 19.30	1	19	435	210 44 00000
	8	MTLS	0104	ZWDR1028101	1111	17.30 21.00	1	9	435	210 44 00000
4	MTLS	0105	ZWDR1020101	11111	8.00 15.00		6	3,915	220 35 00000	
	MTLS	0105	ZWDR1020100	11111	16.00 21.00		7	3,915	220 35 00000	
4	MTLS	0106	WELD1517 01	11111	7.00 12.30		2	4,186	210 36 00000	
4	MTLS	0106	WELD2111 01	11111	7.00 12.30	1	2	4,186	210 36 00000	
4	MTLS	0106	WELD2221 01	11111	7.00 12.30	1	4	4,186	210 36 00000	
4	MTLS	0106	WELD2222 01	11111	7.00 12.30	1	4	4,186	210 36 00000	
4	MTLS	0106	WELD2311 01	11111	7.00 12.30	1	5	4,186	210 36 00000	
4	MTLS	0106	ZWDR1046100	11111	8.00 15.00	1	5	4,186	210 36 00000	
	MTLS	0106	WELD1420 01	11111	13.00 18.00	1	16	4,186	210 36 00000	
	MTLS	0106	WELD1510 01	11111	13.00 18.00	1	10	4,186	210 36 00000	
	8	MTLS	0106	WELD1516 01	11111	13.00 18.00	1	14	4,186	210 36 00000
	8	MTLS	0106	WELD2110 01	11111	13.00 18.00	1	7	4,186	210 36 00000
	8	MTLS	0106	WELD2310 01	11111	13.00 18.00	1	7	4,186	210 36 00000
4	8	MTLS	0106	WELD1310 01	11111	13.00 18.30	1	3	4,186	210 36 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2014  
 RUN DATE 11/11/2014 12:16:36  
 PAGE NUM 10

L.T.C.-SOWELA  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	MTLS 0106	ZWDR1028100	1111	18.00 21.00	1	2	4,186	210 36	00000
4	MTLS 0111	WELD1310 01	11111	13.00 18.30		3	433	110 29	00000
4	MTLS 0111	WELD1410 01	11111	13.00 18.30	1	18	433	110 29	00000
4	MTLS 0111	WELD1411 01	11111	13.00 19.30	1	19	433	110 29	00000
	MTLS 0117	WELD1517 01	11111	13.00 18.00		2	3,210	210 20	00000
	MTLS 0117	WELD2111 01	11111	13.00 18.00	1	2	3,210	210 20	00000
	MTLS 0117	WELD2311 01	11111	13.00 18.00	1	5	3,210	210 20	00000
	NAAH 0106	ACNA1110 01	1111	15.30 16.20		16	704	110 32	00000
	NAAH 0106	ACNA1120 01	1111	16.30 17.20		16	704	110 32	00000
	NAAH 0106	ACNA1160 01	1111	17.30 18.20		16	704	110 32	00000
	NAAH 0106	ANUR1233 02	1111	18.30 21.00		16	704	110 32	00000
	NAAH 0110	ANUR2310 01	1 1	8.00 10.50		24	672	110 32	00000
	NAAH 0110	ANUR2323 01	1 1	11.00 11.50		23	672	110 32	00000
	NAAH 0110	ANUR2340 01	1 1	13.00 13.50		24	672	110 32	00000
	NAAH 0110	ANUR2353 01	1 1	14.00 14.50		23	672	110 32	00000
4	NAAH 0111A	ANUR2312 01	111	6.45 15.00		24	203	210 2	00000
	NAAH 0111A	ANUR2310 01	1 1	8.00 10.50		24	203	210 2	00000
4	NAAH 0111A	ANUR2323 01	1 1	11.00 11.05		23	203	210 2	00000
	NAAH 0111A	ANUR2340 01	1 1	13.00 13.50		24	203	210 2	00000
	NAAH 0111B	ANUR2210 01	1 1	8.00 10.50		22	240	210 2	00000
	NAAH 0111B	ANUR2223 01	1 1	11.00 11.50		13	240	210 2	00000
	NAAH 0111B	ANUR2230 01	1 1	12.30 13.20		22	240	210 2	00000
	NAAH 0111B	ANUR2243 01	1 1	13.30 14.20		19	240	210 2	00000
	NAAH 0111C	ANUR2210 01	1 1	8.00 10.50		22	216	210 2	00000
	NAAH 0111C	ANUR2223 01	1 1	11.00 11.50		13	216	210 2	00000
	NAAH 0111C	ANUR2230 01	1 1	12.30 13.20		22	216	210 2	00000
	NAAH 0111C	ANUR2243 01	1 1	13.30 14.20		19	216	210 2	00000
	NAAH 0112	ANUR2230 01	1 1	12.30 13.20		22	693	110 32	00000
4	NAAH 0114	ANUR2212 01	111	6.45 15.00		22	1,200	210 24	00000
4	NAAH 0114	ANUR2312 01	111	6.45 15.00	1	24	1,200	210 24	00000
	NAAH 0114	ANUR1060 01	1	8.00 9.50		41	1,200	210 24	00000
	NAAH 0114	ANUR2210 01	1 1	8.00 10.50	1	22	1,200	210 24	00000
	NAAH 0114	ANUR2310 01	1 1	8.00 10.50	1	24	1,200	210 24	00000
	NAAH 0114	ANUR1350 01	1	8.00 11.50	1	36	1,200	210 24	00000
	NAAH 0114	ANUR1233 01	111	8.00 11.50		34	1,200	210 24	00000
	NAAH 0114	ANUR2223 01	1 1	11.00 11.50		13	1,200	210 24	00000
	NAAH 0114	ANUR2323 01	1 1	11.00 11.50	1	23	1,200	210 24	00000
	NAAH 0114	ANUR1240 01	1 1	13.00 14.25		33	1,200	210 24	00000
	NAAH 0114	ANUR1233 02	1111	18.30 21.00		16	1,200	210 24	00000
	NAAH 0203	ANUR2210 01	1 1	8.00 10.50		22	1,407	110 54	00000
	NAAH 0203	ANUR2223 01	1 1	11.00 11.50		13	1,407	110 54	00000
	NAAH 0203	ANUR2230 01	1 1	12.30 13.20		22	1,407	110 54	00000
	NAAH 0203	ANUR2243 01	1 1	13.30 14.20		19	1,407	110 54	00000
	NAAH 0204	ANUR1060 01	1	8.00 9.50		41	1,375	110 54	00000
	NAAH 0204	ANUR1350 01	1	8.00 11.50		36	1,375	110 54	00000
	NAAH 0204	ANUR1233 01	111	8.00 11.50		34	1,375	110 54	00000
	NAAH 0204	ANUR1040 01	1 1	13.00 14.25		40	1,375	110 54	00000
	NAAH 0204	ANUR1240 01	1 1	13.00 14.25	1	33	1,375	110 54	00000
	NAAH 0205	PHSC1000 02	1 1 1	9.00 9.50		28	1,764	210 32	00000
	NAAH 0205	PHSC1000 04	1 1 1	11.00 11.50		25	1,764	210 32	00000
4	NAAH 0208	ANUR2212 01	111	6.45 15.00		22	1,292	240 54	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2014  
 RUN DATE 11/11/2014 12:16:36  
 PAGE NUM 11

L.T.C.-SOWELA  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	NAAH 0208	ANUR2312 01	111	6.45 15.00	1	24	1,292	240 54	00000
	NAAH 0208	ANUR1060 01	1	8.00 9.50		41	1,292	240 54	00000
	NAAH 0208	ANUR2210 01	1 1	8.00 10.50	1	22	1,292	240 54	00000
8	NAAH 0208	ANUR2310 01	1 1	8.00 10.50	1	24	1,292	240 54	00000
8	NAAH 0208	ANUR1350 01	1	8.00 11.50	1	36	1,292	240 54	00000
	NAAH 0208	ANUR1233 01	111	8.00 11.50		34	1,292	240 54	00000
4	NAAH 0208	ANUR2223 01	1 1	11.00 11.05		13	1,292	240 54	00000
	NAAH 0208	ANUR2323 01	1 1	11.00 11.50	1	23	1,292	240 54	00000
	NAAH 0208	ANUR2230 01	1 1	12.30 13.20		22	1,292	240 54	00000
	NAAH 0208	ANUR2340 01	1 1	13.00 13.50	1	24	1,292	240 54	00000
	NAAH 0208	ANUR1240 01	1 1	13.00 14.25	1	33	1,292	240 54	00000
8	NAAH 0208	ANUR2243 01	1 1	13.30 14.20	1	19	1,292	240 54	00000
8	NAAH 0208	ANUR2353 01	1 1	14.00 14.50	1	23	1,292	240 54	00000
	NAAH 0208	ANUR1233 02	1111	18.30 21.00		16	1,292	240 54	00000
	PTEC 0101	PTEC2911 01	111	12.30 15.10		22	1,776	210 30	00000
	PTEC 0101	PTEC2430 02	111	16.30 18.00		21	1,776	210 30	00000
	PTEC 0101	PTEC2911 03	111	18.05 20.45		23	1,776	210 30	00000
	PTEC 0102	PTEC2420 03	1 1	8.00 9.15		19	590	210 30	00000
	PTEC 0102	PTEC2420 01	1 1 1	9.00 9.50		19	590	210 30	00000
	PTEC 0102	PTEC2421 03	1 1	9.25 10.15		22	590	210 30	00000
	PTEC 0102	PTEC2420 02	1 1	10.50 12.05		20	590	210 30	00000
	PTEC 0102	PTEC2421 02	1	12.10 13.50		20	590	210 30	00000
	PTEC 0102	PTEC2911 01	111	12.30 15.10	1	22	590	210 30	00000
8	PTEC 0102	PTEC2421 01	1 1	15.00 15.50	1	18	590	210 30	00000
	PTEC 0102	PTEC2911 03	111	18.05 20.45		23	590	210 30	00000
	PTEC 0102	PTEC2420 04	1 1	18.30 19.45	1	14	590	210 30	00000
	PTEC 0102	PTEC2421 04	1 1	19.55 20.30		13	590	210 30	00000
	PTEC 0104	PTEC2030 02	1 1 1	8.00 8.50		28	590	210 30	00000
	PTEC 0104	PTEC1010 05	1 1	8.00 9.15		28	590	210 30	00000
	PTEC 0104	PTEC1010 01	1 1 1	9.00 9.50		29	590	210 30	00000
	PTEC 0104	PTEC2030 05	1 1	9.25 10.40		30	590	210 30	00000
	PTEC 0104	PTEC1010 02	1 1 1	10.00 10.50		27	590	210 30	00000
	PTEC 0104	PTEC2420 02	1 1	10.50 12.05		20	590	210 30	00000
	PTEC 0104	PTEC1010 03	1 1 1	11.00 11.50		27	590	210 30	00000
	PTEC 0104	PTEC2421 02	1	12.10 13.50		20	590	210 30	00000
	PTEC 0104	PTEC1010 04	1 1 1	13.00 13.50		28	590	210 30	00000
	PTEC 0104	PTEC2630 03	1 1	14.00 15.15		7	590	210 30	00000
	PTEC 0104	PTEC2430 02	111	16.30 18.00		21	590	210 30	00000
	PTEC 0104	PTEC1010 06	1 1	18.05 19.20		24	590	210 30	00000
	PTEC 0106	PTEC1610 01	1 1 1	7.45 8.50		24	590	210 30	00000
	PTEC 0106	PTEC2420 03	1 1	8.00 9.15		19	590	210 30	00000
	PTEC 0106	PTEC2420 01	1 1 1	9.00 9.50		19	590	210 30	00000
	PTEC 0106	PTEC2421 03	1 1	9.25 10.15		22	590	210 30	00000
	PTEC 0106	PTEC2030 01	1 1 1	10.00 10.50		30	590	210 30	00000
	PTEC 0106	PTEC2030 03	1 1 1	11.00 11.50		29	590	210 30	00000
	PTEC 0106	PTEC1000 02	1	12.15 13.05		17	590	210 30	00000
	PTEC 0106	PTEC2070 01	1 1 1	13.00 13.50		28	590	210 30	00000
	PTEC 0106	PTEC1610 04	1 1	13.15 14.55		26	590	210 30	00000
	PTEC 0106	PTEC2630 01	1 1 1	14.00 14.50		20	590	210 30	00000
	PTEC 0106	PTEC2421 01	1 1	15.00 15.50		18	590	210 30	00000
	PTEC 0106	PTEC1610 05	1 1	15.00 16.40		23	590	210 30	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2014  
 RUN DATE 11/11/2014 12:16:36  
 PAGE NUM 12

L.T.C.-SOWELA  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	PTEC 0106	PTEC1000 01	1	15.55 16.45		19	590	210 30	00000
	PTEC 0106	PTEC1610 06	1 1	17.00 18.40		19	590	210 30	00000
	PTEC 0106	PTEC2070 03	1 1	18.50 20.05		29	590	210 30	00000
	PTEC 0107	PTEC2030 06	1 1	16.45 18.00		27	590	210 30	00000
	PTEC 0107	PTEC1610 02	1	17.30 18.45		23	590	210 30	00000
	PTEC 0107	PTEC2420 04	1 1	18.30 19.45		14	590	210 30	00000
	PTEC 0107	PTEC1610 03	1	19.00 20.15		24	590	210 30	00000
	PTEC 0107	PTEC2421 04	1 1	19.55 20.30		13	590	210 30	00000
	PTEC 0108	PTEC1610 05	1 1	15.00 16.40		23	590	210 30	00000
	PTEC 0108	PTEC1610 06	1 1	17.00 18.40		19	590	210 30	00000
	PTEC 0124	PTEC2440 02	1 1	8.00 9.15		19	610	110 30	00000
	PTEC 0124	PTEC1000 03	1 1	9.00 9.50		9	610	110 30	00000
	PTEC 0124	PTEC2621 01	1 1	9.25 11.00		26	610	110 30	00000
	PTEC 0124	PTEC2440 03	1 1 1	10.00 10.50		21	610	110 30	00000
	PTEC 0124	PTEC2070 02	1 1 1	11.00 11.50		27	610	110 30	00000
	PTEC 0124	PTEC2620 01	1 1	11.05 12.10		26	610	110 30	00000
	PTEC 0124	PTEC1010 11	1 1	12.15 13.30		27	610	110 30	00000
	PTEC 0124	PTEC1010 09	1 1 1	13.00 13.50		26	610	110 30	00000
	PTEC 0124	PTEC1610 07	1 1	14.00 15.40		12	610	110 30	00000
	PTEC 0124	PTEC1320 02	1 1	14.00 15.40		23	610	110 30	00000
	PTEC 0124	PTEC2430 01	111	15.45 17.15		23	610	110 30	00000
	PTEC 0125	PTEC1310 05	1 1 1	8.00 8.50		27	310	110 30	00000
	PTEC 0125	PTEC2630 02	1 1	8.00 9.15		26	310	110 30	00000
	PTEC 0125	PTEC1310 03	1 1	9.25 11.05		28	310	110 30	00000
	PTEC 0125	PTEC1320 03	1 1	11.30 13.10		30	310	110 30	00000
	PTEC 0125	PTEC1310 04	1 1	13.30 15.10		24	310	110 30	00000
	PTEC 0125	PTEC1310 01	1 1	15.00 16.40		22	310	110 30	00000
	PTEC 0125	PTEC1310 02	1 1	16.00 17.40		23	310	110 30	00000
	PTEC 0125	PTEC1320 01	1 1	17.00 18.40		24	310	110 30	00000
	RAAH 0102	TSMA0092 07	1 1 1	7.00 7.50		27	756	110 32	00000
	RAAH 0102	TSMA0092 08	1 1 1	8.00 8.50		26	756	110 32	00000
	RAAH 0102	ENGL1010 06	1 1	8.00 9.15		28	756	110 32	00000
	RAAH 0102	ENGL1010 17	1 1	9.25 10.40		29	756	110 32	00000
	RAAH 0102	TSMA0092 09	1 1 1	10.00 10.50		25	756	110 32	00000
	RAAH 0102	SKIL1000 02	1 1	10.50 12.05		25	756	110 32	00000
	RAAH 0102	TSEN0091 09	1 1 1	11.00 11.50		27	756	110 32	00000
8	RAAH 0102	TSMA0092 10	1 1 1	11.00 11.50	1	29	756	110 32	00000
	RAAH 0102	TSMA0092 17	1 1	12.00 13.15		28	756	110 32	00000
	RAAH 0102	JOBS2450 02	1 1	12.15 13.05		21	756	110 32	00000
	RAAH 0102	JOBS2450 01	1 1	13.25 14.15		18	756	110 32	00000
	RAAH 0102	TSMA0092 16	1 1	13.25 14.40		26	756	110 32	00000
	RAAH 0102	TSMA0093 07	1 1	17.30 18.45		27	756	110 32	00000
	RAAH 0102	MATH1100 02	1	18.50 20.05		26	756	110 32	00000
	RAAH 0114	HIST2020 04	1 1	9.25 10.40		31	1,181	110 36	00000
	RAAH 0114	HIST1220 02	1 1	10.00 10.50		28	1,181	110 36	00000
	RAAH 0114	HIST2020 03	1 1	10.50 12.05		30	1,181	110 36	00000
	RAAH 0114	HIST1220 01	1 1	11.00 11.50		33	1,181	110 36	00000
	RAAH 0114	HIST2010 01	1 1	12.00 13.15		34	1,181	110 36	00000
	RAAH 0114	HIST2020 05	1 1	12.15 13.30		29	1,181	110 36	00000
	RAAH 0114	HIST2020 02	1 1	13.25 14.20		29	1,181	110 36	00000
	RAAH 0124	TSMA0092 19	11111	8.00 8.50		24	799	110 32	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2014  
 RUN DATE 11/11/2014 12:16:36  
 PAGE NUM 13

L.T.C.-SOWELA  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	RAAH	0124	TSMA0093 11	11111	8.00 8.50	1	17	799	110 32 00000
	RAAH	0124	TSEN0093 07	1 1 1	9.00 9.50		23	799	110 32 00000
	RAAH	0124	ENGL1010 13	1 1	9.25 10.40		30	799	110 32 00000
	RAAH	0124	ENGL1010 02	1 1 1	10.00 10.50		27	799	110 32 00000
	RAAH	0124	MATH1100 14	1 1	10.50 12.05		16	799	110 32 00000
	RAAH	0124	ENGL1010 14	1 1 1	11.00 11.50		30	799	110 32 00000
	RAAH	0124	ENGL1020 03	1 1	12.15 13.30		18	799	110 32 00000
	RAAH	0124	TSEN0093 08	1 1	17.30 18.45		11	799	110 32 00000
	RAAH	0125	HIST2010 02	1 1	9.25 10.40		30	759	110 32 00000
	RAAH	0125	MATH1100 01	1 1 1	10.00 10.50		31	759	110 32 00000
	RAAH	0125	MATH1100 06	11111	11.00 11.50		19	759	110 32 00000
	RAAH	0125	TSMA0093 06	11111	11.00 11.50	1	26	759	110 32 00000
	RAAH	0125	MATH1020 04	1111	12.15 13.30		8	759	110 32 00000
	RAAH	0125	ENGL1010 11	1	17.00 18.15		29	759	110 32 00000
	RAAH	0126	ARTS1200 04	1 1 1	8.00 8.50		27	763	110 32 00000
	RAAH	0126	TSEN0091 01	1 1 1	9.00 9.50		26	763	110 32 00000
	RAAH	0126	JOBS2450 05	1 1	9.25 10.15		22	763	110 32 00000
	RAAH	0126	ARTS1200 07	1 1 1	10.00 10.50		27	763	110 32 00000
	RAAH	0126	HIST2010 06	1	13.00 14.15		11	763	110 32 00000
	RAAH	0126	ENGL1010 04	1 1	13.25 14.40		29	763	110 32 00000
	RAAH	0126	ARTS1200 06	1	17.30 20.10		21	763	110 32 00000
	RAAH	0126	ENGL1010 09	1	18.00 19.15		26	763	110 32 00000
	RAAH	0127	TSMA0093 05	1 1 1	8.00 8.50		27	776	110 32 00000
	RAAH	0127	MATH1020 03	1 1 1	9.00 9.50		26	776	110 32 00000
	RAAH	0127	TSMA0092 04	1 1	9.25 10.40		24	776	110 32 00000
	RAAH	0127	TSMA0093 03	1 1 1	10.00 10.50		27	776	110 32 00000
	RAAH	0127	MATH1100 04	1 1	10.50 12.05		29	776	110 32 00000
	RAAH	0127	MATH1100 05	1 1 1	11.00 11.50		31	776	110 32 00000
	RAAH	0127	TSMA0093 01	1 1	12.15 13.30		29	776	110 32 00000
	RAAH	0144	TSMA0092 07	1 1 1	7.00 7.50		27	745	110 30 00000
	RAAH	0144	TSMA0092 08	1 1 1	8.00 8.50		26	745	110 30 00000
	RAAH	0144	ENGL1010 06	1 1	8.00 9.15		28	745	110 30 00000
	RAAH	0144	ENGL1010 17	1 1	9.25 10.40		29	745	110 30 00000
	RAAH	0144	TSMA0092 09	1 1 1	10.00 10.50		25	745	110 30 00000
	RAAH	0144	MATH1100 14	1 1	10.50 12.05		16	745	110 30 00000
	RAAH	0144	TSMA0092 10	1 1 1	11.00 11.50		29	745	110 30 00000
	RAAH	0144	TSMA0092 17	1 1	12.00 13.15		28	745	110 30 00000
	RAAH	0144	ENGL1020 03	1 1	12.15 13.30		18	745	110 30 00000
	RAAH	0144	TSMA0092 16	1 1	13.25 14.40		26	745	110 30 00000
	RAAH	0144	TSEN0093 08	1 1	17.30 18.45		11	745	110 30 00000
	RAAH	0144	MATH1100 02	1	18.50 20.05		26	745	110 30 00000
	RAAH	0226	PSYC2010 02	1 1 1	8.00 8.50		37	1,059	110 40 00000
	RAAH	0226	PSYC2010 03	1 1 1	9.00 9.50		40	1,059	110 40 00000
	RAAH	0226	SPCH1200 01	1 1	9.25 10.40		26	1,059	110 40 00000
	RAAH	0226	PSYC2010 05	1 1	10.50 12.05		37	1,059	110 40 00000
	RAAH	0226	PSYC2010 04	1 1 1	11.00 11.50		40	1,059	110 40 00000
	RAAH	0226	PSYC2010 01	1 1	12.00 13.15		39	1,059	110 40 00000
	RAAH	0226	PSYC2010 06	1 1	12.15 13.30		37	1,059	110 40 00000
	RAAH	0226	PSYC2335 02	1 1	16.00 17.15		1	1,059	110 40 00000
	RAAH	0226	HIST2020 01	1	17.30 20.10		17	1,059	110 40 00000
	RAAH	0226	PSYC2010 08	1	17.30 20.10		30	1,059	110 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2014  
 RUN DATE 11/11/2014 12:16:36  
 PAGE NUM 14

L.T.C.-SOWELA  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	RAAH	0226	PSYC2010 07	1	17.30 20.10		34	1,059	110 40 00000
	RAAH	0227	CRMJ1120 01	1 1 1	8.00 8.50		30	1,059	110 40 00000
	RAAH	0227	CRMJ2520 01	1 1	8.00 9.15		15	1,059	110 40 00000
	RAAH	0227	CRMJ1110 01	1 1 1	9.00 9.50		27	1,059	110 40 00000
	RAAH	0227	CRMJ1410 01	1 1	9.25 10.40		20	1,059	110 40 00000
	RAAH	0227	CRMJ1230 01	1 1 1	10.00 10.50		19	1,059	110 40 00000
	RAAH	0227	ARTS1200 02	1 1	10.50 12.05		30	1,059	110 40 00000
	RAAH	0227	CRMJ1110 02	1 1 1	11.00 11.50		19	1,059	110 40 00000
	RAAH	0227	PSYC2010 10	1 1	12.15 13.30		19	1,059	110 40 00000
	RAAH	0227	CRMJ1340 01	1	13.40 14.55		19	1,059	110 40 00000
	RAAH	0227	CRMJ2552 01	1	15.00 15.50		4	1,059	110 40 00000
	RAAH	0227	CRMJ1340 02	1	17.25 20.05		11	1,059	110 40 00000
	RAAH	0227	HIST2020 07	1	17.30 20.10		14	1,059	110 40 00000
	RAAH	0228	ENGL1020 02	1 1	12.00 13.15		21	1,097	210 35 00000
	RAAH	0229	TSEN0091 05	11111	8.00 8.50		18	754	110 32 00000
	RAAH	0229	TSEN0093 04	11111	8.00 8.50	1	10	754	110 32 00000
	RAAH	0229	TSEN0091 06	1 1 1	9.00 9.50		28	754	110 32 00000
	RAAH	0229	TSEN0091 04	1 1	9.25 10.40		28	754	110 32 00000
	RAAH	0229	TSEN0093 05	1 1	10.00 10.50		19	754	110 32 00000
	RAAH	0229	TSEN0093 03	1 1 1	11.00 11.50		17	754	110 32 00000
	RAAH	0229	ARTS1200 01	1 1	12.00 13.15		30	754	110 32 00000
	RAAH	0229	ARTS1200 03	1 1	12.15 13.30		25	754	110 32 00000
	RAAH	0229	TSMA0092 13	1 1	16.00 17.15		25	754	110 32 00000
	RAAH	0229	TSMA0092 14	1 1	17.25 18.40		18	754	110 32 00000
	RAAH	0229	TSMA0092 15	1 1	18.50 20.05		23	754	110 32 00000
	RAAH	0230	HIST2020 08	1 1 1	8.00 8.50		28	754	110 32 00000
	RAAH	0230	HIST2010 03	1	12.15 13.30		27	754	110 32 00000
	RAAH	0241	ENGL1010 18	1 1 1	8.00 8.50		20	776	110 32 00000
	RAAH	0241	PSYC2335 01	1 1	8.00 9.15		22	776	110 32 00000
	RAAH	0241	ENGL1010 01	1	9.00 9.50		30	776	110 32 00000
	RAAH	0241	ENGL1020 01	1 1	9.25 10.40		19	776	110 32 00000
	RAAH	0241	ENGL1020 04	1 1	10.50 12.05		12	776	110 32 00000
	RAAH	0241	ENGL1010 16	1	12.00 13.15		19	776	110 32 00000
	RAAH	0241	ENGL1010 15	1 1	12.15 13.30		28	776	110 32 00000
	RAAH	0241	CRMJ1332 01	1 1	18.00 19.15		7	776	110 32 00000
	RAAH	0242	ENGL1010 07	1 1	8.00 9.15		31	763	110 32 00000
	RAAH	0242	TSEN0093 01	1 1	9.25 10.40		21	763	110 32 00000
	RAAH	0242	TSEN0091 08	1 1 1	10.00 10.50		25	763	110 32 00000
	RAAH	0242	ENGL2535 01	1	10.50 12.05		26	763	110 32 00000
	RAAH	0242	ENGL1010 05	1	10.50 12.05		27	763	110 32 00000
	RAAH	0242	ENGL1010 08	1 1	12.15 13.30		29	763	110 32 00000
	RAAH	0242	TSMA0092 03	1 1	17.25 18.40		13	763	110 32 00000
	RAAH	0242	HIST2010 04	1 1	17.30 18.45		30	763	110 32 00000
	RAAH	0243	ENGL1010 12	1	8.00 9.15		28	759	110 32 00000
	RAAH	0243	CRMJ2112 01	1 1 1	9.00 9.50		23	759	110 32 00000
	RAAH	0243	PSYC2010 09	1 1	10.50 12.05		27	759	110 32 00000
	RAAH	0243	CRMJ1220 01	1 1 1	11.00 11.50		22	759	110 32 00000
	RAAH	0243	CRMJ1322 01	1 1	12.00 13.15		16	759	110 32 00000
	RAAH	0243	CRMJ1120 02	1 1	12.15 13.30		20	759	110 32 00000
	RAAH	0243	CRMJ2510 01	1 1	13.25 14.40		13	759	110 32 00000
	RAAH	0243	TSEN0091 02	1 1	17.20 18.35		26	759	110 32 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2014  
 RUN DATE 11/11/2014 12:16:36  
 PAGE NUM 15

L.T.C.-SOWELA  
 BRANCH  
 PARISH  
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	RAAH	0243	TSEN0091 03	1 1	18.45 20.00		15		110 32	00000
	RAAH	0244	TSRE0091 06	1 1 1	8.00 8.50		28		110 35	00000
	RAAH	0244	TSRE0091 01	1 1	8.00 9.15		26		110 35	00000
	RAAH	0244	TSRE0091 09	1 1	9.25 10.40		25		110 35	00000
	RAAH	0244	TSRE0091 07	1 1 1	10.00 10.50		27		110 35	00000
	RAAH	0244	TSRE0091 08	1 1	10.50 12.05		29		110 35	00000
	RAAH	0244	TSRE0091 10	1 1 1	11.00 11.50		25		110 35	00000
	RAAH	0244	TSRE0091 03	1 1	12.15 13.30		26		110 35	00000
	RAAH	0244	TSRE0091 05	1 1	17.30 18.45		22		110 35	00000
	TRAN	0001	AUTO1002 01	11111	8.00 10.55		13		210 30	00000
	TRAN	0001	AUTO1402 02	11111	8.00 10.55	1	16		210 30	00000
	TRAN	0001	AUTO1502 01	11111	8.00 10.55	1	15		210 30	00000
8	TRAN	0001	AUTO1602 01	11111	8.00 10.55	1	14		210 30	00000
	TRAN	0001	AUTO1002 01	11111	12.05 15.10		13		210 30	00000
	TRAN	0001	AUTO1602 01	11111	12.05 15.10	1	14		210 30	00000
	TRAN	0002	AUTO1202 01	11111	8.00 10.55		20		210 30	00000
	TRAN	0002	AUTO1402 01	11111	8.00 10.55	1	14		210 30	00000
	TRAN	0002	AUTO1612 01	11111	8.00 10.55	1	9		210 30	00000
	TRAN	0002	AUTO1612 01	11111	12.05 15.10		9		210 30	00000
	TRAN	0003	CLRP1110 01	11111	8.00 11.00		4		210 30	00000
	TRAN	0003	CLRP2121 01	11111	8.00 11.00	1	8		210 30	00000
	TRAN	0003	CLRP1121 01	1111	12.00 14.30		2		210 30	00000
	TRAN	0003	CLRP1131 01	1111	12.00 14.30	1	11		210 30	00000
	TRAN	0100	AUTO1402 02	11111	12.05 15.10		16	4,322	210 40	00000
	TRAN	0100	AUTO1502 01	11111	12.05 15.10	1	15	4,322	210 40	00000
	TRAN	0200	AUTO1202 01	11111	12.05 15.10		20	4,362	210 40	00000
	TRAN	0200	AUTO1402 01	11111	12.05 15.10	1	14	4,362	210 40	00000
	TRAN	0300	CLRP1230 01	11111	8.00 11.00		14	3,954	210 40	00000
	TRAN	0300	CLRP1210 01	1111	12.00 14.30		14	3,954	210 40	00000

D E S C R I P T I O N   A N D   S U M M A R Y   O F   E R R O R S   &   W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -	
	THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,	
	THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	82
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -	
	CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - -	117
	PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -	1
	THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	200
TOTAL NUMBER OF RECORDS READ	- - - - -	743
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	740
NUMBER OF JOINT-CLASS RECORDS	- - - - -	153
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	2



SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/11/2014 12:16:36  
 PAGE NUM 1

L.T.C. - SOWELA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>*CLASSROOM FACILITIES</b>			
TOTAL NUMBER OF ROOMS			65
TOTAL NUMBER OF STATIONS (CAPACITY)			2,062
WEEKLY STUDENT CONTACT HOURS	21,754	3,014	24,768
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5,850	3,250	9,100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,030	334	3,364
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	185,580	103,100	288,680
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	76,502	9,934	86,436
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	43,508	6,029	49,537
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	51.8	10.3	37.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	23.4	5.8	17.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	56.9	60.7	57.3
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>CLASSROOM</b>			
TOTAL NUMBER OF ROOMS			63
TOTAL NUMBER OF STATIONS (CAPACITY)			2,002
WEEKLY STUDENT CONTACT HOURS	21,274	3,014	24,288
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5,670	3,150	8,820
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,968	334	3,302
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	180,180	100,100	280,280
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	74,642	9,934	84,576
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	42,548	6,029	48,577
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	52.3	10.6	37.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	23.6	6.0	17.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	57.0	60.7	57.4

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/11/2014 12:16:36  
 PAGE NUM 2

L.T.C.-SOWELA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			2
TOTAL NUMBER OF STATIONS (CAPACITY)			60
WEEKLY STUDENT CONTACT HOURS	480		480
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	180	100	280
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	62		62
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5,400	3,000	8,400
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,860		1,860
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	960		960
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	34.4	.0	22.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	17.8	.0	11.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	51.6	.0	51.6
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			81
TOTAL NUMBER OF STATIONS (CAPACITY)			2,111
WEEKLY STUDENT CONTACT HOURS	39,027	3,456	42,483
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	7,290	4,050	11,340
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,576	426	6,002
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	189,990	105,550	295,540
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	163,608	12,588	176,196
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	78,054	6,912	84,966
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	76.5	10.5	52.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	41.1	6.5	28.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	47.7	54.9	48.2

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/11/2014 12:16:36  
 PAGE NUM 3

L.T.C.-SOWELA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			80
TOTAL NUMBER OF STATIONS (CAPACITY)			2,076
WEEKLY STUDENT CONTACT HOURS	38,642	3,456	42,098
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	7,200	4,000	11,200
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,456	426	5,882
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	186,840	103,800	290,640
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	159,408	12,588	171,996
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	77,284	6,912	84,196
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	75.8	10.7	52.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	41.4	6.7	29.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	48.5	54.9	49.0
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABORATORY			
TOTAL NUMBER OF ROOMS			1
TOTAL NUMBER OF STATIONS (CAPACITY)			35
WEEKLY STUDENT CONTACT HOURS	385		385
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	90	50	140
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	120		120
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,150	1,750	4,900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,200		4,200
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	770		770
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	133.3	.0	85.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	24.4	.0	15.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	18.3	.0	18.3

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY