

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/13/2015 16:04:15
 PAGE NUM 1

L.T.C.-SOWELA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	ADMN	1142	CULN1133 01	1 1	6.00 6.50		21	715	210 15	00000
4	ADMN	1142	CULN1603 01	1	6.00 13.50		12	715	210 15	00000
	ADMN	1142	CULN1133 01	1	6.35 7.50		21	715	210 15	00000
4 8	ADMN	1142	CULN1233 01	1	6.35 14.50	1	10	715	210 15	00000
4	ADMN	1142	CULN1323 01	1	6.35 14.50		16	715	210 15	00000
4	ADMN	1142	CULN2413 01	1	7.00 12.50		13	715	210 15	00000
4	ADMN	1142	CULN1953 01	1	7.00 13.50		11	715	210 15	00000
	ADMN	1142	CULN1103 01	1	8.00 9.15		22	715	210 15	00000
	ADMN	1142	CULN1103 01	1	8.00 10.40		22	715	210 15	00000
4	ADMN	1142	CULN1506 01	1 1	8.00 13.50		20	715	210 15	00000
	ADMN	1142	CULN1172 01	1	10.00 12.30		17	715	210 15	00000
	ADMN	1142	CULN1172 01	1	10.50 12.05		17	715	210 15	00000
4	ADMN	1144	CULN1603 01	1	6.00 13.50		12	981	210 20	00000
4	ADMN	1144	CULN1233 01	1	6.35 14.50		10	981	210 20	00000
4	ADMN	1144	CULN2413 01	1	7.00 12.50		13	981	210 20	00000
4	ADMN	1144	CULN1953 01	1	7.00 13.50		11	981	210 20	00000
	ADMN	1144	CULN1103 01	1	8.00 9.15		22	981	210 20	00000
	ADMN	1144	CULN1103 01	1	8.00 10.40		22	981	210 20	00000
4	ADMN	1144	CULN1506 01	1 1	8.00 13.50		20	981	210 20	00000
	ADMN	1144	CULN1172 01	1	10.00 12.30		17	981	210 20	00000
	ADMN	1144	CULN1172 01	1	10.50 12.05		17	981	210 20	00000
8	ADMN	1147	CULN1133 01	1 1	6.00 6.50		21	160	210 5	00000
4 8	ADMN	1147	CULN1603 01	1	6.00 13.50		12	160	210 5	00000
8	ADMN	1147	CULN1133 01	1	6.35 7.50		21	160	210 5	00000
4 8	ADMN	1147	CULN1233 01	1	6.35 14.50	1	10	160	210 5	00000
4 8	ADMN	1147	CULN1323 01	1	6.35 14.50		16	160	210 5	00000
4 8	ADMN	1147	CULN2413 01	1	7.00 12.50		13	160	210 5	00000
4 8	ADMN	1147	CULN1953 01	1	7.00 13.50		11	160	210 5	00000
8	ADMN	1147	CULN1103 01	1	8.00 9.15		22	160	210 5	00000
8	ADMN	1147	CULN1103 01	1	8.00 10.40		22	160	210 5	00000
4 8	ADMN	1147	CULN1506 01	1 1	8.00 13.50		20	160	210 5	00000
8	ADMN	1147	CULN1172 01	1	10.00 12.30		17	160	210 5	00000
8	ADMN	1147	CULN1172 01	1	10.50 12.02		17	160	210 5	00000
8	ADMN	1149	CULN1133 01	1 1	6.00 6.50		21	512	210 12	00000
4	ADMN	1149	CULN1603 01	1	6.00 13.50		12	512	210 12	00000
8	ADMN	1149	CULN1133 01	1	6.35 7.50		21	512	210 12	00000
4 8	ADMN	1149	CULN1233 01	1	6.35 14.50	1	10	512	210 12	00000
4	ADMN	1149	CULN1323 01	1	6.35 14.50		16	512	210 12	00000
4	ADMN	1149	CULN2413 01	1	7.00 12.50		13	512	210 12	00000
4	ADMN	1149	CULN1953 01	1	7.00 13.50		11	512	210 12	00000
8	ADMN	1149	CULN1103 01	1	8.00 9.15		22	512	210 12	00000
8	ADMN	1149	CULN1103 01	1	8.00 10.40		22	512	210 12	00000
4 8	ADMN	1149	CULN1506 01	1 1	8.00 13.50		20	512	210 12	00000
	ADMN	1149	CULN1172 01	1	10.00 12.30		17	512	210 12	00000
	ADMN	1149	CULN1172 01	1	10.50 12.05		17	512	210 12	00000
	ADMN	1151	CULN1133 01	1 1	6.00 6.50		21	1,900	210 51	00000
	ADMN	1151	CULN2433 01	1	6.00 6.50		8	1,900	210 51	00000
4	ADMN	1151	CULN1603 01	1	6.00 13.50	1	12	1,900	210 51	00000
	ADMN	1151	CULN2433 01	1 1	6.35 7.50		8	1,900	210 51	00000
	ADMN	1151	CULN1223 01	1	6.35 7.50	1	18	1,900	210 51	00000
4	ADMN	1151	CULN1233 01	1	6.35 14.50		10	1,900	210 51	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/13/2015 16:04:15
 PAGE NUM 2

L.T.C.-SOWELA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
4	ADMN	1151	CULN1323 01	1	6.35 14.50		16	1,900	210 51	00000
	ADMN	1151	CULN1223 01	1 1 1	7.00 7.50		18	1,900	210 51	00000
4	ADMN	1151	CULN2413 01	1	7.00 12.50	1	13	1,900	210 51	00000
4	ADMN	1151	CULN1953 01	1	7.00 13.50		11	1,900	210 51	00000
	ADMN	1151	CULN1103 01	1	8.00 10.40		22	1,900	210 51	00000
4	ADMN	1151	CULN1506 01	1 1	8.00 13.50		20	1,900	210 51	00000
	ADMN	1151	CULN1172 01	1	10.00 12.30		17	1,900	210 51	00000
4	ADMN	1151	CULN2110 01	1 1 1	14.00 21.50		13	1,900	210 51	00000
	ADMN	1152	CULN1133 01	1 1	6.00 6.50		21	703	210 15	00000
4	ADMN	1152	CULN1603 01	1	6.00 13.50		12	703	210 15	00000
4	ADMN	1152	CULN1233 01	1	6.35 14.50		10	703	210 15	00000
4	ADMN	1152	CULN1323 01	1	6.35 14.50		16	703	210 15	00000
4	ADMN	1152	CULN2413 01	1	7.00 12.50		13	703	210 15	00000
4	ADMN	1152	CULN1953 01	1	7.00 13.50		11	703	210 15	00000
	ADMN	1152	CULN1103 01	1	8.00 10.40		22	703	210 15	00000
4	ADMN	1152	CULN1506 01	1 1	8.00 13.50		20	703	210 15	00000
	ADMN	1152	CULN1172 01	1	10.00 12.30		17	703	210 15	00000
	ADMN	1200	MATH1100 16	1 1 1	8.00 8.50		19	514	210 30	00000
	ADMN	1200	BUSI1210 01	1 1 1	9.00 9.50		16	514	210 30	00000
	ADMN	1200	TSMA0093 14	1 1	9.25 10.40		27	514	210 30	00000
	ADMN	1200	MATH1020 01	1 1 1	10.00 10.50		26	514	210 30	00000
	ADMN	1200	TSMA0093 15	1 1	10.50 12.05		23	514	210 30	00000
	ADMN	1200	MATH1020 02	1 1 1	11.00 11.50		26	514	210 30	00000
	ADMN	1202	TSMA0093 05	1 1 1	8.00 8.50		27	514	110 24	00000
	ADMN	1202	MATH1100 03	1 1	8.00 9.15		27	514	110 24	00000
	ADMN	1202	MATH1020 03	1 1 1	9.00 9.50		25	514	110 24	00000
	ADMN	1202	MATH1110 01	1 1	9.25 10.40		10	514	110 24	00000
	ADMN	1202	MATH1100 01	1 1 1	10.00 10.50		27	514	110 24	00000
	ADMN	1202	MATH1100 06	11111	11.00 11.50		18	514	110 24	00000
8	ADMN	1202	TSMA0093 06	11111	11.00 11.50	1	23	514	110 24	00000
	ADMN	1204	TSMA0092 19	11111	8.00 8.50		22	514	110 34	00000
	ADMN	1204	TSMA0093 11	11111	8.00 8.50	1	12	514	110 34	00000
	ADMN	1204	MATH1100 10	1 1	9.25 10.40		26	514	110 34	00000
	ADMN	1204	MATH1100 09	1 1 1	10.00 10.50		27	514	110 34	00000
89	ADMN	1204	MATH1100 09	1 1 1	10.00 10.50		27	514	110 34	00000
	ADMN	1204	TSMA0092 20	11111	11.00 11.50		23	514	110 34	00000
	ADMN	1204	TSMA0093 12	11111	11.00 11.50	1	18	514	110 34	00000
	ADMN	1204	MATH1100 15	1 1	12.00 13.15		26	514	110 34	00000
	ADMN	1204	MATH1305 01	1 1	12.00 13.15	1	8	514	110 34	00000
	ADMN	1205	ITEC2995 01			1	10	1,597	240 40	00000
	ADMN	1205	ITEC2110 01	1 1 1	8.00 9.30		18	1,597	240 40	00000
	ADMN	1205	ITEC2120 01	1 1	8.00 9.50		12	1,597	240 40	00000
	ADMN	1205	ITEC1016 01	1 1 1	10.00 10.50		19	1,597	240 40	00000
	ADMN	1205	ITEC1200 01	1 1	10.50 12.05		30	1,597	240 40	00000
	ADMN	1205	ITEC1100 01	1 1 1	11.00 11.50		20	1,597	240 40	00000
	ADMN	1205	ITEC1101 01	1 1	12.00 12.50		21	1,597	240 40	00000
	ADMN	1205	ITEC1000 05	1 1 1	13.00 13.50		25	1,597	240 40	00000
	ADMN	1207	CULN1133 01	1 1	6.00 6.50		21	1,137	240 35	00000
	ADMN	1207	CULN2433 01	1	6.00 6.50		8	1,137	240 35	00000
	ADMN	1207	CULN2433 01	1 1	6.35 7.50		8	1,137	240 35	00000
	ADMN	1207	CULN1133 01	1	6.35 7.50	1	21	1,137	240 35	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/13/2015 16:04:15
 PAGE NUM 3

L.T.C.-SOWELA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	ADMN	1207	BUSI1030 01	1 1 1	9.00 9.50		24	1,137	240 35	00000
	ADMN	1207	ITEC1000 06	1 1	9.25 10.40		25	1,137	240 35	00000
	ADMN	1207	BUSI1030 02	1 1	10.50 12.05		19	1,137	240 35	00000
	ADMN	1207	ITEC1210 01	1 1 1	11.00 11.50		20	1,137	240 35	00000
	ADMN	1207	ITEC1531 01	1 1	12.00 13.15		6	1,137	240 35	00000
	ADMN	1208	TPEN9999 01	1 1 1	8.00 8.50		6	1,032	210 45	00000
	ADMN	1208	TPMA9999 01	1 1	8.00 9.15		28	1,032	210 45	00000
	ADMN	1208	TPEN9999 02	1 1 1	9.00 9.50		19	1,032	210 45	00000
	ADMN	1208	ENSC2000 03	1 1	9.25 10.40		27	1,032	210 45	00000
	ADMN	1208	TPEN9999 03	1 1 1	10.00 10.50		21	1,032	210 45	00000
	ADMN	1208	TPMA9999 02	1 1	12.15 13.30		8	1,032	210 45	00000
	ADMN	1209	ITEC2995 02			1	4	1,337	240 32	00000
	ADMN	1209	CULN1223 01	1	6.35 7.50		18	1,337	240 32	00000
	ADMN	1209	CULN1223 01	1 1 1	7.00 7.50		18	1,337	240 32	00000
	ADMN	1209	ITEC1000 01	1 1	8.00 9.15		29	1,337	240 32	00000
	ADMN	1209	ITEC1000 02	1 1 1	9.00 9.50		29	1,337	240 32	00000
	ADMN	1209	ITEC1010 01	1 1 1	10.00 10.50		21	1,337	240 32	00000
	ADMN	1209	ITEC1020 01	1	10.50 12.05		1	1,337	240 32	00000
	ADMN	1209	ITEC1000 04	1 1 1	11.00 11.50		28	1,337	240 32	00000
	ADMN	1209	ITEC1500 01	1 1	12.00 13.15		14	1,337	240 32	00000
	ADMN	1209	ITEC1320 01	1 1	12.15 13.30		14	1,337	240 32	00000
	ADMN	1209	OADM1150 01	1	17.30 20.05		14	1,337	240 32	00000
	ADMN	1209	ACCT1110 03	1	17.30 20.05		8	1,337	240 32	00000
	ADMN	1212	ACCT1120 02	1 1	10.50 12.05		8	504	110 24	00000
	ADMN	1212	ACCT1110 03	1	17.30 20.05		8	504	110 24	00000
	ADMN	1212	WFDR0000100	1	17.30 21.00		5	504	110 24	00000
	ADMN	1214	ACCT1110 01	1 1 1	8.00 8.50		19	528	110 25	00000
	ADMN	1214	ACCT1110 05	1 1	8.00 9.15		19	528	110 25	00000
	ADMN	1214	ACCT1250 01	1 1 1	9.00 9.50		14	528	110 25	00000
	ADMN	1214	ACCT2020 01	1 1	9.25 10.40		19	528	110 25	00000
	ADMN	1214	ACCT2030 01	1 1 1	10.00 10.50		17	528	110 25	00000
	ADMN	1214	ACCT1120 01	1 1	10.50 12.05		12	528	110 25	00000
	ADMN	1214	ACCT1110 02	1 1 1	11.00 11.50		20	528	110 25	00000
	ADMN	1215	ACCT1210 01	1 1 1	8.00 8.50		18	651	140 30	00000
	ADMN	1215	OADM2640 01	1 1	8.00 9.15		11	651	140 30	00000
	ADMN	1215	OADM1550 01	1 1 1	9.00 9.50		4	651	140 30	00000
	ADMN	1215	OADM1330 01	1 1	9.25 10.40		11	651	140 30	00000
	ADMN	1215	OADM1650 01	1 1 1	10.00 10.50		4	651	140 30	00000
	ADMN	1217	BUSI2300 01	1 1 1	8.00 8.50		16	718	140 30	00000
	ADMN	1217	OADM1450 01	1 1 1	9.00 9.50		14	718	140 30	00000
	ADMN	1217	BUSI1080 01	1 1	9.25 10.40		21	718	140 30	00000
	ADMN	1217	OADM1100 01	1 1 1	10.00 10.50		16	718	140 30	00000
	ADMN	1217	OADM1100 03	1 1	10.50 12.05		16	718	140 30	00000
	ADMN	1217	OADM1100 02	1 1 1	11.00 11.50		11	718	140 30	00000
	ADMN	1217	BUSI1090 01	1 1	12.00 13.15		12	718	140 30	00000
	ADMN	1217	BUSI2300 02	1	17.30 20.05		9	718	140 30	00000
	ADMN	1234A	TSMA0093 02	1 1 1	8.00 8.50		29	873	210 30	00000
	ADMN	1234A	TSMA0092 22	1 1	8.00 9.15		13	873	210 30	00000
	ADMN	1234A	MATH1100 14	1 1 1	9.00 9.50		30	873	210 30	00000
	ADMN	1234A	TSMA0092 23	1 1	9.25 10.40		21	873	210 30	00000
	ADMN	1234A	TSMA0093 03	1 1 1	10.00 10.50		29	873	210 30	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/13/2015 16:04:15
 PAGE NUM 4

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	ADMN	1234A	TSMA0092 24	1 1	10.50 12.05		14	873	210 30	00000
	ADMN	1234A	MATH1100 05	1 1 1	11.00 11.50		30	873	210 30	00000
	ADMN	1234A	TSMA0093 17	1 1	12.15 13.30		11	873	210 30	00000
	ADMN	1234B	MATH1100 07	1 1 1	8.00 8.50		28	1,065	210 30	00000
	ADMN	1234B	TSMA0092 12	1 1	8.00 9.15		26	1,065	210 30	00000
	ADMN	1234B	TSMA0093 09	1 1 1	9.00 9.50		29	1,065	210 30	00000
	ADMN	1234B	MATH1100 08	1 1	9.25 10.40		20	1,065	210 30	00000
	ADMN	1234B	TSMA0093 10	1 1 1	10.00 10.50		29	1,065	210 30	00000
	ADMN	1234B	MATH2100 01	1 1	10.50 12.05		30	1,065	210 30	00000
	ADMN	1234B	TSMA0092 18	1 1 1	11.00 11.50		30	1,065	210 30	00000
	ADMN	1234B	TSMA0092 25	1 1	12.15 13.30		10	1,065	210 30	00000
	ADMN	1234B	TSMA0093 01	1 1	16.00 17.15		25	1,065	210 30	00000
4	8	ADMN	1238	MATH1100 03	1 1	8.00 8.15	27	830	110 16	00000
	8	ADMN	1238	TSMA0092 19	11111	8.00 8.50 1	22	830	110 16	00000
	8	ADMN	1238	TSMA0093 11	11111	8.00 8.50 1	12	830	110 16	00000
	8	ADMN	1238	MATH1100 07	1 1 1	8.00 8.50 1	28	830	110 16	00000
	8	ADMN	1238	MATH1100 16	1 1 1	8.00 8.50 1	19	830	110 16	00000
	8	ADMN	1238	TSMA0093 02	1 1 1	8.00 8.50 1	29	830	110 16	00000
	8	ADMN	1238	TSMA0093 05	1 1 1	8.00 8.50 1	27	830	110 16	00000
	8	ADMN	1238	TSMA0092 12	1 1	8.00 9.15	26	830	110 16	00000
	8	ADMN	1238	TSMA0092 22	1 1	8.00 9.15 1	13	830	110 16	00000
	8	ADMN	1238	MATH1020 03	1 1 1	9.00 9.50	25	830	110 16	00000
	8	ADMN	1238	MATH1100 14	1 1 1	9.00 9.50 1	30	830	110 16	00000
	8	ADMN	1238	TSMA0093 09	1 1 1	9.00 9.50 1	29	830	110 16	00000
		ADMN	1238	MATH1100 08	1 1	9.25 10.40	20	830	110 16	00000
	8	ADMN	1238	MATH1100 10	1 1	9.25 10.40 1	26	830	110 16	00000
	8	ADMN	1238	MATH1110 01	1 1	9.25 10.40 1	10	830	110 16	00000
	8	ADMN	1238	TSMA0093 14	1 1	9.25 10.40 1	27	830	110 16	00000
	8	ADMN	1238	MATH1020 01	1 1 1	10.00 10.50	26	830	110 16	00000
	8	ADMN	1238	MATH1100 01	1 1 1	10.00 10.50 1	27	830	110 16	00000
	8	ADMN	1238	TSMA0093 03	1 1 1	10.00 10.50 1	29	830	110 16	00000
	8	ADMN	1238	TSMA0093 10	1 1 1	10.00 10.50 1	29	830	110 16	00000
		ADMN	1238	TSMA0092 24	1 1	10.50 12.05	14	830	110 16	00000
	8	ADMN	1238	TSMA0093 15	1 1	10.50 12.05 1	23	830	110 16	00000
	8	ADMN	1238	TSMA0092 20	11111	11.00 11.50 1	23	830	110 16	00000
	8	ADMN	1238	TSMA0093 12	11111	11.00 11.50 1	18	830	110 16	00000
	8	ADMN	1238	MATH1020 02	1 1 1	11.00 11.50 1	26	830	110 16	00000
	8	ADMN	1238	MATH1100 05	1 1 1	11.00 11.50 1	30	830	110 16	00000
	8	ADMN	1238	TSMA0092 18	1 1 1	11.00 11.50 1	30	830	110 16	00000
		ADMN	1238	TSMA0092 21	1 1	11.00 12.20	13	830	110 16	00000
	8	ADMN	1238	MATH1100 15	1 1	12.00 13.15	26	830	110 16	00000
	8	ADMN	1238	MATH1305 01	1 1	12.00 13.15 1	8	830	110 16	00000
		ADMN	1238	TSMA0092 25	1 1	12.15 13.30	10	830	110 16	00000
		ADMN	1238	TSMA0093 17	1 1	12.15 13.30 1	11	830	110 16	00000
		ADMN	1238	TSMA0093 04	1111	14.15 15.40	19	830	110 16	00000
8		ADMN	1238	TSMA0093 01	1 1	16.00 17.15	25	830	110 16	00000
		AVCR	0805	GAPC1300 01	1	18.00 21.00	7	742	110 30	00000
		AVCR	0805	GAPC2200 01	1	18.00 21.00 1	3	742	110 30	00000
		AVCR	0805	GAPC2300 01	1	18.00 21.00 1	2	742	110 30	00000
		AVCR	0818	AMTG1010 01	11111	8.00 11.30	17	720	110 28	00000
		AVCR	0818	AMTG1020 01	11111	8.00 11.30 1	19	720	110 28	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 11/13/2015 16:04:15

PAGE NUM 5

L.T.C.-SOWELA

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	AVCR	0818	AMTG1030 01	11111	8.00 11.30	1	22	720	110 28 00000
8	AVCR	0818	AMTG1040 01	11111	8.00 11.30	1	21	720	110 28 00000
8	AVCR	0818	AMTG1050 01	11111	8.00 11.30	1	16	720	110 28 00000
8	AVCR	0818	AMTG1060 01	11111	8.00 11.30	1	22	720	110 28 00000
8	AVCR	0818	AMTG1070 01	11111	8.00 11.30	1	17	720	110 28 00000
8	AVCR	0818	AMTG1080 01	11111	8.00 11.30	1	16	720	110 28 00000
8	AVCR	0818	AMTG1090 01	11111	8.00 11.30	1	18	720	110 28 00000
	AVCR	0818	AMTG1010 01	11111	12.00 15.00		17	720	110 28 00000
	AVCR	0818	AMTG1040 01	11111	12.00 15.00	1	21	720	110 28 00000
8	AVCR	0818	AMTG1070 01	11111	12.00 15.00	1	17	720	110 28 00000
8	AVCR	0818	AMTG1080 01	11111	12.00 15.00	1	16	720	110 28 00000
	AVCR	0818	GAPC1100 01	1	18.00 21.00		15	720	110 28 00000
	AVCR	0818	GAPC1110 01	1	18.00 21.00	1	15	720	110 28 00000
	AVCR	0818	GAEC2200 01	1 1	18.00 21.00		18	720	110 28 00000
	AVCR	0820	AMTA2000 01	11111	8.00 11.30		8	720	110 28 00000
	AVCR	0820	AMTA2010 01	11111	8.00 11.30	1	9	720	110 28 00000
	AVCR	0820	AMTA2020 01	11111	8.00 11.30	1	11	720	110 28 00000
	AVCR	0820	AMTA2030 01	11111	8.00 11.30	1	9	720	110 28 00000
8	AVCR	0820	AMTA2040 01	11111	8.00 11.30	1	11	720	110 28 00000
8	AVCR	0820	AMTA2050 01	11111	8.00 11.30	1	11	720	110 28 00000
8	AVCR	0820	AMTA2060 01	11111	8.00 11.30	1	5	720	110 28 00000
8	AVCR	0820	AMTA2070 01	11111	8.00 11.30	1	7	720	110 28 00000
	AVCR	0820	GAPC1200 01	1	18.00 21.00		4	720	110 28 00000
	AVCR	0820	GAPC1210 01	1	18.00 21.00	1	4	720	110 28 00000
	AVCR	0820	GAEC2300 01	1 1	18.00 21.00		18	720	110 28 00000
	AVIA	0400	AMTA2010 01	11111	12.00 15.00		9	19,594	210 49 00000
	AVIA	0400	AMTA2060 01	11111	12.00 15.00	1	5	19,594	210 49 00000
	AVIA	0400	AMTP2200 01	11111	12.00 15.00	1	11	19,594	210 49 00000
	AVIA	0400	AMTP2290 01	11111	12.00 15.00	1	9	19,594	210 49 00000
	AVIA	0401	AMTA2040 01	11111	12.00 15.00		11	416	210 8 00000
8	AVIA	0401	AMTA2060 01	11111	12.00 15.00	1	5	416	210 8 00000
8	AVIA	0401	AMTG1020 01	11111	12.00 15.00	1	19	416	210 8 00000
8	AVIA	0401	AMTG1090 01	11111	12.00 15.00	1	18	416	210 8 00000
8	AVIA	0401	AMTP2260 01	11111	12.00 15.00	1	5	416	210 8 00000
	AVIA	0409	AMTP2200 01	11111	8.00 11.30		11	497	210 12 00000
	AVIA	0409	AMTP2210 01	11111	8.00 11.30	1	5	497	210 12 00000
8	AVIA	0409	AMTP2240 01	11111	8.00 11.30	1	11	497	210 12 00000
8	AVIA	0409	AMTP2250 01	11111	8.00 11.30	1	11	497	210 12 00000
8	AVIA	0409	AMTP2260 01	11111	8.00 11.30	1	5	497	210 12 00000
8	AVIA	0409	AMTP2290 01	11111	8.00 11.30	1	9	497	210 12 00000
	AVIA	0412	AMTA2000 01	11111	12.00 15.00		8	471	210 9 00000
	AVIA	0412	AMTA2060 01	11111	12.00 15.00	1	5	471	210 9 00000
8	AVIA	0412	AMTA2070 01	11111	12.00 15.00	1	7	471	210 9 00000
8	AVIA	0412	AMTG1050 01	11111	12.00 15.00	1	16	471	210 9 00000
8	AVIA	0412	AMTP2250 01	11111	12.00 15.00	1	11	471	210 9 00000
	AVIA	0413	AMTA2020 01	11111	12.00 15.00		11	365	210 7 00000
8	AVIA	0413	AMTG1060 01	11111	12.00 15.00	1	22	365	210 7 00000
8	AVIA	0413	AMTP2210 01	11111	12.00 15.00	1	5	365	210 7 00000
8	AVIA	0414	AMTA2020 01	11111	12.00 15.00		11	277	210 6 00000
8	AVIA	0414	AMTG1060 01	11111	12.00 15.00	1	22	277	210 6 00000
8	AVIA	0414	AMTP2210 01	11111	12.00 15.00	1	5	277	210 6 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/13/2015 16:04:15
 PAGE NUM 6

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.	
8	AVIA	0415	AMTG1030 01	11111	12.00 15.00		22	1,271	210	8	00000
8	AVIA	0415	AMTG1050 01	11111	12.00 15.00	1	16	1,271	210	8	00000
8	AVIA	0415	AMTP2240 01	11111	12.00 15.00	1	11	1,271	210	8	00000
8	AVIA	0415	AMTP2260 01	11111	12.00 15.00	1	5	1,271	210	8	00000
	AVIA	0416	AMTP2210 01	11111	12.00 15.00		5	603	210	6	00000
	AVIA	0417	AMTA2000 01	11111	12.00 15.00		8	471	210	9	00000
8	AVIA	0417	AMTG1030 01	11111	12.00 15.00	1	22	471	210	9	00000
8	AVIA	0417	AMTP2210 01	11111	12.00 15.00	1	5	471	210	9	00000
	AVIA	0418	AMTA2030 01	11111	12.00 15.00		9	753	210	15	00000
	AVIA	0418	AMTA2040 01	11111	12.00 15.00	1	11	753	210	15	00000
8	AVIA	0418	AMTA2050 01	11111	12.00 15.00	1	11	753	210	15	00000
	AVIA	0419	AMTA2050 01	11111	12.00 15.00		11	556	210	11	00000
	AVIA	0421	AMTP2210 01	11111	8.00 11.30		5	13,140	210	49	00000
	CMSC	0102	ANUR2223 30	11	8.00 9.50		18	296	210	35	00000
	CMSC	0102	ANUR2323 30	11	8.00 9.50	1	18	296	210	35	00000
	CMSC	0102	ANUR2230 30	11	10.00 11.00		18	296	210	35	00000
9	CMSC	0102	ANUR2230 30	11	10.00 11.00		18	296	210	35	00000
	CMSC	0102	ANUR2210 30	11	12.00 14.50		18	296	210	35	00000
4	CMSC	0104	ANUR1233 31	11111	6.30 15.00		8	800	110	15	00000
	CMSC	0104	ACNA1110 30	1 1	8.00 10.00	1	8	800	110	15	00000
	CMSC	0104	ACNA1120 30	1	8.00 11.00		8	800	110	15	00000
	CMSC	0104	ACNA1160 30	1 1	10.00 11.00		8	800	110	15	00000
	CMSC	0201	MATH1100 12	1 1 1	8.00 8.50		15	907	210	20	00000
	CMSC	0201	MATH1100 30	1 1 1	8.00 8.50	1	9	907	210	20	00000
	CMSC	0201	ACCT1110 30	1 1	9.25 10.40		5	907	210	20	00000
	CMSC	0201	TSMA0092 01	1 1 1	10.00 10.50		16	907	210	20	00000
	CMSC	0201	TSMA0093 30	1 1 1	11.00 11.50		13	907	210	20	00000
	CMSC	0203	OADM1150 30	1 1	8.00 9.15		14	730	210	20	00000
	CMSC	0203	OADM1000 30	1 1 1	10.00 10.50		9	730	210	20	00000
	CMSC	0203	BUSI1080 30	1 1 1	11.00 11.50		7	730	210	20	00000
	CMSC	0207	BUSI2300 01	1 1 1	8.00 8.50		16	720	210	20	00000
	CMSC	0207	CRMJ1220 03	1 1	10.50 12.05		11	720	210	20	00000
	CMSC	0207	ENGL1010 30	1	12.00 13.15		15	720	210	20	00000
	CMSC	0207	CRMJ1422 02	1 1	12.15 13.30		8	720	210	20	00000
	CMSC	0300	ACNA1110 50	11111	8.00 10.00		8	1,032	210	25	00000
	CMSC	0300	ACNA1120 55	11111	8.00 10.00	1	8	1,032	210	25	00000
	CMSC	0300	PTEC2030 08	1 1	12.00 14.00		18	1,032	210	25	00000
	CMSC	0304	ELEC2460 30	1 1	8.00 9.15		7	2,177	210	24	00000
	CMSC	0304	ELEC1230 30	1 1 1	8.00 9.25		2	2,177	210	24	00000
	CMSC	0304	ELEC1122 30	1 1	9.25 11.30		20	2,177	210	24	00000
	CMSC	0304	ELEC2220 30	1 1 1	10.00 11.05		4	2,177	210	24	00000
	CMSC	0304	INST1111 30	1 1 1	12.00 13.40		29	2,177	210	24	00000
	CMSC	0304	INST1010 31	1 1	12.00 13.40		29	2,177	210	24	00000
4	CMSC	0401	WELD1110 30	11111	8.00 14.30		11	410	110	20	00000
4	CMSC	0401	WELD1120 30	11111	8.00 14.30	1	11	410	110	20	00000
4	8	CMSC	0401	WELD1130 30	11111	8.00 14.30	1	10	110	20	00000
4	8	CMSC	0401	WELD1210 30	11111	8.00 14.30	1	11	110	20	00000
4	8	CMSC	0401	WELD1310 30	11111	8.00 14.30	1	11	110	20	00000
4	8	CMSC	0401	WELD1410 30	11111	8.00 14.30	1	10	110	20	00000
4	8	CMSC	0401	WELD1411 30	11111	8.00 14.30	1	12	110	20	00000
4	8	CMSC	0401	WELD1517 30	11111	8.00 14.30	1	7	110	20	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 11/13/2015 16:04:15

PAGE NUM 7

L.T.C.-SOWELA

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4 8	CMSC 0401	WELD2110 30	11111	8.00 14.30	1	3	410	110 20	00000
4 8	CMSC 0401	WELD2210 30	11111	8.00 14.30	1	5	410	110 20	00000
4 8	CMSC 0401	WELD2230 30	11111	8.00 14.30	1	1	410	110 20	00000
4 8	CMSC 0401	WELD2310 30	11111	8.00 14.30	1	3	410	110 20	00000
4 8	CMSC 0401	WELD2312 30	11111	8.00 14.30	1	8	410	110 20	00000
4	CMSC 0405	WELD1110 30	11111	8.00 14.30		11	2,000	210 20	00000
4	CMSC 0405	WELD1120 30	11111	8.00 14.30	1	11	2,000	210 20	00000
4 8	CMSC 0405	WELD1130 30	11111	8.00 14.30	1	10	2,000	210 20	00000
4 8	CMSC 0405	WELD1210 30	11111	8.00 14.30	1	11	2,000	210 20	00000
4 8	CMSC 0405	WELD1310 30	11111	8.00 14.30	1	11	2,000	210 20	00000
4 8	CMSC 0405	WELD1410 30	11111	8.00 14.30	1	10	2,000	210 20	00000
4 8	CMSC 0405	WELD1411 30	11111	8.00 14.30	1	12	2,000	210 20	00000
4 8	CMSC 0405	WELD1516 30	11111	8.00 14.30	1	4	2,000	210 20	00000
4 8	CMSC 0405	WELD1517 30	11111	8.00 14.30	1	7	2,000	210 20	00000
4 8	CMSC 0405	WELD2110 30	11111	8.00 14.30	1	3	2,000	210 20	00000
4 8	CMSC 0405	WELD2111 30	11111	8.00 14.30	1	3	2,000	210 20	00000
4 8	CMSC 0405	WELD2210 30	11111	8.00 14.30	1	5	2,000	210 20	00000
4 8	CMSC 0405	WELD2222 30	11111	8.00 14.30	1	3	2,000	210 20	00000
4 8	CMSC 0405	WELD2230 30	11111	8.00 14.30	1	1	2,000	210 20	00000
4 8	CMSC 0405	WELD2310 30	11111	8.00 14.30	1	3	2,000	210 20	00000
4 8	CMSC 0405	WELD2311 30	11111	8.00 14.30	1	3	2,000	210 20	00000
4 8	CMSC 0405	WELD2312 30	11111	8.00 14.30	1	8	2,000	210 20	00000
	CPTR 0100	DRFT1205 01	1 1 1	10.00 10.50		12	696	110 15	00000
	CPTR 0100	DRFT1201 01	1 1 1	11.00 11.50		11	696	110 15	00000
	CPTR 0100	DRFT2301 01	1 1	12.00 14.05		11	696	110 15	00000
	CPTR 0101	CHEM1010 04	1 1	8.00 9.15		23	638	110 30	00000
	CPTR 0101	CHEM1010 06	1 1	9.25 10.40		15	638	110 30	00000
	CPTR 0101	CHEM1010 05	1 1	10.50 12.05		19	638	110 30	00000
	CPTR 0101	CHEM1010 03	1 1 1	11.00 11.50		27	638	110 30	00000
	CPTR 0101	CHEM1010 07	1 1	17.00 18.15		9	638	110 30	00000
	CPTR 0103	GART1010 01	1 1	8.00 9.50		22	696	210 25	00000
	CPTR 0103	GART1240 01	1 1	8.00 10.40		22	696	210 25	00000
	CPTR 0103	GART1040 01	1 1 1	10.00 11.35		24	696	210 25	00000
	CPTR 0103	GART1030 01	1 1	12.15 14.40		20	696	210 25	00000
	CPTR 0103	GART1230 01	1 1 1	13.00 14.35		10	696	210 25	00000
	CPTR 0103	GART1040 02	1 1	14.50 17.30		20	696	210 25	00000
	CPTR 0108	CADD1101 01	1 1	7.50 10.45		21	705	210 20	00000
	CPTR 0108	DRFT1101 01	1 1 1	8.00 8.50		22	705	210 20	00000
	CPTR 0108	DRFT1102 01	1 1 1	9.00 9.50		23	705	210 20	00000
	CPTR 0108	DRFT1103 01	1 1 1	10.00 10.50		25	705	210 20	00000
	CPTR 0108	DRFT1104 01	1 1	12.15 13.40		29	705	210 20	00000
	CPTR 0108	DRFT1101 02	1 1	17.25 18.40		12	705	210 20	00000
	CPTR 0108	CADD1101 02	1 1	17.30 20.25		16	705	210 20	00000
	CPTR 0108	DRFT1102 02	1 1	18.45 20.00		12	705	210 20	00000
	CPTR 0109	CADD1201 01	1 1 1	7.50 9.50		10	686	210 14	00000
	CPTR 0109	DRFT2302 01	1 1	7.50 9.50		14	686	210 14	00000
	CPTR 0109	DRFT2303 01	1 1	10.00 11.50		14	686	210 14	00000
	CPTR 0109	DRFT2404 01	1 1 1	10.00 12.30		7	686	210 14	00000
	CPTR 0109	DRFT2305 01	1 1	12.30 14.35		16	686	210 14	00000
	CPTR 0110	CADD1101 01	1 1	7.50 10.45		21	704	210 19	00000
	CPTR 0110	DRFT1101 01	1 1 1	8.00 8.50		22	704	210 19	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/13/2015 16:04:15
 PAGE NUM 8

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.	
	CPTR	0110	DRFT1102	01	1 1 1	9.00 9.50	23	704	210	19	00000
	CPTR	0110	DRFT1103	01	1 1 1	10.00 10.50	25	704	210	19	00000
	CPTR	0110	DRFT1104	01	1 1	12.15 13.40	29	704	210	19	00000
	CPTR	0110	DRFT1101	02	1 1	17.25 18.40	12	704	210	19	00000
	CPTR	0110	CADD1101	02	1 1	17.30 20.25	16	704	210	19	00000
	CPTR	0110	DRFT1102	02	1 1	18.45 20.00	12	704	210	19	00000
	CPTR	0111	BIOL1010	01	1 1 1	8.00 8.50	32	1,189	210	30	00000
	CPTR	0111	BIOL1010	04	1 1	8.00 9.15	32	1,189	210	30	00000
	CPTR	0111	BIOL1020	02	1 1 1	9.00 9.50	29	1,189	210	30	00000
	CPTR	0111	BIOL1010	05	1 1	9.25 10.40	28	1,189	210	30	00000
	CPTR	0111	BIOL1020	01	1 1 1	10.00 10.50	31	1,189	210	30	00000
	CPTR	0111	BIOL1010	03	1 1	12.00 13.15	29	1,189	210	30	00000
	CPTR	0111	BIOL1010	06	1 1	12.15 13.30	28	1,189	210	30	00000
	CPTR	0111	BIOL1011	01	1	13.25 15.05	15	1,189	210	30	00000
	CPTR	0111	PHSC1500	01	1	17.30 20.10	14	1,189	210	30	00000
	CPTR	0114	CHEM1010	02	1 1 1	9.00 9.50	22	1,160	210	23	00000
	CPTR	0114	BIOL1011	02	1	9.25 11.15	6	1,160	210	23	00000
	CPTR	0114	CHEM1011	05	1	10.50 13.20	17	1,160	210	23	00000
	CPTR	0114	CHEM1011	01	1	12.00 14.30	17	1,160	210	23	00000
	CPTR	0114	CHEM1011	02	1	12.30 15.00	11	1,160	210	23	00000
	CPTR	0114	CHEM1011	03	1	13.25 15.05	17	1,160	210	23	00000
	CPTR	0114	CHEM1010	01	1 1	15.30 16.45	26	1,160	210	23	00000
	CPTR	0114	CHEM1011	06	1	16.50 19.10	11	1,160	210	23	00000
	CPTR	0114	CHEM1011	04	1	16.50 19.10	18	1,160	210	23	00000
	CPTR	0114	CHEM1011	07	1	18.20 20.30	11	1,160	210	23	00000
	CPTR	0300	GART2110	01	1 1	8.00 10.40	9	2,507	210	20	00000
	CPTR	0300	GART2230	01	1 1	8.00 10.40	6	2,507	210	20	00000
	CPTR	0300	GART1030	02	1 1	17.15 19.30	20	2,507	210	20	00000
	CPTR	0302	GART2500	01	1 1 1	7.00 7.50	3	2,725	210	35	00000
	CPTR	0302	GART2250	01	1 1 1	8.00 9.35	5	2,725	210	35	00000
	CPTR	0302	GART2210	01	1 1	12.15 14.40	16	2,725	210	35	00000
	CPTR	0302	GART1020	01	1 1 1	13.00 14.35	23	2,725	210	35	00000
	CPTR	0302	GART2260	01	1 1	15.00 16.15	7	2,725	210	35	00000
	CPTR	0311	GART2110	01	1 1	8.00 10.40	9	1,723	210	30	00000
	CPTR	0311	GART2230	01	1 1	8.00 10.40	6	1,723	210	30	00000
	CPTR	0311	GART1030	01	1 1	12.15 14.40	20	1,723	210	30	00000
	EMCH	0309	ELEC1122	02	1 1	8.00 10.00	24	1,145	210	25	00000
	EMCH	0309	ELEC1122	01	1 1	10.00 12.05	26	1,145	210	25	00000
	EMCH	0309	INST1112	02	1 1 1	13.00 14.40	29	1,145	210	25	00000
	EMCH	0309	GAEC1300	01	1 1	18.00 21.00	14	1,145	210	25	00000
	EMCH	0309	GAEC1300	02	1 1	18.00 21.00	13	1,145	210	25	00000
	EMCH	0309X	ELEC1122	02	1 1	8.00 10.00	24	1,130	210	23	00000
	EMCH	0309X	ELEC1122	01	1 1	10.00 12.05	26	1,130	210	23	00000
	EMCH	0310	ELEC1220	02	1 1 1	9.00 10.25	21	1,756	210	40	00000
	EMCH	0310	ELEC1220	01	1 1	10.25 12.25	21	1,756	210	40	00000
	EMCH	0310	ELEC2220	01	1 1 1	10.40 11.45	22	1,756	210	40	00000
	EMCH	0310	ELEC1220	03	1 1 1	12.30 13.55	20	1,756	210	40	00000
	EMCH	0310	ELEC2220	02	1 1	13.00 14.40	22	1,756	210	40	00000
	EMCH	0310	ELEC1220	04	1 1	17.00 18.55	18	1,756	210	40	00000
	EMCH	0313	ELEC1230	02	1 1 1	8.00 9.25	19	3,160	210	40	00000
	EMCH	0313	ELEC1312	01	1 1	8.00 9.30	31	3,160	210	40	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/13/2015 16:04:15
 PAGE NUM 9

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	EMCH	0313	ELEC1312 02	1 1	13.00 14.15		30	3,160	210 40	00000
	EMCH	0313	ELEC1312 03	1 1	14.30 15.45		26	3,160	210 40	00000
	EMCH	0314	INST2812 01	1 1 1	8.00 9.10		19	483	210 18	00000
	EMCH	0314	INST2812 02	1 1	9.30 11.10		8	483	210 18	00000
	EMCH	0314	INST2722 02	1 1	12.30 14.30		21	483	210 18	00000
	EMCH	0315	INST2722 01	1 1 1	10.00 11.25		20	596	210 25	00000
	EMCH	0315	INST2812 03	1	10.15 11.55		20	596	210 25	00000
	EMCH	0315	INST2722 03	1 1	12.30 14.35		23	596	210 25	00000
	EMCH	0316	ELEC1230 01	1 1	9.40 11.45		22	587	110 30	00000
	EMCH	0316	ELEC1430 01	1 1	16.25 18.30		23	587	110 30	00000
	EMCH	0316	ELEC1430 02	1 1	18.35 20.35		16	587	110 30	00000
	EMCH	0319	INST1111 01	1 1 1	8.00 9.40		30	619	210 25	00000
	EMCH	0319	INST1111 03	1 1	9.30 11.55		28	619	210 25	00000
	EMCH	0319	INST1111 02	1 1 1	12.30 14.10		28	619	210 25	00000
	EMCH	0319	INST1111 04	1 1	12.30 15.00		24	619	210 25	00000
	EMCH	0319	INST1111 05	1 1	17.00 19.30		17	619	210 25	00000
	EMCH	0320	INST1111 01	1 1 1	8.00 9.40		30	619	210 25	00000
	EMCH	0320	INST1111 03	1 1	9.30 11.55		28	619	210 25	00000
	EMCH	0320	INST1111 02	1 1 1	12.30 14.10		28	619	210 25	00000
	EMCH	0320	INST1111 04	1 1	12.30 15.00		24	619	210 25	00000
	EMCH	0320	INST1111 05	1 1	17.00 19.30		17	619	210 25	00000
8	EMCH	0324	INST2732 02	1 1 1	8.00 9.05		27	1,091	210 22	00000
8	EMCH	0324	INST2732 01	1 1	8.00 9.40		36	1,091	210 22	00000
8	EMCH	0324	INST1410 01	1	10.10 12.15		35	1,091	210 22	00000
8	EMCH	0324	INST1310 01	1 1	12.30 14.35		35	1,091	210 22	00000
8	EMCH	0324	INST1310 02	1 1	12.30 14.35		35	1,091	210 22	00000
	EMCH	0324	INST2420 03	1 1	16.30 18.35		27	1,091	210 22	00000
8	EMCH	0324	INST1410 02	1 1	18.45 20.50		35	1,091	210 22	00000
	EMCH	0325	INST1112 01	1 1	12.15 14.45		30	1,362	210 45	00000
	EMCH	0325	INST1112 02	1 1 1	13.00 14.40		29	1,362	210 45	00000
	EMCH	0325	GAEC1100 01	1 1	18.00 21.00		7	1,362	210 45	00000
	EMCH	0325	GAEC1100 02	1 1	18.00 21.00	1	10	1,362	210 45	00000
	EMCH	0325	GAEC1110 01	1 1	18.00 21.00	1	7	1,362	210 45	00000
	EMCH	0325	GAEC1110 02	1 1	18.00 21.00	1	10	1,362	210 45	00000
	EMCH	0326	INST1112 01	1 1	12.15 14.45		30	1,362	210 45	00000
	EMCH	0326	INST1112 02	1 1 1	13.00 14.40		29	1,362	210 45	00000
	EMCH	0326	GAEC1100 01	1 1	18.00 21.00		7	1,362	210 45	00000
	EMCH	0326	GAEC1100 02	1 1	18.00 21.00	1	10	1,362	210 45	00000
	EMCH	0326	GAEC1110 01	1 1	18.00 21.00	1	7	1,362	210 45	00000
	EMCH	0326	GAEC1110 02	1 1	18.00 21.00	1	10	1,362	210 45	00000
	EMCH	0327	INST2420 02	1 1	8.00 10.05		26	1,049	110 40	00000
	EMCH	0327	INST1010 01	1 1	10.00 11.40	1	31	1,049	110 40	00000
	EMCH	0327	INST1010 03	1 1	10.05 11.40		36	1,049	110 40	00000
	EMCH	0327	INST1010 02	1	17.00 18.40		37	1,049	110 40	00000
	EMCH	0327	GAEC1200 01	1 1	18.00 21.00		16	1,049	110 40	00000
	EMCH	0327	GAEC1210 01	1 1	18.00 21.00	1	15	1,049	110 40	00000
	EMCH	0328A	INST2812 01	1 1 1	8.00 9.10		19	1,131	210 23	00000
	EMCH	0328A	INST2420 02	1 1	8.00 10.05		26	1,131	210 23	00000
	EMCH	0328A	INST2812 02	1 1	9.30 11.10		8	1,131	210 23	00000
	EMCH	0328A	INST2812 03	1	10.15 11.55		20	1,131	210 23	00000
	EMCH	0328A	INST2420 03	1 1	16.30 18.35		27	1,131	210 23	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/13/2015 16:04:15
 PAGE NUM 10

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.	
8	EMCH	0328B	INST2732 01	1 1	8.00 9.40		36	213	210	4	00000
8	EMCH	0328B	INST2420 02	1 1	8.00 10.05	1	26	213	210	4	00000
8	EMCH	0328B	INST1410 01	1	10.10 12.15		35	213	210	4	00000
8	EMCH	0328B	INST2420 03	1 1	16.30 18.35		27	213	210	4	00000
8	EMCH	0328B	INST1410 02	1 1	18.45 20.50		35	213	210	4	00000
8	EMCH	0328C	INST2420 02	1 1	8.00 10.05		26	135	210	4	00000
8	EMCH	0328C	INST2420 03	1 1	16.30 18.35		27	135	210	4	00000
	EMCH	0328X	INST1010 01	1 1	10.00 11.40		31	2,157	210	25	00000
	EMCH	0328X	INST1010 03	1 1	10.05 11.40		36	2,157	210	25	00000
	EMCH	0328X	INST1010 02	1	17.00 18.40		37	2,157	210	25	00000
4	MECH	0601	ZWDR1021100	11111	7.30 15.30		7	552	210	30	00000
4	MECH	0613	ZWDR1021100	11111	7.30 15.30		7	5,587	210	24	00000
	MTLS	0103	WELD1110 01	11111	8.00 11.00		19	870	210	44	00000
	MTLS	0103	WELD1210 01	11111	8.00 12.00	1	20	870	210	44	00000
	MTLS	0103	WELD1120 01	11111	11.05 14.05	1	19	870	210	44	00000
8	MTLS	0103	WELD1516 01	11111	13.00 17.00	1	17	870	210	44	00000
8	MTLS	0103	WELD2222 01	11111	13.00 17.00	1	2	870	210	44	00000
8	MTLS	0103	WELD2230 01	11111	13.00 17.00	1	18	870	210	44	00000
8	MTLS	0103	WELD1130 01	11111	14.10 17.10	1	20	870	210	44	00000
4	MTLS	0104	WELD2220 01	11111	7.00 12.30		7	441	110	34	00000
	MTLS	0104	WELD1110 01	11111	8.00 11.00	1	19	441	110	34	00000
	MTLS	0104	WELD1210 01	11111	8.00 12.00	1	20	441	110	34	00000
8	MTLS	0104	WELD1410 01	11111	8.00 12.00	1	22	441	110	34	00000
8	MTLS	0104	WELD1411 01	11111	8.00 12.00	1	22	441	110	34	00000
8	MTLS	0104	WELD1420 01	11111	8.00 12.00	1	18	441	110	34	00000
8	MTLS	0104	WELD1510 01	11111	8.00 12.00	1	16	441	110	34	00000
8	MTLS	0104	WELD2210 01	11111	8.00 12.00	1	5	441	110	34	00000
8	MTLS	0104	WELD1120 01	11111	11.05 14.05	1	19	441	110	34	00000
8	MTLS	0104	WELD2230 01	11111	13.00 17.00	1	18	441	110	34	00000
8	MTLS	0104	WELD1130 01	11111	14.10 17.10	1	20	441	110	34	00000
4	MTLS	0105	WFDM0001101	11111	7.30 15.30		7	3,915	220	35	00000
	MTLS	0105	WFDM0002102	11111	16.00 21.00		7	3,915	220	35	00000
	MTLS	0106	WELD1510 01	11111	8.00 12.00		16	4,186	210	36	00000
	MTLS	0106	WELD1517 01	11111	8.00 12.00	1	9	4,186	210	36	00000
	MTLS	0106	WELD2110 01	11111	8.00 12.00	1	5	4,186	210	36	00000
	MTLS	0106	WELD1310 01	11111	13.00 17.00		23	4,186	210	36	00000
	MTLS	0106	WELD1410 01	11111	13.00 17.00	1	22	4,186	210	36	00000
8	MTLS	0106	WELD1411 01	11111	13.00 17.00	1	22	4,186	210	36	00000
8	MTLS	0106	WELD1420 01	11111	13.00 17.00	1	18	4,186	210	36	00000
8	MTLS	0106	WELD1516 01	11111	13.00 17.00	1	17	4,186	210	36	00000
8	MTLS	0106	WELD2111 01	11111	13.00 17.00	1	4	4,186	210	36	00000
8	MTLS	0106	WELD2221 01	11111	13.00 17.00	1	5	4,186	210	36	00000
4	MTLS	0107	WFDW0000100	111	8.00 16.30		9	3,091	210	62	00000
4	8	MTLS	0108	WFDW0000100	111	8.00 16.30	9	351	210	3	00000
	MTLS	0117	WELD1517 01	11111	8.00 12.00		9	3,210	210	20	00000
	NAAH	0106	ACNA1110 01	1111	15.30 16.20		18	704	110	32	00000
	NAAH	0106	ACNA1120 01	1111	16.30 17.20		18	704	110	32	00000
	NAAH	0106	ACNA1160 01	1111	17.30 18.20		18	704	110	32	00000
	NAAH	0106	ANUR1233 02	1111	18.30 21.00		18	704	110	32	00000
4	NAAH	0107	WFDS0001101	11111	8.00 18.00		4	1,328	110	62	00000
4	NAAH	0107	WFDS0002102	11111	8.00 18.00	1	7	1,328	110	62	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/13/2015 16:04:15
 PAGE NUM 11

L.T.C.-SOWELA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
4	NAAH 0108	WFDS0001101	11111	8.00 18.00		4	1,328	110	62	00000
4	NAAH 0108	WFDS0002102	11111	8.00 18.00	1	7	1,328	110	62	00000
	NAAH 0109A	ANUR2310 01	1 1	8.00 10.50		12	672	110	32	00000
	NAAH 0109A	ANUR2323 01	1 1	11.00 11.50		11	672	110	32	00000
	NAAH 0109A	ANUR2340 01	1 1	13.00 13.50		12	672	110	32	00000
	NAAH 0109A	ANUR2353 01	1 1	14.00 14.50		11	672	110	32	00000
	NAAH 0109A	MEDL1300 01	1	17.30 20.05		19	672	110	32	00000
	NAAH 0109B	MEDL1300 01	1	17.30 20.05		19	672	110	32	00000
4	NAAH 0110	WFDS0001101	11111	8.00 18.00		4	672	110	32	00000
4	NAAH 0110	WFDS0002102	11111	8.00 18.00	1	7	672	110	32	00000
4 8	NAAH 0111A	ANUR2312 01	111	6.45 15.00		12	203	210	2	00000
8	NAAH 0111A	ANUR2310 01	1 1	8.00 10.50		12	203	210	2	00000
4 8	NAAH 0111A	ANUR2323 01	1 1	11.00 11.05		11	203	210	2	00000
8	NAAH 0111A	ANUR2340 01	1 1	13.00 13.50		12	203	210	2	00000
8	NAAH 0111B	ANUR2243 01	1 1	13.30 14.20		15	240	210	2	00000
8	NAAH 0111C	ANUR2243 01	1 1	13.30 14.20		15	216	210	2	00000
8	NAAH 0113	ANUR1240 01	1 1	13.00 14.25		45	1,200	210	24	00000
4	NAAH 0114	ANUR2212 01	111	6.45 15.00		19	1,200	210	24	00000
4	NAAH 0114	ANUR2312 01	111	6.45 15.00	1	12	1,200	210	24	00000
8	NAAH 0114	ANUR1060 01	1	8.00 9.50		46	1,200	210	24	00000
8	NAAH 0114	ANUR2210 01	1 1	8.00 10.50	1	19	1,200	210	24	00000
8	NAAH 0114	ANUR2310 01	1 1	8.00 10.50	1	12	1,200	210	24	00000
8	NAAH 0114	ANUR1350 01	1	8.00 11.50	1	45	1,200	210	24	00000
8	NAAH 0114	ANUR1233 01	111	8.00 11.50		40	1,200	210	24	00000
	NAAH 0114	ANUR2223 01	1 1	11.00 11.50		16	1,200	210	24	00000
	NAAH 0114	ANUR2323 01	1 1	11.00 11.50	1	11	1,200	210	24	00000
8	NAAH 0114	ANUR1240 01	1 1	13.00 14.25		45	1,200	210	24	00000
	NAAH 0114	ANUR1233 02	1111	18.30 21.00		18	1,200	210	24	00000
	NAAH 0203	ANUR2210 01	1 1	8.00 10.50		19	1,407	110	54	00000
	NAAH 0203	ANUR2223 01	1 1	11.00 11.50		16	1,407	110	54	00000
	NAAH 0203	ANUR2230 01	1 1	12.30 13.20		17	1,407	110	54	00000
	NAAH 0203	ANUR2243 01	1 1	13.30 14.20		15	1,407	110	54	00000
	NAAH 0204	ANUR1060 01	1	8.00 9.50		46	1,375	110	54	00000
	NAAH 0204	ANUR1350 01	1	8.00 11.50		45	1,375	110	54	00000
	NAAH 0204	ANUR1233 01	111	8.00 11.50		40	1,375	110	54	00000
	NAAH 0204	ANUR1040 01	1 1	13.00 14.25		46	1,375	110	54	00000
8	NAAH 0204	ANUR1240 01	1 1	13.00 14.25	1	45	1,375	110	54	00000
	NAAH 0205	BIOL2253 01	1 1	8.00 9.15		25	1,764	210	32	00000
	NAAH 0205	BIOL1010 02	1 1 1	9.00 9.50		27	1,764	210	32	00000
	NAAH 0205	BIOL2251 01	1 1	9.25 10.40		25	1,764	210	32	00000
	NAAH 0205	BIOL1010 07	1 1 1	10.00 10.50		27	1,764	210	32	00000
	NAAH 0205	BIOL1010 08	1 1	12.00 13.15		27	1,764	210	32	00000
4	NAAH 0208	ANUR2212 01	111	6.45 15.00		19	1,292	240	54	00000
4	NAAH 0208	ANUR2312 01	111	6.45 15.00	1	12	1,292	240	54	00000
	NAAH 0208	ANUR1060 01	1	8.00 9.50		46	1,292	240	54	00000
	NAAH 0208	ANUR2210 01	1 1	8.00 10.50	1	19	1,292	240	54	00000
	NAAH 0208	ANUR2310 01	1 1	8.00 10.50	1	12	1,292	240	54	00000
8	NAAH 0208	ANUR1350 01	1	8.00 11.50	1	45	1,292	240	54	00000
	NAAH 0208	ANUR1233 01	111	8.00 11.50		40	1,292	240	54	00000
4	NAAH 0208	ANUR2223 01	1 1	11.00 11.05		16	1,292	240	54	00000
	NAAH 0208	ANUR2323 01	1 1	11.00 11.50	1	11	1,292	240	54	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/13/2015 16:04:15
 PAGE NUM 12

L.T.C.-SOWELA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	NAAH	0208	ANUR2230 01	1 1	12.30 13.20		17	1,292	240 54 00000
	NAAH	0208	ANUR2340 01	1 1	13.00 13.50	1	12	1,292	240 54 00000
	NAAH	0208	ANUR1240 01	1 1	13.00 14.25	1	45	1,292	240 54 00000
8	NAAH	0208	ANUR2243 01	1 1	13.30 14.20	1	15	1,292	240 54 00000
8	NAAH	0208	ANUR2353 01	1 1	14.00 14.50	1	11	1,292	240 54 00000
	NAAH	0208	ANUR1233 02	1111	18.30 21.00		18	1,292	240 54 00000
	PTEC	0101	PTEC2911 02	1 1 1	8.00 10.40		22	1,776	210 30 00000
	PTEC	0101	PTEC2911 15	11111	12.15 16.30		19	1,776	210 30 00000
	PTEC	0101	PTEC2911 01	111	15.05 17.40	1	18	1,776	210 30 00000
8	PTEC	0101	PTEC2430 02	111	16.30 18.00	1	17	1,776	210 30 00000
	PTEC	0101	PTEC2911 03	111	18.05 20.45		20	1,776	210 30 00000
	PTEC	0102	PTEC2420 03	1 1	8.00 9.15		21	590	210 30 00000
	PTEC	0102	PTEC2911 02	1 1 1	8.00 10.40		22	590	210 30 00000
	PTEC	0102	PTEC2421 03	1 1	9.25 10.15		20	590	210 30 00000
	PTEC	0102	PTEC2420 01	1 1	10.50 12.05		16	590	210 30 00000
	PTEC	0102	PTEC2420 02	1 1	10.50 12.05	1	21	590	210 30 00000
	PTEC	0102	PTEC2911 15	11111	12.15 16.30		19	590	210 30 00000
	PTEC	0102	PTEC2911 01	111	15.05 17.40	1	18	590	210 30 00000
	PTEC	0102	PTEC2911 03	111	18.05 20.45		20	590	210 30 00000
	PTEC	0104	PTEC2030 02	1 1 1	8.00 8.50		28	590	210 30 00000
	PTEC	0104	PTEC1010 05	1 1	8.00 9.15		26	590	210 30 00000
	PTEC	0104	PTEC1010 01	1 1 1	9.00 9.50		28	590	210 30 00000
	PTEC	0104	PTEC2030 05	1 1	9.25 10.40		28	590	210 30 00000
	PTEC	0104	PTEC2430 03	1 1 1	10.45 11.55		23	590	210 30 00000
	PTEC	0104	PTEC2420 02	1 1	10.50 12.05		21	590	210 30 00000
	PTEC	0104	PTEC2630 01	1 1 1	12.00 12.50		28	590	210 30 00000
	PTEC	0104	PTEC2421 02	1 1	12.10 13.00		19	590	210 30 00000
	PTEC	0104	PTEC2430 01	111	13.30 15.00		21	590	210 30 00000
	PTEC	0104	PTEC2440 02	1 1	15.10 16.25		25	590	210 30 00000
	PTEC	0104	PTEC2430 02	111	16.30 18.00		17	590	210 30 00000
	PTEC	0106	PTEC1610 15	11111	7.30 10.05		17	590	210 30 00000
8	PTEC	0106	PTEC2430 15	11111	7.30 10.05	1	19	590	210 30 00000
8	PTEC	0106	PTEC2030 15	11111	7.30 10.30	1	16	590	210 30 00000
8	PTEC	0106	PTEC2420 15	11111	7.30 10.30	1	19	590	210 30 00000
8	PTEC	0106	PTEC2421 15	11111	7.30 10.30	1	19	590	210 30 00000
8	PTEC	0106	PTEC2440 15	11111	10.25 11.55	1	19	590	210 30 00000
8	PTEC	0106	PTEC1310 15	11111	10.35 13.10	1	19	590	210 30 00000
8	PTEC	0106	PTEC1320 15	11111	10.40 13.00	1	19	590	210 30 00000
8	PTEC	0106	PTEC1010 15	11111	10.45 13.30	1	16	590	210 30 00000
8	PTEC	0106	PTEC2911 15	11111	12.15 16.30	1	19	590	210 30 00000
8	PTEC	0106	PTEC2620 15	11111	13.20 16.30	1	10	590	210 30 00000
8	PTEC	0106	PTEC2621 15	11111	13.20 16.30	1	10	590	210 30 00000
8	PTEC	0106	PTEC2630 15	11111	13.30 15.20	1	18	590	210 30 00000
8	PTEC	0106	PTEC2070 15	11111	13.40 16.30	1	17	590	210 30 00000
8	PTEC	0106	PTEC1000 15	11111	15.25 16.30	1	18	590	210 30 00000
	PTEC	0106	PTEC1610 06	1 1	17.00 18.40		25	590	210 30 00000
	PTEC	0106	PTEC2070 03	1 1	18.50 20.05		28	590	210 30 00000
	PTEC	0107	PTEC1610 01	1 1 1	7.45 8.50		24	590	210 30 00000
	PTEC	0107	PTEC2420 03	1 1	8.00 9.15		21	590	210 30 00000
	PTEC	0107	PTEC2070 01	1 1 1	9.00 9.50		28	590	210 30 00000
	PTEC	0107	PTEC2421 03	1 1	9.25 10.15		20	590	210 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/13/2015 16:04:15
 PAGE NUM 13

L.T.C.-SOWELA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	PTEC	0107	PTEC2030 01	1 1 1	10.00 10.50		28	590	210 30	00000
	PTEC	0107	PTEC2030 03	1 1 1	11.00 11.50		30	590	210 30	00000
	PTEC	0107	PTEC1010 08	1 1 1	12.00 12.50		26	590	210 30	00000
	PTEC	0107	PTEC2421 01	1 1	12.10 13.00		15	590	210 30	00000
	PTEC	0107	PTEC1010 04	1 1 1	13.00 13.50		25	590	210 30	00000
	PTEC	0107	PTEC1610 05	1 1	15.00 16.40		24	590	210 30	00000
	PTEC	0107	PTEC1000 01	1	16.45 18.00		23	590	210 30	00000
	PTEC	0107	PTEC1610 02	1	16.45 18.30		19	590	210 30	00000
	PTEC	0107	PTEC2420 04	1 1	17.00 18.15		15	590	210 30	00000
9	PTEC	0107	PTEC2420 04	1 1	17.00 18.15		15	590	210 30	00000
	PTEC	0107	PTEC2421 04	1 1	18.25 19.15		15	590	210 30	00000
9	PTEC	0107	PTEC2421 04	1 1	18.25 19.15		15	590	210 30	00000
	PTEC	0108	PTEC1610 05	1 1	15.00 16.40		24	590	210 30	00000
	PTEC	0108	PTEC1610 06	1 1	17.00 18.40		25	590	210 30	00000
	PTEC	0124	PTEC1010 06	1 1 1	8.00 8.50		28	610	210 30	00000
	PTEC	0124	PTEC1010 09	1 1	8.00 9.15		27	610	210 30	00000
	PTEC	0124	PTEC1000 03	1 1	9.00 9.50		24	610	210 30	00000
	PTEC	0124	PTEC2440 03	1 1 1	10.00 10.50		15	610	210 30	00000
	PTEC	0124	PTEC2420 01	1 1	10.50 12.05		16	610	210 30	00000
	PTEC	0124	PTEC2070 02	1	11.00 11.50		26	610	210 30	00000
	PTEC	0124	PTEC2440 01	1 1 1	12.00 12.50		18	610	210 30	00000
	PTEC	0124	PTEC1010 02	1 1	12.15 13.30		27	610	210 30	00000
	PTEC	0124	PTEC1320 02	1 1	14.00 15.40		23	610	210 30	00000
	PTEC	0124	PTEC2030 04	1 1	17.00 18.15		29	610	210 30	00000
	PTEC	0125	PTEC1000 02	1 1	8.00 8.50		25	610	110 30	00000
	PTEC	0125	PTEC2621 01	1 1	9.00 9.50		27	610	110 30	00000
	PTEC	0125	PTEC1310 03	1 1	9.25 11.05		26	610	110 30	00000
	PTEC	0125	PTEC2620 01	1 1	10.40 11.55		27	610	110 30	00000
	PTEC	0125	PTEC1320 03	1 1	11.30 13.10		28	610	110 30	00000
	PTEC	0125	PTEC1310 06	1 1	12.00 13.40		27	610	110 30	00000
	PTEC	0125	PTEC1310 04	1 1	13.30 15.10		25	610	110 30	00000
	PTEC	0125	PTEC1310 01	1 1	15.00 16.40		23	610	110 30	00000
	PTEC	0125	PTEC1310 02	1 1	16.00 17.40		23	610	110 30	00000
	PTEC	0125	PTEC1320 01	1 1	17.00 18.40		24	610	110 30	00000
	RAAH	0102	TSMA0092 07	1 1 1	7.00 7.50		28	756	110 32	00000
	RAAH	0102	TSMA0092 08	1 1 1	8.00 8.50		28	756	110 32	00000
	RAAH	0102	ENGL1010 06	1 1	8.00 9.15		26	756	110 32	00000
	RAAH	0102	ENGL1010 17	1 1	9.25 10.40		28	756	110 32	00000
	RAAH	0102	TSMA0092 09	1 1 1	10.00 10.50		28	756	110 32	00000
	RAAH	0102	ENGL1010 03	1 1	10.50 12.05		26	756	110 32	00000
	RAAH	0102	TSMA0092 10	1 1 1	11.00 11.50		29	756	110 32	00000
	RAAH	0102	TSMA0092 17	1 1	12.00 13.15		27	756	110 32	00000
	RAAH	0102	JOBS2450 02	1 1	12.15 13.05		20	756	110 32	00000
	RAAH	0102	JOBS2450 01	1 1	13.25 14.15		19	756	110 32	00000
	RAAH	0102	TSMA0092 16	1 1	13.25 14.40		27	756	110 32	00000
	RAAH	0102	TSMA0093 07	1 1	17.30 18.45		23	756	110 32	00000
	RAAH	0102	MATH1100 02	1	18.50 20.05		22	756	110 32	00000
	RAAH	0102	MATH1020 04	1	18.50 20.05		28	756	110 32	00000
	RAAH	0114	HIST1220 04	1 1 1	9.00 9.50		15	1,181	110 36	00000
	RAAH	0114	HIST2020 04	1 1	9.25 10.40		31	1,181	110 36	00000
	RAAH	0114	HIST1220 02	1 1	10.00 10.50		30	1,181	110 36	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015
 RUN DATE 11/13/2015 16:04:15
 PAGE NUM 14

L.T.C.-SOWELA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	RAAH 0114	HIST2020 03	1 1	10.50 12.05		28	1,181	110	36	00000
	RAAH 0114	HIST1220 01	1 1	11.00 11.50		28	1,181	110	36	00000
	RAAH 0114	HIST2010 01	1 1	12.00 13.15		30	1,181	110	36	00000
	RAAH 0124	TSEN0091 10	1 1 1	8.00 9.50		22	799	110	32	00000
	RAAH 0124	TSEN0093 10	1 1 1	8.00 9.50	1	13	799	110	32	00000
	RAAH 0124	PSYC2010 10	1 1	9.25 10.40		31	799	110	32	00000
	RAAH 0124	PSYC2010 09	1 1	10.50 12.05		29	799	110	32	00000
	RAAH 0124	ENGL1010 19	1	11.00 11.50		25	799	110	32	00000
	RAAH 0124	ENGL1020 03	1 1	12.15 13.30		18	799	110	32	00000
	RAAH 0124	TSEN0093 08	1 1	17.30 18.45		9	799	110	32	00000
	RAAH 0124	ENGL1010 20	1	18.50 20.05		23	799	110	32	00000
	RAAH 0125	TSEN0091 01	1 1 1	9.00 9.50		27	759	110	32	00000
	RAAH 0125	HIST2010 02	1 1	9.25 10.40		28	759	110	32	00000
	RAAH 0125	PHSC1000 01	1 1	10.50 12.05		24	759	110	32	00000
	RAAH 0125	PHSC1000 04	1 1 1	11.00 11.50		26	759	110	32	00000
	RAAH 0125	ENGL1010 11	1	17.00 18.15		28	759	110	32	00000
	RAAH 0125	CRMJ1410 02	1	17.25 18.40		3	759	110	32	00000
	RAAH 0126	TSMA0093 16	1 1	8.00 9.15		12	763	110	32	00000
	RAAH 0126	ARTS1200 04	1 1 1	9.00 9.50		29	763	110	32	00000
	RAAH 0126	JOBS2450 05	1 1	9.25 10.15		19	763	110	32	00000
	RAAH 0126	ARTS1200 07	1 1 1	10.00 10.50		27	763	110	32	00000
	RAAH 0126	SKIL1000 02	1 1	10.50 12.05		18	763	110	32	00000
	RAAH 0126	TSEN0091 09	1 1 1	11.00 11.50		27	763	110	32	00000
	RAAH 0126	ENGL1020 02	1 1	12.00 13.15		28	763	110	32	00000
	RAAH 0126	HIST2010 03	1	12.15 13.30		23	763	110	32	00000
	RAAH 0126	HIST2010 06	1	13.00 14.15		20	763	110	32	00000
	RAAH 0126	ENGL1010 04	1 1	13.25 14.40		28	763	110	32	00000
	RAAH 0126	ARTS1200 06	1	17.30 20.10		23	763	110	32	00000
	RAAH 0126	ENGL1010 09	1	18.00 19.15		22	763	110	32	00000
	RAAH 0127	PSYC2010 11	1 1 1	8.00 8.50		26	776	110	32	00000
	RAAH 0127	PHSC1000 02	1 1 1	9.00 9.50		25	776	110	32	00000
	RAAH 0127	TSMA0092 04	1 1	9.25 10.40		24	776	110	32	00000
	RAAH 0127	PTEC2630 03	1	10.00 10.50		27	776	110	32	00000
	RAAH 0127	MATH1100 04	1 1	10.50 12.05		30	776	110	32	00000
	RAAH 0127	HIST2020 05	1 1	12.15 13.30		28	776	110	32	00000
	RAAH 0127	HIST2020 02	1 1	13.25 14.20		16	776	110	32	00000
	RAAH 0226	PSYC2010 02	1 1 1	8.00 8.50		35	1,059	110	40	00000
	RAAH 0226	PSYC2010 03	1 1 1	9.00 9.50		36	1,059	110	40	00000
	RAAH 0226	SPCH1200 01	1 1	9.25 10.40		28	1,059	110	40	00000
	RAAH 0226	SPCH1200 02	1 1 1	10.00 10.50		28	1,059	110	40	00000
	RAAH 0226	PSYC2010 05	1 1	10.50 12.05		39	1,059	110	40	00000
	RAAH 0226	PSYC2010 04	1 1 1	11.00 11.50		36	1,059	110	40	00000
	RAAH 0226	PSYC2010 01	1 1	12.00 13.15		40	1,059	110	40	00000
	RAAH 0226	PSYC2010 06	1 1	12.15 13.30		36	1,059	110	40	00000
	RAAH 0226	PSYC2335 02	1 1	16.00 17.15		15	1,059	110	40	00000
	RAAH 0226	HIST2020 01	1	17.30 20.10		12	1,059	110	40	00000
	RAAH 0226	PSYC2010 08	1	17.30 20.10		29	1,059	110	40	00000
	RAAH 0226	PSYC2010 07	1	17.30 20.10		27	1,059	110	40	00000
	RAAH 0227	CRMJ1220 01	1 1 1	8.00 8.50		23	1,059	110	40	00000
	RAAH 0227	CRMJ1220 02	1 1	8.00 9.15		10	1,059	110	40	00000
	RAAH 0227	CRMJ1110 01	1 1 1	9.00 9.50		30	1,059	110	40	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/13/2015 16:04:15
 PAGE NUM 15

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	RAAH	0227	CRMJ1110 02	1	9.25 10.40		17		110 40	00000
	RAAH	0227	CRMJ2998 01	1	9.25 10.40		10		110 40	00000
	RAAH	0227	CRMJ1422 01	1 1 1	10.00 10.50		20		110 40	00000
	RAAH	0227	ARTS1200 02	1 1	10.50 12.05		24		110 40	00000
	RAAH	0227	CRMJ1120 01	1 1	12.00 13.15		25		110 40	00000
	RAAH	0227	CRMJ2552 01	1	15.00 15.50		8		110 40	00000
	RAAH	0227	MATH1100 17	1 1	17.30 18.45		9		110 40	00000
	RAAH	0227	HIST2020 07	1	17.30 20.10		10		110 40	00000
	RAAH	0228	ENGL1010 18	1 1 1	8.00 8.50		28		210 35	00000
	RAAH	0228	TSRE0091 06	1 1 1	8.00 8.50	1	24		210 35	00000
8	RAAH	0228	TSEN0091 05	1 1 1	8.00 8.55	1	20		210 35	00000
	RAAH	0228	ENGL1010 06	1 1	8.00 9.15		26		210 35	00000
	RAAH	0228	TSMA0093 16	1 1	8.00 9.15	1	12		210 35	00000
8	RAAH	0228	TSRE0091 01	1 1	8.00 9.15	1	27		210 35	00000
8	RAAH	0228	ENGL1010 12	1	8.00 9.15	1	27		210 35	00000
	RAAH	0228	TSEN0091 10	1 1 1	8.00 9.50		22		210 35	00000
	RAAH	0228	TSEN0093 10	1 1 1	8.00 9.50	1	13		210 35	00000
8	RAAH	0228	TSEN0091 01	1 1 1	9.00 9.50	1	27		210 35	00000
8	RAAH	0228	TSEN0091 07	1 1 1	9.00 9.50	1	24		210 35	00000
8	RAAH	0228	ENGL1010 01	1	9.00 9.50	1	29		210 35	00000
	RAAH	0228	ENGL1010 07	1	9.00 9.50		25		210 35	00000
	RAAH	0228	ENGL1010 17	1 1	9.25 10.40		28		210 35	00000
	RAAH	0228	ENGL1020 01	1 1	9.25 10.40	1	25		210 35	00000
8	RAAH	0228	TSEN0091 04	1 1	9.25 10.40	1	26		210 35	00000
8	RAAH	0228	TSMA0092 04	1 1	9.25 10.40	1	24		210 35	00000
8	RAAH	0228	TSRE0091 09	1 1	9.25 10.40	1	25		210 35	00000
	RAAH	0228	TSEN0091 08	1 1 1	10.00 10.50		26		210 35	00000
	RAAH	0228	TSRE0091 07	1 1 1	10.00 10.50	1	26		210 35	00000
	RAAH	0228	ENGL1010 03	1 1	10.50 12.05		26		210 35	00000
	RAAH	0228	ENGL1010 22	1 1	10.50 12.05	1	22		210 35	00000
8	RAAH	0228	ENGL1020 04	1 1	10.50 12.05	1	24		210 35	00000
8	RAAH	0228	MATH1100 04	1 1	10.50 12.05	1	30		210 35	00000
8	RAAH	0228	TSRE0091 08	1 1	10.50 12.05	1	26		210 35	00000
8	RAAH	0228	ENGL2535 01	1	10.50 12.05	1	26		210 35	00000
	RAAH	0228	ENGL1010 05	1	10.50 12.05		24		210 35	00000
	RAAH	0228	TSEN0091 09	1 1 1	11.00 11.50		27		210 35	00000
8	RAAH	0228	TSRE0091 10	1 1 1	11.00 11.50	1	28		210 35	00000
8	RAAH	0228	ENGL1010 19	1	11.00 11.50	1	25		210 35	00000
	RAAH	0228	ENGL1020 02	1 1	12.00 13.15		28		210 35	00000
	RAAH	0228	ENGL2010 01	1 1	12.00 13.15	1	15		210 35	00000
8	RAAH	0228	TSMA0092 17	1 1	12.00 13.15	1	27		210 35	00000
8	RAAH	0228	ENGL1010 16	1	12.00 13.15	1	27		210 35	00000
	RAAH	0228	ENGL1010 08	1 1	12.15 13.30		29		210 35	00000
	RAAH	0228	ENGL1020 03	1 1	12.15 13.30	1	18		210 35	00000
8	RAAH	0228	TSRE0091 03	1 1	12.15 13.30	1	24		210 35	00000
	RAAH	0228	ENGL1010 04	1 1	13.25 14.40		28		210 35	00000
8	RAAH	0228	TSMA0092 16	1 1	13.25 14.40	1	27		210 35	00000
	RAAH	0228	TSMA0092 13	1 1	16.00 17.15		28		210 35	00000
	RAAH	0228	ENGL1010 11	1	17.00 18.18		28		210 35	00000
	RAAH	0228	TSEN0091 02	1 1	17.20 18.35	1	16		210 35	00000
	RAAH	0228	TSMA0092 14	1 1	17.25 18.40		27		210 35	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/13/2015 16:04:15
 PAGE NUM 16

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.	
	RAAH	0228	MATH1100 17	1 1	17.30 18.45	1	9		210	35	00000
	RAAH	0228	TSEN0093 08	1 1	17.30 18.45	1	9		210	35	00000
8	RAAH	0228	TSRE0091 05	1 1	17.30 18.45	1	16		210	35	00000
	RAAH	0228	TSMA0093 07	1 1	17.30 18.45		23		210	35	00000
	RAAH	0228	ENGL1010 09	1	18.00 19.15		22		210	35	00000
	RAAH	0228	TSEN0091 03	1 1	18.45 20.00		13		210	35	00000
	RAAH	0228	TSMA0092 15	1 1	18.50 20.05		25		210	35	00000
	RAAH	0228	MATH1100 02	1	18.50 20.05		22		210	35	00000
	RAAH	0228	ENGL1010 20	1	18.50 20.05		23		210	35	00000
	RAAH	0228	MATH1020 04	1	18.50 20.05		28		210	35	00000
	RAAH	0229	HIST2020 08	1 1 1	8.00 8.50		29	754	110	32	00000
	RAAH	0229	TSEN0091 06	1 1 1	9.00 9.50		25	754	110	32	00000
	RAAH	0229	TSEN0091 04	1 1	9.25 10.40		26	754	110	32	00000
	RAAH	0229	TSEN0093 05	1 1	10.00 10.50		18	754	110	32	00000
	RAAH	0229	CRMJ1220 03	1 1	10.50 12.05		11	754	110	32	00000
	RAAH	0229	ARTS1200 01	1 1	12.00 13.15		27	754	110	32	00000
	RAAH	0229	PTEC2030 08	1 1	12.00 14.00	1	18	754	110	32	00000
	RAAH	0229	CRMJ1422 02	1 1	12.15 13.30		8	754	110	32	00000
	RAAH	0229	TSMA0092 13	1 1	16.00 17.15		28	754	110	32	00000
	RAAH	0229	TSMA0092 14	1 1	17.25 18.40		27	754	110	32	00000
	RAAH	0229	TSMA0092 15	1 1	18.50 20.05		25	754	110	32	00000
	RAAH	0241	PSYC2335 01	1 1	8.00 9.15		20	776	110	32	00000
	RAAH	0241	ENGL1010 01	1	9.00 9.50		29	776	110	32	00000
	RAAH	0241	ENGL1010 07	1	9.00 9.50		25	776	110	32	00000
	RAAH	0241	ENGL1020 01	1 1	9.25 10.40		25	776	110	32	00000
	RAAH	0241	ENGL1020 04	1 1	10.50 12.05		24	776	110	32	00000
	RAAH	0241	ENGL1010 16	1	12.00 13.15		27	776	110	32	00000
	RAAH	0241	PHSC1000 05	1 1	12.15 13.30		15	776	110	32	00000
	RAAH	0241	POLI1100 01	1	17.25 20.05		11	776	110	32	00000
	RAAH	0242	TSEN0091 07	1 1 1	9.00 9.50		24	763	110	32	00000
	RAAH	0242	TSEN0093 01	1 1	9.25 10.40		21	763	110	32	00000
	RAAH	0242	TSEN0091 08	1 1 1	10.00 10.50		26	763	110	32	00000
	RAAH	0242	ENGL2535 01	1	10.50 12.05		26	763	110	32	00000
	RAAH	0242	ENGL1010 05	1	10.50 12.05		24	763	110	32	00000
	RAAH	0242	TSEN0093 03	1 1 1	11.00 11.50		26	763	110	32	00000
	RAAH	0242	ENGL2010 01	1 1	12.00 13.15		15	763	110	32	00000
	RAAH	0242	ENGL1010 08	1 1	12.15 13.30		29	763	110	32	00000
	RAAH	0242	HIST2010 04	1 1	17.30 18.45		28	763	110	32	00000
	RAAH	0243	ENGL1010 18	1 1 1	8.00 8.50		28	759	110	32	00000
	RAAH	0243	SOCL2010 01	1 1	8.00 9.15		28	759	110	32	00000
8	RAAH	0243	ENGL1010 12	1	8.00 9.15	1	27	759	110	32	00000
	RAAH	0243	CRMJ1322 01	1 1 1	9.00 9.50		23	759	110	32	00000
	RAAH	0243	CRMJ1120 02	1 1	9.25 10.40		10	759	110	32	00000
	RAAH	0243	ENGL1010 22	1 1	10.50 12.05		22	759	110	32	00000
	RAAH	0243	CRMJ2510 01	1 1 1	11.00 11.50		16	759	110	32	00000
	RAAH	0243	ARTS1200 03	1 1	12.15 13.30		25	759	110	32	00000
	RAAH	0243	CRMJ1340 02	1	13.40 14.55		12	759	110	32	00000
	RAAH	0243	TSEN0091 02	1 1	17.20 18.35		16	759	110	32	00000
	RAAH	0243	TSEN0091 03	1 1	18.45 20.00		13	759	110	32	00000
	RAAH	0244	TSRE0091 06	1 1 1	8.00 8.50		24	799	110	35	00000
	RAAH	0244	TSRE0091 01	1 1	8.00 9.15		27	799	110	35	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015
 RUN DATE 11/13/2015 16:04:15
 PAGE NUM 17

L.T.C.-SOWELA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	RAAH	0244	TSRE0091 09	1 1	9.25 10.40		25	799	110 35	00000
	RAAH	0244	TSRE0091 07	1 1 1	10.00 10.50		26	799	110 35	00000
	RAAH	0244	TSRE0091 08	1 1	10.50 12.05		26	799	110 35	00000
	RAAH	0244	TSRE0091 10	1 1 1	11.00 11.50		28	799	110 35	00000
	RAAH	0244	TSRE0091 03	1 1	12.15 13.30		24	799	110 35	00000
	RAAH	0244	TSRE0091 05	1 1	17.30 18.45		16	799	110 35	00000
	TRAN	0001	AUT01002 01	11111	8.00 10.55		8	698	210 30	00000
	TRAN	0001	AUT01302 01	11111	8.00 10.55	1	11	698	210 30	00000
	TRAN	0001	AUT01402 01	11111	8.00 10.55	1	12	698	210 30	00000
	TRAN	0001	AUT01602 01	11111	8.00 10.55	1	10	698	210 30	00000
	TRAN	0002	AUT01802 02	11111	8.00 10.55		7	698	210 30	00000
	TRAN	0002	AUT01822 02	11111	8.00 10.55	1	8	698	210 30	00000
	TRAN	0002	AUT01202 02	11111	8.00 11.30	1	7	698	210 30	00000
	TRAN	0003	CLRP1110 01	11111	8.00 11.00		4	698	210 30	00000
4	TRAN	0003	CLRP1210 01	11111	8.00 14.30	1	8	698	210 30	00000
	TRAN	0003	CLRP1220 01	11111	12.00 14.30	1	6	698	210 30	00000
	TRAN	0100	AUT01002 01	11111	12.05 15.10		8	4,322	210 40	00000
	TRAN	0100	AUT01302 01	11111	12.05 15.10	1	11	4,322	210 40	00000
	TRAN	0100	AUT01402 01	11111	12.05 15.10	1	12	4,322	210 40	00000
	TRAN	0100	AUT01602 01	11111	12.05 15.10	1	10	4,322	210 40	00000
	TRAN	0200	AUT01202 02	11111	8.00 11.30		7	4,362	210 40	00000
	TRAN	0200	AUT01802 02	11111	12.05 15.10		7	4,362	210 40	00000
	TRAN	0200	AUT01822 02	11111	12.05 15.10	1	8	4,362	210 40	00000
	TRAN	0300	CLRP1311 01	11111	8.00 11.00		8	3,954	210 40	00000
4	TRAN	0300	CLRP1210 01	11111	8.00 14.30	1	8	3,954	210 40	00000
	TRAN	0300	CLRP1121 01	11111	12.00 14.30	1	3	3,954	210 40	00000
	TRAN	0300	CLRP1220 01	11111	12.00 14.30	1	6	3,954	210 40	00000
	TRAN	0300	CLRP2111 01	11111	12.00 14.30	1	9	3,954	210 40	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
FALL DATA 2015
RUN DATE 11/13/2015 16:04:15

L.T.C.-SOWELA

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - - THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	89
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - - CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - - PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	193
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - - THERE SHOULD BE NO DUPLICATES.	4

----- T O T A L S -----

TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	286
TOTAL NUMBER OF RECORDS READ	- - - - -	844
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	838
NUMBER OF JOINT-CLASS RECORDS	- - - - -	236
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	2

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/13/2015 16:04:15

PAGE NUM 1

L.T.C. -SOWELA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			53
TOTAL NUMBER OF STATIONS (CAPACITY)			1,680
WEEKLY STUDENT CONTACT HOURS	28,450	2,270	30,721
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4,770	2,650	7,420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,792	277	4,069
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	151,200	84,000	235,200
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	115,270	8,970	124,240
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	56,901	4,541	61,442
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	79.5	10.5	54.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	37.6	5.4	26.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	49.4	50.6	49.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			51
TOTAL NUMBER OF STATIONS (CAPACITY)			1,620
WEEKLY STUDENT CONTACT HOURS	27,988	2,243	30,232
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4,590	2,550	7,140
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,720	271	3,991
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	145,800	81,000	226,800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	113,110	8,790	121,900
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	55,977	4,487	60,464
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	81.0	10.6	55.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	38.4	5.5	26.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	49.5	51.0	49.6

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/13/2015 16:04:15
PAGE NUM 2

L.T.C. -SOWELA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			2
TOTAL NUMBER OF STATIONS (CAPACITY)			60
WEEKLY STUDENT CONTACT HOURS	462	27	489
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	180	100	280
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	72	6	78
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5,400	3,000	8,400
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,160	180	2,340
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	924	54	978
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	40.0	6.0	27.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	17.1	1.8	11.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	42.8	30.0	41.8
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			86
TOTAL NUMBER OF STATIONS (CAPACITY)			2,093
WEEKLY STUDENT CONTACT HOURS	51,379	3,326	54,705
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	7,740	4,300	12,040
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,373	374	7,747
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	188,370	104,650	293,020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	189,371	11,356	200,727
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	102,759	6,652	109,411
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	95.3	8.7	64.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	54.6	6.4	37.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	54.3	58.6	54.5

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/13/2015 16:04:15

PAGE NUM 3

L.T.C. -SOWELA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			85
TOTAL NUMBER OF STATIONS (CAPACITY)			2,058
WEEKLY STUDENT CONTACT HOURS	50,924	3,326	54,250
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	7,650	4,250	11,900
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,243	374	7,617
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	185,220	102,900	288,120
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	184,821	11,356	196,177
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	101,849	6,652	108,501
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	94.7	8.8	64.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	55.0	6.5	37.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	55.1	58.6	55.3
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABBORATORY			
TOTAL NUMBER OF ROOMS			1
TOTAL NUMBER OF STATIONS (CAPACITY)			35
WEEKLY STUDENT CONTACT HOURS	455		455
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	90	50	140
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	130		130
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,150	1,750	4,900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,550		4,550
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	910		910
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	144.4	.0	92.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	28.9	.0	18.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	20.0	.0	20.0

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY