

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/05/2013 11:51:00
 PAGE NUM 1

L.T.C.-SULLIVAN
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	0LAA	0101	BUS02530A01	1 1 1	8.00 9.00		4	679	110 25	00000
	0LAA	0101	BUS01100A01	1 1	8.00 9.25		9	679	110 25	00000
	0LAA	0101	BOTH1230A01	1 1	10.30 12.00		11	679	110 25	00000
	0LAA	0101	ENGL1015A03	1 1	15.00 16.25		8	679	110 25	00000
	0LAA	0101	MATH1015A01	1	17.00 20.00		24	679	110 25	00000
	0LAA	0101	HIST2010A01	1	17.00 20.00		13	679	110 25	00000
	0LAA	0104	BUSN1100A01	1 1 1	9.15 10.15		23	610	110 32	00000
	0LAA	0104	CSRV1000A01	1 1	10.30 12.00		16	610	110 32	00000
	0LAA	0104	BOTH1210A01	1 1	12.30 13.55		6	610	110 32	00000
	0LAA	0104	JOBS2450A01	1 1	14.00 15.00		5	610	110 32	00000
	0LAA	0106	KYBD1010A01	1 1 1	8.00 9.00		14	982	210 25	00000
	0LAA	0106	KYBD1111A01	1 1 1	13.00 14.35		4	982	210 25	00000
	0LAA	0107	ACCT2100A01	1 1 1	9.15 10.15		9	884	210 23	00000
	0LAA	0107	BUS01310A01	1 1	10.00 11.25		8	884	210 23	00000
	0LAA	0107	ACCT1400A01	1	10.30 14.30		2	884	210 23	00000
	0LAA	0107	BUS01440A01	1 1	12.30 13.55		5	884	210 23	00000
	0LAA	0107	CPTR1002A01	1 1	13.00 14.30		8	884	210 23	00000
	0LAA	0107	ACCT1500A01	1 1	14.00 15.25		2	884	210 23	00000
	0LAA	0107	BUS01320A01	1	17.00 20.00		13	884	210 23	00000
4	0LAA	0108	HCOR1200A01	1	8.00 14.00		26	724	110 35	00000
4	0LAA	0108	HPHL1013A01	111	8.00 14.00		16	724	110 35	00000
4	0LAA	0108	HNUR1211A01	1	8.00 14.30		15	724	110 35	00000
	0LAA	0202	CDYC1110A01	1 1	8.00 9.25		6	583	110 40	00000
	0LAA	0202	CDYC2996A02	1	8.00 11.45		1	583	110 40	00000
	0LAA	0202	CDYC1410A01	1 1	9.30 11.25		14	583	110 40	00000
	0LAA	0202	CDYC2996A01	1 1	13.00 14.25		3	583	110 40	00000
	0LAA	0208	DVMA0090A06	1 1 1	8.00 8.58		16	608	110 18	00000
	0LAA	0208	CSSK1000A02	1	9.00 9.55		11	608	110 18	00000
	0LAA	0208	CSSK1000A03	1	10.00 11.00		8	608	110 18	00000
	0LAA	0208	CSSK1000A06	1	10.00 11.00		1	608	110 18	00000
	0LAA	0208	CSSK1000A01	1	12.00 13.00		1	608	110 18	00000
	0LAA	0208	CSSK1000A04	1	12.00 13.00		1	608	110 18	00000
	0LAA	0208	DVMA0090A08	1 1	12.00 13.25		21	608	110 18	00000
	0LAA	0208	DVMA0090A07	1 1 1	13.00 13.58		12	608	110 18	00000
	0LAA	0208	DVMA0090A09	1 1	13.30 14.55		14	608	110 18	00000
	0LAA	0208	CSSK1000A05	1	14.00 15.00		11	608	110 18	00000
4	0LAA	0301	HNUR1212A02	11111	6.30 14.30		9	1,100	110 32	00000
	0LAA	0301	HNUR1300A01	1 1 1	8.00 11.00	1	31	1,100	110 32	00000
4	0LAA	0301	HNUR1211A02	1 1	8.00 15.00		29	1,100	110 32	00000
4	0LAA	0301	HNUR1411A01	1 1	8.00 15.00	1	24	1,100	110 32	00000
	0LAA	0301	HNUR1270A01	1 1 1	12.00 13.20		32	1,100	110 32	00000
	0LAA	0301	HNUR1320A01	1 1 1	13.30 15.00		31	1,100	110 32	00000
	0LAA	0406	CADD1210A01	1 1	7.50 8.50		7	1,168	220 31	00000
	0LAA	0406	DRFT1110A01	1 1 1	8.00 9.00		10	1,168	220 31	00000
	0LAA	0406	CADD1210A02	1 1	8.00 9.00		2	1,168	220 31	00000
	0LAA	0406	DRFT2320A01	1 1 1	8.00 9.35		1	1,168	220 31	00000
	0LAA	0406	DRFT2340A01	1 1 1	8.00 9.35	1	2	1,168	220 31	00000
	0LAA	0406	DRFT2350A01	1 1	8.00 10.20		1	1,168	220 31	00000
	0LAA	0406	DRFT1120A01	1 1 1	9.01 11.15		10	1,168	220 31	00000
	0LAA	0406	CADD1215A01	1 1	9.05 11.00		2	1,168	220 31	00000
	0LAA	0406	DRFT2330A01	1 1 1	9.40 11.15		1	1,168	220 31	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/05/2013 11:51:00
 PAGE NUM 2

L.T.C.-SULLIVAN
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	0LAA	0406	DRFT1230A01	1 1	10.00 11.00		4		220 31	00000
	0LAA	0406	DRFT2400A01	1 1 1	11.30 12.30		2		220 31	00000
	0LAA	0406	DRFT2310A01	1 1	11.30 13.50		1		220 31	00000
	0LAA	0406	DRFT2360A02	1 1	11.30 13.50	1	1		220 31	00000
	0LAA	0406	CADD1220A01	1 1	11.30 14.20	1	1		220 31	00000
	0LAA	0406	DRFT1130A01	1 1 1	11.45 12.45		10		220 31	00000
	0LAA	0406	DRFT2350A02	1 1 1	12.35 14.10	1	2		220 31	00000
	0LAA	0406	DRFT1145A01	1 1 1	12.50 14.25	1	10		220 31	00000
	0LAA	0501	INTE1110A01	1 1	8.00 10.50		20		210 29	00000
	0LAA	0501	INTE2902A01	1 1 1	12.15 15.00		1		210 29	00000
	0LAA	0501	INTE2110A01	1 1	12.30 14.50		12		210 29	00000
	0LAA	0501	INTE2120A01	1 1	12.30 14.50	1	10		210 29	00000
	0LAA	0501	INTE2010A01	1 1 1	13.36 15.00		9		210 29	00000
	0LAA	0504	INTE1000A01	1 1 1	8.00 9.00		10		210 21	00000
	0LAA	0504	INTE1100A01	1 1 1	9.01 10.00		6		210 21	00000
	0LAA	0504	INTE1800A01	1 1 1	12.15 13.35		13		210 21	00000
	0LAA	0504	CPTR1000A02	1	15.30 18.20		10		210 21	00000
	0LAA	0504	CPTR1000A03	1	15.35 18.30		19		210 21	00000
	0LAA	0504	INTE2840A01	1	15.50 20.15		6		210 21	00000
4	0LAA	0505	HNUR2991A01	11111	8.00 15.00		18		110 34	00000
4	0LAA	0505	HNUR2813A01	1 11	8.00 15.00	1	18	1,033	110 34	00000
	0LAA	0601	CRMJ11110A01	1 1 1	9.00 9.50		18		110 18	00000
	0LAA	0601	CRMJ1322A01	1 1	9.00 10.15		7		110 18	00000
	0LAA	0601	CRMJ1120A01	1 1 1	10.00 10.50		16		110 18	00000
	0LAA	0601	CRMJ2700A01	1 1	10.30 11.45		8		110 18	00000
	0LAA	0601	CRMJ1230A01	1 1 1	11.00 11.50		17		110 18	00000
	0LAA	0601	CRMJ2996A01	1 1	12.45 14.10		1		110 18	00000
	0LAA	0602	DVEN0090A01	1 1 1	8.00 9.00		6		210 19	00000
	0LAA	0602	DVEN0091A01	1 1 1	8.00 9.00	1	7		210 19	00000
	0LAA	0602	DVRE0091A01	1 1 1	8.00 9.00	1	4		210 19	00000
	0LAA	0602	DVRE0092A01	1 1 1	8.00 9.00	1	2		210 19	00000
	0LAA	0602	DVEN0091A05	1 1	8.00 9.25		5		210 19	00000
	0LAA	0602	DVRE0090A05	1 1	8.00 9.25	1	1		210 19	00000
	0LAA	0602	DVRE0091A05	1 1	8.00 9.25	1	10		210 19	00000
	0LAA	0602	DVRE0092A05	1 1	8.00 9.25	1	3		210 19	00000
	0LAA	0602	DVEN0090A05	1 1	8.00 9.30	1	8		210 19	00000
	0LAA	0602	AHRE1000A05	1 1	8.00 9.55	1	1		210 19	00000
	0LAA	0602	DVEN0090A02	1 1 1	9.30 10.30		2		210 19	00000
	0LAA	0602	DVEN0091A02	1 1 1	9.30 10.30	1	6		210 19	00000
	0LAA	0602	DVRE0090A02	1 1 1	9.30 10.30	1	4		210 19	00000
	0LAA	0602	DVRE0092A02	1 1 1	9.30 10.30	1	2		210 19	00000
	0LAA	0602	DVRE0091A02	1 1 1	9.30 10.50	1	6		210 19	00000
	0LAA	0602	AHRE1000A02	1 1 1	10.00 11.20	1	1		210 19	00000
	0LAA	0602	DVEN0090A03	1 1 1	12.00 13.00		5		210 19	00000
	0LAA	0602	DVEN0091A03	1 1 1	12.00 13.00	1	5		210 19	00000
	0LAA	0602	DVRE0090A03	1 1 1	12.00 13.00	1	4		210 19	00000
	0LAA	0602	DVRE0091A03	1 1 1	12.00 13.00	1	3		210 19	00000
	0LAA	0602	DVRE0092A03	1 1 1	12.00 13.00	1	1		210 19	00000
	0LAA	0602	AHEN1000A03	1 1 1	12.00 13.20	1	1		210 19	00000
	0LAA	0602	DVEN0091A06	1 1	12.00 13.25		3		210 19	00000
	0LAA	0602	DVRE0091A06	1 1	12.00 13.25	1	7		210 19	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/05/2013 11:51:00
 PAGE NUM 3

L.T.C.-SULLIVAN
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.	
	0LAA	0602	DVRE0092A06	1 1	12.00 13.25	1	1	858	210	19	00000
	0LAA	0602	AHEN1000A06	1 1	12.00 13.55	1	1	858	210	19	00000
	0LAA	0602	AHRE1000A06	1 1	12.00 13.55	1	1	858	210	19	00000
	0LAA	0602	DVEN0090A06	1 1	12.00 14.00	1	5	858	210	19	00000
	0LAA	0602	DVEN0090A04	1 1 1	13.30 14.30		5	858	210	19	00000
	0LAA	0602	DVEN0091A04	1 1 1	13.30 14.30	1	5	858	210	19	00000
	0LAA	0602	DVRE0090A04	1 1 1	13.30 14.30	1	4	858	210	19	00000
	0LAA	0602	DVRE0091A04	1 1 1	13.30 14.30	1	6	858	210	19	00000
	0LAA	0602	DVRE0092A04	1 1 1	13.30 14.30	1	3	858	210	19	00000
	0LAA	0602	DVEN0091A07	1	15.30 18.20		5	858	210	19	00000
	0LAA	0602	DVRE0090A07	1	15.30 18.20	1	2	858	210	19	00000
	0LAA	0602	DVRE0091A07	1	15.30 18.20	1	7	858	210	19	00000
	0LAA	0602	DVRE0092A07	1	15.30 18.20	1	2	858	210	19	00000
	0LAA	0602	DVEN0090A08	1	15.30 18.20		4	858	210	19	00000
	0LAA	0602	DVEN0091A08	1	15.30 18.30	1	3	858	210	19	00000
	0LAA	0602	DVEN0090A07	1	15.30 19.30		5	858	210	19	00000
	0LAA	0604	AHMA1000A04	1 1 1	8.00 9.20		1	682	210	21	00000
	0LAA	0604	DVMA0091A05	1 1	8.00 9.25		11	682	210	21	00000
	0LAA	0604	DVMA0092A03	1 1 1	9.00 10.00		5	682	210	21	00000
	0LAA	0604	DVMA0091A04	1 1 1	10.00 10.58		8	682	210	21	00000
	0LAA	0604	DVMA0092A02	1 1	10.00 11.25		10	682	210	21	00000
	0LAA	0604	AHSC1000A03	1 1 1	12.00 13.20		9	682	210	21	00000
	0LAA	0604	AHMA1000A05	1 1	12.00 13.55		2	682	210	21	00000
	0LAA	0604	MATH1110A90	1 1 1	13.30 14.30		1	682	210	21	00000
	0LAA	0604	BUSN1010A90	1 1 1	15.30 16.30		4	682	210	21	00000
	0LAA	0604	AHSC1000A02	1	15.30 19.15		8	682	210	21	00000
	0LAA	0604	DVMA0091A03	1	16.00 18.50	1	4	682	210	21	00000
	0LAA	0604	DVMA0090A05	1	17.00 19.50	1	19	682	210	21	00000
	0LAA	0608	DVEN0092A03	1 1 1	12.00 13.00		5	708	110	31	00000
	0LAA	0608	DVEN0092A06	1 1	12.00 13.25		5	708	110	31	00000
	0LAA	0608	ENGL1015A01	1	17.00 20.00		10	708	110	31	00000
	0LAA	0610	HNUR1460A01	11111	8.00 11.00		15	854	110	16	00000
8	0LAA	0610	HNUR2523A01	1 11	8.00 11.00	1	15	854	110	16	00000
	0LAC	2101	JIND1305A01	1	17.00 21.00		6	1,023	220	15	00000
	0LAC	2101	JIND2205A01	1	17.00 21.00	1	4	1,023	220	15	00000
	0LAC	2101	JIND2305A01	1	17.00 21.00	1	3	1,023	220	15	00000
	0LAC	2101	JIND1315A01	1	17.00 21.00		6	1,023	220	15	00000
	0LAC	2101	JIND2215A01	1	17.00 21.00	1	4	1,023	220	15	00000
	0LAC	2101	JIND2315A01	1	17.00 21.00	1	3	1,023	220	15	00000
	0LAC	2104	JIND1100A01	1	17.00 21.00		8	567	220	14	00000
	0LAC	2104	JIND1200A01	1	17.00 21.00	1	5	567	220	14	00000
	0LAC	2104	JIND1110A01	1	17.00 21.00		8	567	220	14	00000
	0LAC	2104	JIND1210A01	1	17.00 21.00	1	5	567	220	14	00000
	0LAD	1600	WELD1310A01	11111	13.00 13.35		7	2,780	220	15	00000
4	0LAD	1600	WELD1310A15	11111	16.00 22.00		4	2,780	220	15	00000
	0LAD	1801	WELD1110A01	11111	7.30 8.15		11	140	110	15	00000
	0LAD	1801	WELD1120A01	11111	8.25 9.25		10	140	110	15	00000
	0LAD	1801	WELD1130A01	11111	9.35 10.20		10	140	110	15	00000
	0LAD	1801	WELD1140A01	11111	10.30 11.05		7	140	110	15	00000
	0LAD	1801	WELD1210A01	11111	11.15 12.00		11	140	110	15	00000
4	0LAD	1801	WELD1110A15	11111	16.00 22.00		4	140	110	15	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013

RUN DATE 11/05/2013 11:51:00

PAGE NUM 4

L.T.C.-SULLIVAN

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	0LAD 1801	WELD1120A15	11111	16.00 22.00	1	4	140	110 15	00000
4	0LAD 1801	WELD1130A15	11111	16.00 22.00	1	4	140	110 15	00000
4	0LAD 1801	WELD1140A15	11111	16.00 22.00	1	4	140	110 15	00000
4	0LAD 1801	WELD1210A15	11111	16.00 22.00	1	4	140	110 15	00000
	0LAE 1800	WELD1512A01	11111	7.30 9.05		3	2,306	220 20	00000
	0LAE 1800	WELD2330A02	11111	7.30 9.05	1	1	2,306	220 20	00000
	0LAE 1800	WELD2111A01	11111	9.00 10.20	1	4	2,306	220 20	00000
	0LAE 1800	WELD2311A01	11111	9.15 10.35	1	2	2,306	220 20	00000
	0LAE 1800	WELD2220A01	11111	9.15 10.50	1	2	2,306	220 20	00000
4	0LAE 1800	WELD2991A01	11111	9.25 9.50	1	1	2,306	220 20	00000
	0LAE 1800	WELD2210A01	11111	10.30 11.50		5	2,306	220 20	00000
	0LAE 1800	WELD1420A01	11111	10.45 12.20	1	2	2,306	220 20	00000
	0LAE 1800	WELD2221A01	11111	11.00 12.35	1	2	2,306	220 20	00000
	0LAE 1800	WELD2230A01	11111	12.00 13.20	1	6	2,306	220 20	00000
	0LAE 1800	WELD2330A01	11111	13.00 14.35	1	1	2,306	220 20	00000
	0LAE 1800	WELD1510A01	11111	13.30 15.05	1	6	2,306	220 20	00000
	0LAE 1800	WELD1410A01	11111	13.45 14.30	1	8	2,306	220 20	00000
8	0LAE 1800	WELD2222A01	11111	13.45 15.20	1	1	2,306	220 20	00000
8	0LAE 1800	WELD1411A01	11111	14.40 15.25	1	6	2,306	220 20	00000
	0LAE 1800	ZWLD2991A01	1 1	16.00 17.00		10	2,306	220 20	00000
	0LAE 1800	WELD1411A15	11111	16.00 17.25	1	4	2,306	220 20	00000
4	0LAE 1800	WELD1410A15	11111	16.00 22.00	1	4	2,306	220 20	00000
	0LAE 1800	WELD2993A01	1 1	17.10 19.05	1	1	2,306	220 20	00000
	0LAE 1800	ZWLD2993A01	1 1	17.10 19.05	1	10	2,306	220 20	00000
	0LAM 0901A	HACR2920A01	11111	8.00 10.20		3	330	110 10	00000
	0LAM 0901A	HACR2930A01	11111	10.50 12.55		3	330	110 10	00000
	0LAM 0901A	HACR2550A01	1 1 1	12.45 14.20	1	3	330	110 10	00000
	0LAM 0901A	HACR2560A01	1 1	13.15 15.10		3	330	110 10	00000
	0LAM 0906	HACR1150A01	1 1 1	8.00 9.35		6	530	110 15	00000
	0LAM 0906	HACR1170A01	1 1	8.00 10.20		5	530	110 15	00000
	0LAM 0906	HACR1160A01	1 1 1	9.40 11.15		6	530	110 15	00000
	0LAM 0906	HACR1180A01	1 1	10.50 13.10		5	530	110 15	00000
	0LAM 0906	HACR2540A01	1 1 1	11.00 12.35		3	530	110 15	00000
4	0LAM 0906	ELEC1120A15	11111	16.00 22.00		3	530	110 15	00000
4	0LAM 0906	ELEC1210A15	11111	16.00 22.00	1	3	530	110 15	00000
4	0LAM 0906	ELEC1430A15	11111	16.00 22.00	1	3	530	110 15	00000
4	0LAM 0906	CSSK1000A16	111	16.00 22.00	1	5	530	110 15	00000
	0LAM 1006	MTTC2431A01	11111	7.30 9.05		3	530	110 15	00000
4	0LAM 1006	MTTC2991A01	11111	8.00 8.25	1	1	530	110 15	00000
	0LAM 1006	MTTC2110A01	11111	8.00 8.45	1	6	530	110 15	00000
	0LAM 1006	MTTC2220A01	11111	8.00 8.45	1	6	530	110 15	00000
	0LAM 1006	MTTC2410A01	11111	8.00 9.20	1	3	530	110 15	00000
	0LAM 1006	MTTC2210A02	11111	8.50 9.35	1	3	530	110 15	00000
8	0LAM 1006	MTTC2710A01	11111	9.10 10.55	1	4	530	110 15	00000
8	0LAM 1006	MTTC2331A01	11111	9.25 11.00	1	6	530	110 15	00000
	0LAM 1006	MTTC2220A02	11111	11.05 11.50		2	530	110 15	00000
	0LAM 1006	MTTC2120A01	11111	11.30 13.15	1	7	530	110 15	00000
	0LAM 1006	MTTC2210A01	11111	12.00 12.45	1	2	530	110 15	00000
	0LAM 1006	MTTC2431A02	11111	12.00 13.35	1	4	530	110 15	00000
	0LAM 1006	MTTC2510A01	11111	12.50 13.35	1	6	530	110 15	00000
8	0LAM 1006	MTTC2230A01	11111	13.20 15.05	1	3	530	110 15	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 11/05/2013 11:51:00
 PAGE NUM 5

L.T.C.-SULLIVAN
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
8	0LAM 1006	MTTC2210A04	11111	13.50 14.35	1	4	530	110	15	00000
	0LAM 1006	JOBS2450A02	1	15.30 17.30		7	530	110	15	00000
	0LAM 1107	BLDG1150A01	1 1	7.30 10.55		7	529	110	15	00000
4	0LAM 1107	BLDG1320A01	1 1	7.30 14.35		5	529	110	15	00000
4	0LAM 1107	BLDG1420A01	11	7.30 14.35	1	1	529	110	15	00000
4	0LAM 1107	BLDG1210A01	1 1	7.30 14.50		4	529	110	15	00000
	0LAM 1107	BLDG1110A01	1	8.00 9.00		7	529	110	15	00000
	0LAM 1107	HACR2995A01	1 1	8.00 11.00		1	529	110	15	00000
	0LAM 1107	BLDG1130A01	1	9.01 10.55		7	529	110	15	00000
	0LAM 1107	BLDG1140A01	1 1	12.00 13.55		7	529	110	15	00000
	0LAM 1107	HACR2996A03	1 1	12.00 14.30	1	1	529	110	15	00000
	0LAM 1107	BLDG1120A01	1	12.00 14.50		7	529	110	15	00000
	0LAM 1107	JOBS2450A03	1 1 1	14.30 15.30	1	2	529	110	15	00000
	0LAM 1107	BLDG1210A15	11111	16.00 17.50		5	529	110	15	00000
4	0LAM 1107	BLDG1120A15	11111	16.00 22.00	1	5	529	110	15	00000
4	0LAM 1107	BLDG1130A15	11111	16.00 22.00	1	5	529	110	15	00000
4	0LAM 1107	BLDG1140A15	11111	16.00 22.00	1	5	529	110	15	00000
4	8 0LAM 1107	BLDG1150A15	11111	16.00 22.00	1	5	529	110	15	00000
4	8 0LAM 1107	CSSK1000A15	111	16.00 22.00	1	5	529	110	15	00000
4	0LAM 1107	BLDG1110A15	11	16.00 22.00		5	529	110	15	00000
	0LAM 1206	DPET1330A01	11111	7.00 7.35		2	529	110	16	00000
	0LAM 1206	DPET2220A01	11111	7.00 8.00	1	2	529	110	16	00000
	0LAM 1206	DPET1141A01	11111	7.00 8.20	1	11	529	110	16	00000
	0LAM 1206	DPET1231A01	11111	7.00 8.20	1	2	529	110	16	00000
	0LAM 1206	DPET1320A02	11111	7.00 8.20	1	4	529	110	16	00000
8	0LAM 1206	DPET1210A01	11111	7.00 8.45	1	4	529	110	16	00000
8	0LAM 1206	DPET1220A02	11111	8.00 9.45	1	1	529	110	16	00000
8	0LAM 1206	DPET1220A01	11111	9.00 10.45	1	10	529	110	16	00000
8	0LAM 1206	DPET1150A01	11111	9.45 10.55	1	1	529	110	16	00000
8	0LAM 1206	DPET2110A02	11111	10.00 10.35	1	1	529	110	16	00000
	0LAM 1206	DPET2110A01	11111	12.00 12.35		2	529	110	16	00000
	0LAM 1206	DPET1150A02	11111	12.00 13.10	1	1	529	110	16	00000
	0LAM 1206	DPET1210A02	11111	12.00 13.45	1	6	529	110	16	00000
	0LAM 1206	DPET1141A02	11111	13.05 14.25	1	1	529	110	16	00000
	0LAM 1206	DPET1320A01	11111	13.45 15.05	1	4	529	110	16	00000
	0LAM 1206	DPET1330A02	11111	13.50 14.20	1	4	529	110	16	00000
	0LAM 1206	DPET2240A01	11111	14.00 15.00	1	3	529	110	16	00000
	0LAM 1206	MMAT1000A01	1 1	16.30 18.50		1	529	110	16	00000
	0LAM 1206	MMAT1200A01	1 1	17.40 20.30		9	529	110	16	00000
	0LAM 1301	DPET2240A02	1 1 1	8.30 9.30		2	2,828	220	15	00000
	0LAM 1301	MMAT1220A01	1 1	16.00 17.25		9	2,828	220	15	00000
	0LAM 1305	DPET1130A01	1 1 1	8.25 11.00		11	529	110	10	00000
8	0LAM 1305	DPET2140A01	1 1	10.00 12.20		16	529	110	10	00000
8	0LAM 1305	DPET2210A02	11111	11.00 12.00	1	4	529	110	10	00000
8	0LAM 1305	DPET1140A01	1 1 1	11.35 13.50	1	16	529	110	10	00000
8	0LAM 1305	DPET2140A02	11111	12.01 13.00	1	7	529	110	10	00000
8	0LAM 1305	DPET2210A01	1 1	13.01 15.20		17	529	110	10	00000
	0LAX 0100	JIND1110E50	1	18.15 21.15		17	958	110	25	00000
	0LAX 0102	JIND1100E50	1	18.15 21.15		18	273	220	25	00000
	0LAX 0102	JIND1100E51	1	18.15 21.15		8	273	220	25	00000
	0LAX 0108	JIND1220E50	1	18.15 21.15		23	784	210	15	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013

RUN DATE 11/05/2013 11:51:00

PAGE NUM 6

L.T.C.-SULLIVAN

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0LAX	0108	JIND1220E51	1	18.15 21.15		3	784	210 15 00000
	0LAX	0109	JIND1120E50	1	18.15 21.15		15	784	110 15 00000
	0LAY	0109	CSSK1000A09	11111	13.00 15.00		14	625	110 19 00000
	0LAY	0110	BLDG1110A02	11111	9.00 10.00		14	471	110 14 00000
	0LAY	0110	BLDG1140A02	11111	10.01 11.00		14	471	110 14 00000
	0LAY	0110	BLDG1120A02	11111	11.01 12.00		14	471	110 14 00000
	0LAZ	0008	WELD1110A51	11111	7.00 7.45		6	379	110 9 00000
4	0LAZ	0008	WELD1110A59	1	7.30 13.30		9	379	110 9 00000
4 8	0LAZ	0008	WELD1120A59	1	7.30 13.30	1	9	379	110 9 00000
4 8	0LAZ	0008	WELD1130A59	1	7.30 13.30	1	9	379	110 9 00000
4 8	0LAZ	0008	WELD1140A59	1	7.30 13.30	1	9	379	110 9 00000
	0LAZ	0008	WELD1120A51	11111	7.50 8.50		3	379	110 9 00000
	0LAZ	0008	WELD1140A51	11111	9.00 9.35		1	379	110 9 00000
	0LAZ	0008	WELD1130A51	1 1	9.00 10.55	1	3	379	110 9 00000
4	0LAZ	0008	WELD1110A59	11111	16.00 22.00		9	379	110 9 00000
4 8	0LAZ	0008	WELD1120A59	11111	16.00 22.00	1	9	379	110 9 00000
4 8	0LAZ	0008	WELD1130A59	11111	16.00 22.00	1	9	379	110 9 00000
4 8	0LAZ	0008	WELD1140A59	11111	16.00 22.00	1	9	379	110 9 00000
	0LAZ	0008	WELD1110A52	1	17.00 18.00	1	2	379	110 9 00000
	0LAZ	0008	WELD1120A52	1 1	17.00 19.20		3	379	110 9 00000
	0LAZ	0008	WELD1140A52	1	18.05 21.05		2	379	110 9 00000
	0LAZ	0014	AUT01602A52	11 1	17.00 21.00		2	1,507	220 6 00000
	0LAZ	0015	AUT01602A52	11 1	17.00 21.00		2	611	220 6 00000
	0LAZ	0018	HACR1410A52	1 1	16.00 17.25		3	1,517	220 15 00000
	0LAZ	0018	HACR1210A52	1 1	16.00 18.20	1	2	1,517	220 15 00000
4	0LAZ	0018	HACR1170A52	1	16.00 21.30		1	1,517	220 15 00000
4	0LAZ	0018	HACR2510A52	1	16.00 21.30	1	3	1,517	220 15 00000
	0LAZ	0018	HACR1420A52	1 1	17.30 18.55		3	1,517	220 15 00000
	0LAZ	0018	HACR1220A52	1 1	18.30 20.50	1	2	1,517	220 15 00000
	0LAZ	0027	CPTR1000A52	1	17.00 19.50		8	336	210 10 00000
4	0LAZ	0031	WELD1210A59	1	7.30 13.30		9	320	220 6 00000
4 8	0LAZ	0031	WELD1310A59	1	7.30 13.30	1	9	320	220 6 00000
	0LAZ	0031	WELD1410A51	1 1 1	10.00 11.20		1	320	220 6 00000
	0LAZ	0031	WELD2210A51	1 1	13.00 16.20		2	320	220 6 00000
4 8	0LAZ	0031	WELD1210A59	11111	16.00 22.00	1	9	320	220 6 00000
4 8	0LAZ	0031	WELD1310A59	11111	16.00 22.00	1	9	320	220 6 00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -	
	THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,	
	THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	44
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -	
	CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - -	30
	PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -	
	THERE SHOULD BE NO DUPLICATES.	

----- T O T A L S -----

TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	74
TOTAL NUMBER OF RECORDS READ	- - - - -	291
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	291
NUMBER OF JOINT-CLASS RECORDS	- - - - -	127
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/05/2013 11:51:00

PAGE NUM 1

L.T.C. -SULLIVAN

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			23
TOTAL NUMBER OF STATIONS (CAPACITY)			477
WEEKLY STUDENT CONTACT HOURS	9,731	314	10,045
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,070	1,150	3,220
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,025	60	2,085
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	42,930	23,850	66,780
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	36,264	1,080	37,344
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	19,462	628	20,090
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	97.8	5.2	64.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	45.3	2.6	30.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	53.7	58.1	53.8
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			22
TOTAL NUMBER OF STATIONS (CAPACITY)			459
WEEKLY STUDENT CONTACT HOURS	9,731	314	10,045
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,980	1,100	3,080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,025	60	2,085
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	41,310	22,950	64,260
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	36,264	1,080	37,344
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	19,462	628	20,090
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	102.3	5.5	67.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	47.1	2.7	31.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	53.7	58.1	53.8

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/05/2013 11:51:00

PAGE NUM 2

L.T.C. -SULLIVAN

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			28
TOTAL NUMBER OF STATIONS (CAPACITY)			484
WEEKLY STUDENT CONTACT HOURS	3,006	595	3,601
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,520	1,400	3,920
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	837	170	1,007
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43,560	24,200	67,760
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	16,460	2,260	18,720
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,013	1,190	7,203
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	33.2	12.1	25.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	13.8	4.9	10.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	36.5	52.7	38.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			8
TOTAL NUMBER OF STATIONS (CAPACITY)			163
WEEKLY STUDENT CONTACT HOURS	1,377	198	1,575
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	720	400	1,120
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	337	30	367
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	14,670	8,150	22,820
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,489	504	7,993
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,754	396	3,150
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	46.8	7.5	32.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	18.8	4.9	13.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	36.8	78.6	39.4

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/05/2013 11:51:00

PAGE NUM 3

L.T.C. -SULLIVAN

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABBORATORY			
TOTAL NUMBER OF ROOMS			20
TOTAL NUMBER OF STATIONS (CAPACITY)			321
WEEKLY STUDENT CONTACT HOURS	1,629	397	2,026
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,800	1,000	2,800
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	500	140	640
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	28,890	16,050	44,940
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,971	1,756	10,727
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,259	794	4,053
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	27.8	14.0	22.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	11.3	4.9	9.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	36.3	45.2	37.8

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY