

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/17/2015 15:55:41
 PAGE NUM 1

L.T.C.-SULLIVAN
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.		
	0LAA	0101	ACCT2100A01	1 1 1	9.00 9.55		4		110	25	00000	
	0LAA	0101	BOTH1230A01	111 1	10.00 10.50		6		110	25	00000	
	0LAA	0101	BUSN1100A01	111 1	11.00 11.55		11		110	25	00000	
	0LAA	0104	BOTH1210A01	111 1	12.40 13.55		7		110	32	00000	
	0LAA	0104	BUSO1100A01	111 1	14.00 15.15		9		110	32	00000	
	0LAA	0106	KYBD1111A01	1 1 1	9.20 10.27		1		210	25	00000	
	0LAA	0106	KYBD1010A01	1 1 1	9.30 10.20	1	5		210	25	00000	
	0LAA	0106	CSRV1000A01	1 1 1	9.45 11.00	1	8		210	25	00000	
	0LAA	0107	CPTR1002A01	1 1 1	8.00 8.55		4		210	23	00000	
	0LAA	0107	BUSO1320A01	111 1	11.10 12.25		7		210	23	00000	
	0LAA	0107	BUSO1420A01	111 1	11.10 12.25	1	6		210	23	00000	
	0LAA	0107	BUSO1310A01	111 1	13.00 14.15		8		210	23	00000	
	0LAA	0107	BUSO1410A01	111 1	13.00 14.15	1	4		210	23	00000	
	0LAA	0108	HCOR1601A01	1 1 1	8.00 10.30		17		110	35	00000	
	0LAA	0108	HEKG1113A01	1 1 1	8.00 11.30	1	19		110	35	00000	
4	0LAA	0108	HNUR1211A01	1 1 1	8.00 14.30	1	13		110	35	00000	
	8	0LAA	0108	HCOR1801A01	1 1 1	12.00 14.30	1	17		110	35	00000
	0LAA	0202	CDYC11110A01	111 1	9.00 10.15		13		110	40	00000	
	0LAA	0202	CDYC1130A01	111 1	10.30 11.45		22		110	40	00000	
	0LAA	0208	CSSK1000A02	1 1 1	11.00 11.50		11		110	18	00000	
	0LAA	0208	CSSK1000A03	1 1 1	14.00 14.50		3		110	18	00000	
	0LAA	0301	HNUR1300A01	1 1 1	8.00 11.00		31	1,100	110	32	00000	
4	8	0LAA	0301	HNUR1211A02	1 1 1	8.00 15.00	1	29	1,100	110	32	00000
4	8	0LAA	0301	HNUR1411A01	1 1 1	8.00 15.00	1	26	1,100	110	32	00000
	8	0LAA	0301	HNUR1270A01	1 1 1	12.00 13.20	1	32	1,100	110	32	00000
	0LAA	0301	HNUR1320A01	1 1 1	13.30 14.50		29	1,100	110	32	00000	
	0LAA	0501	INTE2110A01	1 1 1	9.00 11.15		5	951	210	29	00000	
	0LAA	0501	INTE2120A01	1 1 1	9.00 11.15	1	8	951	210	29	00000	
	0LAA	0501	INTE2902A01	1 1 1	11.25 12.50		9	951	210	29	00000	
	0LAA	0501	INTE2010A01	1 1 1	14.00 15.24		15	951	210	29	00000	
	0LAA	0504	INTE1000A01	1 1 1	9.00 9.50		7	773	210	21	00000	
	0LAA	0504	INTE1200A01	1 1 1	9.00 11.15	1	3	773	210	21	00000	
	0LAA	0504	INTE1100A01	1 1 1	10.00 10.50	1	5	773	210	21	00000	
	0LAA	0504	INTE1110A01	1 1 1	12.00 14.30		5	773	210	21	00000	
	0LAA	0504	INTE2830A01	1 1 1	13.25 15.29	1	12	773	210	21	00000	
	0LAA	0504	INTE2020A01	1 1 1	15.30 19.45		6	773	210	21	00000	
	0LAA	0504	CPTR1000A02	111 1	15.31 18.31	1	6	773	210	21	00000	
4	0LAA	0601	HNUR2991A01	1 1 1	8.00 15.00		23	870	110	25	00000	
	0LAA	0601	ENGL1015A01	1 1 1	18.00 21.00		23	870	110	25	00000	
	0LAA	0602	DVEN0091A01	1 1 1	8.00 9.25		3	858	210	19	00000	
	0LAA	0602	DVMA0098A07	1 1 1	8.00 9.30	1	8	858	210	19	00000	
	0LAA	0602	DVEN0091A02	1 1 1	10.00 11.25		6	858	210	19	00000	
	0LAA	0602	DVMA0098A06	1 1 1	13.00 14.25		15	858	210	19	00000	
	0LAA	0602	DVEN0092A01	1 1 1	15.00 16.15		9	858	210	19	00000	
	0LAA	0604	DVMA0098A01	1 1 1	10.00 11.30		4	682	210	21	00000	
	0LAA	0604	DVMA0099A01	1 1 1	13.00 14.30		7	682	210	21	00000	
	0LAA	0604	MATH1160A01	1 1 1	16.20 19.00		15	682	210	21	00000	
	0LAA	0604	DVMA0098A02	1 1 1	16.30 17.55	1	16	682	210	21	00000	
	0LAA	0608	DVMA0099A02	1 1 1	16.00 17.25		10	708	220	31	00000	
	0LAA	0608	MATH1015A01	1 1 1	17.30 18.55		18	708	220	31	00000	
4	0LAA	0610	HNUR2611A01	1 1 1	8.00 15.00		16	854	110	16	00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/17/2015 15:55:41
 PAGE NUM 2

L.T.C.-SULLIVAN
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
8	0LAA 0610	HNUR1361A01	1 1 1	12.00 15.00	1	16	854	110	16	00000
8	0LAA 0610	HNUR2813A01	1 1 1	12.00 15.00	1	16	854	110	16	00000
	0LAA 0610	HIST2020A01	1 1 1	17.30 20.30		13	854	110	16	00000
8	0LAA 0610	PSYC2015A01	1 1 1	18.00 21.00	1	16	854	110	16	00000
	0LAC 2101	JIND1305A01	1 1 1	17.00 21.00		3	1,023	220	15	00000
	0LAC 2101	JIND1315A01	1 1 1	17.00 21.00	1	3	1,023	220	15	00000
	0LAC 2101	JIND2205A01	1 1 1	17.00 21.00	1	5	1,023	220	15	00000
	0LAC 2101	JIND2215A01	1 1 1	17.00 21.00	1	5	1,023	220	15	00000
	0LAC 2101	JIND2305A01	1 1 1	17.00 21.00	1	5	1,023	220	15	00000
8	0LAC 2101	JIND2315A01	1 1 1	17.00 21.00	1	5	1,023	220	15	00000
8	0LAC 2103	IMTC1000A01	1 1 1	8.00 10.50		3	538	355		00000
8	0LAC 2103	ELEC1210A01	1 1 1	12.00 13.50		9	538	355		00000
	0LAC 2104	ELEC1120A01	1 1 1	8.00 9.50		14	567	220	14	00000
	0LAC 2104	IMTC1020A01	1 1 1	8.00 10.50	1	3	567	220	14	00000
	0LAC 2104	ELEC1230A01	1 1 1	12.00 14.50		12	567	220	14	00000
	0LAC 2104	JIND1100A01	1 1 1	17.00 21.00		10	567	220	14	00000
	0LAC 2104	JIND1110A01	1 1 1	17.00 21.00	1	10	567	220	14	00000
8	0LAC 2104	JIND1200A01	1 1 1	17.00 21.00	1	7	567	220	14	00000
8	0LAC 2104	JIND1210A01	1 1 1	17.00 21.00	1	7	567	220	14	00000
4	0LAD 1600	WELD1210A03	1 1 1	16.00 22.00		1	2,780	220	15	00000
4	0LAE 1800	WELD1110A01	1 1 1	8.00 15.00		9	2,306	220	20	00000
4	0LAE 1800	WELD1110A03	1 1 1	8.00 15.00	1	1	2,306	220	20	00000
4	0LAE 1800	WELD1120A01	1 1 1	8.00 15.00	1	6	2,306	220	20	00000
4	0LAE 1800	WELD1130A01	1 1 1	8.00 15.00	1	14	2,306	220	20	00000
4	8 0LAE 1800	WELD1140A01	1 1 1	8.00 15.00	1	10	2,306	220	20	00000
4	8 0LAE 1800	WELD1210A01	1 1 1	8.00 15.00	1	10	2,306	220	20	00000
4	8 0LAE 1800	WELD1310A01	1 1 1	8.00 15.00	1	11	2,306	220	20	00000
4	8 0LAE 1800	WELD1410A01	1 1 1	8.00 15.00	1	1	2,306	220	20	00000
4	8 0LAE 1800	WELD1411A01	1 1 1	8.00 15.00	1	8	2,306	220	20	00000
4	8 0LAE 1800	WELD1412A01	1 1 1	8.00 15.00	1	8	2,306	220	20	00000
4	8 0LAE 1800	WELD1420A01	1 1 1	8.00 15.00	1	2	2,306	220	20	00000
4	8 0LAE 1800	WELD1510A01	1 1 1	8.00 15.00	1	1	2,306	220	20	00000
4	8 0LAE 1800	WELD2110A01	1 1 1	8.00 15.00	1	19	2,306	220	20	00000
4	8 0LAE 1800	WELD2111A01	1 1 1	8.00 15.00	1	10	2,306	220	20	00000
4	8 0LAE 1800	WELD2112A01	1 1 1	8.00 15.00	1	8	2,306	220	20	00000
4	8 0LAE 1800	WELD2113A01	1 1 1	8.00 15.00	1	2	2,306	220	20	00000
4	8 0LAE 1800	WELD2114A01	1 1 1	8.00 15.00	1	3	2,306	220	20	00000
4	8 0LAE 1800	WELD2210A01	1 1 1	8.00 15.00	1	3	2,306	220	20	00000
4	8 0LAE 1800	WELD2220A01	1 1 1	8.00 15.00	1	2	2,306	220	20	00000
4	8 0LAE 1800	WELD2221A01	1 1 1	8.00 15.00	1	2	2,306	220	20	00000
4	8 0LAE 1800	WELD2222A01	1 1 1	8.00 15.00	1	2	2,306	220	20	00000
4	8 0LAE 1800	WELD2230A01	1 1 1	8.00 15.00	1	2	2,306	220	20	00000
4	8 0LAE 1800	WELD2310A01	1 1 1	8.00 15.00	1	8	2,306	220	20	00000
4	8 0LAE 1800	WELD2311A01	1 1 1	8.00 15.00	1	3	2,306	220	20	00000
4	8 0LAE 1800	WELD2311A02	1 1 1	8.00 15.00	1	1	2,306	220	20	00000
	0LAE 1800	WELD2991A02	1 1 1	15.00 15.51		1	2,306	220	20	00000
	0LAE 1800	WELD2991A01	1 1 1	15.01 15.51	1	5	2,306	220	20	00000
4	0LAE 1800	WELD1110A02	1 1 1	16.00 22.00		4	2,306	220	20	00000
4	0LAE 1800	WELD1130A02	1 1 1	16.00 22.00	1	9	2,306	220	20	00000
4	0LAE 1800	WELD1140A02	1 1 1	16.00 22.00	1	4	2,306	220	20	00000
4	0LAE 1800	WELD1210A02	1 1 1	16.00 22.00	1	8	2,306	220	20	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 11/17/2015 15:55:41
 PAGE NUM 3

L.T.C.-SULLIVAN
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
4 8	0LAE 1800	WELD1310A02	1 1 1	16.00 22.00	1	6	2,306	220 20	00000	
4 8	0LAE 1800	WELD1410A02	1 1 1	16.00 22.00	1	4	2,306	220 20	00000	
4 8	0LAE 1800	WELD1510A02	1 1 1	16.00 22.00	1	9	2,306	220 20	00000	
4 8	0LAE 1800	WELD1511A02	1 1 1	16.00 22.00	1	8	2,306	220 20	00000	
4 8	0LAE 1800	WELD1512A02	1 1 1	16.00 22.00	1	8	2,306	220 20	00000	
	0LAM 0901	HACR1410A01	1 1 1	8.00 9.30		2	1,797	220 15	00000	
	0LAM 0901	HACR2550A01	1 1 1	8.00 11.00	1	3	1,797	220 15	00000	
4	0LAM 0901	HACR2920A01	1 1 1	8.00 14.30	1	2	1,797	220 15	00000	
4	0LAM 0901	HACR2930A01	1 1 1	8.00 14.30	1	2	1,797	220 15	00000	
	0LAM 0901	HACR2540A01	1 1 1	9.45 14.30	1	3	1,797	220 15	00000	
	0LAM 0901	HACR2560A01	1 1 1	11.30 14.30	1	3	1,797	220 15	00000	
	0LAM 0901	HACR2996A01	1 1 1	15.00 18.00		3	1,797	220 15	00000	
	0LAM 0906	HACR1150A01	1 1 1	8.00 11.00		5	530	110 15	00000	
	0LAM 0906	HACR1170A01	1 1 1	8.00 11.00	1	5	530	110 15	00000	
	0LAM 0906	HACR1160A01	1 1 1	11.30 14.30		5	530	110 15	00000	
	0LAM 0906	HACR1180A01	1 1 1	11.30 14.30	1	5	530	110 15	00000	
4	0LAM 1006	MTTC2991A01	1 1 1	8.00 8.25		3	530	110 15	00000	
	0LAM 1006	MTTC2220A01	1 1 1	8.00 8.40	1	7	530	110 15	00000	
	0LAM 1006	MTTC2120A01	1 1 1	8.00 9.30	1	2	530	110 15	00000	
	0LAM 1006	MTTC2710A01	1 1 1	8.30 10.55	1	4	530	110 15	00000	
	0LAM 1006	MTTC2510A01	1 1 1	9.00 9.40	1	5	530	110 15	00000	
	0LAM 1006	MTTC2110A02	1 1 1	9.35 10.05	1	2	530	110 15	00000	
	0LAM 1006	MTTC2230A01	1 1 1	10.10 11.40		3	530	110 15	00000	
	0LAM 1006	MTTC2410A01	1 1 1	11.45 12.55		6	530	110 15	00000	
	0LAM 1006	MTTC2431A01	1 1 1	13.00 14.20		7	530	110 15	00000	
	0LAM 1006	MTTC2210A01	1 1 1	14.25 15.05		4	530	110 15	00000	
	0LAM 1107	BLDG1150A01	11111	7.30 11.00		3	529	110 15	00000	
4	0LAM 1107	BLDG1150A02	11111	7.30 14.00	1	2	529	110 15	00000	
4	0LAM 1107	BLDG1210A01	11111	7.30 15.00	1	4	529	110 15	00000	
4	0LAM 1107	BLDG1220A01	11111	7.30 15.00	1	1	529	110 15	00000	
4	0LAM 1107	BLDG1410A01	11111	7.30 15.00	1	6	529	110 15	00000	
4	0LAM 1107	BLDG1420A01	11111	7.30 15.00	1	2	529	110 15	00000	
	0LAM 1107	BLDG1110A01	1 11	8.00 9.00	1	4	529	110 15	00000	
	0LAM 1107	BLDG1440A01	111 1	8.00 11.00	1	1	529	110 15	00000	
8	0LAM 1107	BLDG1130A01	1 11	9.01 11.05	1	3	529	110 15	00000	
	0LAM 1107	BLDG1110A02	11111	12.00 12.30		2	529	110 15	00000	
	0LAM 1107	BLDG1140A01	11111	12.00 14.00	1	3	529	110 15	00000	
	0LAM 1107	BLDG1140A02	11111	12.00 15.00	1	1	529	110 15	00000	
	0LAM 1107	BLDG1120A01	1 11	12.00 15.00	1	2	529	110 15	00000	
	0LAM 1107	JOBS2450A01	1 1 1	15.30 17.30		5	529	110 15	00000	
	0LAM 1206	DPET1310A01	1 1 1	8.00 8.45		9	529	110 16	00000	
	0LAM 1206	DPET1231A01	1 1 1	8.00 9.15	1	8	529	110 16	00000	
	0LAM 1206	DPET1140A01	1 1 1	8.00 9.20	1	7	529	110 16	00000	
8	0LAM 1206	DPET1330A01	1 1 1	8.50 9.29	1	2	529	110 16	00000	
8	0LAM 1206	DPET1150A01	1 1 1	9.20 10.20	1	8	529	110 16	00000	
8	0LAM 1206	DPET1141A01	1 1 1	9.21 11.00	1	7	529	110 16	00000	
8	0LAM 1206	DPET1320A01	1 1 1	9.30 11.00	1	7	529	110 16	00000	
8	0LAM 1206	DPET2240A01	1 1 1	10.30 11.10	1	2	529	110 16	00000	
	0LAM 1206	DPET1310A02	1 1 1	12.00 12.35		1	529	110 16	00000	
	0LAM 1206	DPET1330A02	1 1 1	12.00 12.40	1	2	529	110 16	00000	
	0LAM 1206	DPET2240A02	1 1 1	12.00 13.20	1	3	529	110 16	00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015
 RUN DATE 11/17/2015 15:55:41
 PAGE NUM 4

L.T.C.-SULLIVAN
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	0LAM 1206	DPET1130A01	1 1 1	12.00 13.30	1	7	529	110 16	00000	
	0LAM 1206	DPET1141A03	1 1 1	12.00 13.30	1	2	529	110 16	00000	
	0LAM 1206	DPET1210A01	1 1 1	12.00 13.30	1	7	529	110 16	00000	
4	0LAM 1206	DPET2110A01	1 1 1	13.00 13.29	1	1	529	110 16	00000	
	0LAM 1206	DPET2220A01	1 1 1	13.31 14.45		2	529	110 16	00000	
	0LAM 1206	DPET1220A02	1 1 1	13.31 14.59	1	10	529	110 16	00000	
	0LAM 1206	DPET2231A01	1 1 1	14.01 14.50	1	2	529	110 16	00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
FALL DATA 2015
RUN DATE 11/17/2015 15:55:41

L.T.C.-SULLIVAN

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - - THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	49
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - - CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - - PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	44
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - - THERE SHOULD BE NO DUPLICATES.	

----- T O T A L S -----

TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	93
TOTAL NUMBER OF RECORDS READ	- - - - -	160
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	160
NUMBER OF JOINT-CLASS RECORDS	- - - - -	100
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/17/2015 15:55:41

PAGE NUM 1

L.T.C. -SULLIVAN

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			22
TOTAL NUMBER OF STATIONS (CAPACITY)			453
WEEKLY STUDENT CONTACT HOURS	5,421	468	5,889
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,980	1,100	3,080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,227	54	1,281
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	40,770	22,650	63,420
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	24,145	1,026	25,171
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	10,842	936	11,778
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	62.0	4.9	41.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	26.6	4.1	18.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	44.9	91.2	46.8
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			21
TOTAL NUMBER OF STATIONS (CAPACITY)			435
WEEKLY STUDENT CONTACT HOURS	5,421	468	5,889
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,890	1,050	2,940
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,227	54	1,281
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	39,150	21,750	60,900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	24,145	1,026	25,171
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	10,842	936	11,778
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	64.9	5.1	43.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	27.7	4.3	19.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	44.9	91.2	46.8

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/17/2015 15:55:41

PAGE NUM 2

L.T.C. -SULLIVAN

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			28
TOTAL NUMBER OF STATIONS (CAPACITY)			484
WEEKLY STUDENT CONTACT HOURS	5,862	801	6,663
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,520	1,400	3,920
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	678	249	927
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43,560	24,200	67,760
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	13,548	3,783	17,331
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,724	1,602	13,326
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	26.9	17.8	23.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	26.9	6.6	19.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	86.5	42.3	76.9
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			8
TOTAL NUMBER OF STATIONS (CAPACITY)			163
WEEKLY STUDENT CONTACT HOURS	1,203		1,203
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	720	400	1,120
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	324		324
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	14,670	8,150	22,820
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,302		7,302
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,406		2,406
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	45.0	.0	28.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	16.4	.0	10.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	32.9	.0	32.9

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/17/2015 15:55:41

PAGE NUM 3

L.T.C. -SULLIVAN

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABBORATORY			
TOTAL NUMBER OF ROOMS			20
TOTAL NUMBER OF STATIONS (CAPACITY)			321
WEEKLY STUDENT CONTACT HOURS	4,659	801	5,460
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,800	1,000	2,800
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	354	249	603
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	28,890	16,050	44,940
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,246	3,783	10,029
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,318	1,602	10,920
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	19.7	24.9	21.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	32.3	10.0	24.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	149.2	42.3	108.9

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY