

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 12/13/2013 12:07:03
 PAGE NUM 1

L.T.C.-T.H. HARRIS
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.	
4	A000	0111	ORNT1000H01	11	8.00 16.00		52	2,146	410 45	00000	
4 8	A000	0111	ORNT1000H02	11	8.00 16.00	1	30	2,146	410 45	00000	
4	A000	0207	HCOR1212H01	111	5.00 13.30		8	961	210 24	00000	
4	A000	0207	HEKG1113H01	11	6.30 14.50	1	14	961	210 24	00000	
	A000	0207	HCOR1200H01	11	8.00 9.50		20	961	210 24	00000	
	A000	0207	BOTH1210H02	1	10.00 10.50		21	961	210 24	00000	
	A000	0207	BOTH1210H02	1	10.00 11.50		21	961	210 24	00000	
	A000	0207	HNUR1211H01	111	10.00 13.50		8	961	210 24	00000	
	A000	0216	HNUR2991H01	1	10.50 11.50		24	961	210 24	00000	
	A000	0219	HNUR2611H01	11111	8.00 9.50		16	1,092	210 30	00000	
	A000	0219	HNUR1460H01	11111	10.00 11.50		16	1,092	210 30	00000	
	A000	0219	HNUR2991H02	1	14.00 14.50		18	1,092	210 30	00000	
	A000	0227	HNUR2991H03	1	8.00 8.50		40	1,388	210 30	00000	
	A000	0227	HNUR1300H01	111	8.00 9.50		38	1,388	210 30	00000	
4	A000	0227	HNUR1361H01	1	8.00 14.50		39	1,388	210 30	00000	
4	A000	0227	HNUR1211H02	1	9.00 14.50		26	1,388	210 30	00000	
4 8	A000	0227	HNUR1411H01	1	9.00 14.50	1	32	1,388	210 30	00000	
	A000	0227	HNUR1211H02	1 1	10.00 10.50		26	1,388	210 30	00000	
	8	A000	0227	HNUR1411H01	1 1	10.00 10.50	1	32	1,388	210 30	00000
		A000	0227	HNUR1211H02	1	10.00 14.50		26	1,388	210 30	00000
	8	A000	0227	HNUR1411H01	1	10.00 14.50	1	32	1,388	210 30	00000
		A000	0227	HNUR1320H01	1 1	11.00 11.50		34	1,388	210 30	00000
		A000	0227	HNUR1270H01	1	13.00 13.50		34	1,388	210 30	00000
		A000	0227	HNUR1270H01	1	13.00 14.50		34	1,388	210 30	00000
		A000	0227	HNUR1361H01	1	14.00 14.50		39	1,388	210 30	00000
	C000	0105	ETRN1125H01	11111	8.00 9.50		19	1,073	110 40	00000	
	C000	0105	ETRN1235H01	11111	10.00 11.50		19	1,073	110 40	00000	
	C000	0105	ETRN1000H01	1 1	13.00 13.50		17	1,073	110 40	00000	
	C000	0105	ETRN2730H01	1 1 1	13.00 14.50		19	1,073	110 40	00000	
	C000	0105	TECM1110H01	1 1	14.00 15.15		26	1,073	110 40	00000	
	C000	0106	ETRN2120H01	1 1 1	8.00 9.50		13	1,054	110 40	00000	
	C000	0106	ETRN2130H01	1 1	8.00 10.50		23	1,054	110 40	00000	
	C000	0106	ETRN2110H01	1 1 1	10.00 11.50		16	1,054	110 40	00000	
	C000	0106	ETRN2110H01	1 1	11.00 13.50		16	1,054	110 40	00000	
	C000	0111	BUSE1045H01	1 1 1	8.00 8.50		8	1,033	210 24	00000	
	C000	0111	BUSE1030H01	1 1	8.00 9.15		9	1,033	210 24	00000	
	C000	0111	BOTH1240H01	1 1 1	9.00 9.50		8	1,033	210 24	00000	
	C000	0111	ISYS1440H01	1 1	9.30 10.45		15	1,033	210 24	00000	
	C000	0111	ISYS1440H01	1 1	10.00 10.50		15	1,033	210 24	00000	
	C000	0111	ACCT1100H01	1111	12.30 13.30		3	1,033	210 24	00000	
	C000	0112	ENGL0091H01	1 1 1	12.00 12.50		1	963	210 24	00000	
	C000	0116	OSYS1100H01	1 1 1	8.00 8.50		16	1,286	210 30	00000	
	C000	0116	KYBD1010H01	1 1 1	9.00 10.50		15	1,286	210 30	00000	
	C000	0116	KYBD1111H01	1 1 1	9.00 10.50	1	14	1,286	210 30	00000	
	C000	0116	KYBD1010H01	1	9.30 10.45		15	1,286	210 30	00000	
	C000	0116	KYBD1111H01	1	9.30 10.45	1	14	1,286	210 30	00000	
	C000	0116	CPTR1320H02	1 1	10.50 12.55		8	1,286	210 30	00000	
	C000	0116	CPTR1310H01	1 1 1	11.00 12.15		9	1,286	210 30	00000	
	C000	0117	ACCT1250H01	1 1	8.00 9.15		9	1,110	210 28	00000	
	C000	0117	ACCT1400H01	1 1 1	11.00 12.15		7	1,110	210 28	00000	
	C000	0117	ACCT1500H01	1 1	13.40 15.20		6	1,110	210 28	00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 12/13/2013 12:07:03
 PAGE NUM 2

L.T.C.-T.H. HARRIS
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.	
	C000	0117	ACCT1300H01	1 1 1	14.00 15.15		7		210	28	00000
4	C000	0123	JOBS2450H01	1111	8.00 15.00		21	1,110	110	24	00000
	C000	0123	MATR1350H01	1 1 1	9.00 9.50	1	4	801	110	24	00000
	C000	0123	BOTH1230H01	1 1	9.25 10.50		9	801	110	24	00000
	C000	0123	CSRV1000H02	1 1	10.50 12.05		14	801	110	24	00000
	C000	0123	BOTH2110H01	1 1 1	11.00 11.50		4	801	110	24	00000
	C000	0123	CPTR1002H01	1 1 1	13.00 13.50		14	801	110	24	00000
	C000	0123	CPTR1000H03	1 1 1	15.00 15.50		20	801	110	24	00000
	C000	0123	CPTR1000H02	1 1	15.00 16.15		12	801	110	24	00000
	C000	0125	ETRN2800H01	1 1 1	13.00 14.50		18	789	110	24	00000
	E000	0100	WELD1110H01	11111	8.00 8.50		6	3,568	210	24	00000
	E000	0100	WELD1110H02	1 1	8.00 9.15	1	1	3,568	210	24	00000
	E000	0100	WELD1412H01	11111	8.00 9.30	1	3	3,568	210	24	00000
	E000	0100	WELD2210H02	11111	8.00 9.30	1	1	3,568	210	24	00000
	E000	0100	WELD2230H01	11111	8.00 9.30	1	3	3,568	210	24	00000
	E000	0100	WELD2311H02	11111	8.00 9.30	1	3	3,568	210	24	00000
	E000	0100	WELD1120H01	11111	9.00 9.50	1	6	3,568	210	24	00000
	E000	0100	WELD1310H01	11111	9.00 9.50	1	1	3,568	210	24	00000
	E000	0100	WELD1110H02	1 1	9.25 10.40	1	1	3,568	210	24	00000
	E000	0100	WELD1130H01	11111	10.00 10.50	1	6	3,568	210	24	00000
	E000	0100	WELD1510H01	11111	10.00 11.30	1	5	3,568	210	24	00000
8	E000	0100	WELD1610H01	11111	10.00 11.30	1	3	3,568	210	24	00000
8	E000	0100	WELD2110H01	11111	10.00 11.30	1	3	3,568	210	24	00000
8	E000	0100	WELD2310H01	11111	10.00 11.30	1	5	3,568	210	24	00000
8	E000	0100	WELD1140H01	11111	11.00 11.50	1	6	3,568	210	24	00000
	E000	0100	WELD1511H01	11111	12.00 13.30		4	3,568	210	24	00000
	E000	0100	WELD1620H01	11111	12.00 13.30	1	2	3,568	210	24	00000
	E000	0100	WELD2111H01	11111	12.00 13.30	1	3	3,568	210	24	00000
	E000	0100	WELD2311H01	11111	12.00 13.30	1	7	3,568	210	24	00000
	E000	0100	WELD1210H01	11111	13.00 13.50	1	5	3,568	210	24	00000
	E000	0100	WELD1420H01	11111	14.00 15.30		6	3,568	210	24	00000
	E000	0100	WELD1512H01	11111	14.00 15.30	1	4	3,568	210	24	00000
	E000	0100	WELD1621H01	11111	14.00 15.30	1	2	3,568	210	24	00000
	E000	0100	WELD2210H01	11111	14.00 15.30	1	4	3,568	210	24	00000
4	F000	0107	ELEC1120H01	11111	8.00 8.25		7	2,048	210	28	00000
4	F000	0107	ELEC1330H01	11111	8.00 8.25	1	3	2,048	210	28	00000
4	F000	0107	SOLR1000H01	11111	8.00 8.25	1	5	2,048	210	28	00000
4	F000	0107	ELEC1210H01	11111	8.30 8.55		6	2,048	210	28	00000
4	F000	0107	ELEC1420H01	11111	8.30 8.55	1	3	2,048	210	28	00000
4	F000	0107	SOLR1010H01	11111	8.30 8.55	1	5	2,048	210	28	00000
4	F000	0107	ELEC1220H01	11111	9.00 9.25		6	2,048	210	28	00000
	F000	0107	ELEC1311H01	11111	11.00 11.55		6	2,048	210	28	00000
4	F000	0107	ELEC1410H01	11111	12.30 12.55		7	2,048	210	28	00000
	F000	0107	ELEC1440H01	11111	13.00 13.55		7	2,048	210	28	00000
4	F000	0107	SOLR1020H01	11111	14.00 14.25		5	2,048	210	28	00000
4	F000	0107	SOLR1030H01	11111	14.30 14.55		3	2,048	210	28	00000
	G000	0100	HACR1150H01	11111	8.00 8.50		3	1,363	110	30	00000
	G000	0100	HACR1230H01	11111	8.00 8.50	1	2	1,363	110	30	00000
	G000	0100	HACR2510H01	11111	8.00 8.59	1	8	1,363	110	30	00000
4	G000	0100	SPPR2991H01	11111	8.00 14.55	1	1	1,363	110	30	00000
	G000	0100	HACR1160H01	11111	9.00 9.50	1	3	1,363	110	30	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013
 RUN DATE 12/13/2013 12:07:03
 PAGE NUM 3

L.T.C.-T.H. HARRIS
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	G000	0100	HACR1240H01	11111	9.00 9.50	1	2	1,363	110 30	00000
	G000	0100	HACR2520H01	11111	9.00 9.50	1	7	1,363	110 30	00000
	G000	0100	HACR1170H01	11111	10.00 10.50		4	1,363	110 30	00000
	G000	0100	HACR1410H01	11111	10.00 10.50	1	2	1,363	110 30	00000
	G000	0100	HACR2530H01	11111	10.00 10.50	1	7	1,363	110 30	00000
	G000	0100	HACR1180H01	11111	11.00 11.50		4	1,363	110 30	00000
	G000	0100	HACR1420H01	11111	11.00 11.50	1	2	1,363	110 30	00000
	G000	0100	HACR2540H01	11111	11.00 11.50	1	8	1,363	110 30	00000
	G000	0100	HACR1210H01	11111	12.30 13.20		1	1,363	110 30	00000
	G000	0100	HACR2550H01	11111	12.30 13.20	1	2	1,363	110 30	00000
	G000	0100	HACR1220H01	11111	13.30 14.50		1	1,363	110 30	00000
	G000	0100	HACR2560H01	11111	13.30 14.50	1	1	1,363	110 30	00000
8	H000	0110	NDTT1120H01	1 1	8.00 10.40		22	1,630	210 20	00000
	H000	0110	NDTT1200H01	1 1	8.00 10.40	1	20	1,630	210 20	00000
	H000	0110	NDTT1180H01	1 1 1	13.00 13.50		22	1,630	210 20	00000
8	H000	0110	NDTT1180H02	1 1 1	13.00 13.50	1	22	1,630	210 20	00000
8	I000	0100	NDTT1100H01	1 1 1	8.00 11.30		22	337	215	00000
8	I000	0100	NDTT1240H01	1 1 1	8.00 11.30	1	24	337	215	00000
8	I000	0100	NDTT1260H01	1 1 1	8.00 11.30	1	22	337	215	00000
8	I000	0102	NDTT1440H01	1 1	10.50 12.05		20	4,491	210 12	00000
4	J000	0102	DPET1120H01	11111	8.00 14.30		10	490	110 24	00000
	J000	0105	NDTT1200H02	1 1 1	8.00 11.30		21	4,950	210 20	00000
4	J000	0105	DPET1130H01	11111	8.00 14.30	1	11	4,950	210 20	00000
4	J000	0105	DPET1150H01	11111	8.00 14.30	1	12	4,950	210 20	00000
4	J000	0105	DPET1210H01	11111	8.00 14.30	1	9	4,950	210 20	00000
4	J000	0105	DPET1400H01	11111	8.00 14.30	1	19	4,950	210 20	00000
4	J000	0105	DPET2991H01	11111	8.00 14.30	1	4	4,950	210 20	00000
4	J000	0105	DPET2993H01	11111	8.00 14.30	1	5	4,950	210 20	00000
4	J000	0105	DPET2995H01	11111	8.00 14.30	1	3	4,950	210 20	00000
8	J000	0105	NDTT1440H02	1 1	10.50 12.05	1	22	4,950	210 20	00000
	K000	0104	DPET2996H01	11111	6.40 7.55		3	4,593	210 24	00000
4	K000	0104	DPET1140H01	11111	8.00 14.30		6	4,593	210 24	00000
4	K000	0104	DPET1320H01	11111	8.00 14.30	1	11	4,593	210 24	00000
4	K000	0107	DPET1330H01	11111	8.00 14.30		9	1,909	215	00000
4	K000	0107	DPET1620H01	11111	8.00 14.30	1	12	1,909	215	00000
4	K000	0107	DPET2991H02	11111	8.00 14.30	1	4	1,909	215	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
FALL DATA 2013
RUN DATE 12/13/2013 12:07:03

L.T.C.-T.H. HARRIS

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -	
	THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,	
	THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	32
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -	
	CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - -	25
	PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -	
	THERE SHOULD BE NO DUPLICATES.	

----- T O T A L S -----

TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	57
TOTAL NUMBER OF RECORDS READ	- - - - -	138
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	138
NUMBER OF JOINT-CLASS RECORDS	- - - - -	60
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 12/13/2013 12:07:03

PAGE NUM 1

L.T.C.-T.H. HARRIS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			26
TOTAL NUMBER OF STATIONS (CAPACITY)			996
WEEKLY STUDENT CONTACT HOURS	2,591		2,591
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,340	1,300	3,640
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	395		395
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	89,640	49,800	139,440
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,900		11,900
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,182		5,182
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	16.9	.0	10.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	5.8	.0	3.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	43.5	.0	43.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			26
TOTAL NUMBER OF STATIONS (CAPACITY)			996
WEEKLY STUDENT CONTACT HOURS	2,591		2,591
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,340	1,300	3,640
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	395		395
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	89,640	49,800	139,440
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,900		11,900
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,182		5,182
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	16.9	.0	10.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	5.8	.0	3.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	43.5	.0	43.5

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			36
TOTAL NUMBER OF STATIONS (CAPACITY)			862
WEEKLY STUDENT CONTACT HOURS	7,280		7,280
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,240	1,800	5,040
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	798		798
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	77,580	43,100	120,680
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	20,070		20,070
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	14,560		14,560
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	24.6	.0	15.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	18.8	.0	12.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	72.5	.0	72.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			36
TOTAL NUMBER OF STATIONS (CAPACITY)			862
WEEKLY STUDENT CONTACT HOURS	7,280		7,280
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,240	1,800	5,040
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	798		798
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	77,580	43,100	120,680
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	20,070		20,070
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	14,560		14,560
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	24.6	.0	15.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	18.8	.0	12.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	72.5	.0	72.5

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY