

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 12/13/2013 12:09:00
 PAGE NUM 1

L.T.C.-TECHE AREA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	A000	0299	BOTH1300T01	1 1 1	8.00 8.50		14	991	210 30	00000
	A000	0299	ISYS1440T01	1 1 1	8.00 9.45	1	7	991	210 30	00000
	A000	0299	BOTH1120T01	1 1 1	9.00 9.50	1	6	991	210 30	00000
	A000	0299	OSYS1100T01	1 1 1	10.00 10.50		20	991	210 30	00000
	A000	0299	CPTR1002T01	1 1 1	11.00 11.50		14	991	210 30	00000
	A000	0299	TECM1110T01	1 1 1	11.00 11.50	1	15	991	210 30	00000
	A000	0299	BUSE1030T01	1 1 1	13.00 13.50		9	991	210 30	00000
	A000	0299	MATR1350T01	1 1 1	13.00 13.50	1	4	991	210 30	00000
	A000	0299	BOTH2110T01	1 1 1	14.00 14.50		7	991	210 30	00000
	A000	0299	MATH0900T01	1 1 1	14.00 14.50	1	19	991	210 30	00000
	A000	0300	CPTR1000T01	1 1 1	7.00 7.50		12	1,520	210 24	00000
4	A000	0300	ORNT1000T01	11	8.00 16.00		34	1,520	210 24	00000
8	A000	0300	ACCT1250T02	1 1 1	10.00 10.50	1	5	1,520	210 24	00000
	A000	0300	ACCT1300T01	1 1	10.50 12.30		4	1,520	210 24	00000
	A000	0300	ACCT1400T01	1 1 1	11.00 12.15		3	1,520	210 24	00000
	A000	0300	ACCT1500T01	1 1	13.00 14.45		4	1,520	210 24	00000
	A000	0300	ENGL1010N06	1 1	18.00 21.30		12	1,520	210 24	00000
	A000	0302	CPTR1320T02	1 1	10.00 12.30		10	1,665	210 30	00000
	A000	0305	KYBD1111T01	11111	8.00 8.50		12	1,089	210 35	00000
	A000	0305	ACCT1100T01	11111	9.00 9.50		18	1,089	210 35	00000
	A000	0305	MCIS1005N01	1 1	9.30 10.45	1	24	1,089	210 35	00000
	A000	0305	ACCT1200T01	11111	10.00 10.50	1	9	1,089	210 35	00000
	A000	0305	CSRV1000T01	1 1 1	11.00 11.50		10	1,089	210 35	00000
	A000	0305	KYBD1010T01	1 1	11.00 12.15		7	1,089	210 35	00000
	A000	0305	ACCT1250T01	1 1 1	14.00 14.50		1	1,089	210 35	00000
	A000	0305	JOBS2450T02	1 1	14.00 15.00		27	1,089	210 35	00000
	A000	0400	MCIS1005N02	1 1	11.00 12.15		23	1,457	210 22	00000
	A000	0500	DRFT1110T01	1 1	7.30 8.50		1	3,187	210 20	00000
4	A000	0500	MTTC2220T01	1	8.00 11.50	1	1	3,187	210 20	00000
4	A000	0500	MTTC2420T01	11	8.00 13.30	1	2	3,187	210 20	00000
4	A000	0500	MTTC2420T02	1 1	8.00 13.30	1	4	3,187	210 20	00000
4	A000	0500	MTTC2431T01	11	8.00 13.30	1	1	3,187	210 20	00000
4	A000	0500	MTTC2210T01	1	8.00 13.50	1	10	3,187	210 20	00000
4	A000	0500	MTTC2320T01	11	8.00 13.50		4	3,187	210 20	00000
4	A000	0500	MTTC2120T01	1 1	8.00 14.30		7	3,187	210 20	00000
4	A000	0500	MTTC2110T01	1	8.00 14.30	1	10	3,187	210 20	00000
4	A000	0500	MTTC2230T01	1 1	8.00 14.30		10	3,187	210 20	00000
4	A000	0500	MTTC2331T01	1 1	8.00 14.30	1	7	3,187	210 20	00000
4	A000	0500	MTTC2310T01	1	8.00 14.30	1	4	3,187	210 20	00000
4	A000	0500	MTTC2510T02	1	8.00 14.30		2	3,187	210 20	00000
4	A000	0500	MTTC2710T01	11	8.00 14.30		1	3,187	210 20	00000
4	A000	0500	MTTC2410T01	1	8.00 14.30	1	7	3,187	210 20	00000
4	A000	0500	MTTC2510T01	1	8.00 14.30	1	3	3,187	210 20	00000
	A000	0500	CEMT9999999	11	18.00 21.00		15	3,187	210 20	00000
	A000	0501	CADD1210T01	11111	7.30 8.50		3	1,947	210 30	00000
	A000	0501	CADD1215T01	11111	7.30 8.50	1	4	1,947	210 30	00000
	A000	0501	DRFT1145T01	11111	7.30 8.50	1	3	1,947	210 30	00000
	A000	0501	DRFT2330T01	11111	7.30 8.50	1	1	1,947	210 30	00000
	A000	0501	DRFT2343T01	11111	7.30 8.50	1	1	1,947	210 30	00000
	A000	0501	CADD1215T02	11111	9.00 10.20		2	1,947	210 30	00000
	A000	0501	DRFT2310T01	11111	9.00 10.20	1	5	1,947	210 30	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 12/13/2013 12:09:00
 PAGE NUM 2

L.T.C.-TECHE AREA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	A000	0501	DRFT2344T01	11111	9.00 10.20	1	1,947	210 30	00000
	A000	0501	DRFT1130T01	1 1	9.00 10.20	1	1,947	210 30	00000
	A000	0501	DRFT1161T01	1 1	9.00 10.20		1,947	210 30	00000
	A000	0501	DRFT1145T02	11111	10.30 11.50		1,947	210 30	00000
	A000	0501	DRFT2320T01	11111	10.30 11.50	1	1,947	210 30	00000
	A000	0501	DRFT2346T01	11111	10.30 11.50	1	1,947	210 30	00000
	A000	0501	CADD1210T02	11111	12.00 13.20		1,947	210 30	00000
	A000	0501	DRFT1215T02	11111	12.00 13.20	1	1,947	210 30	00000
	A000	0501	DRFT2320T02	11111	12.00 13.20	1	1,947	210 30	00000
	A000	0501	DRFT2330T02	11111	12.00 13.20	1	1,947	210 30	00000
	A000	0501	DRFT1110T02	1 1	12.00 13.20	1	1,947	210 30	00000
	A000	0501	DRFT1120T02	1 1	12.00 13.20		1,947	210 30	00000
	A000	0501	DRFT1230T02		13.30 15.20	1	1,947	210 30	00000
	A000	0503	ETRN2620T01	11111	8.00 9.15		2,206	210 46	00000
	A000	0504	CARP1120T01	11111	8.00 8.50		481	210 17	00000
	A000	0504	CARP2320T01	1 1 1	8.00 10.50	1	481	210 17	00000
	A000	0504	CARP2310T01	1 1	8.00 11.15		481	210 17	00000
	A000	0504	CARP1140T01	11111	9.00 9.50	1	481	210 17	00000
	A000	0504	ETRN2120T01	11111	9.30 10.45	1	481	210 17	00000
	A000	0504	CARP2620T01	1 1 1	10.00 11.50	1	481	210 17	00000
	A000	0504	CARP1130T01	1 1	10.00 13.50		481	210 17	00000
	A000	0504	CARP2220T01	1 1 1	11.00 15.50		481	210 17	00000
	A000	0504	CARP2320T01	1 1 1	12.30 13.45	1	481	210 17	00000
	A000	0504	CARP1110T01	1 1 1	13.00 13.50	1	481	210 17	00000
	A000	0506	ETRN2800T01	11111	9.30 10.45		3,679	210 17	00000
	A000	0506	ETRN1000T01	1 1	9.45 10.45	1	3,679	210 17	00000
	A000	0506	ETRN2130T01	11111	13.00 14.00		3,679	210 17	00000
	A000	0506	ETRN1125T01	11111	13.00 14.50	1	3,679	210 17	00000
	A000	0506	ETRN2110T01	11111	13.00 14.50	1	3,679	210 17	00000
	A000	0600	WELD1120T01	11111	8.00 8.50		2,429	210 35	00000
	A000	0600	WELD1140T01	1 1 1	8.00 8.50	1	2,429	210 35	00000
	A000	0600	WELD1140T02	1 1 1	8.00 8.50	1	2,429	210 35	00000
	A000	0600	WELD2311T05	1 1 1	8.00 8.50	1	2,429	210 35	00000
	A000	0600	WELD1310T02	1 1	8.00 8.50	1	2,429	210 35	00000
	A000	0600	WELD2110T02		8.00 8.50	1	2,429	210 35	00000
	A000	0600	WELD2112T02	11111	8.00 9.50	1	2,429	210 35	00000
	A000	0600	WELD1510T02	1111	8.00 9.50	1	2,429	210 35	00000
	A000	0600	WELD2220T01	1111	8.00 9.50	1	2,429	210 35	00000
	A000	0600	WELD2311T01	1 1 1	8.00 9.50	1	2,429	210 35	00000
	A000	0600	WELD2110T02	1 1	8.00 9.50	1	2,429	210 35	00000
	A000	0600	WELD2311T05	1 1	8.00 9.50	1	2,429	210 35	00000
	A000	0600	WELD1110T01	1 1	8.00 9.50		2,429	210 35	00000
	A000	0600	WELD1310T02	1	8.00 9.50	1	2,429	210 35	00000
	A000	0600	WELD1411T05	1 1 1	9.00 9.50		2,429	210 35	00000
	A000	0600	WELD2111T01	1 1 1	9.00 9.50	1	2,429	210 35	00000
	A000	0600	WELD2111T03	1 1 1	9.00 10.50	1	2,429	210 35	00000
	A000	0600	WELD1130T01	1 1	9.00 10.50	1	2,429	210 35	00000
	A000	0600	WELD1411T01		9.00 10.50	1	2,429	210 35	00000
	A000	0600	WELD1411T01	1	9.00 11.50		2,429	210 35	00000
	A000	0600	WELD1420T05		9.00 11.50	1	2,429	210 35	00000
	A000	0600	WELD1412T03	1 1	10.00 10.50		2,429	210 35	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 12/13/2013 12:09:00
 PAGE NUM 3

L.T.C.-TECHE AREA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	A000	0600	WELD1310T03	1	10.00 10.50	1	2	2,429	210 35 00000
	A000	0600	WELD2110T04	1	10.00 10.50		1	2,429	210 35 00000
	A000	0600	WELD1511T03	1111	10.00 11.50		2	2,429	210 35 00000
	A000	0600	WELD2113T03	1111	10.00 11.50	1	1	2,429	210 35 00000
	A000	0600	WELD2221T01	1111	10.00 11.50	1	1	2,429	210 35 00000
	A000	0600	WELD2310T01	1 1 1	10.00 11.50	1	3	2,429	210 35 00000
	A000	0600	WELD1310T03	1	10.00 11.50	1	2	2,429	210 35 00000
	A000	0600	WELD1210T01	1 1	10.00 11.50		10	2,429	210 35 00000
	A000	0600	WELD1412T03	1 1	10.00 11.50	1	2	2,429	210 35 00000
	A000	0600	WELD2111T01	1 1	10.00 11.50	1	1	2,429	210 35 00000
	A000	0600	WELD1120T03	11111	11.00 11.50	1	2	2,429	210 35 00000
	A000	0600	WELD2310T04	1111	11.00 11.50	1	1	2,429	210 35 00000
	A000	0600	WELD1130T02	1 1	11.00 11.50	1	1	2,429	210 35 00000
9	A000	0600	WELD1130T02	1 1	11.00 11.50	1	1	2,429	210 35 00000
	A000	0600	WELD2111T04	1 1	11.00 11.50	1	1	2,429	210 35 00000
	A000	0600	WELD1412T02	1	11.00 11.50		3	2,429	210 35 00000
	A000	0600	WELD2110T03	1	11.00 11.50	1	1	2,429	210 35 00000
	A000	0600	WELD2110T02	1	11.00 11.50		1	2,429	210 35 00000
	A000	0600	WELD1120T02	11111	13.00 13.50		2	2,429	210 35 00000
	A000	0600	WELD1420T05	11111	13.00 13.50	1	1	2,429	210 35 00000
	A000	0600	WELD2111T04	11111	13.00 13.50	1	1	2,429	210 35 00000
	A000	0600	WELD1130T02	1 1	13.00 13.50	1	1	2,429	210 35 00000
	A000	0600	WELD1310T01	1	13.00 13.50	1	1	2,429	210 35 00000
9	A000	0600	WELD1310T01	1	13.00 13.50	1	1	2,429	210 35 00000
	A000	0600	WELD1512T03	1111	13.00 14.50	1	2	2,429	210 35 00000
	A000	0600	WELD2114T04	1111	13.00 14.50	1	1	2,429	210 35 00000
	A000	0600	WELD2222T01	1111	13.00 14.50	1	1	2,429	210 35 00000
	A000	0600	WELD1412T02	1 1 1	13.00 14.50	1	3	2,429	210 35 00000
	A000	0600	WELD2110T03	1 1 1	13.00 14.50	1	1	2,429	210 35 00000
	A000	0600	WELD2110T04	1 1 1	13.00 14.50	1	1	2,429	210 35 00000
	A000	0600	WELD1410T02	1 1	13.00 14.50	1	1	2,429	210 35 00000
	A000	0600	WELD1510T01	1111	13.00 14.50	1	2	2,429	210 35 00000
	A000	0600	WELD1410T01	1 1	13.00 14.50	1	10	2,429	210 35 00000
	A000	0600	WELD1411T05	1 1	13.00 14.50	1	2	2,429	210 35 00000
	A000	0600	WELD1310T01	1	13.00 14.50	1	1	2,429	210 35 00000
	A000	0600	WELD2310T04	1 1 1	14.00 14.50		1	2,429	210 35 00000
	A000	0600	WELD2311T01	1	14.00 14.50	1	1	2,429	210 35 00000
	A000	0600	WELD2111T03	1	14.00 14.50		2	2,429	210 35 00000
	A000	0600	WELD2310T01	1	14.00 14.50		3	2,429	210 35 00000
	A000	0600	WELD1412T03	1	14.00 14.50		2	2,429	210 35 00000
	A000	0600	WELD2110T02	1	14.00 14.50	1	1	2,429	210 35 00000
	A000	0600	CEWL9999999	11	18.00 21.00		15	2,429	210 35 00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	15
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	1
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	2
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		18
TOTAL NUMBER OF RECORDS READ		144
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		142
NUMBER OF JOINT-CLASS RECORDS		83
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 12/13/2013 12:09:00

PAGE NUM 1

L.T.C.-TECHE AREA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			29
TOTAL NUMBER OF STATIONS (CAPACITY)			634
WEEKLY STUDENT CONTACT HOURS	3,640	264	3,904
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,610	1,450	4,060
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	873	38	911
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	57,060	31,700	88,760
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	23,114	996	24,110
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,281	528	7,809
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	33.4	2.6	22.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	12.8	1.7	8.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	31.5	53.0	32.4
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			29
TOTAL NUMBER OF STATIONS (CAPACITY)			634
WEEKLY STUDENT CONTACT HOURS	3,640	264	3,904
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,610	1,450	4,060
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	873	38	911
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	57,060	31,700	88,760
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	23,114	996	24,110
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,281	528	7,809
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	33.4	2.6	22.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	12.8	1.7	8.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	31.5	53.0	32.4

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY