

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 10/23/2015 15:53:45
 PAGE NUM 1

L.T.C.-YOUNG MEMORIAL
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.	
	A000	0005	DVED2995A01	1111	8.00 11.00		28	982	140	20	00000
	A000	0005	DVED2995A02	1111	12.00 15.00		21	982	140	20	00000
4	A000	0015	DVED2994A01	11111	8.00 13.30		37	799	220	10	00000
	A000	0016	IMEL1020A01	11111	8.00 9.40		3	1,529	210	15	00000
	A000	0016	IMEL1020A04	11111	8.00 9.40	1	1	1,529	210	15	00000
	A000	0016	IMEL1120A01	11111	8.00 9.40	1	3	1,529	210	15	00000
	A000	0016	IMEL1210A03	11111	8.00 9.40	1	1	1,529	210	15	00000
	A000	0016	IMEL1030A03	1 1 1	8.00 9.50	1	1	1,529	210	15	00000
	A000	0016	IMEL1020A02	1 1 1	8.00 11.00	1	1	1,529	210	15	00000
	A000	0016	IMEL1020A03	1 1	8.00 13.00		1	1,529	210	15	00000
	A000	0016	IMEL1100A03	11111	9.50 11.00	1	1	1,529	210	15	00000
	A000	0016	IMEL1030A01	11111	9.50 11.30	1	4	1,529	210	15	00000
	A000	0016	IMEL1030A04	11111	9.50 11.30	1	1	1,529	210	15	00000
	A000	0016	IMEL1140A01	11111	9.50 11.30	1	2	1,529	210	15	00000
	A000	0016	IMEL1230A01	11111	9.50 11.30	1	2	1,529	210	15	00000
	A000	0016	IMEL1210A02	1 1 1	10.00 11.50	1	1	1,529	210	15	00000
	A000	0016	IMEL1030A02	1 1 1	11.30 14.30	1	1	1,529	210	15	00000
	A000	0016	IMEL1130A02	11111	11.35 13.00	1	3	1,529	210	15	00000
	A000	0016	IMEL1210A04	11111	12.00 13.20	1	1	1,529	210	15	00000
	A000	0016	IMEL1210A01	11111	12.00 13.40	1	1	1,529	210	15	00000
	A000	0016	IMEL1240A01	11111	12.00 13.40	1	1	1,529	210	15	00000
	A000	0016	IMEL1100A04	1 1 1	12.00 14.30	1	1	1,529	210	15	00000
	A000	0016	IMEL1240A02	1 1 1	12.00 14.30	1	1	1,529	210	15	00000
	A000	0016	IMEL1170A01	11111	12.05 13.45	1	1	1,529	210	15	00000
8	A000	0016	IMEL1150A02	11111	13.05 14.40	1	3	1,529	210	15	00000
8	A000	0016	IMEL1100A05	11111	13.25 14.30	1	1	1,529	210	15	00000
8	A000	0016	IMEL1100A02	11111	13.45 14.40	1	1	1,529	210	15	00000
	A000	0023	HACR1150A01	11111	8.00 9.20		1	2,852	210	57	00000
	A000	0023	HACR1210A01	11111	8.00 9.20	1	5	2,852	210	57	00000
	A000	0023	HACR2510A01	11111	8.00 9.20	1	2	2,852	210	57	00000
	A000	0023	HACR1210A02	1 1 1	8.00 9.20	1	2	2,852	210	57	00000
	A000	0023	HACR2550A01	11111	8.00 9.35	1	1	2,852	210	57	00000
	A000	0023	HACR1210A03	1 1	8.00 9.50	1	1	2,852	210	57	00000
	A000	0023	HACR2560A01	11111	9.05 10.05	1	1	2,852	210	57	00000
	A000	0023	HACR2520A01	11111	9.25 10.45	1	2	2,852	210	57	00000
	A000	0023	HACR1160A01	11111	9.25 11.00	1	1	2,852	210	57	00000
	A000	0023	HACR1220A01	11111	9.25 11.00	1	5	2,852	210	57	00000
	A000	0023	HACR1220A02	1 1 1	9.25 11.00	1	2	2,852	210	57	00000
	A000	0023	HACR1220A03	1 1	10.00 11.25		1	2,852	210	57	00000
	A000	0023	HACR2530A01	11111	10.50 11.50	1	1	2,852	210	57	00000
	A000	0023	HACR2550A02	11111	10.50 11.50	1	1	2,852	210	57	00000
	A000	0023	HACR1170A01	11111	11.30 13.05	1	1	2,852	210	57	00000
	A000	0023	HACR1230A01	11111	11.30 13.05	1	4	2,852	210	57	00000
	A000	0023	HACR1230A02	1 1 1	11.30 13.05	1	2	2,852	210	57	00000
	A000	0023	HACR2540A01	11111	12.30 14.05	1	2	2,852	210	57	00000
	A000	0023	HACR1180A01	11111	13.10 14.50	1	2	2,852	210	57	00000
4	A000	0023	SPPR2991A02	11111	13.15 13.40	1	1	2,852	210	57	00000
	A000	0023	HACR1240A01	11111	13.15 14.55	1	4	2,852	210	57	00000
	A000	0023	HACR1240A02	1 1 1	13.15 14.55	1	2	2,852	210	57	00000
	A000	0023	SPPR2995A02	11111	14.10 15.10	1	1	2,852	210	57	00000
	A000	0030	WELD1110A01	11111	8.00 9.00		1	2,190	220	15	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2015
 RUN DATE 10/23/2015 15:53:45
 PAGE NUM 2

L.T.C.-YOUNG MEMORIAL
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.	
	A000	0030	WELD1510A02	11111	8.00 9.35	1	1	2,190	220	15	00000
	A000	0030	WELD1420A01	11111	8.00 10.00	1	1	2,190	220	15	00000
	A000	0030	WELD2110A01	11111	8.00 10.00	1	2	2,190	220	15	00000
	A000	0030	WELD1511A01	11111	8.00 10.15	1	1	2,190	220	15	00000
	A000	0030	WELD1512A01	11111	8.00 10.15	1	1	2,190	220	15	00000
	A000	0030	WELD2112A01	11111	8.00 10.15	1	1	2,190	220	15	00000
	A000	0030	WELD2114A01	11111	8.00 10.15	1	1	2,190	220	15	00000
	A000	0030	WELD2220A01	11111	8.00 10.15	1	2	2,190	220	15	00000
	A000	0030	WELD2222A01	11111	8.00 10.15	1	3	2,190	220	15	00000
	A000	0030	WELD1510A01	111 1	8.00 10.15	1	2	2,190	220	15	00000
	A000	0030	WELD2222A02	11111	8.00 11.30	1	3	2,190	220	15	00000
	A000	0030	WELD1210A01	11111	9.05 10.40	1	1	2,190	220	15	00000
	A000	0030	WELD1511A02	11111	9.40 11.05	1	1	2,190	220	15	00000
	A000	0030	WELD1130A01	11111	10.05 11.05	1	2	2,190	220	15	00000
8	A000	0030	WELD1410A01	11111	10.45 12.45	1	3	2,190	220	15	00000
8	A000	0030	WELD2210A01	11111	11.10 12.45	1	2	2,190	220	15	00000
	A000	0030	WELD1412A01	11111	12.50 14.25		3	2,190	220	15	00000
	A000	0030	WELD2230A01	11111	12.50 14.25	1	2	2,190	220	15	00000
4	A000	0031	DIVE1111A02	1 111	7.30 13.00		12	2,190	220	15	00000
4	A000	0031	DIVE1070A02	11111	7.30 14.25	1	12	2,190	220	15	00000
4	A000	0031	DIVE1180A02	11111	7.30 14.40	1	11	2,190	220	15	00000
4	A000	0031	DIVE1080A02	111	8.00 13.30	1	11	2,190	220	15	00000
4	A000	0031	DIVE1020A02	11111	8.00 14.30	1	11	2,190	220	15	00000
4	A000	0031	DIVE1040A02	11111	8.00 14.30	1	11	2,190	220	15	00000
4	A000	0031	DIVE1050A02	11111	8.00 14.30	1	11	2,190	220	15	00000
4	A000	0031	DIVE1121A02	11111	8.00 14.30	1	11	2,190	220	15	00000
4	A000	0031	DIVE1150A02	11111	8.00 14.30	1	11	2,190	220	15	00000
4	A000	0031	DIVE1010A02	111	8.00 15.10	1	11	2,190	220	15	00000
4	A000	0031	DIVE1030A02	111	8.00 15.10	1	11	2,190	220	15	00000
	A000	0203A	KYBD1111A01	11111	8.00 8.50		1	957	140	30	00000
	A000	0203A	KYBD1010A01	1 1 1	8.00 8.50	1	9	957	140	30	00000
	A000	0203A	MATR1350A01	1 1 1	8.00 8.50	1	4	957	140	30	00000
	A000	0203A	KYBD1010A02	1 1	8.00 9.15		2	957	140	30	00000
	A000	0203A	MATR1350A02	1 1	8.00 9.15	1	2	957	140	30	00000
	A000	0203A	KYBD1010A03	1 1	13.00 14.15		4	957	140	30	00000
	A000	0203A	MATR1350A03	1 1	13.00 14.15	1	1	957	140	30	00000
	A000	0205A	ACCT1100A01	11111	8.00 8.50		10	474	140	15	00000
	A000	0205A	CPTR1320A01	11111	9.00 9.50		5	474	140	15	00000
	A000	0205A	ACCT1300A01	11111	12.00 12.50		14	474	140	15	00000
	A000	0205A	ACCT1250A01	1 1 1	13.00 13.50		12	474	140	15	00000
	A000	0208	DVMA0090A02	1 1 1	8.00 8.50		9	720	140	24	00000
	A000	0208	DVMA0091A02	1 1 1	8.00 8.50	1	2	720	140	24	00000
	A000	0208	DVMA0090A01	1 1	8.00 9.50		11	720	140	24	00000
	A000	0208	DVMA0091A01	1 1	8.00 9.50	1	5	720	140	24	00000
	A000	0208	DVMA0092A01	1 1	8.00 9.50	1	3	720	140	24	00000
	A000	0208	BUSE1045A01	1 1 1	9.00 9.50		10	720	140	24	00000
	A000	0208	ISYS1440AJ1	11111	10.00 10.50		5	720	140	24	00000
	A000	0208	OSYS1100A01	1 1 1	12.00 12.50		16	720	140	24	00000
	A000	0208	DVEN0090A01	1 1	12.00 14.00		2	720	140	24	00000
	A000	0208	DVEN0091A01	1 1	12.00 14.00	1	4	720	140	24	00000
	A000	0208	DVEN0092A01	1 1	12.00 14.00	1	1	720	140	24	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2015

RUN DATE 10/23/2015 15:53:45

PAGE NUM 3

L.T.C.-YOUNG MEMORIAL

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	A000	0208	BUSM1050A01	1 1 1	13.00 14.20		7	720	140 24 00000
	A000	0210	INTE1210A01	11111	8.00 9.15		3	743	140 15 00000
	A000	0210	INTE2110A03	11111	8.00 9.15	1	1	743	140 15 00000
	A000	0210	INTE2120A03	11111	8.00 9.15	1	3	743	140 15 00000
	A000	0210	INTE1100A01	11111	8.00 9.40	1	13	743	140 15 00000
8	A000	0210	INTE2030A01	11111	8.00 9.40	1	4	743	140 15 00000
8	A000	0210	INTE2830A01	11111	8.00 9.40	1	1	743	140 15 00000
8	A000	0210	INTE2190A01	11111	9.20 10.35	1	2	743	140 15 00000
8	A000	0210	INTE2110A01	11111	9.20 11.00	1	4	743	140 15 00000
8	A000	0210	INTE2120A01	11111	9.50 11.05	1	2	743	140 15 00000
8	A000	0210	INTE2820A02	11111	9.50 11.05	1	1	743	140 15 00000
8	A000	0210	INTE1200A02	11111	9.50 11.25	1	3	743	140 15 00000
8	A000	0210	INTE2110A02	11111	9.50 11.25	1	2	743	140 15 00000
8	A000	0210	INTE1110A01	11111	9.50 11.30	1	8	743	140 15 00000
8	A000	0210	INTE1330A01	11111	10.40 11.55	1	1	743	140 15 00000
8	A000	0210	INTE2261A01	11111	10.40 11.55	1	2	743	140 15 00000
8	A000	0210	INTE2010A01	11111	11.30 12.45	1	4	743	140 15 00000
8	A000	0210	SPPR2995A01	11111	11.30 12.45	1	1	743	140 15 00000
8	A000	0210	INTE2261A03	11111	11.30 12.50	1	1	743	140 15 00000
8	A000	0210	INTE2902A01	11111	11.30 13.20	1	2	743	140 15 00000
8	A000	0210	INTE2030A02	11111	11.30 14.30	1	1	743	140 15 00000
8	A000	0210	INTE1800A01	11111	11.35 12.49	1	1	743	140 15 00000
8	A000	0210	INTE1200A01	11111	12.00 13.15	1	9	743	140 15 00000
8	A000	0210	INTE1210A02	11111	12.00 13.15	1	4	743	140 15 00000
8	A000	0210	INTE2020A02	11111	12.00 13.15	1	1	743	140 15 00000
8	A000	0210	INTE2120A02	11111	12.00 13.15	1	1	743	140 15 00000
8	A000	0210	INTE2020A01	11111	12.50 14.05	1	4	743	140 15 00000
8	A000	0210	INTE1300A01	11111	13.00 14.40	1	2	743	140 15 00000
8	A000	0210	INTE1110A02	11111	13.20 14.30	1	1	743	140 15 00000
8	A000	0210	INTE2261A02	11111	13.20 14.30	1	12	743	140 15 00000
4	A000	0210	INTE2010A02	11111	13.25 14.20	1	1	743	140 15 00000
4	A000	0210	INTE2160A02	1 1	14.35 15.00		1	743	140 15 00000
	A000	0213	HNUR2715AJ1	11	6.00 16.00		27	888	110 40 00000
	A000	0213	HNUR1211AJ1	1 1	8.00 11.00	1	14	888	110 40 00000
	A000	0213	HNUR1300AJ1	11 1	8.00 11.00		27	888	110 40 00000
	A000	0213	HNUR2413AJ1	111	8.30 11.00	1	27	888	110 40 00000
	A000	0213	HNUR1271AJ1	1 1	12.00 14.00		23	888	110 40 00000
	A000	0213	HNUR1110AJ1	1	12.00 14.00		24	888	110 40 00000
	A000	0213	HNUR1111AJ1	1	12.00 14.00		25	888	110 40 00000
	A000	0213	HNUR2563AJ1	1	12.00 14.30	1	27	888	110 40 00000
	A000	0213	HNUR2913AJ1	1	12.00 14.30		27	888	110 40 00000
	A000	0213	HNUR1111AJ1	1	12.00 15.00		25	888	110 40 00000
	A000	0222	BOTH1230A01	1 1 1	9.00 9.50		7	801	110 40 00000
	A000	0222	CSRV1000A01	1 1 1	10.00 10.50		19	801	110 40 00000
	A000	0222	BOTH1300A01	1 1	10.00 11.15		5	801	110 40 00000
	A000	0222	BOTH1240A01	1 1 1	12.00 12.50		8	801	110 40 00000
	A000	0222	BOTH1120A01	1 1 1	13.00 13.50		5	801	110 40 00000
4	A000	031A	DIVE1060A01	1111	7.30 15.30		5	349	110 20 00000
4	A000	031A	DIVE1141A01	1111	7.30 15.30	1	5	349	110 20 00000
4	A000	031A	DIVE1100A01	1111	7.30 15.50	1	5	349	110 20 00000
4	A000	031A	DIVE1070A01	1111	7.30 16.10	1	5	349	110 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
FALL DATA 2015
RUN DATE 10/23/2015 15:53:45
PAGE NUM 4

L.T.C.-YOUNG MEMORIAL
BRANCH
PARISH
RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
4	A000 031A	DIVE1131A01	1111	7.30 16.20	1	5	349	110 20	00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
FALL DATA 2015
RUN DATE 10/23/2015 15:53:45

L.T.C.-YOUNG MEMORIAL

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -	
	THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,	
	THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	20
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -	
	CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - -	42
	PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -	
	THERE SHOULD BE NO DUPLICATES.	

----- T O T A L S -----

TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	62
TOTAL NUMBER OF RECORDS READ	- - - - -	154
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	154
NUMBER OF JOINT-CLASS RECORDS	- - - - -	115
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/23/2015 15:53:45

PAGE NUM 1

L.T.C.-YOUNG MEMORIAL

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			18
TOTAL NUMBER OF STATIONS (CAPACITY)			442
WEEKLY STUDENT CONTACT HOURS	4,221		4,221
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,620	900	2,520
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,187		1,187
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	39,780	22,100	61,880
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	24,629		24,629
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,442		8,442
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	73.3	.0	47.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	21.2	.0	13.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	34.3	.0	34.3
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			293
WEEKLY STUDENT CONTACT HOURS	2,293		2,293
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1,540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	459		459
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	26,370	14,650	41,020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,960		11,960
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,587		4,587
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	46.4	.0	29.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	17.4	.0	11.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	38.4	.0	38.4

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/23/2015 15:53:45
 PAGE NUM 2

L.T.C.-YOUNG MEMORIAL

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			7
TOTAL NUMBER OF STATIONS (CAPACITY)			149
WEEKLY STUDENT CONTACT HOURS	1,927		1,927
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	630	350	980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	728		728
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	13,410	7,450	20,860
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	12,669		12,669
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,855		3,855
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	115.6	.0	74.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	28.7	.0	18.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	30.4	.0	30.4
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			10
TOTAL NUMBER OF STATIONS (CAPACITY)			230
WEEKLY STUDENT CONTACT HOURS	5,620		5,620
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	900	500	1,400
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,836		1,836
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	20,700	11,500	32,200
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	40,873		40,873
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,240		11,240
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	204.0	.0	131.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	54.3	.0	34.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	27.5	.0	27.5

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/23/2015 15:53:45

PAGE NUM 3

L.T.C.-YOUNG MEMORIAL

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			4
TOTAL NUMBER OF STATIONS (CAPACITY)			89
WEEKLY STUDENT CONTACT HOURS	684		684
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	360	200	560
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	744		744
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	8,010	4,450	12,460
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	24,768		24,768
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,369		1,369
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	206.7	.0	132.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	17.1	.0	11.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	5.5	.0	5.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABBORATORY			
TOTAL NUMBER OF ROOMS			6
TOTAL NUMBER OF STATIONS (CAPACITY)			141
WEEKLY STUDENT CONTACT HOURS	4,935		4,935
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	540	300	840
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,092		1,092
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	12,690	7,050	19,740
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	16,105		16,105
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,871		9,871
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	202.2	.0	130.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	77.8	.0	50.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	61.3	.0	61.3

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY