

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 01/29/2013 PROGRAM I-D:Z235B266.  
 PAGE NUM 1

L.T.C. -ACADIAN  
 BRANCH  
 PARISH  
 RELATION

ACADIAN  
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
A000	0102	CPTR1000A04	1 1 1	7.00 7.58		8	797	210 20	00000
A000	0102	ORNT1000A03	1	7.00 7.59		14	797	210 20	00000
A000	0102	JOBS2450A02	1 1	8.00 8.59		1	797	210 20	00000
A000	0102	ORNT1000A01	1	8.00 8.59	1	21	797	210 20	00000
A000	0102	BUSE1030A01	1 1 1	8.00 9.00		9	797	210 20	00000
A000	0102	JOBS2450A01	1 1	9.00 9.59		19	797	210 20	00000
A000	0102	CPTR1000A01	1 1 1	9.00 10.00		12	797	210 20	00000
A000	0102	CPTR1002A01	1 1 1	9.05 10.00	1	6	797	210 20	00000
A000	0102	MATH0090A01	1 1 1	10.00 11.00		12	797	210 20	00000
A000	0102	BUSM1050A01	1 1	10.00 12.00		15	797	210 20	00000
A000	0102	READ0091A01	1 1 1	11.01 12.01		3	797	210 20	00000
A000	0102	ENGL0091A01	1 1 1	12.05 13.05		2	797	210 20	00000
A000	0102	BUSE1045A01	1 1	13.00 14.29		18	797	210 20	00000
A000	0102	READ0092A01	1 1 1	13.10 14.10		7	797	210 20	00000
A000	0102	ENGL0099A01	1 1 1	14.15 15.15		1	797	210 20	00000
A000	0102	CPTR1000A02	1 1 1	15.00 15.30	1	9	797	210 20	00000
A000	0102	ORNT1000A02	1	15.30 16.30		21	797	210 20	00000
A000	0102	JOBS2450A03	1 1	15.35 16.05		6	797	210 20	00000
A000	0104	CSRV1000A01	1 1	8.00 9.29		18	1,081	210 20	00000
A000	0104	BOTH1230A01	1 1	9.30 10.58		17	1,081	210 20	00000
A000	0104	BOTH1120A01	1 1	11.00 12.30		17	1,081	210 20	00000
A000	0104	BOTH2110A01	1 1	13.00 14.30		9	1,081	210 20	00000
A000	0105	KYBD1111A01	11111	9.00 9.59		3	1,364	210 25	00000
A000	0105	MATR1350A01	1 1 1	9.00 9.59	1	3	1,364	210 25	00000
A000	0105	ISYS1650A01	1 1	10.00 12.00		2	1,364	210 25	00000
A000	0105	ISYS1440A01	11111	13.00 13.59		3	1,364	210 25	00000
A000	0105	KYBD1111A02	11111	13.00 13.59	1	1	1,364	210 25	00000
A000	0105	ISYS1440A02	1 1	13.00 15.30	1	3	1,364	210 25	00000
A000	0105	MAST2110A02	1 1	13.00 15.30	1	11	1,364	210 25	00000
A000	0105	KYBD1111A03	1 1	13.00 15.30		2	1,364	210 25	00000
A000	0105	KYBD1010A01	1 1 1	14.00 15.00		8	1,364	210 25	00000
A000	0105	OSYS2530A01	1 1 1	14.00 15.00	1	1	1,364	210 25	00000
A000	0106	ACCT1200A01	11111	8.00 8.59		14	1,241	210 24	00000
A000	0106	ACCT1500A01	1111	8.00 8.59	1	9	1,241	210 24	00000
A000	0106	ACCT1250A01	1 1 1	9.00 9.59		14	1,241	210 24	00000
A000	0106	ACCT1300A01	1111	10.00 10.59		7	1,241	210 24	00000
A000	0106	ACCT1400A01	1111	11.00 11.59		7	1,241	210 24	00000
A000	0106	ACCT1100A01	11111	13.00 13.59		20	1,241	210 24	00000
A000	0106	OSYS1100A01	1 1 1	14.00 15.00		12	1,241	210 24	00000
A000	0107	HNUR2123A02	11	8.00 10.45		16	1,084	210 30	00000
A000	0107	HNUR2713A02	1	11.00 12.00		16	1,084	210 30	00000
A000	0107	HNUR2723A02	1	11.00 12.00		16	1,084	210 30	00000
A000	0107	HNUR2713A02	1	13.00 14.30		16	1,084	210 30	00000
A000	0107	HNUR2723A02	1	13.00 14.30		16	1,084	210 30	00000
A000	0114	HNUR1211A01	1 1	8.00 10.50		9	828	210 20	00000
A000	0114	MAST2130A01	1 1	8.00 10.50		13	828	210 20	00000
A000	0114	HEKG1011A01	1 1 1	12.00 14.30		9	828	210 20	00000
A000	0114	MAST2210A01	1 1	12.00 14.50		13	828	210 20	00000
A000	0114	HCOR1160A01	1	14.30 15.30		17	828	210 20	00000
A000	0115	DRFT1230A01	1 1	7.30 8.29		2	2,292	210 15	00000
A000	0115	DRFT1110A01	1 1	7.30 8.59	1	7	2,292	210 15	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 01/29/2013 PROGRAM I-D:Z235B266.  
 PAGE NUM 2

L.T.C. -ACADIAN  
 BRANCH  
 PARISH  
 RELATION

ACADIAN  
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	0115	DRFT1120A01	1 1	7.30 8.59		5	2,292	210 15	00000
	A000	0115	CADD1210A01	1111	7.30 9.29	1	4	2,292	210 15	00000
	A000	0115	CADD1215A01	1111	7.30 9.29	1	1	2,292	210 15	00000
	A000	0115	DRFT1145A01	1111	7.30 9.29	1	4	2,292	210 15	00000
	A000	0115	DRFT2310A01	1111	7.30 9.29	1	1	2,292	210 15	00000
	A000	0115	DRFT2341A01	1111	7.30 9.29	1	1	2,292	210 15	00000
	A000	0115	DRFT2361A01	1111	7.30 9.29	1	2	2,292	210 15	00000
	A000	0115	DRFT1130A01	1 1	9.30 10.59		5	2,292	210 15	00000
	A000	0115	DRFT1161A01	1 1	9.30 10.59		3	2,292	210 15	00000
	A000	0115	CADD1210A02	1111	9.30 11.29	1	1	2,292	210 15	00000
	A000	0115	DRFT1145A02	1111	9.30 11.29	1	4	2,292	210 15	00000
	A000	0115	DRFT1215A02	1111	9.30 11.29	1	1	2,292	210 15	00000
	A000	0115	DRFT2320A02	1111	9.30 11.29	1	1	2,292	210 15	00000
	A000	0115	DRFT2351A02	1111	9.30 11.29	1	1	2,292	210 15	00000
	A000	0115	DRFT1230A02	1 1	11.30 12.29		3	2,292	210 15	00000
	A000	0115	DRFT1230A04	1 1	11.30 12.29		2	2,292	210 15	00000
	A000	0115	DRFT1120A02	1 1	11.30 12.59	1	2	2,292	210 15	00000
	A000	0115	DRFT1215A03	1111	11.30 13.29	1	1	2,292	210 15	00000
	A000	0115	DRFT2330A03	1111	11.30 13.29	1	2	2,292	210 15	00000
	A000	0115	DRFT1130A02	1 1	13.30 14.59		3	2,292	210 15	00000
	A000	0115	DRFT1161A02	1 1	13.30 14.59		3	2,292	210 15	00000
	A000	0115	DRFT1145A04	1111	13.30 15.29	1	1	2,292	210 15	00000
	A000	0115	DRFT1215A04	1111	13.30 15.29	1	4	2,292	210 15	00000
	A000	0115	DRFT2341A04	1111	13.30 15.30	1	1	2,292	210 15	00000
	B000	0200	HPHM2000A01	1	8.00 10.50		7	963	110 30	00000
	B000	0201	MTTC2110A01	111111	8.00 8.50		6	4,898	210 20	00000
	B000	0201	MTTC2310A01	111111	8.00 9.40	1	4	4,898	210 20	00000
	B000	0201	MTTC2410A01	111111	8.00 9.40	1	4	4,898	210 20	00000
	B000	0201	MTTC2510A01	111111	8.00 9.40	1	6	4,898	210 20	00000
	B000	0201	MTTC2120A01	111111	8.51 9.40	1	6	4,898	210 20	00000
	B000	0201	MTTC2210A01	111111	9.50 10.40		7	4,898	210 20	00000
	B000	0201	MTTC2220A01	111111	9.50 11.30	1	2	4,898	210 20	00000
	B000	0201	MTTC2320A01	111111	9.50 11.30	1	5	4,898	210 20	00000
	B000	0201	MTTC2420A01	111111	9.50 11.30	1	4	4,898	210 20	00000
	B000	0201	MTTC2230A01	111111	10.50 11.30	1	1	4,898	210 20	00000
	B000	0201	MTTC2331A01	111111	12.20 14.00		7	4,898	210 20	00000
	B000	0201	MTTC2710A01	111111	12.20 14.00	1	5	4,898	210 20	00000
	B000	0201	MTTC2431A01	111111	14.01 15.01		4	4,898	210 20	00000
	B000	0202	DPET1120A01	111111	8.00 8.50		10	3,972	210 20	00000
	B000	0202	DPET1150A01	111111	8.00 8.50	1	2	3,972	210 20	00000
	B000	0202	DPET2130A01	111111	8.00 9.40	1	1	3,972	210 20	00000
	B000	0202	DPET1210A01	111111	8.50 9.40	1	1	3,972	210 20	00000
	B000	0202	DPET1310A01	111111	8.50 9.40	1	2	3,972	210 20	00000
	B000	0202	DPET1130A01	111111	8.52 9.40	1	10	3,972	210 20	00000
	B000	0202	DPET1140A01	111111	9.50 10.40		10	3,972	210 20	00000
	B000	0202	DPET1220A01	111111	9.50 10.40	1	3	3,972	210 20	00000
	B000	0202	DPET1320A01	111111	9.50 10.40	1	3	3,972	210 20	00000
	B000	0202	DPET2140A01	111111	9.50 10.40	1	2	3,972	210 20	00000
	B000	0202	DPET1141A01	111111	10.40 11.30		1	3,972	210 20	00000
	B000	0202	DPET1231A01	111111	10.40 11.30	1	2	3,972	210 20	00000
	B000	0202	DPET2210A01	111111	10.45 11.30	1	1	3,972	210 20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 01/29/2013 PROGRAM I-D:Z235B266.  
 PAGE NUM 3

L.T.C. -ACADIAN  
 BRANCH  
 PARISH  
 RELATION  
 ACADIAN  
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	B000	0202	DPET2110A01	11111	12.20 13.10		1	3,972	210 20 00000	
	B000	0202	DPET2220A01	11111	12.20 13.20	1	1	3,972	210 20 00000	
	B000	0202	DPET2240A01	11111	13.25 14.05		1	3,972	210 20 00000	
	B000	0202	DPET1240A01	11111	14.30 15.30		6	3,972	210 20 00000	
4	B000	0205	CTDP1110A01	11111	7.00 15.00		6	466	110 20 00000	
4	B000	0205	CTDP1110A02	11111	7.00 15.00	1	6	466	110 20 00000	
4	B000	0205	CTDP1110A03	11111	7.00 15.00	1	6	466	110 20 00000	
4	B000	0205	CTDP1110A04	11111	7.00 15.00	1	6	466	110 20 00000	
4	B000	0205	CTDP1120A01	11111	7.00 15.00	1	6	466	110 20 00000	
4	8	B000	0205	CTDP1120A03	11111	7.00 15.00	1	6	466	110 20 00000
4	8	B000	0205	CTDP1120A04	11111	7.00 15.00	1	6	466	110 20 00000
4	8	B000	0205	CTDP1120A02	111	7.00 15.00	1	6	466	110 20 00000
4	B000	0207	CTDP1131A01	11111	7.00 15.00		6	4,739	210 15 00000	
4	B000	0207	CTDP1131A02	11111	7.00 15.00	1	6	4,739	210 15 00000	
4	B000	0207	CTDP1131A03	11111	7.00 15.00	1	6	4,739	210 15 00000	
4	8	B000	0207	CTDP1131A04	11111	7.00 15.00	1	6	4,739	210 15 00000
4	8	B000	0207	CTDP1140A01	11111	7.00 15.00	1	3	4,739	210 15 00000
4	8	B000	0207	CTDP1140A03	11111	7.00 15.00	1	2	4,739	210 15 00000
4	8	B000	0207	CTDP1140A04	11111	7.00 15.00	1	4	4,739	210 15 00000
4	8	B000	0207	CTDP1140A05	11111	7.00 15.00	1	3	4,739	210 15 00000
4	8	B000	0207	CTDP1140A06	11111	7.00 15.00	1	3	4,739	210 15 00000
4	8	B000	0207	CTDP1140A07	11111	7.00 15.00	1	3	4,739	210 15 00000
4	8	B000	0207	CTDP1140A08	11111	7.00 15.00	1	3	4,739	210 15 00000
4	8	B000	0207	CTDP1211A01	11111	7.00 15.00	1	3	4,739	210 15 00000
4	8	B000	0207	CTDP1211A02	11111	7.00 15.00	1	3	4,739	210 15 00000
4	8	B000	0207	CTDP1211A03	11111	7.00 15.00	1	3	4,739	210 15 00000
4	8	B000	0207	CTDP1211A04	11111	7.00 15.00	1	2	4,739	210 15 00000
4	8	B000	0207	CTDP1211A05	11111	7.00 15.00	1	3	4,739	210 15 00000
4	8	B000	0207	CTDP1211A06	11111	7.00 15.00	1	3	4,739	210 15 00000
4	8	B000	0207	CTDP1211A07	1	7.00 15.00	1	3	4,739	210 15 00000
4	8	B000	0207	CTDP1211A08	1	7.00 15.00	1	3	4,739	210 15 00000
	B000	0208	WELD1110A01	11111	8.00 8.50		8	6,156	210 24 00000	
	B000	0208	WELD1410A01	11111	8.00 8.50	1	7	6,156	210 24 00000	
	B000	0208	WELD1512A01	11111	8.00 8.50	1	1	6,156	210 24 00000	
	B000	0208	WELD2230A01	11111	8.00 8.50	1	6	6,156	210 24 00000	
	B000	0208	WELD1120A01	11111	9.00 9.50		12	6,156	210 24 00000	
	B000	0208	WELD1411A01	11111	9.00 9.50	1	5	6,156	210 24 00000	
	B000	0208	WELD2112A01	11111	9.00 9.50	1	2	6,156	210 24 00000	
	B000	0208	WELD2310A01	11111	9.00 9.50	1	3	6,156	210 24 00000	
	B000	0208	WELD1130A01	11111	10.00 10.50		8	6,156	210 24 00000	
	B000	0208	WELD1412A01	11111	10.00 10.50	1	8	6,156	210 24 00000	
	B000	0208	WELD2113A01	11111	10.00 10.50	1	2	6,156	210 24 00000	
	B000	0208	WELD2311A01	11111	10.00 10.50	1	3	6,156	210 24 00000	
	B000	0208	WELD2321A01	11111	10.00 10.50	1	1	6,156	210 24 00000	
	B000	0208	WELD1140A01	11111	11.00 11.50		11	6,156	210 24 00000	
	B000	0208	WELD1420A01	11111	11.00 11.50	1	4	6,156	210 24 00000	
	B000	0208	WELD2110A01	11111	11.00 11.50	1	3	6,156	210 24 00000	
	B000	0208	WELD1210A01	11111	13.00 13.50		7	6,156	210 24 00000	
	B000	0208	WELD1510A01	11111	13.00 13.50	1	4	6,156	210 24 00000	
	B000	0208	WELD2111A01	11111	13.00 13.50	1	4	6,156	210 24 00000	
	B000	0208	WELD1310A01	11111	14.00 14.50		12	6,156	210 24 00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2012  
 RUN DATE 01/29/2013 PROGRAM I-D:Z235B266.  
 PAGE NUM 4

L.T.C.-ACADIAN  
 BRANCH  
 PARISH  
 RELATION

ACADIAN  
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	B000 0208	WELD2210A01	11111	14.00 14.50	1	6	6,156	210 24	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.  
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,  
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 27

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,  
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 19  
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 46

TOTAL NUMBER OF RECORDS READ 154  
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 154  
NUMBER OF JOINT-CLASS RECORDS 87  
NUMBER OF ALTERATE WEEKS RECORDS  
NUMBER OF DIFFERENT TIMES RECORDS  
NUMBER OF INCONSISTENT RECORDS

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-ACADIAN

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			70
WEEKLY STUDENT CONTACT HOURS	1845		1845
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	614		614
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6300	3500	9800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	12340		12340
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3690		3690
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	227.4	.0	146.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	58.6	.0	37.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	29.9	.0	29.9

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			70
WEEKLY STUDENT CONTACT HOURS	1845		1845
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	614		614
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6300	3500	9800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	12340		12340
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3690		3690
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	227.4	.0	146.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	58.6	.0	37.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	29.9	.0	29.9

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			16
TOTAL NUMBER OF STATIONS (CAPACITY)			373
WEEKLY STUDENT CONTACT HOURS	5793		5793
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1440	800	2240
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2630		2630
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	33570	18650	52220
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	45804		45804
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	11586		11586
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	182.6	.0	117.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	34.5	.0	22.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	25.3	.0	25.3

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			16
TOTAL NUMBER OF STATIONS (CAPACITY)			373
WEEKLY STUDENT CONTACT HOURS	5793		5793
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1440	800	2240
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2630		2630
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	33570	18650	52220
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	45804		45804
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	11586		11586
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	182.6	.0	117.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	34.5	.0	22.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	25.3	.0	25.3

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY