

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 11/29/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 1

L.T.C. -ALEXANDRIA  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	A000	A0203	DVMA91 A01	1 1 1	8.00 8.55		5	210 29	00000
	A000	A0203	DVMA90 A01	1 1 1	9.00 9.55		11	210 29	00000
	A000	A0203	KYBD1010A01	1 1	9.30 11.45	1	16	210 29	00000
	A000	A0203	DVRE91 A01	1 1 1	10.00 10.55		2	210 29	00000
	A000	A0203	DVRE92 A01	1 1 1	10.00 10.55	1	2	210 29	00000
	A000	A0203	DVRE90 A01	1 1 1	13.00 13.55		2	210 29	00000
	A000	A0203	DVEN91 A01	1 1 1	13.00 13.55	1	2	210 29	00000
	A000	A0203	DVEN90 A01	1 1 1	14.00 14.55		7	210 29	00000
	A000	A0205	CPTR1320A01	1 1	8.00 9.15		9	210 33	00000
	A000	A0205	ISYS1650A01	1	10.00 10.50		9	210 33	00000
	A000	A0205	ISYS1440A01	1	12.00 13.15		19	210 33	00000
	A000	A0206	BUSE1030A01	1 1 1	8.00 8.50		19	110 22	00000
	A000	A0206	ACCT1200A01	1 1	8.00 9.15		6	110 22	00000
	A000	A0206	ACCT1100A01	1 1	9.20 10.35		11	110 22	00000
	A000	A0206	CSRV1000A01	1 1 1	10.00 10.50		19	110 22	00000
	A000	A0206	BOTH1210A01	1 1 1	11.00 11.50		5	110 22	00000
	A000	A0206	BUSE1050A01	1	11.00 11.55		10	110 22	00000
	A000	A0206	BOTH2110A01	1 1 1	15.00 15.50		4	110 22	00000
	A000	A0206	BOTH1240A01	1	17.00 20.00		6	110 22	00000
	A000	A0207	KYBD1111A01	1 1	8.00 9.15		9	210 22	00000
	A000	A0207	MATR1350A01	1 1 1	9.00 9.50		12	210 22	00000
	A000	A0207	KYBD1111A01	1 1 1	13.00 13.50		9	210 22	00000
	A000	A0215	SPCH1015A01	1 1	11.00 12.10		15	110 22	00000
	A000	A0215	MATH1015A01	1 1	11.00 12.10		16	110 22	00000
	B000	B0001	ORNT1000A01	1 1	8.00 8.55		17	210 23	00000
	B000	B0001	ORNT1000A04	1 1	8.00 8.55	1	14	210 23	00000
	B000	B0001	IMMT1410A01	1 1	8.00 10.25	1	3	210 23	00000
	B000	B0001	CADD1210A03	11111	8.00 10.55	1	1	210 23	00000
8	B000	B0001	DRFT1145A03	11111	8.00 10.55	1	1	210 23	00000
8	B000	B0001	DRFT1161A04	11111	8.00 10.55	1	1	210 23	00000
8	B000	B0001	DRFT1215A03	11111	8.00 10.55	1	2	210 23	00000
8	B000	B0001	DRFT1215A04	11111	8.00 10.55	1	1	210 23	00000
8	B000	B0001	DRFT2310A03	11111	8.00 10.55	1	3	210 23	00000
8	B000	B0001	DRFT2320A03	11111	8.00 10.55	1	5	210 23	00000
8	B000	B0001	DRFT2330A03	11111	8.00 10.55	1	5	210 23	00000
8	B000	B0001	DRFT2343A03	11111	8.00 10.55	1	1	210 23	00000
8	B000	B0001	DRFT2343A04	11111	8.00 10.55	1	4	210 23	00000
8	B000	B0001	DRFT2353A03	11111	8.00 10.55	1	2	210 23	00000
8	B000	B0001	DRFT2362A03	11111	8.00 10.55	1	1	210 23	00000
4	8	B000	B0001	CADD1210A01	11111	8.00 13.55	1	210 23	00000
4	8	B000	B0001	DRFT1145A02	11111	8.00 13.55	1	210 23	00000
4	8	B000	B0001	DRFT1161A03	11111	8.00 13.55	1	210 23	00000
4	8	B000	B0001	DRFT1215A02	11111	8.00 13.55	1	210 23	00000
4	8	B000	B0001	DRFT2310A01	11111	8.00 13.55	1	210 23	00000
4	8	B000	B0001	DRFT2320A01	11111	8.00 13.55	1	210 23	00000
4	8	B000	B0001	DRFT2330A01	11111	8.00 13.55	1	210 23	00000
4	8	B000	B0001	DRFT2342A01	11111	8.00 13.55	1	210 23	00000
4	8	B000	B0001	DRFT2352A01	11111	8.00 13.55	1	210 23	00000
4	8	B000	B0001	DRFT2353A01	11111	8.00 13.55	1	210 23	00000
4	8	B000	B0001	DRFT2362A01	11111	8.00 13.55	1	210 23	00000
4	8	B000	B0001	DRFT2363A01	11111	8.00 13.55	1	210 23	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 11/29/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 2

L.T.C. -ALEXANDRIA  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	B000 B0001	ORNT1000A05	1 1	9.00 9.55	1	2	1,694	210 23	00000
	B000 B0001	ORNT1000A03	1 1	10.00 10.55		14	1,694	210 23	00000
	B000 B0001	DRFT1145A01	11111	10.00 14.55	1	7	1,694	210 23	00000
	B000 B0001	ETRN2130A01	1 1 1	10.30 12.20	1	7	1,694	210 23	00000
	B000 B0001	IMMT1411A01	1 1	10.30 13.25		3	1,694	210 23	00000
	B000 B0001	ETRN2110A01	1 1	11.00 13.55	1	4	1,694	210 23	00000
	B000 B0001	DRFT1110A01	11111	11.30 14.55	1	9	1,694	210 23	00000
	B000 B0001	DRFT1120A01	11111	11.30 14.55	1	9	1,694	210 23	00000
	B000 B0001	DRFT1130A01	11111	11.30 14.55	1	7	1,694	210 23	00000
8	B000 B0001	DRFT1161A01	11111	11.30 14.55	1	7	1,694	210 23	00000
8	B000 B0001	SPPR2996A01	1 1 1	12.30 13.25	1	9	1,694	210 23	00000
8	B000 B0001	CADD1210A03	11111	12.30 15.25	1	1	1,694	210 23	00000
8	B000 B0001	DRFT1145A03	11111	12.30 15.25	1	1	1,694	210 23	00000
8	B000 B0001	DRFT1161A04	11111	12.30 15.25	1	1	1,694	210 23	00000
8	B000 B0001	DRFT1215A03	11111	12.30 15.25	1	2	1,694	210 23	00000
8	B000 B0001	DRFT1215A04	11111	12.30 15.25	1	1	1,694	210 23	00000
8	B000 B0001	DRFT2310A03	11111	12.30 15.25	1	3	1,694	210 23	00000
8	B000 B0001	DRFT2320A03	11111	12.30 15.25	1	5	1,694	210 23	00000
8	B000 B0001	DRFT2330A03	11111	12.30 15.25	1	5	1,694	210 23	00000
8	B000 B0001	DRFT2343A03	11111	12.30 15.25	1	1	1,694	210 23	00000
8	B000 B0001	DRFT2343A04	11111	12.30 15.25	1	4	1,694	210 23	00000
8	B000 B0001	DRFT2353A03	11111	12.30 15.25	1	2	1,694	210 23	00000
8	B000 B0001	DRFT2362A03	11111	12.30 15.25	1	1	1,694	210 23	00000
8	B000 B0001	JOBS2450A01	1 1	13.00 13.55	1	14	1,694	210 23	00000
	B000 B0001	JOBS2450A02	1 1	14.00 14.55		17	1,694	210 23	00000
	B000 B0012	CPTR1002A01	1 1 1	8.00 9.55		11	540	110 34	00000
	B000 B0012	CPTR1002A02	1 1 1	10.00 11.55		4	540	110 34	00000
	B000 B0012	CPTR1002A04	1 1 1	10.00 11.55	1	1	540	110 34	00000
	B000 B0012	CPTR1500A01	1	13.00 13.55		5	540	110 34	00000
	C000 C0001	ELEC2540A01	1 1	8.00 10.55		12	1,978	210 20	00000
	C000 C0001	ELEC1120A02	1 1 1	8.00 11.25		16	1,978	210 20	00000
	C000 C0001	ELEC2720A01	1 1	11.00 13.55		10	1,978	210 20	00000
	C000 C0001	ELEC1311A02	1 1	11.00 14.55	1	10	1,978	210 20	00000
	C000 C0001	ELEC2460A01	1 1 1	12.00 12.55		14	1,978	210 20	00000
	C000 C0001	ELEC1120A01	1 1	17.00 20.00		15	1,978	210 20	00000
	C000 C0002	ELEC1230A01	1 1 1	8.00 9.25		12	1,636	210 20	00000
	C000 C0002	ELEC1330A01	1 1	8.00 10.55		12	1,636	210 20	00000
	C000 C0002	ELEC1430A01	1 1 1	9.35 11.30		13	1,636	210 20	00000
	C000 C0002	ELEC1220A01	1 1 1	12.05 14.05		4	1,636	210 20	00000
	C000 C0002	HACR2520A01	11111	13.20 14.25	1	7	1,636	210 20	00000
	C000 C0015	HACR2530A01	11111	7.30 8.25		12	870	210 20	00000
	C000 C0015	HACR1150A01	11111	7.30 8.50	1	9	870	210 20	00000
8	C000 C0015	HACR2540A01	11111	8.30 10.00	1	11	870	210 20	00000
8	C000 C0015	HACR1210A01	11111	8.55 10.00	1	3	870	210 20	00000
8	C000 C0015	HACR1160A01	11111	8.55 10.15	1	8	870	210 20	00000
8	C000 C0015	SPPR2991A02	1 1	10.00 10.55	1	1	870	210 20	00000
8	C000 C0015	HACR2550A01	11111	10.05 11.30	1	12	870	210 20	00000
8	C000 C0015	HACR1170A01	11111	10.20 11.40	1	11	870	210 20	00000
	C000 C0015	HACR1300A01	1	12.00 12.55		5	870	210 20	00000
	C000 C0015	HACR2560A01	11111	12.15 13.15	1	11	870	210 20	00000
	C000 C0015	HACR1180A01	11111	12.15 13.30	1	10	870	210 20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 11/29/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 3

L.T.C. -ALEXANDRIA  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	C000 C0015	HACR1220A01	11111	12.15 13.30	1	5	870	210 20	00000
8	C000 C0015	SPPR2991A01	1 1 1	12.15 14.15	1	1	870	210 20	00000
8	C000 C0015	HACR1230A01	11111	13.35 15.05	1	4	870	210 20	00000
	D000 D0001	IMMT1110A01	1 1	8.00 9.10		7	5,214	210 20	00000
	D000 D0001	IMMT1120A01	1 1	9.30 10.25		7	5,214	210 20	00000
	D000 D0001	IMMT1121A01	1 1 1	10.00 12.20		4	5,214	210 20	00000
	D000 D0001	IMMT1320A01	1 1	10.30 11.55		6	5,214	210 20	00000
	D000 D0001	IMMT1321A01	1 1	12.00 14.55		4	5,214	210 20	00000
	D000 D0002	IMMT1311A01	1 1 1	13.00 14.20		3	627	110 40	00000
8	E000 E0017	HNUR1300A02	1 1	8.00 10.25		41	684	240 25	00000
8	E000 E0017	HNUR1300A02	1	12.00 14.25		41	684	240 25	00000
	E000 E0023	HNUR1211A02	11111	8.00 10.55		12	864	110 36	00000
	E000 E0023	HNUR1211A03	1 1 1	8.00 10.55	1	12	864	110 36	00000
	E000 E0023	EKG 1113A01	11 11	8.00 11.25	1	13	864	110 36	00000
	E000 E0023	EKG 1113A03	1 1	8.00 11.25	1	13	864	110 36	00000
	E000 E0023	HNUR1320A02	1	8.30 10.25		35	864	110 36	00000
	E000 E0023	HCOR1200A01	1 1 1	12.00 14.55		13	864	110 36	00000
	E000 E0023	EKG 1113A02	1	12.00 15.25		13	864	110 36	00000
	E000 E0023	BOTH1210A02	1 1	12.15 15.10	1	12	864	110 36	00000
	E000 E0023	BOTH1210A03	1 1	12.15 15.10	1	12	864	110 36	00000
	E000 E0023	BOTH1210A01	1	12.15 15.10	1	12	864	110 36	00000
	E000 E0024	HNUR2713A01	1	8.00 10.55		8	840	110 25	00000
	E000 E0024	HNUR2523A01	1	8.00 10.55		6	840	110 25	00000
	E000 E0024	HNUR2123A01	1111	12.00 14.55		7	840	110 25	00000
	E000 E0024	HNUR2123A02	11	12.00 14.55	1	7	840	110 25	00000
	E000 E0025	HNUR2113A01	11111	8.00 10.55		26	744	110 20	00000
8	E000 E0025	HNUR2996A02	1	8.00 10.55	1	36	744	110 20	00000
	E000 E0025	HNUR2113A01	11	8.00 10.55		26	744	110 20	00000
8	E000 E0025	HNUR2993A01	1 1	11.30 13.55		38	744	110 20	00000
8	E000 E0025	HNUR2611A01	11111	12.00 14.55	1	24	744	110 20	00000
8	E000 E0025	HNUR2723A01	1	12.00 14.55	1	26	744	110 20	00000
	E000 E0025	HNUR1460A01	1	12.00 15.25		23	744	110 20	00000
	F000 F0001	WELD1410A01	11111	8.00 8.55		4	2,914	210 15	00000
	F000 F0001	WELD2111A01	11111	8.00 8.55	1	14	2,914	210 15	00000
8	F000 F0001	WELD2311A01	11111	8.00 9.10	1	7	2,914	210 15	00000
8	F000 F0001	WELD1420A01	11111	8.00 9.25	1	3	2,914	210 15	00000
8	F000 F0001	WELD1120A01	1 1 1	8.00 9.25	1	12	2,914	210 15	00000
	F000 F0001	WELD1110A01	1 1	8.00 9.55		12	2,914	210 15	00000
	F000 F0001	WELD1411A01	11111	9.00 10.25	1	3	2,914	210 15	00000
8	F000 F0001	WELD2210A01	11111	9.15 10.25	1	15	2,914	210 15	00000
8	F000 F0001	WELD1510A01	11111	9.30 10.55	1	8	2,914	210 15	00000
8	F000 F0001	WELD1130A01	1 1 1	9.45 11.10	1	15	2,914	210 15	00000
	F000 F0001	WELD1140A01	1 1	10.00 11.25		15	2,914	210 15	00000
	F000 F0001	IMMT1111A01	1 1 1	10.00 12.55		5	2,914	210 15	00000
	F000 F0001	WELD2230A01	11111	10.30 11.40	1	15	2,914	210 15	00000
8	F000 F0001	WELD1412A01	11111	10.30 11.55	1	4	2,914	210 15	00000
8	F000 F0001	WELD1511A01	11111	11.30 12.55	1	6	2,914	210 15	00000
8	F000 F0001	WELD1310A01	11111	12.00 13.25	1	15	2,914	210 15	00000
8	F000 F0001	WELD1210A01	11111	12.00 13.40	1	15	2,914	210 15	00000
8	F000 F0001	WELD2310A01	11111	12.15 13.25	1	10	2,914	210 15	00000
8	F000 F0001	WELD2110A01	11111	12.30 13.55	1	15	2,914	210 15	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2012  
 RUN DATE 11/29/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 4

L.T.C.-ALEXANDRIA  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	F000 F0001	WELD1512A01	11111	13.00 14.25	1	5	2,914	210 15	00000
8	F000 F0001	IMMT1112A01	1 1 1	13.00 14.55	1	4	2,914	210 15	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.  
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,  
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 12

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,  
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 68  
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 80

TOTAL NUMBER OF RECORDS READ 155  
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 155  
NUMBER OF JOINT-CLASS RECORDS 93  
NUMBER OF ALTERATE WEEKS RECORDS  
NUMBER OF DIFFERENT TIMES RECORDS  
NUMBER OF INCONSISTENT RECORDS

## SPACE UTILIZ - SUMMARY PAGE

L.T.C.-ALEXANDRIA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			23
TOTAL NUMBER OF STATIONS (CAPACITY)			593
WEEKLY STUDENT CONTACT HOURS	2913	18	2931
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2070	1150	3220
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	395	6	401
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	53370	29650	83020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	11336	132	11468
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5827	36	5863
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	19.1	.5	12.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	10.9	.1	7.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	51.4	27.3	51.1

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			23
TOTAL NUMBER OF STATIONS (CAPACITY)			593
WEEKLY STUDENT CONTACT HOURS	2913	18	2931
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2070	1150	3220
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	395	6	401
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	53370	29650	83020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	11336	132	11468
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5827	36	5863
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	19.1	.5	12.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	10.9	.1	7.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	51.4	27.3	51.1

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			24
TOTAL NUMBER OF STATIONS (CAPACITY)			459
WEEKLY STUDENT CONTACT HOURS	5348	90	5438
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2160	1200	3360
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2412	12	2424
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	41310	22950	64260
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	52595	240	52835
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	10696	180	10876
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	111.7	1.0	72.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	25.9	.8	16.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	20.3	75.0	20.6

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			24
TOTAL NUMBER OF STATIONS (CAPACITY)			459
WEEKLY STUDENT CONTACT HOURS	5348	90	5438
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2160	1200	3360
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2412	12	2424
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	41310	22950	64260
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	52595	240	52835
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	10696	180	10876
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	111.7	1.0	72.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	25.9	.8	16.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	20.3	75.0	20.6

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY