

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 11/21/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-FLORIDA PARISHES
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	0LBA 0127	DVMA0090B02	111111	8.00 8.50		1	1,029	110 26	00000
	0LBA 0127	DVEN0090B01	1 1 1	8.00 9.20	1	4	1,029	110 26	00000
	0LBA 0127	DVEN0091B01	1 1 1	8.00 9.20	1	10	1,029	110 26	00000
	0LBA 0127	DVRE0092B02	111111	8.00 10.00	1	1	1,029	110 26	00000
8	0LBA 0127	AHMA1000B01	1 1	8.00 10.00	1	2	1,029	110 26	00000
	0LBA 0127	DVMA0090B01	1 1	8.00 10.00	1	25	1,029	110 26	00000
	0LBA 0127	AHEN1000B01	1 1 1	9.30 10.50		1	1,029	110 26	00000
	0LBA 0127	DVEN0092B01	1 1 1	9.30 10.50	1	2	1,029	110 26	00000
	0LBA 0127	DVMA0091B01	1 1	10.15 12.15		12	1,029	110 26	00000
	0LBA 0127	AHSC1000B01	1 1 1	11.30 12.50		17	1,029	110 26	00000
	0LBA 0127	DVRE0090B01	1 1 1	11.30 12.50	1	2	1,029	110 26	00000
	0LBA 0127	DVRE0091B01	1 1 1	11.30 12.50	1	10	1,029	110 26	00000
	0LBA 0127	DVMA0092B01	1 1	12.30 14.30		18	1,029	110 26	00000
	0LBA 0127	AHRE1000B01	1 1 1	13.00 14.20		1	1,029	110 26	00000
	0LBA 0127	DVRE0092B01	1 1 1	13.00 14.20	1	3	1,029	110 26	00000
	0LBA 0128	CSRV1000B01	1 1	10.00 11.30		13	714	110 25	00000
	0LBA 0128	CSRV1000B02	1 1	10.30 11.30	1	1	714	110 25	00000
	0LBA 0128	VETT2107B01	1	11.00 12.50		6	714	110 25	00000
	0LBA 0128	VETA1101B01	1	14.00 14.50		6	714	110 25	00000
	0LBA 0128	VETA1202B01	1	15.00 15.50		7	714	110 25	00000
	0LBA 0128	MATH1015B01	1	18.00 21.00		19	714	110 25	00000
	0LBA 0128	MATH1015B02	1	18.00 21.00		2	714	110 25	00000
	0LBA 0129	CDYC1110B01	1 1	7.45 9.45		10	722	110 25	00000
	0LBA 0129	INTE1100B01	1 1 1	7.55 9.55		8	722	110 25	00000
	0LBA 0129	INTE2120B01	1 1 1	7.55 9.55	1	2	722	110 25	00000
	0LBA 0129	INTE1100B41	111111	8.00 9.00	1	7	722	110 25	00000
	0LBA 0129	INTE1100B80	111111	8.00 9.00	1	19	722	110 25	00000
	0LBA 0129	CPTR1010B01	1 1 1	10.00 12.00		10	722	110 25	00000
	0LBA 0129	INTE2010B01	1 1 1	10.00 12.00	1	2	722	110 25	00000
	0LBA 0129	CDYC1220B01	1 1	10.00 12.30		6	722	110 25	00000
	0LBA 0129	INTE1200B01	1 1 1	12.30 14.30		6	722	110 25	00000
	0LBA 0129	CDYC1210B01	1 1	13.00 15.30		3	722	110 25	00000
	0LBA 0129	ENGL1015B01	1	17.00 20.00		7	722	110 25	00000
	0LBA 0129	PSYC2015B01	1	17.00 20.00		11	722	110 25	00000
	0LBA 0129	SPCH1015B01	1	18.00 21.00		8	722	110 25	00000
8	0LBA 0135	HNUR1300B01	111111	8.00 11.00		43	1,621	110 50	00000
8	0LBA 0135	HNUR1361B01	111111	8.00 11.00	1	43	1,621	110 50	00000
8	0LBA 0135	HNUR1411B01	111111	8.00 11.00	1	43	1,621	110 50	00000
8	0LBA 0135	HNUR1211B01	111111	12.00 15.00		43	1,621	110 50	00000
8	0LBA 0135	HNUR1211B02	111111	12.00 15.00	1	43	1,621	110 50	00000
8	0LBA 0135	HNUR1270B01	111111	12.00 15.00	1	47	1,621	110 50	00000
8	0LBA 0135	HNUR1320B01	111111	12.00 15.00	1	42	1,621	110 50	00000
4	0LBA 0138	HCOR1212B01	111111	6.00 13.50		12	1,565	110 50	00000
4	0LBA 0138	HNUR2813B01	11	6.00 16.00	1	22	1,565	110 50	00000
4	0LBA 0138	HNUR2813B02	11	6.00 16.00	1	22	1,565	110 50	00000
4	0LBA 0138	HNUR2713B01	1	7.00 19.00		22	1,565	110 50	00000
4	0LBA 0138	HNUR2713B02	1	7.00 19.00	1	22	1,565	110 50	00000
	0LBA 0138	HNUR1211B02	111111	10.30 12.25	1	12	1,565	110 50	00000
	0LBA 0146	WKEY0060B01	1 1	8.00 9.30		2	983	255 15	00000
	0LBA 0146	WKEY0061B01	1 1	8.00 9.30	1	1	983	255 15	00000
8	0LBA 0146	ORNT1000B01	1	12.30 13.30		31	983	255 15	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 11/21/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-FLORIDA PARISHES
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	0LBA 0146	ORNT1000B02	1	14.30 15.30		16	983	255 15	00000
	0LBA 0146	ORNT1000B03	1	16.00 17.00		39	983	255 15	00000
	0LBA 0147	BUSE1030B01	1 1	8.00 9.30		11	976	110 26	00000
	0LBA 0147	ACCT1100B01	1 1 1	8.00 9.40		2	976	110 26	00000
	0LBA 0147	BUSE1045B01	1 1	9.35 11.05		3	976	110 26	00000
	0LBA 0147	ACCT1200B01	1 1 1	9.45 11.25		2	976	110 26	00000
	0LBA 0147	ACCT1250B01	1 1	11.10 12.40		1	976	110 26	00000
	0LBA 0147	ACCT1400B01	1 1 1	12.55 14.15		2	976	110 26	00000
	0LBA 0147	BUSM1050B01	1 1 1	14.20 15.40		4	976	110 26	00000
	0LBA 0148	CPTR1000B01	1 1 1	8.00 8.50		12	963	110 26	00000
	0LBA 0148	ISYS1650B01	1 1	8.00 9.40		1	963	110 26	00000
	0LBA 0148	CPTR1002B01	1 1 1	9.00 9.50		4	963	110 26	00000
	0LBA 0148	KYBD1010B01	1 1 1	10.00 10.50		7	963	110 26	00000
	0LBA 0148	ISYS1440B01	1 1	10.00 12.10		1	963	110 26	00000
	0LBA 0148	JOBS2450B01	1 1 1	11.00 12.00		1	963	110 26	00000
	0LBA 0148	CPTR1320B01	1 1	12.30 14.40		1	963	110 26	00000
	0LBA 0148	CPTR1310B01	1 1	13.50 15.30	1	2	963	110 26	00000
	0LBA 0156	CRMJ1310B01	1 1	9.00 10.15		12	787	110 25	00000
	0LBA 0156	CRMJ1120B01	1 1	10.30 11.45		15	787	110 25	00000
	0LBA 0156	CRMJ1110B01	1 1	12.00 13.15		12	787	110 25	00000
	0LBA 0156	CRMJ1322B01	1 1	12.00 13.15		7	787	110 25	00000
	0LBA 0156	CRMJ1410B01	1 1	13.30 14.45		12	787	110 25	00000
	0LBA 0156	SOCL2112B01	1 1	15.00 16.15		7	787	110 25	00000
	0LBA 0156	BIOL1010B01	1	18.00 21.00		12	787	110 25	00000
	0LBA 0160	CULN1110B01	1 1	7.30 9.50		8	1,666	210 15	00000
	0LBA 0160	CULN1240B01	1 1 1	9.00 12.15		1	1,666	210 15	00000
	0LBA 0160	CULN1130B01	1 1	10.00 12.30		7	1,666	210 15	00000
	0LBA 0160	CULN1321B01	1 1 1	12.25 14.30		1	1,666	210 15	00000
	0LBA 0160	CULN1140B01	1 1	12.35 15.00		7	1,666	210 15	00000
4	0LBA 0163	CULN2430B01	1 1 1	7.15 14.45		3	766	110 30	00000
4	0LBA 0163	CULN2410B01	1 1 1	8.00 14.30	1	3	766	110 30	00000
4	0LBA 0163	CULN2420B01	1 1 1	8.00 14.30	1	3	766	110 30	00000
	0LBA 0163	CULN1140B02	1 1	10.00 12.00		5	766	110 30	00000
	0LBA 145A	MAST2140B01	1 1 1	8.00 9.30		7	688	110 20	00000
	0LBA 145A	HCOR1601B01	1 1	8.00 9.50		3	688	110 20	00000
	0LBA 145A	HCOR1200B01	1 1	10.00 12.30		15	688	110 20	00000
	0LBA 145A	HCOR1160B01	1	10.00 12.30		6	688	110 20	00000
	0LBA 145A	HCOR1801B01	1 1	10.30 12.30		3	688	110 20	00000
	0LBA 145A	HPHM2000B01	1111	18.30 20.30		4	688	110 20	00000
	0LBA 145B	HPHL1013B01	1 1 1	8.00 11.30		3	695	110 20	00000
	0LBA 145B	HEKG1113B01	1 1	8.30 11.00		10	695	110 20	00000
	0LBA 145B	HNUR1211B02	11111	10.30 12.25	1	12	695	110 20	00000
	0LBA 145B	HNUR1211B03	11111	13.00 14.00		12	695	110 20	00000
4	0LBB T100	AUTO1300B01	11	7.30 16.30		6	3,525	210 20	00000
4	0LBB T100	AUTO1610B02	11	7.30 16.30	1	3	3,525	210 20	00000
4	0LBB T100	AUTO1620B02	11	7.30 16.30	1	3	3,525	210 20	00000
4	0LBB T100	AUTO1800B01	11	7.30 16.30	1	6	3,525	210 20	00000
	0LBB T100	AUTO1300B02	11111	8.00 8.50	1	1	3,525	210 20	00000
	0LBB T100	AUTO1600B01	11111	8.00 8.50	1	11	3,525	210 20	00000
4	0LBB T100	AUTO1610B01	11111	9.00 9.25		11	3,525	210 20	00000
	0LBB T100	AUTO1600B03	11111	9.00 9.50	1	1	3,525	210 20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 11/21/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-FLORIDA PARISHES
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	0LBB T100	AUTO1620B01	111111	9.30 10.20	1	11	3,525	210 20	00000
	0LBB T100	AUTO1610B03	111111	10.00 10.50	1	1	3,525	210 20	00000
	0LBB T100	AUTO1630B01	111111	10.30 11.20	1	5	3,525	210 20	00000
	0LBB T100	AUTO1620B03	111111	11.00 11.50	1	1	3,525	210 20	00000
4	0LBB T100	AUTO1640B01	111111	12.00 12.25		5	3,525	210 20	00000
	0LBB T100	AUTO1800B03	111111	12.00 12.50	1	1	3,525	210 20	00000
4	0LBB T100	AUTO1650B01	111111	12.30 12.55	1	5	3,525	210 20	00000
4	0LBB T100	AUTO1660B01	111111	13.00 13.25		5	3,525	210 20	00000
4	0LBB T101	AUTO1600B02	11	7.30 16.30		3	826	110 20	00000
	0LBB T108	ELEC2460B01	111111	8.00 9.50		5	943	210 10	00000
4	0LBB T108	ELEC1120B01	111111	8.00 14.00	1	5	943	210 10	00000
4	0LBB T108	ELEC1210B01	111111	8.00 14.00	1	5	943	210 10	00000
8	0LBB T108	ELEC1220B01	111111	10.00 13.40	1	5	943	210 10	00000
4	0LBB T110	ELLT1320B01	111	7.30 14.30		6	826	110 20	00000
4	0LBB T110	ELLT1300B01	111	7.30 15.30	1	7	826	110 20	00000
4	0LBB T110	ELLT1310B01	111	7.30 15.30	1	6	826	110 20	00000
4	0LBB T110	ELLT1330B01	11	7.30 15.30	1	6	826	110 20	00000
	0LBB T110	ELLT1200B01	1	16.00 20.00		8	826	110 20	00000
	0LBB T110	ELLT1210B01	1	16.00 20.00		6	826	110 20	00000
	000A 0108	WELD1130B01	111111	7.30 8.20		2	1,784	210 28	00000
	000A 0108	WELD1420B01	111111	7.30 8.20	1	7	1,784	210 28	00000
	000A 0108	WELD1512B01	111111	7.30 8.20	1	3	1,784	210 28	00000
	000A 0108	WELD1120B01	111111	7.30 8.30	1	1	1,784	210 28	00000
	000A 0108	WELD1110B02	111111	8.00 8.50	1	3	1,784	210 28	00000
	000A 0108	WELD1110B25	111111	8.00 9.00	1	3	1,784	210 28	00000
	000A 0108	WELD1110B31	111111	8.00 9.00	1	2	1,784	210 28	00000
	000A 0108	WELD1110B35	111111	8.00 9.00	1	3	1,784	210 28	00000
	000A 0108	WELD1110B40	111111	8.00 9.00	1	7	1,784	210 28	00000
	000A 0108	WELD1110B90	111111	8.00 9.00	1	4	1,784	210 28	00000
	000A 0108	WELD1411B45	111111	8.00 9.00	1	3	1,784	210 28	00000
8	000A 0108	WELD1140B01	111111	8.25 9.05	1	14	1,784	210 28	00000
8	000A 0108	WELD1140B02	111111	9.00 9.50	1	1	1,784	210 28	00000
8	000A 0108	WELD1110B20	111111	9.00 10.00	1	13	1,784	210 28	00000
8	000A 0108	WELD1110B45	111111	9.05 10.05	1	5	1,784	210 28	00000
8	000A 0108	WELD1210B01	111111	9.10 10.00	1	13	1,784	210 28	00000
	000A 0108	WELD1210B02	111111	10.00 10.50		3	1,784	210 28	00000
	000A 0108	WELD1410B01	111111	10.05 10.55	1	11	1,784	210 28	00000
	000A 0108	WELD1411B25	111111	10.10 11.10	1	1	1,784	210 28	00000
	000A 0108	WELD1410B02	111111	11.00 11.50	1	1	1,784	210 28	00000
	000A 0108	WELD1411B01	111111	11.25 12.50	1	14	1,784	210 28	00000
	000A 0108	WELD1510B01	111111	11.25 12.50	1	2	1,784	210 28	00000
	000A 0108	WELD2311B01	111111	11.25 12.50	1	2	1,784	210 28	00000
	000A 0108	WELD1310B01	111111	12.55 13.35		9	1,784	210 28	00000
	000A 0108	WELD1412B01	111111	13.40 15.05		8	1,784	210 28	00000
	000A 0108	WELD1511B01	111111	13.40 15.05	1	3	1,784	210 28	00000
	000A 0108	WELD2110B01	111111	13.40 15.05	1	2	1,784	210 28	00000
	000A 0108	WELD2230B01	111111	13.40 15.05	1	1	1,784	210 28	00000
	000A 0108	WELD2310B01	111111	13.40 15.05	1	2	1,784	210 28	00000
	000A 0108	WELD2995B01	1 1	18.00 21.00		15	1,784	210 28	00000
	000A 0108	WELD2995B03	1 1	18.00 21.00	1	1	1,784	210 28	00000
	000E 0108B	WELD1110B01	111111	7.30 8.20		13	336	110 20	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	23
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	14
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	37
TOTAL NUMBER OF RECORDS READ	153
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	153
NUMBER OF JOINT-CLASS RECORDS	72
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-FLORIDA PARISHES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			15
TOTAL NUMBER OF STATIONS (CAPACITY)			385
WEEKLY STUDENT CONTACT HOURS	8832	209	9041
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1350	750	2100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1217	52	1269
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	34650	19250	53900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	39794	1220	41014
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	17665	418	18083
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	90.1	6.9	60.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	51.0	2.2	33.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	44.4	34.3	44.1
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			15
TOTAL NUMBER OF STATIONS (CAPACITY)			385
WEEKLY STUDENT CONTACT HOURS	8832	209	9041
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1350	750	2100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1217	52	1269
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	34650	19250	53900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	39794	1220	41014
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	17665	418	18083
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	90.1	6.9	60.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	51.0	2.2	33.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	44.4	34.3	44.1

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			7
TOTAL NUMBER OF STATIONS (CAPACITY)			126
WEEKLY STUDENT CONTACT HOURS	1891	96	1987
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	630	350	980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	515	24	539
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	11340	6300	17640
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	9530	672	10202
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3782	192	3974
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	81.7	6.9	55.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	33.4	3.0	22.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	39.7	28.6	39.0

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			7
TOTAL NUMBER OF STATIONS (CAPACITY)			126
WEEKLY STUDENT CONTACT HOURS	1891	96	1987
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	630	350	980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	515	24	539
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	11340	6300	17640
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	9530	672	10202
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3782	192	3974
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	81.7	6.9	55.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	33.4	3.0	22.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	39.7	28.6	39.0

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY