

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 01/30/2013 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-GULF AREA
 BRANCH
 PARISH
 RELATION

OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|
| | A000 | 0102 | ENGL0091G01 | 1 1 1 | 8.00 8.50 | | 2 | 210 25 | 00000 |
| | A000 | 0102 | READ0091G01 | 1 1 | 8.00 9.15 | | 1 | 210 25 | 00000 |
| | A000 | 0102 | ENGL0099G01 | 1 1 1 | 9.00 9.50 | | 2 | 210 25 | 00000 |
| | A000 | 0102 | READ0092G01 | 1 1 | 9.25 10.40 | | 6 | 210 25 | 00000 |
| | A000 | 0102 | MATH0090G01 | 1 1 1 | 10.00 10.50 | | 17 | 210 25 | 00000 |
| | A000 | 0102 | ENGL0099G02 | 1 1 1 | 12.00 12.50 | | 1 | 210 25 | 00000 |
| | A000 | 0102 | ENGL0092G01 | 1 1 1 | 13.00 13.50 | | 1 | 210 25 | 00000 |
| | A000 | 0102 | MATH0092G01 | 1 1 1 | 14.00 14.50 | | 2 | 210 25 | 00000 |
| | A000 | 0103 | CPTR1320G54 | 11111 | 7.00 8.00 | | 13 | 210 25 | 00000 |
| | A000 | 0103 | CPTR1600G54 | 11111 | 7.00 8.00 | 1 | 13 | 210 25 | 00000 |
| 8 | A000 | 0103 | BUSM1050G55 | 11111 | 7.24 8.19 | 1 | 47 | 210 25 | 00000 |
| 8 | A000 | 0103 | BUSM1050G56 | 11111 | 7.24 8.19 | 1 | 2 | 210 25 | 00000 |
| 8 | A000 | 0103 | BUSE1030G50 | 11111 | 7.25 8.14 | 1 | 13 | 210 25 | 00000 |
| 8 | A000 | 0103 | BUSM1050G52 | 11111 | 7.25 8.20 | 1 | 22 | 210 25 | 00000 |
| 8 | A000 | 0103 | CPTR1320G51 | 11111 | 7.28 8.20 | 1 | 5 | 210 25 | 00000 |
| 8 | A000 | 0103 | CPTR1600G51 | 11111 | 7.28 8.20 | 1 | 5 | 210 25 | 00000 |
| 8 | A000 | 0103 | ISYS1440G53 | 11111 | 7.28 8.20 | 1 | 5 | 210 25 | 00000 |
| 8 | A000 | 0103 | WELD1110G50 | 11111 | 7.28 11.49 | 1 | 19 | 210 25 | 00000 |
| 8 | A000 | 0103 | WELD1210G50 | 11111 | 7.28 11.49 | 1 | 19 | 210 25 | 00000 |
| 8 | A000 | 0103 | WELD1410G50 | 11111 | 7.28 11.49 | 1 | 19 | 210 25 | 00000 |
| 8 | A000 | 0103 | ELEC1120G51 | 11111 | 8.00 8.30 | 1 | 10 | 210 25 | 00000 |
| 8 | A000 | 0103 | TECE1000G51 | 11111 | 8.00 8.55 | 1 | 16 | 210 25 | 00000 |
| 8 | A000 | 0103 | WELD1110G53 | 11111 | 8.00 8.55 | 1 | 8 | 210 25 | 00000 |
| 8 | A000 | 0103 | BUSM1050G54 | 11111 | 8.00 9.00 | 1 | 47 | 210 25 | 00000 |
| 8 | A000 | 0103 | TECE1000G52 | 11111 | 8.00 9.00 | 1 | 29 | 210 25 | 00000 |
| 8 | A000 | 0103 | TECE1000G53 | 11111 | 8.00 9.00 | 1 | 2 | 210 25 | 00000 |
| 8 | A000 | 0103 | BUSM1050G57 | 11111 | 8.00 10.00 | 1 | 2 | 210 25 | 00000 |
| 8 | A000 | 0103 | COSM1311G03 | 11111 | 8.00 10.00 | 1 | 1 | 210 25 | 00000 |
| 8 | A000 | 0103 | CPTR1320G50 | 11111 | 8.00 10.00 | 1 | 7 | 210 25 | 00000 |
| 8 | A000 | 0103 | CPTR1600G50 | 11111 | 8.00 10.00 | 1 | 7 | 210 25 | 00000 |
| 78 | A000 | 0103 | IAMT2995G50 | 11111 | 8.00 10.00 | 1 | 1 | 210 25 | 00000 |
| 8 | A000 | 0103 | ISYS1440G51 | 11111 | 8.00 10.00 | 1 | 7 | 210 25 | 00000 |
| 8 | A000 | 0103 | TECE1000G58 | 11111 | 8.00 10.00 | 1 | 1 | 210 25 | 00000 |
| 8 | A000 | 0103 | TECE1000G59 | 11111 | 8.00 10.00 | 1 | 1 | 210 25 | 00000 |
| 8 | A000 | 0103 | WELD1110G51 | 11111 | 8.00 10.00 | 1 | 9 | 210 25 | 00000 |
| 8 | A000 | 0103 | ISYS1440G50 | 11111 | 8.08 9.44 | 1 | 1 | 210 25 | 00000 |
| 8 | A000 | 0103 | CPTR1002G51 | 11111 | 8.26 9.15 | 1 | 9 | 210 25 | 00000 |
| 8 | A000 | 0103 | CPTR1002G53 | 11111 | 8.26 9.15 | 1 | 11 | 210 25 | 00000 |
| 8 | A000 | 0103 | CPTR1320G55 | 11111 | 8.26 9.15 | 1 | 4 | 210 25 | 00000 |
| 8 | A000 | 0103 | CPTR1600G55 | 11111 | 8.26 9.15 | 1 | 4 | 210 25 | 00000 |
| 8 | A000 | 0103 | ISYS1440G56 | 11111 | 8.26 9.15 | 1 | 4 | 210 25 | 00000 |
| 8 | A000 | 0103 | KYBD1010G53 | 11111 | 8.26 9.15 | 1 | 11 | 210 25 | 00000 |
| 8 | A000 | 0103 | KYBD1111G53 | 11111 | 8.26 9.15 | 1 | 11 | 210 25 | 00000 |
| 8 | A000 | 0103 | TECE1000G54 | 11111 | 8.26 9.15 | 1 | 12 | 210 25 | 00000 |
| 8 | A000 | 0103 | TECE1000G57 | 11111 | 8.26 9.15 | 1 | 1 | 210 25 | 00000 |
| 8 | A000 | 0103 | ELEC1120G50 | 11111 | 8.27 9.20 | 1 | 10 | 210 25 | 00000 |
| 8 | A000 | 0103 | WELD1210G53 | 11111 | 8.56 9.50 | 1 | 8 | 210 25 | 00000 |
| 8 | A000 | 0103 | WELD1110G52 | 11111 | 9.00 10.00 | 1 | 11 | 210 25 | 00000 |
| 8 | A000 | 0103 | TECE1000G50 | 11111 | 9.15 10.05 | 1 | 42 | 210 25 | 00000 |
| 8 | A000 | 0103 | BUSE1030G51 | 11111 | 9.19 10.08 | 1 | 16 | 210 25 | 00000 |
| 8 | A000 | 0103 | BUSE1030G52 | 11111 | 9.19 10.08 | 1 | 1 | 210 25 | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 01/30/2013 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-GULF AREA
 BRANCH
 PARISH
 RELATION OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|--------------|
| 8 | A000 | 0103 | CPTR1002G52 | 11111 | 9.19 10.08 | 1 | 2 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | KYBD1010G52 | 11111 | 9.19 10.08 | 1 | 2 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | KYBD1111G52 | 11111 | 9.19 10.08 | 1 | 2 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | KYBD1010G51 | 11111 | 9.20 9.59 | 1 | 9 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | TECE1000G55 | 11111 | 9.20 9.59 | 1 | 23 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | BUSM1050G50 | 11111 | 9.36 11.14 | 1 | 11 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | BUSM1050G51 | 11111 | 9.36 11.14 | 1 | 16 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | ACCT1100G51 | 11111 | 9.48 11.24 | 1 | 11 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | WELD1410G53 | 11111 | 9.51 10.30 | 1 | 8 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | KYBD1111G51 | 11111 | 10.00 10.30 | 1 | 9 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | TECE1000G56 | 11111 | 10.00 11.01 | 1 | 21 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | WELD1210G52 | 11111 | 10.01 10.50 | 1 | 11 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | WELD1210G51 | 11111 | 10.01 11.00 | 1 | 9 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | COSM1420G03 | 11111 | 10.10 11.00 | 1 | 1 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | ELEC1120G52 | 11111 | 10.31 11.39 | 1 | 9 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | BUSM1050G53 | 11111 | 10.59 11.49 | 1 | 19 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | WELD1410G51 | 11111 | 11.01 12.00 | 1 | 9 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | COSM1321G03 | 11111 | 11.30 14.00 | 1 | 1 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | ISYS1650G50 | 11111 | 11.34 12.23 | 1 | 2 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | CPTR1320G52 | 11111 | 11.58 13.34 | 1 | 4 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | ACCT1100G50 | 11111 | 12.01 13.34 | 1 | 2 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | CPTR1002G50 | 11111 | 12.50 13.39 | 1 | 6 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | KYBD1010G50 | 11111 | 12.50 13.39 | 1 | 6 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | KYBD1111G50 | 11111 | 12.50 13.39 | 1 | 6 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | CPTR1320G53 | 11111 | 13.00 14.00 | 1 | 4 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | ISYS1440G54 | 11111 | 13.00 14.00 | 1 | 4 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | ISYS1440G52 | 11111 | 13.38 15.14 | 1 | 5 | 1,160 | 210 25 00000 |
| 8 | A000 | 0103 | COSM2530G03 | 11111 | 14.15 15.00 | 1 | 1 | 1,160 | 210 25 00000 |
| | A000 | 0106 | ACCT1100G01 | 1 1 | 8.00 8.50 | | 18 | 1,000 | 210 22 00000 |
| | A000 | 0106 | ACCT1100G01 | 1 1 | 8.00 9.15 | | 18 | 1,000 | 210 22 00000 |
| | A000 | 0106 | ISYS1440G02 | 11111 | 8.00 10.15 | 1 | 1 | 1,000 | 210 22 00000 |
| 8 | A000 | 0106 | CPTR1002G01 | 1 1 1 | 9.00 9.50 | 1 | 21 | 1,000 | 210 22 00000 |
| 8 | A000 | 0106 | KYBD1111G01 | 1 1 | 9.00 9.50 | 1 | 10 | 1,000 | 210 22 00000 |
| | A000 | 0106 | ACCT1500G02 | 1 1 | 9.25 10.40 | | 1 | 1,000 | 210 22 00000 |
| | A000 | 0106 | KYBD1010G01 | 1 1 | 9.25 10.40 | 1 | 17 | 1,000 | 210 22 00000 |
| | A000 | 0106 | KYBD1111G01 | 1 1 | 9.25 10.40 | 1 | 10 | 1,000 | 210 22 00000 |
| | A000 | 0106 | ACCT1500G01 | 1 1 | 9.25 11.05 | 1 | 3 | 1,000 | 210 22 00000 |
| | A000 | 0106 | MATR1350G01 | 1 1 1 | 10.00 10.50 | | 10 | 1,000 | 210 22 00000 |
| | A000 | 0106 | ACCT1200G01 | 1 1 | 10.00 10.50 | 1 | 7 | 1,000 | 210 22 00000 |
| | A000 | 0106 | ACCT1200G01 | 1 1 | 10.50 12.05 | | 7 | 1,000 | 210 22 00000 |
| | A000 | 0106 | OSYS1100G01 | 1 1 | 10.50 12.05 | 1 | 24 | 1,000 | 210 22 00000 |
| | A000 | 0106 | ACCT1400G01 | 1 1 1 | 11.00 12.15 | | 7 | 1,000 | 210 22 00000 |
| | A000 | 0106 | ACCT1500G02 | 1 1 | 12.06 12.30 | | 1 | 1,000 | 210 22 00000 |
| | A000 | 0106 | CPTR1000G01 | 1 1 1 | 13.00 13.50 | | 6 | 1,000 | 210 22 00000 |
| | A000 | 0106 | BUSM1050G01 | 1 1 1 | 14.00 15.15 | | 11 | 1,000 | 210 22 00000 |
| | A000 | 0107 | CPTR1310G01 | 1111 | 8.00 8.50 | | 5 | 1,140 | 210 25 00000 |
| | A000 | 0107 | CPTR1320G01 | 1 1 | 8.00 8.50 | 1 | 12 | 1,140 | 210 25 00000 |
| | A000 | 0107 | CPTR1320G01 | 1 1 | 8.00 9.15 | | 12 | 1,140 | 210 25 00000 |
| | A000 | 0107 | BUSE1030G01 | 1 1 1 | 11.00 11.50 | | 31 | 1,140 | 210 25 00000 |
| | A000 | 0107 | ISYS1440G01 | 1 1 | 13.00 13.50 | | 12 | 1,140 | 210 25 00000 |
| | A000 | 0107 | CSRV1000G01 | 1 1 | 13.00 14.15 | | 28 | 1,140 | 210 25 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 01/30/2013 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-GULF AREA
 BRANCH
 PARISH
 RELATION

OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETING DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. | |
|--------|-----------------|------------------|----------------------|-------------------|-------------------------|-------------|---------------------|----------------------|----------|-------|
| 8 | A000 | 0107 | ISYS1440G01 | 1 1 | 13.00 14.15 | 1 | 12 | 210 25 | 00000 | |
| 8 | A000 | 0107 | ISYS1650G01 | 1 1 | 13.00 14.30 | 1 | 6 | 210 25 | 00000 | |
| | A000 | 0107 | BUSE1045G01 | 1 1 1 | 14.00 14.50 | | 12 | 210 25 | 00000 | |
| 4 | A000 | 0121 | DRFT2310G01 | 11111 | 8.00 14.50 | | 2 | 210 20 | 00000 | |
| 4 | A000 | 0121 | DRFT2320G01 | 11111 | 8.00 14.50 | 1 | 2 | 210 20 | 00000 | |
| 4 | A000 | 0121 | DRFT2330G01 | 11111 | 8.00 14.50 | 1 | 2 | 210 20 | 00000 | |
| | A000 | 0121 | DRFT1160G01 | 11111 | 12.00 12.50 | 1 | 2 | 210 20 | 00000 | |
| | A000 | 0122 | CADD1215G02 | 11111 | 8.00 9.50 | | 1 | 210 20 | 00000 | |
| | A000 | 0122 | DRFT1110G02 | 11111 | 8.00 9.50 | 1 | 1 | 210 20 | 00000 | |
| | A000 | 0122 | DRFT1120G02 | 11111 | 8.00 9.50 | 1 | 1 | 210 20 | 00000 | |
| | A000 | 0122 | DRFT1130G02 | 11111 | 8.00 9.50 | 1 | 1 | 210 20 | 00000 | |
| | A000 | 0122 | DRFT1145G02 | 11111 | 8.00 9.50 | 1 | 1 | 210 20 | 00000 | |
| | A000 | 0122 | DRFT1215G02 | 11111 | 8.00 9.50 | 1 | 1 | 210 20 | 00000 | |
| | A000 | 0122 | DRFT2310G03 | 11111 | 8.00 9.50 | 1 | 1 | 210 20 | 00000 | |
| 4 | A000 | 0122 | CADD1210G02 | 11111 | 8.00 14.50 | 1 | 1 | 210 20 | 00000 | |
| 4 | A000 | 0122 | CADD1215G04 | 11111 | 8.00 14.50 | 1 | 1 | 210 20 | 00000 | |
| 4 | A000 | 0122 | DRFT1130G04 | 11111 | 8.00 14.50 | 1 | 1 | 210 20 | 00000 | |
| 4 | A000 | 0122 | DRFT1145G03 | 11111 | 8.00 14.50 | 1 | 1 | 210 20 | 00000 | |
| 4 | A000 | 0122 | DRFT1230G02 | 11111 | 8.00 14.50 | 1 | 1 | 210 20 | 00000 | |
| 4 | A000 | 0122 | DRFT2343G01 | 11111 | 8.00 15.30 | 1 | 1 | 210 20 | 00000 | |
| | A000 | 0122 | DRFT1110G03 | 11111 | 8.30 10.50 | 1 | 1 | 210 20 | 00000 | |
| | A000 | 0122 | DRFT1130G03 | 11111 | 8.30 10.50 | 1 | 1 | 210 20 | 00000 | |
| | A000 | 0122 | DRFT1161G02 | 11111 | 8.30 10.50 | 1 | 1 | 210 20 | 00000 | |
| | A000 | 0122 | CADD1215G02 | 11111 | 11.00 14.50 | | 1 | 210 20 | 00000 | |
| | A000 | 0122 | DRFT1110G02 | 11111 | 11.00 14.50 | 1 | 1 | 210 20 | 00000 | |
| | A000 | 0122 | DRFT1120G02 | 11111 | 11.00 14.50 | 1 | 1 | 210 20 | 00000 | |
| | A000 | 0122 | DRFT1130G02 | 11111 | 11.00 14.50 | 1 | 1 | 210 20 | 00000 | |
| | A000 | 0122 | DRFT1145G02 | 11111 | 11.00 14.50 | 1 | 1 | 210 20 | 00000 | |
| | A000 | 0122 | DRFT1215G02 | 11111 | 11.00 14.50 | 1 | 1 | 210 20 | 00000 | |
| | A000 | 0122 | DRFT2310G03 | 11111 | 11.00 14.50 | 1 | 1 | 210 20 | 00000 | |
| 4 | A000 | 0213 | HNUR2133G01 | 111 | 7.00 15.00 | | 14 | 110 20 | 00000 | |
| 4 | A000 | 0213 | HNUR2723G01 | 111 | 7.00 15.00 | 1 | 14 | 110 20 | 00000 | |
| 4 | 8 | A000 | 0213 | HNUR2813G01 | 111 | 7.00 15.00 | 1 | 110 20 | 00000 | |
| | A000 | 0213 | HNUR2133G01 | 1 1 | 8.00 9.50 | | 14 | 110 20 | 00000 | |
| | A000 | 0213 | HNUR2723G01 | 1 1 | 10.00 10.50 | | 14 | 110 20 | 00000 | |
| | A000 | 0213 | HNUR2813G01 | 1 1 | 12.00 12.50 | | 14 | 110 20 | 00000 | |
| | 8 | A000 | 0214 | MAST2210G01 | 1 1 | 8.00 12.30 | 6 | 215 | 00000 | |
| 4 | 8 | A000 | 0214 | MAST2222A01 | 11111 | 8.00 17.00 | 5 | 215 | 00000 | |
| | 8 | A000 | 0214 | MAST1130G01 | 1 1 1 | 10.00 10.50 | 1 | 215 | 00000 | |
| | 8 | A000 | 0214 | MAST2110G01 | 1 1 1 | 12.00 13.30 | 15 | 215 | 00000 | |
| 7 | A000 | 0214 | BOTH1240G01 | 1 1 1 | 14.00 14.50 | | 15 | 215 | 00000 | |
| 4 | 8 | A000 | 0216 | HNUR1212G01 | 11111 | 7.00 15.00 | 8 | 215 | 00000 | |
| 4 | 8 | A000 | 0216 | HNUR1212G02 | 11111 | 7.00 15.00 | 6 | 215 | 00000 | |
| 4 | 8 | A000 | 0216 | HNUR1212G03 | 11111 | 7.00 15.00 | 7 | 215 | 00000 | |
| 4 | 8 | A000 | 0216 | HNUR1212G04 | 11111 | 7.00 15.00 | 3 | 215 | 00000 | |
| | 8 | A000 | 0216 | HNUR1361G01 | 11111 | 8.00 9.20 | 1 | 215 | 00000 | |
| 89 | A000 | 0216 | HNUR1361G01 | 1 1 | 8.00 9.20 | | 32 | 215 | 00000 | |
| | 8 | A000 | 0216 | HNUR1270G01 | 111 | 8.00 9.20 | | 28 | 215 | 00000 |
| | 8 | A000 | 0216 | HNUR1211G01 | 11111 | 9.30 11.00 | | 24 | 215 | 00000 |
| | 8 | A000 | 0216 | HNUR1411G01 | 11111 | 9.30 11.00 | 1 | 23 | 215 | 00000 |
| | 8 | A000 | 0216 | HNUR1211G01 | 11111 | 12.00 12.50 | | 24 | 215 | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 01/30/2013 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C.-GULF AREA
 BRANCH
 PARISH
 RELATION

OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|-------------|
| 8 | A000 | 0216 | HNUR1411G01 | 11111 | 12.00 12.50 | 1 | 23 | 215 | 00000 |
| 8 | A000 | 0216 | HNUR1300G01 | 11111 | 13.00 14.20 | | 32 | 215 | 00000 |
| 8 | A000 | 0216 | HNUR1320G01 | 11111 | 14.30 15.20 | | 32 | 215 | 00000 |
| 89 | A000 | 0216 | HNUR1320G01 | 1 1 | 14.30 15.20 | | 32 | 215 | 00000 |
| | A000 | 0226 | MAST1210G01 | 1 1 | 8.00 9.50 | | 16 | 110 20 | 00000 |
| | A000 | 0226 | HEKG1113G01 | 1 1 1 | 8.00 10.00 | | 9 | 110 20 | 00000 |
| | A000 | 0226 | HCOR1801G01 | 1 1 | 10.00 11.50 | | 10 | 110 20 | 00000 |
| | A000 | 0227 | HPHL1013G01 | 1 1 | 8.00 11.00 | | 10 | 110 20 | 00000 |
| | A000 | 0227 | MAST1220G01 | 1 1 1 | 9.00 10.50 | | 10 | 110 20 | 00000 |
| | A000 | 0227 | BOTH1120G01 | 1 1 1 | 12.00 12.50 | | 25 | 110 20 | 00000 |
| | A000 | 0227 | HPHL1013G01 | 1 1 1 | 13.00 14.30 | | 10 | 110 20 | 00000 |
| 1 | B000 | 0302 | CPTR1000G04 | 11111 | 8.00 8.50 | | 2 | | 00000 |
| 1 | B000 | 0302 | COMP2730G01 | 11111 | 8.00 9.30 | | 7 | | 00000 |
| 1 | B000 | 0302 | ETRN1120G01 | 11111 | 9.00 11.30 | | 6 | | 00000 |
| 1 | B000 | 0302 | ETRN1120G03 | 11111 | 10.00 12.30 | | 1 | | 00000 |
| 1 | B000 | 0302 | ETRN1130G03 | 11111 | 10.00 12.30 | | 1 | | 00000 |
| 1 | B000 | 0302 | ETRN1120G02 | 11111 | 12.00 14.30 | | 8 | | 00000 |
| 1 | B000 | 0302 | COMP2730G02 | 11111 | 12.30 14.00 | | 2 | | 00000 |
| 1 | B000 | 0303 | ETRN1130G01 | 11111 | 9.00 11.30 | | 5 | | 00000 |
| 1 | B000 | 0303 | CPTR1000G03 | 11111 | 12.00 14.30 | | 13 | | 00000 |
| 1 | B000 | 0303 | ETRN1130G02 | 11111 | 12.00 14.30 | | 8 | | 00000 |
| 1 | B000 | 0310 | WELD1130G01 | 11111 | 8.00 8.50 | | 2 | | 00000 |
| 1 | B000 | 0310 | WELD1120G01 | 11111 | 8.00 9.00 | | 1 | | 00000 |
| 1 | B000 | 0310 | WELD2210G02 | 11111 | 8.00 9.20 | | 3 | | 00000 |
| 1 | B000 | 0310 | WELD2112G01 | 11111 | 8.00 9.40 | | 2 | | 00000 |
| 1 | B000 | 0310 | WELD1140G01 | 11111 | 8.51 9.40 | | 7 | | 00000 |
| 1 | B000 | 0310 | WELD2210G01 | 11111 | 8.51 10.20 | | 2 | | 00000 |
| 1 | B000 | 0310 | WELD2440G02 | 11111 | 9.00 9.50 | | 2 | | 00000 |
| 1 | B000 | 0310 | WELD2111G01 | 11111 | 9.01 10.30 | | 4 | | 00000 |
| 1 | B000 | 0310 | WELD2114G01 | 11111 | 9.41 11.20 | | 1 | | 00000 |
| 1 | B000 | 0310 | WELD1512G01 | 11111 | 10.21 11.59 | | 2 | | 00000 |
| 1 | B000 | 0310 | WELD1410G01 | 11111 | 10.31 11.20 | | 7 | | 00000 |
| 1 | B000 | 0310 | WELD2440G01 | 11111 | 10.31 11.30 | | 2 | | 00000 |
| 1 | B000 | 0310 | WELD2311G03 | 11111 | 10.31 11.59 | | 3 | | 00000 |
| 1 | B000 | 0310 | WELD1411G01 | 11111 | 12.00 13.30 | | 6 | | 00000 |
| 1 | B000 | 0310 | WELD2311G01 | 11111 | 12.00 13.30 | | 2 | | 00000 |
| 1 | B000 | 0310 | WELD2113G01 | 11111 | 12.00 13.40 | | 1 | | 00000 |
| 1 | B000 | 0310 | WELD1420G02 | 11111 | 13.31 15.10 | | 3 | | 00000 |
| 1 | B000 | 0310 | WELD1511G01 | 11111 | 13.31 15.10 | | 2 | | 00000 |
| 1 | B000 | 0311 | IAMT1190G15 | 11111 | 8.00 10.00 | | 1 | | 00000 |
| 1 | B000 | 0311 | WELD1412G01 | 11111 | 8.51 10.20 | | 1 | | 00000 |
| 1 | B000 | 0311 | WELD1210G01 | 11111 | 9.41 10.30 | | 5 | | 00000 |
| 1 | B000 | 0311 | WELD1510G01 | 11111 | 9.41 11.20 | | 2 | | 00000 |
| 1 | B000 | 0311 | WELD1420G01 | 11111 | 10.21 11.59 | | 1 | | 00000 |
| 1 | B000 | 0311 | WELD2230G01 | 11111 | 12.00 13.30 | | 5 | | 00000 |
| 1 | B000 | 0311 | WELD1310G04 | 11111 | 13.31 14.20 | | 1 | | 00000 |
| 1 | B000 | 0311 | WELD1411G02 | 11111 | 13.31 15.00 | | 4 | | 00000 |
| 1 | B000 | 0311 | WELD2310G01 | 11111 | 13.31 15.00 | | 7 | | 00000 |
| 1 | B000 | 0311 | ZTEC0309G01 | 1 1 | 16.00 19.00 | | 21 | | 00000 |
| | B000 | 0317 | ELEC1230G01 | 11111 | 8.00 9.20 | | 3 | 2,108 | 6 00000 |
| | B000 | 0317 | ELEC1330G01 | 11111 | 8.00 9.20 | 1 | 3 | 2,108 | 210 6 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 01/30/2013 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C.-GULF AREA
 BRANCH
 PARISH
 RELATION

OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|
| 8 | B000 0317 | ELEC1120G01 | 111111 | 8.00 10.00 | 1 | 11 | 2,108 | 210 6 | 00000 |
| | B000 0317 | ELEC1430G01 | 111111 | 11.45 13.30 | | 1 | 2,108 | 210 6 | 00000 |
| 1 | B000 0318 | ELEC2520G02 | 111111 | 8.00 9.00 | | 1 | | | 00000 |
| 12 | B000 0318 | ELEC2520G03 | | 8.00 10.00 | | 2 | | | 00000 |
| 1 | B000 0318 | ELEC2540G01 | 111111 | 9.05 10.20 | | 1 | | | 00000 |
| 1 | B000 0318 | ELEC1420G01 | 111111 | 9.25 10.40 | | 3 | | | 00000 |
| 1 | B000 0318 | ELEC1311G01 | 111111 | 9.25 11.40 | | 3 | | | 00000 |
| 1 | B000 0318 | ELEC1210G01 | 111111 | 10.05 12.00 | | 5 | | | 00000 |
| 1 | B000 0318 | ELEC2720G03 | 111111 | 10.25 11.40 | | 1 | | | 00000 |
| 1 | B000 0318 | ELEC1440G01 | 111111 | 10.45 12.00 | | 2 | | | 00000 |
| 1 | B000 0318 | ELEC2460G01 | 111111 | 12.30 13.05 | | 3 | | | 00000 |
| 1 | B000 0318 | ELEC1420G03 | 111111 | 12.30 13.45 | | 1 | | | 00000 |
| 1 | B000 0318 | ELEC2520G01 | 111111 | 12.30 14.30 | | 2 | | | 00000 |
| 1 | B000 0318 | ELEC1220G01 | 111111 | 13.10 14.30 | | 5 | | | 00000 |
| 1 | B000 0323 | COSM1311G01 | 111111 | 8.00 10.00 | | 15 | | | 00000 |
| 1 | B000 0323 | COSM1130G01 | 111111 | 11.00 12.30 | | 3 | | | 00000 |
| 1 | B000 0323 | COSM1130G02 | 111111 | 11.20 12.50 | | 19 | | | 00000 |
| 1 | B000 0323 | COSM2530G01 | 111111 | 14.15 15.00 | | 13 | | | 00000 |
| 1 | B000 0324 | COSM1121G01 | 111111 | 8.00 9.20 | | 6 | | | 00000 |
| 1 | B000 0324 | COSM1211G01 | 111111 | 9.30 10.30 | | 3 | | | 00000 |
| 1 | B000 0324 | COSM1110G01 | 111111 | 12.45 14.15 | | 6 | | | 00000 |
| 12 | B000 0324 | COSM2510G01 | | 15.15 17.45 | | 1 | | | 00000 |
| | B000 0328 | COSM1311G02 | 111111 | 8.00 10.00 | | 12 | 750 | 110 24 | 00000 |
| | B000 0328 | COSM1420G01 | 111111 | 10.10 11.00 | | 16 | 750 | 110 24 | 00000 |
| | B000 0328 | COSM1420G02 | 111111 | 10.10 11.00 | 1 | 12 | 750 | 110 24 | 00000 |
| | B000 0328 | COSM1321G01 | 111111 | 11.30 14.00 | | 15 | 750 | 110 24 | 00000 |
| | B000 0328 | COSM1321G02 | 111111 | 11.30 14.00 | 1 | 12 | 750 | 110 24 | 00000 |
| | B000 0328 | COSM2530G02 | 111111 | 14.15 15.00 | | 10 | 750 | 110 24 | 00000 |
| 4 | B000 0329 | ORNT1000G01 | 11 | 8.00 15.00 | | 3 | 2,000 | 210 9 | 00000 |
| | B000 0329 | COSM1121G02 | 111111 | 8.30 9.50 | 1 | 4 | 2,000 | 210 9 | 00000 |
| | B000 0329 | COSM1211G02 | 111111 | 10.00 10.50 | | 9 | 2,000 | 210 9 | 00000 |
| | B000 0329 | COSM1110G02 | 111111 | 13.00 14.30 | | 19 | 2,000 | 210 9 | 00000 |
| 1 | B000 0335 | WELD1110G01 | 111111 | 8.00 8.50 | | 7 | | | 00000 |
| 1 | B000 0335 | WELD1310G01 | 111111 | 8.00 8.50 | | 2 | | | 00000 |
| 1 | B000 0335 | WELD2440G03 | 111111 | 9.01 9.50 | | 1 | | | 00000 |
| 1 | B000 0335 | WELD2311G02 | 111111 | 9.21 11.00 | | 1 | | | 00000 |
| 1 | B000 0335 | WELD1310G02 | 111111 | 9.41 10.30 | | 1 | | | 00000 |
| 1 | B000 0335 | WELD1140G02 | 111111 | 9.51 10.40 | | 1 | | | 00000 |
| 1 | B000 0335 | WELD1310G03 | 111111 | 9.51 10.40 | | 1 | | | 00000 |
| 1 | B000 0335 | WELD1210G02 | 111111 | 10.51 11.40 | | 2 | | | 00000 |
| 1 | B000 0335 | WELD1110G02 | 111111 | 11.00 11.50 | | 7 | | | 00000 |
| 1 | B000 0335 | WELD1411G03 | 111111 | 11.00 12.30 | | 1 | | | 00000 |
| 1 | B000 0335 | WELD2440G04 | 111111 | 11.40 12.30 | | 1 | | | 00000 |
| 1 | B000 0335 | WELD1140G03 | 111111 | 11.51 12.40 | | 7 | | | 00000 |
| 1 | B000 0335 | WELD1410G02 | 111111 | 12.00 12.50 | | 2 | | | 00000 |
| 1 | B000 0335 | WELD1412G02 | 111111 | 12.31 14.00 | | 2 | | | 00000 |
| 1 | B000 0335 | WELD1210G03 | 111111 | 12.41 13.30 | | 7 | | | 00000 |
| 1 | B000 0335 | WELD1410G03 | 111111 | 13.31 14.20 | | 7 | | | 00000 |
| 1 | B000 0340 | COMP1200G01 | 111111 | 9.00 10.00 | | 2 | | | 00000 |
| 1 | B000 0340 | COMP2902G01 | 111111 | 9.40 11.10 | | 6 | | | 00000 |
| 1 | B000 0340 | CPTR1050G01 | 111111 | 10.00 11.30 | | 2 | | | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 01/30/2013 PROGRAM I-D:Z235B266.
 PAGE NUM 6

L.T.C.-GULF AREA
 BRANCH
 PARISH
 RELATION OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------------|-----------|---------------------|----------------------|----------|
| 1 | B000 0340 | COMP1100G01 | 11111 | 12.30 13.30 | | 4 | | | 00000 |
| 1 | B000 0340 | COMP2720G01 | 11111 | 12.30 14.00 | | 1 | | | 00000 |
| 1 | B000 0340 | COMP1101G01 | 11111 | 13.30 14.00 | | 4 | | | 00000 |
| 1 | C000 0402 | OILG1000010 | 111 | 7.00 7.55 | | 1 | | | 00000 |
| 1 | C000 0402 | IAMT1120015 | 111 | 7.00 9.25 | | 1 | | | 00000 |
| 1 | C000 0402 | IAMT1110G01 | 11111 | 8.00 8.50 | | 3 | | | 00000 |
| 1 | C000 0402 | IAMT1180G01 | 11111 | 8.00 8.50 | | 7 | | | 00000 |
| 1 | C000 0402 | NCCR1000G01 | 11111 | 8.00 8.55 | | 3 | | | 00000 |
| 1 | C000 0402 | IAMT2210G01 | 11111 | 8.00 9.55 | | 1 | | | 00000 |
| 1 | 4 C000 0402 | ORNT1000G10 | 1 | 8.00 14.00 | | 7 | | | 00000 |
| 1 | C000 0402 | IAMT1110G02 | 11111 | 9.00 9.50 | | 7 | | | 00000 |
| 1 | C000 0402 | IAMT1180G02 | 11111 | 9.00 9.50 | | 3 | | | 00000 |
| 1 | C000 0402 | IAMT2995001 | 11111 | 9.00 10.30 | | 1 | | | 00000 |
| 1 | C000 0402 | IAMT2170G02 | 11111 | 9.00 10.55 | | 1 | | | 00000 |
| 1 | C000 0402 | NCCR1000012 | 1 1 1 | 9.00 11.00 | | 1 | | | 00000 |
| 1 | C000 0402 | IAMT1120012 | 1 1 1 | 9.00 11.55 | | 1 | | | 00000 |
| 1 | C000 0402 | IAMT1110G03 | 11111 | 10.00 10.50 | | 1 | | | 00000 |
| 1 | C000 0402 | IAMT2145G03 | 11111 | 10.00 10.50 | | 2 | | | 00000 |
| 1 | C000 0402 | NCCR1000G03 | 11111 | 10.00 10.55 | | 3 | | | 00000 |
| 1 | C000 0402 | IAMT1150G03 | 11111 | 10.00 12.25 | | 2 | | | 00000 |
| 1 | C000 0402 | IAMT2150G03 | 11111 | 10.00 12.25 | | 2 | | | 00000 |
| 1 | C000 0402 | IAMT1110G04 | 11111 | 11.30 12.20 | | 4 | | | 00000 |
| 1 | C000 0402 | OILG1000G04 | 11111 | 11.30 12.20 | | 2 | | | 00000 |
| 1 | C000 0402 | IAMT1150G04 | 11111 | 11.30 13.25 | | 3 | | | 00000 |
| 1 | C000 0402 | IAMT2150G04 | 11111 | 11.30 13.25 | | 3 | | | 00000 |
| 1 | C000 0402 | IAMT2995002 | 11111 | 12.00 13.30 | | 1 | | | 00000 |
| 1 | C000 0402 | NCCR1000G05 | 11111 | 12.30 13.25 | | 1 | | | 00000 |
| 1 | C000 0402 | IAMT2320G05 | 11111 | 12.30 14.30 | | 1 | | | 00000 |
| 1 | C000 0402 | NCCR1000G06 | 11111 | 13.30 14.25 | | 1 | | | 00000 |
| 1 | C000 0402 | IAMT1150G06 | 11111 | 13.30 15.30 | | 2 | | | 00000 |
| 1 | C000 0402 | IAMT2150G06 | 11111 | 13.30 15.30 | | 1 | | | 00000 |
| 1 | C000 0402 | IAMT2150G10 | 111 | 13.30 16.00 | | 1 | | | 00000 |
| 1 | C000 0402 | IAMT1150G14 | 111 | 13.30 16.00 | | 1 | | | 00000 |
| 1 | C000 0407 | IAMT1160015 | 111 | 7.00 9.25 | | 1 | | | 00000 |
| 1 | C000 0407 | IAMT1190G01 | 11111 | 8.00 8.50 | | 3 | | | 00000 |
| 1 | C000 0407 | IAMT1130G01 | 11111 | 8.00 9.55 | | 1 | | | 00000 |
| 1 | C000 0407 | IAMT1190G02 | 11111 | 9.00 9.50 | | 3 | | | 00000 |
| 1 | C000 0407 | IAMT2110G02 | 11111 | 9.00 9.50 | | 2 | | | 00000 |
| 1 | C000 0407 | IAMT1130015 | 111 | 9.30 13.25 | | 1 | | | 00000 |
| 1 | C000 0407 | IAMT1190G03 | 11111 | 10.00 10.50 | | 3 | | | 00000 |
| 1 | C000 0407 | IAMT1160G03 | 11111 | 10.00 12.25 | | 1 | | | 00000 |
| 1 | C000 0407 | IAMT1130G03 | 11111 | 10.05 12.25 | | 2 | | | 00000 |
| 1 | C000 0407 | IAMT1130G04 | 11111 | 11.30 13.25 | | 2 | | | 00000 |
| 1 | C000 0407 | IAMT1160G04 | 11111 | 11.30 13.25 | | 1 | | | 00000 |
| 1 | C000 0407 | IAMT2140015 | 111 | 11.30 13.25 | | 1 | | | 00000 |
| 1 | C000 0407 | IAMT2140G05 | 11111 | 12.30 13.20 | | 2 | | | 00000 |
| 1 | C000 0407 | IAMT1130G05 | 11111 | 12.30 14.30 | | 1 | | | 00000 |
| 1 | C000 0407 | IAMT1160G09 | 111 | 12.30 15.00 | | 1 | | | 00000 |
| 1 | C000 0407 | IAMT1130G06 | 11111 | 13.30 15.30 | | 2 | | | 00000 |
| 1 | C000 0407 | IAMT1160G06 | 11111 | 13.30 15.30 | | 3 | | | 00000 |
| 1 | C000 0407 | IAMT1150012 | 111 | 13.30 16.00 | | 1 | | | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2012
 RUN DATE 01/30/2013 PROGRAM I-D:Z235B266.
 PAGE NUM 7

L.T.C.-GULF AREA
 BRANCH
 PARISH
 RELATION

OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------------|-----------|---------------------|----------------------|----------|
| 1 | C000 | 0407 | IAMT1135G15 | 11111 | 14.30 16.00 | | | | 00000 |
| 1 | C000 | 0407 | IAMT2340005 | 11111 | 14.35 15.30 | | | | 00000 |
| 1 | C000 | 0408 | IAMT1130012 | 111 | 7.00 10.25 | | | | 00000 |
| 1 | C000 | 0408 | IAMT1170G01 | 11111 | 8.00 8.50 | | | | 00000 |
| 1 | C000 | 0408 | IAMT2140G01 | 11111 | 8.00 8.50 | | | | 00000 |
| 1 | C000 | 0408 | IAMT1120G01 | 11111 | 8.00 9.55 | | | | 00000 |
| 1 | C000 | 0408 | IAMT1135G01 | 11111 | 8.00 9.55 | | | | 00000 |
| 1 | C000 | 0408 | IAMT1110G15 | 11111 | 8.00 11.00 | | | | 00000 |
| 1 | C000 | 0408 | OILG1000G02 | 11111 | 9.00 9.50 | | | | 00000 |
| 1 | C000 | 0408 | IAMT1120G02 | 11111 | 9.00 10.55 | | | | 00000 |
| 1 | C000 | 0408 | IAMT1135G02 | 11111 | 9.00 11.00 | | | | 00000 |
| 1 | C000 | 0408 | IAMT2230G03 | 11111 | 10.00 10.50 | | | | 00000 |
| 1 | C000 | 0408 | IAMT2160G03 | 11111 | 10.00 12.25 | | | | 00000 |
| 1 | C000 | 0408 | IAMT2220G03 | 11111 | 10.00 12.25 | | | | 00000 |
| 1 | C000 | 0408 | IAMT1120G04 | 11111 | 11.30 13.25 | | | | 00000 |
| 1 | C000 | 0408 | IAMT1135G04 | 11111 | 11.30 13.25 | | | | 00000 |
| 1 | C000 | 0408 | IAMT1170G05 | 11111 | 12.30 13.20 | | | | 00000 |
| 1 | C000 | 0408 | IAMT2170G05 | 11111 | 12.30 14.30 | | | | 00000 |
| 1 | C000 | 0408 | IAMT1170G13 | 111 | 12.30 14.40 | | | | 00000 |
| 1 | C000 | 0408 | IAMT1135G05 | 11111 | 12.35 14.30 | | | | 00000 |
| 1 | C000 | 0408 | IAMT1135G06 | 11111 | 13.30 15.30 | | | | 00000 |
| 1 | C000 | 0408 | IAMT2160G06 | 11111 | 13.30 15.30 | | | | 00000 |
| 1 | C000 | 0408 | IAMT1120G10 | 111 | 13.30 16.00 | | | | 00000 |
| 1 | C000 | 0408 | IAMT1120G14 | 111 | 13.30 16.00 | | | | 00000 |
| 1 | C000 | 0412 | IAMT2110013 | 1 111 | 7.00 7.55 | | | | 00000 |
| 1 | C000 | 0412 | IAMT1130010 | 111 | 7.00 10.25 | | | | 00000 |
| 1 | C000 | 0412 | IAMT1140G01 | 11111 | 8.00 9.55 | | | | 00000 |
| 1 | C000 | 0412 | IAMT2140G02 | 11111 | 9.00 9.50 | | | | 00000 |
| 1 | C000 | 0412 | IAMT1140G02 | 11111 | 9.00 10.55 | | | | 00000 |
| 1 | C000 | 0412 | IAMT1180015 | 111 | 9.30 11.25 | | | | 00000 |
| 1 | C000 | 0412 | IAMT1120G03 | 11111 | 10.00 12.25 | | | | 00000 |
| 1 | C000 | 0412 | IAMT1140G03 | 11111 | 10.00 12.25 | | | | 00000 |
| 1 | C000 | 0412 | IAMT2330G03 | 11111 | 10.00 12.25 | | | | 00000 |
| 1 | C000 | 0412 | IAMT1140012 | 111 | 10.30 13.25 | | | | 00000 |
| 1 | C000 | 0412 | IAMT1140010 | 111 | 10.30 13.25 | | | | 00000 |
| 1 | C000 | 0412 | IAMT1140G04 | 11111 | 11.30 13.25 | | | | 00000 |
| 1 | C000 | 0412 | IAMT1190G05 | 11111 | 12.30 13.20 | | | | 00000 |
| 1 | C000 | 0412 | IAMT1120G05 | 11111 | 12.30 14.25 | | | | 00000 |
| 1 | C000 | 0412 | IAMT2175G05 | 11111 | 12.30 14.30 | | | | 00000 |
| 1 | C000 | 0412 | IAMT1190G06 | 11111 | 13.30 14.20 | | | | 00000 |
| 1 | C000 | 0412 | IAMT1120G06 | 11111 | 13.30 15.30 | | | | 00000 |
| 1 | C000 | 0412 | IAMT1140G06 | 11111 | 13.30 15.30 | | | | 00000 |
| 1 | C000 | 0412 | IAMT2170G06 | 11111 | 13.30 15.30 | | | | 00000 |
| 1 | C000 | 0412 | IAMT2175G06 | 11111 | 13.30 15.30 | | | | 00000 |
| 1 | C000 | 0412 | IAMT1140G14 | 111 | 13.30 16.00 | | | | 00000 |
| 1 | C000 | 0412 | IAMT1130014 | 11111 | 14.00 16.00 | | | | 00000 |

| | |
|---|-----|
| ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE. | 174 |
| ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. | 2 |
| ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 | |
| ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. | 20 |
| ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL. | |
| ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS | 2 |
| ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE. | 94 |
| ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES. | 2 |
| TOTAL ERRORS (INCLUDING WARNINGS) | 294 |
| TOTAL NUMBER OF RECORDS READ | 352 |
| TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION | 174 |
| NUMBER OF JOINT-CLASS RECORDS | 120 |
| NUMBER OF ALTERATE WEEKS RECORDS | |
| NUMBER OF DIFFERENT TIMES RECORDS | |
| NUMBER OF INCONSISTENT RECORDS | |

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-GULF AREA

| | DAY USE (0600-1700) | NIGHT USE (1700-2300) | T O T A L (0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| *CLASSROOM FACILITIES | | | |
| TOTAL NUMBER OF ROOMS | | | 4 |
| TOTAL NUMBER OF STATIONS (CAPACITY) | | | 84 |
| WEEKLY STUDENT CONTACT HOURS | 2165 | | 2165 |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 360 | 200 | 560 |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 327 | | 327 |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 7560 | 4200 | 11760 |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 6940 | | 6940 |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS | 4331 | | 4331 |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE | 90.8 | .0 | 58.4 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE | 57.3 | .0 | 36.8 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS | 62.4 | .0 | 62.4 |
| | DAY USE (0600-1700) | NIGHT USE (1700-2300) | T O T A L (0600-2300) |
| CLASSROOM | | | |
| TOTAL NUMBER OF ROOMS | | | 4 |
| TOTAL NUMBER OF STATIONS (CAPACITY) | | | 84 |
| WEEKLY STUDENT CONTACT HOURS | 2165 | | 2165 |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 360 | 200 | 560 |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 327 | | 327 |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 7560 | 4200 | 11760 |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 6940 | | 6940 |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS | 4331 | | 4331 |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE | 90.8 | .0 | 58.4 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE | 57.3 | .0 | 36.8 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS | 62.4 | .0 | 62.4 |

| | DAY USE (0600-1700) | NIGHT USE (1700-2300) | T O T A L (0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| *LABORATORY FACILITIES | | | |
| TOTAL NUMBER OF ROOMS | | | 32 |
| TOTAL NUMBER OF STATIONS (CAPACITY) | | | 468 |
| WEEKLY STUDENT CONTACT HOURS | 7037 | | 7037 |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 2880 | 1600 | 4480 |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 2467 | | 2467 |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 42120 | 23400 | 65520 |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 53200 | | 53200 |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS | 14075 | | 14075 |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE | 85.7 | .0 | 55.1 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE | 33.4 | .0 | 21.5 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS | 26.5 | .0 | 26.5 |

| | DAY USE (0600-1700) | NIGHT USE (1700-2300) | T O T A L (0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| CLASS LABORATORY | | | |
| TOTAL NUMBER OF ROOMS | | | 32 |
| TOTAL NUMBER OF STATIONS (CAPACITY) | | | 468 |
| WEEKLY STUDENT CONTACT HOURS | 7037 | | 7037 |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 2880 | 1600 | 4480 |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 2467 | | 2467 |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 42120 | 23400 | 65520 |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 53200 | | 53200 |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS | 14075 | | 14075 |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE | 85.7 | .0 | 55.1 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE | 33.4 | .0 | 21.5 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS | 26.5 | .0 | 26.5 |

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY