

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 11/15/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-HAMMOND
 BRANCH
 PARISH
 RELATION

TANGIPAHOA
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	000A	0208	MAST1220C01	1 1 1	8.00 9.50		22	504	210 24 00000
	000A	0208	MAST1120C01	1 1 1	10.00 10.50		23	504	210 24 00000
	000A	0208	MAST1110C01	1 1 1	11.00 11.30		23	504	210 24 00000
	000A	0208	HCOR1120C01	1 1 1	12.30 13.20		30	504	210 24 00000
	000A	0209	DVEN0090C01	1 1 1	8.00 8.50		1	504	110 21 00000
	000A	0209	DVEN0091C01	1 1 1	8.00 8.50	1	1	504	110 21 00000
	000A	0209	DVEN0092C01	1 1 1	8.00 8.50	1	1	504	110 21 00000
	000A	0209	DVMA0090C01	1 1 1	8.00 8.50	1	4	504	110 21 00000
	000A	0209	DVMA0091C01	1 1 1	8.00 8.50	1	2	504	110 21 00000
	000A	0209	DVRE0090C01	1 1 1	8.00 8.50	1	2	504	110 21 00000
	000A	0209	DVRE0092C01	1 1 1	8.00 8.50	1	2	504	110 21 00000
	000A	0209	AHSC1000C01	1 1 1	9.00 9.50		1	504	110 21 00000
	000A	0209	DVEN0090C02	1 1 1	9.00 9.50	1	4	504	110 21 00000
	000A	0209	DVEN0092C02	1 1 1	9.00 9.50	1	1	504	110 21 00000
	000A	0209	DVMA0090C02	1 1 1	9.00 9.50	1	8	504	110 21 00000
	000A	0209	DVMA0091C02	1 1 1	9.00 9.50	1	1	504	110 21 00000
	000A	0209	DVMA0092C02	1 1 1	9.00 9.50	1	2	504	110 21 00000
	000A	0209	DVRE0091C02	1 1 1	9.00 9.50	1	2	504	110 21 00000
	000A	0209	DVEN0090C03	1 1 1	10.00 10.50		2	504	110 21 00000
	000A	0209	DVEN0091C03	1 1 1	10.00 10.50	1	2	504	110 21 00000
	000A	0209	DVEN0092C03	1 1 1	10.00 10.50	1	2	504	110 21 00000
	000A	0209	DVMA0090C03	1 1 1	10.00 10.50	1	7	504	110 21 00000
	000A	0209	DVMA0091C03	1 1 1	10.00 10.50	1	1	504	110 21 00000
	000A	0209	DVMA0092C03	1 1 1	10.00 10.50	1	1	504	110 21 00000
	000A	0209	DVRE0090C03	1 1 1	10.00 10.50	1	2	504	110 21 00000
	000A	0209	DVEN0090C04	1 1 1	12.30 13.20		2	504	110 21 00000
	000A	0209	DVMA0090C04	1 1 1	12.30 13.20	1	4	504	110 21 00000
	000A	0209	DVMA0092C04	1 1 1	12.30 13.20	1	2	504	110 21 00000
	000A	0209	DVRE0091C04	1 1 1	12.30 13.20	1	1	504	110 21 00000
	000A	0209	DVMA0090C05	1	17.30 20.30		1	504	110 21 00000
	000A	0209	DVMA0090C06	1	17.30 20.30		1	504	110 21 00000
8	000A	0210	HCOR1212C05	11111	8.00 11.30		10	504	210 12 00000
8	000A	0210	HNUR1211C06	11111	8.00 11.30	1	10	504	210 12 00000
	000A	0210	CDYC1110C04	1	13.00 16.00		9	504	210 12 00000
	000A	0210	CDYC1210C01	1	13.00 16.00		8	504	210 12 00000
8	000A	0210	HMDT1170C01	1 1	13.30 14.30		29	504	210 12 00000
8	000A	0210	CDYC1230C02	1	14.00 17.00	1	1	504	210 12 00000
	000A	0210	CDYC1110C02	1	18.00 21.00		1	504	210 12 00000
	000A	0210	CDYC1110C03	1	18.00 21.00	1	9	504	210 12 00000
	000A	0210	CDYC1230C01	1	18.00 21.00	1	2	504	210 12 00000
8	000A	0210	CDYC1410C01	1	18.00 21.00	1	11	504	210 12 00000
	000A	0210	CDYC1220C01	1	18.00 21.00		8	504	210 12 00000
	000A	0210	CDYC1220C02	1	18.00 21.00	1	8	504	210 12 00000
8	000A	0210	CDYC1420C02	1	18.00 21.00	1	6	504	210 12 00000
8	000A	0210	CDYC1420C03	1	18.00 21.00	1	6	504	210 12 00000
	000A	0210	CDYC1230C02	1	18.00 21.00		9	504	210 12 00000
	000A	0210	CDYC1230C03	1	18.00 21.00	1	9	504	210 12 00000
8	000A	0210	CDYC1230C04	1	18.00 21.00	1	6	504	210 12 00000
	000A	0210	CDYC1330C02	1	18.00 21.00		11	504	210 12 00000
	000A	0211	ZCCA1000WF1	1 1	17.00 20.00		17	504	210 12 00000
	000A	0212	MAST2210C01	1 1 1	8.00 9.50		7	1,720	220 27 00000
							480	110 20 00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 11/15/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C. -HAMMOND
 BRANCH
 PARISH
 RELATION

TANGIPAHOA
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	000A	0212	MAST2130C01	1 1	8.00 11.00		10	480	110 20 00000
	000A	0212	MAST2140C01	1 1 1	10.00 11.30		8	480	110 20 00000
	000A	0212	MAST1210C01	1 1	11.30 13.30		11	480	110 20 00000
	000A	0212	MAST1230C01	1 1 1	12.00 12.50		8	480	110 20 00000
	000A	0212	HCOR1160C01	1	13.00 14.00		6	480	110 20 00000
	000A	0401	CPTR1002C01	1 1 1	8.00 8.50		16	1,479	210 28 00000
	000A	0401	KYBD1010C05	1 1	8.00 9.15		2	1,479	210 28 00000
	000A	0401	KYBD1111C05	1 1	8.00 10.40	1	7	1,479	210 28 00000
	000A	0401	KYBD1210C01	1 1	8.00 10.40	1	1	1,479	210 28 00000
	000A	0401	CPTR1002C02	1 1 1	9.00 9.50		18	1,479	210 28 00000
	000A	0401	KYBD1010C06	1 1	9.25 10.40		3	1,479	210 28 00000
	000A	0401	BOTH1300C01	1 1 1	10.00 10.50		18	1,479	210 28 00000
	000A	0401	CPTR1000C01	1 1	10.50 12.05		15	1,479	210 28 00000
	000A	0401	BOTH1120C01	1 1 1	11.00 11.50		20	1,479	210 28 00000
	000A	0402	KYBD1010C01	1 1 1	8.00 8.50		4	600	210 24 00000
	000A	0402	MATR1350C01	1 1	8.00 9.15		7	600	210 24 00000
	000A	0402	KYBD1111C01	1 1 1	8.00 9.50		4	600	210 24 00000
	000A	0402	KYBD1010C02	1 1 1	9.00 9.50	1	10	600	210 24 00000
	000A	0402	MAST1130C01	1 1	9.25 10.40		13	600	210 24 00000
	000A	0402	KYBD1111C02	1 1 1	10.00 11.50		2	600	210 24 00000
	000A	0402	OSYS2530C01	1 1	10.50 12.05		5	600	210 24 00000
	000A	0402	KYBD1010C04	1 1 1	11.00 11.50		10	600	210 24 00000
	000A	0402	BOTH1210C01	1 1 1	12.20 13.10		7	600	210 24 00000
	000A	0402	CPTR1000C02	1 1	12.35 13.50		5	600	210 24 00000
	000A	0402	BOTH2110C01	1 1 1	13.20 14.10		3	600	210 24 00000
	000A	0403	ENGL1030C01	1 1	8.00 9.15		10	630	210 26 00000
	000A	0403	ACCT1200C01	1 1 1	8.00 9.50		9	630	210 26 00000
	000A	0403	BOTH1240C01	1 1	9.25 10.40		12	630	210 26 00000
	000A	0403	BUSE1030C01	1 1 1	10.00 10.50		17	630	210 26 00000
	000A	0403	BOTH1230C01	1 1	10.50 12.05		10	630	210 26 00000
	000A	0403	JOBS2450C01	1 1 1	11.00 11.50		13	630	210 26 00000
	000A	0403	OSYS1100C01	1 1 1	12.20 13.10		15	630	210 26 00000
	000A	0403	OSYS1100C02	1 1	12.35 13.50		7	630	210 26 00000
	000A	0403	BUSE1045C01	1 1 1	13.20 14.10		15	630	210 26 00000
	000A	0404	ORNT1000C04	1	8.00 9.15		10	600	210 24 00000
	000A	0404	ORNT1000C05	1	8.00 9.15		4	600	210 24 00000
	000A	0404	BUSM1050C01	1 1 1	8.00 9.50		12	600	210 24 00000
	000A	0404	CPTR1320C01	1 1	9.25 12.05		2	600	210 24 00000
	000A	0404	ISYS1440C01	1 1	9.25 12.05	1	2	600	210 24 00000
	000A	0404	ACCT1100C01	1 1 1	10.00 11.50		12	600	210 24 00000
	000A	0404	CSRV1000C01	1 1 1	12.20 13.10		20	600	210 24 00000
	000A	0404	CSRV1000C02	1 1	12.35 13.50		12	600	210 24 00000
	000A	0404	ORNT1000C01	1	13.20 14.10		15	600	210 24 00000
	000A	0404	ORNT1000C02	1	13.20 14.10		7	600	210 24 00000
	000A	0404	ORNT1000C03	1	13.20 14.10		4	600	210 24 00000
4	000A	0414	HNUR2523C01	1111	7.00 15.00		32	1,891	210 50 00000
	000A	0414	HNUR2123C01	1 1	8.00 11.10	1	35	1,891	210 50 00000
	000A	0414	HNUR2611C01	1	8.00 11.10		34	1,891	210 50 00000
	000A	0414	HNUR2713C01	1 1	11.40 14.50		35	1,891	210 50 00000
	000A	0414	HEMS1110C01	1 11	17.00 18.30		17	1,891	210 50 00000
	000A	0414	HPHM1513C01	1 1	18.00 19.30	1	15	1,891	210 50 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 11/15/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-HAMMOND
 BRANCH
 PARISH
 RELATION

TANGIPAHOA
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	000A	0414	HEMS1120C01	1 11	18.35 19.15	1	17	1,891	210 50 00000
	000A	0414	HEMS1140C01	1 11	19.20 20.00		17	1,891	210 50 00000
	000A	0414	HPHM2000C01	1 1	19.35 21.00	1	15	1,891	210 50 00000
	000A	0414	HEMS1160C01	1 11	20.05 20.45	1	17	1,891	210 50 00000
	000A	0414	HEMS1170C01	1 11	20.50 21.20		17	1,891	210 50 00000
	000A	0414	HEMS1172C01	1 11	21.25 22.00		17	1,891	210 50 00000
8	000A	0427	KYBD1000C01	1 1 1	8.00 8.50		20	270	240 6 00000
	000A	0427	ISYS1650C01	1 1	8.00 11.00		2	270	240 6 00000
	000A	0427	CPTR1300C01	1 1 1	9.00 10.50		7	270	240 6 00000
8	000A	0427	INTE1100C01	1 1 1	12.00 13.30		24	270	240 6 00000
	000A	0427	CPTR1002C03	1 1	12.00 13.50		7	270	240 6 00000
8	000A	0427	INTE1110C01	1 1 1	13.35 14.50		24	270	240 6 00000
8	000A	0427	JOBS2450C02	1 1	14.00 14.50		21	270	240 6 00000
	000A	0427	CPTR1310C01	1 1	15.00 17.00		6	270	240 6 00000
8	000A	0427	CPTR1010C01	1 1	16.00 19.00		22	270	240 6 00000
	000A	0434	INTE2902C01	11111	8.00 8.50		6	2,666	210 48 00000
4	000A	0434	INTE1210C01	1	8.00 14.50	1	25	2,666	210 48 00000
4	000A	0434	INTE2010C01	1	8.00 14.50		22	2,666	210 48 00000
4	000A	0434	INTE1900C01	1	8.00 14.50		17	2,666	210 48 00000
4	000A	0434	INTE2995C01	1 1	8.00 14.50		14	2,666	210 48 00000
4	000A	0434	INTE2130C01	1	8.30 14.50		14	2,666	210 48 00000
4	000A	0434	INTE2130C02	1	8.30 14.50		5	2,666	210 48 00000
4	000A	0434	INTE2110C01	1	8.30 14.50		29	2,666	210 48 00000
4	000A	0434	INTE2140C01	1 1	8.30 14.50		11	2,666	210 48 00000
4	000A	0434	INTE1330C01	1	9.00 14.50		18	2,666	210 48 00000
	000A	0434	INTE2020C01	1	15.00 17.00		23	2,666	210 48 00000
	000A	0434	INTE2030C01	1 1	15.00 17.00		10	2,666	210 48 00000
	000A	0434	INTE1120C01	1 1	15.00 17.30		18	2,666	210 48 00000
	000A	0434	INTE2545C01	1	15.00 18.00	1	25	2,666	210 48 00000
	000A	0500	BLDG1110C01	1 1	8.00 9.50		8	5,268	210 60 00000
	000A	0500	BLDG1110C30	1 1	8.00 9.50	1	2	5,268	210 60 00000
	000A	0500	BLDG1120C01	1 1	8.00 9.50	1	9	5,268	210 60 00000
	000A	0500	BLDG1120C30	1 1	8.00 9.50	1	2	5,268	210 60 00000
	000A	0500	BLDG1220C01	1 1 1	8.00 11.30		11	5,268	210 60 00000
	000A	0500	BLDG1220C30	1 1 1	8.00 11.30	1	1	5,268	210 60 00000
	000A	0500	ELEC1120C01	1 1 1	8.00 11.30	1	12	5,268	210 60 00000
	000A	0500	ELEC1120C02	1 1 1	8.00 11.30	1	3	5,268	210 60 00000
	000A	0500	BLDG1140C01	1 1	10.00 11.50		8	5,268	210 60 00000
	000A	0500	BLDG1140C30	1 1	10.00 11.50	1	2	5,268	210 60 00000
	000A	0500	BLDG1221C01	1 1 1	12.00 15.30		7	5,268	210 60 00000
	000A	0500	BLDG1221C30	1 1 1	12.00 15.30	1	1	5,268	210 60 00000
	000A	0500	ELEC1210C02	1 1 1	12.00 15.30	1	12	5,268	210 60 00000
	000A	0500	ELEC1210C03	1 1 1	12.00 15.30	1	3	5,268	210 60 00000
	000A	0500	BLDG1410C30	1 1	12.00 15.30		1	5,268	210 60 00000
	000A	0500	BLDG1410C01	1	12.00 15.30	1	4	5,268	210 60 00000
	000A	0500	ELEC2460C01	1 1	12.10 13.30	1	1	5,268	210 60 00000
	000A	0520	WELD1120C01	11111	8.00 9.00		18	2,206	210 22 00000
	000A	0520	WELD1120C30	11111	8.00 9.00	1	4	2,206	210 22 00000
4	000A	0520	WELD1110C02	11111	8.00 14.50	1	1	2,206	210 22 00000
4	000A	0520	WELD1120C02	11111	8.00 14.50	1	2	2,206	210 22 00000
4	000A	0520	WELD1410C02	11111	8.00 14.50	1	1	2,206	210 22 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 11/15/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C.-HAMMOND
 BRANCH
 PARISH
 RELATION

TANGIPAHOA
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	000A 0520	WELD1510CO2	111111	8.00 14.50	1	1	2,206	210 22	00000
4	000A 0520	WELD2110CO2	111111	8.00 14.50	1	1	2,206	210 22	00000
	000A 0520	WELD1510CO1	111111	9.05 10.45	1	5	2,206	210 22	00000
8	000A 0520	WELD1511C01	111111	9.05 10.45	1	5	2,206	210 22	00000
8	000A 0520	WELD1512C01	111111	9.05 10.45	1	3	2,206	210 22	00000
	000A 0520	WELD2110CO1	111111	11.00 12.25		14	2,206	210 22	00000
	000A 0520	WELD2110C30	111111	11.00 12.25	1	4	2,206	210 22	00000
	000A 0520	WELD2111CO2	111111	11.00 12.25	1	1	2,206	210 22	00000
	000A 0520	WELD2111C01	111111	11.00 12.25	1	11	2,206	210 22	00000
	000A 0520	WELD2310CO2	111111	12.30 13.55		1	2,206	210 22	00000
	000A 0520	WELD2310CO1	111111	12.30 13.55	1	18	2,206	210 22	00000
	000A 0520	WELD2310C30	111111	12.30 13.55	1	4	2,206	210 22	00000
	000A 0520	WELD2311CO2	111111	12.30 13.55	1	1	2,206	210 22	00000
8	000A 0520	WELD2311C01	111111	12.30 13.55	1	11	2,206	210 22	00000
	000A 0520	WELD2230C01	111111	14.00 15.25		17	2,206	210 22	00000
	000A 0520	WELD1110C01	1 1	18.00 21.00		13	2,206	210 22	00000
	000A 0520	WELD1210C01	1 1	18.00 21.00	1	10	2,206	210 22	00000
8	000A 0520	WELD1410C01	1 1	18.00 21.00	1	12	2,206	210 22	00000
8	000A 0520	WELD2991C01	1 1	18.00 21.00	1	2	2,206	210 22	00000
8	000A 0520	WELD2992C01	1 1	18.00 21.00	1	2	2,206	210 22	00000
8	000A 0520	WELD2993C01	1 1	18.00 21.00	1	1	2,206	210 22	00000
8	000A 0520	WELD2995C01	1 1	18.00 21.00	1	2	2,206	210 22	00000
	000A 0531	ELEC1420C01	1 1 1	8.00 9.50		12	2,470	210 25	00000
	000A 0531	ELEC2540C01	1 1	8.00 9.50		12	2,470	210 25	00000
	000A 0531	ELEC2720C01	1 1	10.00 12.00		12	2,470	210 25	00000
	000A 0531	ELEC1440C01	1 1 1	10.00 12.30		12	2,470	210 25	00000
	000A 0531	HACR1150C01	1 1	12.00 14.50		5	2,470	210 25	00000
	000A 0531	HACR1150C40	1 1	12.00 14.50	1	1	2,470	210 25	00000
	000A 0531	BLDG1310C01	1 1 1	12.45 17.00		9	2,470	210 25	00000
	000A 0531	HACR1160C01	1 1	15.00 17.50		5	2,470	210 25	00000
	000A 0531	HACR1160C40	1 1	15.00 17.50	1	1	2,470	210 25	00000
4	000A 0540	AUTO1310C02	111111	8.00 14.20		1	6,006	220 8	00000
4	000A 0540	AUTO1320C02	111111	8.00 14.20	1	1	6,006	220 8	00000
4	000A 0540	AUTO1330C02	111111	8.00 14.20	1	1	6,006	220 8	00000
4	000A 0540	AUTO1340C02	111111	8.00 14.20	1	1	6,006	220 8	00000
4	8 000A 0540	AUTO1300C01	111111	8.00 14.50	1	34	6,006	220 8	00000
4	8 000A 0540	AUTO1300C02	111111	8.00 14.50	1	1	6,006	220 8	00000
4	8 000A 0540	AUTO1310C01	111111	8.00 14.50	1	34	6,006	220 8	00000
4	8 000A 0540	AUTO1320C01	111111	8.00 14.50	1	34	6,006	220 8	00000
4	8 000A 0540	AUTO1330C01	111111	8.00 14.50	1	41	6,006	220 8	00000
4	8 000A 0540	AUTO1340C01	111111	8.00 14.50	1	41	6,006	220 8	00000
4	8 000A 0540	AUTO1400C01	111111	8.00 14.50	1	40	6,006	220 8	00000
4	8 000A 0540	AUTO1410C01	111111	8.00 14.50	1	40	6,006	220 8	00000
4	8 000A 0540	AUTO1420C01	111111	8.00 14.50	1	40	6,006	220 8	00000
4	8 000A 0540	AUTO1430C01	111111	8.00 14.50	1	40	6,006	220 8	00000
4	8 000A 0540	AUTO1440C01	111111	8.00 14.50	1	39	6,006	220 8	00000
4	8 000A 0540	AUTO1500C01	111111	8.00 14.50	1	40	6,006	220 8	00000
4	8 000A 0540	AUTO1510C01	111111	8.00 14.50	1	41	6,006	220 8	00000
4	8 000A 0540	AUTO1520C01	111111	8.00 14.50	1	41	6,006	220 8	00000
4	8 000A 0540	AUTO1530C01	111111	8.00 14.50	1	38	6,006	220 8	00000
4	8 000A 0540	AUTO1540C01	111111	8.00 14.50	1	41	6,006	220 8	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 35

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 36
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 71

TOTAL NUMBER OF RECORDS READ 204
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 204
NUMBER OF JOINT-CLASS RECORDS 97
NUMBER OF ALTERATE WEEKS RECORDS
NUMBER OF DIFFERENT TIMES RECORDS
NUMBER OF INCONSISTENT RECORDS

SPACE UTILIZ - SUMMARY PAGE

L. T. C. -HAMMOND

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			4
TOTAL NUMBER OF STATIONS (CAPACITY)			76
WEEKLY STUDENT CONTACT HOURS	386	6	392
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	360	200	560
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	97	12	109
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6840	3800	10640
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1988	252	2240
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	772	12	784
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	26.9	6.0	19.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	11.3	.3	7.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	38.8	4.8	35.0

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
--	------------------------	--------------------------	--------------------------

CLASSROOM

TOTAL NUMBER OF ROOMS			4
TOTAL NUMBER OF STATIONS (CAPACITY)			76
WEEKLY STUDENT CONTACT HOURS	386	6	392
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	360	200	560
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	97	12	109
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6840	3800	10640
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1988	252	2240
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	772	12	784
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	26.9	6.0	19.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	11.3	.3	7.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	38.8	4.8	35.0

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			16
TOTAL NUMBER OF STATIONS (CAPACITY)			446
WEEKLY STUDENT CONTACT HOURS	27727	1008	28735
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1440	800	2240
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1116	156	1272
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	40140	22300	62440
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	35066	4116	39182
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	55455	2016	57471
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	77.5	19.5	56.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	138.2	9.0	92.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	158.1	49.0	146.7

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			411
WEEKLY STUDENT CONTACT HOURS	7122	906	8028
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1260	700	1960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	986	144	1130
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	36990	20550	57540
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	34026	3792	37818
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	14245	1812	16057
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	78.3	20.6	57.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	38.5	8.8	27.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	41.9	47.8	42.5

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-HAMMOND

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABBORATORY			
TOTAL NUMBER OF ROOMS			2
TOTAL NUMBER OF STATIONS (CAPACITY)			35
WEEKLY STUDENT CONTACT HOURS	20605	102	20707
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	180	100	280
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	130	12	142
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3150	1750	4900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1040	324	1364
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	41210	204	41414
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	72.2	12.0	50.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	308.3	11.7	845.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	962.5	63.0	36.2

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY