

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 12/03/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 1

L.T.C.-HUEY P. LONG  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	EB00 0200	HCOR2997EB1	1	8.00 16.00		30	1,911	210 40	00000
	EB00 0200	ORNT1000EB5	1 1	13.30 14.59		24	1,911	210 40	00000
4	EB00 0203	HCOR1212EB1	1 1	6.00 14.00		19	1,000	115 35	00000
4	EB00 0203	HNUR1212EB5	111	6.30 14.30	1	27	1,000	115 35	00000
4	8 EB00 0203	HNUR2113EB1	111	6.30 15.30	1	25	1,000	115 35	00000
	8 EB00 0203	HCOR1212EB4	111111	7.00 11.00	1	7	1,000	115 35	00000
	8 EB00 0203	HNUR1211J01	111111	8.00 9.00	1	33	1,000	115 35	00000
	8 EB00 0203	HNUR1300EB5	111111	8.00 9.29	1	29	1,000	115 35	00000
	8 EB00 0203	HPHL1013EB1	1 1 1	8.00 12.59	1	10	1,000	115 35	00000
	8 EB00 0203	HNUR2611EB2	1 1 1	9.30 11.00	1	25	1,000	115 35	00000
	8 EB00 0203	HNUR1320EB5	1 1 1	9.30 11.15	1	28	1,000	115 35	00000
	8 EB00 0203	HCOR1212J01	111111	10.00 11.00	1	33	1,000	115 35	00000
	EB00 0203	HNUR1460EB1	1 1 1	11.30 12.59		25	1,000	115 35	00000
	EB00 0203	HNUR1211EB5	111111	12.00 13.29	1	27	1,000	115 35	00000
	8 EB00 0203	HCOR1601EB1	1 1 1	13.00 14.30	1	12	1,000	115 35	00000
	8 EB00 0203	HNUR1300EB5	111111	13.30 14.30	1	29	1,000	115 35	00000
4	EB00 0205	HNUR2523EB1	111	6.30 15.30		25	1,000	115 40	00000
	EB00 0205	HNUR2113EB1	1 1 1	8.00 9.29		25	1,000	115 40	00000
	EB00 0205	HNUR2523EB1	1 1 1	13.00 14.30		25	1,000	115 40	00000
4	EB00 0209	HNUR1211EB1	1 1 1	8.00 14.00		19	1,000	115 30	00000
	EB00 0213	HCOR1200EB4	111111	8.00 11.00		7	1,000	115 30	00000
	EB00 0213	HNUR1211EB4	111111	8.00 11.00	1	7	1,000	115 30	00000
	EB00 0300	ACCT1200E01	111111	9.00 9.59		1	1,040	140 28	00000
	EB00 0300	ACCT1400EB1	1 1 1	9.00 9.59	1	1	1,040	140 28	00000
	EB00 0300	BOTH1120EB2	1 1 1	11.00 12.29		11	1,040	140 28	00000
	EB00 0300	ACCT1500EB1	1 1 1	13.00 14.29		1	1,040	140 28	00000
	EB00 0302	ACCT1100EB1	111111	8.00 8.59		9	962	140 24	00000
	EB00 0302	CPTR1002EB1	1 1 1	9.00 9.59		20	962	140 24	00000
	EB00 0302	CPTR1002EB2	1 1 1	9.30 11.15		19	962	140 24	00000
	EB00 0302	BUSM1050EB1	1 1 1	10.00 11.30		21	962	140 24	00000
	EB00 0302	KYBD1111EB1	1 1 1	12.45 14.29		9	962	140 24	00000
	EB00 0302	KYBD1010EB2	1 1 1	13.00 14.30		11	962	140 24	00000
	EB00 0302	CPTR1320EB1	1 1 1	13.00 14.59	1	4	962	140 24	00000
	EB00 0302	ORNT1000EB2	1 1 1	14.30 15.30		16	962	140 24	00000
	EB00 0306	BOTH1240EB1	1 1 1	8.00 8.59		19	962	140 24	00000
	EB00 0306	BOTH1230EB1	1 1 1	8.00 9.29		16	962	140 24	00000
	EB00 0306	BUSE1045EB1	1 1 1	9.00 9.59		9	962	140 24	00000
	EB00 0306	JOBS2450EB2	1 1 1	9.00 10.29		1	962	140 24	00000
	EB00 0306	JOBS2450EB1	1 1 1	11.00 11.59		11	962	140 24	00000
	EB00 0306	BOTH1250EB1	1 1 1	12.00 13.59		8	962	140 24	00000
	EB00 0306	BOTH1300EB1	1 1 1	13.00 13.59	1	27	962	140 24	00000
	EB00 0306	BOTH1300EB2	1 1 1	13.30 14.59		11	962	140 24	00000
	EB00 0306	BOTH2110EB1	1 1 1	13.30 14.59	1	4	962	140 24	00000
	EB00 0306	BOTH1120EB1	1 1 1	14.00 14.59		18	962	140 24	00000
	EB00 0307	DVRE0090EB2	1 1 1	11.00 12.50		1	962	140 30	00000
	EB00 0307	DVEN0090EB1	111	15.00 17.00		1	962	140 30	00000
	EB00 0307	DVEN0091EB1	111	15.00 17.00	1	4	962	140 30	00000
	EB00 0307	DVMA0090EB1	111	15.00 17.00	1	13	962	140 30	00000
	EB00 0307	DVMA0091EB1	111	15.00 17.00	1	2	962	140 30	00000
	EB00 0307	DVMA0092EB1	111	15.00 17.00	1	2	962	140 30	00000
	EB00 0307	DVRE0090EB1	111	15.00 17.00	1	1	962	140 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 12/03/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 2

L.T.C.-HUEY P. LONG  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	EB00	0307	DVRE0091EB1	111	15.00 17.00	1	3	962	140 30 00000	
	EB00	0307	DVRE0092EB1	111	15.00 17.00	1	2	962	140 30 00000	
	EB00	0400	BLDG2993EB1	11111	8.00 8.55		1	3,640	210 24 00000	
	EB00	0400	BLDG1310EB1	11111	8.00 10.59	1	3	3,640	210 24 00000	
	EB00	0400	BLDG1220EB2	11111	8.00 11.59	1	1	3,640	210 24 00000	
	EB00	0400	BLDG2995EB1	11111	9.00 10.15	1	1	3,640	210 24 00000	
	EB00	0400	BLDG1410EB2	1 1 1	9.00 10.30	1	4	3,640	210 24 00000	
	EB00	0400	CPTR1000EB3	1 1	9.30 10.29		2	3,640	210 24 00000	
	EB00	0400	BLDG1130EB1	1 1	10.00 12.00	1	8	3,640	210 24 00000	
	EB00	0400	WELD1140EB4	1 1 1	10.30 11.30		11	3,640	210 24 00000	
	EB00	0400	BLDG1320EB1	11111	11.00 13.59	1	4	3,640	210 24 00000	
	EB00	0400	BLDG1150EB2	11111	12.00 13.29	1	1	3,640	210 24 00000	
	EB00	0400	BLDG1221EB1	11111	12.00 14.30	1	3	3,640	210 24 00000	
	EB00	0400	BLDG1420EB2	11111	12.30 14.30	1	1	3,640	210 24 00000	
	EB00	0400	BLDG1150EB1	11111	13.00 13.50	1	8	3,640	210 24 00000	
	EB00	0400	BLDG1330EB2	11111	13.30 14.30	1	1	3,640	210 24 00000	
	EB00	0400	BLDG2991EB1	11111	14.00 15.15	1	2	3,640	210 24 00000	
	EB00	0402	BLDG1120EB1	1 1 1	8.00 8.50		1	912	115 24 00000	
	EB00	0402	ORNT1000EB4	11111	8.00 8.59	1	8	912	115 24 00000	
4	EB00	0402	ZMVI2000EB1	11	8.00 17.00	1	19	912	115 24 00000	
4	8	EB00	0402	ZMVI1000EB1	1	8.00 17.00	1	59	912	115 24 00000
4		EB00	0402	ZMVI3000EB1	1	8.00 17.00		1	912	115 24 00000
	EB00	0402	BLDG1110EB1	11111	9.00 9.59		7	912	115 24 00000	
	EB00	0402	CPTR1000EB4	1 1	9.30 11.15	1	5	912	115 24 00000	
	EB00	0402	BLDG1140EB1	1 1 1	10.00 10.50		8	912	115 24 00000	
	EB00	0402	CPTR1000EB2	1 1 1	11.00 11.50		6	912	115 24 00000	
	EB00	0402	BLDG1330EB1	1 1	14.00 14.30		8	912	115 24 00000	
	EB00	0406	WELD1110EB2	11111	7.30 8.20		10	4,004	210 40 00000	
	EB00	0406	WELD1110EB3	11111	7.30 8.20	1	1	4,004	210 40 00000	
	EB00	0406	WELD1410EB1	11111	7.30 8.20	1	4	4,004	210 40 00000	
	EB00	0406	WELD2993EB1	11111	7.30 8.20	1	1	4,004	210 40 00000	
	EB00	0406	WELD1510EB2	11111	7.30 8.55	1	9	4,004	210 40 00000	
	EB00	0406	WELD1110J01	11111	8.00 8.50	1	14	4,004	210 40 00000	
	EB00	0406	WELD1110WS1	11111	8.00 8.50	1	8	4,004	210 40 00000	
	EB00	0406	WELD1120WS1	11111	8.00 8.50	1	3	4,004	210 40 00000	
	EB00	0406	WELD1411WS1	11111	8.00 8.50	1	3	4,004	210 40 00000	
	EB00	0406	WELD1412WS1	11111	8.00 8.50	1	1	4,004	210 40 00000	
	EB00	0406	WELD2220EB1	11111	8.00 9.25	1	1	4,004	210 40 00000	
4		EB00	0406	WELD2991EB2	11111	8.00 14.30	1	1	4,004	210 40 00000
	EB00	0406	WELD1120EB2	11111	8.30 9.20	1	1	4,004	210 40 00000	
	EB00	0406	WELD2420EB1	111 1	8.30 9.20	1	2	4,004	210 40 00000	
8		EB00	0406	WELD1411EB1	11111	8.30 9.50	1	4	4,004	210 40 00000
8		EB00	0406	WELD1411EB2	11111	8.30 9.50	1	1	4,004	210 40 00000
8		EB00	0406	WELD1130J01	11111	9.00 9.50	1	14	4,004	210 40 00000
8		EB00	0406	WELD1130WS1	11111	9.00 9.50	1	11	4,004	210 40 00000
8		EB00	0406	WELD1420WS1	11111	9.00 9.50	1	1	4,004	210 40 00000
8		EB00	0406	WELD2210EB2	11111	9.00 10.20	1	2	4,004	210 40 00000
8		EB00	0406	WELD1511EB2	11111	9.15 10.45	1	11	4,004	210 40 00000
8		EB00	0406	WELD1130EB1	11111	9.30 10.20	1	10	4,004	210 40 00000
8		EB00	0406	WELD1130EB2	11111	9.30 10.20	1	1	4,004	210 40 00000
8		EB00	0406	WELD1210J01	11111	10.00 10.50	1	14	4,004	210 40 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 12/03/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 3

L.T.C.-HUEY P. LONG  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
8	EB00	0406	WELD1412EB1	11111	10.00 11.20	1	2	4,004	210 40	00000
8	EB00	0406	WELD1140EB2	1 1 1	10.30 11.30	1	1	4,004	210 40	00000
8	EB00	0406	WELD1410EB2	1 1 1	10.30 11.45	1	1	4,004	210 40	00000
	EB00	0406	WELD1310EB1	1 1	10.30 11.45	1	13	4,004	210 40	00000
	EB00	0406	WELD1310EB2	1 1	10.30 11.45	1	2	4,004	210 40	00000
	EB00	0406	WELD2230EB2	11111	10.30 11.50	1	1	4,004	210 40	00000
	EB00	0406	WELD1410J01	11111	11.00 11.50	1	4	4,004	210 40	00000
	EB00	0406	WELD1512EB2	11111	11.00 12.30	1	6	4,004	210 40	00000
	EB00	0406	WELD1210EB1	11111	12.00 12.50	1	11	4,004	210 40	00000
	EB00	0406	WELD1210EB2	11111	12.00 12.50	1	2	4,004	210 40	00000
	EB00	0406	WELD1411J01	11111	12.00 12.50	1	4	4,004	210 40	00000
	EB00	0406	WELD2110EB1	11111	12.00 13.20	1	1	4,004	210 40	00000
	EB00	0406	WELD2995EB2	1 1 1	12.00 14.30	1	1	4,004	210 40	00000
	EB00	0406	WELD2310EB2	11111	12.30 13.50	1	3	4,004	210 40	00000
	EB00	0406	WELD2222EB2	11111	12.45 14.15	1	3	4,004	210 40	00000
	EB00	0406	WELD1412EB2	11111	13.00 14.20	1	2	4,004	210 40	00000
	EB00	0406	WELD1412EB3	11111	13.00 14.20	1	1	4,004	210 40	00000
	EB00	0406	WELD1512EB3	11111	13.00 14.29	1	2	4,004	210 40	00000
8	EB00	0406	WELD1110W01	11111	13.00 15.00	1	5	4,004	210 40	00000
8	EB00	0406	WELD1130W01	11111	13.00 15.00	1	5	4,004	210 40	00000
8	EB00	0406	WELD1210W01	11111	13.00 15.00	1	5	4,004	210 40	00000
8	EB00	0406	WELD2311EB2	11111	13.55 14.30	1	3	4,004	210 40	00000
	EB00	0409	WELD1120EB1	11111	8.30 9.20		10	912	115 24	00000
	EB00	0409	WELD1410WS1	11111	9.00 9.50	1	3	912	115 24	00000
	EB00	0409	WELD1210WS1	11111	10.00 10.50		14	912	115 24	00000
	EB00	0409	WELD1412J01	11111	13.00 13.50		4	912	115 24	00000
4	EE00	0002	HNUR2113EE1	111	6.30 15.30		20	1,683	115 30	00000
4	EE00	0002	HNUR2523EE1	111	6.30 15.30	1	20	1,683	115 30	00000
	EE00	0002	HNUR2113EE1	1 1	8.00 9.29		20	1,683	115 30	00000
	EE00	0002	HNUR2611EE1	1 1	9.30 11.00		20	1,683	115 30	00000
	EE00	0002	HNUR2523EE1	1 1	11.30 12.59		20	1,683	115 30	00000
	EE00	0002	HNUR1460EE1	1 1	13.00 14.30		20	1,683	115 30	00000
	EE00	0003	ISYS1440EE1	1 1	7.00 7.50		5	1,760	140 30	00000
4	EE00	0003	ORNT1000EE3	1 1 1	7.30 7.59		2	1,760	140 30	00000
4	EE00	0003	ORNT1000EE1	1 1	7.30 7.59		1	1,760	140 30	00000
	EE00	0003	CPTR1320EE1	11111	8.00 8.50		2	1,760	140 30	00000
	EE00	0003	BUSE1045EE1	1 1 1	8.00 8.50	1	3	1,760	140 30	00000
	EE00	0003	CPTR1002EE1	1	8.00 9.15		2	1,760	140 30	00000
	EE00	0003	BOTH1210EE1	1 1 1	9.00 9.50		6	1,760	140 30	00000
	EE00	0003	MATR1350EE1	1 1 1	9.00 9.50	1	3	1,760	140 30	00000
	EE00	0003	CSRV1000EE1	1 1	9.30 10.45		13	1,760	140 30	00000
	EE00	0003	ACCT1200EE1	11111	10.00 10.50	1	1	1,760	140 30	00000
	EE00	0003	ACCT1100EE1	1 1 1	10.00 10.59	1	11	1,760	140 30	00000
	EE00	0003	ACCT1100EE1	1 1	11.00 11.50		11	1,760	140 30	00000
	EE00	0003	BUSE1030EE1	1 1	11.00 12.30	1	2	1,760	140 30	00000
	EE00	0003	KYBD1111EE1	1	12.30 14.59		4	1,760	140 30	00000
	EE00	0003	CPTR1002EE2	1 1	13.00 14.15	1	2	1,760	140 30	00000
	EE00	0004	DVMA0090EE1	1 1	15.00 17.00		2	960	140 20	00000
	EE00	0004	DVRE0091EE1	1 1	15.00 17.00	1	1	960	140 20	00000
	EE00	0004	DVRE0092EE1	1 1	15.00 17.00	1	1	960	140 20	00000
4	EE00	0006	CPTR1000E01	11111	7.00 7.29		2	2,150	210 20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 12/03/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 4

L.T.C.-HUEY P. LONG  
 BRANCH  
 PARISH  
 RELATION

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER		RECR NO.
								ROOM TYPE & CAPACITY		
	EE00 0006	CPTR1000EE2	11111	7.00 7.30	1	1	2,150	210	20	00000
	EE00 0006	WELD1110EE2	11111	7.00 7.50	1	1	2,150	210	20	00000
4	EE00 0006	WELD1110E01	11111	7.30 7.59	1	3	2,150	210	20	00000
	EE00 0006	WELD1411E01	11111	7.30 8.59	1	4	2,150	210	20	00000
	EE00 0006	WELD1140EE2	11111	8.00 8.50	1	1	2,150	210	20	00000
	EE00 0006	WELD2230EE2	11111	8.00 9.29	1	1	2,150	210	20	00000
4	EE00 0006	WELD1130E01	11111	8.30 8.59	1	4	2,150	210	20	00000
4	EE00 0006	WELD1140E01	11111	9.00 9.29		5	2,150	210	20	00000
	EE00 0006	WELD2310E01	11111	9.00 10.29	1	1	2,150	210	20	00000
4	EE00 0006	WELD1210E01	11111	9.30 9.59	1	4	2,150	210	20	00000
	EE00 0006	WELD2330EE2	11111	9.30 11.59	1	1	2,150	210	20	00000
	EE00 0006	WELD2330E01	11111	9.30 11.59	1	3	2,150	210	20	00000
4	EE00 0006	WELD1310E01	11111	10.00 10.29	1	1	2,150	210	20	00000
4	EE00 0006	WELD1410E01	11111	10.30 10.59		1	2,150	210	20	00000
	EE00 0006	WELD1412E01	11111	10.30 11.59	1	1	2,150	210	20	00000
4	EE00 0006	WELD2210E01	11111	12.00 12.29		2	2,150	210	20	00000
4	EE00 0006	WELD2230E01	11111	12.30 12.59		2	2,150	210	20	00000
	EE00 0006	WELD2311E01	11111	12.30 13.59	1	2	2,150	210	20	00000
4	EE00 0006	JOBS2450E02	11111	13.00 13.29	1	2	2,150	210	20	00000
	EE00 0006	JOBS2450EE2	11111	13.00 13.30	1	1	2,150	210	20	00000
4	EE00 0006	WELD1120E01	11111	13.30 13.59		3	2,150	210	20	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	25
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	28
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	53
TOTAL NUMBER OF RECORDS READ	174
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	174
NUMBER OF JOINT-CLASS RECORDS	110
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-HUEY P. LONG

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			7
TOTAL NUMBER OF STATIONS (CAPACITY)			184
WEEKLY STUDENT CONTACT HOURS	1213		1213
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	630	350	980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	369		369
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	16560	9200	25760
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	10006		10006
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2426		2426
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	58.6	.0	37.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	14.6	.0	9.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	24.2	.0	24.2

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			7
TOTAL NUMBER OF STATIONS (CAPACITY)			184
WEEKLY STUDENT CONTACT HOURS	1213		1213
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	630	350	980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	369		369
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	16560	9200	25760
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	10006		10006
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2426		2426
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	58.6	.0	37.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	14.6	.0	9.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	24.2	.0	24.2

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			7
TOTAL NUMBER OF STATIONS (CAPACITY)			204
WEEKLY STUDENT CONTACT HOURS	1839		1839
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	630	350	980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1073		1073
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	18360	10200	28560
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	34768		34768
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3679		3679
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	170.3	.0	109.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	20.0	.0	12.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	10.6	.0	10.6

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			7
TOTAL NUMBER OF STATIONS (CAPACITY)			204
WEEKLY STUDENT CONTACT HOURS	1839		1839
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	630	350	980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1073		1073
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	18360	10200	28560
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	34768		34768
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3679		3679
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	170.3	.0	109.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	20.0	.0	12.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	10.6	.0	10.6

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY