

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 01/22/2013 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-L.E. FLETCHER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	LAMA 0109	MRNE1010A1	111111	7.00 15.00		1	639	110 50	00000
4	LAMA 0109	MRNE1150A1	111111	7.00 15.00	1	5	639	110 50	00000
4	LAMA 0109	MRNE1160A1	111111	7.00 15.00	1	1	639	110 50	00000
4	LAMA 0109	MRNE1320A1	1111	7.00 15.00	1	12	639	110 50	00000
4	LAMA 0109	MRNE1320B1	1111	7.00 15.00	1	10	639	110 50	00000
4	LAMA 0109	MRNE1320C1	1111	7.00 15.00	1	11	639	110 50	00000
4	LAMA 0109	MRNE1320E1	1111	7.00 15.00	1	6	639	110 50	00000
4	LAMA 0109	MRNE1320F1	1111	7.00 15.00	1	11	639	110 50	00000
4	LAMA 0109	MRNE1320O1	1111	7.00 15.00	1	2	639	110 50	00000
4	LAMA 0109	MRNE1230A1	111111	7.00 16.00	1	7	639	110 50	00000
4	8 LAMA 0109	MRNE1230B1	111111	7.00 16.00	1	10	639	110 50	00000
4	8 LAMA 0109	MRNE1230C1	111111	7.00 16.00	1	7	639	110 50	00000
4	LAMA 0111	MRNE1120A1	111111	7.00 15.00		7	636	110 50	00000
4	LAMA 0111	MRNE1400A1	111111	7.00 15.00	1	7	636	110 50	00000
4	LAMA 0111	ZMAR1900A1	11 11	7.00 15.00	1	4	636	110 50	00000
4	LAMA 0111	ZMAR1370A1	1	7.00 15.00	1	1	636	110 50	00000
4	LAMA 0111	MRNE1390A1	111111	7.00 16.00	1	3	636	110 50	00000
4	LAMA 0111	MRNE1390B1	111111	7.00 16.00	1	2	636	110 50	00000
4	LAMA 0111	MRNE1390C1	111111	7.00 16.00	1	7	636	110 50	00000
4	LAMA 0111	MRNE1514A1	11	7.00 16.00	1	10	636	110 50	00000
4	LAMA 0111	MRNE1514B1	11	7.00 16.00	1	7	636	110 50	00000
4	LAMA 0112	MRNE2991A1	111111	7.00 16.00		6	642	110 50	00000
4	LAMA 0201	MRNE1220A1	111111	7.00 15.00		3	1,167	110 20	00000
4	LAMA 0202	ZMAR1104A1	11	7.00 15.00		7	1,457	110 50	00000
4	LAMA 0202	ZMAR1104B1	11	7.00 15.00	1	6	1,457	110 50	00000
4	LAMA 0202	ZMAR1104C1	11	7.00 15.00	1	5	1,457	110 50	00000
4	LAMA 0202	ZMAR1104D1	11	7.00 15.00	1	3	1,457	110 50	00000
4	LAMA 0202	ZMAR1104E1	11	7.00 15.00	1	4	1,457	110 50	00000
4	LAMA 0202	ZMAR1104J1	11	7.00 15.00	1	3	1,457	110 50	00000
4	LAMA 0202	ZMAR1106C1	11	7.00 15.00	1	4	1,457	110 50	00000
4	LAMA 0202	ZMAR1106D1	11	7.00 15.00	1	4	1,457	110 50	00000
4	LAMB 0301	ZMAR1101A1	111111	7.00 15.00		2	767	110 16	00000
4	LAMB 0301	ZMAR1101B1	111111	7.00 15.00	1	5	767	110 16	00000
4	LAMB 0301	ZMAR1101D1	111111	7.00 15.00	1	7	767	110 16	00000
4	LAMB 0301	ZMAR1215A1	111111	7.00 15.00	1	3	767	110 16	00000
4	LAMB 0301	ZMAR1215B1	111111	7.00 15.00	1	4	767	110 16	00000
4	LAMB 0301	ZMAR1215C1	111111	7.00 15.00	1	3	767	110 16	00000
4	8 LAMB 0301	ZMAR1215D1	111111	7.00 15.00	1	4	767	110 16	00000
4	8 LAMB 0301	ZMAR1215F1	111111	7.00 15.00	1	5	767	110 16	00000
4	8 LAMB 0301	ZMAR1215G1	111111	7.00 15.00	1	6	767	110 16	00000
	LEAH AH01	HNUR2301A	1 1	7.30 9.20		9	636	110 15	00000
	LEAH AH01	HNUR1150A	1 1 1	10.30 12.30		23	636	110 15	00000
4	LEAH AH02	NURS2300A	1 1	6.30 16.30		16	636	110 15	00000
4	8 LEAH AH02	NURS2740A	1 1	6.30 16.30	1	16	636	110 15	00000
	8 LEAH AH02	NURS2300A	1 1	9.30 11.20	1	16	636	110 15	00000
	LEAH AH02	NURS2740A	1 1	12.30 14.20		16	636	110 15	00000
	LEAH AH03	HNUR1211A	1111	7.30 10.20		23	951	110 15	00000
8	LEAH AH03	HNUR1411A	1111	7.30 10.20	1	23	951	110 15	00000
8	LEAH AH04	HMDT1170A	1	7.30 10.20		36	603	110 18	00000
8	LEAH AH04	HNUR2311A	1111	9.30 11.20	1	9	603	110 18	00000
8	LEAH AH04	NURS2800A	1	9.30 11.20	1	16	603	110 18	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 01/22/2013 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-L.E. FLETCHER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	LEAH AH05	HIHC1110A	1111	7.30 13.30		15	312	350 10	00000
4	8 LEAH AH05	HIHC1500A	1111	7.30 13.30	1	15	312	350 10	00000
4	8 LEAH AH05	HPHL1010A	1111	7.30 13.30	1	15	312	350 10	00000
4	8 LEAH AH05	HPHL1020A	1111	7.30 13.30	1	15	312	350 10	00000
4	8 LEAH AH05	NBAP1120A	1111	7.30 13.30	1	14	312	350 10	00000
	8 LEAH AH05	HIHC1160A	1	10.30 11.20	1	14	312	350 10	00000
	LEFA 0107	ZALT1000A	111111	7.30 11.30		18	760	110 60	00000
	LEFA 0110A	ENGL1010A	1 1 1	9.30 10.20		16	810	110 26	00000
	LEFA 0110A	ENGL1020D	1 1 1	10.30 11.20		13	810	110 26	00000
	LEFA 0110A	DVEN0920A	1 1	10.30 11.45	1	13	810	110 26	00000
	LEFA 0110A	ARTS1200A	1 1 1	11.30 12.20	1	13	810	110 26	00000
	LEFA 0110A	ARTS2300A	1 1 1	12.30 14.45		8	810	110 26	00000
	LEFA 0110B	ARTS2010A	1 1	9.00 11.45		5	1,439	210 20	00000
	LEFA 0110B	ARTS2020A	1 1	12.00 14.45		4	1,439	210 20	00000
	LEFA 0115	CPTR1100A	1 1 1	7.30 8.20		23	962	110 30	00000
	LEFA 0115	CPTR1100B	1 1 1	8.30 9.20		28	962	110 30	00000
	LEFA 0116	ELEC2302A	1 1 1	7.30 8.40		10	1,156	110 15	00000
	LEFA 0116	ELEC2301A	1 1	7.30 8.59	1	10	1,156	110 15	00000
	LEFA 0116	ELEC2305A	1 1 1	9.00 10.25		10	1,156	110 15	00000
	LEFA 0116	ELEC2303A	1 1	9.00 10.30	1	10	1,156	110 15	00000
	LEFA 0116	ELEC1030WHA	1	10.30 11.30		6	1,156	110 15	00000
	LEFA 0116	ELEC1201A	1 1 1	11.30 12.55		8	1,156	110 15	00000
	LEFA 0116	ELEC1202A	1 1	11.30 14.00	1	8	1,156	110 15	00000
	8 LEFA 0116	ELEC1203A	1 1 1	13.00 14.10	1	8	1,156	110 15	00000
	LEFA 0117	HACR1140A	1 1	7.30 8.45		10	1,267	210 15	00000
	LEFA 0117	HACR1210A	1 1 1	7.30 9.30	1	2	1,267	210 15	00000
	LEFA 0117	HACR1150A	1 1 1	9.00 11.15	1	11	1,267	210 15	00000
	8 LEFA 0117	HACR1411A	1 1	9.30 13.00	1	2	1,267	210 15	00000
	8 LEFA 0117	HACR1160A	1 1	12.00 14.45	1	11	1,267	210 15	00000
	LEFA 0122	DESL1120A	1 1 1	7.30 9.20		12	645	110 15	00000
	LEFA 0122	DESL1210A	1 1 1	7.30 9.20	1	1	645	110 15	00000
	LEFA 0122	DESL1220A	1 1 1	9.30 11.20		1	645	110 15	00000
	LEFA 0122	MDET2210A	1 1 1	9.30 11.20	1	1	645	110 15	00000
	LEFA 0122	DESL1500A	1 1	10.30 13.15	1	2	645	110 15	00000
	LEFA 0122	MDET2700A	1 1	12.00 14.45	1	7	645	110 15	00000
	LEFA 0122	MDET2220A	1 1 1	12.30 14.20	1	3	645	110 15	00000
	LEFA 0122	MWLD2230A	1 1 1	14.30 15.20		6	645	110 15	00000
	LEFA 0122C	DESL2500A	1 1 1	7.30 9.20		1	2,526	210 20	00000
	LEFA 0122C	DESL1150A	1 1	7.30 10.15	1	9	2,526	210 20	00000
	LEFA 0122C	DESL1240A	1 1	7.30 10.15	1	2	2,526	210 20	00000
	LEFA 0122C	MDET2230A	1 1	7.30 10.15	1	7	2,526	210 20	00000
	LEFA 0122C	DESL1130A	1 1 1	9.30 11.20	1	11	2,526	210 20	00000
	8 LEFA 0122C	MDET2320A	1 1	10.30 11.29	1	6	2,526	210 20	00000
	LEFA 0122C	MDET2310A	1 1	11.30 12.15		6	2,526	210 20	00000
	LEFA 0122C	DESL1231A	1 1 1	11.30 13.20	1	2	2,526	210 20	00000
	LEFA 0122C	DESL1140A	1 1 1	11.30 14.20	1	12	2,526	210 20	00000
	LEFA 0123	AUTO1100A	1 1 1	7.30 8.20		2	634	110 15	00000
	LEFA 0123	AUTO1600A	1 1 1	7.30 8.20	1	1	634	110 15	00000
	LEFA 0123	AUTO1700A	1 1 1	10.30 11.20		1	634	110 15	00000
	LEFA 0123	AUTO1800A	1 1 1	10.30 11.20	1	15	634	110 15	00000
	8 LEFA 0123	AUTO1820A	1 1	10.30 11.45	1	15	634	110 15	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 01/22/2013 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-L.E. FLETCHER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	LEFA 0123	AUTO1810A	1 1 1	13.30 14.20		15	634	110 15	00000
	LEFA 0123C	AUTO1811A	1 1	7.30 10.15		13	1,852	210 15	00000
	LEFA 0123C	AUTO1101A	1 1 1	8.30 10.20	1	4	1,852	210 15	00000
	LEFA 0123C	AUTO1701A	1 1 1	9.30 11.20	1	1	1,852	210 15	00000
	LEFA 0123C	AUTO1801A	1 1 1	11.30 13.20		14	1,852	210 15	00000
	LEFA 0123C	AUTO1821A	1 1	12.00 14.25	1	9	1,852	210 15	00000
8	LEFA 0123C	AUTO1001A	1 1	13.30 14.45	1	1	1,852	210 15	00000
	LEFA 0124	WELD1110A	1 1 1	7.30 8.20		9	592	110 20	00000
4	LEFA 0124	WELD1111A	11111	8.00 14.00	1	1	592	110 20	00000
	LEFA 0124	ZWLD1001A	1 11	17.30 20.30		17	592	110 20	00000
8	LEFA 0124	ZWLD1002A	1 11	17.30 20.30	1	15	592	110 20	00000
	LEFA 0124C	WELD1310A	1 1	7.30 8.20		2	3,374	210 20	00000
	LEFA 0124C	WELD1210A	1 1	7.30 8.45	1	9	3,374	210 20	00000
	LEFA 0124C	WELD2210A	1 1 1	7.30 9.50	1	2	3,374	210 20	00000
	LEFA 0124C	WELD1410A	1 1 1	8.30 9.20	1	9	3,374	210 20	00000
	LEFA 0124C	WELD2110A	1 1	8.30 9.45	1	7	3,374	210 20	00000
8	LEFA 0124C	WELD1512A	1 1 1	8.30 9.59	1	6	3,374	210 20	00000
8	LEFA 0124C	WELD1411A	1 1	9.00 11.15	1	9	3,374	210 20	00000
8	LEFA 0124C	WELD2230A	1 1	9.00 11.15	1	2	3,374	210 20	00000
8	LEFA 0124C	WELD2995A	1 1 1	10.00 10.50	1	1	3,374	210 20	00000
8	LEFA 0124C	WELD2111A	1 1 1	10.00 12.20	1	4	3,374	210 20	00000
8	LEFA 0124C	WELD1412A	1 1	10.30 11.45	1	11	3,374	210 20	00000
8	LEFA 0124C	WELD2310A	1 1	11.30 13.45	1	1	3,374	210 20	00000
8	LEFA 0124C	WELD2311A	1 1	12.00 13.15	1	1	3,374	210 20	00000
8	LEFA 0124C	WELD1511A	1 1	12.00 14.15	1	6	3,374	210 20	00000
8	LEFA 0124C	WELD2114A	1 1 1	12.30 14.45	1	2	3,374	210 20	00000
8	LEFA 0124C	WELD2311A	1 1	13.30 14.45	1	1	3,374	210 20	00000
	LEFA 0125B	MTTC1110B	11	7.30 8.30		3	480	110 25	00000
	LEFA 0125B	MTTC1110A	11	7.30 10.20	1	14	480	110 25	00000
	LEFA 0125B	MTTC1130A	1 1	8.35 9.35	1	15	480	110 25	00000
	LEFA 0125B	MTTC1210A	1 1 1	9.40 10.30		16	480	110 25	00000
	LEFA 0125B	MTTC1310A	1 1 1	10.31 11.45		1	480	110 25	00000
	LEFA 0125B	MTTC2710A	1 1	11.05 12.15	1	1	480	110 25	00000
	LEFA 0125B	MTTC1410A	1 1 1	11.50 13.00	1	3	480	110 25	00000
	LEFA 0125C	MTTC2531A	11	7.30 8.30		3	208	725 15	00000
	LEFA 0125C	MTTC1341A	11111	7.30 9.30	1	1	208	725 15	00000
	LEFA 0125C	MTTC2711A	1	7.30 11.00	1	1	208	725 15	00000
	LEFA 0125C	MTTC2631A	111	8.31 11.00	1	3	208	725 15	00000
	LEFA 0125C	MTTC1441A	1 1	9.40 11.00	1	3	208	725 15	00000
8	LEFA 0125C	MTTC1231A	11111	10.31 12.00	1	14	208	725 15	00000
	LEFA 0201B	APMA1010A	1 1	9.00 10.15		10	667	110 32	00000
	LEFA 0201B	MATH1100H	1 1	10.30 11.45		15	667	110 32	00000
	LEFA 0201B	APMA1160B	1 1	13.30 14.20		20	667	110 32	00000
	LEFA 0201C	MLAB0920G	1 1	9.00 10.15		31	667	110 32	00000
8	LEFA 0201C	DVMA0920G	1 1 1	9.30 10.20	1	31	667	110 32	00000
	LEFA 0201C	PSYC2010D	1 1	10.30 11.45		27	667	110 32	00000
	LEFA 0201C	MATH1100I	1 1 1	11.30 12.20	1	12	667	110 32	00000
8	LEFA 0201C	MLAB0930H	1 1	12.00 13.15	1	12	667	110 32	00000
8	LEFA 0201C	DVMA0930H	1 1 1	12.30 13.20	1	12	667	110 32	00000
	LEFA 0204	CINS1650A	1 1	9.00 10.15		10	812	110 15	00000
	LEFA 0206	CLCR1000N	1 1	9.00 10.15		16	752	210 26	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 01/22/2013 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C.-L.E. FLETCHER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	LEFA 0206	CINS1310A	1 1	10.30 11.45		16	752	210 26	00000
	SCH1 0101	ACCT1250WHA	1 1	7.30 8.45		19	696	110 25	00000
	SCH1 0101	CINS1300A	1 1 1	8.30 9.20	1	15	696	110 25	00000
8	SCH1 0101	CINS1450A	1 1	9.00 10.15	1	19	696	110 25	00000
8	SCH1 0101	CINS1300B	1 1 1	9.30 10.20	1	12	696	110 25	00000
	SCH1 0102	IPTN1030A	1 1	7.30 8.45		20	696	110 20	00000
8	SCH1 0102	IPTN1310A	1 1	7.30 8.45	1	20	696	110 20	00000
	SCH1 0102	IPTN1320A	1 1	9.00 10.15		7	696	110 20	00000
	SCH1 0102	IPTN1600A	1 1	10.30 11.45		20	696	110 20	00000
	SCH1 0102	IPTN1050ER	1	17.45 20.45		21	696	110 20	00000
8	SCH1 0102	IPTN1400ET	1	17.45 20.45	1	21	696	110 20	00000
8	SCH1 0102	IPTN1030EW	1	18.00 21.00	1	20	696	110 20	00000
8	SCH1 0102	IPTN1210EM	1	18.00 21.00	1	20	696	110 20	00000
	SCH1 0111	CRJU2010C	1 1 1	8.30 9.20		13	667	110 32	00000
	SCH1 0111	CRJU1010A	1 1	9.00 10.15	1	27	667	110 32	00000
8	SCH1 0111	CRJU2010A	1 1 1	9.30 10.20	1	31	667	110 32	00000
	SCH1 0111	CRJU2030A	1 1 1	10.30 11.20		19	667	110 32	00000
8	SCH1 0111	CRJU2040A	1 1	10.30 11.45	1	32	667	110 32	00000
	SCH1 0111	CRJU2200A	1 1	12.00 13.15		17	667	110 32	00000
	SCH1 0111	CRJU2640A	1	15.00 17.44		10	667	110 32	00000
	SCH1 0111	CRJU2020A	1	15.00 17.45	1	26	667	110 32	00000
	SCH1 0112	BIOL1010C	1 1	7.30 8.45		18	696	110 32	00000
	SCH1 0112	BIOL1010A	1 1 1	8.30 9.20	1	25	696	110 32	00000
8	SCH1 0112	BIOL1020B	1 1	9.00 10.15	1	12	696	110 32	00000
	SCH1 0112	BIOL1020A	1 1 1	11.30 12.20		10	696	110 32	00000
	SCH1 0112	BIOL1010B	1 1 1	12.30 13.20		17	696	110 32	00000
	SCH1 0112	HBIO1200A	1111	15.00 16.15		23	696	110 32	00000
	SCH1 0120	ENGL1020A	1 1 1	7.30 8.20		12	1,023	110 32	00000
	SCH1 0120	ENGL1020B	1 1 1	8.30 9.20		24	1,023	110 32	00000
	SCH1 0120	ENGL1010I	1 1	9.00 10.15	1	21	1,023	110 32	00000
8	SCH1 0120	ENGL1020C	1 1 1	9.30 10.20	1	24	1,023	110 32	00000
	SCH1 0120	ENGL1010B	1 1 1	10.30 11.20		24	1,023	110 32	00000
	SCH1 0120	ENGL1010WHA	1	10.30 11.45	1	23	1,023	110 32	00000
8	SCH1 0120	ENGL1020WHA	1	10.30 11.45	1	23	1,023	110 32	00000
8	SCH1 0120	ENGL1010C	1 1 1	11.30 12.20	1	21	1,023	110 32	00000
8	SCH1 0120	ENGL1020E	1 1	12.00 13.15	1	23	1,023	110 32	00000
8	SCH1 0120	ENGL1010D	1 1 1	12.30 13.20	1	25	1,023	110 32	00000
	SCH1 0120	ENGL1010E	1 1	13.30 14.45		23	1,023	110 32	00000
	SCH1 0120	ENGL2110WHA	1	13.30 14.45	1	10	1,023	110 32	00000
	SCH1 0120	HIST1010WWA	1	15.00 16.15		15	1,023	110 32	00000
	SCH1 0120	HIST1510WWA	1	15.00 16.45	1	16	1,023	110 32	00000
	SCH1 0121	ENGL1020F	1 1	7.30 8.45		9	1,023	110 25	00000
	SCH1 0121	DVRE0910WHA	1 1 1	8.30 9.20	1	25	1,023	110 25	00000
8	SCH1 0121	DVRE0910A	1 1	9.00 10.15	1	24	1,023	110 25	00000
8	SCH1 0121	ENGL1010G	1 1 1	9.30 10.20	1	24	1,023	110 25	00000
	SCH1 0121	DVRE0910WHB	1 1 1	10.30 11.20		22	1,023	110 25	00000
	SCH1 0121	ENGL1020G	1 1	10.30 11.45	1	16	1,023	110 25	00000
	SCH1 0121	DVRE0910B	1 1	12.00 13.15		24	1,023	110 25	00000
8	SCH1 0121	DVRE0910WHC	1 1 1	12.30 13.20	1	25	1,023	110 25	00000
	SCH1 0121	DVRE0910C	1 1	13.30 14.45		24	1,023	110 25	00000
8	SCH1 0121	DVRE0910E	1 1	13.30 14.45	1	16	1,023	110 25	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 01/22/2013 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C.-L.E. FLETCHER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	SCH1 0121	DVRE0910D	1 1	15.00 16.15		16	1,023	110 25	00000
	SCH1 0122	BIOL1160A	1 1 1	8.30 9.20		39	1,044	110 48	00000
	SCH1 0122	BIOL1140A	1 1 1	9.30 10.20		44	1,044	110 48	00000
	SCH1 0122	BIOL1140C	1 1	10.30 11.45		43	1,044	110 48	00000
	SCH1 0122	BIOL2030A	1 1	12.00 13.15		31	1,044	110 48	00000
	SCH1 0122	BIOL1160B	1 1	13.30 14.45		40	1,044	110 48	00000
	SCH1 0122	BIOL1140B	1 1	15.00 16.15		28	1,044	110 48	00000
	SCH1 0122	BIOL1140ER	1	17.45 20.30		26	1,044	110 48	00000
	SCH1 0122	BIOL2030EW	1	17.45 20.30	1	15	1,044	110 48	00000
	SCH1 0123	BIOL1150B	1	7.30 10.15		24	667	110 34	00000
8	SCH1 0123	BIOL1170B	1	7.30 10.15	1	30	667	110 34	00000
	SCH1 0123	BIOL1150A	1	10.30 13.20		29	667	110 34	00000
8	SCH1 0123	BIOL1170A	1	10.30 13.20	1	31	667	110 34	00000
	SCH1 0123	BIOL1150C	1	13.30 16.15		26	667	110 34	00000
	SCH1 0123	BIOL1150D	1	13.30 16.15	1	19	667	110 34	00000
	SCH1 0123	BIOL1150ET	1	17.45 20.30		17	667	110 34	00000
	SCH1 0126	GEOL1020A	1 1 1	9.30 10.20		10	667	110 32	00000
	SCH1 0126	GEOL1010A	1 1 1	11.30 12.20		29	667	110 32	00000
	SCH1 0126	GEOL1010B	1 1 1	12.30 13.20		31	667	110 32	00000
	SCH1 0131	ENGL1006SA	1 1 1	7.30 8.20		22	696	110 25	00000
	SCH1 0131	ENGL1006SA	1 1	7.30 8.45		22	696	110 25	00000
	SCH1 0131	ENGL1010F	1 1 1	8.30 9.20		23	696	110 25	00000
8	SCH1 0131	ENGL2200A	1 1	9.00 10.15	1	19	696	110 25	00000
	SCH1 0131	ENGL1006SB	1 1 1	10.30 11.20		25	696	110 25	00000
	SCH1 0131	ENGL1006SB	1 1	10.30 11.45		25	696	110 25	00000
	SCH1 0131	DVEN0920C	1 1 1	11.30 12.20		23	696	110 25	00000
8	SCH1 0131	ENGL1010J	1 1	12.00 13.15	1	17	696	110 25	00000
8	SCH1 0131	DVEN0920D	1 1 1	12.30 13.20	1	23	696	110 25	00000
	SCH1 0131	ENGL1006SD	1 1 1	13.30 14.45		11	696	110 25	00000
	SCH1 0131	ENGL1006SD	1 1	13.30 14.45		11	696	110 25	00000
	SCH1 0131	ENGL1010EM	1	17.45 20.30		15	696	110 25	00000
	SCH1 0201	ACCT2100A	1 1	9.00 10.15		32	780	110 35	00000
8	SCH1 0201	DVMA0910A	1 1 1	9.30 10.20	1	29	780	110 35	00000
	SCH1 0201	APMA1040A	1 1	10.30 11.45		1	780	110 35	00000
	SCH1 0201	DVMA0910B	1 1	12.00 13.15		11	780	110 35	00000
	SCH1 0201	APMA1030A	1 1	13.30 14.45		23	780	110 35	00000
	SCH1 0201	APMA1030B	1 1	13.30 14.45	1	16	780	110 35	00000
	SCH1 0202	ACCT1300A	1 1	10.30 11.45		9	667	110 30	00000
	SCH1 0202	BUSI1050WHA	1	11.30 12.20	1	25	667	110 30	00000
8	SCH1 0202	BUSN1100WHA	1	11.30 12.20	1	18	667	110 30	00000
8	SCH1 0202	ACCT1400A	1 1	12.00 13.15	1	16	667	110 30	00000
	SCH1 0202	ACCT2110A	1 1	13.30 14.45		20	667	110 30	00000
	SCH1 0203	CPTR1100C	1 1	7.30 8.45		34	1,073	140 35	00000
	SCH1 0203	CINS1550A	1 1 1	8.30 9.20	1	8	1,073	140 35	00000
8	SCH1 0203	CPTR1100D	1 1	9.00 10.15	1	31	1,073	140 35	00000
	SCH1 0203	CPTR1100EMA	1 1	17.30 18.45		27	1,073	140 35	00000
	SCH1 0203	CPTR1100ER	1	17.30 20.30	1	17	1,073	140 35	00000
8	SCH1 0203	CPTR1100ET	1	17.30 20.30	1	26	1,073	140 35	00000
8	SCH1 0203	CPTR1100EMB	1 1	19.00 20.15	1	7	1,073	140 35	00000
	SCH1 0213	ARTS1200B	1 1 1	7.30 8.20		22	1,350	110 35	00000
	SCH1 0213	ARTS2800A	1 1 1	9.30 10.20		12	1,350	110 35	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 01/22/2013 PROGRAM I-D:Z235B266.
 PAGE NUM 6

L.T.C.-L.E. FLETCHER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	SCH1	0213	ARTS1200C	1 1 1	10.30 11.20		35	1,350	110 35	00000
	SCH1	0214	DRFT2400A	1 1	7.30 10.15		5	1,023	210 20	00000
	SCH1	0214	DRFT2400A	1 1 1	7.30 10.20		5	1,023	210 20	00000
	SCH1	0214	CADD1200A	1 1 1	11.30 13.20		9	1,023	210 20	00000
	SCH1	0214	CADD2300A	1 1	12.00 14.45	1	5	1,023	210 20	00000
	SCH1	0218	DRFT1200A	1 1 1	7.30 9.20		8	899	210 12	00000
	SCH1	0218	DRFT1200A	1 1	7.30 10.15		8	899	210 12	00000
	SCH1	0218	DRFT1100A	1 1 1	11.30 14.20		12	899	210 12	00000
	SCH1	0218	DRFT1100A	1 1	12.00 14.45		12	899	210 12	00000
	SCH1	0219	CHEM1010B	1 1	7.30 8.45		23	874	110 40	00000
	SCH1	0219	CHEM1010A	1 1 1	9.30 10.20		34	874	110 40	00000
	SCH1	0220	HIST1010A	1 1 1	8.30 9.20		41	874	110 44	00000
8	SCH1	0220	HIST2020A	1 1	9.00 10.15	1	31	874	110 44	00000
	SCH1	0220	HIST1500A	1 1 1	10.30 11.20		44	874	110 44	00000
	SCH1	0220	HIST1020A	1 1	12.00 13.15		12	874	110 44	00000
	SCH1	0220	HIST2010A	1 1	13.30 14.45		27	874	110 44	00000
	SCH1	0220	HIST1500ET	1	17.45 20.30		18	874	110 44	00000
	SCH1	0221	DVMA0930A	1 1 1	7.30 8.20		32	775	110 34	00000
	SCH1	0221	DVMA0930B	1 1 1	8.30 9.20		32	775	110 34	00000
	SCH1	0221	DVMA0930C	1 1 1	10.30 11.20		33	775	110 34	00000
	SCH1	0221	DVMA0930D	1 1 1	11.30 12.20		31	775	110 34	00000
	SCH1	0221	DVMA0930E	1 1	13.30 14.45		23	775	110 34	00000
	SCH1	0221	DVMA0930ETR	1 1	17.45 19.00		29	775	110 34	00000
	SCH1	0222	DVMA0920A	1 1 1	7.30 8.20		29	696	110 32	00000
	SCH1	0222	DVMA0920B	1 1 1	8.30 9.20		30	696	110 32	00000
	SCH1	0222	DVMA0920C	1 1 1	10.30 11.20		29	696	110 32	00000
	SCH1	0222	DVMA0920D	1 1 1	11.30 12.20		29	696	110 32	00000
	SCH1	0222	DVMA0920E	1 1	13.30 14.45		31	696	110 32	00000
	SCH1	0222	DVMA0920F	1 1	15.00 16.15		24	696	110 32	00000
	SCH1	0222	DVMA0920ETR	1 1	17.45 19.00		31	696	110 32	00000
	SCH1	0227	CLCR1000A	1 1 1	7.30 8.20		24	1,116	140 32	00000
	SCH1	0227	CLCR1000I	1 1	7.30 8.45	1	21	1,116	140 32	00000
8	SCH1	0227	CLCR1000B	1 1 1	8.30 9.20	1	29	1,116	140 32	00000
8	SCH1	0227	CLCR1000J	1 1	9.00 10.15	1	30	1,116	140 32	00000
8	SCH1	0227	CLCR1000C	1 1 1	9.30 10.20	1	30	1,116	140 32	00000
	SCH1	0227	CLCR1000D	1 1 1	10.30 11.20		30	1,116	140 32	00000
8	SCH1	0227	CLCR1000K	1 1	10.30 11.45	1	32	1,116	140 32	00000
8	SCH1	0227	CLCR1000E	1 1 1	11.30 12.20	1	32	1,116	140 32	00000
8	SCH1	0227	CLCR1000L	1 1	12.00 13.15	1	25	1,116	140 32	00000
8	SCH1	0227	CLCR1000F	1 1 1	12.30 13.20	1	27	1,116	140 32	00000
	SCH1	0227	CLCR1000G	1 1	13.30 14.45		20	1,116	140 32	00000
	SCH1	0227	CLCR1000M	1 1	13.30 14.45	1	15	1,116	140 32	00000
	SCH1	0227	CLCR1000WHA	1	15.00 16.15		22	1,116	140 32	00000
	SCH1	0228	DVMA0930I	1 1 1	9.30 10.20		33	744	110 34	00000
	SCH1	0228	DVMA0920H	1 1 1	11.30 12.20		34	744	110 34	00000
	SCH1	0229	ENGL1006SC	1 1 1	8.30 9.20		22	990	140 25	00000
8	SCH1	0229	DVEN0920E	1 1	9.00 10.15	1	24	990	140 25	00000
8	SCH1	0229	ENGL1006SC	1 1 1	9.30 10.20	1	22	990	140 25	00000
	SCH1	0229	DVEN0920F	1 1	10.30 11.45		25	990	140 25	00000
	SCH1	0229	DVEN0910D	1111	13.30 14.45		7	990	140 25	00000
	SCH1	0230	DVMA0930G	1 1 1	9.30 10.20		30	667	110 32	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 01/22/2013 PROGRAM I-D:Z235B266.
 PAGE NUM 7

L.T.C.-L.E. FLETCHER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	SCH1	0230	APMA1160A	1 1	10.30 11.20		18	667	110 32 00000
	SCH1	0231	DVEN0910A	1 1 1	7.30 8.20		22	1,073	140 32 00000
	SCH1	0231	DVEN0910A	1 1	7.30 8.45		22	1,073	140 32 00000
	SCH1	0231	CLCR1000H	1 1 1	8.30 9.20		31	1,073	140 32 00000
	SCH1	0231	DVEN0910B	1 1	9.00 10.15		22	1,073	140 32 00000
	SCH1	0231	DVEN0910B	1 1 1	9.30 10.20		22	1,073	140 32 00000
	SCH1	0231	DVEN0900A	1 1 1	10.30 11.20		15	1,073	140 32 00000
	SCH1	0231	DVEN0900A	1 1	10.30 11.45		15	1,073	140 32 00000
	SCH1	0231	DVEN0910C	1 1	12.00 13.15		24	1,073	140 32 00000
	SCH1	0231	DVEN0910C	1 1 1	12.30 13.20		24	1,073	140 32 00000
	SCH1	0231	DVEN0920B	1 1	13.30 14.45		17	1,073	140 32 00000
	SCH1	0231	DVEN0920G	1 1	13.30 14.45	1	23	1,073	140 32 00000
	SCH1	0231	ENGL1010H	1 1	15.00 16.15		10	1,073	140 32 00000
	0006	0247	DVMA0920NSA	1 1 1	7.30 8.25		27	828	110 50 00000
	0006	0247	DVMA0930NSB	1 1 1	8.35 9.30		31	828	110 50 00000
	0006	0247	DVMA0920NSB	1 1 1	10.45 11.40		33	828	110 50 00000
	0006	0247	DVMA0920NSD	1 1 1	11.50 12.45		28	828	110 50 00000
	0006	0247	DVMA0930NSF	1 1 1	12.55 13.50		50	828	110 50 00000
	0006	0247	DVMA0930NSI	1 1	15.00 16.50		15	828	110 50 00000
	0006	0249	DVMA0930NSA	1 1 1	7.30 8.25		34	864	110 45 00000
	0006	0249	DVEN0920NSB	1 1 1	9.40 10.35		20	864	110 45 00000
	0006	0249	DVMA0930NSD	1 1 1	10.45 11.40		32	864	110 45 00000
	0006	0249	DVEN0920NSC	1 1 1	11.50 12.45		8	864	110 45 00000
	0006	0249	DVEN0920NSD	1 1 1	12.55 13.50		27	864	110 45 00000
	0006	0252	DVEN0920NSA	1 1 1	8.35 9.30		23	828	110 35 00000
	0006	0252	DVMA0930NSC	1 1 1	9.40 10.35		35	828	110 35 00000
	0006	0252	DVMA0920NSC	1 1 1	10.45 11.40		31	828	110 35 00000
	0006	0252	DVMA0930NSE	1 1 1	11.50 12.45		35	828	110 35 00000
	0006	0252	DVMA0920NSE	1 1 1	12.55 13.50		31	828	110 35 00000
	0006	0252	DVMA0930NSG	1 1 1	14.00 14.55		17	828	110 35 00000
	0006	0252	DVMA0930NSH	1 1	15.00 16.20		24	828	110 35 00000
	0022	0130	CPCS2040A	1 1	9.00 11.30		17	806	210 20 00000
	0022	0130	CPCS2140A	1 1	13.00 15.30		17	806	210 20 00000
4	0022	0133	CPCS2000A	1 1	6.30 14.30		17	806	210 20 00000
	0022	0133	CPCS2020A	1 1	13.30 15.00		17	806	210 20 00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	49
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	77
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	126
TOTAL NUMBER OF RECORDS READ	341
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	341
NUMBER OF JOINT-CLASS RECORDS	162
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-L.E. FLETCHER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			67
TOTAL NUMBER OF STATIONS (CAPACITY)			2051
WEEKLY STUDENT CONTACT HOURS	21706	1218	22924
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6030	3350	9380
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4119	126	4245
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	184590	102550	287140
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	145203	3630	148833
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	43412	2436	45848
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	68.3	3.8	45.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	23.5	2.4	16.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	29.9	67.1	30.8

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			63
TOTAL NUMBER OF STATIONS (CAPACITY)			1927
WEEKLY STUDENT CONTACT HOURS	19447	987	20434
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5670	3150	8820
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3918	102	4020
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	173430	96350	269780
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	138969	2790	141759
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	38894	1974	40868
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	69.1	3.2	45.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	22.4	2.0	15.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	28.0	70.8	28.8

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			4
TOTAL NUMBER OF STATIONS (CAPACITY)			124
WEEKLY STUDENT CONTACT HOURS	2259	231	2490
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	360	200	560
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	201	24	225
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	11160	6200	17360
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6234	840	7074
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4518	462	4980
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	55.8	12.0	40.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	40.5	7.5	28.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	72.5	55.0	70.4

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			25
TOTAL NUMBER OF STATIONS (CAPACITY)			403
WEEKLY STUDENT CONTACT HOURS	2144		2144
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2250	1250	3500
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	563		563
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	36270	20150	56420
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	10285		10285
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4289		4289
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	25.0	.0	16.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	11.8	.0	7.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	41.7	.0	41.7

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-L.E. FLETCHER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			25
TOTAL NUMBER OF STATIONS (CAPACITY)			403
WEEKLY STUDENT CONTACT HOURS	2144		2144
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2250	1250	3500
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	563		563
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	36270	20150	56420
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	10285		10285
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4289		4289
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	25.0	.0	16.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	11.8	.0	7.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	41.7	.0	41.7

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY