

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 10/19/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C. -NATCHITOCHE
 BRANCH
 PARISH
 RELATION

NATCHITOCHE
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	MBOA	0115	COSM2530002	11111	8.00 8.55		4	152	115 18 00000	
	MBOA	0115	COSM1110001	11111	8.00 9.30	1	1	152	115 18 00000	
	MBOA	0115	COSM1130001	1 1 1	8.00 12.30	1	1	152	115 18 00000	
4	MBOA	0115	COSM1220001	11111	8.00 13.10	1	1	152	115 18 00000	
4	MBOA	0115	COSM2540002	11111	8.00 14.45	1	13	152	115 18 00000	
4	8	MBOA	0115	COSM1430001	1 1 1	8.00 14.45	1	14	152	115 18 00000
4	MBOA	0115	COSM1110001	1 1	8.00 14.45		2	152	115 18 00000	
4	MBOA	0115	COSM2540001	1 1	8.00 14.45	1	2	152	115 18 00000	
4	MBOA	0115	COSM1311001	11111	9.00 14.45	1	4	152	115 18 00000	
4	MBOA	0115	COSM1311002	11111	9.00 14.45	1	9	152	115 18 00000	
	MBOA	0115	COSM1130001	11111	9.35 11.05	1	1	152	115 18 00000	
	MBOA	0115	COSM1110002	11111	12.00 13.15		1	152	115 18 00000	
	MBOA	0115	COSM1130002	11111	13.25 14.45		1	152	115 18 00000	
	MBOA	0118	DVMA0090002	1111	12.00 12.55		5	180	115 35 00000	
	MBOA	0118	DVMA0090001	1 1	12.00 12.55	1	11	180	115 35 00000	
	MBOA	0118	DVMA0091001	1 1	12.00 12.55	1	12	180	115 35 00000	
	MBOA	0118	DVRE0091001	1 1	13.00 13.55		2	180	115 35 00000	
	MBOA	0118	DVEN0092001	1 1	14.00 14.55		2	180	115 35 00000	
	MBOA	0119	DVED2991001	11111	8.30 11.30		30	195	115 35 00000	
	MBOA	0119	DVED2991004	11111	8.30 11.30	1	4	195	115 35 00000	
	MBOA	0119	DVED2993001	11111	8.30 11.30	1	7	195	115 35 00000	
	MBOA	0119	DVED2991002	11111	12.00 13.00		9	195	115 35 00000	
	MBOA	0119	DVED2993002	11111	12.00 14.00	1	1	195	115 35 00000	
	MBOA	0119	DVED2991003	11111	12.00 15.00	1	3	195	115 35 00000	
	MBOA	0121	SPCH1015002	1 1	11.00 12.15		2	216	110 20 00000	
	MBOA	0121	MATH1015002	1 1	11.00 12.15		2	216	110 20 00000	
	8	MBOA	0129	ORNT1000002	11111	7.55 8.55		6	280	110 1 00000
	8	MBOA	0129	CDYC1110001	1 1 1	8.00 9.25	1	6	280	110 1 00000
	MBOA	0129	CDYC1210001	1 1	8.00 9.25		2	280	110 1 00000	
	8	MBOA	0129	CDYC1210002	1 1	8.00 9.25	1	2	280	110 1 00000
4	8	MBOA	0129	CDYC1230002	1 1	8.00 14.55	1	1	280	110 1 00000
4	MBOA	0129	CDYC2211001	1 1 1	8.00 15.55		1	280	110 1 00000	
	8	MBOA	0129	CDYC1120001	1 1 1	9.30 10.55	1	8	280	110 1 00000
	8	MBOA	0129	CDYC1120002	1 1 1	9.30 10.55	1	1	280	110 1 00000
	8	MBOA	0129	CDYC1220001	1 1	9.30 10.55		10	280	110 1 00000
	8	MBOA	0129	CDYC1220002	1 1	9.30 10.55	1	1	280	110 1 00000
	8	MBOA	0129	CDYC1210001	1 1 1	11.30 12.55		5	280	110 1 00000
	8	MBOA	0129	CDYC1110002	1 1	11.30 13.30		3	280	110 1 00000
	8	MBOA	0129	CDYC1151003	1 1 1	13.30 16.30		5	280	110 1 00000
	MBOA	0129	CDYC1151004	1 1	13.30 16.30		1	280	110 1 00000	
	MBOA	0129	CDYC1230001	1 1 1	15.00 16.00		1	280	110 1 00000	
	MBOA	0129	CDYC2995001	1 1 1	15.00 16.00	1	1	280	110 1 00000	
	MBOA	0136	HNUR1411001	11111	8.00 10.00		24	500	110 35 00000	
	MBOA	0136	HNUR1211001	11111	8.00 11.00	1	24	500	110 35 00000	
	8	MBOA	0136	HNUR1211002	11111	8.00 11.00	1	10	500	110 35 00000
	8	MBOA	0136	HNUR1361001	11111	10.05 12.00	1	26	500	110 35 00000
	MBOA	0136	AHSC1000001	1 1 1	12.00 14.00		1	500	110 35 00000	
	MBOA	0144	BOTH1240001	1	17.30 20.30		11	7,500	140 30 00000	
	MBOA	0144	BOTH1240002	1	17.30 20.30	1	1	7,500	140 30 00000	
	MBOA	0144	BOTH1250001	1	17.30 20.30	1	6	7,500	140 30 00000	
	MBOA	0145	BUSM1050001	1 1	12.00 12.55		19	370	110 20 00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 10/19/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C. -NATCHITOCHE
 BRANCH
 PARISH
 RELATION

NATCHITOCHE
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	MBOA 0145	BOTH1300001	1	12.00 13.00		24	370	110 20	00000
	MBOA 0145	BOTH1120001	1	13.30 15.00		24	370	110 20	00000
	MBOA 0146	BOTH1230001	1 1	8.00 9.15		11	1,700	140 25	00000
	MBOA 0146	ACCT1100001	1 1 1	8.00 9.25		21	1,700	140 25	00000
	MBOA 0146	BOTH2110001	1 1	9.30 10.45		9	1,700	140 25	00000
	MBOA 0146	ACCT1200001	1 1 1	9.30 10.55		13	1,700	140 25	00000
	MBOA 0146	CPTR1310001	1 1	9.30 11.10		9	1,700	140 25	00000
	MBOA 0146	SPPR2991002	1 1 1	11.00 11.50		3	1,700	140 25	00000
	MBOA 0146	ACCT1500001	1 1 1	11.00 12.05	1	2	1,700	140 25	00000
	MBOA 0146	CPTR1320001	1 1	12.00 13.10	1	10	1,700	140 25	00000
	MBOA 0146	ACCT1250001	1 1	12.00 13.15		2	1,700	140 25	00000
	MBOA 0146	OSYS1100001	1 1	13.00 15.30	1	10	1,700	140 25	00000
	MBOA 0146	OSYS1100002	1 1	13.00 15.30	1	18	1,700	140 25	00000
	MBOA 0146	KYBD1111001	1 1	13.15 15.25		26	1,700	140 25	00000
	MBOA 0146	MATR1350001	1 1 1	13.30 14.20	1	1	1,700	140 25	00000
	MBOA 0147	BUSE1045001	1 1	8.00 9.15		20	400	140 30	00000
	MBOA 0147	ISYS1440001	1 1 1	8.00 9.25		11	400	140 30	00000
	MBOA 0147	KYBD1010001	1 1 1	9.30 10.20		17	400	140 30	00000
	MBOA 0147	SPPR2991001	1 1 1	9.30 10.20	1	3	400	140 30	00000
	MBOA 0147	CPTR1002001	1 1	9.30 10.45		21	400	140 30	00000
	MBOA 0147	BUSE1030001	1 1 1	11.00 11.50		32	400	140 30	00000
	MBOA 0147	OSYS2530001	1 1	12.00 13.15		2	400	140 30	00000
	MBOA 0147	ISYS1650001	1 1 1	12.10 12.50		4	400	140 30	00000
	MBOA 0147	ORNT1000001	1 1	13.00 14.15		9	400	140 30	00000
	MBOA 0147	CSRV1000001	1 1	13.00 15.30	1	22	400	140 30	00000
	MBOA 0147	JOBS2450001	1 1 1	13.15 14.15		16	400	140 30	00000
	MBOA 0156	ORNT1000001	1	7.55 8.55		1	1,015	115 30	00000
	MBOA 0156	ORNT1000004	1	8.00 8.50	1	8	1,015	115 30	00000
	MBOA 0156	IMMT1411001	1 1 1	8.00 9.50		12	1,015	115 30	00000
	MBOA 0156	IMMT1421001	1 1 1	8.00 10.50	1	8	1,015	115 30	00000
	MBOA 0156	CPTR1000001	1 1	8.00 10.50		1	1,015	115 30	00000
	MBOA 0156	IMMT2991001	1	8.00 11.45		1	1,015	115 30	00000
4	MBOA 0156	IMMT1321001	1	8.00 14.45		2	1,015	115 30	00000
	MBOA 0156	IMMT1110001	1	9.00 9.50	1	9	1,015	115 30	00000
	MBOA 0156	IMMT1110002	1	9.00 9.55	1	1	1,015	115 30	00000
	MBOA 0156	WELD1110001	1111	9.30 10.30	1	11	1,015	115 30	00000
	MBOA 0156	WELD1420001	1111	9.30 11.30	1	7	1,015	115 30	00000
	MBOA 0156	WELD1511001	1111	9.30 11.30	1	2	1,015	115 30	00000
	MBOA 0156	IMMT1410001	1	10.00 10.50	1	12	1,015	115 30	00000
8	MBOA 0156	WELD2990001	1111	10.00 14.00	1	2	1,015	115 30	00000
8	MBOA 0156	IMMT1111001	1 1	10.00 14.40	1	1	1,015	115 30	00000
8	MBOA 0156	WELD1140001	1111	10.35 11.30	1	10	1,015	115 30	00000
8	MBOA 0156	WELD1120001	1111	11.00 14.00	1	1	1,015	115 30	00000
	MBOA 0156	IMMT1120001	1	11.30 13.20		14	1,015	115 30	00000
	MBOA 0156	IMMT1120002	1	11.30 13.20	1	1	1,015	115 30	00000
	MBOA 0156	WELD1130001	11111	11.35 12.35	1	4	1,015	115 30	00000
	MBOA 0156	WELD2111001	1111	11.35 12.35	1	4	1,015	115 30	00000
	MBOA 0156	WELD2410002	1111	11.35 12.45	1	1	1,015	115 30	00000
	MBOA 0156	WELD1210001	1111	11.40 12.40	1	10	1,015	115 30	00000
	MBOA 0156	WELD1110001	1 1	12.00 13.30	1	1	1,015	115 30	00000
	MBOA 0156	WELD1410001	1 1	12.00 13.30		1	1,015	115 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2012
 RUN DATE 10/19/2012 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C. -NATCHITOCHE
 BRANCH
 PARISH
 RELATION

NATCHITOCHE
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	MBOA	0156	IMMT1311001	1 1	12.00 13.50		15	115 30	00000
	MBOA	0156	IMMT1311002	1 1	12.00 13.50	1	1	115 30	00000
	MBOA	0156	IMMT1320001	1	12.00 14.30		2	115 30	00000
	MBOA	0156	WELD1410001	1111	13.15 14.15	1	10	115 30	00000
	MBOA	0156	WELD1512001	1111	13.15 15.00	1	2	115 30	00000
	MBOA	0156	WELD1412001	1111	13.15 15.15	1	2	115 30	00000
	MBOA	0156	IMMT1210001	1	13.30 15.20		17	115 30	00000
	MBOA	0156	IMMT1210002	1	13.30 15.30	1	1	115 30	00000
	MBOA	0156	WELD1140001	1 1 1	13.35 15.00	1	1	115 30	00000
	MBOA	0156	WELD1120002	1111	14.00 15.15	1	1	115 30	00000
	MBOA	0156	WELD1411001	1111	14.20 16.00	1	15	115 30	00000
	MBOA	0156	IMMT1111001	1 1	14.30 18.30	1	7	115 30	00000
	MBOA	0156	IMMT1112001	1 1	14.30 18.30	1	2	115 30	00000
8	MBOA	0156	WELD2310001	1111	15.05 16.05	1	4	115 30	00000
8	MBOA	0156	WELD2311001	1111	15.20 17.00	1	3	115 30	00000
8	MBOA	0156	WELD1310002	1	16.00 19.00	1	1	115 30	00000
	MBOA	0156	WELD1411001	111	16.00 19.00		1	115 30	00000
	MBOA	0156	WELD1310001	1111	16.05 17.05	1	4	115 30	00000
	MBOA	0156	WELD2410001	1111	16.10 17.10	1	1	115 30	00000
	MBOA	0156	WELD1510001	1111	16.10 18.10	1	2	115 30	00000
	MBOA	0156	WELD2110001	1111	16.20 18.00	1	3	115 30	00000
	MBOA	0156	CPTR1000002	1 1	17.10 18.10	1	4	115 30	00000
	MBOA	0163	HACR1150001	11111	8.00 11.00		2	115 20	00000
	MBOA	0163	HACR1160001	11111	8.00 11.00	1	2	115 20	00000
	MBOA	0163	HACR2996001	11111	8.00 11.00	1	2	115 20	00000
4	MBOA	0163	HACR2820001	11111	8.00 14.30	1	3	115 20	00000
4	MBOA	0163	HACR2830001	11111	8.00 14.30	1	3	115 20	00000
4	MBOA	0163	HACR2520001	1 1 1	8.00 14.30	1	13	115 20	00000
4	8	MBOA	0163	HACR2540001	1 1 1	8.00 14.30	13	115 20	00000
4	8	MBOA	0163	HACR2550001	1 1 1	8.00 14.30	13	115 20	00000
4	8	MBOA	0163	HACR2560001	1 1 1	8.00 14.30	12	115 20	00000
4	8	MBOA	0163	HACR2996001	1 1 1	8.00 15.00	9	115 20	00000
	MBOA	0163	JOBS2450002	1 1	12.00 14.30		1	115 20	00000
	MBOA	0163A	ETRN2710002	11	8.00 11.05		1	115 20	00000
	MBOA	0163A	ETRN2800001	11 1	8.00 11.10	1	2	115 20	00000
	MBOA	0163A	ETRN2110001	111	8.00 11.10	1	1	115 20	00000
	MBOA	0163A	ETRN2710001	11111	8.00 11.30	1	2	115 20	00000
	MBOA	0163A	IMMT1441001	111	8.00 11.30	1	1	115 20	00000
	MBOA	0163A	ETRN2140001	11	8.00 11.30	1	1	115 20	00000
4	MBOA	0163A	ELEC1120001	11111	8.00 14.45	1	5	115 20	00000
4	MBOA	0163A	ELEC1210001	11111	8.00 14.45	1	5	115 20	00000
4	MBOA	0163A	ORNT1000005	1 11	8.00 14.45	1	3	115 20	00000
4	MBOA	0163A	ETRN2130002	11111	8.00 15.00	1	1	115 20	00000
4	MBOA	0163A	ETRN1215001	1 1 1	8.00 15.00	1	1	115 20	00000
4	MBOA	0163A	ETRN1235002	1 1	8.00 15.30		1	115 20	00000
	MBOA	0163A	ETRN2130001	1 1 1	11.15 13.10		3	115 20	00000
	MBOA	0183	AUTO2993001	1 1 1	8.00 9.30		1	115 16	00000
4	MBOA	0183	AUTO1850001	11	8.00 14.40	1	1	115 16	00000
	MBOA	0183	AUTO2995001	1 1 1	9.35 11.00	1	1	115 16	00000
	MBOA	0183	AUTO1820002	1	11.40 14.40		1	115 16	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 24

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 25
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 49

TOTAL NUMBER OF RECORDS READ 152
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 152
NUMBER OF JOINT-CLASS RECORDS 91
NUMBER OF ALTERATE WEEKS RECORDS
NUMBER OF DIFFERENT TIMES RECORDS
NUMBER OF INCONSISTENT RECORDS

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-NATCHITOCHEs

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			18
TOTAL NUMBER OF STATIONS (CAPACITY)			362
WEEKLY STUDENT CONTACT HOURS	2505	54	2559
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1620	900	2520
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	503	18	521
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	32580	18100	50680
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	9251	540	9791
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5011	108	5119
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	31.0	2.0	20.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	15.4	.6	10.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	54.2	20.0	52.3

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			190
WEEKLY STUDENT CONTACT HOURS	1398		1398
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	329		329
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	17100	9500	26600
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4536		4536
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2796		2796
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	33.2	.0	21.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	16.4	.0	10.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	61.6	.0	61.6

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			7
TOTAL NUMBER OF STATIONS (CAPACITY)			172
WEEKLY STUDENT CONTACT HOURS	1107	54	1161
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	630	350	980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	174	18	192
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	15480	8600	24080
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4715	540	5255
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2215	108	2323
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	27.6	5.1	19.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	14.3	1.3	9.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	47.0	20.0	44.2

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY