

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 10/18/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 1

L.T.C. -NORTHWEST  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	0101	HNUR2133C01	1 1	8.00 11.00		15	771	110 60 00000	
	A000	0101	HNUR2713C01	1 1	12.00 13.25		15	771	110 60 00000	
	A000	0101	HNUR2723C01	1 1	12.00 13.25	1	22	771	110 60 00000	
	A000	0101	HNUR2813C01	1 1	13.35 15.00		15	771	110 60 00000	
	A000	0102	HNUR1211C01	11111	8.00 9.25		35	845	110 60 00000	
	A000	0102	HNUR2996C01	1 1 1	9.35 11.00		24	845	110 60 00000	
	A000	0102	MTTC2996C01	1 1	9.35 11.00	1	24	845	110 60 00000	
	A000	0105	HNUR1361C01	1 1 1	8.00 9.25		30	850	110 60 00000	
	A000	0105	HNUR2996C02	1 1	8.00 9.25		30	850	110 60 00000	
	A000	0105	HNUR1411C01	11111	9.35 11.00		30	850	110 60 00000	
	A000	0105	HNUR1300C01	11111	12.00 13.25		54	850	110 60 00000	
	A000	0105	HNUR1270C01	1 1 1	13.35 15.00		35	850	110 60 00000	
	A000	0105	HNUR1320C01	1 1	13.35 15.00		10	850	110 60 00000	
	A000	0105	HNUR1211C04	1 1	17.00 20.00		12	850	110 60 00000	
	A000	0109T	HNUR2123C01	1 1	8.00 11.00		22	923	110 50 00000	
	A000	0109T	HNUR2523C01	1 1	13.35 15.00		22	923	110 50 00000	
	A000	0110A	IMMT1110C01	11111	8.00 9.00		13	2,344	210 26 00000	
	A000	0110A	IMMT1210C01	1 111	8.00 9.00	1	6	2,344	210 26 00000	
4	A000	0110A	IMMT1111C01	11111	8.00 15.00	1	4	2,344	210 26 00000	
4	A000	0110A	IMMT1112C01	11111	8.00 15.00	1	4	2,344	210 26 00000	
4	A000	0110A	IMMT1120C01	11111	8.00 15.00	1	5	2,344	210 26 00000	
4	A000	0110A	IMMT1121C01	11111	8.00 15.00	1	5	2,344	210 26 00000	
4	A000	0110A	IMMT1230C01	11111	8.00 15.00	1	2	2,344	210 26 00000	
4	8	A000	0110A	IMMT1231C01	11111	8.00 15.00	1	2	2,344	210 26 00000
4	8	A000	0110A	IMMT1241C01	11111	8.00 15.00	1	2	2,344	210 26 00000
4	8	A000	0110A	IMMT1311C01	11111	8.00 15.00	1	9	2,344	210 26 00000
4	8	A000	0110A	IMMT1320C01	11111	8.00 15.00	1	7	2,344	210 26 00000
4	8	A000	0110A	IMMT1321C01	11111	8.00 15.00	1	7	2,344	210 26 00000
4	8	A000	0110A	IMMT1330C01	11111	8.00 15.00	1	6	2,344	210 26 00000
4	8	A000	0110A	IMMT1331C02	11111	8.00 15.00	1	6	2,344	210 26 00000
4	8	A000	0110A	IMMT1411C01	11111	8.00 15.00	1	11	2,344	210 26 00000
4	8	A000	0110A	IMMT1430C01	11111	8.00 15.00	1	9	2,344	210 26 00000
4	8	A000	0110A	IMMT1441C01	11111	8.00 15.00	1	1	2,344	210 26 00000
4	8	A000	0110A	JOBS2450C05	11111	8.00 15.00	1	3	2,344	210 26 00000
	8	A000	0110A	CPTR1000C05	11111	9.00 10.00	1	1	2,344	210 26 00000
	A000	0110A	IMMT1220C01	11111	12.00 13.00		2	2,344	210 26 00000	
4	A000	0110A	IMMT1421C01	11111	15.15 21.00		11	2,344	210 26 00000	
4	A000	0110A	IMMT1410C01	1 11	15.15 21.00	1	11	2,344	210 26 00000	
4	A000	0112A	AUTO1100C01	11111	8.00 15.00		4	2,035	210 30 00000	
4	A000	0112A	AUTO1110C01	11111	8.00 15.00	1	1	2,035	210 30 00000	
4	A000	0112A	AUTO1120C01	11111	8.00 15.00	1	1	2,035	210 30 00000	
4	A000	0112A	AUTO1130C01	11111	8.00 15.00	1	2	2,035	210 30 00000	
4	A000	0112A	AUTO1200C01	11111	8.00 15.00	1	2	2,035	210 30 00000	
4	A000	0112A	AUTO1210C01	11111	8.00 15.00	1	3	2,035	210 30 00000	
4	A000	0112A	AUTO1220C01	11111	8.00 15.00	1	1	2,035	210 30 00000	
4	A000	0112A	AUTO1230C01	11111	8.00 15.00	1	1	2,035	210 30 00000	
4	A000	0112A	AUTO1240C01	11111	8.00 15.00	1	1	2,035	210 30 00000	
4	A000	0112A	AUTO1300C02	11111	8.00 15.00	1	1	2,035	210 30 00000	
4	A000	0112A	AUTO1310C01	11111	8.00 15.00	1	1	2,035	210 30 00000	
4	A000	0112A	AUTO1320C01	11111	8.00 15.00	1	2	2,035	210 30 00000	
4	A000	0112A	AUTO1330C01	11111	8.00 15.00	1	2	2,035	210 30 00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 10/18/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 2

L.T.C. -NORTHWEST  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
4	A000	0112A	AUTO1340C01	11111	8.00 15.00	1	2	2,035	210 30	00000	
4	A000	0112A	AUTO1400C01	11111	8.00 15.00	1	3	2,035	210 30	00000	
4	A000	0112A	AUTO1420C01	11111	8.00 15.00	1	3	2,035	210 30	00000	
4	A000	0112A	AUTO1440C01	11111	8.00 15.00	1	2	2,035	210 30	00000	
4	A000	0112A	AUTO1500C01	11111	8.00 15.00	1	1	2,035	210 30	00000	
4	A000	0112A	AUTO1510C01	11111	8.00 15.00	1	1	2,035	210 30	00000	
4	A000	0112A	AUTO1520C01	11111	8.00 15.00	1	1	2,035	210 30	00000	
4	A000	0112A	AUTO1530C01	11111	8.00 15.00	1	1	2,035	210 30	00000	
4	A000	0112A	AUTO1540C01	11111	8.00 15.00	1	1	2,035	210 30	00000	
4	A000	0112A	AUTO1600C01	11111	8.00 15.00	1	6	2,035	210 30	00000	
4	8	A000	0112A	AUTO1610C01	11111	8.00 15.00	1	6	2,035	210 30	00000
4	8	A000	0112A	AUTO1620C01	11111	8.00 15.00	1	7	2,035	210 30	00000
4	8	A000	0112A	AUTO1630C01	11111	8.00 15.00	1	7	2,035	210 30	00000
4	8	A000	0112A	AUTO1640C01	11111	8.00 15.00	1	6	2,035	210 30	00000
4	8	A000	0112A	AUTO1650C01	11111	8.00 15.00	1	6	2,035	210 30	00000
4	8	A000	0112A	AUTO1660C01	11111	8.00 15.00	1	5	2,035	210 30	00000
4	8	A000	0112A	AUTO1700C01	11111	8.00 15.00	1	1	2,035	210 30	00000
4	8	A000	0112A	AUTO1710C01	11111	8.00 15.00	1	1	2,035	210 30	00000
4	8	A000	0112A	AUTO1720C01	11111	8.00 15.00	1	1	2,035	210 30	00000
4	8	A000	0112A	AUTO1730C01	11111	8.00 15.00	1	1	2,035	210 30	00000
4	8	A000	0112A	AUTO1740C01	11111	8.00 15.00	1	2	2,035	210 30	00000
4	8	A000	0112A	AUTO1800C01	11111	8.00 15.00	1	1	2,035	210 30	00000
4	8	A000	0112A	AUTO1810C02	11111	8.00 15.00	1	1	2,035	210 30	00000
4	8	A000	0112A	AUTO1840C02	11111	8.00 15.00	1	1	2,035	210 30	00000
4	8	A000	0112A	AUTO1850C01	11111	8.00 15.00	1	1	2,035	210 30	00000
4	8	A000	0112A	CPTR1000C08	11111	8.00 15.00	1	4	2,035	210 30	00000
4	8	A000	0112A	JOBS2450C01	11111	8.00 15.00	1	2	2,035	210 30	00000
4	8	A000	0112A	JOBS2450C08	11111	8.00 15.00	1	2	2,035	210 30	00000
4	8	A000	0112A	OPET1221C01	11111	8.00 15.00	1	1	2,035	210 30	00000
4	8	A000	0112A	OPET1231C01	11111	8.00 15.00	1	2	2,035	210 30	00000
4	8	A000	0112A	OPET1241C01	11111	8.00 15.00	1	2	2,035	210 30	00000
4	8	A000	0112A	OPET1261C01	11111	8.00 15.00	1	2	2,035	210 30	00000
4	8	A000	0112A	OPET1311C01	11111	8.00 15.00	1	2	2,035	210 30	00000
4	8	A000	0112A	OPET1321C01	11111	8.00 15.00	1	2	2,035	210 30	00000
4	8	A000	0112A	OPET1331C01	11111	8.00 15.00	1	2	2,035	210 30	00000
4	8	A000	0112A	OPET1341C01	11111	8.00 15.00	1	2	2,035	210 30	00000
4	8	A000	0112A	OPET2111C01	11111	8.00 15.00	1	4	2,035	210 30	00000
4	8	A000	0112A	OPET2121C01	11111	8.00 15.00	1	3	2,035	210 30	00000
4	8	A000	0112A	OPET2131C01	11111	8.00 15.00	1	3	2,035	210 30	00000
4	8	A000	0112A	OPET2141C01	11111	8.00 15.00	1	2	2,035	210 30	00000
4	8	A000	0112A	OPET2151C01	11111	8.00 15.00	1	2	2,035	210 30	00000
4	8	A000	0112A	OPET2161C01	11111	8.00 15.00	1	2	2,035	210 30	00000
4	8	A000	0112A	AUTO1410C01	111 1	8.00 15.00	1	3	2,035	210 30	00000
4	A000	0114A	WELD1110C01	11111	8.00 15.00	1	7	2,179	210 19	00000	
4	A000	0114A	WELD1210C01	11111	8.00 15.00	1	12	2,179	210 19	00000	
4	8	A000	0114A	WELD1310C01	11111	8.00 15.00	1	14	2,179	210 19	00000
4	8	A000	0114A	WELD1410C01	11111	8.00 15.00	1	14	2,179	210 19	00000
4	8	A000	0114A	WELD1411C01	11111	8.00 15.00	1	12	2,179	210 19	00000
4	8	A000	0114A	WELD1412C01	11111	8.00 15.00	1	6	2,179	210 19	00000
4	8	A000	0114A	WELD1510C01	11111	8.00 15.00	1	2	2,179	210 19	00000
4	8	A000	0114A	WELD1511C01	11111	8.00 15.00	1	2	2,179	210 19	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 10/18/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 3

L.T.C. -NORTHWEST  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	A000 0114A	WELD1512C01	111111	8.00 15.00	1	2	2,179	210 19 00000
4	8	A000 0114A	WELD2110C01	111111	8.00 15.00	1	6	2,179	210 19 00000
4	8	A000 0114A	WELD2111C01	111111	8.00 15.00	1	3	2,179	210 19 00000
4	8	A000 0114A	WELD2210C01	111111	8.00 15.00	1	2	2,179	210 19 00000
4	8	A000 0114A	WELD2230C01	111111	8.00 15.00	1	5	2,179	210 19 00000
4	8	A000 0114A	WELD2310C01	111111	8.00 15.00	1	1	2,179	210 19 00000
4	8	A000 0114A	WELD2311C01	111111	8.00 15.00	1	1	2,179	210 19 00000
4		A000 0115A	IMMT1221C01	111111	8.00 15.00		2	2,160	210 15 00000
		B000 0203	MAST2222C01	1 1	8.00 12.00		3	1,037	110 21 00000
		B000 0203	MAST1220C01	1 1 1	12.00 13.45		10	1,037	110 21 00000
		B000 0203	MAST2222C01	1 1	13.00 17.00		3	1,037	110 21 00000
		B000 0205	BOTH1300C01	1 1 1	8.30 9.20		10	875	110 34 00000
		B000 0205	HMDT1170C01	1 1 1	8.30 9.20	1	3	875	110 34 00000
		B000 0205	BOTH1120C01	1 1	9.55 11.10		9	875	110 34 00000
		B000 0205	HCOR1120C01	1 1	9.55 11.10	1	9	875	110 34 00000
		B000 0205	OSYS1100C01	1 1 1	10.30 11.20		21	875	110 34 00000
		B000 0205	BOTH1230C01	1 1	12.45 14.00		8	875	110 34 00000
		B000 0205	BOTH2110C01	1 1 1	13.30 15.00		2	875	110 34 00000
		B000 0205	MAST2110C01	1 1 1	13.30 15.00	1	2	875	110 34 00000
		B000 0206A	DVMA0090C01	1 1 1	8.00 9.20		16	1,037	110 20 00000
		B000 0206A	DVEN0091C01	1 1 1	9.30 10.50		9	1,037	110 20 00000
		B000 0206A	AHMA1000C02	1 1 1	12.30 13.50		1	1,037	110 20 00000
		B000 0206A	DVMA0090C02	1 1 1	12.30 13.50	1	17	1,037	110 20 00000
		B000 0207	ACCT1100C01	1 1 1	8.30 9.20		9	896	110 25 00000
		B000 0207	ACCT1100C01	1 1	8.30 9.45		9	896	110 25 00000
		B000 0207	ACCT1200C01	1 1 1	9.30 10.20		5	896	110 25 00000
		B000 0207	ACCT1200C01	1 1	9.55 11.10		5	896	110 25 00000
		B000 0207	BUSM1050C01	1 1 1	11.30 12.20		15	896	110 25 00000
		B000 0207	BUSE1030C01	1 1 1	13.50 14.40		14	896	110 25 00000
		B000 0207	ENGL1030C01	1 1 1	13.50 14.40	1	6	896	110 25 00000
		B000 0207	BUSE1045C01	1 1	14.10 15.25		14	896	110 25 00000
		B000 0210A	DVRE0090C01	1 1 1	8.00 9.20		3	1,771	110 40 00000
		B000 0210A	DVRE0091C01	1 1 1	8.00 9.20	1	5	1,771	110 40 00000
		B000 0210A	DVRE0092C01	1 1 1	8.00 9.20	1	2	1,771	110 40 00000
		B000 0210A	DVRE0090C02	1 1 1	8.00 10.50	1	4	1,771	110 40 00000
		B000 0210A	DVRE0091C02	1 1 1	9.30 10.50	1	9	1,771	110 40 00000
		B000 0210A	DVRE0092C02	1 1 1	9.30 10.50	1	2	1,771	110 40 00000
		B000 0211A	KYBD1010C04	1 1	8.30 9.45		2	1,200	110 26 00000
		B000 0211A	KYBD1010C05	1 1	8.30 9.45	1	7	1,200	110 26 00000
		B000 0211A	KYBD1010C06	1 1	8.30 9.45	1	7	1,200	110 26 00000
		B000 0211A	KYBD1111C01	1 1 1	9.30 10.20		4	1,200	110 26 00000
		B000 0211A	KYBD1111C02	1 1 1	9.30 10.20	1	6	1,200	110 26 00000
		B000 0211A	MAST1130C01	1 1 1	9.30 10.20	1	3	1,200	110 26 00000
		B000 0211A	KYBD1111C01	1 1	9.55 11.10		4	1,200	110 26 00000
		B000 0211A	KYBD1111C02	1 1	9.55 11.10	1	6	1,200	110 26 00000
		B000 0211A	MAST1130C01	1 1	9.55 11.10	1	3	1,200	110 26 00000
		B000 0211A	CSRV1000C01	1 1	11.20 12.35		22	1,200	110 26 00000
		B000 0211A	KYBD1010C01	1 1 1	11.30 12.20		6	1,200	110 26 00000
		B000 0211A	KYBD1010C02	1 1 1	11.30 12.20	1	14	1,200	110 26 00000
		B000 0211A	KYBD1010C03	1 1 1	11.30 12.20	1	1	1,200	110 26 00000
		B000 0213	OSYS2530C01	1 1 1	8.30 9.20		3	1,001	110 20 00000

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	B000	0213	CPTR1310C01	1 1	8.30 9.45		7	110 20	00000
	B000	0213	CPTR1000C01	1 1 1	9.30 10.20		2	110 20	00000
	B000	0213	CPTR1002C01	1 1 1	9.30 10.20	1	14	110 20	00000
	B000	0213	CPTR1310C01	1 1 1	12.30 13.20		7	110 20	00000
	B000	0213	CPTR1000C02	1 1	12.45 14.00		1	110 20	00000
	B000	0213	CPTR1002C02	1 1	12.45 14.00	1	9	110 20	00000
	B000	0213	MAST11110C01	1 1 1	14.45 15.40		7	110 20	00000
	B000	0213	MAST1120C01	1 1 1	14.45 15.40	1	8	110 20	00000
4	B000	0214A	CPTR1000C07	11111	8.00 15.00		6	210 28	00000
4	B000	0214A	JOBS2450C07	11111	8.00 15.00	1	2	210 28	00000
4	B000	0214A	MTTC2110C01	11111	8.00 15.00	1	2	210 28	00000
4	B000	0214A	MTTC2120C01	11111	8.00 15.00	1	1	210 28	00000
4	B000	0214A	MTTC2230C01	11111	8.00 15.00	1	1	210 28	00000
4	B000	0214A	MTTC2310C01	11111	8.00 15.00	1	5	210 28	00000
4	B000	0214A	MTTC2320C01	11111	8.00 15.00	1	7	210 28	00000
4	B000	0214A	MTTC2331C01	11111	8.00 15.00	1	3	210 28	00000
4	B000	0214A	MTTC2410C01	11111	8.00 15.00	1	3	210 28	00000
4	B000	0214A	MTTC2420C01	11111	8.00 15.00	1	3	210 28	00000
4	B000	0214A	MTTC2510C01	11111	8.00 15.00	1	3	210 28	00000
4	B000	0214A	MTTC2710C01	11111	8.00 15.00	1	2	210 28	00000
	B000	0214A	MTTC2991C01	11111	15.01 15.46		4	210 28	00000
	B000	0214A	MTTC2993C01	11111	15.01 15.46	1	9	210 28	00000
	B000	0214A	MTTC2995M01	11111	15.01 15.46	1	1	210 28	00000
	B000	0214A	MTTC2996C01	11111	15.01 15.46	1	4	210 28	00000
	B000	0217	DVED2995C01	1111	8.00 11.00		28	110 60	00000
4	8	B000	0217	ORNT1000C01	111	8.00 15.00	73	110 60	00000
	8	B000	0217	DVED2993C01	1 1 1	12.00 14.45	1	110 60	00000
		B000	0217	DVED2996C03	1 1	16.30 19.30	21	110 60	00000
4		C000	0303A	CPTR1000C14	11111	8.00 15.00	13	110 17	00000
4		C000	0303A	INST2740C01	11111	8.00 15.00	13	110 17	00000
		C000	0304A	INST1330C01	1111	8.00 11.00	15	110 17	00000
	8	C000	0304A	INST1410C01	1111	8.00 11.00	16	110 17	00000
	8	C000	0304A	INST1420C01	1111	8.00 11.00	16	110 17	00000
4	8	C000	0304A	INST1110C01	11111	8.00 15.00	12	110 17	00000
4	8	C000	0304A	INST1330C01	1	8.00 15.00	15	110 17	00000
4	8	C000	0304A	INST1410C01	1	8.00 15.00	16	110 17	00000
4	8	C000	0304A	INST1420C01	1	8.00 15.00	16	110 17	00000
		C000	0304A	INST1330C01	1111	12.15 15.00	15	110 17	00000
	8	C000	0304A	INST1410C01	1111	12.15 15.00	16	110 17	00000
	8	C000	0304A	INST1420C01	1111	12.15 15.00	16	110 17	00000
4		C000	0305A	ETRN1420C01	11111	8.00 15.00	12	110 17	00000
4		C000	0305A	INST2620C01	11111	8.00 15.00	13	110 17	00000
4	8	C000	0305A	INST2630C01	11111	8.00 15.00	13	110 17	00000
4	8	C000	0305A	JOBS2450C14	11111	8.00 15.00	13	110 17	00000
		C000	0306A	INST1430C01	1111	8.00 11.00	10	110 17	00000
		C000	0306A	INST2610C01	1111	8.00 11.00	11	110 17	00000
	8	C000	0306A	INST2730C01	1111	8.00 11.00	10	110 17	00000
4		C000	0306A	INST1430C01	1	8.00 15.00	10	110 17	00000
4		C000	0306A	INST2610C01	1	8.00 15.00	11	110 17	00000
4	8	C000	0306A	INST2730C01	1	8.00 15.00	10	110 17	00000
		C000	0306A	INST1430C01	1111	12.15 15.00	10	110 17	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 10/18/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 5

L.T.C. -NORTHWEST  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	C000	0306A	INST2610C01	1111	12.15 15.00	1	11	110	17	00000
8	C000	0306A	INST2730C01	1111	12.15 15.00	1	10	110	17	00000
4	C000	0307A	ETRN1120C01	11111	8.00 15.00		15	110	17	00000
4	8	C000	0307A	ETRN1130C01	11111	8.00 15.00	1	110	17	00000
4	8	C000	0307A	ETRN1210C01	11111	8.00 15.00	1	110	17	00000
4	8	C000	0307A	ETRN1220C01	11111	8.00 15.00	1	110	17	00000
	C000	0308	INST2820C01	1111	8.00 11.00		13	110	12	00000
8	C000	0308	INST2830C01	1111	8.00 11.00	1	14	110	12	00000
8	C000	0308	INST2840C01	1111	8.00 11.00	1	13	110	12	00000
4	C000	0308	INST2820C01	1	8.00 15.00		13	110	12	00000
4	8	C000	0308	INST2830C01	1	8.00 15.00	1	110	12	00000
4	8	C000	0308	INST2840C01	1	8.00 15.00	1	110	12	00000
	C000	0308	INST2820C01	1111	12.15 15.00		13	110	12	00000
8	C000	0308	INST2830C01	1111	12.15 15.00	1	14	110	12	00000
8	C000	0308	INST2840C01	1111	12.15 15.00	1	13	110	12	00000
4	C000	0309T	ETRN1220C02	11111	8.00 15.00		13	110	24	00000
8	C000	0309T	SPCH1015C01	1 1	11.01 12.14	1	26	110	24	00000
	C000	0309T	MATH1015C01	1 1	11.01 12.14		27	110	24	00000
4	T000	0108	CTDP1110I01	11111	7.00 15.00		10	110	30	00000
4	T000	0108	CTDP1120I01	11111	7.00 15.00	1	10	110	30	00000
4	T000	0108	CTDP1211I01	11111	7.00 15.00	1	12	110	30	00000
4	T000	0108	HCVO1140I01	11111	7.00 15.00	1	10	110	30	00000
4	8	T000	0108	HCVO1212I01	11111	7.00 15.00	1	110	30	00000
4	8	T000	0108	HCVO1110I01	11111	8.00 15.00	1	110	30	00000
4	8	T000	0108	HCVO1111I01	11111	8.00 15.00	1	110	30	00000
4	8	T000	0108	HCVO1120I01	11111	8.00 15.00	1	110	30	00000
4	8	T000	0108	HCVO1121I01	11111	8.00 15.00	1	110	30	00000
4	8	T000	0108	HCVO1130I01	11111	8.00 15.00	1	110	30	00000
4	8	T000	0108	HCVO1131I01	11111	8.00 15.00	1	110	30	00000
4	8	T000	0108	HCVO1200I01	11111	8.00 15.00	1	110	30	00000
4	8	T000	0108	HCVO1210I01	11111	8.00 15.00	1	110	30	00000
4	8	T000	0108	HCVO1220I01	11111	8.00 15.00	1	110	30	00000
4	8	T000	0108	HCVO1230I01	11111	8.00 15.00	1	110	30	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.  
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,  
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 139

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,  
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 94  
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 233

TOTAL NUMBER OF RECORDS READ 237  
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 237  
NUMBER OF JOINT-CLASS RECORDS 169  
NUMBER OF ALTERATE WEEKS RECORDS  
NUMBER OF DIFFERENT TIMES RECORDS  
NUMBER OF INCONSISTENT RECORDS

## SPACE UTILIZ - SUMMARY PAGE

## L. T. C. -NORTHWEST

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			27
TOTAL NUMBER OF STATIONS (CAPACITY)			774
WEEKLY STUDENT CONTACT HOURS	24864	72	24936
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2430	1350	3780
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3121	12	3133
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	69660	38700	108360
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	80782	720	81502
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	49728	144	49872
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	128.4	.9	82.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	71.4	.4	46.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	61.6	20.0	61.2
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			27
TOTAL NUMBER OF STATIONS (CAPACITY)			774
WEEKLY STUDENT CONTACT HOURS	24864	72	24936
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2430	1350	3780
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3121	12	3133
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	69660	38700	108360
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	80782	720	81502
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	49728	144	49872
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	128.4	.9	82.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	71.4	.4	46.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	61.6	20.0	61.2

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			240
WEEKLY STUDENT CONTACT HOURS	12741		12741
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6440		6440
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	21600	12000	33600
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	175264		175264
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	25482		25482
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	650.5	.0	418.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	118.0	.0	75.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	14.5	.0	14.5

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			10
TOTAL NUMBER OF STATIONS (CAPACITY)			216
WEEKLY STUDENT CONTACT HOURS	12741		12741
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	900	500	1400
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6440		6440
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	19440	10800	30240
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	175264		175264
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	25482		25482
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	715.6	.0	460.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	131.1	.0	84.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	14.5	.0	14.5

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY