

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 12/19/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 1

L.T.C. -SOWELA  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	ADMN 00000	ITEC2998 01			1	3			00000
	ADMN 1103	OADM1100 03	1 1 1	8.00 8.50		24	958	210 19	00000
	ADMN 1103	OADM1100 02	1 1 1	9.00 9.50		21	958	210 19	00000
	ADMN 1103	OADM1200 01	1 1	10.50 12.05		10	958	210 19	00000
	ADMN 1103	ACCT1510 01	1 1 1	11.00 11.50		14	958	210 19	00000
	ADMN 1103	BUSI1080 01	1 1	12.15 13.30		26	958	210 19	00000
	ADMN 1103	BUSI2300 01	1 1 1	13.00 13.50		10	958	210 19	00000
	ADMN 1104	ACCT1210 01	1 1	8.00 9.15		11	958	210 19	00000
	ADMN 1104	OADM1450 01	1 1 1	9.00 9.50		21	958	210 19	00000
	ADMN 1104	OADM2640 01	1 1	9.25 10.40		9	958	210 19	00000
	ADMN 1104	OADM2530 01	1 1 1	10.00 10.50		14	958	210 19	00000
	ADMN 1104	OADM1330 01	1 1	10.50 12.05		20	958	210 19	00000
	ADMN 1104	OADM1650 01	1 1 1	11.00 11.50		5	958	210 19	00000
	ADMN 1104	ACCT1210 02	1	17.30 20.05		14	958	210 19	00000
4	ADMN 1142	CULN1210 01	1 1	7.00 14.20		10	715	210 14	00000
	ADMN 1142	CULN2460 01	1	8.00 11.00	1	6	715	210 14	00000
8	ADMN 1142	CULN1160 01	1 1	8.00 11.50		24	715	210 14	00000
	ADMN 1142	CULN2450 01	1	8.00 12.50		9	715	210 14	00000
	ADMN 1142	CULN2310 01	1	9.00 11.50		10	715	210 14	00000
	ADMN 1142	CULN1230 01	1	9.00 14.00		14	715	210 14	00000
	ADMN 1142	CULN2460 01	1	10.00 11.00		6	715	210 14	00000
	ADMN 1144	CULN2460 01	1	8.00 10.30		6	981	210 20	00000
	ADMN 1144	CULN2450 01	1	8.00 12.50		9	981	210 20	00000
	ADMN 1144	CULN2460 01	1	10.00 11.00		6	981	210 20	00000
8	ADMN 1144	CULN1010 01	1 1	12.00 13.30		32	981	210 20	00000
8	ADMN 1144	CULN2400 01	1 1	12.00 15.50	1	10	981	210 20	00000
4	ADMN 1151	CULN1210 01	1 1	7.00 14.20		10	1,900	680 51	00000
	ADMN 1151	CULN1160 01	1 1	8.00 11.50		24	1,900	680 51	00000
	ADMN 1151	CULN1230 01	1	9.00 14.00		14	1,900	680 51	00000
	ADMN 1151	CULN1120 01	1	10.00 11.00		10	1,900	680 51	00000
	ADMN 1151	CULN1220 01	1	10.00 12.50		32	1,900	680 51	00000
	ADMN 1151	CULN2010 01	1 1	10.00 14.00		3	1,900	680 51	00000
	ADMN 1151	CULN1130 01	1	10.15 14.00		27	1,900	680 51	00000
4	ADMN 1151	CULN1120 01	1	10.30 14.00	1	10	1,900	680 51	00000
8	ADMN 1152	CULN1210 01	1 1	7.00 14.20		10	703	210 14	00000
	ADMN 1152	CULN1160 01	1 1	8.00 11.50		24	703	210 14	00000
	ADMN 1152	CULN1230 01	1	9.00 14.00		14	703	210 14	00000
	ADMN 1152	CULN2400 01	1 1	12.00 15.50		10	703	210 14	00000
	ADMN 1200	TSMA0092 07	1 1 1	7.00 7.50		22	514	110 30	00000
	ADMN 1200	TSMA0093 06	1 1 1	8.00 8.50		27	514	110 30	00000
	ADMN 1200	TSMA0092 06	1 1	8.00 9.15		23	514	110 30	00000
	ADMN 1200	MATH1110 01	1 1 1	9.00 9.50		12	514	110 30	00000
	ADMN 1200	TSMA0093 07	1 1	9.25 10.40		18	514	110 30	00000
	ADMN 1200	TSMA0093 07	1 1 1	10.00 10.50		23	514	110 30	00000
	ADMN 1200	TSMA0092 05	1 1	10.50 12.05		24	514	110 30	00000
8	ADMN 1200	TSMA0093 04	1 1	10.50 12.05	1	27	514	110 30	00000
	ADMN 1200	TSMA0092 05	1 1 1	11.00 11.50		24	514	110 30	00000
8	ADMN 1200	TSMA0093 04	1 1 1	11.00 11.50	1	27	514	110 30	00000
	ADMN 1200	TSMA0092 02	1 1	12.00 13.15		26	514	110 30	00000
	ADMN 1200	HIST2010 03	1 1	12.15 13.30		23	514	110 30	00000
	ADMN 1200	TSMA0092 14	1 1	13.25 14.40		26	514	110 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 12/19/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 2

L.T.C. -SOWELA  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	ADMN 1200	ENGL1010 02	1	18.00 19.15		23	514	110 30	00000
	ADMN 1202	ANUR3050 01	1 1	8.00 9.50		23	514	110 24	00000
	ADMN 1202	ANUR2430 01	1 1	10.00 11.50		23	514	110 24	00000
	ADMN 1202	ANUR3230 01	1 1	13.00 14.50		23	514	110 24	00000
	ADMN 1204	ANUR2210 01	1 1	8.00 9.50		14	514	110 24	00000
	ADMN 1204	ANUR2243 01	1 1	10.00 10.50		14	514	110 24	00000
	ADMN 1204	ANUR2230 01	1 1	11.00 11.50		14	514	110 24	00000
	ADMN 1204	ANUR2210 30	11	12.00 15.00		14	514	110 24	00000
	ADMN 1204	ANUR2223 01	1 1	13.00 14.20	1	14	514	110 24	00000
	ADMN 1205	ITEC2999 01			1	11	1,597	240 30	00000
	ADMN 1205	ITEC2110 01	1 1 1	8.30 9.50		31	1,597	240 30	00000
	ADMN 1205	ITEC2120 01	1 1	8.30 10.30		10	1,597	240 30	00000
	ADMN 1205	ITEC2840 01	1 1 1	10.00 10.50		21	1,597	240 30	00000
	ADMN 1205	ITEC1200 01	1 1	10.50 12.50		25	1,597	240 30	00000
	ADMN 1205	ITEC1100 01	1 1 1	11.00 11.50		25	1,597	240 30	00000
	ADMN 1205	ITEC1100 01	1	12.00 13.50		14	1,597	240 30	00000
	ADMN 1205	ITEC1100 02	1	12.00 13.50		11	1,597	240 30	00000
	ADMN 1206	ANUR1040 01	11111	8.00 9.15		39	1,001	110 35	00000
	ADMN 1206	ANUR1350 01	1 1	9.25 10.40		39	1,001	110 35	00000
8	ADMN 1206	ANUR1233 02	11111	10.00 11.50	1	32	1,001	110 35	00000
8	ADMN 1206	ANUR1060 01	1 1	10.50 12.05	1	39	1,001	110 35	00000
8	ADMN 1206	ACNA1110 01	1111	12.00 13.50	1	32	1,001	110 35	00000
8	ADMN 1206	ANUR1233 01	11111	12.15 13.30	1	36	1,001	110 35	00000
	ADMN 1206	ANUR1240 01	11111	13.40 14.55		39	1,001	110 35	00000
8	ADMN 1206	ACNA1120 01	1111	14.00 15.50	1	32	1,001	110 35	00000
	ADMN 1206	ACNA1160 01	11111	16.00 17.50		32	1,001	110 35	00000
	ADMN 1207	ITEC1000 99	1 1	8.00 10.40		15	1,137	240 35	00000
	ADMN 1207	BUSI1030 01	1 1 1	9.00 9.50		25	1,137	240 35	00000
	ADMN 1207	ITEC1610 01	1 1 1	10.00 10.50		11	1,137	240 35	00000
	ADMN 1207	ITEC1000 06	1 1	10.50 12.05		29	1,137	240 35	00000
	ADMN 1207	ITEC1210 01	1 1 1	11.00 11.50		25	1,137	240 35	00000
	ADMN 1207	ITEC1010 01	1 1	12.00 13.15		14	1,137	240 35	00000
	ADMN 1207	ACCT2010 02	1	17.00 20.05		12	1,137	240 35	00000
	ADMN 1207	ACCT1110 04	1	17.30 20.05		15	1,137	240 35	00000
	ADMN 1207	ITEC1000 07	1	17.30 20.05		30	1,137	240 35	00000
	ADMN 1208	TSMA0092 04	1 1 1	7.00 7.50		29	1,032	110 45	00000
	ADMN 1208	PSYC2010 01	1 1 1	8.00 8.50		40	1,032	110 45	00000
	ADMN 1208	PSYC2335 01	1 1	8.00 9.15		17	1,032	110 45	00000
	ADMN 1208	PSYC2010 02	1 1 1	9.00 9.50		41	1,032	110 45	00000
	ADMN 1208	HIST2020 01	1 1	9.25 10.40		37	1,032	110 45	00000
	ADMN 1208	HIST2010 01	1 1	10.50 12.05		37	1,032	110 45	00000
	ADMN 1208	PSYC2010 03	1 1 1	11.00 11.50		39	1,032	110 45	00000
	ADMN 1208	PSYC2010 05	1 1	12.00 13.15		37	1,032	110 45	00000
	ADMN 1208	PSYC2010 04	1 1	12.15 13.30		38	1,032	110 45	00000
	ADMN 1208	HIST2020 02	1 1	13.25 14.40		38	1,032	110 45	00000
	ADMN 1208	HRCI1000100	1	17.30 20.00		4	1,032	110 45	00000
	ADMN 1208	HIST2020 05	1	17.30 20.10		28	1,032	110 45	00000
	ADMN 1208	PSYC2010 08	1	17.30 20.10		31	1,032	110 45	00000
	ADMN 1208	PSYC2010 07	1	17.30 20.10		26	1,032	110 45	00000
	ADMN 1209	ITEC1000 01	1 1 1	8.00 8.50		32	1,337	240 32	00000
	ADMN 1209	ITEC2450 01	1 1	8.00 9.15		2	1,337	240 32	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 12/19/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 3

L.T.C. -SOWELA  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	ADMN	1209	ITEC1000 02	1 1 1	9.00 9.50		32	1,337	240 32 00000
	ADMN	1209	ITEC1005 01	1 1 1	10.00 10.50		30	1,337	240 32 00000
	ADMN	1209	ITEC1320 01	1 1	10.50 12.05		26	1,337	240 32 00000
	ADMN	1209	ITEC1000 03	1 1 1	11.00 11.50		32	1,337	240 32 00000
	ADMN	1209	ITEC1000 04	1 1	12.00 12.50		34	1,337	240 32 00000
	ADMN	1209	ITEC1550 01	1 1	12.15 13.30		11	1,337	240 32 00000
	ADMN	1209	ITEC1000 05	1 1 1	13.00 13.50		33	1,337	240 32 00000
	ADMN	1209	MEDL1300 01	1	17.30 20.05		19	1,337	240 32 00000
	ADMN	1209	MEDL1360 01	1	17.30 20.05		12	1,337	240 32 00000
	ADMN	1210	BUSI1210 01	1 1 1	9.00 9.50		22	480	110 30 00000
	ADMN	1210	TSMA0092 08	1 1	9.25 10.40		25	480	110 30 00000
	ADMN	1210	MATH1020 01	1 1 1	10.00 10.50		24	480	110 30 00000
	ADMN	1210	TSMA0092 03	1 1	10.50 12.05		27	480	110 30 00000
	ADMN	1210	MATH1020 02	1 1 1	11.00 11.50		12	480	110 30 00000
	ADMN	1210	HIST1220 02	1 1	12.00 13.15		26	480	110 30 00000
	ADMN	1210	MATH1100 05	1 1	12.15 13.30		27	480	110 30 00000
	ADMN	1210	MATH1100 06	1 1	13.40 14.55		22	480	110 30 00000
	ADMN	1210	TSEN0093 05	1 1	16.30 17.45		7	480	110 30 00000
	ADMN	1210	TSEN0091 01	1 1	17.20 18.35		20	480	110 30 00000
	ADMN	1210	TSEN0091 02	1 1	18.45 20.00		14	480	110 30 00000
	ADMN	1212	ACCT1250 01	1 1 1	8.00 8.50		18	504	110 24 00000
4	ADMN	1212	WSSE1000100	1	8.00 16.00		4	504	110 24 00000
4	ADMN	1212	WSSE1000101	1	8.00 16.00	1	6	504	110 24 00000
4	ADMN	1212	WSSE1000103	1	8.00 16.00	1	3	504	110 24 00000
	ADMN	1212	BUSI1030 02	1 1	9.25 10.40		20	504	110 24 00000
	ADMN	1212	ACCT1150 01	1 1 1	10.00 10.50		18	504	110 24 00000
	ADMN	1212	HIST2020 03	1 1	10.50 12.05		28	504	110 24 00000
	ADMN	1212	TSEN0091 12	1 1	12.00 13.15		20	504	110 24 00000
	ADMN	1212	PHSC1000 08	1 1	12.15 13.30		8	504	110 24 00000
	ADMN	1214	ACCT1110 01	1 1 1	8.00 8.50		21	528	110 22 00000
	ADMN	1214	ACCT1110 02	1 1 1	9.00 9.50		23	528	110 22 00000
	ADMN	1214	ACCT2020 01	1 1	9.25 10.40		13	528	110 22 00000
	ADMN	1214	ACCT1110 03	1 1	10.50 12.05		23	528	110 22 00000
	ADMN	1214	ACCT2010 01	1 1 1	11.00 11.50		17	528	110 22 00000
	ADMN	1214	ENGL2535 01	1	12.00 13.15		24	528	110 22 00000
	ADMN	1215	MATH1100 02	1 1 1	8.00 8.50		32	651	110 30 00000
	ADMN	1215	HIST2010 04	1 1 1	9.00 9.50		33	651	110 30 00000
	ADMN	1215	TSMA0092 01	1 1	9.25 10.40		30	651	110 30 00000
	ADMN	1215	HIST2010 05	1 1 1	10.00 10.50		30	651	110 30 00000
	ADMN	1215	MATH1100 01	1 1	10.50 12.05		27	651	110 30 00000
	ADMN	1215	TSEN0091 07	1 1 1	11.00 11.50		26	651	110 30 00000
	ADMN	1215	TSMA0093 09	1 1	12.00 13.15		28	651	110 30 00000
	ADMN	1215	TSMA0093 01	1 1	12.15 13.30		27	651	110 30 00000
	ADMN	1215	TSMA0093 11	1 1	17.30 18.45		28	651	110 30 00000
	ADMN	1215	MATH1100 11	1	18.45 20.00		31	651	110 30 00000
	ADMN	1217	TSMA0093 05	1 1 1	8.00 8.50		27	718	110 30 00000
	ADMN	1217	MATH1100 09	1 1	8.00 9.15		27	718	110 30 00000
	ADMN	1217	TSMA0093 02	1 1 1	9.00 9.50		27	718	110 30 00000
	ADMN	1217	MATH1100 04	1 1	9.25 10.40		28	718	110 30 00000
	ADMN	1217	MATH1100 03	1 1 1	10.00 10.50		33	718	110 30 00000
	ADMN	1217	PSYC2010 06	1 1	10.50 12.05		30	718	110 30 00000

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	ADMN 1217	TSMA0093 03	1 1 1	11.00 11.50		30	718	110 30	00000
	ADMN 1217	ARTS1200 02	1 1	12.00 13.15		28	718	110 30	00000
	ADMN 1217	ARTS1200 01	1 1	12.15 13.30		28	718	110 30	00000
	ADMN 1217	TSMA0092 15	1 1	16.00 17.15		32	718	110 30	00000
	ADMN 1217	TSMA0092 16	1 1	17.20 18.35		25	718	110 30	00000
	ADMN 1217	HIST2010 02	1 1	17.30 18.45		24	718	110 30	00000
	ADMN 1217	TSMA0092 17	1 1	18.46 20.01		27	718	110 30	00000
	ADMN 1234	ANUR3050 01	1 1	8.00 9.50		23	1,639	210 16	00000
	ADMN 1234	ANUR2243 01	1 1	10.00 10.50		14	1,639	210 16	00000
8	ADMN 1234	ANUR1233 02	11111	10.00 11.50	1	32	1,639	210 16	00000
8	ADMN 1234	ANUR2230 01	1 1	11.00 11.50	1	14	1,639	210 16	00000
8	ADMN 1234	ANUR1233 01	11111	12.15 13.30		36	1,639	210 16	00000
8	ADMN 1234	ANUR3230 01	1 1	13.00 14.50	1	23	1,639	210 16	00000
8	ADMN 1234	ANUR1240 01	11111	13.40 14.55	1	39	1,639	210 16	00000
	ADMN 1238	ANUR3050 01	1 1	8.00 9.50		23	830	210 16	00000
	ADMN 1238	ANUR2243 01	1 1	10.00 10.50		14	830	210 16	00000
8	ADMN 1238	ANUR1233 02	11111	10.00 11.50	1	32	830	210 16	00000
8	ADMN 1238	ANUR2430 01	1 1	10.00 11.50	1	23	830	210 16	00000
8	ADMN 1238	ANUR2230 01	1 1	11.00 11.50	1	14	830	210 16	00000
8	ADMN 1238	ANUR1233 01	11111	12.15 13.30		36	830	210 16	00000
8	ADMN 1238	ANUR2223 01	1 1	13.00 14.20	1	14	830	210 16	00000
8	ADMN 1238	ANUR3230 01	1 1	13.00 14.50	1	23	830	210 16	00000
8	ADMN 1238	ANUR1240 01	11111	13.40 14.55	1	39	830	210 16	00000
	AVCR 0805	ENGL1010 06	1 1	8.00 9.15		27	742	110 30	00000
	AVCR 0805	ENGL1010 12	1 1 1	9.00 9.50		28	742	110 30	00000
	AVCR 0805	MATH1100 10	1 1	9.25 10.40		28	742	110 30	00000
	AVCR 0805	HIST1220 01	1 1 1	10.00 10.50		31	742	110 30	00000
	AVCR 0805	TSEN0093 04	1 1	10.50 12.05		25	742	110 30	00000
	AVCR 0805	ENGL1010 13	1	11.00 11.50		11	742	110 30	00000
	AVCR 0805	ENGL1010 07	1	11.00 11.50		26	742	110 30	00000
	AVCR 0805	ENGL1020 01	1 1	12.00 13.15		19	742	110 30	00000
	AVCR 0805	TSMA0093 10	1 1	12.15 13.30		28	742	110 30	00000
	AVCR 0805	ENGL1010 01	1 1	13.25 14.40		25	742	110 30	00000
	AVCR 0805	WPHL1000100	1 1	17.30 21.00		5	742	110 30	00000
	AVCR 0814	TSRE0091 05	1 1 1	8.00 8.50		22	480	210 25	00000
	AVCR 0814	TSRE0091 01	1 1	8.00 9.15		23	480	210 25	00000
	AVCR 0814	TSRE0091 02	1 1	9.25 10.40		19	480	210 25	00000
	AVCR 0814	TSRE0091 06	1 1 1	10.00 10.50		22	480	210 25	00000
	AVCR 0814	TSRE0091 08	1 1	10.50 12.05		19	480	210 25	00000
	AVCR 0814	TSMA0092 12	1 1 1	11.00 11.50		22	480	210 25	00000
	AVCR 0814	TSRE0091 07	1 1	12.00 13.15		22	480	210 25	00000
	AVCR 0814	TSRE0091 03	1 1	12.15 13.30		22	480	210 25	00000
	AVCR 0814	TSRE0091 09	1 1	13.25 14.40		20	480	210 25	00000
	AVCR 0814	TSRE0091 04	1 1	13.40 14.55		18	480	210 25	00000
	AVCR 0814	TSRE0091 10	1 1	17.30 18.45		21	480	210 25	00000
	AVCR 0818	TSEN0091 04	1 1 1	8.00 8.50		19	720	110 28	00000
8	AVCR 0818	TSEN0093 03	1 1 1	8.00 8.50	1	26	720	110 28	00000
	AVCR 0818	TSEN0091 04	1 1	8.00 9.15		19	720	110 28	00000
8	AVCR 0818	TSEN0093 03	1 1	8.00 9.15	1	26	720	110 28	00000
	AVCR 0818	ENGL1010 08	1 1 1	9.00 9.50		29	720	110 28	00000
	AVCR 0818	ENGL1020 02	1 1	9.25 10.40		24	720	110 28	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 12/19/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 5

L.T.C. -SOWELA  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	AVCR 0818	TSEN0091 11	1 1 1	10.00 10.50		26	720	110 28	00000
	AVCR 0818	TSEN0091 03	1 1	10.50 12.05		24	720	110 28	00000
	AVCR 0818	TSEN0093 06	1 1 1	11.00 11.50		24	720	110 28	00000
	AVCR 0818	ENGL1010 09	1 1	12.15 13.30		26	720	110 28	00000
	AVCR 0818	TSEN0091 05	1 1	13.25 14.40		21	720	110 28	00000
	AVCR 0820	TSEN0091 09	1 1 1	8.00 8.50		20	720	110 28	00000
	AVCR 0820	ENGL1010 15	1 1	9.25 10.40		25	720	110 28	00000
	AVCR 0820	ENGL1010 04	1 1 1	10.00 10.50		31	720	110 28	00000
	AVCR 0820	ENGL1010 16	1 1	10.50 12.05		28	720	110 28	00000
	AVCR 0820	MATH1100 07	1 1 1	11.00 11.50		34	720	110 28	00000
	AVCR 0820	TSMA0092 13	1 1	12.00 13.15		25	720	110 28	00000
	AVCR 0820	ENGL1010 05	1 1	12.15 13.30		24	720	110 28	00000
	AVCR 0820	ENGL1010 17	1	13.25 14.40		14	720	110 28	00000
	AVCR 0820	WPHT1000100	1 1	17.30 21.00		10	720	110 28	00000
	AVIA 0400	AMTA2000 01	11111	8.00 10.45		14	19,594	210 49	00000
	AVIA 0400	AMTA2060 01	11111	8.00 10.45	1	16	19,594	210 49	00000
	AVIA 0400	AMTA2090 01	11111	8.00 10.45	1	14	19,594	210 49	00000
	AVIA 0400	AMTA2120 01	11111	8.00 10.45	1	5	19,594	210 49	00000
	AVIA 0400	AMTA2140 01	11111	8.00 10.45	1	14	19,594	210 49	00000
8	AVIA 0400	AMTA2040 01	11111	8.00 10.55	1	13	19,594	210 49	00000
8	AVIA 0400	AMTP2210 01	1 1	8.00 11.30	1	6	19,594	210 49	00000
8	AVIA 0400	AMTP2220 01	1 1	8.00 11.30	1	10	19,594	210 49	00000
8	AVIA 0400	AMTP2240 01	1 1	8.00 11.30	1	4	19,594	210 49	00000
8	AVIA 0400	AMTP2270 01	1 1	8.00 11.30	1	9	19,594	210 49	00000
4	AVIA 0400	AMTP2210 01	1 1 1	8.00 14.30		6	19,594	210 49	00000
4	AVIA 0400	AMTP2220 01	1 1 1	8.00 14.30	1	10	19,594	210 49	00000
4	AVIA 0400	AMTP2240 01	1 1 1	8.00 14.30	1	4	19,594	210 49	00000
4	AVIA 0400	AMTP2270 01	1 1 1	8.00 14.30	1	9	19,594	210 49	00000
	AVIA 0400	AMTG1020 01	11111	10.00 14.30	1	22	19,594	210 49	00000
	AVIA 0400	AMTG1040 01	11111	10.00 14.30	1	23	19,594	210 49	00000
8	AVIA 0400	AMTG1050 01	11111	10.00 14.30	1	20	19,594	210 49	00000
8	AVIA 0400	AMTG1070 01	11111	10.00 14.30	1	19	19,594	210 49	00000
8	AVIA 0400	AMTG1080 01	11111	10.00 14.30	1	23	19,594	210 49	00000
8	AVIA 0400	AMTA2000 01	11111	12.10 15.55	1	14	19,594	210 49	00000
8	AVIA 0400	AMTA2040 01	11111	12.10 15.55	1	13	19,594	210 49	00000
8	AVIA 0400	AMTA2060 01	11111	12.10 15.55	1	16	19,594	210 49	00000
8	AVIA 0400	AMTA2090 01	11111	12.10 15.55	1	14	19,594	210 49	00000
8	AVIA 0400	AMTA2120 01	11111	12.10 15.55	1	5	19,594	210 49	00000
8	AVIA 0400	AMTA2140 01	11111	12.10 15.55	1	14	19,594	210 49	00000
8	AVIA 0404	AMTG1020 01	11111	10.00 14.30		22	647	210 13	00000
8	AVIA 0404	AMTG1040 01	11111	10.00 14.30	1	23	647	210 13	00000
8	AVIA 0404	AMTG1050 01	11111	10.00 14.30	1	20	647	210 13	00000
8	AVIA 0404	AMTG1070 01	11111	10.00 14.30	1	19	647	210 13	00000
8	AVIA 0404	AMTG1080 01	11111	10.00 14.30	1	23	647	210 13	00000
	AVIA 0408	AMTA2000 01	11111	8.00 10.45		14	508	110 15	00000
8	AVIA 0408	AMTA2060 01	11111	8.00 10.45	1	16	508	110 15	00000
8	AVIA 0408	AMTA2090 01	11111	8.00 10.45	1	14	508	110 15	00000
8	AVIA 0408	AMTA2120 01	11111	8.00 10.45	1	5	508	110 15	00000
8	AVIA 0408	AMTA2040 01	11111	8.00 10.55	1	13	508	110 15	00000
	AVIA 0408	AMTA2000 01	11111	12.10 15.55		14	508	110 15	00000
8	AVIA 0408	AMTA2040 01	11111	12.10 15.55	1	13	508	110 15	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 12/19/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 6

L.T.C. -SOWELA  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
8	AVIA 0408	AMTA2060 01	111111	12.10 15.55	1	16	508	110 15	00000	
8	AVIA 0408	AMTA2090 01	111111	12.10 15.55	1	14	508	110 15	00000	
8	AVIA 0408	AMTA2120 01	111111	12.10 15.55	1	5	508	110 15	00000	
	AVIA 0409	AMTP2210 01	1 1	8.00 11.30		6	497	110 12	00000	
	AVIA 0409	AMTP2220 01	1 1	8.00 11.30	1	10	497	110 12	00000	
8	AVIA 0409	AMTP2240 01	1 1	8.00 11.30	1	4	497	110 12	00000	
8	AVIA 0409	AMTP2270 01	1 1	8.00 11.30	1	9	497	110 12	00000	
4	AVIA 0409	AMTP2210 01	1 1 1	8.00 14.30		6	497	110 12	00000	
4	AVIA 0409	AMTP2220 01	1 1 1	8.00 14.30	1	10	497	110 12	00000	
4	8	AVIA 0409	AMTP2240 01	1 1 1	8.00 14.30	1	4	497	110 12	00000
4	8	AVIA 0409	AMTP2270 01	1 1 1	8.00 14.30	1	9	497	110 12	00000
4	CMSC 0102	ANUR2212 30	111	6.30 15.00		14	296	210 35	00000	
	CMSC 0102	ANUR2230 30	11	8.00 8.50		14	296	210 35	00000	
	CMSC 0102	ANUR2323 30	11	9.00 10.15		14	296	210 35	00000	
	CMSC 0102	ANUR2223 30	11	10.25 11.40		14	296	210 35	00000	
	CMSC 0201	ITEC1320 30	1	13.30 14.20		9	907	210 20	00000	
	CMSC 0203	OADM1100 30	1 1 1	8.00 8.50		14	730	210 20	00000	
	CMSC 0203	OADM1150 30	1 1	8.00 9.15		15	730	210 20	00000	
	CMSC 0203	OADM1180 30	1 1	10.50 12.05		20	730	210 20	00000	
	CMSC 0203	BUSI1080 30	1 1 1	11.00 11.50		22	730	210 20	00000	
	CMSC 0203	OADM2530 30	1 1	12.15 13.30		10	730	210 20	00000	
	CMSC 0207	ACCT1110 30	1 1 1	9.00 9.50		18	720	110 20	00000	
	CMSC 0207	ACCT2020 30	1 1 1	10.00 10.50		5	720	110 20	00000	
	CMSC 0207	ACCT1150 30	1 1	12.00 13.15		7	720	110 20	00000	
	CMSC 0207	OADM1330 30	1 1	12.15 13.30		9	720	110 20	00000	
	CMSC 0209	TSEN0091 30	1 1 1	9.00 9.50		14	367	110 10	00000	
8	CMSC 0209	TSMA0092 30	1 1	12.00 13.15		25	367	110 10	00000	
8	CMSC 0209	TSMA0092 31	1 1	13.25 14.40		18	367	110 10	00000	
4	CMSC 0300	ACNA1110 30	111111	12.00 18.30		6	1,032	110 25	00000	
4	CMSC 0300	ACNA1120 30	111111	12.00 18.30	1	6	1,032	110 25	00000	
4	CMSC 0300	ACNA1160 30	111111	12.00 18.30	1	6	1,032	110 25	00000	
4	CMSC 0300	ANUR1233 30	111111	12.00 18.30	1	6	1,032	110 25	00000	
4	CMSC 0304	ELEC1122 30	111111	8.00 14.30		5	2,177	210 24	00000	
4	CMSC 0304	ELEC1220 30	111111	8.00 14.30	1	2	2,177	210 24	00000	
4	CMSC 0304	ELEC1222 30	111111	8.00 14.30	1	1	2,177	210 24	00000	
4	CMSC 0304	ELEC1230 30	111111	8.00 14.30	1	8	2,177	210 24	00000	
4	CMSC 0304	ELEC1430 30	111111	8.00 14.30	1	5	2,177	210 24	00000	
4	CMSC 0304	ELEC2460 30	111111	8.00 14.30	1	7	2,177	210 24	00000	
4	CMSC 0304	ETRN1212 30	111111	8.00 14.30	1	2	2,177	210 24	00000	
4	CMSC 0304	INST1111 30	111111	8.00 14.30	1	5	2,177	210 24	00000	
4	CMSC 0401	AUTO1002 30	111111	8.00 14.30		4	410	110 20	00000	
4	CMSC 0401	WELD1110 30	111111	8.00 14.30	1	4	410	110 20	00000	
4	CMSC 0401	WELD1120 30	111111	8.00 14.30	1	3	410	110 20	00000	
4	CMSC 0401	WELD1130 30	111111	8.00 14.30	1	3	410	110 20	00000	
4	CMSC 0401	WELD1210 30	111111	8.00 14.30	1	4	410	110 20	00000	
4	CMSC 0401	WELD1310 30	111111	8.00 14.30	1	1	410	110 20	00000	
4	CMSC 0401	WELD1410 30	111111	8.00 14.30	1	4	410	110 20	00000	
4	CMSC 0401	WELD1411 30	111111	8.00 14.30	1	4	410	110 20	00000	
4	CMSC 0401	WELD1420 30	111111	8.00 14.30	1	3	410	110 20	00000	
4	8	CMSC 0401	WELD1510 30	111111	8.00 14.30	1	6	410	110 20	00000
4	8	CMSC 0401	WELD1514 30	111111	8.00 14.30	1	5	410	110 20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 12/19/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 7

L.T.C. -SOWELA  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	8	CMSC 0401	WELD1515 30	11111	8.00 14.30	1	410	110 20	00000	
4	8	CMSC 0401	WELD1516 30	11111	8.00 14.30	1	410	110 20	00000	
4	8	CMSC 0401	WELD1517 30	11111	8.00 14.30	1	410	110 20	00000	
4	8	CMSC 0401	WELD2210 30	11111	8.00 14.30	1	410	110 20	00000	
4	8	CMSC 0401	WELD2220 30	11111	8.00 14.30	1	410	110 20	00000	
4		CMSC 0406	AUTO1102 30	11111	8.00 14.30		3,500	210 20	00000	
4		CMSC 0406	AUTO1202 30	11111	8.00 14.30	1	3,500	210 20	00000	
4		CMSC 0406	AUTO1402 30	11111	8.00 14.30	1	3,500	210 20	00000	
4		CMSC 0406	AUTO1802 30	11111	8.00 14.30	1	3,500	210 20	00000	
4		CMSC 0406	AUTO1812 30	11111	8.00 14.30	1	3,500	210 20	00000	
4		CMSC 0406	AUTO1822 30	11111	8.00 14.30	1	3,500	210 20	00000	
		CPTR 0101	HIST2010 06	1 1	8.00 9.15		29	638	110 25	00000
		CPTR 0101	PHSC1000 02	1 1 1	9.00 9.50		25	638	110 25	00000
		CPTR 0101	HIST2010 07	1 1	9.25 10.40		28	638	110 25	00000
		CPTR 0101	CHEM1010 05	1 1	10.50 12.05		10	638	110 25	00000
		CPTR 0101	PHSC1000 06	1 1	12.00 13.15		9	638	110 25	00000
		CPTR 0101	HIST2020 04	1 1	12.15 13.30		27	638	110 25	00000
		CPTR 0103	GART1010 01	1 1	8.00 9.20		26	696	210 25	00000
		CPTR 0103	GART2140 01	1 1	8.00 10.40		13	696	210 25	00000
		CPTR 0103	GART1040 01	1 1 1	10.00 11.35		23	696	210 25	00000
		CPTR 0103	GART1240 01	1 1	12.15 14.40		20	696	210 25	00000
		CPTR 0106	CADD1101 01	1111	8.00 9.50		19	1,408	210 28	00000
		CPTR 0106	CADD1101 02	1111	8.00 9.50	1	19	1,408	210 28	00000
		CPTR 0106	DRFT1101 03	1111	10.00 10.50		18	1,408	210 28	00000
		CPTR 0106	DRFT1101 04	1111	10.00 10.50	1	18	1,408	210 28	00000
		CPTR 0106	DRFT1102 01	1111	12.00 12.50		18	1,408	210 28	00000
		CPTR 0106	DRFT1102 02	1111	12.00 12.50	1	18	1,408	210 28	00000
		CPTR 0106	DRFT1103 01	1111	13.00 13.50		20	1,408	210 28	00000
		CPTR 0106	DRFT1103 02	1111	13.00 13.50	1	20	1,408	210 28	00000
		CPTR 0106	DRFT1104 01	1111	14.00 14.50		23	1,408	210 28	00000
8		CPTR 0106	DRFT1104 02	1111	14.00 14.50	1	23	1,408	210 28	00000
		CPTR 0109	DRFT2402 01	11111	8.00 8.50		10	686	210 14	00000
		CPTR 0109	DRFT2302 04	11111	9.00 9.50		1	686	210 14	00000
		CPTR 0109	DRFT2303 01	11111	9.00 9.50	1	6	686	210 14	00000
		CPTR 0109	DRFT2401 01	11111	10.00 10.50		3	686	210 14	00000
		CPTR 0109	DRFT2304 01	11111	12.00 12.50		5	686	210 14	00000
		CPTR 0109	DRFT2305 04	11111	13.00 13.50		1	686	210 14	00000
		CPTR 0109	DRFT2404 01	11111	13.00 14.20	1	5	686	210 14	00000
		CPTR 0110	CADD1201 01	1111	8.00 9.50		13	704	210 14	00000
		CPTR 0110	DRFT1201 01	1111	10.00 10.50		11	704	210 14	00000
		CPTR 0110	DRFT1205 01	1111	12.00 12.50		9	704	210 14	00000
		CPTR 0110	DRFT2301 01	1111	13.00 13.50		10	704	210 14	00000
		CPTR 0111	BIOL1010 02	1 1 1	8.00 8.50		27	1,189	210 24	00000
		CPTR 0111	BIOL1010 04	1 1	8.00 9.15		28	1,189	210 24	00000
		CPTR 0111	BIOL1010 03	1 1 1	9.00 9.50		29	1,189	210 24	00000
		CPTR 0111	BIOL1011 03	1	9.25 11.15		5	1,189	210 24	00000
		CPTR 0111	BIOL1020 01	1 1 1	10.00 10.50		25	1,189	210 24	00000
		CPTR 0111	PHSC1000 04	1 1 1	11.00 11.50		12	1,189	210 24	00000
		CPTR 0111	BIOL1010 01	1 1	12.00 13.15		26	1,189	210 24	00000
		CPTR 0111	BIOL1010 06	1 1	12.15 13.30		29	1,189	210 24	00000
		CPTR 0111	BIOL1011 01	1	13.25 15.05		6	1,189	210 24	00000

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	CPTR	0114	CHEM1010 01	1 1	8.00 9.15		15	1,160	210 23 00000
	CPTR	0114	CHEM1010 03	1 1 1	9.00 9.50		14	1,160	210 23 00000
	CPTR	0114	BIOL1010 05	1 1	9.25 10.40		26	1,160	210 23 00000
	CPTR	0114	PHSC1000 03	1 1 1	10.00 10.50		20	1,160	210 23 00000
	CPTR	0114	CRMJ2112 01	1 1	10.50 12.05		26	1,160	210 23 00000
	CPTR	0114	CHEM1010 02	1 1 1	11.00 11.50		9	1,160	210 23 00000
	CPTR	0114	CHEM1011 01	1	12.00 14.30		21	1,160	210 23 00000
	CPTR	0114	CHEM1011 04	1	12.30 15.00		14	1,160	210 23 00000
	CPTR	0114	CHEM1010 04	1 1	17.00 18.15		9	1,160	210 23 00000
	CPTR	0114	CHEM1011 02	1	18.20 20.50		10	1,160	210 23 00000
	CPTR	0300	GART1010 01	1 1	8.00 9.20		26	2,507	210 30 00000
	CPTR	0300	GART1020 01	1 1	8.00 10.40		20	2,507	210 30 00000
	CPTR	0300	GART2250 01	1 1 1	10.00 11.35		13	2,507	210 30 00000
	CPTR	0300	GART2110 01	1 1	12.15 14.40		20	2,507	210 30 00000
	CPTR	0300	GART1230 01	1 1 1	13.00 14.35		21	2,507	210 30 00000
	CPTR	0300	GART1030 01	1 1	15.45 18.15		21	2,507	210 30 00000
	CPTR	0302	GART2210 01	1 1 1	8.00 9.35		10	2,725	210 35 00000
	CPTR	0302	GART1020 01	1 1	8.00 10.40		20	2,725	210 35 00000
	CPTR	0302	GART2250 01	1 1 1	10.00 11.35		13	2,725	210 35 00000
	CPTR	0302	GART2500 01	1 1	11.00 12.00		6	2,725	210 35 00000
	CPTR	0302	GART1210 01	1 1	12.15 14.40		20	2,725	210 35 00000
	CPTR	0302	GART1230 01	1 1 1	13.00 14.35		21	2,725	210 35 00000
	CPTR	0302	GART1220 01	1 1	14.40 17.40		15	2,725	210 35 00000
	CPTR	0302	GART1030 01	1 1	15.45 18.15		21	2,725	210 35 00000
	EMCH	0309	ELEC1312 02	1 1 1	8.00 8.50		20	1,145	210 23 00000
8	EMCH	0309	ELEC1312 01	1 1	8.00 9.30		40	1,145	210 23 00000
8	EMCH	0309	ELEC1122 02	1 1	8.00 10.00	1	23	1,145	210 23 00000
	EMCH	0309	ELEC1230 01	1 1 1	10.00 11.45		24	1,145	210 23 00000
	EMCH	0309	ELEC1430 01	1 1	10.05 12.25		23	1,145	210 23 00000
	EMCH	0309	ELEC1230 02	1 1	12.00 14.20	1	11	1,145	210 23 00000
8	EMCH	0309	ELEC1122 01	1 1	12.30 14.45	1	25	1,145	210 23 00000
	EMCH	0309	ELEC2220 02	1 1 1	13.00 14.20		21	1,145	210 23 00000
	EMCH	0309	ELEC2220 03	1 1	17.00 18.45		24	1,145	210 23 00000
	EMCH	0309	GAEC2200 01	1 1	18.00 21.00		13	1,145	210 23 00000
	EMCH	0310	ELEC1220 02	1 1 1	8.00 9.45		18	1,756	210 20 00000
	EMCH	0310	ELEC1220 01	1 1 1	10.00 11.45		26	1,756	210 20 00000
	EMCH	0310	ELEC2220 02	1 1 1	13.00 14.20		21	1,756	210 20 00000
	EMCH	0310	ELEC2220 03	1 1	17.00 18.45		24	1,756	210 20 00000
	EMCH	0310	ELEC1220 03	1 1	17.00 19.30		21	1,756	210 20 00000
	EMCH	0312	CRMJ1220 01	1 1 1	8.00 8.50		32	1,177	110 36 00000
	EMCH	0312	CRMJ1120 01	1 1	8.00 9.15		32	1,177	110 36 00000
	EMCH	0312	CRMJ1110 01	1 1 1	9.00 9.50		36	1,177	110 36 00000
	EMCH	0312	CRMJ1322 01	1 1	9.25 10.40		34	1,177	110 36 00000
	EMCH	0312	CRMJ1230 01	1 1 1	10.00 10.50		35	1,177	110 36 00000
	EMCH	0312	ENSC2000 01	1	10.50 12.05		29	1,177	110 36 00000
	EMCH	0312	CRMJ1110 02	1 1 1	11.00 11.50		38	1,177	110 36 00000
	EMCH	0312	CRMJ1120 02	1 1	12.00 13.15		37	1,177	110 36 00000
	EMCH	0312	CRMJ1220 02	1 1	12.15 13.30		27	1,177	110 36 00000
	EMCH	0312	CRMJ2510 01	1 1	13.25 14.40		10	1,177	110 36 00000
	EMCH	0312	CRMJ1410 01	1 1	13.50 15.05		22	1,177	110 36 00000
	EMCH	0312	CRMJ2552 01	1	15.00 15.50		12	1,177	110 36 00000



CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 12/19/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 9

L.T.C. -SOWELA  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	EMCH 0313	ELEC1312 02	1 1 1	8.00 8.50		20	3,160	210 40	00000
	EMCH 0313	ELEC1312 01	1 1	8.00 9.30		40	3,160	210 40	00000
	EMCH 0313	ELEC1230 01	1 1 1	10.00 11.45		24	3,160	210 40	00000
	EMCH 0313	ELEC1230 02	1 1	12.00 14.20		11	3,160	210 40	00000
	EMCH 0313	INST1010 01	1 1	12.30 14.10		30	3,160	210 40	00000
	EMCH 0313	ELEC2220 02	1 1	13.00 14.20	1	21	3,160	210 40	00000
	EMCH 0313	ELEC2220 03	1 1	17.00 18.45		24	3,160	210 40	00000
	EMCH 0313	GAEC1100 01	1 1	18.00 21.00		22	3,160	210 40	00000
	EMCH 0313	GAEC1110 01	1 1	18.00 21.00	1	22	3,160	210 40	00000
8	EMCH 0314	INST2722 02	1 1	8.00 10.30		22	483	210 10	00000
8	EMCH 0314	INST2812 01	1 1 1	10.01 11.21		29	483	210 10	00000
8	EMCH 0314	INST2722 01	1 1 1	12.30 14.15		25	483	210 10	00000
8	EMCH 0315	INST2722 02	1 1	8.00 10.30		22	596	210 12	00000
4	EMCH 0315	AUTO1002 01	11111	8.00 14.30	1	18	596	210 12	00000
4	EMCH 0315	AUTO1302 01	11111	8.00 14.30	1	28	596	210 12	00000
4	EMCH 0315	AUTO1602 01	11111	8.00 14.30	1	19	596	210 12	00000
4	EMCH 0315	AUTO1612 01	11111	8.00 14.30	1	23	596	210 12	00000
8	EMCH 0315	INST2722 01	1 1 1	12.30 14.15	1	25	596	210 12	00000
4	EMCH 0315	AUTO1202 01	1111	14.35 20.00		4	596	210 12	00000
	EMCH 0316	ELEC1312 02	1 1 1	8.00 8.50		20	587	110 26	00000
8	EMCH 0316	ELEC1312 01	1 1	8.00 9.30		40	587	110 26	00000
	EMCH 0316	ELEC1230 01	1 1 1	10.00 11.45		24	587	110 26	00000
	EMCH 0316	ELEC1230 02	1 1	12.00 14.20		11	587	110 26	00000
	EMCH 0316	ELEC1430 02	1 1	12.50 14.55	1	14	587	110 26	00000
	EMCH 0316	GAEC1200 01	1 1	18.00 21.00		16	587	110 26	00000
	EMCH 0316	GAEC1210 01	1 1	18.00 21.00	1	16	587	110 26	00000
8	EMCH 0320	INST1010 03	1 1	10.30 12.10		39	1,238	210 25	00000
	EMCH 0320	INST1112 01	1 1 1	11.00 12.55		24	1,238	210 25	00000
	EMCH 0320	INST1112 02	1 1 1	13.00 14.50		24	1,238	210 25	00000
	EMCH 0320	INST1010 04	1 1	17.00 18.40		26	1,238	210 25	00000
	EMCH 0324	INST1410 02	1 1	7.59 9.59		27	1,091	210 22	00000
	EMCH 0324	GAEC1300 01	1 1	18.00 21.00		11	1,091	210 22	00000
	EMCH 0325	INST1111 03	1 1 1	8.00 9.55		25	2,724	210 45	00000
	EMCH 0325	INST1111 01	1 1 1	10.00 11.55		30	2,724	210 45	00000
	EMCH 0325	INST1111 02	1 1 1	12.30 14.15		25	2,724	210 45	00000
	EMCH 0325	INST1111 04	1 1	17.00 19.45		13	2,724	210 45	00000
	EMCH 0325	GAEC2300 01	1 1	18.00 21.00		5	2,724	210 45	00000
	EMCH 0327	INST2732 01	1 1 1	8.00 9.20		32	1,049	110 40	00000
	EMCH 0327	INST2420 01	1 1	8.00 10.10		19	1,049	110 40	00000
	EMCH 0327	INST1010 03	1 1	10.30 12.10		39	1,049	110 40	00000
8	EMCH 0327	INST2420 02	1 1	12.06 14.15	1	26	1,049	110 40	00000
	EMCH 0327	INST1010 01	1 1	12.30 14.10		30	1,049	110 40	00000
	EMCH 0327	INST1410 01	1 1	14.30 16.30		26	1,049	110 40	00000
	EMCH 0327	INST1310 01	1 1	14.30 16.30		26	1,049	110 40	00000
	EMCH 0327	INST1010 04	1 1	17.00 18.40		26	1,049	110 40	00000
	EMCH 0327	INST1310 02	1 1	17.00 19.30		12	1,049	110 40	00000
	EMCH 0328A	INST1410 02	1 1	7.59 9.59		27	1,131	210 23	00000
8	EMCH 0328A	INST2732 01	1 1 1	8.00 9.20	1	32	1,131	210 23	00000
	EMCH 0328A	INST2420 01	1 1	8.00 10.10		19	1,131	210 23	00000
8	EMCH 0328A	INST2722 02	1 1	8.00 10.30	1	22	1,131	210 23	00000
	EMCH 0328A	INST2812 01	1 1 1	10.01 11.21		29	1,131	210 23	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 12/19/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 10

L.T.C.-SOWELA  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	EMCH 0328A	INST2420 02	1 1	12.06 14.15		26	1,131	210 23	00000
	EMCH 0328A	INST2722 01	1 1 1	12.30 14.15		25	1,131	210 23	00000
	EMCH 0328A	INST1410 01	1 1	14.30 16.30		26	1,131	210 23	00000
	EMCH 0328A	INST1310 01	1 1	14.30 16.30		26	1,131	210 23	00000
	EMCH 0328A	INST1310 02	1 1	17.00 19.30		12	1,131	210 23	00000
8	EMCH 0328C	INST1410 02	1 1	7.59 9.59		27	135	210 4	00000
8	EMCH 0328C	INST2732 01	1 1 1	8.00 9.20	1	32	135	210 4	00000
8	EMCH 0328C	INST2420 01	1 1	8.00 10.10		19	135	210 4	00000
8	EMCH 0328C	INST2812 01	1 1 1	10.01 11.21		29	135	210 4	00000
8	EMCH 0328C	INST2420 02	1 1	12.06 14.15		26	135	210 4	00000
8	EMCH 0328C	INST1410 01	1 1	14.30 16.30		26	135	210 4	00000
8	EMCH 0328C	INST1310 01	1 1	14.30 16.30		26	135	210 4	00000
8	EMCH 0328C	INST1310 02	1 1	17.00 19.30		12	135	210 4	00000
	MA03 A003	ENGL2535 26			1	14	625	110 30	00000
	MA03 A003	ENGL1010 03	1 1 1	8.00 8.50		35	625	110 30	00000
8	MA03 A003	TSEN0091 04	1 1 1	8.00 8.50	1	19	625	110 30	00000
8	MA03 A003	TSEN0091 09	1 1 1	8.00 8.50	1	20	625	110 30	00000
8	MA03 A003	TSEN0093 03	1 1 1	8.00 8.50	1	26	625	110 30	00000
	MA03 A003	ENGL1010 06	1 1	8.00 9.15		27	625	110 30	00000
8	MA03 A003	TSEN0091 04	1 1	8.00 9.15	1	19	625	110 30	00000
8	MA03 A003	TSEN0093 03	1 1	8.00 9.15	1	26	625	110 30	00000
	MA03 A003	ENGL1010 08	1 1 1	9.00 9.50		29	625	110 30	00000
8	MA03 A003	ENGL1010 12	1 1 1	9.00 9.50	1	28	625	110 30	00000
8	MA03 A003	TSEN0091 08	1 1 1	9.00 9.50	1	23	625	110 30	00000
8	MA03 A003	TSEN0091 30	1 1 1	9.00 9.50	1	14	625	110 30	00000
8	MA03 A003	TSEN0093 02	1 1 1	9.00 9.50	1	24	625	110 30	00000
	MA03 A003	ENGL1010 15	1 1	9.25 10.40		25	625	110 30	00000
8	MA03 A003	ENGL1020 02	1 1	9.25 10.40	1	24	625	110 30	00000
8	MA03 A003	TSEN0093 07	1 1	9.25 10.40	1	18	625	110 30	00000
	MA03 A003	ENGL1010 04	1 1 1	10.00 10.50		31	625	110 30	00000
8	MA03 A003	TSEN0091 11	1 1 1	10.00 10.50	1	26	625	110 30	00000
	MA03 A003	ENGL1010 16	1 1	10.50 12.05		28	625	110 30	00000
8	MA03 A003	TSEN0091 03	1 1	10.50 12.05	1	24	625	110 30	00000
8	MA03 A003	TSEN0093 04	1 1	10.50 12.05	1	25	625	110 30	00000
	MA03 A003	TSEN0091 07	1 1 1	11.00 11.50		26	625	110 30	00000
8	MA03 A003	TSEN0093 06	1 1 1	11.00 11.50	1	24	625	110 30	00000
8	MA03 A003	ENGL1010 13	1	11.00 11.50	1	11	625	110 30	00000
	MA03 A003	ENGL1010 07	1	11.00 11.50		26	625	110 30	00000
	MA03 A003	ENGL1020 01	1 1	12.00 13.15		19	625	110 30	00000
	MA03 A003	TSEN0091 12	1 1	12.00 13.15	1	20	625	110 30	00000
8	MA03 A003	ENGL2535 01	1	12.00 13.15	1	24	625	110 30	00000
	MA03 A003	ENGL1010 05	1 1	12.15 13.30		24	625	110 30	00000
8	MA03 A003	ENGL1010 09	1 1	12.15 13.30	1	26	625	110 30	00000
8	MA03 A003	TSEN0091 06	1 1	12.15 13.30	1	21	625	110 30	00000
	MA03 A003	ENGL1010 01	1 1	13.25 14.40		25	625	110 30	00000
8	MA03 A003	TSEN0091 05	1 1	13.25 14.40	1	21	625	110 30	00000
8	MA03 A003	ENGL1010 17	1	13.25 14.40	1	14	625	110 30	00000
	MA03 A003	TSEN0093 05	1 1	16.30 17.45		7	625	110 30	00000
	MA03 A003	TSEN0091 01	1 1	17.20 18.35		20	625	110 30	00000
	MA03 A003	ENGL1010 02	1	18.00 19.15		23	625	110 30	00000
	MA03 A003	TSEN0091 02	1 1	18.45 20.00		14	625	110 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 12/19/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 11

L.T.C. -SOWELA  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	MA03	A004	ORNT1000 99	1111	9.00 12.00		15	110 30	00000
	MA03	A004	SKIL1000 01	1 1	9.25 10.40	1	23	110 30	00000
	MA03	A004	ENGL1010 11	1 1 1	10.00 10.50		24	110 30	00000
	MA03	A004	JOBS2450 01	1 1	10.50 11.40		14	110 30	00000
	MA03	A004	ENGL1010 10	1 1	12.00 13.15		27	110 30	00000
	MA03	A004	JOBS2450 02	1 1	12.15 13.05		13	110 30	00000
	MTLS	0103	MATH2100 01			1	19	210 44	00000
	MTLS	0103	TSMA0092 04	1 1 1	7.00 7.50		29	210 44	00000
	MTLS	0103	TSMA0092 07	1 1 1	7.00 7.50	1	22	210 44	00000
	MTLS	0103	MATH1100 02	1 1 1	8.00 8.50		32	210 44	00000
	MTLS	0103	TSMA0092 09	1 1 1	8.00 8.50	1	26	210 44	00000
8	MTLS	0103	TSMA0093 05	1 1 1	8.00 8.50	1	27	210 44	00000
8	MTLS	0103	TSMA0093 06	1 1 1	8.00 8.50	1	27	210 44	00000
	MTLS	0103	MATH1100 09	1 1	8.00 9.15		27	210 44	00000
	MTLS	0103	TSMA0092 06	1 1	8.00 9.15	1	23	210 44	00000
	MTLS	0103	MATH1110 01	1 1 1	9.00 9.50		12	210 44	00000
	MTLS	0103	TSMA0092 10	1 1 1	9.00 9.50	1	25	210 44	00000
	MTLS	0103	TSMA0093 02	1 1 1	9.00 9.50	1	27	210 44	00000
	MTLS	0103	MATH1100 04	1 1	9.25 10.40		28	210 44	00000
	MTLS	0103	MATH1100 10	1 1	9.25 10.40	1	28	210 44	00000
8	MTLS	0103	TSMA0092 01	1 1	9.25 10.40	1	30	210 44	00000
8	MTLS	0103	TSMA0092 08	1 1	9.25 10.40	1	25	210 44	00000
	MTLS	0103	MATH1020 01	1 1 1	10.00 10.50		24	210 44	00000
	MTLS	0103	MATH1100 03	1 1 1	10.00 10.50	1	33	210 44	00000
8	MTLS	0103	TSMA0092 11	1 1 1	10.00 10.50	1	27	210 44	00000
8	MTLS	0103	TSMA0093 07	1 1 1	10.00 10.50	1	23	210 44	00000
	MTLS	0103	MATH1100 01	1 1	10.50 12.05		27	210 44	00000
	MTLS	0103	MATH1100 08	1 1	10.50 12.05	1	16	210 44	00000
8	MTLS	0103	TSMA0092 03	1 1	10.50 12.05	1	27	210 44	00000
8	MTLS	0103	TSMA0092 05	1 1	10.50 12.05	1	24	210 44	00000
8	MTLS	0103	TSMA0093 04	1 1	10.50 12.05	1	27	210 44	00000
8	MTLS	0103	TSMA0093 08	1 1	10.50 12.05	1	23	210 44	00000
	MTLS	0103	MATH1020 02	1 1 1	11.00 11.50		12	210 44	00000
	MTLS	0103	MATH1100 07	1 1 1	11.00 11.50	1	34	210 44	00000
	MTLS	0103	MATH1100 08	1 1 1	11.00 11.50	1	16	210 44	00000
8	MTLS	0103	TSMA0092 05	1 1 1	11.00 11.50	1	24	210 44	00000
8	MTLS	0103	TSMA0092 12	1 1 1	11.00 11.50	1	22	210 44	00000
8	MTLS	0103	TSMA0093 03	1 1 1	11.00 11.50	1	30	210 44	00000
8	MTLS	0103	TSMA0093 04	1 1 1	11.00 11.50	1	27	210 44	00000
8	MTLS	0103	TSMA0093 08	1 1 1	11.00 11.50	1	23	210 44	00000
	MTLS	0103	TSMA0092 02	1 1	12.00 13.15		26	210 44	00000
	MTLS	0103	TSMA0092 13	1 1	12.00 13.15	1	25	210 44	00000
8	MTLS	0103	TSMA0092 30	1 1	12.00 13.15	1	25	210 44	00000
8	MTLS	0103	TSMA0093 09	1 1	12.00 13.15	1	28	210 44	00000
	MTLS	0103	MATH1100 05	1 1	12.15 13.30		27	210 44	00000
	MTLS	0103	TSMA0093 01	1 1	12.15 13.30	1	27	210 44	00000
8	MTLS	0103	TSMA0093 10	1 1	12.15 13.30	1	28	210 44	00000
	MTLS	0103	TSMA0092 14	1 1	13.25 14.40		26	210 44	00000
	MTLS	0103	TSMA0092 31	1 1	13.25 14.40	1	18	210 44	00000
	MTLS	0103	MATH1100 06	1 1	13.40 14.55		22	210 44	00000
	MTLS	0103	TSMA0092 15	1 1	16.00 17.15		32	210 44	00000

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	MTLS	0103	TSMA0092 16	1 1	17.20 18.35		25	870	210 44 00000	
	MTLS	0103	TSMA0093 11	1 1	17.30 18.45		28	870	210 44 00000	
	MTLS	0103	MATH1100 11	1	18.45 20.00		31	870	210 44 00000	
	MTLS	0103	TSMA0092 17	1 1	18.46 20.01	1	27	870	210 44 00000	
4	MTLS	0106	WELD1110 01	11111	8.00 14.30		19	4,186	210 36 00000	
4	MTLS	0106	WELD1120 01	11111	8.00 14.30	1	23	4,186	210 36 00000	
4	8	MTLS	0106	WELD1130 01	11111	8.00 14.30	1	24	4,186	210 36 00000
4	8	MTLS	0106	WELD1210 01	11111	8.00 14.30	1	21	4,186	210 36 00000
4	8	MTLS	0106	WELD1310 01	11111	8.00 14.30	1	11	4,186	210 36 00000
4	8	MTLS	0106	WELD1410 01	11111	8.00 14.30	1	22	4,186	210 36 00000
4	8	MTLS	0106	WELD1411 01	11111	8.00 14.30	1	18	4,186	210 36 00000
4	8	MTLS	0106	WELD1420 01	11111	8.00 14.30	1	5	4,186	210 36 00000
4	8	MTLS	0106	WELD1510 01	11111	8.00 14.30	1	3	4,186	210 36 00000
4	8	MTLS	0106	WELD1516 01	11111	8.00 14.30	1	4	4,186	210 36 00000
4	8	MTLS	0106	WELD1517 01	11111	8.00 14.30	1	2	4,186	210 36 00000
4	8	MTLS	0106	WELD2110 01	11111	8.00 14.30	1	2	4,186	210 36 00000
4	8	MTLS	0106	WELD2111 01	11111	8.00 14.30	1	3	4,186	210 36 00000
4	8	MTLS	0106	WELD2210 01	11111	8.00 14.30	1	3	4,186	210 36 00000
4	8	MTLS	0106	WELD2220 01	11111	8.00 14.30	1	3	4,186	210 36 00000
4	8	MTLS	0106	WELD2221 01	11111	8.00 14.30	1	2	4,186	210 36 00000
4	8	MTLS	0106	WELD2222 01	11111	8.00 14.30	1	2	4,186	210 36 00000
4	8	MTLS	0106	WELD2230 01	11111	8.00 14.30	1	2	4,186	210 36 00000
4	8	MTLS	0106	WELD2310 01	11111	8.00 14.30	1	4	4,186	210 36 00000
4	MTLS	0111	WELD1110 01	11111	8.00 14.30		19	433	110 29 00000	
4	MTLS	0111	WELD1120 01	11111	8.00 14.30	1	23	433	110 29 00000	
4	8	MTLS	0111	WELD1130 01	11111	8.00 14.30	1	24	433	110 29 00000
4	8	MTLS	0111	WELD1210 01	11111	8.00 14.30	1	21	433	110 29 00000
4	8	MTLS	0111	WELD1310 01	11111	8.00 14.30	1	11	433	110 29 00000
4	8	MTLS	0111	WELD1410 01	11111	8.00 14.30	1	22	433	110 29 00000
4	8	MTLS	0111	WELD1411 01	11111	8.00 14.30	1	18	433	110 29 00000
4	8	MTLS	0111	WELD1420 01	11111	8.00 14.30	1	5	433	110 29 00000
4	8	MTLS	0111	WELD1510 01	11111	8.00 14.30	1	3	433	110 29 00000
4	8	MTLS	0111	WELD1516 01	11111	8.00 14.30	1	4	433	110 29 00000
4	8	MTLS	0111	WELD1517 01	11111	8.00 14.30	1	2	433	110 29 00000
4	8	MTLS	0111	WELD2110 01	11111	8.00 14.30	1	2	433	110 29 00000
4	8	MTLS	0111	WELD2111 01	11111	8.00 14.30	1	3	433	110 29 00000
4	8	MTLS	0111	WELD2210 01	11111	8.00 14.30	1	3	433	110 29 00000
4	8	MTLS	0111	WELD2220 01	11111	8.00 14.30	1	3	433	110 29 00000
4	8	MTLS	0111	WELD2221 01	11111	8.00 14.30	1	2	433	110 29 00000
4	8	MTLS	0111	WELD2222 01	11111	8.00 14.30	1	2	433	110 29 00000
4	8	MTLS	0111	WELD2230 01	11111	8.00 14.30	1	2	433	110 29 00000
4	8	MTLS	0111	WELD2310 01	11111	8.00 14.30	1	4	433	110 29 00000
4	PLPS	0100	WELD1130 80	11111	7.00 15.30		13	9,130	210 30 00000	
4	PLPS	0100	WELD1210 80	11111	7.00 15.30	1	13	9,130	210 30 00000	
4	PLPS	0100	WELD1410 80	11111	7.00 15.30	1	13	9,130	210 30 00000	
4	8	PLPS	0100	WELD1411 80	11111	7.00 15.30	1	13	9,130	210 30 00000
4	8	PLPS	0100	WELD1420 80	11111	7.00 15.30	1	1	9,130	210 30 00000
4	8	PLPS	0100	WELD1510 80	11111	7.00 15.30	1	2	9,130	210 30 00000
4	8	PLPS	0100	WELD1514 80	11111	7.00 15.30	1	1	9,130	210 30 00000
4	8	PLPS	0100	WELD2110 80	11111	7.00 15.30	1	22	9,130	210 30 00000
4	8	PLPS	0100	WELD2111 80	11111	7.00 15.30	1	21	9,130	210 30 00000

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	PLPS 0100	WELD2310 80	11111	7.00 15.30	1	22	9,130	210 30 00000
4	8	PLPS 0100	WELD2311 80	11111	7.00 15.30	1	21	9,130	210 30 00000
4		PLPS 0101	AUTO1002 80	11111	7.00 15.30		1	6,848	210 18 00000
4		PLPS 0101	AUTO1602 80	11111	7.00 15.30	1	26	6,848	210 18 00000
4	8	PLPS 0101	AUTO1702 80	11111	7.00 15.30	1	26	6,848	210 18 00000
4	8	PLPS 0101	AUTO1302 80	11111	8.00 14.30	1	26	6,848	210 18 00000
4	8	PLPS 0105	JOBS2450 80	11111	7.00 15.30		22	600	210 12 00000
4	8	PLPS 0105	WELD1110 80	11111	7.00 15.30	1	13	600	210 12 00000
4	8	PLPS 0105	WELD1120 80	11111	7.00 15.30	1	13	600	210 12 00000
4	8	PLPS 0105	WELD2312 80	11111	7.00 15.30	1	23	600	210 12 00000
4		PLPS 0111	AUTO1002 80	11111	7.00 15.30		1	602	210 20 00000
4		PLPS 0111	AUTO1602 80	11111	7.00 15.30	1	26	602	210 20 00000
4	8	PLPS 0111	AUTO1702 80	11111	7.00 15.30	1	26	602	210 20 00000
4	8	PLPS 0111	AUTO1302 80	11111	8.00 14.30	1	26	602	210 20 00000
		PTEC 0101	PTEC1320 02	1 1 1	7.45 9.10		10	1,776	210 30 00000
		PTEC 0101	PTEC2620 02	1	9.30 10.45		7	1,776	210 30 00000
		PTEC 0101	PTEC2620 01	1	9.34 10.49		11	1,776	210 30 00000
		PTEC 0101	PTEC1310 01	1 1 1	9.50 11.15		25	1,776	210 30 00000
		PTEC 0101	PTEC1310 02	1 1	11.00 12.40		23	1,776	210 30 00000
		PTEC 0101	PTEC2911 01	111	12.00 14.30	1	21	1,776	210 30 00000
	8	PTEC 0101	PTEC1320 01	1 1	12.50 14.20	1	12	1,776	210 30 00000
		PTEC 0101	PTEC2430 02	111	16.30 17.55		19	1,776	210 30 00000
4		PTEC 0101	PTEC1310 03	1 1	16.30 22.30	1	23	1,776	210 30 00000
4	8	PTEC 0101	PTEC1310 04	1 1	16.30 22.30	1	26	1,776	210 30 00000
4	8	PTEC 0101	PTEC1320 03	1 1	16.30 22.30	1	24	1,776	210 30 00000
4	8	PTEC 0101	PTEC1320 04	1 1	16.30 22.30	1	26	1,776	210 30 00000
	8	PTEC 0101	PTEC2911 02	111	18.00 20.30	1	18	1,776	210 30 00000
		PTEC 0103	PTEC2700 01			1	10	590	210 30 00000
		PTEC 0103	PTEC2620 01	1 1	8.00 9.30		11	590	210 30 00000
		PTEC 0103	PTEC2420 01	1	9.25 11.05	1	16	590	210 30 00000
		PTEC 0103	PTEC2911 01	111	12.00 14.30		21	590	210 30 00000
		PTEC 0103	PTEC2430 01	111	14.40 16.05		20	590	210 30 00000
		PTEC 0103	PTEC2911 02	111	18.00 20.30		18	590	210 30 00000
		PTEC 0104	PTEC2420 02			1	25	590	210 30 00000
		PTEC 0104	PTEC2420 01	1 1 1	11.00 11.50		16	590	210 30 00000
		PTEC 0104	PTEC2430 01	111	14.40 16.05		20	590	210 30 00000
		PTEC 0104	PTEC1010 06	1 1	16.30 17.45		26	590	210 30 00000
		PTEC 0104	PTEC2430 02	111	16.30 17.55	1	19	590	210 30 00000
4	8	PTEC 0104	PTEC1610 05	1 1	16.30 22.30	1	22	590	210 30 00000
		PTEC 0106	PTEC2420 02	1		1	25	590	210 30 00000
		PTEC 0106	PTEC1610 01	1 1 1	7.45 8.50		23	590	210 30 00000
		PTEC 0106	PTEC2420 01	1	9.25 11.05		16	590	210 30 00000
		PTEC 0106	PTEC2030 04	1 1 1	10.00 10.50		25	590	210 30 00000
		PTEC 0106	PTEC1000 01	1	10.50 11.40		17	590	210 30 00000
		PTEC 0106	PTEC1000 02	1	10.50 11.40		15	590	210 30 00000
		PTEC 0106	PTEC2070 01	1 1 1	11.00 11.50		26	590	210 30 00000
		PTEC 0106	PTEC2420 01	1 1 1	11.00 11.50	1	16	590	210 30 00000
		PTEC 0106	PTEC1320 01	1 1	12.50 14.20		12	590	210 30 00000
		PTEC 0106	PTEC1610 02	1 1 1	13.00 14.05		24	590	210 30 00000
		PTEC 0106	PTEC2030 05	1 1	16.30 17.45		25	590	210 30 00000
4	8	PTEC 0106	PTEC1610 04	1 1	16.30 22.30	1	26	590	210 30 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 12/19/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 14

L.T.C. -SOWELA  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	PTEC 0107	PTEC1010 02	1 1	8.00 9.15		25	590	110 30	00000
	PTEC 0107	PTEC2630 02	1 1 1	9.00 9.50		13	590	110 30	00000
	PTEC 0107	PTEC2030 01	1 1	9.25 10.40		21	590	110 30	00000
	PTEC 0107	PTEC2630 01	1	10.00 10.50		12	590	110 30	00000
	PTEC 0107	PTEC2030 02	1 1 1	11.00 11.50		26	590	110 30	00000
	PTEC 0107	PTEC2620 02	1 1	11.00 12.15		7	590	110 30	00000
	PTEC 0107	PTEC1010 04	1 1 1	12.00 12.50		28	590	110 30	00000
	PTEC 0107	PTEC1010 01	1 1 1	13.00 13.50		26	590	110 30	00000
	PTEC 0108	PTEC1610 01	1 1 1	7.45 8.50		23	590	210 30	00000
	PTEC 0108	PTEC1320 02	1 1 1	7.45 9.10	1	10	590	210 30	00000
	PTEC 0108	PTEC1310 01	1 1 1	9.50 11.15		25	590	210 30	00000
	PTEC 0108	PTEC1310 02	1 1	11.00 12.40		23	590	210 30	00000
	PTEC 0108	PTEC1320 01	1 1	12.50 14.20		12	590	210 30	00000
	PTEC 0108	PTEC1610 02	1 1 1	13.00 14.05		24	590	210 30	00000
4	PTEC 0108	PTEC1310 03	1 1	16.30 22.30		23	590	210 30	00000
4 8	PTEC 0108	PTEC1320 03	1 1	16.30 22.30	1	24	590	210 30	00000
4 8	PTEC 0108	PTEC1610 04	1 1	16.30 22.30	1	26	590	210 30	00000
4 8	PTEC 0108	PTEC1610 05	1 1	16.30 22.30	1	22	590	210 30	00000
	PTEC 0124	PTEC2440 01	1 1 1	8.00 8.50		15	610	110 30	00000
	PTEC 0124	PTEC2440 02	1 1	9.25 10.40		11	610	110 30	00000
4	PTEC 0124	PTEC1310 04	1 1	16.30 22.30		26	610	110 30	00000
4 8	PTEC 0124	PTEC1320 04	1 1	16.30 22.30	1	26	610	110 30	00000
	PTEC 0125	PTEC1320 02	1 1 1	7.45 9.10		10	310	110 30	00000
	PTEC 0125	PTEC1310 01	1 1 1	9.50 11.15		25	310	110 30	00000
	PTEC 0125	PTEC1310 02	1 1	11.00 12.40		23	310	110 30	00000
4	PTEC 0125	PTEC1310 03	1 1	16.30 22.30		23	310	110 30	00000
4 8	PTEC 0125	PTEC1320 03	1 1	16.30 22.30	1	24	310	110 30	00000
	TB62 0062	TSMA0092 09	1 1 1	8.00 8.50		26	713	110 30	00000
	TB62 0062	TPMA9999 02	1 1	8.00 9.15		10	713	110 30	00000
	TB62 0062	TSMA0092 10	1 1 1	9.00 9.50		25	713	110 30	00000
	TB62 0062	TPSC9999 01	1 1	9.25 10.40		26	713	110 30	00000
	TB62 0062	TSMA0092 11	1 1 1	10.00 10.50		27	713	110 30	00000
	TB62 0062	TPMA9999 01	1 1	12.15 13.30		10	713	110 30	00000
	TB64 0064	ENGL1010 03	1 1 1	8.00 8.50		35	713	110 30	00000
	TB64 0064	TPEN9999 03	1 1	8.00 9.15		20	713	110 30	00000
	TB64 0064	TSEN0093 02	1 1 1	9.00 9.50		24	713	110 30	00000
	TB64 0064	TPEN9999 04	1 1	9.25 10.40		8	713	110 30	00000
	TB64 0064	TPEN9999 02	1 1 1	10.00 10.50		14	713	110 30	00000
	TB64 0064	TPEN9999 01	1 1	13.00 14.15		5	713	110 30	00000
4	TRAN 0001	AUTO1002 01	11111	8.00 14.30		18	698	210 14	00000
4 8	TRAN 0001	AUTO1602 02	11111	8.00 14.30	1	22	698	210 14	00000
4 8	TRAN 0001	AUTO1612 02	11111	8.00 14.30	1	20	698	210 14	00000
4 8	TRAN 0002	AUTO1302 01	11111	8.00 14.30		28	698	210 14	00000
4 8	TRAN 0002	AUTO1602 01	11111	8.00 14.30	1	19	698	210 14	00000
4 8	TRAN 0002	AUTO1612 01	11111	8.00 14.30	1	23	698	210 14	00000
4	TRAN 0002	AUTO1202 01	1111	14.35 20.00		4	698	210 14	00000
	TRAN 0003	CLRP1110 01	11111	8.00 11.00		6	698	210 14	00000
	TRAN 0003	CLRP1131 01	11111	8.00 11.00	1	11	698	210 14	00000
8	TRAN 0003	CLRP1220 01	11111	8.00 11.00	1	11	698	210 14	00000
	TRAN 0003	CLRP1230 01	11111	11.30 15.00		8	698	210 14	00000
	TRAN 0003	CLRP1230 02	11111	11.30 15.00	1	8	698	210 14	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 12/19/2012 PROGRAM I-D:Z235B266.  
 PAGE NUM 15

L.T.C.-SOWELA  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	TRAN 0003	CLRP1121 01	1 1 1	11.30 15.00	1	6	698	210 14	00000
8	TRAN 0003	CLRP1121 02	1 1 1	11.30 15.00	1	6	698	210 14	00000
4	TRAN 0100	AUTO1002 01	11111	8.00 14.30		18	4,322	210 40	00000
4	TRAN 0100	AUTO1602 02	11111	8.00 14.30	1	22	4,322	210 40	00000
4	TRAN 0100	AUTO1612 02	11111	8.00 14.30	1	20	4,322	210 40	00000
4	TRAN 0200	AUTO1302 01	11111	8.00 14.30		28	4,362	210 40	00000
4	TRAN 0200	AUTO1602 01	11111	8.00 14.30	1	19	4,362	210 40	00000
4	8 TRAN 0200	AUTO1612 01	11111	8.00 14.30	1	23	4,362	210 40	00000
4	TRAN 0200	AUTO1202 01	1111	14.35 20.00		4	4,362	210 40	00000
	TRAN 0300	CLRP1110 01	11111	8.00 11.00		6	3,954	210 40	00000
	TRAN 0300	CLRP1131 01	11111	8.00 11.00	1	11	3,954	210 40	00000
	TRAN 0300	CLRP1220 01	11111	8.00 11.00	1	11	3,954	210 40	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	143
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	201
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	344
TOTAL NUMBER OF RECORDS READ	726
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	719
NUMBER OF JOINT-CLASS RECORDS	262
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	7



SPACE UTILIZ - SUMMARY PAGE

L.T.C.-SOWELA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			43
TOTAL NUMBER OF STATIONS (CAPACITY)			1153
WEEKLY STUDENT CONTACT HOURS	28859	1357	30216
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3870	2150	6020
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2199	150	2349
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	103770	57650	161420
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	58513	4901	63414
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	57718	2715	60433
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	56.8	7.0	39.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	55.6	4.7	37.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	98.6	55.4	95.3

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			43
TOTAL NUMBER OF STATIONS (CAPACITY)			1153
WEEKLY STUDENT CONTACT HOURS	28859	1357	30216
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3870	2150	6020
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2199	150	2349
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	103770	57650	161420
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	58513	4901	63414
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	57718	2715	60433
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	56.8	7.0	39.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	55.6	4.7	37.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	98.6	55.4	95.3

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			73
TOTAL NUMBER OF STATIONS (CAPACITY)			1891
WEEKLY STUDENT CONTACT HOURS	66012	1846	67858
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6570	3650	10220
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4708	208	4916
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	170190	94550	264740
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	121643	6255	127898
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	132024	3693	135717
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	71.7	5.7	48.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	77.6	3.9	51.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	108.5	59.0	106.1

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			72
TOTAL NUMBER OF STATIONS (CAPACITY)			1861
WEEKLY STUDENT CONTACT HOURS	66012	1846	67858
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6480	3600	10080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4708	208	4916
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	167490	93050	260540
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	121643	6255	127898
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	132024	3693	135717
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	72.7	5.8	48.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	78.8	4.0	52.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	108.5	59.0	106.1

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY