

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 02/04/2013 PROGRAM I-D:Z235B266.  
 PAGE NUM 1

L.T.C.-T.H. HARRIS  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
1	A000	0000	HPHM1200T01	1 1 1	8.00 9.59				00000
1	A000	0000	HPHM1300T01	1 1	8.00 10.29				00000
	A000	0100	WELD2210T01	1 1 1	8.00 9.50				00000
	A000	0100	WELD2111T02	1	9.00 10.50	1	639	310	00000
	A000	0100	WELD2111T02	1	10.00 10.50		639	310	00000
	A000	0100	WELD2112T03	1111	10.00 11.50	1	639	310	00000
8	A000	0100	WELD2114T03	1111	10.00 11.50	1	639	310	00000
8	A000	0100	WELD2111T02	1	10.00 11.50	1	639	310	00000
	A000	0100	WELD2113T01	1111	10.00 11.50		639	310	00000
8	A000	0100	WELD2111T04	1 1	11.00 11.50	1	639	310	00000
8	A000	0100	WELD2111T02	1	11.00 11.50	1	639	310	00000
	A000	0100	WELD2111T04	11111	13.00 13.50		639	310	00000
8	A000	0100	WELD2113T04	1111	13.00 14.50	1	639	310	00000
8	A000	0100	IAMT1190T01	1 1	13.00 14.50	1	639	310	00000
8	A000	0100	WELD2114T01	1111	13.00 14.50	1	639	310	00000
	A000	0111	READ0091T01	1 1 1	10.00 10.50				00000
	A000	0111	ENGL0099T01	1 1 1	11.00 11.50		2,146	410 45	00000
	A000	0111	READ0092T01	1 1 1	13.00 13.50		2,146	410 45	00000
	A000	0111	MATH0090T01	1 1 1	14.00 14.50		2,146	410 45	00000
	A000	0111	MATH0090T02	1 1	14.00 15.30		2,146	410 45	00000
	A000	0111	ENGL0091T01	1 1 1	15.00 15.50		2,146	410 45	00000
	A000	0207	HPHM1400T01	1 1 1	10.00 11.30		961	210 24	00000
	A000	0207	HPHM1513T01	1 1	10.30 15.00		961	210 24	00000
	A000	0207	HEOP1330T01	1	11.00 11.50	1	961	210 24	00000
	A000	0207	HPHM1503T01	1 1 1	12.30 15.00		961	210 24	00000
	A000	0207	BOTH1300T50	11111	12.55 14.29	1	961	210 24	00000
	A000	0207	BOTH1300T53	11111	12.55 14.30	1	961	210 24	00000
	A000	0207	HEOP1320T04	1 1 1	13.00 13.50	1	961	210 24	00000
	A000	0207	HEOP1330T01	1 1 1	13.00 13.50	1	961	210 24	00000
1	A000	0299	BUSE1045T01	1 1	10.00 11.30				00000
1	A000	0600	ZTEC0309T01	1 1	18.00 21.00				00000
1	A000	0601	IAMT1180T02	11111	6.00 6.50				00000
1	A000	0601	IAMT1160T01	1 1 1	6.00 6.50				00000
1	A000	0601	IAMT2110T01	1 1 1	6.00 6.50				00000
1	A000	0601	IAMT2210T01	1	6.00 6.50				00000
1	A000	0601	IAMT1135T02	1111	6.00 7.50				00000
1	A000	0601	IAMT2210T01	111	6.00 7.50				00000
1	A000	0601	IAMT2110T02	1 1 1	7.00 7.50				00000
1	A000	0601	IAMT1160T01	1 1	7.00 7.50				00000
1	A000	0601	IAMT1170T01	11111	8.00 8.50				00000
1	A000	0601	IAMT1110T01	1	8.00 8.50				00000
1	A000	0601	IAMT1140T02	1 1	8.00 8.50				00000
1	A000	0601	IAMT2310T01	1	8.00 8.50				00000
1	A000	0601	IAMT2310T01	1111	8.00 9.50				00000
1	A000	0601	IAMT1180T01	11111	9.00 9.50				00000
1	A000	0601	IAMT1120T01	1 1 1	9.00 10.50				00000
1	A000	0601	IAMT1120T01	1	9.00 10.50				00000
1	A000	0601	IAMT2320T01	1	10.00 10.50				00000
1	A000	0601	IAMT1140T01	1 1	10.00 11.50				00000
1	A000	0601	IAMT2320T01	1111	10.00 12.20				00000
1	A000	0601	IAMT1140T02	11111	11.00 11.50				00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2012  
 RUN DATE 02/04/2013 PROGRAM I-D:Z235B266.  
 PAGE NUM 2

L.T.C.-T.H. HARRIS  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
1	A000 0601	NCCR1000T01	11111	11.00 11.50		4			00000
1	A000 0601	IAMT1140T01	1 1 1	11.00 11.50		1			00000
1	A000 0601	OILG1000T01	1 1 1	12.30 13.20		3			00000
1	A000 0601	IAMT1130T01	11111	12.30 14.20		3			00000
1	C000 0000	NCCR1000T02	1111	6.00 6.50		1			00000
1	C000 0000	HEOP1320T02	1 1 1	8.00 10.50		4			00000
1	C000 0000	CARP2620T50	1 1 1	8.25 9.15		1			00000
1	C000 0000	CARP1140T50	1 1	8.25 9.15		1			00000
1	C000 0000	SPPR2993002	1 1	9.00 9.50		4			00000
1	C000 0000	INTE1300T50	11111	9.15 10.45		6			00000
1	C000 0000	HCVO1230T01	1 1	10.00 10.50		4			00000
1	C000 0000	HCVO1120T01	1	10.00 11.50		3			00000
1	C000 0000	HEOP1310T01	11	10.00 13.50		3			00000
1	C000 0000	HCVO1011T01	1	10.00 13.50		3			00000
1	C000 0000	HCVO1110T01	1	10.00 13.50		3			00000
1	C000 0000	CARP1110T56	11111	10.40 12.10		2			00000
1	C000 0000	CPTR1002T51	11111	10.46 12.15		2			00000
1	C000 0000	SPPR2996T01	1 1 1	11.00 11.50		4			00000
1	C000 0000	SPPR2998T02	1	11.00 11.50		2			00000
1	C000 0000	BUSE1030T52	11111	11.25 12.50		4			00000
1	C000 0000	CARP1110T52	1	12.42 13.35		11			00000
1	C000 0000	CARP1120T52	1 1	12.42 13.35		11			00000
1	C000 0000	CARP1130T50	1 1	12.42 13.35		11			00000
1	C000 0000	CARP1110T53	1	12.42 13.50		1			00000
1	C000 0000	CARP1120T53	1 1	12.42 13.50		1			00000
1	C000 0000	CARP1130T53	1 1	12.42 13.50		1			00000
1	C000 0000	SPPR2993002	1 1	13.00 13.50		4			00000
1	C000 0000	CARP1150T50	11111	13.00 14.40		2			00000
1	C000 0000	CARP1120T55	1 1 1	13.00 14.40		1			00000
1	C000 0000	CARP1110T55	1 1	13.00 14.40		1			00000
1	C000 0000	HCVO1130T01	1	13.00 15.50		3			00000
1	C000 0000	CARP1120T54	1 1 1	13.06 14.36		2			00000
1	C000 0000	CARP1110T54	1 1	13.06 14.36		2			00000
1	C000 0000	CARP1110T50	1 1 1	13.45 14.35		6			00000
1	C000 0000	CARP1120T50	1 1	13.45 14.35		6			00000
1	C000 0000	HEOP1330T03	1 1 1	14.00 14.50		1			00000
1	C000 0000	HCVO1111T01	1	14.00 14.50		3			00000
1	C000 0000	HCVO1111T01	1	14.00 15.50		3			00000
1	C000 0000	HCVO1230T02	1	15.00 15.30		1			00000
1	C000 0000	HEOP1330T01	111 1	15.00 15.50		4			00000
	C000 0104	CARP1120T01	11111	8.00 8.50		4	1,275	210 8	00000
	C000 0104	CARP1150T01	11111	8.00 9.50	1	2	1,275	210 8	00000
	C000 0104	CARP2131T01	1 1 1	8.00 10.50	1	1	1,275	210 8	00000
	C000 0104	CARP1140T01	11111	9.00 9.50	1	4	1,275	210 8	00000
	C000 0104	CARP2110T01	11111	10.00 10.50		2	1,275	210 8	00000
	C000 0104	CARP2620T01	1 1 1	10.00 11.50	1	3	1,275	210 8	00000
	C000 0104	CARP1130T01	1 1	10.00 13.50		4	1,275	210 8	00000
	C000 0104	CARP2210T01	11111	11.00 11.50	1	1	1,275	210 8	00000
	C000 0104	CARP2120T01	1 1 1	11.00 14.50	1	2	1,275	210 8	00000
	C000 0104	CARP2620T02	1 1	11.00 14.50		1	1,275	210 8	00000
	C000 0104	CARP2210T01	11111	13.00 13.50	1	1	1,275	210 8	00000

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	C000	0104	CARP1110T01	1 1 1	13.00 13.50	1	4	1,275	210 8	00000
	C000	0104	CARP2210T01	1	14.00 14.50		1	1,275	210 8	00000
	C000	0105	ETRN2810T01	11111	8.00 8.50		3	1,073	110 40	00000
	C000	0105	ETRN1235T01	11111	8.00 9.50	1	7	1,073	110 40	00000
	C000	0105	ETRN1215T01	11111	9.00 10.50	1	4	1,073	110 40	00000
	C000	0105	ETRN2110T03	11111	9.00 10.50	1	2	1,073	110 40	00000
	C000	0105	ETRN2110T01	1 1	9.00 11.50	1	1	1,073	110 40	00000
	C000	0105	ETRN2130T02	1 1	9.30 11.20	1	1	1,073	110 40	00000
	C000	0105	ETRN2800T01	11111	11.00 11.50	1	8	1,073	110 40	00000
	C000	0105	ETRN1250T02	11111	11.00 12.15	1	3	1,073	110 40	00000
	C000	0105	ETRN1235T03	11111	11.00 12.50	1	1	1,073	110 40	00000
	C000	0105	ETRN1125T01	11111	13.00 14.50		7	1,073	110 40	00000
	C000	0105	ETRN1215T02	11111	13.00 14.50	1	1	1,073	110 40	00000
	C000	0105	ETRN1235T02	11111	13.00 14.50	1	1	1,073	110 40	00000
	C000	0105	ETRN2110T02	11111	13.00 14.50	1	3	1,073	110 40	00000
	C000	0105	JOBS2450T04	1 1	14.00 14.50	1	14	1,073	110 40	00000
	C000	0105	ETRN1250T03	11111	14.00 15.15	1	2	1,073	110 40	00000
	C000	0105	ETRN1000T02	11111	15.00 15.30	1	9	1,073	110 40	00000
	C000	0106	ETRN2120T02	1 1	7.30 9.20		1	1,054	110 40	00000
	C000	0106	ETRN2800T02	11111	8.00 8.50	1	1	1,054	110 40	00000
	C000	0106	JOBS2450T05	1 1	8.00 8.50	1	7	1,054	110 40	00000
	C000	0106	JOBS2450T03	1 1	8.00 8.50		11	1,054	110 40	00000
	C000	0106	ETRN2620T02	11111	9.00 9.50		3	1,054	110 40	00000
	C000	0106	ETRN2800T03	11111	9.00 9.50	1	1	1,054	110 40	00000
	C000	0106	TECM1110T01	1 1 1	10.00 11.30		15	1,054	110 40	00000
	C000	0106	ETRN2120T03	11111	12.30 13.45		1	1,054	110 40	00000
	C000	0106	ETRN2130T03	11111	12.30 13.45	1	1	1,054	110 40	00000
	C000	0106	ETRN1250T01	11111	13.00 14.15	1	2	1,054	110 40	00000
	C000	0106	ETRN2120T01	11111	13.00 14.15	1	3	1,054	110 40	00000
	C000	0106	JOBS2450T08	11111	15.00 15.30		2	1,054	110 40	00000
	C000	0111	BUSE1030T50	11111	7.30 9.06		2	1,033	210 24	00000
	C000	0111	BUSM1050T51	11111	7.35 9.06	1	7	1,033	210 24	00000
	C000	0111	BUSM1050T01	11111	8.00 8.50	1	20	1,033	210 24	00000
	C000	0111	BUSE1030T01	1 1 1	9.00 9.50		23	1,033	210 24	00000
	C000	0111	BUSM1050T50	11111	9.17 10.47	1	9	1,033	210 24	00000
8	C000	0111	OSYS1100T01	1 1 1	10.00 10.50	1	27	1,033	210 24	00000
	C000	0111	CPTR1310T01	1 1	10.00 11.30		8	1,033	210 24	00000
	C000	0111	ISYS1440T50	11111	12.50 14.30		14	1,033	210 24	00000
	C000	0111	CPTR1002T01	1 1 1	13.00 13.50	1	22	1,033	210 24	00000
	C000	0111	CPTR1310T02	1 1	13.00 14.30		1	1,033	210 24	00000
	C000	0111	ISYS1440T01	11111	14.00 14.50	1	19	1,033	210 24	00000
	C000	0111	WKEY0060T01	1 1 1	15.00 15.50		2	1,033	210 24	00000
	C000	0112	CSRV1000T01	1 1 1	8.00 8.50		25	963	210 24	00000
	C000	0116	KYBD1010T02	1 1	7.30 8.50		14	1,286	210 30	00000
	C000	0116	ISYS1440T52	11111	7.35 9.20	1	5	1,286	210 30	00000
	C000	0116	ISYS1440T53	11111	8.00 9.30	1	5	1,286	210 30	00000
	C000	0116	ISYS1650T01	11111	9.00 9.50	1	11	1,286	210 30	00000
	C000	0116	KYBD1111T01	11111	11.00 11.50		14	1,286	210 30	00000
	C000	0116	KYBD1010T01	1 1	12.30 13.50		12	1,286	210 30	00000
	C000	0116	CPTR1320T01	11111	13.00 13.50	1	21	1,286	210 30	00000
	C000	0117	ORNT1000T01	1	8.00 11.00		37	1,110	210 28	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 02/04/2013 PROGRAM I-D:Z235B266.  
 PAGE NUM 4

L.T.C.-T.H. HARRIS  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	C000	0117	ACCT1100T01	11111	9.00 9.50	1	28	210 28	00000
8	C000	0117	ACCT1400T01	11111	9.00 9.50	1	13	210 28	00000
	C000	0117	ACCT1200T01	11111	10.00 10.50		14	210 28	00000
	C000	0117	ACCT1250T01	1 1	10.00 11.30	1	13	210 28	00000
	C000	0118	DRFT1110T50	11111	7.27 9.00		4	110 45	00000
	C000	0118	CADD1210T01	11111	7.30 8.50	1	1	110 45	00000
	C000	0118	DRFT1145T01	11111	7.30 8.50	1	1	110 45	00000
	C000	0118	DRFT1215T01	11111	7.30 8.50	1	4	110 45	00000
	C000	0118	DRFT2310T01	11111	7.30 8.50	1	3	110 45	00000
	C000	0118	DRFT2320T01	11111	7.30 8.50	1	1	110 45	00000
	C000	0118	DRFT2330T01	11111	7.30 8.50	1	3	110 45	00000
	C000	0118	DRFT2346T01	11111	7.30 8.50	1	1	110 45	00000
	C000	0118	DRFT1110T01	1 1	7.30 8.50	1	3	110 45	00000
	C000	0118	DRFT1120T01	1 1	7.30 8.50		6	110 45	00000
	C000	0118	DRFT1230T01	1	7.30 9.20		1	110 45	00000
	C000	0118	SPPR2991T01	1 1	8.00 8.50		4	110 45	00000
	C000	0118	CADD1215T02	11111	9.00 10.20		2	110 45	00000
	C000	0118	DRFT2310T02	11111	9.00 10.20	1	1	110 45	00000
	C000	0118	DRFT2320T02	11111	9.00 10.20	1	2	110 45	00000
	C000	0118	DRFT2330T02	11111	9.00 10.20	1	1	110 45	00000
	C000	0118	DRFT2343T02	11111	9.00 10.20	1	4	110 45	00000
	C000	0118	DRFT1130T01	1 1	9.00 10.20	1	8	110 45	00000
	C000	0118	DRFT1161T01	1 1	9.00 10.20		9	110 45	00000
4	C000	0118	SPPR2998T03	1 1	10.30 10.50		2	110 45	00000
	C000	0118	CADD1210T03	11111	10.30 11.50	1	1	110 45	00000
	C000	0118	DRFT1145T03	11111	10.30 11.50	1	1	110 45	00000
	C000	0118	DRFT1215T03	11111	10.30 11.50	1	1	110 45	00000
	C000	0118	DRFT2320T03	11111	10.30 11.50	1	1	110 45	00000
	C000	0118	DRFT2330T03	11111	10.30 11.50	1	1	110 45	00000
	C000	0118	DRFT2343T03	11111	10.30 11.50	1	1	110 45	00000
	C000	0118	DRFT2344T03	11111	10.30 11.50	1	3	110 45	00000
	C000	0118	CADD1210T04	11111	12.00 13.20		1	110 45	00000
	C000	0118	CADD1215T04	11111	12.00 13.20	1	1	110 45	00000
	C000	0118	DRFT1145T04	11111	12.00 13.20	1	7	110 45	00000
	C000	0118	DRFT2330T04	11111	12.00 13.20	1	1	110 45	00000
	C000	0118	DRFT2344T04	11111	12.00 13.20	1	1	110 45	00000
	C000	0118	DRFT2346T04	11111	12.00 13.20	1	3	110 45	00000
	C000	0118	SPPR2995T02	11111	12.00 13.20	1	2	110 45	00000
	C000	0118	DRFT1120T02	1 1	12.00 13.20	1	1	110 45	00000
	C000	0118	DRFT1130T02	1 1	13.30 14.50		3	110 45	00000
	C000	0118	SPPR2996T04	1 1	13.30 14.50	1	3	110 45	00000
	C000	0118	DRFT1161T02	1 1	13.30 14.50		2	110 45	00000
	C000	0118	SPPR2996T02	1 1	13.30 14.50	1	2	110 45	00000
	C000	0118	SPPR2993T02	1 1	13.30 15.20		3	110 45	00000
	C000	0118	DRFT1230T02	1	13.30 15.20		3	110 45	00000
	C000	0119	INTE1100T02	1 1 1	10.00 11.50		9	210 24	00000
	C000	0119	INTE1200T02	1 1 1	10.00 11.50	1	1	210 24	00000
	C000	0119	INTE2902T01	1 1 1	10.00 12.50	1	4	210 24	00000
	C000	0119	WCLA1100T01	1 1 1	12.30 14.50	1	4	210 24	00000
	C000	0119	WCLT1200T01	1 1 1	12.30 14.50	1	5	210 24	00000
	C000	0119	INTE1200T01	1 1 1	13.00 14.50	1	1	210 24	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 02/04/2013 PROGRAM I-D:Z235B266.  
 PAGE NUM 5

L.T.C.-T.H. HARRIS  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	C000	0119	WCLA1100T01	1 1	14.00 15.00		4	210 24	00000
	C000	0119	WCLT1200T01	1 1	14.00 15.00	1	5	210 24	00000
	C000	0121	INTE1800T01	1 1 1	8.00 9.50		7	210 24	00000
	C000	0121	INTE2130T01	1 1 1	8.00 9.50	1	8	210 24	00000
	C000	0121	INTE1010T01	1 1	8.00 10.50		14	210 24	00000
	C000	0121	INTE2140T01	1 1 1	10.00 11.50		1	210 24	00000
	C000	0121	INTE2840T01	1 1	12.00 14.50		7	210 24	00000
	C000	0121	INTE1110T01	1 1 1	13.00 14.50		8	210 24	00000
	C000	0122	CPTR1000T01	1 1	7.30 8.50		5	110 24	00000
	C000	0122	ISYS1440T51	11111	9.09 10.43		5	110 24	00000
	C000	0122	BUSE1030T51	11111	9.10 10.42	1	15	110 24	00000
	C000	0122	CPTR1002T50	11111	9.15 10.45	1	2	110 24	00000
	C000	0122	BOTH1240T01	1 1 1	11.00 12.50		12	110 24	00000
	C000	0123	BOTH1300T51	11111	7.35 9.20		7	110 24	00000
	C000	0123	BOTH1300T01	1 1 1	8.00 8.50	1	13	110 24	00000
	C000	0123	BOTH2110T01	1 1 1	8.00 8.50	1	8	110 24	00000
	C000	0123	JOBS2450T01	1 1	8.00 8.50		23	110 24	00000
	C000	0123	BOTH1300T52	11111	9.25 10.50		5	110 24	00000
	C000	0123	MATR1350T01	1 1 1	10.00 10.50	1	5	110 24	00000
	C000	0123	BOTH1210T01	1 1 1	11.00 11.50		7	110 24	00000
	C000	0123	BOTH1230T01	1 1 1	11.00 12.50	1	9	110 24	00000
	C000	0123	OSYS2530T01	1 1 1	14.00 14.50		4	110 24	00000
	C000	0125	ETRN2840T03	11111	7.00 7.50		1	110 24	00000
	C000	0125	ETRN2620T01	11111	8.00 8.50		8	110 24	00000
	C000	0125	ETRN2130T01	11111	9.30 10.45		3	110 24	00000
	C000	0125	ETRN2840T02	11111	13.00 13.50		3	110 24	00000
45 8	C000	0129	ORNT1000T01	11	8.00 14.30		37	010	00000
	E000	0100	WELD1120T01	11111	8.00 8.50		1	210 24	00000
	E000	0100	WELD1120T04	1 1	8.00 8.50	1	1	210 24	00000
	E000	0100	WELD2110T02	1 1	8.00 9.50		2	210 24	00000
	E000	0100	WELD2110T01	1 1	9.00 9.50		1	210 24	00000
	E000	0100	WELD1411T01	1 1	9.00 10.50		9	210 24	00000
	E000	0100	WELD1411T01	1	9.00 11.50		9	210 24	00000
	E000	0100	WELD2230T01	1 1	9.00 11.50		2	210 24	00000
	E000	0100	WELD1420T05	1	9.00 11.50		2	210 24	00000
	E000	0100	WELD1140T04	1 1 1	10.00 10.50	1	1	210 24	00000
	E000	0100	WELD1510T03	1111	10.00 11.50	1	2	210 24	00000
	E000	0100	WELD1511T03	1111	10.00 11.50	1	1	210 24	00000
	E000	0100	WELD2310T02	1 1 1	10.00 11.50	1	1	210 24	00000
	E000	0100	WELD1210T02	1 1	10.00 11.50	1	4	210 24	00000
	E000	0100	WELD2210T06	1 1	10.00 11.50	1	1	210 24	00000
	E000	0100	WELD1210T01	1 1	10.00 11.50		9	210 24	00000
	E000	0100	WELD2230T05	1	10.00 11.50		1	210 24	00000
	E000	0100	WELD1512T01	1111	10.11 11.50	1	2	210 24	00000
	E000	0100	WELD2310T04	1111	11.00 11.50	1	1	210 24	00000
	E000	0100	WELD1130T02	1 1	11.00 11.50	1	1	210 24	00000
	E000	0100	WELD2210T06	1 1	11.00 11.50	1	1	210 24	00000
	E000	0100	WELD1412T01	1	11.00 11.50		3	210 24	00000
	E000	0100	WELD1412T02	1	11.00 11.50		3	210 24	00000
	E000	0100	WELD1120T02	11111	13.00 13.50		6	210 24	00000
	E000	0100	WELD1420T05	11111	13.00 13.50	1	2	210 24	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 02/04/2013 PROGRAM I-D:Z235B266.  
 PAGE NUM 6

L.T.C.-T.H. HARRIS  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
E000	0100	WELD1130T02	1 1	13.00 13.50	1	1	3,568	210 24	00000
E000	0100	WELD1310T01	1	13.00 13.50	1	2	3,568	210 24	00000
E000	0100	WELD1310T02	1	13.00 13.50	1	1	3,568	210 24	00000
E000	0100	WELD2230T05	1	13.00 13.50	1	1	3,568	210 24	00000
E000	0100	WELD1412T01	1 1 1	13.00 14.50	1	3	3,568	210 24	00000
E000	0100	WELD1410T02	1 1	13.00 14.50	1	4	3,568	210 24	00000
E000	0100	WELD1510T01	1111	13.00 14.50	1	1	3,568	210 24	00000
E000	0100	WELD1511T01	1111	13.00 14.50	1	1	3,568	210 24	00000
E000	0100	WELD1410T01	1 1	13.00 14.50	1	9	3,568	210 24	00000
E000	0100	WELD1310T02	1	13.00 14.50	1	1	3,568	210 24	00000
E000	0100	WELD2310T04	1 1 1	14.00 14.50	1	1	3,568	210 24	00000
E000	0100	WELD2210T03	1	14.00 14.50	1	1	3,568	210 24	00000
E000	0100	WELD2210T06	1	14.00 14.50	1	1	3,568	210 24	00000
E000	0100	WELD2311T01	1	14.00 14.50	1	1	3,568	210 24	00000
E000	0100	WELD2210T05	1 11	14.00 14.50	1	1	3,568	210 24	00000
E000	0100	WELD2230T01	1	14.00 14.50	1	2	3,568	210 24	00000
E000	0100	WELD2230T03	1	14.00 14.50	1	1	3,568	210 24	00000
E000	0100	WELD1412T02	1	14.00 14.50	1	3	3,568	210 24	00000
E000	0100	WELD2310T02	1	14.00 14.50	1	1	3,568	210 24	00000
E000	0101	WELD2311T05	11111	8.00 8.50		1	1,259	110 28	00000
E000	0101	WELD1140T01	1 1 1	8.00 8.50	1	10	1,259	110 28	00000
E000	0101	WELD2110T01	1 1 1	8.00 8.50	1	1	1,259	110 28	00000
E000	0101	WELD1140T02	1 11	8.00 8.50	1	5	1,259	110 28	00000
E000	0101	WELD2311T03	1 11	8.00 8.50	1	1	1,259	110 28	00000
E000	0101	WELD2210T02	1	8.00 8.50	1	1	1,259	110 28	00000
E000	0101	WELD1412T02	1	8.00 8.50	1	3	1,259	110 28	00000
E000	0101	WELD2110T02	1	8.00 8.50	1	2	1,259	110 28	00000
E000	0101	WELD2210T02	1 1 1	8.00 9.50	1	1	1,259	110 28	00000
E000	0101	WELD2210T03	1 1 1	8.00 9.50	1	1	1,259	110 28	00000
E000	0101	WELD2311T01	1 1 1	8.00 9.50	1	1	1,259	110 28	00000
E000	0101	WELD1110T02	1 1	8.00 9.50	1	6	1,259	110 28	00000
E000	0101	WELD1412T02	1 1	8.00 9.50	1	3	1,259	110 28	00000
E000	0101	WELD2112T01	1111	8.00 9.50	1	3	1,259	110 28	00000
E000	0101	WELD1110T01	1 1	8.00 9.50	1	7	1,259	110 28	00000
E000	0101	WELD2230T05	1 1	8.00 9.50	1	1	1,259	110 28	00000
E000	0101	WELD2111T01	1 1 1	9.00 9.50	1	2	1,259	110 28	00000
E000	0101	WELD2311T04	1 1 1	9.00 9.50	1	2	1,259	110 28	00000
E000	0101	WELD2311T05	1 1	9.00 9.50	1	1	1,259	110 28	00000
E000	0101	WELD1411T02	1	9.00 9.50	1	4	1,259	110 28	00000
E000	0101	WELD2311T03	1 1	9.00 10.50	1	1	1,259	110 28	00000
E000	0101	WELD2111T03	1 11	9.00 10.50	1	2	1,259	110 28	00000
E000	0101	WELD1130T01	1 1	9.00 10.50	1	3	1,259	110 28	00000
E000	0101	WELD2210T05	1 1	9.00 10.50	1	1	1,259	110 28	00000
E000	0101	WELD2230T03	1 1	9.00 10.50	1	1	1,259	110 28	00000
E000	0101	WELD2230T04	1 1	9.00 10.50	1	3	1,259	110 28	00000
E000	0101	WELD1411T02	1 1	9.00 11.50	1	4	1,259	110 28	00000
E000	0101	WELD1120T04	1 1 1	10.00 10.50	1	1	1,259	110 28	00000
E000	0101	WELD2310T01	1 1 1	10.00 11.50	1	3	1,259	110 28	00000
E000	0101	WELD2111T01	1 1	10.00 11.50	1	2	1,259	110 28	00000
E000	0101	WELD2110T02	1 1	11.00 11.30	1	2	1,259	110 28	00000
E000	0101	WELD1110T50	1	11.45 14.10	1	2	1,259	110 28	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2012  
 RUN DATE 02/04/2013 PROGRAM I-D:Z235B266.  
 PAGE NUM 7

L.T.C.-T.H. HARRIS  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	E000	0101	WELD1210T50	1 1	11.45 14.10		2	110 28	00000
	E000	0101	WELD1410T50	1 1	11.45 14.10		2	110 28	00000
	E000	0101	WELD2210T01	1	13.00 13.50		1	110 28	00000
	E000	0101	WELD2230T03	1 1	13.00 13.50		1	110 28	00000
	E000	0101	WELD1310T01	1	13.00 14.50	1	2	110 28	00000
	E000	0101	WELD2230T04	11 1	14.00 14.50	1	3	110 28	00000
	E000	0101	WELD2111T03	1	14.00 14.50	1	2	110 28	00000
	E000	0101	WELD2310T01	1	14.00 14.50		3	110 28	00000
	E000	0101	WELD2110T02	1	14.00 14.50		2	110 28	00000
	E000	0101	WELD2311T04	1 1	14.00 14.50		2	110 28	00000
	G000	0100	HCVO1000T01	1	8.00 8.50		4	110 30	00000
	G000	0100	HCVO1000T01	1	8.00 9.50		4	110 30	00000
	G000	0100	HCVO1010T02	11	8.00 9.50		4	110 30	00000
	G000	0100	HCVO1131T01	1 1	8.00 9.50		4	110 30	00000
	G000	0100	HCVO1010T02	1	9.00 9.50		4	110 30	00000
	G000	0106	MTTC2120T01	1	8.00 9.50		5	210 28	00000
	G000	0106	MTTC2310T01	1	8.00 9.50		3	210 28	00000
	G000	0106	MTTC2230T01	1	8.00 9.50		4	210 28	00000
	G000	0106	MTTC2220T01	1	8.00 11.50		1	210 28	00000
	G000	0106	MTTC2120T01	1	8.00 11.50		5	210 28	00000
	G000	0106	MTTC2210T01	1	8.00 11.50	1	6	210 28	00000
	G000	0106	MTTC2230T01	1	8.00 11.50		4	210 28	00000
4	G000	0106	MTTC2110T01	1	8.00 13.50		6	210 28	00000
4	G000	0106	MTTC2220T04	1	8.00 13.50		1	210 28	00000
4	G000	0106	MTTC2110T03	1	8.00 13.50		1	210 28	00000
4	G000	0106	MTTC2420T01	1	8.00 13.50	1	3	210 28	00000
4	G000	0106	MTTC2420T01	1 1	8.00 13.50		3	210 28	00000
4	G000	0106	MTTC2120T01	1	8.00 14.50		5	210 28	00000
4	G000	0106	MTTC2310T02	1	8.00 14.50	1	1	210 28	00000
4	G000	0106	MTTC2331T01	1	8.00 14.50	1	2	210 28	00000
4	G000	0106	MTTC2710T01	1	8.00 14.50	1	1	210 28	00000
4	G000	0106	MTTC2320T02	1	8.00 14.50		1	210 28	00000
4	G000	0106	MTTC2331T01	1	8.00 14.50	1	2	210 28	00000
4	G000	0106	MTTC2431T01	1	8.00 14.50	1	1	210 28	00000
4	G000	0106	MTTC2710T01	1	8.00 14.50	1	1	210 28	00000
4	G000	0106	MTTC2230T01	1	8.00 14.50		4	210 28	00000
4	G000	0106	MTTC2410T01	1	8.00 14.50	1	3	210 28	00000
4	G000	0106	MTTC2710T02	1	8.00 14.50		1	210 28	00000
4	G000	0106	MTTC2320T01	1	8.00 14.50		4	210 28	00000
4	G000	0106	MTTC2710T02	1	8.00 14.50	1	1	210 28	00000
	G000	0106	MTTC2110T02	111	9.00 9.50	1	4	210 28	00000
	G000	0106	MTTC2110T02	1	9.00 10.50		4	210 28	00000
	G000	0106	MTTC2220T03	1	9.00 11.50		4	210 28	00000
	G000	0106	MTTC2431T01	1	9.00 13.50		1	210 28	00000
	G000	0106	MTTC2210T02	111	10.00 10.50	1	5	210 28	00000
	G000	0106	MTTC2320T01	1	10.00 13.50	1	4	210 28	00000
	G000	0106	MTTC2220T02	1	10.00 14.50		1	210 28	00000
	G000	0106	MTTC2310T01	1	10.00 14.50	1	3	210 28	00000
	G000	0106	MTTC2320T02	1	10.00 14.50		1	210 28	00000
	G000	0106	MTTC2210T02	11	11.00 11.50		5	210 28	00000
	G000	0106	MTTC2220T03	1	13.00 13.50		4	210 28	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 02/04/2013 PROGRAM I-D:Z235B266.  
 PAGE NUM 8

L.T.C.-T.H. HARRIS  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	G000	0106	MTTC2320T01	1	13.00 13.50	1	4	210 28	00000
	G000	0106	MTTC2431T01	1	13.00 14.50		1	210 28	00000
	G000	0106	MTTC2210T03	11111	14.00 14.50	1	1	210 28	00000
	G000	0106	MTTC2210T01	1	14.00 14.50	1	6	210 28	00000
1	G000	0107	ELEC1120T50	111111	7.40 9.10		4		00000
1	G000	0107	ELEC1410T01	1	8.00 8.50		1		00000
1	G000	0107	ELEC1120T01	111111	8.00 9.50		7		00000
1	G000	0107	ELEC1220T01	1 1 1	8.00 9.50		2		00000
1	G000	0107	ELEC1311T01	1	8.00 10.50		2		00000
1	G000	0107	ELEC1430T04	1	8.00 11.50		2		00000
1	G000	0107	ELEC1440T02	1	8.00 11.50		2		00000
1	G000	0107	ELEC1311T01	1	8.00 12.00		2		00000
1 4	G000	0107	ELEC1430T02	1	8.00 13.50		1		00000
1 4	G000	0107	ELEC1311T02	1	8.00 13.50		1		00000
1 4	G000	0107	ELEC1440T02	1	8.00 13.50		2		00000
1 4	G000	0107	ELEC1410T01	1 1	8.00 14.50		1		00000
1 4	G000	0107	ELEC1330T02	1	8.00 14.50		2		00000
1 4	G000	0107	ELEC1440T01	1	8.00 14.50		1		00000
1 4	G000	0107	ELEC1311T02	1	8.00 14.50		1		00000
1 4	G000	0107	ELEC1311T03	1	8.00 14.50		1		00000
1 4	G000	0107	ELEC1420T01	1	8.00 14.50		1		00000
1	G000	0107	ELEC1430T04	1	9.00 9.50		2		00000
1 4	G000	0107	ELEC1420T02	1	9.00 14.50		2		00000
1 4	G000	0107	ELEC1430T01	1	9.00 14.50		1		00000
1 4	G000	0107	ELEC1311T03	1	9.00 14.50		1		00000
1	G000	0107	ELEC1230T01	1 1 1	10.00 11.50		2		00000
1	G000	0107	ELEC1210T01	111111	10.01 11.50		6		00000
1	G000	0107	ELEC2460T01	1	11.00 12.00		1		00000
1	G000	0107	ELEC1440T01	1	11.00 14.50		1		00000
1	G000	0107	ELEC1430T05	1	11.00 14.50		1		00000
1	G000	0107	ELEC1230T02	1 1 1	13.00 14.50		1		00000
1	G000	0107	ELEC1311T01	1 1	13.00 14.50		2		00000
1	G000	0107	ELEC1430T05	1	13.00 14.50		1		00000
1	G000	0107	ELEC2460T01	1	13.00 15.00		1		00000
1	G000	0107	ELEC1420T02	1	14.00 14.50		2		00000
	I000	0102	NDTT1426H01	111111	8.00 10.30		18	4,491	210 12 00000
8	I000	0102	NDTT1450H01	111111	10.50 11.50		19	4,491	210 12 00000
	I000	0102	NDTT1330H02	1 1	12.45 14.30		3	4,491	210 12 00000
	I000	0102	NDTT1330H01	111111	13.00 13.50	1	15	4,491	210 12 00000
	I000	0102	NDTT1340H01	111111	14.00 14.50		1	4,491	210 12 00000
	J000	0105	DPET1240H01	1 1	7.30 9.15		6	4,950	210 20 00000
	J000	0105	DPET2140H01	111111	8.00 8.50	1	1	4,950	210 20 00000
	J000	0105	DPET1210H01	1 1 1	8.00 8.50	1	5	4,950	210 20 00000
	J000	0105	DPET1120H01	111111	8.00 9.15	1	11	4,950	210 20 00000
	J000	0105	DPET1310H01	1 1 1	8.00 9.30	1	5	4,950	210 20 00000
	J000	0105	DPET1310H02	1 1 1	8.00 9.30	1	1	4,950	210 20 00000
	J000	0105	DPET2210H01	111111	9.00 9.50	1	1	4,950	210 20 00000
8	J000	0105	DPET1220H01	111111	9.00 11.30	1	6	4,950	210 20 00000
8	J000	0105	DPET1140H01	111111	9.25 10.40	1	11	4,950	210 20 00000
8	J000	0105	DPET1210H01	1 1	9.25 10.40	1	5	4,950	210 20 00000
8	J000	0105	DPET1320H01	111111	9.40 10.55	1	5	4,950	210 20 00000



CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2012  
 RUN DATE 02/04/2013 PROGRAM I-D:Z235B266.  
 PAGE NUM 9

L.T.C.-T.H. HARRIS  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	J000 0105	DPET1320H02	111111	9.40 10.55	1	1	4,950	210 20	00000
8	J000 0105	DPET2240H01	111111	10.00 11.15	1	2	4,950	210 20	00000
8	J000 0105	DPET1141H01	111111	10.50 12.05	1	7	4,950	210 20	00000
8	J000 0105	DPET1330H01	111111	11.05 12.00	1	5	4,950	210 20	00000
8	J000 0105	DPET1330H02	111111	11.05 12.00	1	1	4,950	210 20	00000
8	J000 0105	DPET2995H01	1 1	11.45 14.55	1	2	4,950	210 20	00000
8	J000 0105	DPET2220H01	1 1	12.15 13.30	1	2	4,950	210 20	00000
8	J000 0105	DPET1150H01	1 1	12.15 14.55	1	11	4,950	210 20	00000
	J000 0105	DPET2220H01	1 1 1	12.30 13.20		2	4,950	210 20	00000
	J000 0105	DPET2110H01	1 1 1	12.30 14.00	1	5	4,950	210 20	00000
	J000 0105	DPET1231H01	1 1 1	13.00 14.30	1	8	4,950	210 20	00000
	J000 0105	DPET2130H01	111111	13.00 14.50	1	3	4,950	210 20	00000
	J000 0105	DPET1130H01	1111	13.00 14.50	1	8	4,950	210 20	00000
	J000 0105	DPET2991H01	1 1	13.45 14.35	1	4	4,950	210 20	00000
8	J000 0106	NDTT1311H01	1 1 1	12.45 14.25		26	47	215	00000
1	J000 0111	NDTT1210H01	1 1 1	8.00 9.40		25			00000
1 4	J000 0111	NDTT1230H01	1 1	8.00 14.00		25			00000
1	J000 0111	NDTT1220H01	1 1 1	10.00 11.40		27			00000
1	L000 0104	CARP1110T51	1 1 1	8.00 9.36		5			00000
1	L000 0104	CARP1120T51	1 1	8.00 9.36		5			00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	100
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	33
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	1
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	25
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	159
TOTAL NUMBER OF RECORDS READ	428
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	328
NUMBER OF JOINT-CLASS RECORDS	189
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-T.H. HARRIS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			26
TOTAL NUMBER OF STATIONS (CAPACITY)			996
WEEKLY STUDENT CONTACT HOURS	2233		2233
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2340	1300	3640
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1343		1343
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	89640	49800	139440
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	49367		49367
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4467		4467
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	57.4	.0	36.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	5.0	.0	3.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	9.0	.0	9.0

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			26
TOTAL NUMBER OF STATIONS (CAPACITY)			996
WEEKLY STUDENT CONTACT HOURS	2233		2233
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2340	1300	3640
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1343		1343
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	89640	49800	139440
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	49367		49367
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4467		4467
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	57.4	.0	36.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	5.0	.0	3.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	9.0	.0	9.0

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			36
TOTAL NUMBER OF STATIONS (CAPACITY)			862
WEEKLY STUDENT CONTACT HOURS	4719		4719
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3240	1800	5040
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1702		1702
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	77580	43100	120680
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	38454		38454
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	9439		9439
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	52.5	.0	33.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	12.2	.0	7.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	24.5	.0	24.5

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			36
TOTAL NUMBER OF STATIONS (CAPACITY)			862
WEEKLY STUDENT CONTACT HOURS	4719		4719
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3240	1800	5040
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1702		1702
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	77580	43100	120680
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	38454		38454
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	9439		9439
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	52.5	.0	33.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	12.2	.0	7.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	24.5	.0	24.5

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY