

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 01/29/2013 PROGRAM I-D:Z235B266.  
 PAGE NUM 1

L.T.C.-TECHE AREA  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
1	BDG1 0000	JOBS2450H04	1 1 1	13.00 13.50		21			00000
1	BDG1 0111	MATH0090H01	1 1 1	8.00 8.50		6			00000
1	BDG1 0111	MATH0090H03	1 1	8.00 9.15		3			00000
1	BDG1 0111	READ0091H01	1 1 1	9.00 9.50		2			00000
1	BDG1 0111	MATH0091H02	1 1	9.25 10.40		2			00000
1	BDG1 0111	MATH0090H02	1 1 1	11.00 11.50		11			00000
1	BDG1 0111	ENGL0091H01	1 1 1	13.00 13.50		4			00000
1	BDG1 0111	READ0092H02	1 1	13.40 14.55		6			00000
1	BDG1 0111	MATH0091H01	1 1 1	15.00 15.50		7			00000
1	BDG1 0113	WKEY0060H01	11 1	10.00 10.50		1			00000
1	BDG1 0113	WKEY0070H01	11 1	10.00 10.50		1			00000
1	BDG1 0113	WKEY0060H02	11 1	11.00 11.50		1			00000
1	BDG1 0113	WKEY0070H05	1 11	11.00 11.50		1			00000
1	BDG1 0113	WKEY0080H01	11 1	12.00 12.50		6			00000
1	BDG1 0113	WKEY0060H03	1 1	12.00 12.50		1			00000
1	BDG1 0113	WKEY0070H02	11 1	13.00 13.50		5			00000
1	BDG1 0113	WKEY0070H04	1 1	13.40 14.55		1			00000
1	BDG1 0113	WKEY0070H04	1 1	15.00 15.50		1			00000
1	BDG2 0105	ETRN1125H01	11111	8.00 9.50		16			00000
1	BDG2 0105	ETRN1000H01	1 1	10.00 10.50		17			00000
1	BDG2 0105	ETRN2710H01	1 1 1	10.00 11.50		27			00000
1	BDG2 0106	ETRN1250H01	1 1 1	8.00 9.50		27			00000
1	BDG2 0106	TECM1110H01	1 1 1	10.00 10.50		17			00000
1	BDG2 0106	ETRN2130H01	1 1	11.00 14.35		27			00000
1	BDG2 0106	ETRN2840H01	1 1 1	13.00 14.50		10			00000
1	BDG2 0119	INTE2130H01	1 1	8.00 10.40		9			00000
12	BDG2 0119	INTE2140H01		8.00 13.00		1			00000
1	BDG2 0119	INTE2120H01	1 1 1	10.00 11.50		9			00000
1	BDG2 0121	KYBD1111H03	1 1 1	9.00 10.50		11			00000
1	BDG2 0121	KYBD1111H03	1 1	10.50 12.05		11			00000
1	BDG2 0125	ETRN2800H03	1 1	11.00 14.35		17			00000
1	BDG2 0125	ETRN2840H02	1 1 1	13.00 14.50		14			00000
1	4	CAFE 0207	HEKG1113H01	11	8.00 14.50	4			00000
1	4	CAFE 0207	HCOR1200H01	1 1	10.00 11.50	16			00000
1	4	CAFE 0209	HEKG1113H02	11	8.00 14.50	5			00000
1	4	CAFE 0209	HEKG1113H03	11	8.00 14.50	4			00000
1	4	CAFE 0209	HEKG1113H04	11	8.00 14.50	2			00000
1	CAFE 0209	BOTH1210H02	111	13.00 13.50		15			00000
1	CAFE 0216	HNUR2713H01	11111	8.00 9.15		10			00000
1	CAFE 0216	HNUR2723H01	11111	9.25 10.40		9			00000
1	CAFE 0216	HNUR2813H01	11111	10.50 11.50		9			00000
1	CAFE 0219	HNUR2611H01	11111	8.00 9.50		19			00000
1	CAFE 0219	HNUR2523H01	11	8.00 9.50		10			00000
1	CAFE 0219	HNUR2523H02	11	8.00 9.50		9			00000
1	CAFE 0219	HNUR1460H01	11111	10.00 11.50		20			00000
1	CAFE 0227	HNUR1211H01	111	8.00 9.50		35			00000
1	CAFE 0227	HNUR1411H01	111	8.00 9.50		49			00000
1	CAFE 0227	ORNT1000H04	111	8.00 13.00		11			00000
1	CAFE 0227	ORNT1000H05	111	8.00 13.00		13			00000
1	CAFE 0227	HNUR1270H01	1 1	13.00 14.50		51			00000
1	CIRF 0100	HACR1150H01	1 1 1	8.00 10.00		8			00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2012  
 RUN DATE 01/29/2013 PROGRAM I-D:Z235B266.  
 PAGE NUM 2

L.T.C.-TECHE AREA  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
1	CIRF 0100	HACR1210H01	1 1 1	8.00 10.00		8			00000
1	CIRF 0100	HACR1410H01	1 1	8.00 10.00		6			00000
1	CIRF 0100	HACR2530H01	1 1	8.00 10.00		3			00000
1	CIRF 0100	HACR2540H01	1 1	8.00 10.30		3			00000
1	CIRF 0100	HACR1160H01	1 1	8.00 11.00		8			00000
1	CIRF 0100	HACR1220H01	1 1	8.00 11.00		5			00000
1	CIRF 0100	HACR2520H01	1 1	9.00 11.30		6			00000
1	CIRF 0100	HACR2550H01	1 1 1	10.00 12.00		2			00000
1	CIRF 0100	HACR1420H01	1 1	10.00 12.00		9			00000
1	CIRF 0100	HACR1180H01	1 1	11.30 14.30		9			00000
1	CIRF 0100	HACR1240H01	1 1	11.30 14.30		8			00000
1	CIRF 0100	HACR1170H01	1 1 1	12.30 14.30		10			00000
1	CIRF 0100	HACR1230H01	1 1 1	12.30 14.30		5			00000
1	CIRF 0100	HACR2510H01	1 1 1	12.30 14.30		9			00000
1	CIRF 0100	HACR2560H01	1 1	12.30 14.30		1			00000
1	HBUS 0111	BUSE1045H01	1 1 1	8.00 8.50		25			00000
1	HBUS 0111	BUSE1030H01	1 1	8.00 9.15		20			00000
1	HBUS 0111	ORNT1000H02	111	8.00 13.00		34			00000
1	HBUS 0111	KYBD1010H01	1 1 1	9.00 10.50		17			00000
1	HBUS 0111	KYBD1111H01	1 1 1	9.00 10.50		16			00000
1	HBUS 0111	ISYS1440H01	1 1	9.30 10.45		9			00000
1	HBUS 0111	KYBD1010H01	1 1	10.50 12.05		17			00000
1	HBUS 0111	KYBD1111H01	1 1	10.50 12.05		16			00000
1	HBUS 0111	ISYS1440H01	1 1 1	11.00 11.50		9			00000
1	HBUS 0111	BUSM1050H01	1 1 1	12.45 13.50		17			00000
1	HBUS 0111	OSYS1100H01	1 1	13.40 14.55		24			00000
1	HBUS 0111	CPTR1000H04	1	14.00 14.50		12			00000
1	HBUS 0111	CPTR1000H04	1	14.00 15.50		12			00000
1	HBUS 0112	PSYC2015H01	1 1	13.00 14.15		18			00000
1	HBUS 0112	ENGL1015H01	1 1	14.30 15.45		13			00000
1	HBUS 0116	BOTH1230H01	1 1	8.00 9.15		11			00000
1	HBUS 0116	BOTH1240H01	1 1	8.00 9.15		13			00000
1	HBUS 0116	KYBD1010H02	1 1 1	9.00 10.50		18			00000
1	HBUS 0116	KYBD1111H02	1 1 1	9.00 10.50		18			00000
1	HBUS 0116	KYBD1010H02	1 1	9.30 10.45		18			00000
1	HBUS 0116	CPTR1320H01	1 1	10.50 12.55		14			00000
1	HBUS 0116	BOTH1230H01	1 1 1	11.00 11.50		11			00000
1	HBUS 0116	BOTH1240H01	1 1 1	11.00 11.50		13			00000
1	HBUS 0116	ISYS1650H01	1 1 1	12.45 13.50		7			00000
1	HBUS 0116	OSYS1100H02	1 1 1	14.00 14.50		15			00000
1	HBUS 0117	CSRV1000H01	1 1 1	8.00 8.50		20			00000
1	HBUS 0117	ORNT1000H01	111	8.00 13.00		29			00000
1	HBUS 0117	CPTR1000H01	1 1 1	9.00 9.50		7			00000
1	HBUS 0117	KYBD1010H03	1 1 1	9.00 9.50		9			00000
1	HBUS 0117	CPTR1000H06	1 1 1	9.00 10.30		1			00000
1	HBUS 0117	CPTR1002H01	1 1	9.30 10.45		16			00000
1	HBUS 0117	ACCT1500H01	1 1	10.50 12.30		14			00000
1	HBUS 0117	ACCT1400H01	1 1 1	11.00 12.15		10			00000
1	HBUS 0117	CPTR1000H03	1 1 1	13.00 13.50		15			00000
1	HBUS 0123	CSRV1000H02	1 1 1	8.00 8.50		19			00000
1	HBUS 0123	BUSE1030H02	1 1	8.00 9.15		21			00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2012  
 RUN DATE 01/29/2013 PROGRAM I-D:Z235B266.  
 PAGE NUM 3

L.T.C.-TECHE AREA  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
1	HBUS 0123	BOTH1210H01	1 1 1	9.00 9.50		19			00000
1	HBUS 0123	BOTH2110H01	1 1 1	10.00 10.50		10			00000
1	HBUS 0123	MATR1350H01	1 1 1	10.00 10.50		3			00000
1	HBUS 0123	CPTR1002H02	1 1 1	11.00 11.50		20			00000
1	HBUS 0123	CPTR1000H05	1 1 1	15.00 15.50		5			00000
1	NDT2 0100	NDTT1151H01	1 1 1	8.00 9.40		1			00000
1	OLD2 0106	MTTC2110H01	11111	8.00 8.50		7			00000
1	OLD2 0106	MTTC2310H01	11111	8.00 9.40		4			00000
1	OLD2 0106	MTTC2410H01	11111	8.00 9.40		5			00000
1	OLD2 0106	MTTC2510H01	11111	8.00 9.40		4			00000
1	OLD2 0106	ETRN2715H01	1 1	8.00 10.50		25			00000
1	OLD2 0106	MTTC2120H01	11111	8.55 9.40		7			00000
1	OLD2 0106	MTTC2210H01	11111	9.50 10.40		10			00000
1	OLD2 0106	MTTC2220H01	11111	9.50 11.30		2			00000
1	OLD2 0106	MTTC2320H01	11111	9.50 11.30		2			00000
1	OLD2 0106	MTTC2420H01	11111	9.50 11.30		8			00000
1	OLD2 0106	MTTC2230H01	11111	10.50 11.40		2			00000
1	OLD2 0106	MTTC2431H01	11111	12.20 13.55		5			00000
1	OLD2 0106	MTTC2331H01	11111	12.20 14.00		5			00000
1	OLD2 0106	MTTC2710H01	11111	12.20 14.00		1			00000
1	OLD2 0106	JOBS2450H03	1 1	14.40 15.30		26			00000
1	OLD2 0107	ELEC1220H01	11111	7.30 9.55		7			00000
1	OLD2 0107	ELEC1311H01	11111	7.30 12.00		2			00000
1	OLD2 0107	ELEC1410H02	11111	7.30 12.00		5			00000
1	OLD2 0107	ELEC1440H02	11111	7.30 12.00		10			00000
1	OLD2 0107	ELEC2460H01	11111	7.30 12.00		6			00000
1	OLD2 0107	ELEC1120H01	11111	8.00 9.55		11			00000
1	OLD2 0107	ELEC1430H01	11111	8.00 12.00		1			00000
1	OLD2 0107	ELEC1430H03	11111	8.00 12.00		2			00000
1	OLD2 0107	ELEC1210H01	11111	10.00 12.00		14			00000
1	OLD2 0107	ELEC1230H01	11111	10.00 12.25		4			00000
1	OLD2 0107	ELEC1330H01	11111	12.30 14.55		14			00000
1	OLD2 0107	ELEC1410H01	11111	12.30 14.55		2			00000
1	OLD2 0107	ELEC1420H01	11111	12.30 14.55		12			00000
1	WELD 0100	WELD1120H01	11111	8.00 8.50		5			00000
1	WELD 0100	WELD1420H01	11111	8.00 8.50		1			00000
1	WELD 0100	WELD2110H01	11111	8.00 8.50		5			00000
1	WELD 0100	WELD2310H01	11111	8.00 8.50		2			00000
1	WELD 0100	WELD1140H01	1 1 1	8.00 8.50		14			00000
1	WELD 0100	WELD1110H01	1 1	8.00 9.15		12			00000
1	WELD 0100	WELD1420H01	1 1	8.00 9.15		1			00000
1	WELD 0100	WELD2220H01	1 1 1	8.00 9.50		1			00000
1	WELD 0100	WELD2221H01	1 1	8.00 12.05		1			00000
1	WELD 0100	WELD1510H01	11111	9.00 9.50		3			00000
1	WELD 0100	WELD2210H01	11111	9.00 9.50		7			00000
1	WELD 0100	WELD1410H01	1 1 1	9.00 9.50		11			00000
1	WELD 0100	WELD2110H01	1 1	9.00 9.50		5			00000
1	WELD 0100	WELD2112H01	1 1	9.00 9.50		1			00000
1	WELD 0100	WELD2310H01	1 1	9.00 9.50		2			00000
1	WELD 0100	WELD1411H01	1 1 1	9.00 10.50		11			00000
1	WELD 0100	WELD1110H01	1 1	9.25 10.40		12			00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2012

RUN DATE 01/29/2013

PROGRAM I-D:Z235B266.

PAGE NUM 4

L.T.C.-TECHE AREA

BRANCH

PARISH

RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
1	WELD 0100	WELD1130H01	1 1	9.25 10.40		4			00000
1	WELD 0100	WELD1510H01	1 1	9.25 10.40		3			00000
1	WELD 0100	WELD1511H01	11111	10.00 10.50		1			00000
1	WELD 0100	WELD2111H01	11111	10.00 10.50		5			00000
1	WELD 0100	WELD2230H01	1 1	10.00 10.50		6			00000
1	WELD 0100	WELD2112H01	1 1 1	10.00 11.50		1			00000
1	WELD 0100	WELD1130H01	1 1	10.50 12.05		4			00000
1	WELD 0100	WELD1210H01	1 1	10.50 12.05		12			00000
1	WELD 0100	WELD1511H01	1 1	10.50 12.05		1			00000
1	WELD 0100	WELD1410H01	1	10.50 12.05		11			00000
1	WELD 0100	WELD1512H01	11111	11.00 11.50		2			00000
1	WELD 0100	WELD2230H01	11111	11.00 11.50		6			00000
1	WELD 0100	WELD2210H01	1 1	11.00 11.50		7			00000
1	WELD 0100	WELD1411H01	1	11.00 11.50		11			00000
1	WELD 0100	WELD1412H01	1	11.00 11.50		4			00000
1	WELD 0100	WELD1210H01	1 1	12.15 13.30		12			00000
1	WELD 0100	WELD1512H01	1 1	12.15 13.30		2			00000
1	WELD 0100	WELD2220H01	1 1	12.15 13.30		1			00000
1	WELD 0100	WELD1310H01	1 1 1	13.00 13.50		4			00000
1	WELD 0100	WELD2111H01	1 1	13.00 13.50		5			00000
1	WELD 0100	WELD1412H01	1 1 1	13.00 14.50		4			00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	174
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	1
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	4
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	179
TOTAL NUMBER OF RECORDS READ	174
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	
NUMBER OF JOINT-CLASS RECORDS	
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY