

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2016
 RUN DATE 11/10/2016 11:21:15
 PAGE NUM 1

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0000	0000	HEMA4022	11111		1	5		00000
	0000	0000	IMMU4052	11111		1	5		00000
	0000	0000	IMMU4053	11111		1	5		00000
	0000	0000	MICR4032	11111		1	5		00000
	0000	0000	MICR4033	11111		1	4		00000
	0000	0000	PHLE4011	11111		1	4		00000
	0000	0000	URIN4012	11111		1	5		00000
	0000	0000	ADUL3009	111		1	14		00000
	0000	0000	MENT3010	111		1	11		00000
	0000	0000	ADV 6000			1	58		00000
	0000	0000	ADV 6002			1	35		00000
	0000	0000	ADV 6004			1	51		00000
	0000	0000	ADV 6006			1	61		00000
	0000	0000	ADV 6008			1	67		00000
	0000	0000	ADV 6010			1	19		00000
	0000	0000	ADV 6012			1	43		00000
	0000	0000	ADVA4010			1	1		00000
	0000	0000	ADVA4011			1	1		00000
	0000	0000	ALTO1032			1	1		00000
	0000	0000	ANAL4081			1	4		00000
	0000	0000	APPL5170			1	10		00000
	0000	0000	APPL5170			1	10		00000
	0000	0000	APPL5170			1	10		00000
	0000	0000	BASI5062			1	4		00000
	0000	0000	BASS1052			1	1		00000
	0000	0000	BEGI4076			1	4		00000
	0000	0000	BRAS2012			1	4		00000
	0000	0000	BRAS2012			1	4		00000
	0000	0000	BROA3032			1	1		00000
	0000	0000	BUSI5000			1	2		00000
	0000	0000	CHAM4033			1	19		00000
	0000	0000	CHAM4034			1	10		00000
	0000	0000	CHAM4034			1	2		00000
	0000	0000	CHAM4034			1	7		00000
	0000	0000	CLAR1031			1	1		00000
	0000	0000	CLAR1048			1	1		00000
	0000	0000	CLAR2048			1	2		00000
	0000	0000	CLIN5240			1	11		00000
	0000	0000	CLIN5240			1	14		00000
	0000	0000	COMM4063			1	13		00000
	0000	0000	CONC4029			1	57		00000
	0000	0000	CONT4081			1	2		00000
	0000	0000	CONT4081			1	3		00000
	0000	0000	CONT4081			1	21		00000
	0000	0000	CONT4081			1	11		00000
	0000	0000	CONT4081			1	20		00000
	0000	0000	CONT4081			1	15		00000
	0000	0000	CONT4081			1	22		00000
	0000	0000	CONT4081			1	20		00000
	0000	0000	CONT4081			1	1		00000
	0000	0000	CONT4081			1	12		00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2016
 RUN DATE 11/10/2016 11:21:15
 PAGE NUM 2

UNIVERSITY OF LOUISIANA AT MONROE

BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0000	0000				1			00000
	0000	0000				1			00000
	0000	0000				1			00000
	0000	0000				1	13		00000
	0000	0000				1	4		00000
	0000	0000				1	1		00000
	0000	0000				1	38		00000
	0000	0000				1	3		00000
	0000	0000				1	29		00000
	0000	0000				1	10		00000
	0000	0000				1	10		00000
	0000	0000				1	3		00000
	0000	0000				1	10		00000
	0000	0000				1	1		00000
	0000	0000				1	2		00000
	0000	0000				1	2		00000
	0000	0000				1	1		00000
	0000	0000				1	2		00000
	0000	0000				1	7		00000
	0000	0000				1	3		00000
	0000	0000				1	5		00000
	0000	0000				1	3		00000
	0000	0000				1	16		00000
	0000	0000				1	14		00000
	0000	0000				1	2		00000
	0000	0000				1	1		00000
	0000	0000				1	2		00000
	0000	0000				1	2		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	2		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	2		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	12		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	2		00000
	0000	0000				1	4		00000
	0000	0000				1	6		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	13		00000
	0000	0000				1	8		00000
	0000	0000				1	15		00000
	0000	0000				1	11		00000
	0000	0000				1	5		00000
	0000	0000				1	1		00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2016
 RUN DATE 11/10/2016 11:21:15
 PAGE NUM 4

UNIVERSITY OF LOUISIANA AT MONROE

BRANCH
 PARISH
 RELATION OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0000	0000				1	8		00000
	0000	0000				1	5		00000
	0000	0000				1	2		00000
	0000	0000				1	3		00000
	0000	0000				1	7		00000
	0000	0000				1	2		00000
	0000	0000				1	1		00000
	0000	0000				1	14		00000
	0000	0000				1	16		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	2		00000
	0000	0000				1	1		00000
	0000	0000				1	8		00000
	0000	0000				1	3		00000
	0000	0000				1	5		00000
	0000	0000				1	3		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	3		00000
	0000	0000				1	2		00000
	0000	0000				1	3		00000
	0000	0000				1	2		00000
	0000	0000				1	21		00000
	0000	0000				1	21		00000
	0000	0000				1	5		00000
	0000	0000				1	19		00000
	0000	0000				1	1		00000
	0000	0000				1	12		00000
	0000	0000				1	2		00000
	0000	0000				1	2		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	3		00000
	0000	0000				1	3		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	3		00000
	0000	0000				1	3		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	2		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	12		00000
	0000	0000				1	3		00000
	0000	0000				1	3		00000
	0000	0000				1	2		00000
	0000	0000				1	2		00000
	0000	0000				1	2		00000
	0000	0000				1	5		00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2016
 RUN DATE 11/10/2016 11:21:15
 PAGE NUM 5

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH OUACHITA
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0000	0000				1	2		00000
	0000	0000				1	2		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	4		00000
	0000	0000				1	1		00000
	0000	0000				1	4		00000
	0000	0000				1	1		00000
	0000	0000				1	1		00000
	0000	0000				1	3		00000
	0000	0000				1	2		00000
	0000	0000				1	2		00000
	0000	0000				1	5		00000
4	0000	0000	ADUL4000	11	6.00 15.00	1	9		00000
4	0000	0000	NURS4066	11	6.00 15.00	1	12		00000
4	0000	0000	MANA4065	11	6.00 18.00	1	13		00000
4	0000	0000	ADV 4005	111	7.00 15.00	1	5		00000
4	0000	0000	ADUL3009	11	7.00 15.00	1	14		00000
4	0000	0000	ADUL3009	11	7.00 15.00	1	14		00000
4	0000	0000	ADUL3009	11	7.00 15.00	1	14		00000
4	0000	0000	ADUL3009	11	7.00 15.00	1	14		00000
4	0000	0000	ADUL3028	11	7.00 15.00	1	8		00000
4	0000	0000	ADUL3028	11	7.00 15.00	1	8		00000
4	0000	0000	ADUL3028	11	7.00 15.00	1	8		00000
4	0000	0000	ADUL3028	11	7.00 15.00	1	8		00000
4	0000	0000	ADUL4000	11	7.00 15.00	1	9		00000
4	0000	0000	ADUL4000	11	7.00 15.00	1	10		00000
4	0000	0000	ADUL4000	11	7.00 15.00	1	10		00000
	0000	0000	METH4024	1 1 1	8.00 8.50	1	2		00000
	0000	0000	ADUL3028	1	8.00 11.00	1	8		00000
	0000	0000	ADUL3028	1	8.00 11.00	1	7		00000
	0000	0000	FUND2009	1	8.00 12.00	1	9		00000
	0000	0000	FUND2009	1	8.00 12.00	1	9		00000
	0000	0000	FUND2009	1	8.00 12.00	1	7		00000
	0000	0000	FUND2009	1	8.00 12.00	1	11		00000
4	0000	0000	CLIN3015	1 1	8.00 15.50	1	9		00000
4	0000	0000	CLIN3015	1 1	8.00 15.50	1	8		00000
4	0000	0000	CLIN3015	1 1	8.00 15.50	1	9		00000
4	0000	0000	ADV 4013	1 1	8.00 15.50	1	9		00000
4	0000	0000	ADV 4013	1 1	8.00 15.50	1	9		00000
4	0000	0000	ADV 4013	1 1	8.00 15.50	1	9		00000
4	0000	0000	CLIN4075	1 1	8.00 16.00	1	2		00000
	0000	0000	HEAL2004	1	8.30 11.30	1	11		00000
	0000	0000	ADUL4000	1	8.30 11.30	1	10		00000
	0000	0000	HEAL2004	1	8.30 11.30	1	11		00000
	0000	0000	HEAL2004	1	8.30 11.30	1	8		00000
	0000	0000	HEAL2004	1	8.30 11.30	1	6		00000
	0000	0000	NURS3030	1	11.15 12.15	1	37		00000
	0000	0000	NURS4002	1	11.15 12.15	1	44		00000
	0000	0000	OTHE3048	1	12.00 12.50	1	1		00000
	0000	0000	METH5090	1 1	13.00 15.00	1	2		00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 11/10/2016 11:21:15
 PAGE NUM 6

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0000	0000	NSG 4001	1	13.30 16.30	1	44		00000
	0000	0000	COMP5040	1	14.00 16.30	1	7		00000
	0000	0000	SCUL2081	1 1	14.00 16.45	1	16		00000
	0000	0000	INTE6070	1	16.00 20.00	1	5		00000
	0000	0000	DOCT7051	1	16.00 20.00	1	6		00000
	0000	0000	INTE6070	1	16.00 20.00	1	5		00000
	0003	0113	INTE3016	1 1	9.30 10.45	11	802	110 29	00000
	0003	0121	GOVM4032	1 1	7.30 8.45	14	861	110 37	00000
	0003	0121	INSU3020	1 1	9.30 10.45	36	861	110 37	00000
	0003	0121	FARM3005	1 1	11.00 12.15	19	861	110 37	00000
	0003	0121	MICR2002	1 1	11.00 12.15	24	861	110 37	00000
	0003	0121	INTR2001	1 1	12.30 13.45	19	861	110 37	00000
	0003	0121	FARM4023	1 1	14.00 15.15	16	861	110 37	00000
	0003	0121	INTL4010	1	17.00 19.45	17	861	110 37	00000
	0003	0121	STRA5039	1	17.30 20.15	5	861	110 37	00000
	0003	0124	ADVE3011	1 1	9.30 10.45	36	1,050	110 42	00000
	0003	0124	PRIN4010	1 1	9.30 10.45	13	1,050	110 42	00000
	0003	0124	HUMA3007	1 1	11.00 12.15	19	1,050	110 42	00000
	0003	0124	MONE3001	1 1	11.00 12.15	37	1,050	110 42	00000
	0003	0124	SEMI4010	1 1	12.30 13.45	31	1,050	110 42	00000
	0003	0124	MANA5009	1	17.30 20.15	15	1,050	110 42	00000
	0003	0124	ORGA5022	1	17.30 20.15	14	1,050	110 42	00000
	0003	0134	COMP1070	1	8.00 8.50	94	2,224	110 124	00000
	0003	0134	COMP1070	1	8.00 8.50	92	2,224	110 124	00000
	0003	0134	FUND3001	1 1	8.00 9.15	115	2,224	110 124	00000
	0003	0134	MICR2002	1 1	9.30 10.45	65	2,224	110 124	00000
	0003	0134	MACR2001	1 1	9.30 10.45	65	2,224	110 124	00000
	0003	0134	BUSI1001	1 1	11.00 12.15	63	2,224	110 124	00000
9	0003	0134	BUSI1001	1 1	11.00 12.15	63	2,224	110 124	00000
	0003	0134	MACR2001	1 1	11.00 12.15	62	2,224	110 124	00000
	0003	0134	INTR1001	1 1	12.30 13.45	113	2,224	110 124	00000
	0003	0134	ENJO1091	1 1	12.30 13.45	93	2,224	110 124	00000
	0003	0134	MANA3001	1 1	14.00 15.15	84	2,224	110 124	00000
	0003	0134	MACR2001	1 1	14.00 15.15	45	2,224	110 124	00000
	0003	0134	COMP1070	1	15.30 16.20	90	2,224	110 124	00000
	0003	0134	COMP1070	1	15.30 16.20	54	2,224	110 124	00000
	0003	0134	COMP1070	1	15.30 16.20	69	2,224	110 124	00000
	0003	0160	UAS 4081	1 1	8.00 9.15	4	633	110 19	00000
	0003	0160	PRIM1010	1 1	8.00 9.15	13	633	110 19	00000
	0003	0160	AVIA2030	1 1	9.30 10.45	11	633	110 19	00000
	0003	0160	PRIM1011	1 1	9.30 10.45	11	633	110 19	00000
	0003	0160	INTR2080	1 1	12.30 13.45	7	633	110 19	00000
	0003	0160	COMM3010	1 1	14.00 15.15	7	633	110 19	00000
	0003	0160	ENTE4033	1	17.30 20.15	22	633	110 19	00000
	0003	0201	STAT2010	1 1	9.30 10.45	43	1,563	110 48	00000
	0003	0201	LEGA4001	1 1	11.00 12.15	41	1,563	110 48	00000
	0003	0201	BUSI3015	1 1	12.30 13.45	54	1,563	110 48	00000
	0003	0201	BUSI3015	1 1	14.00 15.15	43	1,563	110 48	00000
	0003	0203	DATA2073	1 1	9.30 10.45	41	1,340	210 41	00000
	0003	0203	INTE2003	1 1	11.00 12.15	18	1,340	210 41	00000
	0003	0203	COMP2053	1 1	11.00 12.15	40	1,340	210 41	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 11/10/2016 11:21:15
 PAGE NUM 7

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0003	0203	INTE3002	1 1	12.30 13.45		23	1,340	210 41 00000
	0003	0203	INTR2000	1 1	13.30 15.20		25	1,340	210 41 00000
	0003	0203	TECH3007	1	14.00 16.45		16	1,340	210 41 00000
	0003	0207	BUSI3008	1 1	8.00 9.15		51	1,889	110 70 00000
	0003	0207	BEGI2020	1 1	9.30 10.45		23	1,889	110 70 00000
	0003	0207	BEGI2020	1 1	10.00 11.15		24	1,889	110 70 00000
	0003	0207	STAT2010	1 1	11.00 12.15		66	1,889	110 70 00000
	0003	0207	MACR2001	1 1	12.30 13.45		57	1,889	110 70 00000
	0003	0207	MANA3050	1 1	12.30 13.45		70	1,889	110 70 00000
	0003	0207	MACR2001	1 1	14.00 15.15		28	1,889	110 70 00000
	0003	0207	MICR2002	1 1	14.00 15.15		24	1,889	110 70 00000
	0003	0208	BUSI3005	1 1	9.30 10.45		35	1,000	110 39 00000
	0003	0208	LEGA4001	1 1	9.30 10.45		41	1,000	110 39 00000
	0003	0208	BUSI3005	1 1	11.00 12.15		35	1,000	110 39 00000
	0003	0208	PRIN2003	1 1	11.00 12.15		22	1,000	110 39 00000
	0003	0208	BUSI3005	1 1	12.30 13.45		34	1,000	110 39 00000
	0003	0208	BUSI3005	1 1	12.30 13.45		33	1,000	110 39 00000
	0003	0208	AGRI4061	1	17.30 20.15		13	1,000	110 39 00000
	0003	0222	INTE3010	1 1	7.30 8.45		16	995	110 36 00000
	0003	0222	NTER3011	1 1	8.00 9.15		28	995	110 36 00000
	0003	0222	AUDI4020	1 1	9.30 10.45		18	995	110 36 00000
	0003	0222	COST3020	1 1	11.00 12.15		25	995	110 36 00000
	0003	0222	LAW 4040	1 1	11.00 12.15		18	995	110 36 00000
	0003	0222	ACCO3008	1 1	12.30 13.45		24	995	110 36 00000
	0003	0222	ACCT5012	1	17.30 20.15		12	995	110 36 00000
	0003	0222	INCO3030	1	17.30 20.15		17	995	110 36 00000
	0003	0223	OPER3009	1 1	8.00 9.15		38	995	110 40 00000
	0003	0223	PERS3005	1 1	8.00 9.15		25	995	110 40 00000
	0003	0223	ORGA3005	1 1	9.30 10.45		35	995	110 40 00000
	0003	0223	STRA4009	1 1	11.00 12.15		22	995	110 40 00000
	0003	0223	STRA4009	1 1	12.30 13.45		19	995	110 40 00000
	0003	0308	INTR2000	1 1	9.00 10.50		21	1,002	140 38 00000
	0003	0308	ADV 3026	1 1	9.30 10.45		30	1,002	140 38 00000
	0003	0308	THEO4055	1 1	11.00 12.15		28	1,002	140 38 00000
	0003	0308	INTE3030	1 1	11.00 12.15		29	1,002	140 38 00000
	0003	0308	INTR2000	1 1	13.00 14.50		25	1,002	140 38 00000
	0003	0308	ADV 3026	1 1	14.00 15.15		20	1,002	140 38 00000
	0003	0308	FUND1001	1 1	15.00 16.15		21	1,002	140 38 00000
	0003	0308	OBJE3020	1 1	15.30 16.45		32	1,002	140 38 00000
	0003	0308	INFO3044	1	17.30 20.15		31	1,002	140 38 00000
	0003	0308	NETW3040	1	17.30 20.15		33	1,002	140 38 00000
	0003	0316	ADVA3041	1 1	9.30 10.45		10	775	140 25 00000
	0003	0316	DIGI4012	1 1	11.00 12.15		23	775	140 25 00000
	0003	0316	INTR2020	1 1	11.00 12.15		24	775	140 25 00000
	0003	0316	COMP4012	1 1	12.30 13.45		18	775	140 25 00000
	0003	0316	MARK3008	1 1	14.00 15.15		22	775	140 25 00000
	0003	0316	INFO4030	1	17.30 20.15		17	775	140 25 00000
	0003	0318	INTR2030	1 1	8.00 9.15		6	1,114	110 50 00000
	0003	0318	INTR2030	1 1	9.30 10.45		29	1,114	110 50 00000
	0003	0318	INTR2020	1 1	9.30 10.45		55	1,114	110 50 00000
	0003	0318	INTR2013	1 1	11.00 12.15		52	1,114	110 50 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 11/10/2016 11:21:15
 PAGE NUM 8

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0003	0318	INTR2020	1 1	11.00 12.15		53	1,114	110 50 00000
	0003	0318	INTR2013	1 1	12.30 13.45		35	1,114	110 50 00000
	0003	0318	INTR2020	1 1	12.30 13.45		37	1,114	110 50 00000
	0003	0318	INTR2020	1 1	14.00 15.15		26	1,114	110 50 00000
	0018	0110	ADVA5058	1 1	9.30 10.45		16	2,424	110 144 00000
	0018	0110	CLIN5065	1	14.00 15.50		20	2,424	110 144 00000
	0018	0110	AGIN5051	1	14.00 15.50		19	2,424	110 144 00000
	0018	0110	PROB5067	1 1	15.00 16.15		18	2,424	110 144 00000
	0018	0170	CARD5010	1 1 1	8.00 9.50		97	4,141	110 230 00000
	0018	0170	SELF5008	1	10.00 10.50		86	4,141	110 230 00000
	0018	0170	ADVA5004	1 1	10.00 10.50		51	4,141	110 230 00000
	0018	0170	ADVA5004	1 1	11.00 11.50		37	4,141	110 230 00000
	0018	0170	PROF5006	1	12.00 14.50		95	4,141	110 230 00000
	0018	0170	PHAR5002	1	13.00 14.50		86	4,141	110 230 00000
	0018	0170	HOSP5054	1	14.00 15.50		30	4,141	110 230 00000
	0018	0170	VETE5063	1	14.00 16.50		30	4,141	110 230 00000
	0018	0202	RESE4052	1 1	8.00 9.15		92	3,544	110 230 00000
	0018	0202	NEUR4058	1 1	10.00 11.50		94	3,544	110 230 00000
	0018	0202	BIOP4056	1 1 1	11.00 11.50		92	3,544	110 230 00000
	0018	0202	ENDO4074	1 1	13.00 14.15		94	3,544	110 230 00000
	0018	0220	INTE4070	1	8.00 10.50		25	3,462	210 54 00000
	0018	0220	INTE5020	1	8.00 10.50		35	3,462	210 54 00000
	0018	0220	INTE4070	1	8.00 10.50		35	3,462	210 54 00000
	0018	0220	INTE5020	1	8.00 10.50		28	3,462	210 54 00000
	0018	0220	INTE4070	1	8.00 10.50		34	3,462	210 54 00000
	0018	0220	INTE5020	1	14.00 16.50		32	3,462	210 54 00000
	0018	0220	INTE4020	1	14.00 16.50		33	3,462	210 54 00000
	0018	0220	INTE4020	1	14.00 16.50		35	3,462	210 54 00000
	0018	0220	INTE4020	1	14.00 16.50		18	3,462	210 54 00000
	0018	0340	MOLE5139	1 1	8.00 9.50		3	3,650	110 230 00000
	0018	0340	PRIN4002	1 1	8.00 9.50	1	86	3,650	110 230 00000
	0018	0340	PHAR4004	1 1	9.00 9.50		87	3,650	110 230 00000
	0018	0340	PHAR4008	1 1 1	10.00 10.50		86	3,650	110 230 00000
	0018	0340	DRUG4033	1 1	10.00 11.15		86	3,650	110 230 00000
	0018	0340	INTR4010	1	11.00 11.50		86	3,650	110 230 00000
	0018	0340	PATH4012	1 1	13.00 13.50		87	3,650	110 230 00000
	0018	0340	HERB5053	1 1	14.00 15.15		49	3,650	110 230 00000
	0018	0350	PHAR5013	1 1 1	11.00 11.50		2	1,150	110 48 00000
	0018	0350	ACUT5071	1	14.00 15.50		13	1,150	110 48 00000
	0018	0350	SEMI5052	1	15.00 15.50		13	1,150	110 48 00000
	0018	0350	SEMI5052	1	15.30 16.20		3	1,150	110 48 00000
	0101	0209	FITN1001	1 1	17.00 17.50		14	825	110 60 00000
9	0101	0209	FITN1001	1 1	17.00 17.50		25	825	110 60 00000
	0102	0000	GUIT4059			1	1		00000
	0102	0000	VOIC2041			1	1		00000
	0102	0110	AURA2003	1 1 1	9.00 9.50		12	911	110 54 00000
	0102	0110	MUSI1002	1 1	9.30 10.45		19	911	110 54 00000
	0102	0111	PIAN1015	1 1	8.00 8.50		11	628	210 12 00000
	0102	0111	PIAN1016	1 1	9.00 9.50		2	628	210 12 00000
	0102	0111	PIAN1015	1 1	10.00 10.50		6	628	210 12 00000
	0102	0111	PIAN1015	1 1	11.00 11.50		10	628	210 12 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 11/10/2016 11:21:15
 PAGE NUM 9

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0102	0111	PIAN1016	1 1	13.00 13.50		2	628	210 12 00000
	0102	0111	PIAN1015	1 1	13.00 13.50		8	628	210 12 00000
	0102	0111	PIAN2015	1 1	14.00 14.50		3	628	210 12 00000
	0102	0113	FUND1001	1 1	9.30 10.45		30	871	110 48 00000
	0102	0113	ENGL2091	1 1	13.00 13.50		10	871	110 48 00000
	0102	0113	STRI3013	1 1	18.00 19.00		2	871	110 48 00000
	0102	0129	AURA1003	1 1 1	9.00 9.50		15	883	110 45 00000
	0102	0129	MUSI2002	1 1	9.30 10.45		10	883	110 45 00000
	0102	0134	HIST4091	1 1 1	8.00 8.50		12	1,569	210 35 00000
	0102	0134	COUN3066	1 1	8.00 8.50		9	1,569	210 35 00000
	0102	0134	MUSI3035	1 1 1	9.00 9.50		6	1,569	210 35 00000
	0102	0134	FUND1001	1 1	9.30 10.45		25	1,569	210 35 00000
	0102	0134	VOIC3011	1 1	13.00 13.50		6	1,569	210 35 00000
	0102	0134	MAT/3022	1 1	14.00 15.15		7	1,569	210 35 00000
	0102	0158	RECI1000	1	11.00 11.50		22	3,085	610 284 00000
	0102	0158	RECI2000	1	11.00 11.50	1	13	3,085	610 284 00000
	0102	0158	RECI3000	1	11.00 11.50	1	6	3,085	610 284 00000
	0102	0158	RECI4000	1	11.00 11.50	1	8	3,085	610 284 00000
	0102	0158	BRAS2012	1	12.00 12.50		5	3,085	610 284 00000
	0102	0209	BRAS3017	1 1	8.00 8.50		4	486	210 15 00000
	0102	0249	ENJO1091	1 1	8.00 9.15		100	1,819	210 70 00000
	0102	0249	ENJO1091	1 1 1	10.00 10.50		100	1,819	210 70 00000
	0102	0249	ENJO1091	1 1	11.00 12.15		100	1,819	210 70 00000
	0102	0253	INTR1094	1 1	14.00 15.15		2	227	210 8 00000
	0103	0137	EXER3013	1	13.00 15.00		25	1,138	520 30 00000
	0103	0137	EXER3013	1	13.00 15.00		23	1,138	520 30 00000
	0103	0203	LEAD3040	1 1 1	8.00 8.50		36	623	110 50 00000
	0103	0203	FIRS2001	1 1	9.30 10.45		48	623	110 50 00000
	0103	0203	FIRS2001	1 1	10.00 10.50		50	623	110 50 00000
	0103	0203	FIRS2001	1 1	12.00 12.50		42	623	110 50 00000
	0103	0203	FIRS2001	1 1	14.00 14.50		48	623	110 50 00000
	0103	0223	KINE4032	1 1 1	8.00 8.50		40	607	110 40 00000
	0103	0223	FIRS2005	1 1	8.00 9.15		35	607	110 40 00000
	0103	0223	EXER3012	1 1 1	9.00 9.50		42	607	110 40 00000
	0103	0223	CARE4011	1 1	9.30 10.45		37	607	110 40 00000
	0103	0223	CONC2021	1 1 1	10.00 10.50		36	607	110 40 00000
	0103	0223	INTR2011	1 1	11.00 12.15		40	607	110 40 00000
	0103	0223	PHY 4008	1 1	14.00 15.15		38	607	110 40 00000
	0103	0223	ACTI3033	1	17.00 19.45		26	607	110 40 00000
	0103	0224	PHYS2030	1	13.00 15.00		30	634	110 45 00000
	0103	0224	PHYS2035	1	13.00 15.00	1	29	634	110 45 00000
	0103	0226	FIRS2005	1 1	8.00 9.15		37	513	110 40 00000
	0103	0226	CONC2021	1 1 1	10.00 10.50		35	513	110 40 00000
	0103	0226	EXER4002	1 1 1	11.00 11.50		23	513	110 40 00000
	0103	0226	MOTO3019	1 1	11.00 12.15		34	513	110 40 00000
	0103	0226	EXER4010	1 1 1	12.00 12.50		28	513	110 40 00000
	0103	0226	ADV 5004	1	17.00 19.45		23	513	110 40 00000
	0103	0226	CARD5038	1	17.00 19.45		19	513	110 40 00000
	0103	0227	INTR3006	1 1	8.00 9.15		9	506	110 42 00000
	0103	0227	PHYS2030	1	13.00 15.00		32	506	110 42 00000
	0103	0227	PHYS2035	1	13.00 15.00	1	30	506	110 42 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 11/10/2016 11:21:15
 PAGE NUM 10

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0104	0124	BEGI2021	1 1	14.00 15.15		33	610 160	00000
	0105	0000	MARC2007	1 1	15.30 17.15	1	154		00000
	0105	0110	FITN1001	1 1	8.00 8.50		18	520 300	00000
	0105	0110	FITN1001	1 1	11.00 11.50		21	520 300	00000
	0105	0120	MODE1025	1 1	9.30 10.45		8	520 50	00000
	0105	0120	BALL1026	1 1	9.30 10.45		20	520 50	00000
	0105	0120	FOLK1029	1 1	11.00 12.15		4	520 50	00000
	0105	0120	JAZZ1014	1 1	11.00 12.15		14	520 50	00000
	0105	0120	DANC4093	1 1	12.30 13.45		7	520 50	00000
	0105	0120	TAP 1012	1 1	13.00 14.15		10	520 50	00000
	0105	0120	MODE2009	1 1	14.30 15.45		3	520 50	00000
	0105	0122	THEO3001	1 1	9.30 10.45		30	520 75	00000
	0105	0122	THEO3001	1 1	9.30 10.45		28	520 75	00000
	0105	0122	THEO3001	1 1	11.00 12.15		27	520 75	00000
	0105	0122	THEO3001	1 1	11.00 12.15		29	520 75	00000
	0105	0122	DANC4093	1 1	12.30 13.45		6	520 75	00000
	0106	0114	ADVA4001	1 1	11.00 13.45		12	210 20	00000
	0106	0114	HAND2003	1 1	17.00 19.45		17	210 20	00000
	0106	0203	DRAW1003	1 1	8.00 10.45		15	210 20	00000
	0106	0203	ADVA4004	1 1	11.00 13.45		19	210 20	00000
	0106	0203	FIGU1004	1 1	17.00 19.45		14	210 20	00000
	0106	0210	BLAC2046	1 1	11.00 13.45		15	210 25	00000
	0106	0213	BEGI2073	1 1	14.00 16.45		15	210 16	00000
	0106	0213	INTE3073	1 1	14.00 16.45	1	4	210 16	00000
	0107	0100	HUMA2040	1 1	8.00 9.15		150	110 190	00000
	0107	0100	PRIN1022	1 1 1	9.00 9.50		89	110 190	00000
	0107	0100	INTR2014	1 1	9.30 10.45		172	110 190	00000
	0107	0100	INTR1001	1 1 1	11.00 11.50		127	110 190	00000
	0107	0100	PATH2028	1 1	11.00 12.15		142	110 190	00000
	0107	0100	CELL2020	1 1	12.30 13.45		119	110 190	00000
	0107	0100	LIVI1001	1 1	12.30 13.45		169	110 190	00000
	0107	0100	DEVE2078	1 1	14.00 15.15		99	110 190	00000
	0107	0100	INTR1001	1 1	15.30 16.45		99	110 190	00000
	0107	0100	FUND1015	1 1	17.00 18.15		113	110 190	00000
	0107	0139	PORT3000			1	16	210 25	00000
	0107	0139	ADV 4005	1 1	8.00 10.45		10	210 25	00000
	0107	0139	GRAP2005	1 1	8.00 10.45		18	210 25	00000
	0107	0139	BASI1001	1 1	14.00 16.45		20	210 25	00000
	0107	0140	ART 4011	1 1	9.30 10.45		16	210 25	00000
	0107	0140	DRAW1003	1 1	11.00 13.45		13	210 25	00000
	0107	0244	PERS4006	1 1	9.30 10.45		54	110 50	00000
	0107	0244	UNIV1001	1 1	10.00 10.50		42	110 50	00000
	0107	0244	SOCI4070	1	11.00 12.15		30	110 50	00000
	0107	0244	UNIV1001	1 1	12.30 13.20		42	110 50	00000
	0107	0244	THE 4019	1 1	15.30 16.45		23	110 50	00000
	0108	0104	PRE-2004	1	8.00 10.50		14	220 15	00000
	0108	0104	APPL2026	1	13.00 16.00		7	220 15	00000
	0108	0115	THEO2022	1 1	11.00 12.15		15	220 35	00000
	0108	0115	APPL2026	1	13.00 16.00		6	220 35	00000
	0108	0115	APPL2026	1	13.00 16.00		7	220 35	00000
	0108	0125	CLIN4021	1111	13.00 16.50		23	220 17	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 11/10/2016 11:21:15
 PAGE NUM 11

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0108	0218	LOCA4033	1	7.00 8.50		23	682	110 35 00000
	0108	0218	PERI4014	1 1	8.30 9.45		23	682	110 35 00000
	0108	0218	CLIN4022	1	9.00 10.50		23	682	110 35 00000
	0108	0218	COMM4019	1	9.00 10.50		23	682	110 35 00000
	0108	0218	MGMT4034	1 1	10.00 11.15		23	682	110 35 00000
	0108	0218	HEAD3023	1	17.00 19.45		30	682	110 35 00000
	0108	0220	THER2045	1 1	13.00 16.00		13	1,262	210 40 00000
	0108	0229	CLIN3020	1 1	9.00 9.50		30	930	220 30 00000
	0108	0229	ORAL3018	1	9.00 9.50		30	930	220 30 00000
	0108	0229	DENT3022	1	9.00 11.50		30	930	220 30 00000
	0108	0229	CLIN3021	1	9.00 11.50		30	930	220 30 00000
	0108	0229	ORAL3019	1	10.00 11.50		30	930	220 30 00000
8	0108	0237	EVAL2005	1 1	10.00 11.50		14	766	225 1 00000
	0108	0239	PRE-2004	1	8.00 10.50		14	552	110 30 00000
	0108	0239	PATH1015	1 1	8.30 9.45		28	552	110 30 00000
	0108	0239	EVAL2005	1 1	10.00 11.50		14	552	110 30 00000
	0108	0239	THEO2022	1 1	11.00 12.15		13	552	110 30 00000
	0108	0239	APPL2026	1	13.00 16.00		8	552	110 30 00000
	0108	0239	THER2045	1 1	13.00 16.00		15	552	110 30 00000
	0109	0315	INTE1050	1 1	12.30 13.45		24	708	210 25 00000
	0109	0315	PHYS2010	1	14.00 16.50		23	708	210 25 00000
	0109	0322	PHYS2009	1	11.00 13.50		19	880	210 25 00000
	0109	0322	PHYS2009	1	11.00 13.50		24	880	210 25 00000
	0109	0322	PHYS2009	1	11.00 13.50		18	880	210 25 00000
	0109	0322	PHYS2009	1	14.00 16.50		24	880	210 25 00000
	0109	0322	PHYS2009	1	14.00 16.50		23	880	210 25 00000
	0109	0322	PHYS2009	1	14.00 16.50		24	880	210 25 00000
	0109	0322	PHYS2009	1	17.00 19.50		23	880	210 25 00000
	0109	0326	THE 1015	1 1	9.30 10.45		14	729	110 30 00000
	0109	0326	THE 4077	1 1	11.00 12.15		24	729	110 30 00000
	0109	0326	RESE5005	1 1	12.30 13.20		11	729	110 30 00000
	0109	0326	INTE1050	1 1	12.30 13.45		24	729	110 30 00000
	0109	0328	SYNO4003	1 1	12.30 13.45		5	758	240 15 00000
	0109	0328	COMP3000	1 1	15.30 16.45		5	758	240 15 00000
	0109	0333	IMAG4080	1	14.00 16.45		4	813	140 30 00000
	0109	0333	REMO4050	1	14.30 17.15		16	813	140 30 00000
	0109	0337	REGI1002	1 1 1	8.00 8.50		81	943	110 105 00000
	0109	0337	REGI1001	1 1	8.00 9.15		89	943	110 105 00000
	0109	0337	GENE2004	1 1 1	9.00 9.50		27	943	110 105 00000
	0109	0337	WORL1011	1 1 1	11.00 11.50		97	943	110 105 00000
	0109	0337	FUND1014	1 1	11.00 12.15		99	943	110 105 00000
	0109	0337	PHYS1001	1 1	12.30 13.45		86	943	110 105 00000
	0109	0337	HUMA2026	1 1	12.30 13.45		67	943	110 105 00000
	0109	0337	GENE2003	1 1	14.00 15.15		96	943	110 105 00000
	0109	0337	UNIV2007	1 1	15.30 16.45		31	943	110 105 00000
	0109	0337	FUND1014	1 1	17.30 18.45		68	943	110 105 00000
	0109	0346	ATMO3003	1 1 1	10.00 10.50		5	740	650 15 00000
	0109	0346	DYNA3006	1 1	11.00 12.15		5	740	650 15 00000
	0109	0346	WEAT2000	1 1	14.30 15.20		17	740	650 15 00000
	0110	0102	PRIN1023	1	12.00 13.50		23	918	210 28 00000
	0110	0102	PRIN1023	1	14.00 15.50		25	918	210 28 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 11/10/2016 11:21:15
 PAGE NUM 12

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0110	0102	PRIN1023	1	16.00 17.50		23	918	210 28 00000
	0110	0110	FUND1016	1	12.00 13.50		24	920	210 30 00000
	0110	0110	FUND1017	1	14.00 15.50		24	920	210 30 00000
	0110	0110	HUMA2041	1	14.00 16.50		24	920	210 30 00000
	0110	0110	FUND1016	1	14.30 16.30		25	920	210 30 00000
	0110	0110	FUND1016	1	17.00 19.00		23	920	210 30 00000
	0110	0110	FUND1017	1	18.00 19.50		19	920	210 30 00000
	0110	0116	HUMA2041	1	9.30 12.20		27	952	210 32 00000
	0110	0116	FUND1016	1	10.00 11.50		25	952	210 32 00000
	0110	0116	FUND1016	1	12.00 13.50		26	952	210 32 00000
	0110	0116	FUND1017	1	14.00 15.50		28	952	210 32 00000
	0110	0116	HUMA2041	1	14.00 16.50		28	952	210 32 00000
	0110	0116	FUND1016	1	14.30 16.30		28	952	210 32 00000
	0110	0116	FUND1016	1	17.00 19.00		28	952	210 32 00000
	0110	0116	FUND1017	1	18.00 19.50		19	952	210 32 00000
	0110	0127	HUMA2041	1	9.30 12.20		24	869	210 32 00000
	0110	0127	FUND1016	1	10.00 11.50		27	869	210 32 00000
	0110	0127	FUND1016	1	12.00 13.50		28	869	210 32 00000
	0110	0127	FUND1017	1	14.00 15.50		27	869	210 32 00000
	0110	0127	HUMA2041	1	14.00 16.50		28	869	210 32 00000
	0110	0127	FUND1016	1	14.30 16.30		28	869	210 32 00000
	0110	0127	FUND1016	1	17.00 19.00		29	869	210 32 00000
	0110	0127	FUND1017	1	18.00 19.50		19	869	210 32 00000
	0110	0133	RESE5006	1	13.30 15.20		11	1,529	240 18 00000
	0110	0206	GAME4088	1 1	8.00 9.15		15	665	210 16 00000
	0110	0220	SENI4099	1	9.00 9.50		25	920	110 55 00000
	0110	0220	ORGA2031	1	14.00 14.50		19	920	110 55 00000
	0110	0220	GENE1010	1	14.00 14.50		24	920	110 55 00000
	0112	10101	WORL1011	1 1	9.30 10.45		100	1,849	110 123 00000
89	0112	10101	WORL1011	1 1	9.30 10.45		100	1,849	110 123 00000
	0112	10101	SURV2001	1 1 1	10.00 10.50		43	1,849	110 123 00000
9	0112	10101	SURV2001	1 1 1	10.00 10.50		43	1,849	110 123 00000
	0112	10101	UNIT2002	1 1 1	11.00 11.50		85	1,849	110 123 00000
9	0112	10101	UNIT2002	1 1 1	11.00 11.50		85	1,849	110 123 00000
	0112	10101	LOUI3005	1 1	11.00 12.15		81	1,849	110 123 00000
9	0112	10101	LOUI3005	1 1	11.00 12.15		81	1,849	110 123 00000
	0112	10101	WORL1012	1 1	12.30 13.45		98	1,849	110 123 00000
89	0112	10101	WORL1012	1 1	12.30 13.45		98	1,849	110 123 00000
	0112	10101	FUND1014	1 1	14.00 15.15		91	1,849	110 123 00000
9	0112	10101	FUND1014	1 1	14.00 15.15		91	1,849	110 123 00000
	0112	10101	HUMA1010	1 1	15.30 16.45		84	1,849	110 123 00000
9	0112	10101	HUMA1010	1 1	15.30 16.45		84	1,849	110 123 00000
	0112	10102	INTE1018	1 1	8.00 9.15		110	2,568	110 171 00000
9	0112	10102	INTE1018	1 1	8.00 9.15		110	2,568	110 171 00000
	0112	10102	UNIT2001	1 1 1	9.00 9.50		102	2,568	110 171 00000
9	0112	10102	UNIT2001	1 1 1	9.00 9.50		102	2,568	110 171 00000
	0112	10102	PRIN1020	1 1	9.30 10.45		120	2,568	110 171 00000
9	0112	10102	PRIN1020	1 1	9.30 10.45		120	2,568	110 171 00000
	0112	10102	GENE2003	1 1 1	10.00 10.50		61	2,568	110 171 00000
9	0112	10102	GENE2003	1 1 1	10.00 10.50		61	2,568	110 171 00000
	0112	10102	LIVI1001	1 1 1	11.00 11.50		102	2,568	110 171 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 11/10/2016 11:21:15
 PAGE NUM 13

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0112 10102	LIVI1001	1 1 1	11.00 11.50		102	2,568	110 171	00000
	0112 10102	ART 1009	1 1	11.00 12.15		118	2,568	110 171	00000
9	0112 10102	ART 1009	1 1	11.00 12.15		118	2,568	110 171	00000
	0112 10102	ART 1009	1 1	12.30 13.45		118	2,568	110 171	00000
9	0112 10102	ART 1009	1 1	12.30 13.45		118	2,568	110 171	00000
	0112 10102	FUND1014	1 1	12.30 13.45		109	2,568	110 171	00000
9	0112 10102	FUND1014	1 1	12.30 13.45		109	2,568	110 171	00000
	0112 10102	UNIT2001	1 1	14.00 15.15		99	2,568	110 171	00000
9	0112 10102	UNIT2001	1 1	14.00 15.15		99	2,568	110 171	00000
	0112 10102	INTE1018	1 1	16.00 17.15		111	2,568	110 171	00000
9	0112 10102	INTE1018	1 1	16.00 17.15		111	2,568	110 171	00000
	0112 10109	MATH1000	1 1	9.00 9.50		19	600	110 25	00000
	0112 10109	HONO1010	1 1	9.30 10.45		14	600	110 25	00000
	0112 10109	MATH1000	1 1	10.00 10.50		22	600	110 25	00000
	0112 10109	MATH1000	1 1	11.00 11.50		19	600	110 25	00000
	0112 10109	MATH1000	1 1	11.00 11.50		18	600	110 25	00000
	0112 10109	MATH1000	1 1	12.00 12.50		23	600	110 25	00000
	0112 10109	MAKE5031	1 1	12.30 13.45		3	600	110 25	00000
	0112 10109	MATH1000	1 1	14.00 14.50		22	600	110 25	00000
	0112 10109	STAT5020	1 1	14.00 15.15		18	600	110 25	00000
	0112 10109	PROS5000	1	17.30 20.15		3	600	110 25	00000
	0112 10111	ELEM1016	1 1	8.00 9.15		49	1,668	110 47	00000
	0112 10111	ELEM1013	1 1 1	9.00 9.50		28	1,668	110 47	00000
	0112 10111	ELEM1016	1 1	9.30 10.45		50	1,668	110 47	00000
	0112 10111	ENGL3030	1 1 1	10.00 10.50		26	1,668	110 47	00000
	0112 10111	COLL1011	1 1	11.00 12.15		40	1,668	110 47	00000
	0112 10111	ELEM1016	1 1	11.00 12.15		50	1,668	110 47	00000
	0112 10111	ELEM1016	1 1	12.30 13.45		49	1,668	110 47	00000
	0112 10111	ELEM1016	1 1	12.30 13.45		50	1,668	110 47	00000
	0112 10111	ELEM1016	1 1	14.00 15.15		50	1,668	110 47	00000
	0112 10111	ELEM1016	1 1	14.00 15.15		50	1,668	110 47	00000
	0112 10111	ELEM1016	1 1	15.30 16.45		48	1,668	110 47	00000
	0112 10111	ELEM1016	1 1	15.30 16.45		48	1,668	110 47	00000
	0112 10116	HONO1010	1 1 1	9.00 9.50		17	639	110 24	00000
9	0112 10116	HONO1010	1 1 1	9.00 9.50		17	639	110 24	00000
	0112 10116	CONT4029	1 1	9.30 10.45		11	639	110 24	00000
9	0112 10116	CONT4029	1 1	9.30 10.45		11	639	110 24	00000
	0112 10116	CALC1032	11 11	11.00 11.50		9	639	110 24	00000
9	0112 10116	CALC1032	11 11	11.00 11.50		9	639	110 24	00000
	0112 10116	FOUN2040	1 1 1	12.00 12.50		19	639	110 24	00000
89	0112 10116	FOUN2040	1 1 1	12.00 12.50		19	639	110 24	00000
	0112 10116	MATH4003	1 1	14.00 15.15		10	639	110 24	00000
9	0112 10116	MATH4003	1 1	14.00 15.15		10	639	110 24	00000
	0112 10118	VIDE2052	1	10.00 10.50		12	746	140 18	00000
	0112 10118	VIDE2052	1	10.00 10.50		6	746	140 18	00000
	0112 10129	MEDI2002	1 1	8.00 9.15		25	186	140 20	00000
	0112 10129	NEWS3000	1	10.00 11.50		10	186	140 20	00000
	0112 10129	WEB 2040	1	11.00 11.50		4	186	140 20	00000
9	0112 10129	WEB 2040	1	11.00 11.50		17	186	140 20	00000
	0112 10129	PR W3061	1 1	12.30 13.45		21	186	140 20	00000
	0112 10129	INTR1095	1 1	14.00 15.15		10	186	140 20	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 11/10/2016 11:21:15
 PAGE NUM 14

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0112	10142	ELEM1016	1 1 1	8.00 8.50		47	1,689	110 90 00000
9	0112	10142	ELEM1016	1 1 1	8.00 8.50		47	1,689	110 90 00000
	0112	10142	ELEM1016	1 1 1	9.00 9.50		49	1,689	110 90 00000
9	0112	10142	ELEM1016	1 1 1	9.00 9.50		49	1,689	110 90 00000
	0112	10142	APPL1009	1 1	9.30 10.45		47	1,689	110 90 00000
9	0112	10142	APPL1009	1 1	9.30 10.45		47	1,689	110 90 00000
	0112	10142	INTR1001	1 1 1	10.00 10.50		29	1,689	110 90 00000
9	0112	10142	INTR1001	1 1 1	10.00 10.50		29	1,689	110 90 00000
	0112	10142	PRIN3002	1 1 1	11.00 11.50		21	1,689	110 90 00000
9	0112	10142	PRIN3002	1 1 1	11.00 11.50		21	1,689	110 90 00000
	0112	10142	UNIV1001	1 1	11.00 11.50		67	1,689	110 90 00000
9	0112	10142	UNIV1001	1 1	11.00 11.50		67	1,689	110 90 00000
	0112	10142	EXPL2001	1	12.30 13.45		21	1,689	110 90 00000
9	0112	10142	EXPL2001	1	12.30 13.45		21	1,689	110 90 00000
	0112	10142	WORL2003	1 1	12.30 13.45		38	1,689	110 90 00000
9	0112	10142	WORL2003	1 1	12.30 13.45		38	1,689	110 90 00000
	0112	20048	PUBL2001	1 1 1	8.00 8.50		31	1,326	110 60 00000
	0112	20048	AMER2006	1 1	8.00 9.15		47	1,326	110 60 00000
	0112	20048	COMP1001	1 1 1	9.00 9.50		27	1,326	110 60 00000
	0112	20048	AMER2005	1 1	9.30 10.45		47	1,326	110 60 00000
	0112	20048	ELEM1013	1 1 1	10.00 10.50		40	1,326	110 60 00000
	0112	20048	COLL1011	1 1 1	11.00 11.50		29	1,326	110 60 00000
	0112	20048	WRIT2010	1 1	11.00 12.15		17	1,326	110 60 00000
9	0112	20048	WRIT2010	1 1	11.00 12.15		18	1,326	110 60 00000
	0112	20048	WORL2003	1 1	12.30 13.45		45	1,326	110 60 00000
	0112	20048	AMER2005	1 1	12.30 13.45		47	1,326	110 60 00000
	0112	20048	AMER2006	1 1	14.00 15.15		38	1,326	110 60 00000
	0112	20048	COMP1001	1 1	14.00 15.15		26	1,326	110 60 00000
	0112	20048	COMP1001	1 1	15.30 16.45		27	1,326	110 60 00000
	0112	20049	COMP1001	1 1 1	8.00 8.50		27	1,159	110 33 00000
	0112	20049	AMER2005	1 1	8.00 9.15		47	1,159	110 33 00000
	0112	20049	PUBL2001	1 1 1	9.00 9.50		31	1,159	110 33 00000
	0112	20049	ED F2001	1 1	9.30 10.45		32	1,159	110 33 00000
	0112	20049	AMER2006	1 1 1	10.00 10.50		43	1,159	110 33 00000
	0112	20049	AMER2005	1 1 1	11.00 11.50		45	1,159	110 33 00000
	0112	20049	ED F2001	1 1	11.00 12.15		33	1,159	110 33 00000
	0112	20049	WORL2004	1 1	12.30 13.45		46	1,159	110 33 00000
	0112	20049	SMAL2060	1 1	12.30 13.45		30	1,159	110 33 00000
	0112	20049	PUBL2061	1 1	14.00 15.15		25	1,159	110 33 00000
	0112	20049	COMP1001	1 1	14.00 15.15		28	1,159	110 33 00000
	0112	20049	COMP1001	1 1	15.30 16.45		27	1,159	110 33 00000
	0112	20049	PUBL2001	1	17.30 20.15		30	1,159	110 33 00000
	0112	20051	PUBL2001	1 1	8.00 9.15		33	1,159	110 33 00000
	0112	20051	TRIG1012	1 1 1	9.00 9.50		38	1,159	110 33 00000
	0112	20051	VISU2020	1 1	9.30 10.45		29	1,159	110 33 00000
	0112	20051	TRIG1012	1 1 1	10.00 10.50		36	1,159	110 33 00000
	0112	20051	ELEM1013	1 1 1	11.00 11.50		40	1,159	110 33 00000
	0112	20051	AMER2005	1 1	11.00 12.15		43	1,159	110 33 00000
	0112	20051	AMER2006	1 1	12.30 13.45		44	1,159	110 33 00000
	0112	20051	COMM4050	1 1	14.00 15.15		36	1,159	110 33 00000
	0112	20051	INTE4004	1 1	14.00 15.15		33	1,159	110 33 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2016
 RUN DATE 11/10/2016 11:21:15
 PAGE NUM 15

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0112	20051	HONO1010	1	18.00 20.45		23	1,159	110 33 00000
	0112	20052	ELEM3042	11111	8.00 8.50		15	1,159	110 57 00000
	0112	20052	ELEM4041	11111	9.00 9.50		15	1,159	110 57 00000
	0112	20052	LOWE4042	11111	10.00 10.50		15	1,159	110 57 00000
	0112	20052	UPPE4043	11111	11.00 11.50		15	1,159	110 57 00000
	0112	20052	EDUC3001	1 1	12.30 13.45		50	1,159	110 57 00000
	0112	20052	ADV 1006	1 1	15.30 16.45		26	1,159	110 57 00000
	0112	20084	CLAS3077	1	8.20 12.15		17	462	110 24 00000
	0112	20084	SURV2002	1	8.20 12.15		16	462	110 24 00000
	0112	20084	BALA3040	1 1	8.30 12.15		16	462	110 24 00000
	0112	20091	CREA3015	1 1	9.30 10.45		13	701	110 28 00000
	0112	20091	POLI5020	1 1	12.30 13.45		4	701	110 28 00000
	0112	20091	ADVA4091	1	17.30 20.15		13	701	110 28 00000
	0112	20094	APP 2085	1 1	8.00 9.15		24	825	110 26 00000
	0112	20094	COMP1001	1 1 1	9.00 9.50		24	825	110 26 00000
	0112	20094	APP 2085	1 1	9.30 10.45		21	825	110 26 00000
	0112	20094	COMP1001	1 1 1	10.00 10.50		23	825	110 26 00000
	0112	20094	APP 2085	1 1	11.00 12.15		23	825	110 26 00000
	0112	20094	COMP1001	1 1	12.30 13.45		24	825	110 26 00000
	0112	20094	COMP1001	1 1	14.00 15.15		23	825	110 26 00000
	0112	20094	COMP1001	1 1	15.30 16.45		22	825	110 26 00000
	0112	20094	COMP1001	1 1	15.30 16.45		24	825	110 26 00000
	0112	20097	APPL2010	1 1	9.00 9.50		2	559	110 18 00000
	0112	20097	INTR1010	1	10.00 10.50		8	559	110 18 00000
	0112	20097	APPL2010	1 1	10.00 10.50		3	559	110 18 00000
	0112	20097	LEAD3010	1 1	13.00 14.20		3	559	110 18 00000
	0112	20097	ADVA3011	1	15.00 17.20		3	559	110 18 00000
	0112	20097	BASI1011	1	15.00 17.20	1	9	559	110 18 00000
	0112	20097	BASI2011	1	15.00 17.20	1	5	559	110 18 00000
8	0112	20105	AMER2001	1 1	8.00 9.15		111	2,403	210 41 00000
8	0112	20105	INTE1018	1 1 1	9.00 9.50		110	2,403	210 41 00000
8	0112	20105	INTR2014	1 1	9.30 10.45		82	2,403	210 41 00000
8	0112	20105	PRIN1020	1 1 1	11.00 11.50		111	2,403	210 41 00000
8	0112	20105	BIOC3050	1 1	11.00 12.15		114	2,403	210 41 00000
8	0112	20105	UNIT2001	1 1	12.30 13.45		116	2,403	210 41 00000
8	0112	20105	INTR1001	1 1	12.30 13.45		88	2,403	210 41 00000
8	0112	20105	EART1001	1 1	14.00 15.15		113	2,403	210 41 00000
	0112	20109	COMP1001	1 1 1	8.00 8.50		26	1,002	110 53 00000
	0112	20109	COLL1011	1 1	8.00 9.15		39	1,002	110 53 00000
	0112	20109	COLL1011	1 1	9.30 10.45		37	1,002	110 53 00000
	0112	20109	PUBL2001	1 1 1	10.00 10.50		33	1,002	110 53 00000
	0112	20109	ELEM1001	1 1 1	11.00 11.50		32	1,002	110 53 00000
	0112	20109	COLL1011	1 1	11.00 12.15		38	1,002	110 53 00000
	0112	20109	ADV 1004	1 1	12.30 13.45		22	1,002	110 53 00000
	0112	20109	NEW 4040	1 1	14.00 15.15		20	1,002	110 53 00000
	0112	20109	COLL1011	1 1	14.00 15.15		34	1,002	110 53 00000
	0112	30045	ELEM1005	1 1 1	8.00 8.50		32	1,339	110 39 00000
	0112	30045	ELEM1001	1 1 1	9.00 9.50		32	1,339	110 39 00000
	0112	30045	NUME2050	1 1	9.30 10.45		22	1,339	110 39 00000
	0112	30045	ELEM1002	1 1 1	10.00 10.50		33	1,339	110 39 00000
	0112	30045	REAL3080	1 1 1	11.00 11.50		5	1,339	110 39 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 11/10/2016 11:21:15
 PAGE NUM 16

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0112	30045	NUME2050	1 1	11.00 12.15		17	1,339	110 39 00000
	0112	30045	COLL1011	1 1	12.30 13.45		35	1,339	110 39 00000
	0112	30045	CONT1018	1 1	12.30 13.45		32	1,339	110 39 00000
	0112	30045	GEOM3050	1 1	14.00 15.15		16	1,339	110 39 00000
	0112	30045	MATH2055	1 1	14.00 15.15		24	1,339	110 39 00000
	0112	30045	COLL1011	1 1	15.30 16.45		28	1,339	110 39 00000
	0112	30045	COLL1011	1 1	17.00 18.15		23	1,339	110 39 00000
	0112	30051	COMP1002	1 1	8.00 9.15		25	1,548	110 36 00000
	0112	30051	COMP1002	1 1	9.30 10.45		25	1,548	110 36 00000
	0112	30051	COMP1002	1 1 1	10.00 10.50		26	1,548	110 36 00000
	0112	30051	COMP1002	1 1 1	11.00 11.50		23	1,548	110 36 00000
	0112	30051	COMP1002	1 1	11.00 12.15		25	1,548	110 36 00000
	0112	30051	COMP1002	1 1	12.30 13.45		25	1,548	110 36 00000
	0112	30051	COMP1002	1 1	14.00 15.15		24	1,548	110 36 00000
	0112	30051	COMP1002	1 1	14.00 15.15		23	1,548	110 36 00000
	0112	30051	COMP1002	1 1	15.30 16.45		16	1,548	110 36 00000
	0112	30053	COMP1001	1 1	8.00 9.15		28	1,136	110 55 00000
	0112	30053	WORL2004	1 1	9.30 10.45		48	1,136	110 55 00000
	0112	30053	BRIT2001	1 1 1	10.00 10.50		45	1,136	110 55 00000
	0112	30053	LITE4025	1 1	11.00 12.15		24	1,136	110 55 00000
	0112	30053	WORL2003	1 1	11.00 12.15		46	1,136	110 55 00000
	0112	30053	AMER2005	1 1	12.30 13.45		46	1,136	110 55 00000
	0112	30053	JUNI3051	1 1	12.30 13.45		27	1,136	110 55 00000
	0112	30053	HONO1010	1 1	14.00 15.15		20	1,136	110 55 00000
	0112	30053	VISU4071	1 1	15.30 16.45		23	1,136	110 55 00000
	0112	30062	COMP1001	1 1 1	8.00 8.50		25	768	110 25 00000
	0112	30062	PROF3024	1 1 1	9.00 9.50		24	768	110 25 00000
	0112	30062	PROF3024	1 1	9.30 10.45		25	768	110 25 00000
	0112	30062	PROF3024	1 1 1	10.00 10.50		24	768	110 25 00000
	0112	30062	HONO1010	1 1	12.30 13.45		24	768	110 25 00000
	0112	30063	ELEM1002	1 1 1	8.00 8.50		32	785	110 52 00000
	0112	30063	PHON3011	1 1 1	9.00 9.50		30	785	110 52 00000
	0112	30063	TRIG1012	1 1	9.30 10.45		39	785	110 52 00000
	0112	30063	INTE2005	1 1 1	11.00 11.50		17	785	110 52 00000
	0112	30063	LITE4027	1 1	12.30 13.45		24	785	110 52 00000
	0112	30063	COLL1011	1 1	12.30 13.45		32	785	110 52 00000
	0112	30063	COLL1011	1 1	14.00 15.15		33	785	110 52 00000
	0112	30063	EXPO4081	1 1	14.00 15.15		26	785	110 52 00000
	0112	30063	COMP1001	1 1	15.30 16.45		27	785	110 52 00000
	0112	30063	AMER5027	1 1	15.30 16.45		6	785	110 52 00000
	0112	30063	SHAK4038	1	17.30 20.15		27	785	110 52 00000
	0112	30063	ENGL5007	1	17.30 20.15		10	785	110 52 00000
	0112	30084	CULT3013	1 1 1	8.00 8.50		28	722	110 36 00000
	0112	30084	INTE2005	1 1 1	9.00 9.50		10	722	110 36 00000
	0112	30084	APPL2002	1 1 1	10.00 10.50		27	722	110 36 00000
	0112	30084	GRAM2031	1 1	11.00 12.15		16	722	110 36 00000
	0112	30084	SURV3002	1 1	12.30 13.45		15	722	110 36 00000
	0112	30084	DIFF3001	1 1	12.30 13.45		11	722	110 36 00000
	0112	30084	MULT4026	1 1	14.00 15.15		24	722	110 36 00000
	0112	30084	ROMA4075	1 1	14.00 15.15		16	722	110 36 00000
	0112	30084	SPEC5022	1 1	15.30 16.45		8	722	110 36 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 11/10/2016 11:21:15
 PAGE NUM 17

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0112	30084		POET5030	1	17.30 20.15	6	722	110 36 00000
	0112	30090		MIDD3004	1	7.30 10.50	17	621	110 38 00000
	0112	30090		BEHA3010	1	8.20 12.15	14	621	110 38 00000
	0112	30090		BALA3041	1 1	8.20 12.15	13	621	110 38 00000
	0112	30091		COLL1011	1 1 1	9.00 9.50	35	1,512	110 78 00000
	0112	30091		APPL1009	1 1	9.30 10.45	43	1,512	110 78 00000
	0112	30091		COLL1011	1 1 1	10.00 10.50	38	1,512	110 78 00000
	0112	30091		ELEM1013	1 1 1	11.00 11.50	34	1,512	110 78 00000
	0112	30091		UNIV1001	1 1	11.00 11.50	32	1,512	110 78 00000
	0112	30091		APPL1009	1 1	12.30 13.45	39	1,512	110 78 00000
	0112	30094		ELEM1001	1 1 1	9.00 9.50	33	758	110 31 00000
	0112	30094		ELEM1001	1 1	9.30 10.45	31	758	110 31 00000
	0112	30094		ELEM1001	1 1 1	10.00 10.50	31	758	110 31 00000
	0112	30094		ELEM1001	1 1 1	11.00 11.50	30	758	110 31 00000
	0112	30094		ELEM1001	1 1	11.00 12.15	31	758	110 31 00000
	0112	30094		ELEM1002	1 1	12.30 13.45	33	758	110 31 00000
	0112	30094		SURV3008	1 1	15.30 16.45	20	758	110 31 00000
	0112	30095		ELEM1013	1 1 1	9.00 9.50	33	1,443	110 94 00000
	0112	30095		CALC1031	11 11	10.00 10.50	38	1,443	110 94 00000
	0112	30095		CALC1031	11 11	11.00 11.50	40	1,443	110 94 00000
	0112	30095		TRIG1012	1 1	12.30 13.45	36	1,443	110 94 00000
	0112	30095		COMP1000	1	12.30 13.45	19	1,443	110 94 00000
	0112	30096		CALC1031	11 11	8.00 8.50	41	1,233	110 62 00000
	0112	30096		ADV 1003	1 1 1	9.00 9.50	24	1,233	110 62 00000
	0112	30096		ELEM1001	1 1 1	10.00 10.50	32	1,233	110 62 00000
	0112	30096		CONT1018	1 1	11.00 12.15	32	1,233	110 62 00000
	0112	30096		CONT1018	1 1	12.30 13.45	24	1,233	110 62 00000
	0112	30096		APPL1009	1 1	12.30 13.45	35	1,233	110 62 00000
	0112	30096		WORL2003	1 1	14.00 15.15	41	1,233	110 62 00000
	0112	30096		APPL1009	1 1	14.00 15.15	41	1,233	110 62 00000
	0117	0101		MENT3010	1	8.00 10.00	13	1,793	110 125 00000
9	0117	0101		MENT3010	1	8.00 10.00	14	1,793	110 125 00000
9	0117	0101		MENT3010	1	8.00 10.00	15	1,793	110 125 00000
9	0117	0101		MENT3010	1	8.00 10.00	15	1,793	110 125 00000
	0117	0101		HEAL2002	1 1	9.30 10.45	22	1,793	110 125 00000
	0117	0101		NURS3011	1	10.15 11.15	68	1,793	110 125 00000
	0117	0101		INTR1001	1 1	11.00 12.15	75	1,793	110 125 00000
	0117	0101		BUSI1001	1 1	12.30 13.45	73	1,793	110 125 00000
	0117	0101		HEAL2001	1	13.00 13.50	45	1,793	110 125 00000
	0117	0101		CLIN4035	1 1	15.45 17.00	20	1,793	110 125 00000
	0117	0153		SOCI3002	1 1	8.00 9.15	25	1,216	110 50 00000
	0117	0153		PRAC5076	1 1	8.00 9.15	4	1,216	110 50 00000
9	0117	0153		PRAC5076	1 1	8.00 9.15	12	1,216	110 50 00000
9	0117	0153		PRAC5076	1 1	8.00 9.15	12	1,216	110 50 00000
	0117	0153		HEAL3001	1 1	9.30 10.45	31	1,216	110 50 00000
	0117	0153		HEAL4002	1 1	11.00 12.15	38	1,216	110 50 00000
	0117	0153		PRIN4005	1 1	11.00 12.15	26	1,216	110 50 00000
	0117	0153		NUTR2007	1 1	13.00 14.15	36	1,216	110 50 00000
	0117	0205		SEMI5028	1	7.30 9.50	27	1,628	110 60 00000
	0117	0205		RES 5005	1	7.30 9.50	27	1,628	110 60 00000
	0117	0205		SPCH1052	1 1	8.00 9.15	54	1,628	110 60 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 11/10/2016 11:21:15
 PAGE NUM 18

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0117	0205	INTR1013	1 1	9.30 10.45		51	1,628	110 60 00000
	0117	0205	SEMI5061	1	10.00 12.45		23	1,628	110 60 00000
	0117	0205	SEMI5042	1	10.00 12.45		22	1,628	110 60 00000
	0117	0205	MULT4004	1 1	11.00 12.15		20	1,628	110 60 00000
	0117	0205	NEUR4090	1	13.00 15.44		21	1,628	110 60 00000
	0117	0205	DIAG4005	1	13.00 17.00		21	1,628	110 60 00000
	0117	0205	SEMI5020	1	17.00 19.45		26	1,628	110 60 00000
	0117	0254	IMMU3022	1 1	8.00 9.15		19	1,229	110 40 00000
	0117	0254	CLIN4043	1	8.00 12.00		4	1,229	110 40 00000
	0117	0254	HEMA3020	1 1	8.30 10.00		19	1,229	110 40 00000
	0117	0254	CLIN3024	1 1	9.30 10.45		19	1,229	110 40 00000
4	0117	0254	HEMA3021	1 1	10.15 10.40		19	1,229	110 40 00000
	0117	0254	MLSC3040	1 1	11.00 12.15		19	1,229	110 40 00000
	0117	0254	URIN3010	1	13.30 14.20		19	1,229	110 40 00000
	0117	0259	INDU4041	1 1	9.30 10.45		34	1,360	110 64 00000
	0117	0259	TOXI1001	1 1 1	10.00 10.50		18	1,360	110 64 00000
	0117	0259	GENE4012	1 1	12.30 13.45		38	1,360	110 64 00000
	0117	0259	CLIN4024	1 1	15.00 15.50		38	1,360	110 64 00000
	0117	0260	GENE4014	1		1	19	2,349	250 10 00000
8	0117	0260	GENE4014	1	14.00 16.50		17	2,349	250 10 00000
	0117	0357	MED 2001	1	14.00 17.00		20	1,030	210 25 00000
	0117	0359	HEMA4023	11111		1	4	1,271	210 25 00000
	0117	0359	MED 2001	1	14.00 17.00		15	1,271	210 25 00000
	0118	0135	STAT4039	1 1	9.30 10.45		33	709	110 46 00000
	0118	0135	HUMA5022	1	13.00 15.45		11	709	110 46 00000
	0118	0135	INTR6010	1	13.00 15.45		16	709	110 46 00000
	0118	0135	APPL7047	1 1	13.00 15.45		3	709	110 46 00000
	0118	0135	INTE6070	1	17.00 19.45		6	709	110 46 00000
	0118	0135	INTE6070	1	17.00 19.45		5	709	110 46 00000
	0118	0148	CONS4013	1 1	11.00 12.15		30	2,160	110 85 00000
	0118	0207	UNIV1001	1 1	13.00 13.50		11	600	110 34 00000
	0118	0259	INTR3039	1 1 1	9.00 9.50		36	905	110 60 00000
	0118	0259	ADVA6066	1	9.00 11.45		11	905	110 60 00000
	0118	0259	RESE5081	1	9.00 11.45		16	905	110 60 00000
	0118	0259	PHYS3003	1 1 1	10.00 10.50		25	905	110 60 00000
	0118	0259	ADVA4011	1 1 1	11.00 11.50		23	905	110 60 00000
	0118	0259	COMP3019	1 1	12.00 13.45		35	905	110 60 00000
	0118	0259	ADV 6020	1	13.00 15.45		11	905	110 60 00000
	0118	0259	INTE5009	1 1	14.00 15.45		16	905	110 60 00000
	0118	0259	INTE4033	1	14.00 16.45		15	905	110 60 00000
	0118	0270	INTR2001	1 1 1	9.00 9.50		101	1,751	110 113 00000
	0118	0270	INTR2001	1 1	9.30 10.45		105	1,751	110 113 00000
	0118	0270	SENS3016	1 1 1	10.00 10.50		42	1,751	110 113 00000
	0118	0270	ADOL2005	1 1 1	11.00 11.50		45	1,751	110 113 00000
	0118	0270	ABNO4001	1 1	11.00 12.15		100	1,751	110 113 00000
	0118	0270	DEVE2078	1 1 1	12.00 12.50		100	1,751	110 113 00000
	0118	0270	INTR2001	1 1	12.30 13.45		110	1,751	110 113 00000
	0118	0270	INTR2001	1 1	13.00 14.15		110	1,751	110 113 00000
	0118	0270	INTR2001	1 1	14.00 15.15		112	1,751	110 113 00000
	0118	0270	INTR2001	1 1	14.30 15.45		109	1,751	110 113 00000
	0118	0284	INTE6070	1	13.00 15.45		3	215	880 6 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 11/10/2016 11:21:15
 PAGE NUM 19

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0118	0305	METH5010	1	9.00 12.00		10	597	110 36 00000
	0118	0305	HUMA2005	1 1	9.30 10.45		26	597	110 36 00000
	0118	0305	INTR1001	1 1	11.00 12.15		33	597	110 36 00000
	0118	0305	PRAC3015	1 1	12.30 13.45		21	597	110 36 00000
	0118	0305	FAM 7000	1	13.00 15.45		7	597	110 36 00000
	0118	0305	PRAC5065	1	17.00 19.45		6	597	110 36 00000
	0118	0305	PRAC5065	1	17.00 19.45		5	597	110 36 00000
	0118	0333	ADV 7020	1	9.00 11.45		5	309	350 8 00000
8	0118	0333	PSYC5018	1 1	16.00 17.45		15	309	350 8 00000
	0118	0366	DEVE2078	1 1 1	8.00 8.50		32	746	110 57 00000
	0118	0366	METH5005	1	9.00 11.45		16	746	110 57 00000
	0118	0366	SOCI1002	1 1	9.30 10.45		17	746	110 57 00000
	0118	0366	PSYC4000	1 1	11.00 12.15		26	746	110 57 00000
	0118	0366	UNIV1001	1 1	12.30 13.20		20	746	110 57 00000
	0118	0366	HIST4007	1 1	13.00 14.15		27	746	110 57 00000
4	0119	0100	MARC2008	11111	8.00 19.50		147	6,241	220 261 00000
	0119	0100	ELEM2073	1 1	9.30 10.45	1	11	6,241	220 261 00000
	0119	0100	WIND4026	1 1 1	10.00 10.50		34	6,241	220 261 00000
	0119	0100	PERC2013	1 1 1	11.00 11.50		9	6,241	220 261 00000
	0119	0100	JAZZ2014	1 1	14.00 15.15		16	6,241	220 261 00000
	0123	0100	UNIV1001	1 1	9.30 10.20		45	3,996	110 96 00000
	0123	0100	CONS1040	1 1	10.30 11.20		27	3,996	110 96 00000
	0123	0100	APPL1009	1 1	11.00 12.15		72	3,996	110 96 00000
	0123	0100	MATE1020	1 1	11.30 12.20		53	3,996	110 96 00000
	0123	0100	ABNO4001	1 1	13.00 14.15		74	3,996	110 96 00000
	0123	0100	INTR2001	1 1	14.30 15.45		42	3,996	110 96 00000
	0123	0100	CONS2011	1 1	15.00 15.50		31	3,996	110 96 00000
	0123	0100	CONS2012	1	16.00 17.50		31	3,996	110 96 00000
8	0123	0122	MATE1021	1	13.00 14.50		26	972	260 4 00000
8	0123	0122	MATE1021	1	13.00 14.50		29	972	260 4 00000
8	0123	0122	SOIL2031	1	18.00 19.50		22	972	260 4 00000
	0123	0123	QUAN3018	1 1	8.00 8.50		30	1,332	140 29 00000
	0123	0123	QUAN3019	1 1	9.00 10.15		30	1,332	140 29 00000
	0123	0123	CONS4040	1 1	12.30 13.45		31	1,332	140 29 00000
	0123	0123	CONS4008	1 1	13.00 13.50		26	1,332	140 29 00000
	0123	0123	COST4009	1 1	14.00 15.15		26	1,332	140 29 00000
	0123	0123	CONS4030	1 1	15.30 17.20		18	1,332	140 29 00000
	0123	0123	SOIL2030	1 1	17.00 17.50		23	1,332	140 29 00000
	0123	0123	MEP 2026	1 1	18.00 18.50		31	1,332	140 29 00000
	0123	0123	MEP 2027	1 1	19.00 19.50		31	1,332	140 29 00000
	0123	0126	CONS1041	1	8.00 10.50		14	731	110 46 00000
	0123	0126	ASSO4020	1 1	11.00 12.15		11	731	110 46 00000
	0123	0126	CONS1041	1	15.00 17.50		13	731	110 46 00000
	0123	0127	INTR2000	1 1	9.00 10.50		16	1,312	140 54 00000
	0123	0127	CONS4006	1 1	19.00 20.15		27	1,312	140 54 00000
	0123	0128	CONS2008	1 1	8.00 8.50		20	1,312	110 40 00000
	0123	0128	TEMP3015	1 1	8.00 9.50		24	1,312	110 40 00000
	0123	0128	CONS2009	1 1	9.00 10.15		20	1,312	110 40 00000
	0123	0128	MECH3020	1 1	11.00 12.50		27	1,312	110 40 00000
	0123	0128	CONS1003	1 1	12.45 13.35		24	1,312	110 40 00000
	0123	0128	CONS1004	1 1	13.40 14.50		26	1,312	110 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 11/10/2016 11:21:15
 PAGE NUM 20

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0123	0128	CONS1003	1 1	15.00 15.50		23	1,312	110 40 00000
	0123	0128	STRU2015	1 1	15.00 16.50		21	1,312	110 40 00000
	0123	0128	CONS1004	1 1	16.00 16.50		21	1,312	110 40 00000
	0123	0128	CONS4005	1 1	18.00 18.50		27	1,312	110 40 00000
	0124	0107	FUND2000	1 1	12.00 12.50		26	4,158	610 304 00000
	0124	0107	NURS2000	1	13.00 15.00		125	4,158	610 304 00000
	0124	0107	BASI2080	1 1	15.30 16.45		115	4,158	610 304 00000
	0124	0218	FUND2009	1	8.00 12.00		9	2,970	210 75 00000
	0124	0218	HEAL2004	1	8.30 11.30		11	2,970	210 75 00000
	0124	0242	NURS4064	1	9.00 11.00		13	1,095	110 55 00000
	0124	0242	COMM4062	1	9.00 12.00		13	1,095	110 55 00000
	0124	0315	CT P4071	1 1	8.00 9.15		2	310	210 8 00000
	0124	0315	CT I4073	1 1	9.30 10.45		2	310	210 8 00000
	0124	0315	CT P4074	1 1	11.00 12.15		2	310	210 8 00000
	0124	0315	PATI3010	1	13.00 13.50		5	310	210 8 00000
	0124	0315	PATI3010	1	13.00 13.50		5	310	210 8 00000
	0124	0315	PATI3010	1	14.00 14.50		4	310	210 8 00000
	0124	0315	PATI3010	1	14.00 14.50		5	310	210 8 00000
	0124	0315	PATI3010	1	15.00 15.30		5	310	210 8 00000
	0124	0315	PATI3010	1	15.00 15.50		2	310	210 8 00000
	0124	0343A	RADI3003	1 1	8.00 8.50		26	1,250	110 37 00000
	0124	0343A	RESE4000	1 1	8.00 9.15		27	1,250	110 37 00000
	0124	0343A	IMAG3011	1 11	9.00 9.50		26	1,250	110 37 00000
	0124	0343A	PATH4019	1 1	9.30 10.20		27	1,250	110 37 00000
	0124	0343A	RADI3016	1 11	10.00 10.50		25	1,250	110 37 00000
	0124	0343A	ADVA4027	1 1	10.30 11.20		27	1,250	110 37 00000
	0124	0343A	METH3009	1 1	11.00 11.50		26	1,250	110 37 00000
	0124	0343A	ADV 4011	1 1	11.30 12.20		27	1,250	110 37 00000
	0124	0343A	ADV 4012	1	13.00 13.50		5	1,250	110 37 00000
	0124	0343A	ADV 4012	1	13.00 13.50		4	1,250	110 37 00000
	0124	0343A	ADV 4012	1	14.00 14.50		5	1,250	110 37 00000
	0124	0343A	ADV 4012	1	14.00 14.50		5	1,250	110 37 00000
	0124	0343A	ADV 4012	1	15.00 15.50		4	1,250	110 37 00000
	0124	0343A	ADV 4012	1	15.00 15.50		4	1,250	110 37 00000
	0124	0343A	RADI3017	1	15.00 15.50		4	1,250	110 37 00000
8	0124	0343C	RADI3017	1	13.00 13.50		5	137	210 2 00000
8	0124	0343C	RADI3017	1	13.00 13.50		5	137	210 2 00000
8	0124	0343C	RADI3017	1	14.00 14.50		5	137	210 2 00000
8	0124	0343C	RADI3017	1	14.00 14.50		5	137	210 2 00000
	0124	0343C	RADI3017	1	15.00 15.50		2	137	210 2 00000
	0126	0100	GENE1007	1 1 1	8.00 8.50		121	1,926	110 128 00000
	0126	0100	GENE1007	1 1 1	9.00 9.50		86	1,926	110 128 00000
	0126	0100	FUND1014	1 1	9.30 10.45		110	1,926	110 128 00000
	0126	0100	GENE1007	1 1 1	10.00 10.50		118	1,926	110 128 00000
	0126	0100	INTR1001	1 1 1	11.00 11.50		121	1,926	110 128 00000
	0126	0100	ORGA2030	1 1	11.00 12.15		55	1,926	110 128 00000
	0126	0100	PRIN1020	1 1	12.30 13.45		120	1,926	110 128 00000
	0126	0100	GENE1009	1	14.00 14.50		24	1,926	110 128 00000
	0126	0100	ORGA2031	1	14.00 14.50		11	1,926	110 128 00000
	0126	0100	INTE3001	1 1	14.00 15.15		59	1,926	110 128 00000
	0126	0100	GENE1009	1	18.00 18.50		24	1,926	110 128 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 11/10/2016 11:21:15
 PAGE NUM 21

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0126	0101	ORGA2030	1 1 1	8.00 8.50		74	1,926	110 116 00000
	0126	0101	INTR1001	1 1 1	9.00 9.50		62	1,926	110 116 00000
	0126	0101	PHYS1001	1 1	9.30 10.45		90	1,926	110 116 00000
	0126	0101	GENE1008	1 1 1	10.00 10.50		83	1,926	110 116 00000
	0126	0101	NUTR2007	1 1	11.00 12.15		87	1,926	110 116 00000
	0126	0101	RISK2005	1 1	11.00 12.15	100	1,926	110 116 00000	
	0126	0101	GENE3005	1 1	12.30 13.45		66	1,926	110 116 00000
	0126	0101	GENE1009	1	14.00 14.50		24	1,926	110 116 00000
	0126	0101	ORGA2031	1	14.00 14.50		17	1,926	110 116 00000
	0126	0101	GENE1010	1	14.00 14.50		23	1,926	110 116 00000
	0126	0141	INTE1050	1	12.30 13.45		24	1,098	210 22 00000
	0126	0144	GENE1009	1	14.00 14.50		23	744	110 47 00000
	0126	0243	INTR1002	1 1	9.30 10.45		27	744	210 50 00000
	0126	0243	ORGA2031	1	14.00 14.50		24	744	210 50 00000
	0126	0243	INTR1003	1	14.00 14.50		20	744	210 50 00000
	0126	0243	GENE1009	1	14.00 14.50		23	744	210 50 00000
	0126	0243	GENE1009	1	14.00 14.50		23	744	210 50 00000
	0126	0243	GENE1009	1	18.00 18.50		21	744	210 50 00000
	0126	0244	GENE1009	1	14.00 14.50		24	286	210 48 00000
	0126	0244	ORGA2031	1	14.00 14.50		19	286	210 48 00000
	0126	0244	INTR1003	1	14.00 14.50		19	286	210 48 00000
	0126	0244	ORGA2031	1	14.00 14.50		23	286	210 48 00000
	0126	0330	PRIN1021	1	9.00 10.50		22	1,054	310 21 00000
	0126	0330	PRIN1021	1	10.00 11.50		24	1,054	310 21 00000
	0126	0330	PRIN1021	1	11.00 12.50		24	1,054	310 21 00000
	0126	0330	PRIN1021	1	11.45 13.45		24	1,054	310 21 00000
	0126	0330	PRIN1021	1	13.00 14.50		24	1,054	310 21 00000
	0126	0330	PRIN1021	1	13.30 15.30		24	1,054	310 21 00000
	0126	0330	PRIN1021	1	14.00 15.50		28	1,054	310 21 00000
	0126	0330	PRIN1021	1	14.00 15.50		24	1,054	310 21 00000
	0126	0330	PRIN1021	1	15.15 17.15		23	1,054	310 21 00000
	0126	0330	PRIN1021	1	15.45 17.45		24	1,054	310 21 00000
	0126	0330	PRIN1021	1	16.15 18.15		24	1,054	310 21 00000
	0126	0330	PRIN1021	1	16.15 18.15		22	1,054	310 21 00000
	0126	0330	PRIN1021	1	17.30 19.30		23	1,054	310 21 00000
	0126	0332	BACT2021	1	14.00 15.50		28	1,054	250 22 00000
	0126	0332	GENE3006	1	16.00 18.50		16	1,054	250 22 00000
	0126	0334	INTR2015	1	8.00 9.50		23	1,054	210 21 00000
	0126	0334	INTR2015	1	10.30 12.30		23	1,054	210 21 00000
	0126	0334	INTR2015	1	11.00 12.50		24	1,054	210 21 00000
	0126	0334	INTR2015	1	11.00 12.50		17	1,054	210 21 00000
	0126	0334	INTR2015	1	13.00 14.50		24	1,054	210 21 00000
	0126	0334	INTR2015	1	13.00 15.00		11	1,054	210 21 00000
	0126	0334	INTR2015	1	13.15 15.15		24	1,054	210 21 00000
	0126	0334	INTR2015	1	15.30 17.30		23	1,054	210 21 00000
	0126	0334	INTR2015	1	15.30 17.30		13	1,054	210 21 00000
	0126	0334	INTR2015	1	16.00 18.00		24	1,054	210 21 00000
	0126	0334	INTR2015	1	18.00 19.50		18	1,054	210 21 00000
	0126	0342	DNA 4030	1 1	14.00 16.50		12	982	210 27 00000
	0126	0343	GENE1009	1	14.00 14.50		24	744	110 46 00000
	0126	0343	GENE1009	1	14.00 14.50		23	744	110 46 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 11/10/2016 11:21:15
 PAGE NUM 22

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION
 OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0126	0343	GENE1009	1	18.00 18.50		24	744	110 46 00000
	0126	0345	PLAN2030	1 1 1	9.00 9.50		22	736	110 48 00000
9	0126	0345	PLAN2030	1 1 1	9.00 9.50		8	736	110 48 00000
	0126	0345	PLAN4012	1 1	9.30 10.45		23	736	110 48 00000
	0126	0345	BIOM4115	1 1 1	10.00 10.50		23	736	110 48 00000
	0126	0345	COMP1001	1 1	11.00 12.15		24	736	110 48 00000
	0126	0345	NEUR4025	1 1	12.30 13.45		39	736	110 48 00000
	0126	0345	INTR1003	1	14.00 14.50		21	736	110 48 00000
	0126	0345	GENE1009	1	14.00 14.50		24	736	110 48 00000
	0126	0345	INTR1003	1	14.00 14.50		16	736	110 48 00000
	0126	0345	BASI1003	1	14.00 15.50		24	736	110 48 00000
	0126	0345	INTR1003	1	18.00 18.50		9	736	110 48 00000
	0126	0345	GENE1010	1	18.00 18.50		14	736	110 48 00000
	0128	0003A	COMP1002	1 1 1	8.00 8.50		21	940	110 48 00000
	0128	0003A	COMP1001	1 1	8.00 9.15		28	940	110 48 00000
	0128	0003A	UNIV1001	1 1	9.00 9.50		47	940	110 48 00000
	0128	0003A	PART4006	1 1	9.30 10.45		42	940	110 48 00000
	0128	0003A	COMP1001	1 1 1	10.00 10.50		29	940	110 48 00000
	0128	0003A	UNIV1001	1 1	11.00 11.50		42	940	110 48 00000
	0128	0003A	COMP1001	1 1	11.00 12.15		23	940	110 48 00000
	0128	0003A	UNIV1001	1 1	12.00 12.50		41	940	110 48 00000
	0128	0003A	UNIV1001	1 1	12.30 13.20		40	940	110 48 00000
	0128	0003A	UNIV1001	1 1	13.00 13.50		46	940	110 48 00000
	0128	0003A	UNIV1001	1 1	14.00 14.50		42	940	110 48 00000
	0128	0003A	COMP1001	1 1	14.00 15.15		30	940	110 48 00000
	0128	0003A	COMP1001	1 1	15.30 16.45		27	940	110 48 00000
	0128	0003B	UNIV1001	1 1	9.00 9.50		45	940	110 49 00000
	0128	0003B	PUBL2001	1 1	9.30 10.45		29	940	110 49 00000
	0128	0003B	UNIV1001	1 1	10.00 10.50		34	940	110 49 00000
	0128	0003B	UNIV1001	1 1	11.00 11.50		39	940	110 49 00000
	0128	0003B	UNIV1001	1 1	11.00 11.50		46	940	110 49 00000
	0128	0003B	HONO2010	1 1	12.30 13.45		25	940	110 49 00000
	0128	0003B	UNIV1001	1 1	13.00 13.50		40	940	110 49 00000
	0128	0003B	GLOB4004	1	18.00 20.30		28	940	110 49 00000
	0128	0003B	RESE3001	1	18.00 20.50		35	940	110 49 00000
	0128	0003C	UNIV1001	1 1	9.00 9.50		44	932	110 50 00000
	0128	0003C	UNIV1001	1 1	9.30 10.20		35	932	110 50 00000
	0128	0003C	UNIV1001	1 1	10.00 10.50		47	932	110 50 00000
	0128	0003C	COMP1001	1 1 1	11.00 11.50		26	932	110 50 00000
	0128	0003C	UNIV1001	1 1	11.00 11.50		44	932	110 50 00000
	0128	0003C	UNIV1001	1 1	12.30 13.20		22	932	110 50 00000
	0128	0003C	UNIV1001	1 1	14.00 14.50		41	932	110 50 00000
	0128	0003C	COMP1001	1 1	15.30 16.45		26	932	110 50 00000
	0128	0003D	UNIV1001	1 1	9.00 9.50		46	940	110 42 00000
	0128	0003D	COMP1001	1 1	9.30 10.45		25	940	110 42 00000
	0128	0003D	UNIV1001	1 1	10.00 10.50		43	940	110 42 00000
	0128	0003D	COMP1001	1 1 1	11.00 11.50		27	940	110 42 00000
	0128	0003D	BRIT2002	1 1	11.00 12.15		43	940	110 42 00000
	0128	0003D	UNIV1001	1 1	12.30 13.20		44	940	110 42 00000
	0128	0003D	QUAN5002	1 1	12.30 13.45		3	940	110 42 00000
	0128	0003D	UNIV1001	1 1	14.00 14.50		44	940	110 42 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2016
 RUN DATE 11/10/2016 11:21:15
 PAGE NUM 23

UNIVERSITY OF LOUISIANA AT MONROE
 BRANCH
 PARISH
 RELATION OUACHITA
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0128	0003D	HONO1010	1 1	15.30 16.45		26	940	110 42 00000
	0128	0003E	UNIV1001	1 1	9.00 9.50		38	940	110 42 00000
	0128	0003E	HEAL4026	1 1	9.30 10.45		29	940	110 42 00000
	0128	0003E	UNIV1001	1 1	10.00 10.50		44	940	110 42 00000
	0128	0003E	UNIV1001	1 1	11.00 11.50		45	940	110 42 00000
	0128	0003E	UNIV1001	1 1	11.00 11.50		39	940	110 42 00000
	0128	0003E	COMP1001	1 1	12.30 13.45		27	940	110 42 00000
	0128	0003E	UNIV1001	1 1	13.00 13.50		45	940	110 42 00000
	0128	0003E	UNIV1001	1 1	14.00 14.50		40	940	110 42 00000
	0128	0003F	ADV 1003	1 1 1	9.00 9.50		19	580	110 34 00000
	0128	0003F	EVID2009	1 1	11.00 11.50		14	580	110 34 00000
	0128	0003F	PERS3030	1 1	11.00 12.15		20	580	110 34 00000
	0128	0003F	REVO4088	1 1	12.30 13.45		19	580	110 34 00000
	0128	0003F	ELEM1001	1 1	14.00 15.15		8	580	110 34 00000
	0406	0143	FITN1001	1 1	8.00 8.50		28	2,305	520 50 00000
	0406	0143	FITN1001	1 1	9.30 10.20		31	2,305	520 50 00000
	0406	0143	FITN1001	1 1	13.00 13.50		34	2,305	520 50 00000
	0406	0146	FITN1001	1 1	11.00 11.50		17	3,290	520 20 00000
	0406	0146	FITN1001	1 1	11.00 11.50		16	3,290	520 20 00000

DESCRIPTION AND SUMMARY OF ERRORS & WARNINGS

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	24
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	21
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	40
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		85
TOTAL NUMBER OF RECORDS READ		1,141
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		834
NUMBER OF JOINT-CLASS RECORDS		10
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		267

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/10/2016 11:21:15

PAGE NUM 1

UNIVERSITY OF LOUISIANA AT MONROE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			140
TOTAL NUMBER OF STATIONS (CAPACITY)			7,326
WEEKLY STUDENT CONTACT HOURS	61,213	2,557	63,770
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	12,600	7,000	19,600
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,263	229	3,492
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	659,340	366,300	1,025,640
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	210,892	10,509	221,401
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	122,426	5,114	127,540
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	25.9	3.3	17.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	18.6	1.4	12.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	58.1	48.7	57.6
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			127
TOTAL NUMBER OF STATIONS (CAPACITY)			6,928
WEEKLY STUDENT CONTACT HOURS	59,479	2,063	61,542
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	11,430	6,350	17,780
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,099	193	3,292
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	623,520	346,400	969,920
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	205,836	9,231	215,067
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	118,958	4,126	123,084
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	27.1	3.0	18.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	19.1	1.2	12.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	57.8	44.7	57.2

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/10/2016 11:21:15

PAGE NUM 2

UNIVERSITY OF LOUISIANA AT MONROE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			13
TOTAL NUMBER OF STATIONS (CAPACITY)			398
WEEKLY STUDENT CONTACT HOURS	1,734	494	2,228
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,170	650	1,820
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	164	36	200
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	35,820	19,900	55,720
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,056	1,278	6,334
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,468	988	4,456
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	14.0	5.5	11.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	9.7	5.0	8.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	68.6	77.3	70.4
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			114
TOTAL NUMBER OF STATIONS (CAPACITY)			2,471
WEEKLY STUDENT CONTACT HOURS	15,669	586	16,255
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	10,260	5,700	15,960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	836	60	896
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	222,390	123,550	345,940
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	49,538	1,566	51,104
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	31,339	1,172	32,511
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	8.1	1.1	5.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	14.1	.9	9.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	63.3	74.8	63.6

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/10/2016 11:21:15

PAGE NUM 3

UNIVERSITY OF LOUISIANA AT MONROE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			63
TOTAL NUMBER OF STATIONS (CAPACITY)			1,738
WEEKLY STUDENT CONTACT HOURS	8,734	586	9,320
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5,670	3,150	8,820
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	648	60	708
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	156,420	86,900	243,320
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	20,380	1,566	21,946
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	17,469	1,172	18,641
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	11.4	1.9	8.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	11.2	1.3	7.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	85.7	74.8	84.9
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABORATORY			
TOTAL NUMBER OF ROOMS			51
TOTAL NUMBER OF STATIONS (CAPACITY)			733
WEEKLY STUDENT CONTACT HOURS	6,935		6,935
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4,590	2,550	7,140
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	188		188
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	65,970	36,650	102,620
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	29,158		29,158
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	13,870		13,870
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	4.1	.0	2.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	21.0	.0	13.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	47.6	.0	47.6

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/10/2016 11:21:15

PAGE NUM 4

UNIVERSITY OF LOUISIANA AT MONROE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*RESEARCH/NONCLASS LAB.			
TOTAL NUMBER OF ROOMS			81
TOTAL NUMBER OF STATIONS (CAPACITY)			547
WEEKLY STUDENT CONTACT HOURS	155		155
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	7,290	4,050	11,340
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	16		16
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	49,230	27,350	76,580
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	280		280
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	310		310
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	.2	.0	.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	.6	.0	.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	110.7	.0	110.7
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*SPECIAL USE FACILITIES			
TOTAL NUMBER OF ROOMS			66
TOTAL NUMBER OF STATIONS (CAPACITY)			1,259
WEEKLY STUDENT CONTACT HOURS	984		984
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5,940	3,300	9,240
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	108		108
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	113,310	62,950	176,260
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,750		7,750
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,968		1,968
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	1.8	.0	1.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	1.7	.0	1.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	25.4	.0	25.4

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/10/2016 11:21:15
 PAGE NUM 5

UNIVERSITY OF LOUISIANA AT MONROE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
ATHLETIC AND P.E.			
TOTAL NUMBER OF ROOMS			36
TOTAL NUMBER OF STATIONS (CAPACITY)			1,153
WEEKLY STUDENT CONTACT HOURS	984		984
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,240	1,800	5,040
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	108		108
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	103,770	57,650	161,420
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,750		7,750
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,968		1,968
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	3.3	.0	2.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	1.9	.0	1.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	25.4	.0	25.4

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY