

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 1

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0002	0103	ART 4800001	1 1	15.30 18.30		4	889	210 18 00000
9	0002	0103	ART 4800001	1 1	15.30 18.30		4	889	210 18 00000
	0002	0103	ART 4841001	1 1	15.30 18.30	1	3	889	210 18 00000
9	0002	0103	ART 4841001	1 1	15.30 18.30		3	889	210 18 00000
	0002	0107	ART 1847002	1 1	8.30 11.30		15	1,033	210 30 00000
9	0002	0107	ART 1847002	1 1	8.30 11.30		15	1,033	210 30 00000
	0002	0107	ART 1847001	1 1	9.00 12.00		17	1,033	210 30 00000
9	0002	0107	ART 1847001	1 1	9.00 12.00		17	1,033	210 30 00000
	0002	0107	ART 1847003	1 1	12.00 15.00		16	1,033	210 30 00000
9	0002	0107	ART 1847003	1 1	12.00 15.00		16	1,033	210 30 00000
	0002	0107	ART 1010001	1 1	12.30 15.30		18	1,033	210 30 00000
9	0002	0107	ART 1010001	1 1	12.30 15.30		18	1,033	210 30 00000
	0002	0107	ART 1847005	1 1	15.00 18.00		10	1,033	210 30 00000
9	0002	0107	ART 1847005	1 1	15.00 18.00		10	1,033	210 30 00000
	0002	0107	ART 1847004	1 1	15.30 18.30		5	1,033	210 30 00000
9	0002	0107	ART 1847004	1 1	15.30 18.30		5	1,033	210 30 00000
	0002	0107	ART 1010002	1 1	18.00 21.00		16	1,033	210 30 00000
9	0002	0107	ART 1010002	1 1	18.00 21.00		16	1,033	210 30 00000
	0002	0203	ART 1849001	1 1	8.30 11.30		16	1,621	210 24 00000
9	0002	0203	ART 1849001	1 1	8.30 11.30		16	1,621	210 24 00000
	0002	0203	ART 1849002	1 1	12.30 15.30		14	1,621	210 24 00000
9	0002	0203	ART 1849002	1 1	12.30 15.30		14	1,621	210 24 00000
	0002	0211	ART 1847006	1 1	12.00 15.00		16	882	210 24 00000
9	0002	0211	ART 1847006	1 1	12.00 15.00		16	882	210 24 00000
	0002	0211	ART 4889001	1 1	12.30 15.30		12	882	210 24 00000
9	0002	0211	ART 4889001	1 1	12.30 15.30		12	882	210 24 00000
	0002	0211	ART 2879001	1 1	15.00 18.00		8	882	210 24 00000
9	0002	0211	ART 2879001	1 1	15.00 18.00		8	882	210 24 00000
	0002	0211	ART 4887001	1 1	15.00 18.00	1	8	882	210 24 00000
9	0002	0211	ART 4887001	1 1	15.00 18.00		8	882	210 24 00000
	0002	0211	ART 1848002	1 1	15.30 18.30		15	882	210 24 00000
9	0002	0211	ART 1848002	1 1	15.30 18.30		15	882	210 24 00000
	0002	0214	BIOL4141001	1 1	9.00 10.00		18	868	110 40 00000
9	0002	0214	BIOL4141001	1 1	9.00 10.00		18	868	110 40 00000
	0002	0214	BIOL4145001	1 1	12.30 13.30		11	868	110 40 00000
9	0002	0214	BIOL4145001	1 1	12.30 13.30		11	868	110 40 00000
4		0002	0214	BIOL4145001	1	13.30 19.30		868	110 40 00000
4	9	0002	0214	BIOL4145001	1	13.30 19.30		868	110 40 00000
	0002	0214	BIOL4141001	1 1	15.00 18.00		18	868	110 40 00000
9	0002	0214	BIOL4141001	1 1	15.00 18.00		18	868	110 40 00000
	0002	0227	ART 2882001	1 1	12.00 15.00		14	1,250	210 24 00000
9	0002	0227	ART 2882001	1 1	12.00 15.00		14	1,250	210 24 00000
	0002	0233	ART 7800001	1 1	8.30 11.30		7	1,194	210 20 00000
9	0002	0233	ART 7800001	1 1	8.30 11.30		7	1,194	210 20 00000
	0002	0233	ART 4881001	1 1	12.00 15.00		12	1,194	210 20 00000
9	0002	0233	ART 4881001	1 1	12.00 15.00		12	1,194	210 20 00000
	0002	0233	ART 4884001	1 1	12.00 15.00	1	6	1,194	210 20 00000
89	0002	0233	ART 4884001	1 1	12.00 15.00		6	1,194	210 20 00000
	0002	0233	ART 1848001	1 1	15.00 18.00		14	1,194	210 20 00000
9	0002	0233	ART 1848001	1 1	15.00 18.00		14	1,194	210 20 00000
	0013	0112	SPAN3015001	1 1	9.00 10.30		20	315	110 21 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 2

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	0013	0112	SPAN3015001	1 1	9.00 10.30		20	315	110 21 00000
	0013	0112	ITAL2102001	1 1	10.30 12.00		10	315	110 21 00000
9	0013	0112	ITAL2102001	1 1	10.30 12.00		10	315	110 21 00000
	0013	0112	SPAN2156002	1 1 1	12.30 13.30		11	315	110 21 00000
9	0013	0112	SPAN2156002	1 1 1	12.30 13.30		11	315	110 21 00000
	0013	0112	FREN2101002	1 1 1	13.30 14.30		17	315	110 21 00000
89	0013	0112	FREN2101002	1 1 1	13.30 14.30		17	315	110 21 00000
	0013	0112	AGEC4443001	1 1	13.30 15.00		20	315	110 21 00000
89	0013	0112	AGEC4443001	1 1	13.30 15.00		20	315	110 21 00000
	0013	0112	POLI4060003	1 1	14.30 16.00		12	315	110 21 00000
9	0013	0112	POLI4060003	1 1	14.30 16.00		12	315	110 21 00000
	0013	0112	WGS 4087001	1 1	15.00 16.30		11	315	110 21 00000
9	0013	0112	WGS 4087001	1 1	15.00 16.30		11	315	110 21 00000
	0013	0112	SPAN3001001	1	16.00 17.00		2	315	110 21 00000
9	0013	0112	SPAN3001001	1	16.00 17.00		2	315	110 21 00000
	0013	0112	LIBA7000001	1	17.00 20.00		7	315	110 21 00000
9	0013	0112	LIBA7000001	1	17.00 20.00		7	315	110 21 00000
	0013	0114	ENGL1001122	1 1	9.00 10.30		19	377	110 23 00000
89	0013	0114	ENGL1001122	1 1	9.00 10.30		19	377	110 23 00000
	0013	0114	ENGL1001087	1 1 1	9.30 10.30		18	377	110 23 00000
89	0013	0114	ENGL1001087	1 1 1	9.30 10.30		18	377	110 23 00000
	0013	0114	ENGL1001067	1 1 1	10.30 11.30		19	377	110 23 00000
89	0013	0114	ENGL1001067	1 1 1	10.30 11.30		19	377	110 23 00000
	0013	0114	FREN2101005	1 1	10.30 12.00		15	377	110 23 00000
9	0013	0114	FREN2101005	1 1	10.30 12.00		15	377	110 23 00000
	0013	0114	FREN2101006	1 1	12.00 13.30		15	377	110 23 00000
9	0013	0114	FREN2101006	1 1	12.00 13.30		15	377	110 23 00000
	0013	0114	ENGL1001072	1 1 1	12.30 13.30		17	377	110 23 00000
9	0013	0114	ENGL1001072	1 1 1	12.30 13.30		17	377	110 23 00000
	0013	0114	FREN3080001	1 1	13.30 15.00		7	377	110 23 00000
9	0013	0114	FREN3080001	1 1	13.30 15.00		7	377	110 23 00000
	0013	0116	ENGL2000021	1 1	9.00 10.30		20	325	110 21 00000
89	0013	0116	ENGL2000021	1 1	9.00 10.30		20	325	110 21 00000
	0013	0116	PSYC7973001	1	9.00 12.00		14	325	110 21 00000
9	0013	0116	PSYC7973001	1	9.00 12.00		14	325	110 21 00000
	0013	0116	POLI4065001	1 1	10.30 12.00		21	325	110 21 00000
89	0013	0116	POLI4065001	1 1	10.30 12.00		21	325	110 21 00000
	0013	0116	FREN2101003	1 1 1	12.30 13.30		20	325	110 21 00000
89	0013	0116	FREN2101003	1 1 1	12.30 13.30		20	325	110 21 00000
	0013	0116	ITAL3071001	1 1	13.30 15.00		7	325	110 21 00000
9	0013	0116	ITAL3071001	1 1	13.30 15.00		7	325	110 21 00000
	0013	0116	SPAN3010002	1 1 1	14.30 15.30		19	325	110 21 00000
89	0013	0116	SPAN3010002	1 1 1	14.30 15.30		19	325	110 21 00000
	0013	0116	CPLT7140001	1	15.00 18.00		15	325	110 21 00000
9	0013	0116	CPLT7140001	1	15.00 18.00		15	325	110 21 00000
	0013	0116	SPAN4003001	1	15.30 16.30		1	325	110 21 00000
9	0013	0116	SPAN4003001	1	15.30 16.30		1	325	110 21 00000
	0013	0118	FREN2102004	1 1	9.00 10.30		14	325	110 21 00000
9	0013	0118	FREN2102004	1 1	9.00 10.30		14	325	110 21 00000
	0013	0118	FREN2102001	1 1 1	9.30 10.30		12	325	110 21 00000
9	0013	0118	FREN2102001	1 1 1	9.30 10.30		12	325	110 21 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 3

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0013	0118	HNRS2000006	1 1	10.30 12.00		9	110 21	00000
9	0013	0118	HNRS2000006	1 1	10.30 12.00		9	110 21	00000
	0013	0118	SPAN4100001	1 1 1	12.30 13.30		14	110 21	00000
9	0013	0118	SPAN4100001	1 1 1	12.30 13.30		14	110 21	00000
	0013	0118	ITAL2101002	1 1 1	13.30 14.30		11	110 21	00000
9	0013	0118	ITAL2101002	1 1 1	13.30 14.30		11	110 21	00000
	0013	0118	FREN2155002	1 1	13.30 15.00		13	110 21	00000
9	0013	0118	FREN2155002	1 1	13.30 15.00		13	110 21	00000
	0013	0118	SPAN3073001	1 1 1	14.30 15.30		20	110 21	00000
89	0013	0118	SPAN3073001	1 1 1	14.30 15.30		20	110 21	00000
	0013	0118	LING4005001	1 1	15.00 16.30		1	110 21	00000
9	0013	0118	LING4005001	1 1	15.00 16.30		1	110 21	00000
	0013	0118	SPAN4005001	1 1	15.00 16.30	1	13	110 21	00000
9	0013	0118	SPAN4005001	1 1	15.00 16.30		13	110 21	00000
	0013	0120	ENGL1001014	1 1 1	8.30 9.30		19	110 21	00000
89	0013	0120	ENGL1001014	1 1 1	8.30 9.30		19	110 21	00000
	0013	0120	FREN2101004	1 1	9.00 10.30		16	110 21	00000
9	0013	0120	FREN2101004	1 1	9.00 10.30		16	110 21	00000
	0013	0120	FREN2101001	1 1 1	9.30 10.30		19	110 21	00000
89	0013	0120	FREN2101001	1 1 1	9.30 10.30		19	110 21	00000
	0013	0120	FREN2102005	1 1	10.30 12.00		19	110 21	00000
89	0013	0120	FREN2102005	1 1	10.30 12.00		19	110 21	00000
	0013	0120	SPAN3044001	1 1 1	11.30 12.30		9	110 21	00000
9	0013	0120	SPAN3044001	1 1 1	11.30 12.30		9	110 21	00000
	0013	0120	ENGL1001057	1 1	12.00 13.30		20	110 21	00000
89	0013	0120	ENGL1001057	1 1	12.00 13.30		20	110 21	00000
	0013	0120	CHIN3101001	1 1 1	12.30 13.30		10	110 21	00000
9	0013	0120	CHIN3101001	1 1 1	12.30 13.30		10	110 21	00000
	0013	0120	ENGL2000038	1 1	13.30 15.00		18	110 21	00000
89	0013	0120	ENGL2000038	1 1	13.30 15.00		18	110 21	00000
	0013	0120	WGS 3150001	1 1	15.00 16.30		11	110 21	00000
9	0013	0120	WGS 3150001	1 1	15.00 16.30		11	110 21	00000
	0013	0132	EDCI1001001	1 1 1	8.30 9.30		63	110 68	00000
89	0013	0132	EDCI1001001	1 1 1	8.30 9.30		63	110 68	00000
	0013	0132	COMD4150001	1 1	9.00 10.30		61	110 68	00000
89	0013	0132	COMD4150001	1 1	9.00 10.30		61	110 68	00000
8	0013	0132	LING4150001	1 1	9.00 10.30	1	3	110 68	00000
89	0013	0132	LING4150001	1 1	9.00 10.30		3	110 68	00000
	0013	0132	PHIL1000001	1 1 1	9.30 10.30		52	110 68	00000
89	0013	0132	PHIL1000001	1 1 1	9.30 10.30		52	110 68	00000
	0013	0132	PSYC4080001	1 1 1	10.30 11.30		64	110 68	00000
89	0013	0132	PSYC4080001	1 1 1	10.30 11.30		64	110 68	00000
	0013	0132	CFS 3090001	1 1	10.30 12.00		68	110 68	00000
89	0013	0132	CFS 3090001	1 1	10.30 12.00		68	110 68	00000
	0013	0132	CLST2102001	1 1	12.00 13.30		65	110 68	00000
89	0013	0132	CLST2102001	1 1	12.00 13.30		65	110 68	00000
	0013	0132	REL 1000001	1 1 1	12.30 13.30		63	110 68	00000
89	0013	0132	REL 1000001	1 1 1	12.30 13.30		63	110 68	00000
	0013	0132	SOCL2501002	1 1	13.30 15.00		33	110 68	00000
9	0013	0132	SOCL2501002	1 1	13.30 15.00		33	110 68	00000
	0013	0132	REL 1000002	1 1 1	14.30 15.30		58	110 68	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 4

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	0013	0132	REL 1000002	1 1 1	14.30 15.30		58	110 68	00000
	0013	0132	ELRC7016001	1	16.30 19.30		10	110 68	00000
9	0013	0132	ELRC7016001	1	16.30 19.30		10	110 68	00000
	0013	0136	BASC2011001	1	9.00 10.30		8	110 36	00000
9	0013	0136	BASC2011001	1	9.00 10.30		8	110 36	00000
	0013	0136	MATH3002001	1 1	15.00 16.30		13	110 36	00000
9	0013	0136	MATH3002001	1 1	15.00 16.30		13	110 36	00000
	0013	0136	EDCI4500002	1 1	15.30 17.00		17	110 36	00000
9	0013	0136	EDCI4500002	1 1	15.30 17.00		17	110 36	00000
	0013	0138	SPAN3010001	1 1	12.00 13.30		18	110 25	00000
9	0013	0138	SPAN3010001	1 1	12.00 13.30		18	110 25	00000
	0013	0138	SPAN2156003	1 1	15.00 16.30		12	110 25	00000
9	0013	0138	SPAN2156003	1 1	15.00 16.30		12	110 25	00000
	0013	0205	BASC2010001	1	9.00 10.30		17	110 60	00000
9	0013	0205	BASC2010001	1	9.00 10.30		17	110 60	00000
	0013	0205	BASC2010004	1	10.30 12.00		10	110 60	00000
9	0013	0205	BASC2010004	1	10.30 12.00		10	110 60	00000
	0013	0205	BIOL4005001	1 1	10.30 12.30		15	110 60	00000
9	0013	0205	BIOL4005001	1 1	10.30 12.30		15	110 60	00000
	0013	0205	PHYS4005002	1 1	10.30 12.30	1	3	110 60	00000
9	0013	0205	PHYS4005002	1 1	10.30 12.30		3	110 60	00000
	0013	0205	MATH4019001	1	12.30 13.30		14	110 60	00000
9	0013	0205	MATH4019001	1	12.30 13.30		14	110 60	00000
	0013	0205	BASC2010002	1	13.30 15.00		15	110 60	00000
9	0013	0205	BASC2010002	1	13.30 15.00		15	110 60	00000
8	0013	0234	SPAN1152013	1111	13.30 14.30		24	310 2	00000
89	0013	0234	SPAN1152013	1111	13.30 14.30		24	310 2	00000
8	0013	0234	SPAN1101009	1111	14.30 15.30		23	310 2	00000
89	0013	0234	SPAN1101009	1111	14.30 15.30		23	310 2	00000
8	0013	0234	SPAN1152008	1111	15.30 16.30		25	310 2	00000
89	0013	0234	SPAN1152008	1111	15.30 16.30		25	310 2	00000
8	0013	0234	SPAN1152009	1 1	18.00 20.00		25	310 2	00000
89	0013	0234	SPAN1152009	1 1	18.00 20.00		25	310 2	00000
	0013	0234A	HNRS2030004	1 1	12.00 13.30		20	110 31	00000
9	0013	0234A	HNRS2030004	1 1	12.00 13.30		20	110 31	00000
	0014	0026	SOCL7591001	1	9.00 12.00		9	350 15	00000
9	0014	0026	SOCL7591001	1	9.00 12.00		9	350 15	00000
	0014	0026	SOCL7491001	1	9.00 12.00		6	350 15	00000
9	0014	0026	SOCL7491001	1	9.00 12.00		6	350 15	00000
	0014	0026	SOCL7903001	1	10.30 11.30		9	350 15	00000
9	0014	0026	SOCL7903001	1	10.30 11.30		9	350 15	00000
	0014	0026	SOCL7201001	1 1	12.00 13.30		13	350 15	00000
89	0014	0026	SOCL7201001	1 1	12.00 13.30		13	350 15	00000
	0014	0026	SOCL7691001	1	13.30 16.30		10	350 15	00000
9	0014	0026	SOCL7691001	1	13.30 16.30		10	350 15	00000
	0014	0026	SOCL7391001	1	13.30 16.30		11	350 15	00000
9	0014	0026	SOCL7391001	1	13.30 16.30		11	350 15	00000
	0014	0026	SOCL7121001	1	13.30 16.30		9	350 15	00000
9	0014	0026	SOCL7121001	1	13.30 16.30		9	350 15	00000
	0014	0026	SOCL7211001	1	13.30 16.30		9	350 15	00000
9	0014	0026	SOCL7211001	1	13.30 16.30		9	350 15	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 5

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0014	0102	POLI7962001	1	9.00 12.00		20	735	210 35 00000
9	0014	0102	POLI7962001	1	9.00 12.00		20	735	210 35 00000
	0014	0102	SOCL2201001	1	13.30 15.30		17	735	210 35 00000
9	0014	0102	SOCL2201001	1	13.30 15.30		17	735	210 35 00000
	0014	0102	SOCL2201003	1	13.30 15.30		21	735	210 35 00000
9	0014	0102	SOCL2201003	1	13.30 15.30		21	735	210 35 00000
	0014	0102	SOCL2201002	1	15.30 17.30		22	735	210 35 00000
9	0014	0102	SOCL2201002	1	15.30 17.30		22	735	210 35 00000
	0014	0102	SOCL2201004	1	15.30 17.30		24	735	210 35 00000
9	0014	0102	SOCL2201004	1	15.30 17.30		24	735	210 35 00000
	0014	0116	NFS 3119001	1 1	9.00 10.30		17	770	110 56 00000
9	0014	0116	NFS 3119001	1 1	9.00 10.30		17	770	110 56 00000
	0014	0116	NFS 3119002	1 1	9.00 10.30	1	17	770	110 56 00000
9	0014	0116	NFS 3119002	1 1	9.00 10.30		17	770	110 56 00000
	0014	0116	PHIL4098001	1 1 1	9.30 10.30		18	770	110 56 00000
9	0014	0116	PHIL4098001	1 1 1	9.30 10.30		18	770	110 56 00000
	0014	0116	POLI4098001	1 1 1	9.30 10.30	1	30	770	110 56 00000
89	0014	0116	POLI4098001	1 1 1	9.30 10.30		30	770	110 56 00000
	0014	0116	SOCL4401001	1 1 1	10.30 11.30		38	770	110 56 00000
9	0014	0116	SOCL4401001	1 1 1	10.30 11.30		38	770	110 56 00000
	0014	0116	SOCL3501002	1 1	10.30 12.00		52	770	110 56 00000
89	0014	0116	SOCL3501002	1 1	10.30 12.00		52	770	110 56 00000
	0014	0116	SOCL4401002	1 1 1	12.30 13.30		33	770	110 56 00000
9	0014	0116	SOCL4401002	1 1 1	12.30 13.30		33	770	110 56 00000
	0014	0116	MATH1023006	1 1	12.30 13.30		41	770	110 56 00000
9	0014	0116	MATH1023006	1 1	12.30 13.30		41	770	110 56 00000
	0014	0116	COMD2051001	1	13.30 14.30		17	770	110 56 00000
9	0014	0116	COMD2051001	1	13.30 14.30		17	770	110 56 00000
	0014	0116	SOCL4321001	1 1	13.30 15.00		18	770	110 56 00000
9	0014	0116	SOCL4321001	1 1	13.30 15.00		18	770	110 56 00000
	0014	0116	COMD2051002	1	14.30 15.30		6	770	110 56 00000
9	0014	0116	COMD2051002	1	14.30 15.30		6	770	110 56 00000
	0014	0116	COMD2051001	1	15.00 18.00		17	770	110 56 00000
9	0014	0116	COMD2051001	1	15.00 18.00		17	770	110 56 00000
	0014	0116	COMD2051002	1	15.00 18.00	1	6	770	110 56 00000
9	0014	0116	COMD2051002	1	15.00 18.00		6	770	110 56 00000
	0014	0116	SOCL4463001	1	16.30 19.30		14	770	110 56 00000
9	0014	0116	SOCL4463001	1	16.30 19.30		14	770	110 56 00000
	0014	0210	POLI7964001	1	9.00 12.00		12	357	110 25 00000
9	0014	0210	POLI7964001	1	9.00 12.00		12	357	110 25 00000
	0014	0218	PSYC7949001	1	7.30 10.30		21	350	110 25 00000
89	0014	0218	PSYC7949001	1	7.30 10.30		21	350	110 25 00000
	0014	0218	ENGL1001074	1 1 1	9.30 10.30		20	350	110 25 00000
89	0014	0218	ENGL1001074	1 1 1	9.30 10.30		20	350	110 25 00000
	0014	0218	ENGL1001056	1 1 1	10.30 11.30		20	350	110 25 00000
89	0014	0218	ENGL1001056	1 1 1	10.30 11.30		20	350	110 25 00000
	0014	0218	ENGL1004005	1 1	10.30 12.00		18	350	110 25 00000
9	0014	0218	ENGL1004005	1 1	10.30 12.00		18	350	110 25 00000
	0014	0218	PSYC7125001	1	12.00 15.00		13	350	110 25 00000
9	0014	0218	PSYC7125001	1	12.00 15.00		13	350	110 25 00000
	0014	0218	ENGL2000007	1 1	13.30 15.00		20	350	110 25 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 6

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	0014	0218	ENGL2000007	1 1	13.30 15.00		20	350	110 25 00000
	0014	0218	GERM4091001	1 1	15.00 16.30		10	350	110 25 00000
9	0014	0218	GERM4091001	1 1	15.00 16.30		10	350	110 25 00000
	0014	0218	SPAN2102010	1 1 1	15.30 16.30		24	350	110 25 00000
89	0014	0218	SPAN2102010	1 1 1	15.30 16.30		24	350	110 25 00000
	0014	0220	SOCL3601001	1 1 1	8.30 9.30		37	617	110 55 00000
9	0014	0220	SOCL3601001	1 1 1	8.30 9.30		37	617	110 55 00000
	0014	0220	SOCL3501001	1 1	9.00 10.30		54	617	110 55 00000
89	0014	0220	SOCL3501001	1 1	9.00 10.30		54	617	110 55 00000
	0014	0220	SOCL3601002	1 1 1	9.30 10.30		52	617	110 55 00000
89	0014	0220	SOCL3601002	1 1 1	9.30 10.30		52	617	110 55 00000
	0014	0220	SOCL4461001	1 1 1	10.30 11.30		55	617	110 55 00000
89	0014	0220	SOCL4461001	1 1 1	10.30 11.30		55	617	110 55 00000
	0014	0220	SOCL4461002	1 1	10.30 12.00		26	617	110 55 00000
9	0014	0220	SOCL4461002	1 1	10.30 12.00		26	617	110 55 00000
	0014	0220	SOCL3101002	1 1 1	11.30 12.30		50	617	110 55 00000
89	0014	0220	SOCL3101002	1 1 1	11.30 12.30		50	617	110 55 00000
	0014	0220	SOCL4091001	1 1	12.00 13.30		30	617	110 55 00000
9	0014	0220	SOCL4091001	1 1	12.00 13.30		30	617	110 55 00000
	0014	0220	HIST4044001	1 1 1	12.30 13.30		46	617	110 55 00000
89	0014	0220	HIST4044001	1 1 1	12.30 13.30		46	617	110 55 00000
	0014	0220	SOCL2002001	1 1 1	13.30 14.30		29	617	110 55 00000
9	0014	0220	SOCL2002001	1 1 1	13.30 14.30		29	617	110 55 00000
	0014	0220	SOCL4461003	1 1	13.30 15.00		35	617	110 55 00000
9	0014	0220	SOCL4461003	1 1	13.30 15.00		35	617	110 55 00000
	0014	0220	SOCL4462001	1 1	15.00 16.30		38	617	110 55 00000
9	0014	0220	SOCL4462001	1 1	15.00 16.30		38	617	110 55 00000
	0014	0220	SOCL4521001	1	16.30 19.30		28	617	110 55 00000
9	0014	0220	SOCL4521001	1	16.30 19.30		28	617	110 55 00000
	0014	0220	POLI4011001	1	18.00 21.00		17	617	110 55 00000
9	0014	0220	POLI4011001	1	18.00 21.00		17	617	110 55 00000
	0014	0220	POLI2051003	1	18.00 21.00		36	617	110 55 00000
9	0014	0220	POLI2051003	1	18.00 21.00		36	617	110 55 00000
	0015	0100	ECON2030001	1 1	7.30 8.30		57	2,573	110 354 00000
9	0015	0100	ECON2030001	1 1	7.30 8.30		57	2,573	110 354 00000
	0015	0100	ECON2030002	1 1	7.30 8.30	1	34	2,573	110 354 00000
9	0015	0100	ECON2030002	1 1	7.30 8.30	1	34	2,573	110 354 00000
	0015	0100	ECON2030003	1 1	7.30 8.30	1	36	2,573	110 354 00000
9	0015	0100	ECON2030003	1 1	7.30 8.30	1	36	2,573	110 354 00000
	0015	0100	ECON2030004	1 1	7.30 8.30	1	36	2,573	110 354 00000
9	0015	0100	ECON2030004	1 1	7.30 8.30	1	36	2,573	110 354 00000
	0015	0100	ECON2030005	1 1	7.30 8.30	1	58	2,573	110 354 00000
9	0015	0100	ECON2030005	1 1	7.30 8.30	1	58	2,573	110 354 00000
	0015	0100	ECON2030006	1 1	7.30 8.30	1	37	2,573	110 354 00000
9	0015	0100	ECON2030006	1 1	7.30 8.30	1	37	2,573	110 354 00000
8	0015	0100	ECON2030007	1 1	7.30 8.30	1	37	2,573	110 354 00000
89	0015	0100	ECON2030007	1 1	7.30 8.30	1	37	2,573	110 354 00000
8	0015	0100	ECON2030008	1 1	7.30 8.30	1	34	2,573	110 354 00000
89	0015	0100	ECON2030008	1 1	7.30 8.30	1	34	2,573	110 354 00000
	0015	0100	ANSC1011001	1 1 1	8.30 9.30		163	2,573	110 354 00000
9	0015	0100	ANSC1011001	1 1 1	8.30 9.30		163	2,573	110 354 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 7

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0015	0100	PSYC2000002	1 1	9.00 10.30		304	110 354	00000
89	0015	0100	PSYC2000002	1 1	9.00 10.30		304	110 354	00000
	0015	0100	ECON2030009	1 1	9.30 10.30		60	110 354	00000
9	0015	0100	ECON2030009	1 1	9.30 10.30		60	110 354	00000
	0015	0100	ECON2030010	1 1	9.30 10.30	1	38	110 354	00000
9	0015	0100	ECON2030010	1 1	9.30 10.30	1	38	110 354	00000
	0015	0100	ECON2030011	1 1	9.30 10.30	1	37	110 354	00000
9	0015	0100	ECON2030011	1 1	9.30 10.30	1	37	110 354	00000
	0015	0100	ECON2030012	1 1	9.30 10.30	1	37	110 354	00000
9	0015	0100	ECON2030012	1 1	9.30 10.30	1	37	110 354	00000
	0015	0100	ECON2030013	1 1	9.30 10.30	1	59	110 354	00000
9	0015	0100	ECON2030013	1 1	9.30 10.30	1	59	110 354	00000
	0015	0100	ECON2030014	1 1	9.30 10.30	1	38	110 354	00000
89	0015	0100	ECON2030014	1 1	9.30 10.30	1	38	110 354	00000
8	0015	0100	ECON2030015	1 1	9.30 10.30	1	37	110 354	00000
89	0015	0100	ECON2030015	1 1	9.30 10.30	1	37	110 354	00000
8	0015	0100	ECON2030016	1 1	9.30 10.30	1	37	110 354	00000
89	0015	0100	ECON2030016	1 1	9.30 10.30	1	37	110 354	00000
	0015	0100	POLI1001001	1 1 1	10.30 11.30		194	110 354	00000
9	0015	0100	POLI1001001	1 1 1	10.30 11.30		194	110 354	00000
	0015	0100	POLI1002001	1 1 1	10.30 11.30	1	20	110 354	00000
9	0015	0100	POLI1002001	1 1 1	10.30 11.30	1	20	110 354	00000
	0015	0100	KIN 2504001	1 1	10.30 12.00		27	110 354	00000
9	0015	0100	KIN 2504001	1 1	10.30 12.00		27	110 354	00000
	0015	0100	KIN 2504002	1 1	10.30 12.00	1	27	110 354	00000
9	0015	0100	KIN 2504002	1 1	10.30 12.00	1	27	110 354	00000
	0015	0100	KIN 2504003	1 1	10.30 12.00	1	28	110 354	00000
9	0015	0100	KIN 2504003	1 1	10.30 12.00	1	28	110 354	00000
	0015	0100	KIN 2504004	1 1	10.30 12.00	1	28	110 354	00000
9	0015	0100	KIN 2504004	1 1	10.30 12.00	1	28	110 354	00000
	0015	0100	KIN 2504005	1 1	10.30 12.00	1	27	110 354	00000
9	0015	0100	KIN 2504005	1 1	10.30 12.00	1	27	110 354	00000
	0015	0100	KIN 2504006	1 1	10.30 12.00	1	26	110 354	00000
9	0015	0100	KIN 2504006	1 1	10.30 12.00	1	26	110 354	00000
	0015	0100	KIN 2504007	1 1	10.30 12.00	1	27	110 354	00000
9	0015	0100	KIN 2504007	1 1	10.30 12.00	1	27	110 354	00000
	0015	0100	KIN 2504008	1 1	10.30 12.00	1	27	110 354	00000
9	0015	0100	KIN 2504008	1 1	10.30 12.00	1	27	110 354	00000
	0015	0100	KIN 2504009	1 1	10.30 12.00	1	26	110 354	00000
9	0015	0100	KIN 2504009	1 1	10.30 12.00	1	26	110 354	00000
	0015	0100	KIN 2504010	1 1	10.30 12.00	1	27	110 354	00000
89	0015	0100	KIN 2504010	1 1	10.30 12.00	1	27	110 354	00000
8	0015	0100	KIN 2504011	1 1	10.30 12.00	1	26	110 354	00000
89	0015	0100	KIN 2504011	1 1	10.30 12.00	1	26	110 354	00000
8	0015	0100	KIN 2504012	1 1	10.30 12.00	1	26	110 354	00000
89	0015	0100	KIN 2504012	1 1	10.30 12.00	1	26	110 354	00000
	0015	0100	PETE4058001	1	11.30 12.30		25	110 354	00000
9	0015	0100	PETE4058001	1	11.30 12.30		25	110 354	00000
	0015	0100	PETE4058002	1	11.30 12.30	1	24	110 354	00000
9	0015	0100	PETE4058002	1	11.30 12.30	1	24	110 354	00000
	0015	0100	PETE4058003	1	11.30 12.30	1	24	110 354	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 8

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0015	0100	PETE4058003	1	11.30 12.30		24	110 354	00000
	0015	0100	PETE4058004	1	11.30 12.30	1	22	110 354	00000
9	0015	0100	PETE4058004	1	11.30 12.30		22	110 354	00000
	0015	0100	PETE4058005	1	11.30 12.30	1	26	110 354	00000
9	0015	0100	PETE4058005	1	11.30 12.30		26	110 354	00000
	0015	0100	PETE4058006	1	11.30 12.30	1	24	110 354	00000
9	0015	0100	PETE4058006	1	11.30 12.30		24	110 354	00000
	0015	0100	PETE4058007	1	11.30 12.30	1	24	110 354	00000
9	0015	0100	PETE4058007	1	11.30 12.30		24	110 354	00000
	0015	0100	PETE4058008	1	11.30 12.30	1	24	110 354	00000
9	0015	0100	PETE4058008	1	11.30 12.30		24	110 354	00000
	0015	0100	ENGL2148001	1 1	11.30 12.30		15	110 354	00000
9	0015	0100	ENGL2148001	1 1	11.30 12.30		15	110 354	00000
	0015	0100	ENGL2148002	1 1	11.30 12.30	1	18	110 354	00000
9	0015	0100	ENGL2148002	1 1	11.30 12.30		18	110 354	00000
	0015	0100	ENGL2148003	1 1	11.30 12.30	1	15	110 354	00000
9	0015	0100	ENGL2148003	1 1	11.30 12.30		15	110 354	00000
	0015	0100	ENGL2148004	1 1	11.30 12.30	1	18	110 354	00000
9	0015	0100	ENGL2148004	1 1	11.30 12.30		18	110 354	00000
	0015	0100	ENGL2148005	1 1	11.30 12.30	1	15	110 354	00000
9	0015	0100	ENGL2148005	1 1	11.30 12.30		15	110 354	00000
	0015	0100	ENGL2148006	1 1	11.30 12.30	1	16	110 354	00000
9	0015	0100	ENGL2148006	1 1	11.30 12.30		16	110 354	00000
	0015	0100	ENGL2148008	1 1	11.30 12.30	1	12	110 354	00000
9	0015	0100	ENGL2148008	1 1	11.30 12.30		12	110 354	00000
	0015	0100	ENGL2148009	1 1	11.30 12.30	1	16	110 354	00000
9	0015	0100	ENGL2148009	1 1	11.30 12.30		16	110 354	00000
	0015	0100	ENGL2148010	1 1	11.30 12.30	1	13	110 354	00000
9	0015	0100	ENGL2148010	1 1	11.30 12.30		13	110 354	00000
	0015	0100	ACCT2000002	1 1	12.00 13.30		345	110 354	00000
89	0015	0100	ACCT2000002	1 1	12.00 13.30		345	110 354	00000
	0015	0100	PSYC2000005	1 1 1	13.30 14.30		246	110 354	00000
9	0015	0100	PSYC2000005	1 1 1	13.30 14.30		246	110 354	00000
	0015	0100	SOCL2001007	1 1	13.30 15.00		166	110 354	00000
9	0015	0100	SOCL2001007	1 1	13.30 15.00		166	110 354	00000
	0015	0100	ACCT2001003	1 1	15.00 16.30		151	110 354	00000
9	0015	0100	ACCT2001003	1 1	15.00 16.30		151	110 354	00000
	0015	0100	PSYC3082002	1	18.00 21.00		253	110 354	00000
9	0015	0100	PSYC3082002	1	18.00 21.00		253	110 354	00000
	0016	0101	HNRS3000001	1 1	9.00 10.30		12	110 23	00000
9	0016	0101	HNRS3000001	1 1	9.00 10.30		12	110 23	00000
	0016	0101	ENGL1001086	1 1 1	9.30 10.30		20	110 23	00000
89	0016	0101	ENGL1001086	1 1 1	9.30 10.30		20	110 23	00000
	0016	0101	SPAN3020002	1 1	10.30 12.00		23	110 23	00000
89	0016	0101	SPAN3020002	1 1	10.30 12.00		23	110 23	00000
	0016	0101	SPAN2155003	1 1	13.30 15.00		18	110 23	00000
89	0016	0101	SPAN2155003	1 1	13.30 15.00		18	110 23	00000
	0016	0101	PSYC7938002	1	13.30 16.30		16	110 23	00000
9	0016	0101	PSYC7938002	1	13.30 16.30		16	110 23	00000
	0016	0101	XCAS9999007	1	15.30 17.00		23	110 23	00000
89	0016	0101	XCAS9999007	1	15.30 17.00		23	110 23	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 9

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0016	0101	XCAS9999008	1	16.00 17.30		23	345	110 23 00000
89	0016	0101	XCAS9999008	1	16.00 17.30		23	345	110 23 00000
	0016	0101	XCAS9999009	1	17.00 18.30		23	345	110 23 00000
89	0016	0101	XCAS9999009	1	17.00 18.30		23	345	110 23 00000
	0016	0102	ENGL1001001	1 1 1	8.30 9.30		19	337	110 22 00000
89	0016	0102	ENGL1001001	1 1 1	8.30 9.30		19	337	110 22 00000
	0016	0102	FMA 2001002	1 1	9.00 10.30		17	337	110 22 00000
89	0016	0102	FMA 2001002	1 1	9.00 10.30		17	337	110 22 00000
	0016	0102	SPAN2155001	1 1 1	9.30 10.30		18	337	110 22 00000
89	0016	0102	SPAN2155001	1 1 1	9.30 10.30		18	337	110 22 00000
	0016	0102	SPAN2155002	1 1 1	10.30 11.30		20	337	110 22 00000
89	0016	0102	SPAN2155002	1 1 1	10.30 11.30		20	337	110 22 00000
	0016	0102	SOCL4431001	1 1	10.30 12.00		9	337	110 22 00000
9	0016	0102	SOCL4431001	1 1	10.30 12.00		9	337	110 22 00000
	0016	0102	ENGL1001093	1 1 1	11.30 12.30		19	337	110 22 00000
89	0016	0102	ENGL1001093	1 1 1	11.30 12.30		19	337	110 22 00000
	0016	0102	ENGL1001034	1 1	12.00 13.30		18	337	110 22 00000
89	0016	0102	ENGL1001034	1 1	12.00 13.30		18	337	110 22 00000
	0016	0102	EXST4050001	1 1	13.00 14.30		8	337	110 22 00000
9	0016	0102	EXST4050001	1 1	13.00 14.30		8	337	110 22 00000
	0016	0102	EXST4050001	1	13.00 15.00		8	337	110 22 00000
9	0016	0102	EXST4050001	1	13.00 15.00		8	337	110 22 00000
	0016	0102	SPAN4602001	1 1	13.30 15.00		19	337	110 22 00000
89	0016	0102	SPAN4602001	1 1	13.30 15.00		19	337	110 22 00000
	0016	0102	FMA 2001001	1 1	15.00 16.30		19	337	110 22 00000
89	0016	0102	FMA 2001001	1 1	15.00 16.30		19	337	110 22 00000
	0016	0102	CHIN2070001	1	15.00 18.00		13	337	110 22 00000
9	0016	0102	CHIN2070001	1	15.00 18.00		13	337	110 22 00000
	0016	0104	PSYC4032001	1 1 1	8.30 9.30		67	1,103	110 74 00000
89	0016	0104	PSYC4032001	1 1 1	8.30 9.30		67	1,103	110 74 00000
	0016	0104	MC 2040001	1 1	9.00 10.30		54	1,103	110 74 00000
9	0016	0104	MC 2040001	1 1	9.00 10.30		54	1,103	110 74 00000
	0016	0104	ARAB2101001	1 1 1	9.30 10.30		11	1,103	110 74 00000
9	0016	0104	ARAB2101001	1 1 1	9.30 10.30		11	1,103	110 74 00000
	0016	0104	ARAB2101002	1 1 1	10.30 11.30		14	1,103	110 74 00000
9	0016	0104	ARAB2101002	1 1 1	10.30 11.30		14	1,103	110 74 00000
	0016	0104	EDCI1001004	1 1	10.30 12.00		69	1,103	110 74 00000
89	0016	0104	EDCI1001004	1 1	10.30 12.00		69	1,103	110 74 00000
	0016	0104	PSYC4072001	1 1	12.00 13.30		74	1,103	110 74 00000
89	0016	0104	PSYC4072001	1 1	12.00 13.30		74	1,103	110 74 00000
	0016	0104	EXST7004001	1 1	13.30 15.00		22	1,103	110 74 00000
9	0016	0104	EXST7004001	1 1	13.30 15.00		22	1,103	110 74 00000
	0016	0104	EXST7004002	1 1	13.30 15.00	1	24	1,103	110 74 00000
9	0016	0104	EXST7004002	1 1	13.30 15.00		24	1,103	110 74 00000
	0016	0104	PSYC2078001	1 1 1	14.30 15.30		30	1,103	110 74 00000
9	0016	0104	PSYC2078001	1 1 1	14.30 15.30		30	1,103	110 74 00000
	0016	0104	CFS 4064001	1 1	15.00 16.30		64	1,103	110 74 00000
89	0016	0104	CFS 4064001	1 1	15.00 16.30		64	1,103	110 74 00000
	0016	0104	CFS 3067001	1	16.30 17.30		62	1,103	110 74 00000
89	0016	0104	CFS 3067001	1	16.30 17.30		62	1,103	110 74 00000
	0016	0104	XCAS9999011	1	18.00 19.30		74	1,103	110 74 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 10

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
89	0016	0104	XCAS9999011	1	18.00 19.30		74	110	74	00000
	0016	0108	ENGL1001068	1 1	9.00 10.30		20	110	23	00000
89	0016	0108	ENGL1001068	1 1	9.00 10.30		20	110	23	00000
	0016	0108	ENGL1001063	1 1 1	10.30 11.30		20	110	23	00000
89	0016	0108	ENGL1001063	1 1 1	10.30 11.30		20	110	23	00000
	0016	0108	FREN2155001	1 1	10.30 12.00		13	110	23	00000
9	0016	0108	FREN2155001	1 1	10.30 12.00		13	110	23	00000
	0016	0108	ENGL1001064	1 1 1	12.30 13.30		20	110	23	00000
89	0016	0108	ENGL1001064	1 1 1	12.30 13.30		20	110	23	00000
	0016	0108	XCAS9999016	1	15.30 17.00		23	110	23	00000
89	0016	0108	XCAS9999016	1	15.30 17.00		23	110	23	00000
	0016	0108	XCAS9999017	1	16.00 17.30	1	23	110	23	00000
89	0016	0108	XCAS9999017	1	16.00 17.30	1	23	110	23	00000
	0016	0108	XCAS9999018	1	16.30 18.00		23	110	23	00000
89	0016	0108	XCAS9999018	1	16.30 18.00		23	110	23	00000
	0016	0108	XCAS9999019	1	18.30 20.00		23	110	23	00000
89	0016	0108	XCAS9999019	1	18.30 20.00		23	110	23	00000
	0016	0112	SPAN1101002	1111	8.30 9.30		24	110	46	00000
9	0016	0112	SPAN1101002	1111	8.30 9.30		24	110	46	00000
	0016	0112	ITAL1001001	1111	9.30 10.30		22	110	46	00000
9	0016	0112	ITAL1001001	1111	9.30 10.30		22	110	46	00000
	0016	0112	SPAN1101004	1111	10.30 11.30		25	110	46	00000
9	0016	0112	SPAN1101004	1111	10.30 11.30		25	110	46	00000
	0016	0112	SPAN1152005	1111	11.30 12.30		24	110	46	00000
9	0016	0112	SPAN1152005	1111	11.30 12.30		24	110	46	00000
	0016	0112	SPAN1152006	1111	12.30 13.30		23	110	46	00000
9	0016	0112	SPAN1152006	1111	12.30 13.30		23	110	46	00000
	0016	0112	EXST7142001	1 1	13.30 15.00		28	110	46	00000
9	0016	0112	EXST7142001	1 1	13.30 15.00		28	110	46	00000
	0016	0112	PSYC7929001	1	15.00 18.00		13	110	46	00000
9	0016	0112	PSYC7929001	1	15.00 18.00		13	110	46	00000
	0016	0112	ELRC7806001	1	16.30 19.30		8	110	46	00000
9	0016	0112	ELRC7806001	1	16.30 19.30		8	110	46	00000
	0016	0114	FREN1001001	1111	7.30 8.30		16	110	48	00000
9	0016	0114	FREN1001001	1111	7.30 8.30		16	110	48	00000
	0016	0114	FREN1001002	1111	8.30 9.30		14	110	48	00000
9	0016	0114	FREN1001002	1111	8.30 9.30		14	110	48	00000
	0016	0114	SPAN1102001	1111	9.30 10.30		24	110	48	00000
9	0016	0114	SPAN1102001	1111	9.30 10.30		24	110	48	00000
	0016	0114	SPAN2102004	1 1 1	10.30 11.30		25	110	48	00000
9	0016	0114	SPAN2102004	1 1 1	10.30 11.30		25	110	48	00000
	0016	0114	NFS 3110001	1 1	10.30 12.00		42	110	48	00000
89	0016	0114	NFS 3110001	1 1	10.30 12.00		42	110	48	00000
	0016	0114	SPAN2102005	1 1 1	11.30 12.30		25	110	48	00000
9	0016	0114	SPAN2102005	1 1 1	11.30 12.30		25	110	48	00000
	0016	0114	SPAN1101006	1111	12.30 13.30		25	110	48	00000
9	0016	0114	SPAN1101006	1111	12.30 13.30		25	110	48	00000
	0016	0114	EDCI2700003	1 1	13.30 15.00		28	110	48	00000
9	0016	0114	EDCI2700003	1 1	13.30 15.00		28	110	48	00000
	0016	0114	XCAS9999023	1 1	15.30 17.00		48	110	48	00000
89	0016	0114	XCAS9999023	1 1	15.30 17.00		48	110	48	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 11

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0016	0114	KIN 4520002	1	16.30 19.30		34	715	110 48 00000
9	0016	0114	KIN 4520002	1	16.30 19.30		34	715	110 48 00000
	0016	0114	KIN 7999001	1	16.30 19.30		13	715	110 48 00000
9	0016	0114	KIN 7999001	1	16.30 19.30		13	715	110 48 00000
	0016	0212	SPAN2102001	1 1 1	7.30 8.30		21	490	110 33 00000
9	0016	0212	SPAN2102001	1 1 1	7.30 8.30		21	490	110 33 00000
	0016	0212	SPAN2102002	1 1 1	8.30 9.30		25	490	110 33 00000
9	0016	0212	SPAN2102002	1 1 1	8.30 9.30		25	490	110 33 00000
	0016	0212	ENGL1001024	1 1	9.00 10.30		20	490	110 33 00000
9	0016	0212	ENGL1001024	1 1	9.00 10.30		20	490	110 33 00000
	0016	0212	ENGL1001038	1 1 1	9.30 10.30		20	490	110 33 00000
9	0016	0212	ENGL1001038	1 1 1	9.30 10.30		20	490	110 33 00000
	0016	0212	ENGL1001008	1 1 1	10.30 11.30		19	490	110 33 00000
9	0016	0212	ENGL1001008	1 1 1	10.30 11.30		19	490	110 33 00000
	0016	0212	ENGL1001046	1 1	10.30 12.00		20	490	110 33 00000
9	0016	0212	ENGL1001046	1 1	10.30 12.00		20	490	110 33 00000
	0016	0212	ENGL1001026	1 1 1	11.30 12.30		19	490	110 33 00000
9	0016	0212	ENGL1001026	1 1 1	11.30 12.30		19	490	110 33 00000
	0016	0212	PSYC4111001	1 1	12.00 13.30		25	490	110 33 00000
9	0016	0212	PSYC4111001	1 1	12.00 13.30		25	490	110 33 00000
	0016	0212	SPAN2102007	1 1 1	12.30 13.30		25	490	110 33 00000
9	0016	0212	SPAN2102007	1 1 1	12.30 13.30		25	490	110 33 00000
	0016	0212	SPAN2102008	1 1 1	13.30 14.30		25	490	110 33 00000
9	0016	0212	SPAN2102008	1 1 1	13.30 14.30		25	490	110 33 00000
	0016	0212	FREN2101007	1 1	13.30 15.00		18	490	110 33 00000
9	0016	0212	FREN2101007	1 1	13.30 15.00		18	490	110 33 00000
	0016	0212	SPAN2102009	1 1 1	14.30 15.30		21	490	110 33 00000
9	0016	0212	SPAN2102009	1 1 1	14.30 15.30		21	490	110 33 00000
	0016	0212	PSYC9999027	1	15.00 17.00		33	490	110 33 00000
89	0016	0212	PSYC9999027	1	15.00 17.00		33	490	110 33 00000
	0016	0212	SPAN2101015	1 1 1	15.30 16.30		12	490	110 33 00000
9	0016	0212	SPAN2101015	1 1 1	15.30 16.30		12	490	110 33 00000
	0017	0015	POLI4028001	1 1	9.00 10.30		50	886	110 53 00000
89	0017	0015	POLI4028001	1 1	9.00 10.30		50	886	110 53 00000
	0017	0015	POLI2053001	1 1 1	9.30 10.30		49	886	110 53 00000
89	0017	0015	POLI2053001	1 1 1	9.30 10.30		49	886	110 53 00000
	0017	0015	POLI4040001	1 1	10.30 12.00		41	886	110 53 00000
89	0017	0015	POLI4040001	1 1	10.30 12.00		41	886	110 53 00000
	0017	0015	POLI4036001	1 1	12.00 13.30		48	886	110 53 00000
89	0017	0015	POLI4036001	1 1	12.00 13.30		48	886	110 53 00000
	0017	0015	POLI4020001	1 1 1	12.30 13.30		49	886	110 53 00000
89	0017	0015	POLI4020001	1 1 1	12.30 13.30		49	886	110 53 00000
	0017	0015	POLI4021001	1 1 1	13.30 14.30		28	886	110 53 00000
9	0017	0015	POLI4021001	1 1 1	13.30 14.30		28	886	110 53 00000
	0017	0015	ARCH4700001	1	18.00 21.00		12	886	110 53 00000
9	0017	0015	ARCH4700001	1	18.00 21.00		12	886	110 53 00000
	0018	0108	ART 4567001	1 1	9.00 12.00		19	715	110 47 00000
9	0018	0108	ART 4567001	1 1	9.00 12.00		19	715	110 47 00000
	0018	0108	ART 4567002	1 1	12.00 15.00		16	715	110 47 00000
9	0018	0108	ART 4567002	1 1	12.00 15.00		16	715	110 47 00000
	0018	0108	ART 2050002	1 1	12.30 13.30		19	715	110 47 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 12

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0018 0108	ART 2050002	1 1	12.30 13.30		19	715	110 47	00000
	0018 0108	ART 2050002	1 1	13.30 15.30		19	715	110 47	00000
9	0018 0108	ART 2050002	1 1	13.30 15.30		19	715	110 47	00000
	0018 0108	ART 3996001	1 1	15.00 18.00		10	715	110 47	00000
9	0018 0108	ART 3996001	1 1	15.00 18.00		10	715	110 47	00000
	0018 0113	ART 2050003	1 1	8.30 9.30		14	500	140 33	00000
9	0018 0113	ART 2050003	1 1	8.30 9.30		14	500	140 33	00000
	0018 0113	ART 2551001	1 1	9.00 10.00		19	500	140 33	00000
9	0018 0113	ART 2551001	1 1	9.00 10.00		19	500	140 33	00000
	0018 0113	ART 2050003	1 1	9.30 11.30		14	500	140 33	00000
9	0018 0113	ART 2050003	1 1	9.30 11.30		14	500	140 33	00000
	0018 0113	ART 2551002	1 1	12.00 13.00		20	500	140 33	00000
9	0018 0113	ART 2551002	1 1	12.00 13.00		20	500	140 33	00000
	0018 0113	ART 2551002	1 1	13.00 15.00		20	500	140 33	00000
9	0018 0113	ART 2551002	1 1	13.00 15.00		20	500	140 33	00000
	0018 0113	ART 2050001	1 1	15.00 16.00		12	500	140 33	00000
9	0018 0113	ART 2050001	1 1	15.00 16.00		12	500	140 33	00000
	0018 0208	ART 4526001	1 1	15.00 18.00		19	689	110 14	00000
89	0018 0208	ART 4526001	1 1	15.00 18.00		19	689	110 14	00000
	0018 0210	ART 4527001	1 1	8.30 11.30		20	724	110 24	00000
89	0018 0210	ART 4527001	1 1	8.30 11.30		20	724	110 24	00000
	0018 0210	ART 4526002	1 1	9.00 12.00		15	724	110 24	00000
9	0018 0210	ART 4526002	1 1	9.00 12.00		15	724	110 24	00000
	0018 0210	ART 2564002	1 1	12.00 15.00		15	724	110 24	00000
9	0018 0210	ART 2564002	1 1	12.00 15.00		15	724	110 24	00000
	0018 0210	ART 4527002	1 1	15.30 18.30		14	724	110 24	00000
9	0018 0210	ART 4527002	1 1	15.30 18.30		14	724	110 24	00000
	0018 0211	ART 2995003	1 1	8.30 11.30		17	702	110 35	00000
9	0018 0211	ART 2995003	1 1	8.30 11.30		17	702	110 35	00000
	0018 0211	ART 4997001	1 1	12.00 15.00		8	702	110 35	00000
9	0018 0211	ART 4997001	1 1	12.00 15.00		8	702	110 35	00000
	0018 0211	ART 2564001	1 1	12.30 15.30		19	702	110 35	00000
9	0018 0211	ART 2564001	1 1	12.30 15.30		19	702	110 35	00000
	0018 0229	ART 2996001	1 1	9.00 12.00		10	241	110 16	00000
9	0018 0229	ART 2996001	1 1	9.00 12.00		10	241	110 16	00000
	0018 0229	ART 2995001	1 1	12.00 15.00		15	241	110 16	00000
89	0018 0229	ART 2995001	1 1	12.00 15.00		15	241	110 16	00000
	0018 0229	ART 3994001	1 1	12.30 14.30		5	241	110 16	00000
9	0018 0229	ART 3994001	1 1	12.30 14.30		5	241	110 16	00000
	0018 0229	ART 3994001	1 1	14.30 15.30		5	241	110 16	00000
9	0018 0229	ART 3994001	1 1	14.30 15.30		5	241	110 16	00000
	0018 0229	ART 2995002	1 1	15.00 18.00		14	241	110 16	00000
89	0018 0229	ART 2995002	1 1	15.00 18.00		14	241	110 16	00000
	0018 0229	ART 4998001	1 1	18.30 21.30		2	241	110 16	00000
9	0018 0229	ART 4998001	1 1	18.30 21.30		2	241	110 16	00000
	0018 0229	ART 7900001	1 1	18.30 21.30	1	4	241	110 16	00000
9	0018 0229	ART 7900001	1 1	18.30 21.30		4	241	110 16	00000
	0018 0302	ART 4574001	1 1	8.30 11.30		12	667	110 24	00000
9	0018 0302	ART 4574001	1 1	8.30 11.30		12	667	110 24	00000
	0018 0302	ART 4555002	1 1	15.30 18.30		18	667	110 24	00000
9	0018 0302	ART 4555002	1 1	15.30 18.30		18	667	110 24	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 13

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0018	0313	ART 4941001	1 1	15.30 18.30		7	467	210 18 00000
9	0018	0313	ART 4941001	1 1	15.30 18.30		7	467	210 18 00000
	0018	0319	ART 2544002	1 1	12.00 15.00		18	695	210 35 00000
9	0018	0319	ART 2544002	1 1	12.00 15.00		18	695	210 35 00000
	0018	0319	ART 2544001	1 1	12.30 15.30		15	695	210 35 00000
9	0018	0319	ART 2544001	1 1	12.30 15.30		15	695	210 35 00000
	0018	0319	ART 4555001	1 1	15.30 18.30		16	695	210 35 00000
9	0018	0319	ART 4555001	1 1	15.30 18.30		16	695	210 35 00000
	0018	0330	ART 2220001	1 1	9.00 12.00		24	1,408	210 28 00000
89	0018	0330	ART 2220001	1 1	9.00 12.00		24	1,408	210 28 00000
	0018	0330	ART 4240002	1 1 1	9.30 11.30		8	1,408	210 28 00000
9	0018	0330	ART 4240002	1 1 1	9.30 11.30		8	1,408	210 28 00000
	0018	0330	ART 2210001	1 1	12.00 15.00		22	1,408	210 28 00000
89	0018	0330	ART 2210001	1 1	12.00 15.00		22	1,408	210 28 00000
	0018	0330	ART 4290001	1 1	12.30 15.30		5	1,408	210 28 00000
9	0018	0330	ART 4290001	1 1	12.30 15.30		5	1,408	210 28 00000
	0018	0330	ART 4514001	1 1	15.00 18.00		3	1,408	210 28 00000
9	0018	0330	ART 4514001	1 1	15.00 18.00		3	1,408	210 28 00000
	0018	0334	ART 1011001	1 1	9.00 10.00		16	713	210 24 00000
9	0018	0334	ART 1011001	1 1	9.00 10.00		16	713	210 24 00000
	0018	0334	ART 1011001	1 1	10.00 12.00		16	713	210 24 00000
9	0018	0334	ART 1011001	1 1	10.00 12.00		16	713	210 24 00000
	0018	0334	ART 1011002	1 1	12.00 13.00		18	713	210 24 00000
9	0018	0334	ART 1011002	1 1	12.00 13.00		18	713	210 24 00000
	0018	0334	ART 1011002	1 1	13.00 15.00		18	713	210 24 00000
9	0018	0334	ART 1011002	1 1	13.00 15.00		18	713	210 24 00000
	0018	0334	ART 1008002	1 1	15.00 18.00		16	713	210 24 00000
9	0018	0334	ART 1008002	1 1	15.00 18.00		16	713	210 24 00000
	0018	0334	ART 1011006	1 1	15.30 16.30		15	713	210 24 00000
9	0018	0334	ART 1011006	1 1	15.30 16.30		15	713	210 24 00000
	0018	0334	ART 1011006	1 1	16.30 18.30		15	713	210 24 00000
9	0018	0334	ART 1011006	1 1	16.30 18.30		15	713	210 24 00000
	0021	0128	ART 1009001	1 1	8.30 11.30		15	830	220 20 00000
9	0021	0128	ART 1009001	1 1	8.30 11.30		15	830	220 20 00000
	0021	0128	ART 1012003	1 1	12.00 15.00		15	830	220 20 00000
9	0021	0128	ART 1012003	1 1	12.00 15.00		15	830	220 20 00000
	0021	0128	ART 1762002	1 1	12.30 15.30		15	830	220 20 00000
9	0021	0128	ART 1762002	1 1	12.30 15.30		15	830	220 20 00000
8	0021	0128	ART 4741001	1 1	12.30 15.30	1	4	830	220 20 00000
89	0021	0128	ART 4741001	1 1	12.30 15.30		4	830	220 20 00000
	0021	0128	ART 1012002	1 1	15.00 18.00		13	830	220 20 00000
9	0021	0128	ART 1012002	1 1	15.00 18.00		13	830	220 20 00000
	0021	0128	ART 7030006	1 1	18.00 21.00		7	830	220 20 00000
9	0021	0128	ART 7030006	1 1	18.00 21.00		7	830	220 20 00000
	0021	0226	ART 1012005	1 1	8.30 11.30		16	1,119	210 40 00000
9	0021	0226	ART 1012005	1 1	8.30 11.30		16	1,119	210 40 00000
	0021	0226	ART 1012004	1 1	9.00 12.00		17	1,119	210 40 00000
9	0021	0226	ART 1012004	1 1	9.00 12.00		17	1,119	210 40 00000
	0021	0226	ART 2761001	1 1	12.30 15.30		8	1,119	210 40 00000
9	0021	0226	ART 2761001	1 1	12.30 15.30		8	1,119	210 40 00000
	0021	0226	ART 1012001	1 1	15.30 18.30		14	1,119	210 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 14

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0021	0226	ART 1012001	1 1	15.30 18.30		14	210 40	00000
	0023	0154	ART 1662002	1 1	8.30 11.30		14	210 30	00000
9	0023	0154	ART 1662002	1 1	8.30 11.30		14	210 30	00000
	0023	0154	ART 1661001	1 1	9.00 12.00		10	210 30	00000
9	0023	0154	ART 1661001	1 1	9.00 12.00		10	210 30	00000
	0023	0154	ART 2661001	1 1	12.00 15.00		8	210 30	00000
9	0023	0154	ART 2661001	1 1	12.00 15.00		8	210 30	00000
	0023	0154	ART 4641001	1 1	12.00 15.00	1	3	210 30	00000
9	0023	0154	ART 4641001	1 1	12.00 15.00	1	3	210 30	00000
	0023	0154	ART 1662001	1 1	12.30 15.30		12	210 30	00000
9	0023	0154	ART 1662001	1 1	12.30 15.30		12	210 30	00000
	0023	0154	ART 4661001	1 1	15.00 18.00		11	210 30	00000
9	0023	0154	ART 4661001	1 1	15.00 18.00		11	210 30	00000
	0023	0154	ART 4691001	1 1	15.00 18.00	1	1	210 30	00000
9	0023	0154	ART 4691001	1 1	15.00 18.00	1	1	210 30	00000
	0023	0154	ART 7600001	1 1	15.30 18.30		8	210 30	00000
9	0023	0154	ART 7600001	1 1	15.30 18.30		8	210 30	00000
	0026	0103	CMST2060001	1 1 1	7.30 8.30		25	110 44	00000
9	0026	0103	CMST2060001	1 1 1	7.30 8.30		25	110 44	00000
	0026	0103	CMST2060032	1 1	7.30 9.00		21	110 44	00000
9	0026	0103	CMST2060032	1 1	7.30 9.00		21	110 44	00000
	0026	0103	CMST2060010	1 1 1	8.30 9.30		26	110 44	00000
9	0026	0103	CMST2060010	1 1 1	8.30 9.30		26	110 44	00000
	0026	0103	CMST2060038	1 1	9.00 10.30		25	110 44	00000
9	0026	0103	CMST2060038	1 1	9.00 10.30		25	110 44	00000
	0026	0103	CMST2061002	1 1 1	9.30 10.30		34	110 44	00000
89	0026	0103	CMST2061002	1 1 1	9.30 10.30		34	110 44	00000
	0026	0103	CMST2061003	1 1 1	10.30 11.30		35	110 44	00000
89	0026	0103	CMST2061003	1 1 1	10.30 11.30		35	110 44	00000
	0026	0103	KIN 4512001	1 1 1	11.30 12.30		40	110 44	00000
89	0026	0103	KIN 4512001	1 1 1	11.30 12.30		40	110 44	00000
	0026	0103	CMST2060051	1 1	12.00 13.30		24	110 44	00000
9	0026	0103	CMST2060051	1 1	12.00 13.30		24	110 44	00000
	0026	0103	CMST2060026	1 1 1	12.30 13.30		25	110 44	00000
9	0026	0103	CMST2060026	1 1 1	12.30 13.30		25	110 44	00000
	0026	0103	BIOL4385001	1	13.30 14.30		15	110 44	00000
9	0026	0103	BIOL4385001	1	13.30 14.30		15	110 44	00000
	0026	0103	BIOL4385002	1	13.30 14.30	1	7	110 44	00000
9	0026	0103	BIOL4385002	1	13.30 14.30	1	7	110 44	00000
	0026	0103	CLST3090001	1 1	13.30 15.00		10	110 44	00000
9	0026	0103	CLST3090001	1 1	13.30 15.00		10	110 44	00000
	0026	0103	REL 3090001	1 1	13.30 15.00	1	12	110 44	00000
9	0026	0103	REL 3090001	1 1	13.30 15.00	1	12	110 44	00000
	0026	0103	ENGL2000006	1 1	15.00 16.30		20	110 44	00000
9	0026	0103	ENGL2000006	1 1	15.00 16.30		20	110 44	00000
	0026	0103	POLI3809001	1	16.00 19.00		15	110 44	00000
9	0026	0103	POLI3809001	1	16.00 19.00		15	110 44	00000
	0026	0103	AAAS2410001	1	16.30 19.30		22	110 44	00000
9	0026	0103	AAAS2410001	1	16.30 19.30		22	110 44	00000
	0026	0109	CMST2060003	1 1 1	7.30 8.30		19	110 42	00000
9	0026	0109	CMST2060003	1 1 1	7.30 8.30		19	110 42	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 15

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0026	0109	CMST2061001	1 1 1	8.30 9.30		34	543	110 42 00000
89	0026	0109	CMST2061001	1 1 1	8.30 9.30		34	543	110 42 00000
	0026	0109	GERM1101001	1111	9.30 10.30		27	543	110 42 00000
9	0026	0109	GERM1101001	1111	9.30 10.30		27	543	110 42 00000
	0026	0109	CMST4201001	1	10.30 11.30		7	543	110 42 00000
9	0026	0109	CMST4201001	1	10.30 11.30		7	543	110 42 00000
	0026	0109	SSS 1001001	1	10.30 11.30		10	543	110 42 00000
9	0026	0109	SSS 1001001	1	10.30 11.30		10	543	110 42 00000
	0026	0109	CMST2060044	1 1	10.30 12.00		23	543	110 42 00000
9	0026	0109	CMST2060044	1 1	10.30 12.00		23	543	110 42 00000
	0026	0109	ENGL2148001	1	11.30 12.30		15	543	110 42 00000
9	0026	0109	ENGL2148001	1	11.30 12.30		15	543	110 42 00000
	0026	0109	CMST2060053	1 1	12.00 13.30		24	543	110 42 00000
9	0026	0109	CMST2060053	1 1	12.00 13.30		24	543	110 42 00000
	0026	0109	CMST2060028	1 1 1	12.30 13.30		26	543	110 42 00000
9	0026	0109	CMST2060028	1 1 1	12.30 13.30		26	543	110 42 00000
	0026	0109	CMST1061007	1 1 1	13.30 14.30		34	543	110 42 00000
89	0026	0109	CMST1061007	1 1 1	13.30 14.30		34	543	110 42 00000
	0026	0109	CMST2012001	1 1	13.30 15.00		21	543	110 42 00000
9	0026	0109	CMST2012001	1 1	13.30 15.00		21	543	110 42 00000
	0026	0109	HIST3001001	1	15.00 16.00		7	543	110 42 00000
9	0026	0109	HIST3001001	1	15.00 16.00		7	543	110 42 00000
	0026	0109	HIST4403001	1	16.00 17.00		9	543	110 42 00000
9	0026	0109	HIST4403001	1	16.00 17.00		9	543	110 42 00000
	0026	0109	CMST2010001	1	16.30 19.30		37	543	110 42 00000
89	0026	0109	CMST2010001	1	16.30 19.30		37	543	110 42 00000
	0026	0111	CMST2061005	1 1	7.30 9.00		35	501	110 35 00000
89	0026	0111	CMST2061005	1 1	7.30 9.00		35	501	110 35 00000
	0026	0111	CMST2060006	1 1 1	8.30 9.30		26	501	110 35 00000
9	0026	0111	CMST2060006	1 1 1	8.30 9.30		26	501	110 35 00000
	0026	0111	CMST2061006	1 1	9.00 10.30		30	501	110 35 00000
89	0026	0111	CMST2061006	1 1	9.00 10.30		30	501	110 35 00000
	0026	0111	CMST2060020	1 1 1	10.30 11.30		26	501	110 35 00000
9	0026	0111	CMST2060020	1 1 1	10.30 11.30		26	501	110 35 00000
	0026	0111	CMST3112001	1 1	10.30 12.00		29	501	110 35 00000
89	0026	0111	CMST3112001	1 1	10.30 12.00		29	501	110 35 00000
	0026	0111	ENGL1001002	1 1 1	11.30 12.30		19	501	110 35 00000
9	0026	0111	ENGL1001002	1 1 1	11.30 12.30		19	501	110 35 00000
	0026	0111	REL 4010001	1 1	12.00 13.30		21	501	110 35 00000
9	0026	0111	REL 4010001	1 1	12.00 13.30		21	501	110 35 00000
	0026	0111	CMST2064003	1 1 1	12.30 13.30		26	501	110 35 00000
9	0026	0111	CMST2064003	1 1 1	12.30 13.30		26	501	110 35 00000
	0026	0111	CMST2064006	1 1 1	13.30 14.30		26	501	110 35 00000
9	0026	0111	CMST2064006	1 1 1	13.30 14.30		26	501	110 35 00000
	0026	0111	CMST2061007	1 1	13.30 15.00		34	501	110 35 00000
89	0026	0111	CMST2061007	1 1	13.30 15.00		34	501	110 35 00000
	0026	0111	HIST4047001	1 1 1	14.30 15.30		10	501	110 35 00000
9	0026	0111	HIST4047001	1 1 1	14.30 15.30		10	501	110 35 00000
	0026	0111	CMST2061008	1 1	15.00 16.30		34	501	110 35 00000
89	0026	0111	CMST2061008	1 1	15.00 16.30		34	501	110 35 00000
	0026	0111	GERM2075001	1 1	16.30 18.00		1	501	110 35 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 16

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0026	0111	GERM2075001	1 1	16.30 18.00		1	501	110 35 00000
	0026	0111	HIST2075001	1 1	16.30 18.00	1	8	501	110 35 00000
9	0026	0111	HIST2075001	1 1	16.30 18.00		8	501	110 35 00000
	0026	0127	CMST2060036	1 1	7.30 9.00		25	495	110 36 00000
9	0026	0127	CMST2060036	1 1	7.30 9.00		25	495	110 36 00000
	0026	0127	CMST2060009	1 1 1	8.30 9.30		26	495	110 36 00000
9	0026	0127	CMST2060009	1 1 1	8.30 9.30		26	495	110 36 00000
	0026	0127	CMST2060041	1 1	9.00 10.30		26	495	110 36 00000
9	0026	0127	CMST2060041	1 1	9.00 10.30		26	495	110 36 00000
	0026	0127	CMST2060013	1 1 1	9.30 10.30		23	495	110 36 00000
9	0026	0127	CMST2060013	1 1 1	9.30 10.30		23	495	110 36 00000
	0026	0127	CMST2060019	1 1 1	10.30 11.30		24	495	110 36 00000
9	0026	0127	CMST2060019	1 1 1	10.30 11.30		24	495	110 36 00000
	0026	0127	CMST2063001	1 1	10.30 12.00		24	495	110 36 00000
9	0026	0127	CMST2063001	1 1	10.30 12.00		24	495	110 36 00000
	0026	0127	SPAN2102011	1 1 1	11.30 12.30		26	495	110 36 00000
9	0026	0127	SPAN2102011	1 1 1	11.30 12.30		26	495	110 36 00000
	0026	0127	CMST2064008	1 1	12.00 13.30		26	495	110 36 00000
9	0026	0127	CMST2064008	1 1	12.00 13.30		26	495	110 36 00000
	0026	0127	CMST2060030	1 1 1	12.30 13.30		26	495	110 36 00000
9	0026	0127	CMST2060030	1 1 1	12.30 13.30		26	495	110 36 00000
	0026	0127	CMST2064005	1 1 1	13.30 14.30		25	495	110 36 00000
9	0026	0127	CMST2064005	1 1 1	13.30 14.30		25	495	110 36 00000
	0026	0127	CMST2060055	1 1	13.30 15.00		25	495	110 36 00000
9	0026	0127	CMST2060055	1 1	13.30 15.00		25	495	110 36 00000
	0026	0127	PHIL1001001	1 1	15.00 16.30		23	495	110 36 00000
9	0026	0127	PHIL1001001	1 1	15.00 16.30		23	495	110 36 00000
	0026	0127	EDCI4003001	1	16.30 18.30		9	495	110 36 00000
9	0026	0127	EDCI4003001	1	16.30 18.30		9	495	110 36 00000
	0026	0127	ELRC7601001	1	16.30 19.30		34	495	110 36 00000
89	0026	0127	ELRC7601001	1	16.30 19.30		34	495	110 36 00000
	0026	0130	CMST2060008	1 1 1	8.30 9.30		25	554	110 37 00000
9	0026	0130	CMST2060008	1 1 1	8.30 9.30		25	554	110 37 00000
	0026	0130	CMST2060040	1 1	9.00 10.30		24	554	110 37 00000
9	0026	0130	CMST2060040	1 1	9.00 10.30		24	554	110 37 00000
	0026	0130	CMST2060012	1 1 1	9.30 10.30		26	554	110 37 00000
9	0026	0130	CMST2060012	1 1 1	9.30 10.30		26	554	110 37 00000
	0026	0130	CMST2060018	1 1 1	10.30 11.30		25	554	110 37 00000
9	0026	0130	CMST2060018	1 1 1	10.30 11.30		25	554	110 37 00000
	0026	0130	CMST2060045	1 1	10.30 12.00		25	554	110 37 00000
9	0026	0130	CMST2060045	1 1	10.30 12.00		25	554	110 37 00000
	0026	0130	CMST7901001	1	11.30 12.30		8	554	110 37 00000
9	0026	0130	CMST7901001	1	11.30 12.30		8	554	110 37 00000
	0026	0130	CMST2063002	1 1	12.00 13.30		26	554	110 37 00000
9	0026	0130	CMST2063002	1 1	12.00 13.30		26	554	110 37 00000
	0026	0130	CMST2060029	1 1 1	12.30 13.30		26	554	110 37 00000
9	0026	0130	CMST2060029	1 1 1	12.30 13.30		26	554	110 37 00000
	0026	0130	CMST2064004	1 1 1	13.30 14.30		27	554	110 37 00000
9	0026	0130	CMST2064004	1 1 1	13.30 14.30		27	554	110 37 00000
	0026	0130	CMST2060054	1 1	13.30 15.00		26	554	110 37 00000
9	0026	0130	CMST2060054	1 1	13.30 15.00		26	554	110 37 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 17

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0026	0137	CMST2040001	1 1 1	8.30 9.30		23	1,712	210 114 00000
9	0026	0137	CMST2040001	1 1 1	8.30 9.30		23	1,712	210 114 00000
	0026	0137	CMST2040003	1 1	9.00 10.30		22	1,712	210 114 00000
9	0026	0137	CMST2040003	1 1	9.00 10.30		22	1,712	210 114 00000
	0026	0137	CMST2040002	1 1 1	9.30 10.30		24	1,712	210 114 00000
9	0026	0137	CMST2040002	1 1 1	9.30 10.30		24	1,712	210 114 00000
	0026	0137	CMST3900001	1 1 1	10.30 11.30		23	1,712	210 114 00000
9	0026	0137	CMST3900001	1 1 1	10.30 11.30		23	1,712	210 114 00000
	0026	0137	CMST2040004	1 1	10.30 12.00		21	1,712	210 114 00000
9	0026	0137	CMST2040004	1 1	10.30 12.00		21	1,712	210 114 00000
	0026	0137	CMST3040001	1 1	12.00 13.30		20	1,712	210 114 00000
9	0026	0137	CMST3040001	1 1	12.00 13.30		20	1,712	210 114 00000
	0026	0137	CMST7945001	1	15.00 18.00		12	1,712	210 114 00000
9	0026	0137	CMST7945001	1	15.00 18.00		12	1,712	210 114 00000
	0026	0137	CMST4142001	1	15.30 18.30		14	1,712	210 114 00000
9	0026	0137	CMST4142001	1	15.30 18.30		14	1,712	210 114 00000
	0026	0143	PETE4045001	1 1 1	7.30 8.30		227	3,644	110 290 00000
89	0026	0143	PETE4045001	1 1 1	7.30 8.30		227	3,644	110 290 00000
	0026	0143	CHE 3101001	1 1 1	8.30 9.30		176	3,644	110 290 00000
9	0026	0143	CHE 3101001	1 1 1	8.30 9.30		176	3,644	110 290 00000
	0026	0143	BIOL1201005	1 1	9.00 10.30		245	3,644	110 290 00000
89	0026	0143	BIOL1201005	1 1	9.00 10.30		245	3,644	110 290 00000
	0026	0143	CHE 3172001	1 1 1	9.30 10.30		156	3,644	110 290 00000
9	0026	0143	CHE 3172001	1 1 1	9.30 10.30		156	3,644	110 290 00000
	0026	0143	BIOL1201002	1 1 1	10.30 11.30		239	3,644	110 290 00000
89	0026	0143	BIOL1201002	1 1 1	10.30 11.30		239	3,644	110 290 00000
	0026	0143	ARTH1440001	1 1	10.30 12.00		213	3,644	110 290 00000
9	0026	0143	ARTH1440001	1 1	10.30 12.00		213	3,644	110 290 00000
	0026	0143	ARTH1441001	1 1 1	11.30 12.30		181	3,644	110 290 00000
9	0026	0143	ARTH1441001	1 1 1	11.30 12.30		181	3,644	110 290 00000
	0026	0143	BIOL1202002	1 1	12.00 13.30		245	3,644	110 290 00000
89	0026	0143	BIOL1202002	1 1	12.00 13.30		245	3,644	110 290 00000
	0026	0143	BIOL2051009	1 1 1	12.30 13.30		20	3,644	110 290 00000
9	0026	0143	BIOL2051009	1 1 1	12.30 13.30		20	3,644	110 290 00000
	0026	0143	BIOL2051010	1 1 1	12.30 13.30	1	32	3,644	110 290 00000
9	0026	0143	BIOL2051010	1 1 1	12.30 13.30	1	32	3,644	110 290 00000
	0026	0143	BIOL2051011	1 1 1	12.30 13.30	1	30	3,644	110 290 00000
9	0026	0143	BIOL2051011	1 1 1	12.30 13.30	1	30	3,644	110 290 00000
	0026	0143	BIOL2051012	1 1 1	12.30 13.30	1	32	3,644	110 290 00000
9	0026	0143	BIOL2051012	1 1 1	12.30 13.30	1	32	3,644	110 290 00000
	0026	0143	BIOL2051013	1 1 1	12.30 13.30	1	31	3,644	110 290 00000
9	0026	0143	BIOL2051013	1 1 1	12.30 13.30	1	31	3,644	110 290 00000
	0026	0143	BIOL2051014	1 1 1	12.30 13.30	1	15	3,644	110 290 00000
9	0026	0143	BIOL2051014	1 1 1	12.30 13.30	1	15	3,644	110 290 00000
	0026	0143	BIOL2051015	1 1 1	12.30 13.30	1	17	3,644	110 290 00000
9	0026	0143	BIOL2051015	1 1 1	12.30 13.30	1	17	3,644	110 290 00000
	0026	0143	BIOL2051016	1 1 1	12.30 13.30	1	18	3,644	110 290 00000
9	0026	0143	BIOL2051016	1 1 1	12.30 13.30	1	18	3,644	110 290 00000
	0026	0143	BIOL1201003	1 1 1	13.30 14.30		244	3,644	110 290 00000
89	0026	0143	BIOL1201003	1 1 1	13.30 14.30		244	3,644	110 290 00000
	0026	0143	AGRO1001001	1 1	13.30 15.00		191	3,644	110 290 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 18

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0026	0143	AGRO1001001	1 1	13.30 15.00		191	3,644	110 290 00000
89	0026	0143	AGRO1001001	1 1	13.30 15.00		191	3,644	110 290 00000
89	0026	0143	AGRO1001001	1 1	13.30 15.00		191	3,644	110 290 00000
	0026	0143	PHIL1021001	1 1	15.00 16.30		143	3,644	110 290 00000
9	0026	0143	PHIL1021001	1 1	15.00 16.30		143	3,644	110 290 00000
	0026	0143	PETE4059001	1	16.30 17.30		24	3,644	110 290 00000
9	0026	0143	PETE4059001	1	16.30 17.30		24	3,644	110 290 00000
	0026	0143	PETE4059002	1	16.30 17.30	1	24	3,644	110 290 00000
9	0026	0143	PETE4059002	1	16.30 17.30		24	3,644	110 290 00000
	0026	0143	PETE4059003	1	16.30 17.30	1	23	3,644	110 290 00000
9	0026	0143	PETE4059003	1	16.30 17.30		23	3,644	110 290 00000
	0026	0143	PETE4059004	1	16.30 17.30	1	23	3,644	110 290 00000
9	0026	0143	PETE4059004	1	16.30 17.30		23	3,644	110 290 00000
	0026	0143	PETE4059005	1	16.30 17.30	1	24	3,644	110 290 00000
9	0026	0143	PETE4059005	1	16.30 17.30		24	3,644	110 290 00000
	0026	0143	PETE4059006	1	16.30 17.30	1	24	3,644	110 290 00000
9	0026	0143	PETE4059006	1	16.30 17.30		24	3,644	110 290 00000
	0026	0143	PETE4059007	1	16.30 17.30	1	24	3,644	110 290 00000
9	0026	0143	PETE4059007	1	16.30 17.30		24	3,644	110 290 00000
	0026	0143	PETE4059008	1	16.30 17.30	1	24	3,644	110 290 00000
9	0026	0143	PETE4059008	1	16.30 17.30		24	3,644	110 290 00000
	0026	0143	PETE4059009	1	16.30 17.30	1	20	3,644	110 290 00000
9	0026	0143	PETE4059009	1	16.30 17.30		20	3,644	110 290 00000
	0026	0143	ECON2000008	1 1	16.30 18.00		200	3,644	110 290 00000
9	0026	0143	ECON2000008	1 1	16.30 18.00		200	3,644	110 290 00000
	0026	0143	PETE3037001	1	17.30 18.30		24	3,644	110 290 00000
9	0026	0143	PETE3037001	1	17.30 18.30		24	3,644	110 290 00000
	0026	0145	EE 2731001	1	8.00 9.00		13	1,209	110 94 00000
9	0026	0145	EE 2731001	1	8.00 9.00		13	1,209	110 94 00000
	0026	0145	EE 2731002	1	8.00 9.00	1	17	1,209	110 94 00000
9	0026	0145	EE 2731002	1	8.00 9.00		17	1,209	110 94 00000
	0026	0145	EE 2731003	1	8.00 9.00	1	14	1,209	110 94 00000
9	0026	0145	EE 2731003	1	8.00 9.00		14	1,209	110 94 00000
	0026	0145	EE 2731004	1	8.00 9.00	1	16	1,209	110 94 00000
9	0026	0145	EE 2731004	1	8.00 9.00		16	1,209	110 94 00000
	0026	0145	MATH2065003	1 1	9.00 10.30		67	1,209	110 94 00000
9	0026	0145	MATH2065003	1 1	9.00 10.30		67	1,209	110 94 00000
	0026	0145	AGEC2003001	1 1 1	9.30 10.30		88	1,209	110 94 00000
89	0026	0145	AGEC2003001	1 1 1	9.30 10.30		88	1,209	110 94 00000
	0026	0145	SOCL2501001	1 1 1	10.30 11.30		44	1,209	110 94 00000
9	0026	0145	SOCL2501001	1 1 1	10.30 11.30		44	1,209	110 94 00000
	0026	0145	MATH2057004	1 1	10.30 12.00		84	1,209	110 94 00000
89	0026	0145	MATH2057004	1 1	10.30 12.00		84	1,209	110 94 00000
	0026	0145	CMST2010003	1 1	12.00 13.30		87	1,209	110 94 00000
89	0026	0145	CMST2010003	1 1	12.00 13.30		87	1,209	110 94 00000
	0026	0145	SOCL4471001	1 1 1	12.30 13.30		42	1,209	110 94 00000
9	0026	0145	SOCL4471001	1 1 1	12.30 13.30		42	1,209	110 94 00000
	0026	0145	MATH2070002	1111	13.30 14.30		53	1,209	110 94 00000
9	0026	0145	MATH2070002	1111	13.30 14.30		53	1,209	110 94 00000
	0026	0151	CMST2012001	1	18.00 21.00		21	1,450	220 97 00000
9	0026	0151	CMST2012001	1	18.00 21.00		21	1,450	220 97 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 19

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0026	0151	FMA 3011001	1	18.00 21.00		15	1,450	220 97 00000
9	0026	0151	FMA 3011001	1	18.00 21.00		15	1,450	220 97 00000
	0026	0152	PETE3025001	1 1	7.30 9.00		76	1,671	110 132 00000
9	0026	0152	PETE3025001	1 1	7.30 9.00		76	1,671	110 132 00000
	0026	0152	CM 3111001	1 1	8.30 9.30		35	1,671	110 132 00000
9	0026	0152	CM 3111001	1 1	8.30 9.30		35	1,671	110 132 00000
	0026	0152	CM 3111002	1 1	8.30 9.30	1	35	1,671	110 132 00000
9	0026	0152	CM 3111002	1 1	8.30 9.30		35	1,671	110 132 00000
	0026	0152	CM 3111003	1 1	8.30 9.30	1	22	1,671	110 132 00000
9	0026	0152	CM 3111003	1 1	8.30 9.30		22	1,671	110 132 00000
	0026	0152	CM 1112001	1 1	9.00 10.30		122	1,671	110 132 00000
89	0026	0152	CM 1112001	1 1	9.00 10.30		122	1,671	110 132 00000
	0026	0152	PSYC4030001	1 1 1	9.30 10.30		90	1,671	110 132 00000
9	0026	0152	PSYC4030001	1 1 1	9.30 10.30		90	1,671	110 132 00000
	0026	0152	BIOL2153001	1 1 1	10.30 11.30		30	1,671	110 132 00000
9	0026	0152	BIOL2153001	1 1 1	10.30 11.30		30	1,671	110 132 00000
	0026	0152	BIOL2153002	1 1 1	10.30 11.30	1	30	1,671	110 132 00000
9	0026	0152	BIOL2153002	1 1 1	10.30 11.30		30	1,671	110 132 00000
	0026	0152	BIOL2153003	1 1 1	10.30 11.30	1	31	1,671	110 132 00000
9	0026	0152	BIOL2153003	1 1 1	10.30 11.30		31	1,671	110 132 00000
8	0026	0152	BIOL2153004	1 1 1	10.30 11.30	1	31	1,671	110 132 00000
89	0026	0152	BIOL2153004	1 1 1	10.30 11.30		31	1,671	110 132 00000
	0026	0152	KIN 4513001	1 1	10.30 12.00		99	1,671	110 132 00000
9	0026	0152	KIN 4513001	1 1	10.30 12.00		99	1,671	110 132 00000
	0026	0152	CSC 1240001	1 1	11.30 12.30		57	1,671	110 132 00000
9	0026	0152	CSC 1240001	1 1	11.30 12.30		57	1,671	110 132 00000
	0026	0152	CSC 1240002	1 1	11.30 12.30	1	32	1,671	110 132 00000
9	0026	0152	CSC 1240002	1 1	11.30 12.30		32	1,671	110 132 00000
8	0026	0152	CSC 1240003	1 1	11.30 12.30	1	32	1,671	110 132 00000
89	0026	0152	CSC 1240003	1 1	11.30 12.30		32	1,671	110 132 00000
	0026	0152	BIOL2153011	1 1	12.00 13.30		31	1,671	110 132 00000
9	0026	0152	BIOL2153011	1 1	12.00 13.30		31	1,671	110 132 00000
	0026	0152	BIOL2153012	1 1	12.00 13.30	1	29	1,671	110 132 00000
9	0026	0152	BIOL2153012	1 1	12.00 13.30		29	1,671	110 132 00000
	0026	0152	BIOL2153013	1 1	12.00 13.30	1	31	1,671	110 132 00000
9	0026	0152	BIOL2153013	1 1	12.00 13.30		31	1,671	110 132 00000
8	0026	0152	BIOL2153014	1 1	12.00 13.30	1	19	1,671	110 132 00000
89	0026	0152	BIOL2153014	1 1	12.00 13.30		19	1,671	110 132 00000
	0026	0152	BIOL2083001	1 1 1	12.30 13.30		109	1,671	110 132 00000
89	0026	0152	BIOL2083001	1 1 1	12.30 13.30		109	1,671	110 132 00000
	0026	0152	MATH2057001	1 1 1	13.30 14.30		73	1,671	110 132 00000
9	0026	0152	MATH2057001	1 1 1	13.30 14.30		73	1,671	110 132 00000
	0026	0152	ANTH1003001	1 1	13.30 15.00		110	1,671	110 132 00000
89	0026	0152	ANTH1003001	1 1	13.30 15.00		110	1,671	110 132 00000
	0026	0152	MATH2057002	1 1 1	14.30 15.30		65	1,671	110 132 00000
9	0026	0152	MATH2057002	1 1 1	14.30 15.30		65	1,671	110 132 00000
	0026	0152	ANTH4070001	1 1	15.00 16.30		11	1,671	110 132 00000
9	0026	0152	ANTH4070001	1 1	15.00 16.30		11	1,671	110 132 00000
	0026	0152	CM 4221001	1	17.00 20.00		83	1,671	110 132 00000
9	0026	0152	CM 4221001	1	17.00 20.00		83	1,671	110 132 00000
	0026	0152	PSYC3050001	1	18.00 21.00		38	1,671	110 132 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 20

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0026	0152	PSYC3050001	1	18.00 21.00		38	1,671	110 132 00000
	0026	0153	CMST7900001	1 1	13.30 15.00		7	343	350 15 00000
9	0026	0153	CMST7900001	1 1	13.30 15.00		7	343	350 15 00000
	0026	0153	CMST7966001	1	15.00 18.00		11	343	350 15 00000
9	0026	0153	CMST7966001	1	15.00 18.00		11	343	350 15 00000
	0026	0153	CMST7966002	1	15.00 18.00		6	343	350 15 00000
9	0026	0153	CMST7966002	1	15.00 18.00		6	343	350 15 00000
	0026	0155	MATH2090001	1111	8.30 9.30		58	1,272	110 84 00000
9	0026	0155	MATH2090001	1111	8.30 9.30		58	1,272	110 84 00000
	0026	0155	MATH2090002	1111	9.30 10.30		83	1,272	110 84 00000
89	0026	0155	MATH2090002	1111	9.30 10.30		83	1,272	110 84 00000
	0026	0155	MATH2090003	1111	10.30 11.30		83	1,272	110 84 00000
89	0026	0155	MATH2090003	1111	10.30 11.30		83	1,272	110 84 00000
	0026	0155	IE 4597002	1	11.30 12.30		34	1,272	110 84 00000
9	0026	0155	IE 4597002	1	11.30 12.30		34	1,272	110 84 00000
	0026	0155	REL 2000003	1 1	12.00 13.30		42	1,272	110 84 00000
9	0026	0155	REL 2000003	1 1	12.00 13.30		42	1,272	110 84 00000
	0026	0155	IE 4597002	1	12.30 15.30		34	1,272	110 84 00000
9	0026	0155	IE 4597002	1	12.30 15.30		34	1,272	110 84 00000
	0026	0155	MATH2090004	1111	13.30 14.30		73	1,272	110 84 00000
89	0026	0155	MATH2090004	1111	13.30 14.30		73	1,272	110 84 00000
	0026	0155	CAUS9999001	1	16.00 19.00		84	1,272	110 84 00000
89	0026	0155	CAUS9999001	1	16.00 19.00		84	1,272	110 84 00000
	0026	0168	CSC 7360001	1	9.30 12.30		12	679	140 35 00000
9	0026	0168	CSC 7360001	1	9.30 12.30		12	679	140 35 00000
	0026	0168	CSC 4610001	1 1	16.30 18.00		23	679	140 35 00000
9	0026	0168	CSC 4610001	1 1	16.30 18.00		23	679	140 35 00000
	0026	0169	ENGL1001125	1 1 1	8.30 9.30		14	654	140 16 00000
89	0026	0169	ENGL1001125	1 1 1	8.30 9.30		14	654	140 16 00000
	0026	0169	MC 7201001	1	13.30 16.30		7	654	140 16 00000
9	0026	0169	MC 7201001	1	13.30 16.30		7	654	140 16 00000
	0026	0171	PSYC2016004	1	8.30 10.30		23	1,164	140 29 00000
89	0026	0171	PSYC2016004	1	8.30 10.30		23	1,164	140 29 00000
	0026	0171	CPLT7130001	1 1	10.30 12.00		4	1,164	140 29 00000
9	0026	0171	CPLT7130001	1 1	10.30 12.00		4	1,164	140 29 00000
	0026	0171	ENGL2000048	1 1 1	11.30 12.30		19	1,164	140 29 00000
9	0026	0171	ENGL2000048	1 1 1	11.30 12.30		19	1,164	140 29 00000
	0026	0171	ENGL4005002	1 1 1	12.30 13.30		21	1,164	140 29 00000
9	0026	0171	ENGL4005002	1 1 1	12.30 13.30		21	1,164	140 29 00000
	0026	0171	COMD4380001	1	13.30 14.30		22	1,164	140 29 00000
9	0026	0171	COMD4380001	1	13.30 14.30		22	1,164	140 29 00000
	0026	0171	COMD4380003	1	14.30 15.30		22	1,164	140 29 00000
9	0026	0171	COMD4380003	1	14.30 15.30		22	1,164	140 29 00000
	0026	0171	PSYC2016005	1	15.00 17.00		26	1,164	140 29 00000
89	0026	0171	PSYC2016005	1	15.00 17.00		26	1,164	140 29 00000
	0026	0171	PSYC2016003	1	15.30 17.30		25	1,164	140 29 00000
89	0026	0171	PSYC2016003	1	15.30 17.30		25	1,164	140 29 00000
	0026	0171	WGS 4500002	1	16.30 19.30		10	1,164	140 29 00000
9	0026	0171	WGS 4500002	1	16.30 19.30		10	1,164	140 29 00000
	0026	0202	CMST4118001	1 1	9.00 10.30		22	787	110 32 00000
9	0026	0202	CMST4118001	1 1	9.00 10.30		22	787	110 32 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 21

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0026	0202	CMST4113001	1 1 1	9.30 10.30		22	787	110 32 00000
9	0026	0202	CMST4113001	1 1 1	9.30 10.30		22	787	110 32 00000
	0026	0202	CMST3107001	1 1 1	10.30 11.30		30	787	110 32 00000
89	0026	0202	CMST3107001	1 1 1	10.30 11.30		30	787	110 32 00000
	0026	0202	CE 7200001	1 1	10.30 12.00		8	787	110 32 00000
9	0026	0202	CE 7200001	1 1	10.30 12.00		8	787	110 32 00000
	0026	0202	CMST4312001	1 1	12.00 13.30		9	787	110 32 00000
9	0026	0202	CMST4312001	1 1	12.00 13.30		9	787	110 32 00000
	0026	0202	CMST3041001	1 1 1	12.30 13.30		26	787	110 32 00000
89	0026	0202	CMST3041001	1 1 1	12.30 13.30		26	787	110 32 00000
	0026	0202	CMST2060058	1 1 1	14.30 15.30		25	787	110 32 00000
89	0026	0202	CMST2060058	1 1 1	14.30 15.30		25	787	110 32 00000
	0026	0202	HRE 8900009	1	16.30 19.30		14	787	110 32 00000
9	0026	0202	HRE 8900009	1	16.30 19.30		14	787	110 32 00000
	0026	0202	HRE 7602001	1	16.30 19.30		20	787	110 32 00000
9	0026	0202	HRE 7602001	1	16.30 19.30		20	787	110 32 00000
	0026	0204	KIN 4501001	1 1	9.00 10.30		14	561	110 30 00000
9	0026	0204	KIN 4501001	1 1	9.00 10.30		14	561	110 30 00000
	0026	0204	CMST4113002	1 1 1	9.30 10.30		24	561	110 30 00000
89	0026	0204	CMST4113002	1 1 1	9.30 10.30		24	561	110 30 00000
	0026	0204	CMST2064010	1 1 1	10.30 11.30		25	561	110 30 00000
89	0026	0204	CMST2064010	1 1 1	10.30 11.30		25	561	110 30 00000
	0026	0204	INTL4997001	1 1	10.30 12.00		10	561	110 30 00000
9	0026	0204	INTL4997001	1 1	10.30 12.00		10	561	110 30 00000
	0026	0204	MATH4997001	1 1	12.00 13.30		11	561	110 30 00000
9	0026	0204	MATH4997001	1 1	12.00 13.30		11	561	110 30 00000
	0026	0204	CMST2064011	1 1 1	12.30 13.30		24	561	110 30 00000
89	0026	0204	CMST2064011	1 1 1	12.30 13.30		24	561	110 30 00000
	0026	0204	CMST2064012	1 1 1	13.30 14.30		23	561	110 30 00000
89	0026	0204	CMST2064012	1 1 1	13.30 14.30		23	561	110 30 00000
	0026	0204	INTL4003001	1 1	13.30 15.00		10	561	110 30 00000
9	0026	0204	INTL4003001	1 1	13.30 15.00		10	561	110 30 00000
	0026	0204	INTL4003002	1 1	15.00 16.30		6	561	110 30 00000
9	0026	0204	INTL4003002	1 1	15.00 16.30		6	561	110 30 00000
	0026	0205	ENGL2002001	1 1 1	7.30 8.30		19	873	110 58 00000
9	0026	0205	ENGL2002001	1 1 1	7.30 8.30		19	873	110 58 00000
	0026	0205	ENGL2002002	1 1 1	8.30 9.30		18	873	110 58 00000
9	0026	0205	ENGL2002002	1 1 1	8.30 9.30		18	873	110 58 00000
	0026	0205	ENGL1001021	1 1 1	9.30 10.30		19	873	110 58 00000
9	0026	0205	ENGL1001021	1 1 1	9.30 10.30		19	873	110 58 00000
	0026	0205	ENGL2000016	1 1	10.30 12.00		20	873	110 58 00000
9	0026	0205	ENGL2000016	1 1	10.30 12.00		20	873	110 58 00000
	0026	0205	ENGL1001066	1 1 1	11.30 12.30		18	873	110 58 00000
9	0026	0205	ENGL1001066	1 1 1	11.30 12.30		18	873	110 58 00000
	0026	0205	ENGL1001055	1 1 1	12.30 13.30		20	873	110 58 00000
9	0026	0205	ENGL1001055	1 1 1	12.30 13.30		20	873	110 58 00000
	0026	0205	COMD4380002	1	13.30 14.30		24	873	110 58 00000
9	0026	0205	COMD4380002	1	13.30 14.30		24	873	110 58 00000
	0026	0205	ENGL2000017	1 1	13.30 15.00		19	873	110 58 00000
9	0026	0205	ENGL2000017	1 1	13.30 15.00		19	873	110 58 00000
	0026	0205	COMD4380004	1	14.30 15.30		25	873	110 58 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 22

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0026	0205	COMD4380004	1	14.30 15.30		25	873	110 58 00000
	0026	0205	CHEM3493001	1	16.30 17.30		8	873	110 58 00000
9	0026	0205	CHEM3493001	1	16.30 17.30		8	873	110 58 00000
	0026	0209	AAAS3044001	1 1	7.30 9.00		18	904	110 56 00000
9	0026	0209	AAAS3044001	1 1	7.30 9.00		18	904	110 56 00000
	0026	0209	REL 2000001	1 1 1	8.30 9.30		52	904	110 56 00000
89	0026	0209	REL 2000001	1 1 1	8.30 9.30		52	904	110 56 00000
	0026	0209	REL 1004001	1 1	9.00 10.30		48	904	110 56 00000
89	0026	0209	REL 1004001	1 1	9.00 10.30		48	904	110 56 00000
	0026	0209	REL 2000002	1 1 1	9.30 10.30		49	904	110 56 00000
89	0026	0209	REL 2000002	1 1 1	9.30 10.30		49	904	110 56 00000
	0026	0209	GERM3090001	1 1 1	10.30 11.30		7	904	110 56 00000
9	0026	0209	GERM3090001	1 1 1	10.30 11.30		7	904	110 56 00000
	0026	0209	PHIL3090001	1 1 1	10.30 11.30	1	28	904	110 56 00000
9	0026	0209	PHIL3090001	1 1 1	10.30 11.30		28	904	110 56 00000
	0026	0209	PHIL2033001	1 1	10.30 12.00		49	904	110 56 00000
89	0026	0209	PHIL2033001	1 1	10.30 12.00		49	904	110 56 00000
	0026	0209	PHIL2020001	1 1	12.00 13.30		51	904	110 56 00000
89	0026	0209	PHIL2020001	1 1	12.00 13.30		51	904	110 56 00000
	0026	0209	CMST1061005	1 1 1	12.30 13.30		54	904	110 56 00000
89	0026	0209	CMST1061005	1 1 1	12.30 13.30		54	904	110 56 00000
	0026	0209	THTR1800001	1 1 1	13.30 14.30		50	904	110 56 00000
89	0026	0209	THTR1800001	1 1 1	13.30 14.30		50	904	110 56 00000
	0026	0209	REL 2027001	1 1	13.30 15.00		37	904	110 56 00000
9	0026	0209	REL 2027001	1 1	13.30 15.00		37	904	110 56 00000
	0026	0209	REL 4018001	1 1	15.00 16.30		19	904	110 56 00000
9	0026	0209	REL 4018001	1 1	15.00 16.30		19	904	110 56 00000
	0026	0209	XCAS9999042	1 1	16.00 17.30		56	904	110 56 00000
89	0026	0209	XCAS9999042	1 1	16.00 17.30		56	904	110 56 00000
	0026	0209	PHIL2020002	1 1	16.30 18.00		54	904	110 56 00000
89	0026	0209	PHIL2020002	1 1	16.30 18.00		54	904	110 56 00000
	0026	0209	PHIL2025001	1	18.00 21.00		47	904	110 56 00000
89	0026	0209	PHIL2025001	1	18.00 21.00		47	904	110 56 00000
8	0026	0211	PHIL4922001	1 1	10.30 12.00		15	306	350 8 00000
89	0026	0211	PHIL4922001	1 1	10.30 12.00		15	306	350 8 00000
8	0026	0211	PHIL4935001	1 1	12.00 13.30		15	306	350 8 00000
89	0026	0211	PHIL4935001	1 1	12.00 13.30		15	306	350 8 00000
	0026	0211	PHIL7903001	1 1	13.30 15.00		12	306	350 8 00000
89	0026	0211	PHIL7903001	1 1	13.30 15.00		12	306	350 8 00000
	0026	0211	PHIL4943001	1 1	15.00 16.30		11	306	350 8 00000
89	0026	0211	PHIL4943001	1 1	15.00 16.30		11	306	350 8 00000
	0026	0211	HNRS2030001	1	18.00 21.00		7	306	350 8 00000
89	0026	0211	HNRS2030001	1	18.00 21.00		7	306	350 8 00000
	0026	0212	AAAS3902002	1 1	9.00 10.30		18	1,160	110 77 00000
9	0026	0212	AAAS3902002	1 1	9.00 10.30		18	1,160	110 77 00000
	0026	0212	CMST1150001	1 1 1	9.30 10.30		52	1,160	110 77 00000
9	0026	0212	CMST1150001	1 1 1	9.30 10.30		52	1,160	110 77 00000
	0026	0212	EDCI1001007	1 1	10.30 12.00		54	1,160	110 77 00000
9	0026	0212	EDCI1001007	1 1	10.30 12.00		54	1,160	110 77 00000
	0026	0212	SW 3002001	1 1	10.30 12.00		60	1,160	110 77 00000
89	0026	0212	SW 3002001	1 1	10.30 12.00		60	1,160	110 77 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 23

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0026	0212	KIN 3514002	1 1	12.00 13.30		71	110 77	00000
89	0026	0212	KIN 3514002	1 1	12.00 13.30		71	110 77	00000
	0026	0212	CMST1150002	1 1 1	12.30 13.30		52	110 77	00000
9	0026	0212	CMST1150002	1 1 1	12.30 13.30		52	110 77	00000
	0026	0212	KIN 3514003	1 1	13.30 15.00		58	110 77	00000
9	0026	0212	KIN 3514003	1 1	13.30 15.00		58	110 77	00000
	0026	0212	PSYC4035002	1 1 1	14.30 15.30		51	110 77	00000
9	0026	0212	PSYC4035002	1 1 1	14.30 15.30		51	110 77	00000
	0026	0212	ELRC7299001	1	16.30 19.30		44	110 77	00000
9	0026	0212	ELRC7299001	1	16.30 19.30		44	110 77	00000
	0026	0214	EXST7060001	1 1	7.30 9.00		11	110 72	00000
9	0026	0214	EXST7060001	1 1	7.30 9.00		11	110 72	00000
	0026	0214	CFS 4052001	1 1	9.00 10.30		69	110 72	00000
89	0026	0214	CFS 4052001	1 1	9.00 10.30		69	110 72	00000
	0026	0214	COMD2050001	1 1 1	9.30 10.30		60	110 72	00000
89	0026	0214	COMD2050001	1 1 1	9.30 10.30		60	110 72	00000
8	0026	0214	LING2050001	1 1 1	9.30 10.30	1	2	110 72	00000
89	0026	0214	LING2050001	1 1 1	9.30 10.30		2	110 72	00000
	0026	0214	EDCI1001003	1 1	10.30 12.00		51	110 72	00000
9	0026	0214	EDCI1001003	1 1	10.30 12.00		51	110 72	00000
	0026	0214	POLI2057002	1 1	10.30 12.00		70	110 72	00000
89	0026	0214	POLI2057002	1 1	10.30 12.00		70	110 72	00000
	0026	0214	CMST2064009	1 1	12.00 13.30		26	110 72	00000
9	0026	0214	CMST2064009	1 1	12.00 13.30		26	110 72	00000
	0026	0214	REL 2029001	1 1 1	12.30 13.30		50	110 72	00000
9	0026	0214	REL 2029001	1 1 1	12.30 13.30		50	110 72	00000
	0026	0214	PSYC4035001	1 1 1	13.30 14.30		55	110 72	00000
89	0026	0214	PSYC4035001	1 1 1	13.30 14.30		55	110 72	00000
	0026	0214	SOCL2211001	1 1	13.30 15.00		47	110 72	00000
9	0026	0214	SOCL2211001	1 1	13.30 15.00		47	110 72	00000
	0026	0214	MATH3355001	1 1 1	14.30 15.30		41	110 72	00000
9	0026	0214	MATH3355001	1 1 1	14.30 15.30		41	110 72	00000
	0026	0214	EDCI3001001	1	16.30 18.30		28	110 72	00000
9	0026	0214	EDCI3001001	1	16.30 18.30		28	110 72	00000
	0026	0214	ELRC4249001	1	16.30 19.30		25	110 72	00000
9	0026	0214	ELRC4249001	1	16.30 19.30		25	110 72	00000
	0026	0214	XCAS9999049	1	17.30 19.00		72	110 72	00000
89	0026	0214	XCAS9999049	1	17.30 19.00		72	110 72	00000
	0026	0214	XCAS9999050	1	18.30 20.00		72	110 72	00000
89	0026	0214	XCAS9999050	1	18.30 20.00		72	110 72	00000
	0026	0218	NFS 2112001	1 1	7.30 9.00		35	110 50	00000
9	0026	0218	NFS 2112001	1 1	7.30 9.00		35	110 50	00000
	0026	0218	SOCL2201001	1 1	9.00 10.30		17	110 50	00000
9	0026	0218	SOCL2201001	1 1	9.00 10.30		17	110 50	00000
	0026	0218	SOCL2201002	1 1	9.00 10.30	1	22	110 50	00000
89	0026	0218	SOCL2201002	1 1	9.00 10.30		22	110 50	00000
	0026	0218	REL 2027002	1 1 1	9.30 10.30		41	110 50	00000
89	0026	0218	REL 2027002	1 1 1	9.30 10.30		41	110 50	00000
	0026	0218	HIST4011002	1 1 1	10.30 11.30		17	110 50	00000
9	0026	0218	HIST4011002	1 1 1	10.30 11.30		17	110 50	00000
	0026	0218	REL 4011002	1 1 1	10.30 11.30	1	4	110 50	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 24

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0026	0218	REL 4011002	1 1 1	10.30 11.30		4	731	110 50 00000
	0026	0218	ENGL2000035	1 1	10.30 12.00		19	731	110 50 00000
9	0026	0218	ENGL2000035	1 1	10.30 12.00		19	731	110 50 00000
	0026	0218	CMST2060048	1 1	12.00 13.30		26	731	110 50 00000
9	0026	0218	CMST2060048	1 1	12.00 13.30		26	731	110 50 00000
	0026	0218	CMST2060024	1 1 1	12.30 13.30		25	731	110 50 00000
9	0026	0218	CMST2060024	1 1 1	12.30 13.30		25	731	110 50 00000
	0026	0218	CMST4114001	1 1 1	13.30 14.30		24	731	110 50 00000
9	0026	0218	CMST4114001	1 1 1	13.30 14.30		24	731	110 50 00000
	0026	0218	POLI4080001	1 1	13.30 15.00		21	731	110 50 00000
9	0026	0218	POLI4080001	1 1	13.30 15.00		21	731	110 50 00000
	0026	0218	POLI4090001	1 1	15.00 16.30		13	731	110 50 00000
9	0026	0218	POLI4090001	1 1	15.00 16.30		13	731	110 50 00000
	0026	0218	POLI1001002	1	15.30 18.30		33	731	110 50 00000
9	0026	0218	POLI1001002	1	15.30 18.30		33	731	110 50 00000
	0026	0218	HRE 7571001	1	16.30 19.30		18	731	110 50 00000
9	0026	0218	HRE 7571001	1	16.30 19.30		18	731	110 50 00000
	0026	0218	ELRC4006001	1	16.30 19.30		27	731	110 50 00000
9	0026	0218	ELRC4006001	1	16.30 19.30		27	731	110 50 00000
	0026	0218	POLI4023001	1	17.00 20.00		38	731	110 50 00000
89	0026	0218	POLI4023001	1	17.00 20.00		38	731	110 50 00000
	0026	0220	PHIL2020003	1 1	9.00 10.30		55	1,013	110 66 00000
89	0026	0220	PHIL2020003	1 1	9.00 10.30		55	1,013	110 66 00000
	0026	0220	EDCI1001005	1 1 1	9.30 10.30		65	1,013	110 66 00000
89	0026	0220	EDCI1001005	1 1 1	9.30 10.30		65	1,013	110 66 00000
	0026	0220	REL 1005001	1 1 1	10.30 11.30		53	1,013	110 66 00000
89	0026	0220	REL 1005001	1 1 1	10.30 11.30		53	1,013	110 66 00000
	0026	0220	POLI2060001	1 1	10.30 12.00		39	1,013	110 66 00000
9	0026	0220	POLI2060001	1 1	10.30 12.00		39	1,013	110 66 00000
	0026	0220	HIST2025001	1 1 1	11.30 12.30		41	1,013	110 66 00000
9	0026	0220	HIST2025001	1 1 1	11.30 12.30		41	1,013	110 66 00000
	0026	0220	SW 4070001	1 1	12.00 13.30		62	1,013	110 66 00000
89	0026	0220	SW 4070001	1 1	12.00 13.30		62	1,013	110 66 00000
	0026	0220	PHIL1000002	1 1 1	12.30 13.30		51	1,013	110 66 00000
89	0026	0220	PHIL1000002	1 1 1	12.30 13.30		51	1,013	110 66 00000
	0026	0220	PHIL1000003	1 1 1	13.30 14.30		50	1,013	110 66 00000
89	0026	0220	PHIL1000003	1 1 1	13.30 14.30		50	1,013	110 66 00000
	0026	0220	PETE1010002	1 1	14.30 15.30		42	1,013	110 66 00000
9	0026	0220	PETE1010002	1 1	14.30 15.30		42	1,013	110 66 00000
	0026	0220	PHIL1000004	1 1	15.00 16.30		53	1,013	110 66 00000
89	0026	0220	PHIL1000004	1 1	15.00 16.30		53	1,013	110 66 00000
	0026	0225	CMST2060002	1 1 1	7.30 8.30		24	725	110 42 00000
9	0026	0225	CMST2060002	1 1 1	7.30 8.30		24	725	110 42 00000
	0026	0225	CMST2060033	1 1	7.30 9.00		25	725	110 42 00000
9	0026	0225	CMST2060033	1 1	7.30 9.00		25	725	110 42 00000
	0026	0225	CMST1061002	1 1 1	8.30 9.30		35	725	110 42 00000
89	0026	0225	CMST1061002	1 1 1	8.30 9.30		35	725	110 42 00000
	0026	0225	CMST2060039	1 1	9.00 10.30		26	725	110 42 00000
9	0026	0225	CMST2060039	1 1	9.00 10.30		26	725	110 42 00000
	0026	0225	CMST2060016	1 1 1	10.30 11.30		24	725	110 42 00000
9	0026	0225	CMST2060016	1 1 1	10.30 11.30		24	725	110 42 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 25

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0026	0225	CMST2060043	1 1	10.30 12.00		25	725	110 42 00000
9	0026	0225	CMST2060043	1 1	10.30 12.00		25	725	110 42 00000
	0026	0225	COMD2081002	1 1	12.00 13.30		36	725	110 42 00000
89	0026	0225	COMD2081002	1 1	12.00 13.30		36	725	110 42 00000
	0026	0225	CMST2060027	1 1 1	12.30 13.30		24	725	110 42 00000
9	0026	0225	CMST2060027	1 1 1	12.30 13.30		24	725	110 42 00000
	0026	0225	HIST4026001	1 1	13.30 15.00		36	725	110 42 00000
89	0026	0225	HIST4026001	1 1	13.30 15.00		36	725	110 42 00000
	0026	0225	HIST4001001	1 1	15.00 16.30		19	725	110 42 00000
9	0026	0225	HIST4001001	1 1	15.00 16.30		19	725	110 42 00000
	0026	0228	MATH2057003	1 1	9.00 10.30		89	1,410	110 94 00000
89	0026	0228	MATH2057003	1 1	9.00 10.30		89	1,410	110 94 00000
	0026	0228	CMST1061003	1 1 1	9.30 10.30		74	1,410	110 94 00000
89	0026	0228	CMST1061003	1 1 1	9.30 10.30		74	1,410	110 94 00000
	0026	0228	KIN 3513002	1 1	10.30 12.00		80	1,410	110 94 00000
89	0026	0228	KIN 3513002	1 1	10.30 12.00		80	1,410	110 94 00000
	0026	0228	KIN 3513003	1 1	12.00 13.30		80	1,410	110 94 00000
89	0026	0228	KIN 3513003	1 1	12.00 13.30		80	1,410	110 94 00000
	0026	0228	PSYC4176001	1 1 1	12.30 13.30		84	1,410	110 94 00000
89	0026	0228	PSYC4176001	1 1 1	12.30 13.30		84	1,410	110 94 00000
	0026	0228	SOCL3371001	1 1 1	13.30 14.30		89	1,410	110 94 00000
89	0026	0228	SOCL3371001	1 1 1	13.30 14.30		89	1,410	110 94 00000
	0026	0228	CHE 4220001	1 1	13.30 15.00		81	1,410	110 94 00000
89	0026	0228	CHE 4220001	1 1	13.30 15.00		81	1,410	110 94 00000
	0026	0228	PHIL2020004	1 1	15.00 16.30		47	1,410	110 94 00000
9	0026	0228	PHIL2020004	1 1	15.00 16.30		47	1,410	110 94 00000
	0026	0228	SW 3011001	1	15.00 18.00		32	1,410	110 94 00000
9	0026	0228	SW 3011001	1	15.00 18.00		32	1,410	110 94 00000
	0026	0228	XCAS9999057	1 1	16.30 18.00		94	1,410	110 94 00000
89	0026	0228	XCAS9999057	1 1	16.30 18.00		94	1,410	110 94 00000
	0026	0234	CMST1061001	1 1 1	7.30 8.30		35	577	110 45 00000
89	0026	0234	CMST1061001	1 1 1	7.30 8.30		35	577	110 45 00000
	0026	0234	CMST2060031	1 1	7.30 9.00		24	577	110 45 00000
9	0026	0234	CMST2060031	1 1	7.30 9.00		24	577	110 45 00000
	0026	0234	NFS 1014001	1 1 1	8.30 9.30		18	577	110 45 00000
9	0026	0234	NFS 1014001	1 1 1	8.30 9.30		18	577	110 45 00000
	0026	0234	NFS 1014002	1 1 1	8.30 9.30	1	13	577	110 45 00000
9	0026	0234	NFS 1014002	1 1 1	8.30 9.30		13	577	110 45 00000
	0026	0234	SOCL2010001	1	9.00 10.30		16	577	110 45 00000
9	0026	0234	SOCL2010001	1	9.00 10.30		16	577	110 45 00000
	0026	0234	SOCL2010001	1	9.00 10.30		16	577	110 45 00000
9	0026	0234	SOCL2010001	1	9.00 10.30		16	577	110 45 00000
	0026	0234	CMST2060011	1 1 1	9.30 10.30		25	577	110 45 00000
9	0026	0234	CMST2060011	1 1 1	9.30 10.30		25	577	110 45 00000
	0026	0234	REL 2027003	1 1 1	10.30 11.30		34	577	110 45 00000
9	0026	0234	REL 2027003	1 1 1	10.30 11.30		34	577	110 45 00000
	0026	0234	POLI4062001	1 1	10.30 12.00		36	577	110 45 00000
89	0026	0234	POLI4062001	1 1	10.30 12.00		36	577	110 45 00000
	0026	0234	SOCL2001012	1 1 1	11.30 12.30		21	577	110 45 00000
9	0026	0234	SOCL2001012	1 1 1	11.30 12.30		21	577	110 45 00000
	0026	0234	CMST2060050	1 1	12.00 13.30		23	577	110 45 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 26

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0026	0234	CMST2060050	1 1	12.00 13.30		23	577	110 45 00000
	0026	0234	PHIL3001001	1 1 1	12.30 13.30		37	577	110 45 00000
89	0026	0234	PHIL3001001	1 1 1	12.30 13.30		37	577	110 45 00000
	0026	0234	AAAS3120001	1 1 1	13.30 14.30		9	577	110 45 00000
9	0026	0234	AAAS3120001	1 1 1	13.30 14.30		9	577	110 45 00000
	0026	0234	ENGL2300002	1 1	13.30 15.00		28	577	110 45 00000
9	0026	0234	ENGL2300002	1 1	13.30 15.00		28	577	110 45 00000
	0026	0236	CMST1061008	1 1	7.30 9.00		29	629	110 49 00000
9	0026	0236	CMST1061008	1 1	7.30 9.00		29	629	110 49 00000
	0026	0236	SPAN1101003	1111	9.30 10.30		25	629	110 49 00000
9	0026	0236	SPAN1101003	1111	9.30 10.30		25	629	110 49 00000
	0026	0236	CMST1061004	1 1 1	10.30 11.30		35	629	110 49 00000
9	0026	0236	CMST1061004	1 1 1	10.30 11.30		35	629	110 49 00000
	0026	0236	CFS 3055001	1 1	10.30 12.00		41	629	110 49 00000
89	0026	0236	CFS 3055001	1 1	10.30 12.00		41	629	110 49 00000
	0026	0236	CMST2060049	1 1	12.00 13.30		22	629	110 49 00000
9	0026	0236	CMST2060049	1 1	12.00 13.30		22	629	110 49 00000
	0026	0236	CMST2060025	1 1 1	12.30 13.30		26	629	110 49 00000
9	0026	0236	CMST2060025	1 1 1	12.30 13.30		26	629	110 49 00000
	0026	0236	PHIL3062001	1 1 1	13.30 14.30		25	629	110 49 00000
9	0026	0236	PHIL3062001	1 1 1	13.30 14.30		25	629	110 49 00000
	0026	0236	EDCI2001001	1 1	13.30 15.00		44	629	110 49 00000
89	0026	0236	EDCI2001001	1 1	13.30 15.00		44	629	110 49 00000
	0026	0236	CMST7911001	1	15.00 18.00		7	629	110 49 00000
9	0026	0236	CMST7911001	1	15.00 18.00		7	629	110 49 00000
	0026	0237	CMST2064001	1 1 1	8.30 9.30		26	579	110 32 00000
89	0026	0237	CMST2064001	1 1 1	8.30 9.30		26	579	110 32 00000
	0026	0237	CMST2060042	1 1	9.00 10.30		25	579	110 32 00000
89	0026	0237	CMST2060042	1 1	9.00 10.30		25	579	110 32 00000
	0026	0237	CMST2060015	1 1 1	9.30 10.30		26	579	110 32 00000
89	0026	0237	CMST2060015	1 1 1	9.30 10.30		26	579	110 32 00000
	0026	0237	CMST2064002	1 1 1	10.30 11.30		26	579	110 32 00000
89	0026	0237	CMST2064002	1 1 1	10.30 11.30		26	579	110 32 00000
	0026	0237	INTL3786001	1 1	10.30 12.00		5	579	110 32 00000
9	0026	0237	INTL3786001	1 1	10.30 12.00		5	579	110 32 00000
	0026	0237	REL 3786001	1 1	10.30 12.00	1	14	579	110 32 00000
9	0026	0237	REL 3786001	1 1	10.30 12.00		14	579	110 32 00000
	0026	0237	REL 3010001	1 1 1	11.30 12.30		26	579	110 32 00000
89	0026	0237	REL 3010001	1 1 1	11.30 12.30		26	579	110 32 00000
	0026	0237	CMST2060046	1 1	12.00 13.30		26	579	110 32 00000
89	0026	0237	CMST2060046	1 1	12.00 13.30		26	579	110 32 00000
	0026	0237	PHIL4010001	1 1 1	12.30 13.30		7	579	110 32 00000
9	0026	0237	PHIL4010001	1 1 1	12.30 13.30		7	579	110 32 00000
	0026	0237	CMST2060037	1 1 1	13.30 14.30		25	579	110 32 00000
89	0026	0237	CMST2060037	1 1 1	13.30 14.30		25	579	110 32 00000
	0026	0237	CMST2060056	1 1	13.30 15.00		25	579	110 32 00000
89	0026	0237	CMST2060056	1 1	13.30 15.00		25	579	110 32 00000
	0026	0237	CMST2064007	1 1 1	14.30 15.30		26	579	110 32 00000
89	0026	0237	CMST2064007	1 1 1	14.30 15.30		26	579	110 32 00000
	0026	0237	CMST2060057	1 1	15.00 16.30		25	579	110 32 00000
89	0026	0237	CMST2060057	1 1	15.00 16.30		25	579	110 32 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 27

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0026	0237	XCAS9999072	1	16.00 17.30		32	579	110 32 00000
89	0026	0237	XCAS9999072	1	16.00 17.30		32	579	110 32 00000
	0026	0237	XCAS9999073	1 1	17.00 18.30		32	579	110 32 00000
89	0026	0237	XCAS9999073	1 1	17.00 18.30		32	579	110 32 00000
	0028	0118	MEDP4331001	1 1 1	10.30 11.30		9	385	110 24 00000
9	0028	0118	MEDP4331001	1 1 1	10.30 11.30		9	385	110 24 00000
	0029	0101	BIOL1201001	1 1 1	8.30 9.30		698	8,272	110 1008 00000
9	0029	0101	BIOL1201001	1 1 1	8.30 9.30		698	8,272	110 1008 00000
	0029	0101	MC 2000001	1 1	9.00 10.30		446	8,272	110 1008 00000
9	0029	0101	MC 2000001	1 1	9.00 10.30		446	8,272	110 1008 00000
	0029	0101	EXST2201001	1 1 1	9.30 10.30		21	8,272	110 1008 00000
9	0029	0101	EXST2201001	1 1 1	9.30 10.30		21	8,272	110 1008 00000
	0029	0101	EXST2201002	1 1 1	9.30 10.30	1	22	8,272	110 1008 00000
9	0029	0101	EXST2201002	1 1 1	9.30 10.30		22	8,272	110 1008 00000
	0029	0101	EXST2201003	1 1 1	9.30 10.30	1	22	8,272	110 1008 00000
9	0029	0101	EXST2201003	1 1 1	9.30 10.30		22	8,272	110 1008 00000
	0029	0101	EXST2201004	1 1 1	9.30 10.30	1	21	8,272	110 1008 00000
9	0029	0101	EXST2201004	1 1 1	9.30 10.30		21	8,272	110 1008 00000
	0029	0101	EXST2201005	1 1 1	9.30 10.30	1	22	8,272	110 1008 00000
9	0029	0101	EXST2201005	1 1 1	9.30 10.30		22	8,272	110 1008 00000
	0029	0101	EXST2201006	1 1 1	9.30 10.30	1	21	8,272	110 1008 00000
9	0029	0101	EXST2201006	1 1 1	9.30 10.30		21	8,272	110 1008 00000
	0029	0101	EXST2201007	1 1 1	9.30 10.30	1	21	8,272	110 1008 00000
9	0029	0101	EXST2201007	1 1 1	9.30 10.30		21	8,272	110 1008 00000
	0029	0101	EXST2201008	1 1 1	9.30 10.30	1	21	8,272	110 1008 00000
9	0029	0101	EXST2201008	1 1 1	9.30 10.30		21	8,272	110 1008 00000
	0029	0101	EXST2201009	1 1 1	9.30 10.30	1	22	8,272	110 1008 00000
9	0029	0101	EXST2201009	1 1 1	9.30 10.30		22	8,272	110 1008 00000
	0029	0101	EXST2201010	1 1 1	9.30 10.30	1	22	8,272	110 1008 00000
9	0029	0101	EXST2201010	1 1 1	9.30 10.30		22	8,272	110 1008 00000
	0029	0101	EXST2201011	1 1 1	9.30 10.30	1	21	8,272	110 1008 00000
9	0029	0101	EXST2201011	1 1 1	9.30 10.30		21	8,272	110 1008 00000
	0029	0101	EXST2201012	1 1 1	9.30 10.30	1	22	8,272	110 1008 00000
9	0029	0101	EXST2201012	1 1 1	9.30 10.30		22	8,272	110 1008 00000
	0029	0101	EXST2201013	1 1 1	9.30 10.30	1	22	8,272	110 1008 00000
9	0029	0101	EXST2201013	1 1 1	9.30 10.30		22	8,272	110 1008 00000
	0029	0101	EXST2201014	1 1 1	9.30 10.30	1	21	8,272	110 1008 00000
9	0029	0101	EXST2201014	1 1 1	9.30 10.30		21	8,272	110 1008 00000
	0029	0101	EXST2201015	1 1 1	9.30 10.30	1	22	8,272	110 1008 00000
9	0029	0101	EXST2201015	1 1 1	9.30 10.30		22	8,272	110 1008 00000
	0029	0101	EXST2201016	1 1 1	9.30 10.30	1	21	8,272	110 1008 00000
9	0029	0101	EXST2201016	1 1 1	9.30 10.30		21	8,272	110 1008 00000
	0029	0101	EXST2201017	1 1 1	9.30 10.30	1	22	8,272	110 1008 00000
9	0029	0101	EXST2201017	1 1 1	9.30 10.30		22	8,272	110 1008 00000
	0029	0101	EXST2201018	1 1 1	9.30 10.30	1	21	8,272	110 1008 00000
9	0029	0101	EXST2201018	1 1 1	9.30 10.30		21	8,272	110 1008 00000
	0029	0101	EXST2201019	1 1 1	9.30 10.30	1	21	8,272	110 1008 00000
9	0029	0101	EXST2201019	1 1 1	9.30 10.30		21	8,272	110 1008 00000
	0029	0101	EXST2201020	1 1 1	9.30 10.30	1	18	8,272	110 1008 00000
9	0029	0101	EXST2201020	1 1 1	9.30 10.30		18	8,272	110 1008 00000
	0029	0101	EXST2201021	1 1 1	9.30 10.30	1	22	8,272	110 1008 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 28

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0029	0101	EXST2201021	1 1 1	9.30 10.30		22	8,272	110 1008 00000
	0029	0101	EXST2201022	1 1 1	9.30 10.30	1	22	8,272	110 1008 00000
9	0029	0101	EXST2201022	1 1 1	9.30 10.30		22	8,272	110 1008 00000
	0029	0101	EXST2201023	1 1 1	9.30 10.30	1	22	8,272	110 1008 00000
9	0029	0101	EXST2201023	1 1 1	9.30 10.30		22	8,272	110 1008 00000
	0029	0101	EXST2201024	1 1 1	9.30 10.30	1	22	8,272	110 1008 00000
9	0029	0101	EXST2201024	1 1 1	9.30 10.30		22	8,272	110 1008 00000
	0029	0101	EXST2201025	1 1 1	9.30 10.30	1	22	8,272	110 1008 00000
9	0029	0101	EXST2201025	1 1 1	9.30 10.30		22	8,272	110 1008 00000
	0029	0101	EXST2201026	1 1 1	9.30 10.30	1	22	8,272	110 1008 00000
9	0029	0101	EXST2201026	1 1 1	9.30 10.30		22	8,272	110 1008 00000
	0029	0101	EXST2201027	1 1 1	9.30 10.30	1	21	8,272	110 1008 00000
9	0029	0101	EXST2201027	1 1 1	9.30 10.30		21	8,272	110 1008 00000
	0029	0101	EXST2201028	1 1 1	9.30 10.30	1	20	8,272	110 1008 00000
9	0029	0101	EXST2201028	1 1 1	9.30 10.30		20	8,272	110 1008 00000
	0029	0101	EXST2201029	1 1 1	9.30 10.30	1	21	8,272	110 1008 00000
9	0029	0101	EXST2201029	1 1 1	9.30 10.30		21	8,272	110 1008 00000
	0029	0101	EXST2201030	1 1 1	9.30 10.30	1	19	8,272	110 1008 00000
9	0029	0101	EXST2201030	1 1 1	9.30 10.30		19	8,272	110 1008 00000
	0029	0101	EXST2201031	1 1 1	9.30 10.30	1	22	8,272	110 1008 00000
9	0029	0101	EXST2201031	1 1 1	9.30 10.30		22	8,272	110 1008 00000
	0029	0101	EXST2201032	1 1 1	9.30 10.30	1	21	8,272	110 1008 00000
9	0029	0101	EXST2201032	1 1 1	9.30 10.30		21	8,272	110 1008 00000
	0029	0101	EXST2201033	1 1 1	9.30 10.30	1	22	8,272	110 1008 00000
9	0029	0101	EXST2201033	1 1 1	9.30 10.30		22	8,272	110 1008 00000
	0029	0101	EXST2201034	1 1 1	9.30 10.30	1	22	8,272	110 1008 00000
9	0029	0101	EXST2201034	1 1 1	9.30 10.30		22	8,272	110 1008 00000
	0029	0101	EXST2201035	1 1 1	9.30 10.30	1	22	8,272	110 1008 00000
9	0029	0101	EXST2201035	1 1 1	9.30 10.30		22	8,272	110 1008 00000
8	0029	0101	EXST2201036	1 1 1	9.30 10.30	1	20	8,272	110 1008 00000
89	0029	0101	EXST2201036	1 1 1	9.30 10.30		20	8,272	110 1008 00000
8	0029	0101	EXST2201037	1 1 1	9.30 10.30	1	21	8,272	110 1008 00000
89	0029	0101	EXST2201037	1 1 1	9.30 10.30		21	8,272	110 1008 00000
8	0029	0101	EXST2201038	1 1 1	9.30 10.30	1	16	8,272	110 1008 00000
89	0029	0101	EXST2201038	1 1 1	9.30 10.30		16	8,272	110 1008 00000
8	0029	0101	EXST2201039	1 1 1	9.30 10.30	1	16	8,272	110 1008 00000
89	0029	0101	EXST2201039	1 1 1	9.30 10.30		16	8,272	110 1008 00000
8	0029	0101	EXST2201040	1 1 1	9.30 10.30	1	13	8,272	110 1008 00000
89	0029	0101	EXST2201040	1 1 1	9.30 10.30		13	8,272	110 1008 00000
8	0029	0101	EXST2201041	1 1 1	9.30 10.30	1	22	8,272	110 1008 00000
89	0029	0101	EXST2201041	1 1 1	9.30 10.30		22	8,272	110 1008 00000
8	0029	0101	EXST2201042	1 1 1	9.30 10.30	1	21	8,272	110 1008 00000
89	0029	0101	EXST2201042	1 1 1	9.30 10.30		21	8,272	110 1008 00000
8	0029	0101	EXST2201043	1 1 1	9.30 10.30	1	19	8,272	110 1008 00000
89	0029	0101	EXST2201043	1 1 1	9.30 10.30		19	8,272	110 1008 00000
8	0029	0101	EXST2201044	1 1 1	9.30 10.30	1	17	8,272	110 1008 00000
89	0029	0101	EXST2201044	1 1 1	9.30 10.30		17	8,272	110 1008 00000
	0029	0101	MATH1029001	1 1 1	10.30 11.30		530	8,272	110 1008 00000
9	0029	0101	MATH1029001	1 1 1	10.30 11.30		530	8,272	110 1008 00000
	0029	0101	MGT 3200001	1 1	10.30 12.00		894	8,272	110 1008 00000
89	0029	0101	MGT 3200001	1 1	10.30 12.00		894	8,272	110 1008 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 29

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0029	0101	THTR1020001	1 1 1	11.30 12.30		621	8,272	110 1008 00000
9	0029	0101	THTR1020001	1 1 1	11.30 12.30		621	8,272	110 1008 00000
	0029	0101	MATH1431001	1 1	12.00 13.30		34	8,272	110 1008 00000
9	0029	0101	MATH1431001	1 1	12.00 13.30		34	8,272	110 1008 00000
	0029	0101	MATH1431002	1 1	12.00 13.30	1	32	8,272	110 1008 00000
9	0029	0101	MATH1431002	1 1	12.00 13.30		32	8,272	110 1008 00000
	0029	0101	MATH1431003	1 1	12.00 13.30	1	35	8,272	110 1008 00000
9	0029	0101	MATH1431003	1 1	12.00 13.30		35	8,272	110 1008 00000
	0029	0101	MATH1431004	1 1	12.00 13.30	1	33	8,272	110 1008 00000
9	0029	0101	MATH1431004	1 1	12.00 13.30		33	8,272	110 1008 00000
	0029	0101	MATH1431005	1 1	12.00 13.30	1	29	8,272	110 1008 00000
9	0029	0101	MATH1431005	1 1	12.00 13.30		29	8,272	110 1008 00000
	0029	0101	MATH1431006	1 1	12.00 13.30	1	34	8,272	110 1008 00000
9	0029	0101	MATH1431006	1 1	12.00 13.30		34	8,272	110 1008 00000
	0029	0101	MATH1431007	1 1	12.00 13.30	1	35	8,272	110 1008 00000
9	0029	0101	MATH1431007	1 1	12.00 13.30		35	8,272	110 1008 00000
	0029	0101	MATH1431008	1 1	12.00 13.30	1	31	8,272	110 1008 00000
9	0029	0101	MATH1431008	1 1	12.00 13.30		31	8,272	110 1008 00000
	0029	0101	MATH1431009	1 1	12.00 13.30	1	33	8,272	110 1008 00000
9	0029	0101	MATH1431009	1 1	12.00 13.30		33	8,272	110 1008 00000
	0029	0101	MATH1431010	1 1	12.00 13.30	1	31	8,272	110 1008 00000
9	0029	0101	MATH1431010	1 1	12.00 13.30		31	8,272	110 1008 00000
	0029	0101	MATH1431011	1 1	12.00 13.30	1	33	8,272	110 1008 00000
9	0029	0101	MATH1431011	1 1	12.00 13.30		33	8,272	110 1008 00000
	0029	0101	MATH1431012	1 1	12.00 13.30	1	36	8,272	110 1008 00000
9	0029	0101	MATH1431012	1 1	12.00 13.30		36	8,272	110 1008 00000
	0029	0101	MATH1431013	1 1	12.00 13.30	1	35	8,272	110 1008 00000
9	0029	0101	MATH1431013	1 1	12.00 13.30		35	8,272	110 1008 00000
	0029	0101	MATH1431014	1 1	12.00 13.30	1	32	8,272	110 1008 00000
9	0029	0101	MATH1431014	1 1	12.00 13.30		32	8,272	110 1008 00000
	0029	0101	MATH1431015	1 1	12.00 13.30	1	33	8,272	110 1008 00000
9	0029	0101	MATH1431015	1 1	12.00 13.30		33	8,272	110 1008 00000
	0029	0101	MATH1431016	1 1	12.00 13.30	1	32	8,272	110 1008 00000
9	0029	0101	MATH1431016	1 1	12.00 13.30		32	8,272	110 1008 00000
	0029	0101	MATH1431017	1 1	12.00 13.30	1	32	8,272	110 1008 00000
9	0029	0101	MATH1431017	1 1	12.00 13.30		32	8,272	110 1008 00000
	0029	0101	MATH1431018	1 1	12.00 13.30	1	32	8,272	110 1008 00000
9	0029	0101	MATH1431018	1 1	12.00 13.30		32	8,272	110 1008 00000
	0029	0101	MATH1431019	1 1	12.00 13.30	1	35	8,272	110 1008 00000
9	0029	0101	MATH1431019	1 1	12.00 13.30		35	8,272	110 1008 00000
	0029	0101	MATH1431020	1 1	12.00 13.30	1	23	8,272	110 1008 00000
9	0029	0101	MATH1431020	1 1	12.00 13.30		23	8,272	110 1008 00000
	0029	0101	MKT 3401001	1 1	13.30 15.00		770	8,272	110 1008 00000
89	0029	0101	MKT 3401001	1 1	13.30 15.00		770	8,272	110 1008 00000
	0029	0101	ART 1001001	1 1	14.30 16.00		698	8,272	110 1008 00000
9	0029	0101	ART 1001001	1 1	14.30 16.00		698	8,272	110 1008 00000
	0029	B0013	ATRN2600001	1111	7.30 9.00		16	1,944	210 20 00000
89	0029	B0013	ATRN2600001	1111	7.30 9.00		16	1,944	210 20 00000
	0034	0102	EDCI3383001		9.00 11.00	1	31	788	210 33 00000
89	0034	0102	EDCI3383001		9.00 11.00	1	31	788	210 33 00000
	0034	0102	ELRC7364001	1	9.30 11.30		5	788	210 33 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 30

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0034	0102	ELRC7364001	1	9.30 11.30	5	788	210 33	00000
	0034	0102	EDCI3125001	1	12.30 14.30	22	788	210 33	00000
9	0034	0102	EDCI3125001	1	12.30 14.30	22	788	210 33	00000
	0034	0102	EDCI3125002	1	12.30 14.30	23	788	210 33	00000
9	0034	0102	EDCI3125002	1	12.30 14.30	23	788	210 33	00000
	0034	0102	EDCI3125001	1	12.30 14.30	22	788	210 33	00000
9	0034	0102	EDCI3125001	1	12.30 14.30	22	788	210 33	00000
	0034	0102	EDCI3125002	1	12.30 14.30	23	788	210 33	00000
9	0034	0102	EDCI3125002	1	12.30 14.30	23	788	210 33	00000
	0034	0102	EDCI7931001	1	16.30 19.30	7	788	210 33	00000
9	0034	0102	EDCI7931001	1	16.30 19.30	7	788	210 33	00000
	0034	0104	EDCI3124002	1 1	8.30 11.30	23	529	210 30	00000
89	0034	0104	EDCI3124002	1 1	8.30 11.30	23	529	210 30	00000
	0034	0104	EDCI3124003	1 1	9.00 12.00	15	529	210 30	00000
9	0034	0104	EDCI3124003	1 1	9.00 12.00	15	529	210 30	00000
	0034	0104	EDCI3125003	1	12.30 14.30	15	529	210 30	00000
9	0034	0104	EDCI3125003	1	12.30 14.30	15	529	210 30	00000
	0034	0104	EDCI3125003	1	12.30 14.30	15	529	210 30	00000
9	0034	0104	EDCI3125003	1	12.30 14.30	15	529	210 30	00000
	0034	0104	EDCI3124002	1 1	13.00 14.30	23	529	210 30	00000
89	0034	0104	EDCI3124002	1 1	13.00 14.30	23	529	210 30	00000
	0034	0104	EDCI3124003	1	16.30 19.30	15	529	210 30	00000
9	0034	0104	EDCI3124003	1	16.30 19.30	15	529	210 30	00000
	0034	0104	EDCI7762001	1	16.30 19.30	9	529	210 30	00000
9	0034	0104	EDCI7762001	1	16.30 19.30	9	529	210 30	00000
	0034	0104	EDCI3124001	1	16.30 19.30	22	529	210 30	00000
9	0034	0104	EDCI3124001	1	16.30 19.30	22	529	210 30	00000
	0034	0104	EDCI7312001	1	16.30 19.30	7	529	210 30	00000
9	0034	0104	EDCI7312001	1	16.30 19.30	7	529	210 30	00000
	0034	0118	ELRC3500001	1 1	9.00 10.30	21	743	140 22	00000
89	0034	0118	ELRC3500001	1 1	9.00 10.30	21	743	140 22	00000
	0034	0118	ELRC3500002	1 1	10.30 12.00	22	743	140 22	00000
89	0034	0118	ELRC3500002	1 1	10.30 12.00	22	743	140 22	00000
	0034	0118	ELRC2507001	1 1	13.30 15.00	19	743	140 22	00000
89	0034	0118	ELRC2507001	1 1	13.30 15.00	19	743	140 22	00000
	0034	0118	ELRC2507002	1 1	15.00 16.30	22	743	140 22	00000
89	0034	0118	ELRC2507002	1 1	15.00 16.30	22	743	140 22	00000
	0034	0118	ELRC2507003	1	16.30 19.30	13	743	140 22	00000
9	0034	0118	ELRC2507003	1	16.30 19.30	13	743	140 22	00000
	0034	0118	ELRC4507001	1	16.30 19.30	18	743	140 22	00000
89	0034	0118	ELRC4507001	1	16.30 19.30	18	743	140 22	00000
	0034	0120	ELRC7362001	1	9.30 11.30	5	540	210 20	00000
9	0034	0120	ELRC7362001	1	9.30 11.30	5	540	210 20	00000
	0034	0120	EDCI2500001	1 1	13.30 15.00	19	540	210 20	00000
89	0034	0120	EDCI2500001	1 1	13.30 15.00	19	540	210 20	00000
	0034	0120	ELRC4602001	1	16.30 19.30	17	540	210 20	00000
89	0034	0120	ELRC4602001	1	16.30 19.30	17	540	210 20	00000
	0034	0120	ELRC7391001	1	16.30 19.30	17	540	210 20	00000
89	0034	0120	ELRC7391001	1	16.30 19.30	17	540	210 20	00000
	0034	0120	ELRC7331001	1	16.30 19.30	16	540	210 20	00000
89	0034	0120	ELRC7331001	1	16.30 19.30	16	540	210 20	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 31

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0034	0120	ELRC7393001	1	16.30 19.30		20	540	210 20 00000
89	0034	0120	ELRC7393001	1	16.30 19.30		20	540	210 20 00000
	0034	0214	EDCI2030001	1	9.30 11.30		14	575	110 30 00000
9	0034	0214	EDCI2030001	1	9.30 11.30		14	575	110 30 00000
	0034	0214	EDCI2400001	1	9.30 11.30		17	575	110 30 00000
9	0034	0214	EDCI2400001	1	9.30 11.30		17	575	110 30 00000
	0034	0214	EDCI2030001	1	9.30 11.30		14	575	110 30 00000
9	0034	0214	EDCI2030001	1	9.30 11.30		14	575	110 30 00000
	0034	0214	EDCI2400001	1	9.30 11.30		17	575	110 30 00000
9	0034	0214	EDCI2400001	1	9.30 11.30		17	575	110 30 00000
	0034	0214	EDCI2030003	1	11.30 13.30		29	575	110 30 00000
89	0034	0214	EDCI2030003	1	11.30 13.30		29	575	110 30 00000
	0034	0214	EDCI2030003	1	11.30 13.30		29	575	110 30 00000
89	0034	0214	EDCI2030003	1	11.30 13.30		29	575	110 30 00000
	0034	0214	ELRC7611001	1	13.30 16.30		21	575	110 30 00000
9	0034	0214	ELRC7611001	1	13.30 16.30		21	575	110 30 00000
	0034	0214	EDCI2400002	1	14.30 16.30		14	575	110 30 00000
9	0034	0214	EDCI2400002	1	14.30 16.30		14	575	110 30 00000
	0034	0214	EDCI2400002	1	14.30 16.30		14	575	110 30 00000
9	0034	0214	EDCI2400002	1	14.30 16.30		14	575	110 30 00000
	0034	0214	EDCI2271002	1	16.30 18.30		22	575	110 30 00000
9	0034	0214	EDCI2271002	1	16.30 18.30		22	575	110 30 00000
	0034	0214	ELRC7243001	1	16.30 19.30		17	575	110 30 00000
9	0034	0214	ELRC7243001	1	16.30 19.30		17	575	110 30 00000
	0034	0214	ELRC7270001	1	16.30 19.30		10	575	110 30 00000
9	0034	0214	ELRC7270001	1	16.30 19.30		10	575	110 30 00000
	0034	0214	EDCI2271002	1	18.30 20.30		22	575	110 30 00000
9	0034	0214	EDCI2271002	1	18.30 20.30		22	575	110 30 00000
	0034	0216	EDCI3000003	1 1	9.00 10.30		26	495	110 33 00000
89	0034	0216	EDCI3000003	1 1	9.00 10.30		26	495	110 33 00000
	0034	0216	EDCI4382001	1	9.00 12.00		26	495	110 33 00000
89	0034	0216	EDCI4382001	1	9.00 12.00		26	495	110 33 00000
	0034	0216	EDCI4460001	1	12.30 14.30		20	495	110 33 00000
9	0034	0216	EDCI4460001	1	12.30 14.30		20	495	110 33 00000
	0034	0216	EDCI3055001	1	12.30 15.30		32	495	110 33 00000
89	0034	0216	EDCI3055001	1	12.30 15.30		32	495	110 33 00000
	0034	0216	EDCI4703001	1	13.00 16.00		14	495	110 33 00000
9	0034	0216	EDCI4703001	1	13.00 16.00		14	495	110 33 00000
	0034	0216	EDCI3701001	1	13.30 15.30		17	495	110 33 00000
9	0034	0216	EDCI3701001	1	13.30 15.30		17	495	110 33 00000
	0034	0216	EDCI3000001	1	16.30 19.30		20	495	110 33 00000
9	0034	0216	EDCI3000001	1	16.30 19.30		20	495	110 33 00000
	0034	0216	EDCI7760001	1	16.30 19.30		10	495	110 33 00000
9	0034	0216	EDCI7760001	1	16.30 19.30		10	495	110 33 00000
	0034	0216	EDCI7920001	1	16.30 19.30		5	495	110 33 00000
9	0034	0216	EDCI7920001	1	16.30 19.30		5	495	110 33 00000
	0034	0218	EDCI3137001	1	9.00 11.00		20	541	110 30 00000
9	0034	0218	EDCI3137001	1	9.00 11.00		20	541	110 30 00000
	0034	0218	EDCI3137001	1	9.00 11.00		20	541	110 30 00000
9	0034	0218	EDCI3137001	1	9.00 11.00		20	541	110 30 00000
	0034	0218	EDCI3704001	1	9.00 12.00		14	541	110 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 32

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0034	0218	EDCI3704001	1	9.00 12.00		14	541	110 30 00000
	0034	0218	EDCI3127001	1	12.30 14.30		20	541	110 30 00000
9	0034	0218	EDCI3127001	1	12.30 14.30		20	541	110 30 00000
	0034	0218	EDCI3127001	1	12.30 14.30		20	541	110 30 00000
9	0034	0218	EDCI3127001	1	12.30 14.30		20	541	110 30 00000
	0034	0218	ELRC7606001	1	13.30 16.30		12	541	110 30 00000
9	0034	0218	ELRC7606001	1	13.30 16.30		12	541	110 30 00000
	0034	0218	EDCI3703001	1	16.30 18.30		10	541	110 30 00000
9	0034	0218	EDCI3703001	1	16.30 18.30		10	541	110 30 00000
	0034	0218	ELRC7605001	1	16.30 19.30		21	541	110 30 00000
9	0034	0218	ELRC7605001	1	16.30 19.30		21	541	110 30 00000
	0034	0218	EDCI7921001	1	16.30 19.30		5	541	110 30 00000
9	0034	0218	EDCI7921001	1	16.30 19.30		5	541	110 30 00000
	0034	0218	EDCI7930001	1	16.30 19.30		4	541	110 30 00000
9	0034	0218	EDCI7930001	1	16.30 19.30		4	541	110 30 00000
	0034	0218	EDCI7111001	1	18.30 21.30		7	541	110 30 00000
9	0034	0218	EDCI7111001	1	18.30 21.30		7	541	110 30 00000
	0034	0219	EDCI4003003	1	16.30 18.30		4	368	350 18 00000
9	0034	0219	EDCI4003003	1	16.30 18.30		4	368	350 18 00000
	0034	0219	EDCI7824001	1	16.30 19.30		7	368	350 18 00000
9	0034	0219	EDCI7824001	1	16.30 19.30		7	368	350 18 00000
	0034	0219	ELRC7602001	1	16.30 19.30		4	368	350 18 00000
9	0034	0219	ELRC7602001	1	16.30 19.30		4	368	350 18 00000
	0034	0310	EDCI7901001	1	16.30 19.30		9	400	350 20 00000
9	0034	0310	EDCI7901001	1	16.30 19.30		9	400	350 20 00000
	0036	0108	ATRN3200001	1	7.30 8.30		12	780	110 55 00000
9	0036	0108	ATRN3200001	1	7.30 8.30		12	780	110 55 00000
	0036	0108	KIN 7524001	1 1	7.30 9.00		18	780	110 55 00000
9	0036	0108	KIN 7524001	1 1	7.30 9.00		18	780	110 55 00000
	0036	0108	KIN 2604001	1 1 1	8.30 9.30		33	780	110 55 00000
9	0036	0108	KIN 2604001	1 1 1	8.30 9.30		33	780	110 55 00000
	0036	0108	KIN 4606001	1 1	9.00 10.30		27	780	110 55 00000
9	0036	0108	KIN 4606001	1 1	9.00 10.30		27	780	110 55 00000
	0036	0108	KIN 4512005	1 1 1	9.30 10.30		34	780	110 55 00000
9	0036	0108	KIN 4512005	1 1 1	9.30 10.30		34	780	110 55 00000
	0036	0108	KIN 2516001	1 1	10.30 12.00		13	780	110 55 00000
9	0036	0108	KIN 2516001	1 1	10.30 12.00		13	780	110 55 00000
	0036	0108	KIN 2577001	1	10.30 12.30		23	780	110 55 00000
9	0036	0108	KIN 2577001	1	10.30 12.30		23	780	110 55 00000
	0036	0108	KIN 2577002	1	10.30 12.30	1	23	780	110 55 00000
89	0036	0108	KIN 2577002	1	10.30 12.30		23	780	110 55 00000
	0036	0108	KIN 2526001	1 1	12.00 13.30		40	780	110 55 00000
9	0036	0108	KIN 2526001	1 1	12.00 13.30		40	780	110 55 00000
	0036	0108	KIN 3513001	1 1 1	12.30 13.30		40	780	110 55 00000
9	0036	0108	KIN 3513001	1 1 1	12.30 13.30		40	780	110 55 00000
	0036	0108	KIN 4520004	1 1	13.30 15.00		16	780	110 55 00000
9	0036	0108	KIN 4520004	1 1	13.30 15.00		16	780	110 55 00000
	0036	0108	KIN 7545001	1 1	15.00 16.30		20	780	110 55 00000
9	0036	0108	KIN 7545001	1 1	15.00 16.30		20	780	110 55 00000
	0036	0108	KIN 3515003	1 1	15.30 17.00		44	780	110 55 00000
89	0036	0108	KIN 3515003	1 1	15.30 17.00		44	780	110 55 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 33

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0036	0108	KIN 7530001	1	16.30 19.30		14	780	110 55 00000
9	0036	0108	KIN 7530001	1	16.30 19.30		14	780	110 55 00000
	0036	0120	KIN 4511001	1 1 1	8.30 10.30		4	3,141	210 63 00000
9	0036	0120	KIN 4511001	1 1 1	8.30 10.30		4	3,141	210 63 00000
	0036	0120	KIN 1152003	1 1	10.30 12.00		24	3,141	210 63 00000
9	0036	0120	KIN 1152003	1 1	10.30 12.00		24	3,141	210 63 00000
	0036	0120	KIN 2577001	1	10.30 12.30		23	3,141	210 63 00000
9	0036	0120	KIN 2577001	1	10.30 12.30		23	3,141	210 63 00000
	0036	0120	KIN 2577002	1	10.30 12.30		23	3,141	210 63 00000
9	0036	0120	KIN 2577002	1	10.30 12.30		23	3,141	210 63 00000
	0036	0120	KIN 1802001	1 1	12.00 13.30		20	3,141	210 63 00000
9	0036	0120	KIN 1802001	1 1	12.00 13.30		20	3,141	210 63 00000
	0036	0120	KIN 1152002	1 1 1	12.30 13.30		24	3,141	210 63 00000
9	0036	0120	KIN 1152002	1 1 1	12.30 13.30		24	3,141	210 63 00000
	0036	0120	KIN 1144001	1 1 1	13.30 14.30		41	3,141	210 63 00000
9	0036	0120	KIN 1144001	1 1 1	13.30 14.30		41	3,141	210 63 00000
	0036	0120	KIN 1803001	1 1	13.30 15.00		19	3,141	210 63 00000
9	0036	0120	KIN 1803001	1 1	13.30 15.00		19	3,141	210 63 00000
	0036	0120	KIN 1144002	1 1 1	14.30 15.30		10	3,141	210 63 00000
9	0036	0120	KIN 1144002	1 1 1	14.30 15.30		10	3,141	210 63 00000
	0036	0120	KIN 1152004	1 1	15.00 16.30		24	3,141	210 63 00000
9	0036	0120	KIN 1152004	1 1	15.00 16.30		24	3,141	210 63 00000
	0036	0140	ATRN4200001	1	7.30 8.30		13	555	110 25 00000
9	0036	0140	ATRN4200001	1	7.30 8.30		13	555	110 25 00000
	0036	0140	KIN 4511001	1 1 1	8.30 10.30		4	555	110 25 00000
9	0036	0140	KIN 4511001	1 1 1	8.30 10.30		4	555	110 25 00000
	0036	0140	KIN 4516001	1 1	8.30 10.30		4	555	110 25 00000
9	0036	0140	KIN 4516001	1 1	8.30 10.30		4	555	110 25 00000
	0036	0140	KIN 2540001	1 1	10.30 12.00		23	555	110 25 00000
89	0036	0140	KIN 2540001	1 1	10.30 12.00		23	555	110 25 00000
	0036	0140	KIN 3609001	1 1	12.00 13.30		13	555	110 25 00000
9	0036	0140	KIN 3609001	1 1	12.00 13.30		13	555	110 25 00000
	0036	0140	KIN 7511001	1 1	15.00 16.30		17	555	110 25 00000
9	0036	0140	KIN 7511001	1 1	15.00 16.30		17	555	110 25 00000
	0036	0140	KIN 7512001	1	16.30 19.30		13	555	110 25 00000
9	0036	0140	KIN 7512001	1	16.30 19.30		13	555	110 25 00000
	0036	0151	KIN 7547001	1 1	7.30 9.00		15	1,025	110 68 00000
9	0036	0151	KIN 7547001	1 1	7.30 9.00		15	1,025	110 68 00000
	0036	0151	KIN 3801001	1 1 1	8.30 9.30		29	1,025	110 68 00000
9	0036	0151	KIN 3801001	1 1 1	8.30 9.30		29	1,025	110 68 00000
	0036	0151	KIN 3515004	1 1	9.00 10.30		46	1,025	110 68 00000
9	0036	0151	KIN 3515004	1 1	9.00 10.30		46	1,025	110 68 00000
	0036	0151	KIN 3801002	1 1 1	9.30 10.30		39	1,025	110 68 00000
9	0036	0151	KIN 3801002	1 1 1	9.30 10.30		39	1,025	110 68 00000
	0036	0151	KIN 2530003	1 1 1	10.30 11.30		41	1,025	110 68 00000
9	0036	0151	KIN 2530003	1 1 1	10.30 11.30		41	1,025	110 68 00000
	0036	0151	KIN 3804002	1 1	10.30 12.00		42	1,025	110 68 00000
9	0036	0151	KIN 3804002	1 1	10.30 12.00		42	1,025	110 68 00000
	0036	0151	KIN 3802001	1 1 1	11.30 12.30		40	1,025	110 68 00000
9	0036	0151	KIN 3802001	1 1 1	11.30 12.30		40	1,025	110 68 00000
	0036	0151	KIN 4517001	1 1	12.00 13.30		40	1,025	110 68 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 34

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0036	0151	KIN 4517001	1 1	12.00 13.30		40	1,025	110 68 00000
	0036	0151	KIN 3802002	1 1 1	12.30 13.30		27	1,025	110 68 00000
9	0036	0151	KIN 3802002	1 1 1	12.30 13.30		27	1,025	110 68 00000
	0036	0151	KIN 2530004	1 1 1	13.30 14.30		41	1,025	110 68 00000
9	0036	0151	KIN 2530004	1 1 1	13.30 14.30		41	1,025	110 68 00000
	0036	0151	KIN 2601001	1	14.30 15.30		30	1,025	110 68 00000
9	0036	0151	KIN 2601001	1	14.30 15.30		30	1,025	110 68 00000
	0036	0151	KIN 2601002	1	14.30 15.30		16	1,025	110 68 00000
9	0036	0151	KIN 2601002	1	14.30 15.30		16	1,025	110 68 00000
	0036	0151	KIN 2601003	1	14.30 15.30		30	1,025	110 68 00000
9	0036	0151	KIN 2601003	1	14.30 15.30		30	1,025	110 68 00000
	0036	0151	KIN 2601004	1	14.30 15.30		15	1,025	110 68 00000
9	0036	0151	KIN 2601004	1	14.30 15.30		15	1,025	110 68 00000
	0036	0151	KIN 2601001	1	15.30 16.30		30	1,025	110 68 00000
9	0036	0151	KIN 2601001	1	15.30 16.30		30	1,025	110 68 00000
	0036	0151	KIN 2601002	1	15.30 16.30		16	1,025	110 68 00000
9	0036	0151	KIN 2601002	1	15.30 16.30		16	1,025	110 68 00000
	0036	0151	KIN 2601003	1	15.30 16.30		30	1,025	110 68 00000
9	0036	0151	KIN 2601003	1	15.30 16.30		30	1,025	110 68 00000
	0036	0151	KIN 2601004	1	15.30 16.30		15	1,025	110 68 00000
9	0036	0151	KIN 2601004	1	15.30 16.30		15	1,025	110 68 00000
	0036	0151	KIN 7574001	1	16.30 19.30		15	1,025	110 68 00000
9	0036	0151	KIN 7574001	1	16.30 19.30		15	1,025	110 68 00000
	0036	0152	ATRN2001001	1111	9.00 10.30		17	570	110 38 00000
9	0036	0152	ATRN2001001	1111	9.00 10.30		17	570	110 38 00000
	0036	0152	ATRN3505001	1111	9.00 10.30	1	12	570	110 38 00000
89	0036	0152	ATRN3505001	1111	9.00 10.30		12	570	110 38 00000
	0036	0155	KIN 2510003	1 1 1	7.30 8.30		40	1,105	110 74 00000
9	0036	0155	KIN 2510003	1 1 1	7.30 8.30		40	1,105	110 74 00000
	0036	0155	ATRN4400001	1 1	7.30 9.00		13	1,105	110 74 00000
9	0036	0155	ATRN4400001	1 1	7.30 9.00		13	1,105	110 74 00000
	0036	0155	KIN 2530001	1 1 1	8.30 9.30		40	1,105	110 74 00000
9	0036	0155	KIN 2530001	1 1 1	8.30 9.30		40	1,105	110 74 00000
	0036	0155	KIN 4512003	1 1	9.00 10.30		50	1,105	110 74 00000
9	0036	0155	KIN 4512003	1 1	9.00 10.30		50	1,105	110 74 00000
	0036	0155	KIN 3514001	1 1 1	10.30 11.30		52	1,105	110 74 00000
9	0036	0155	KIN 3514001	1 1 1	10.30 11.30		52	1,105	110 74 00000
	0036	0155	KIN 4512004	1 1	10.30 12.00		51	1,105	110 74 00000
9	0036	0155	KIN 4512004	1 1	10.30 12.00		51	1,105	110 74 00000
	0036	0155	KIN 3515001	1 1 1	11.30 12.30		48	1,105	110 74 00000
9	0036	0155	KIN 3515001	1 1 1	11.30 12.30		48	1,105	110 74 00000
	0036	0155	KIN 3608001	1 1	12.00 13.30		38	1,105	110 74 00000
9	0036	0155	KIN 3608001	1 1	12.00 13.30		38	1,105	110 74 00000
	0036	0155	KIN 3515002	1 1 1	12.30 13.30		47	1,105	110 74 00000
9	0036	0155	KIN 3515002	1 1 1	12.30 13.30		47	1,105	110 74 00000
	0036	0155	KIN 4520001	1 1 1	13.30 14.30		35	1,105	110 74 00000
9	0036	0155	KIN 4520001	1 1 1	13.30 14.30		35	1,105	110 74 00000
	0036	0155	KIN 4571003	1 1	15.00 16.30		20	1,105	110 74 00000
9	0036	0155	KIN 4571003	1 1	15.00 16.30		20	1,105	110 74 00000
	0036	0155	KIN 7534001	1 1	15.00 16.30		12	1,105	110 74 00000
9	0036	0155	KIN 7534001	1 1	15.00 16.30		12	1,105	110 74 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 35

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0036	0175B	SW	7506001	1	8.30 11.30	31	517	110 34 00000
89	0036	0175B	SW	7506001	1	8.30 11.30	31	517	110 34 00000
	0036	0175B	SW	7505002	1	8.30 11.30	31	517	110 34 00000
89	0036	0175B	SW	7505002	1	8.30 11.30	31	517	110 34 00000
	0036	0175B	SW	7005001	1	8.30 11.30	28	517	110 34 00000
89	0036	0175B	SW	7005001	1	8.30 11.30	28	517	110 34 00000
	0036	0175B	SW	7003001	1	8.30 12.30	25	517	110 34 00000
9	0036	0175B	SW	7003001	1	8.30 12.30	25	517	110 34 00000
	0036	0175B	SW	7501002	1	12.30 15.30	32	517	110 34 00000
89	0036	0175B	SW	7501002	1	12.30 15.30	32	517	110 34 00000
	0036	0175B	SW	7003002	1	12.30 15.30	26	517	110 34 00000
89	0036	0175B	SW	7003002	1	12.30 15.30	26	517	110 34 00000
	0036	0175B	SW	7005002	1	12.30 15.30	25	517	110 34 00000
9	0036	0175B	SW	7005002	1	12.30 15.30	25	517	110 34 00000
	0036	0179	SW	3007001	1	8.30 11.30	19	483	110 32 00000
9	0036	0179	SW	3007001	1	8.30 11.30	19	483	110 32 00000
	0036	0179	SW	7807001	1	12.30 15.30	15	483	110 32 00000
9	0036	0179	SW	7807001	1	12.30 15.30	15	483	110 32 00000
	0036	0179	SW	7201001	1	12.30 15.30	11	483	110 32 00000
9	0036	0179	SW	7201001	1	12.30 15.30	11	483	110 32 00000
	0036	0184	SW	7505001	1	8.30 11.30	31	692	110 46 00000
9	0036	0184	SW	7505001	1	8.30 11.30	31	692	110 46 00000
	0036	0184	SW	7506002	1	8.30 11.30	31	692	110 46 00000
9	0036	0184	SW	7506002	1	8.30 11.30	31	692	110 46 00000
	0036	0184	SW	7001001	1	8.30 11.30	26	692	110 46 00000
9	0036	0184	SW	7001001	1	8.30 11.30	26	692	110 46 00000
	0036	0184	SW	7009001	1	8.30 11.30	25	692	110 46 00000
9	0036	0184	SW	7009001	1	8.30 11.30	25	692	110 46 00000
	0036	0184	SW	7501001	1	12.30 15.30	30	692	110 46 00000
9	0036	0184	SW	7501001	1	12.30 15.30	30	692	110 46 00000
	0036	0184	SW	7307001	1	12.30 15.30	18	692	110 46 00000
9	0036	0184	SW	7307001	1	12.30 15.30	18	692	110 46 00000
	0036	0184	SW	7001002	1	12.30 15.30	25	692	110 46 00000
9	0036	0184	SW	7001002	1	12.30 15.30	25	692	110 46 00000
	0036	0184	SW	7009002	1	12.30 15.30	28	692	110 46 00000
9	0036	0184	SW	7009002	1	12.30 15.30	28	692	110 46 00000
	0043	0100	MC	2010006	1	8.00 10.00	15	626	140 20 00000
9	0043	0100	MC	2010006	1	8.00 10.00	15	626	140 20 00000
	0043	0100	MC	2010006	1	8.00 10.00	15	626	140 20 00000
9	0043	0100	MC	2010006	1	8.00 10.00	15	626	140 20 00000
	0043	0100	MC	2015009	1	8.30 10.30	18	626	140 20 00000
89	0043	0100	MC	2015009	1	8.30 10.30	18	626	140 20 00000
	0043	0100	MC	2015009	1	8.30 10.30	18	626	140 20 00000
89	0043	0100	MC	2015009	1	8.30 10.30	18	626	140 20 00000
	0043	0100	MC	3002001	1	10.00 11.00	7	626	140 20 00000
9	0043	0100	MC	3002001	1	10.00 11.00	7	626	140 20 00000
	0043	0100	MC	3002001	1	10.00 12.00	7	626	140 20 00000
9	0043	0100	MC	3002001	1	10.00 12.00	7	626	140 20 00000
	0043	0100	MC	2015003	1	10.30 12.30	20	626	140 20 00000
89	0043	0100	MC	2015003	1	10.30 12.30	20	626	140 20 00000
	0043	0100	MC	2015003	1	10.30 12.30	20	626	140 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 36

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.		
89	0043	0100	MC	2015003	1	10.30 12.30	20	626	140	20	00000
	0043	0100	MC	3002001	1	11.00 12.00	7	626	140	20	00000
9	0043	0100	MC	3002001	1	11.00 12.00	7	626	140	20	00000
	0043	0100	MC	4005002	1	12.00 14.00	9	626	140	20	00000
9	0043	0100	MC	4005002	1	12.00 14.00	9	626	140	20	00000
	0043	0100	MC	4005002	1	12.00 14.00	9	626	140	20	00000
	0043	0100	MC	4005002	1	12.00 14.00	9	626	140	20	00000
9	0043	0100	MC	4005002	1	12.00 14.00	9	626	140	20	00000
	0043	0100	MC	2010004	1	12.30 14.30	19	626	140	20	00000
89	0043	0100	MC	2010004	1	12.30 14.30	19	626	140	20	00000
	0043	0100	MC	2010004	1	12.30 14.30	19	626	140	20	00000
89	0043	0100	MC	2010004	1	12.30 14.30	19	626	140	20	00000
	0043	0100	MC	2010004	1	12.30 14.30	19	626	140	20	00000
89	0043	0100	MC	2010004	1	12.30 14.30	19	626	140	20	00000
	0043	0100	MC	3520001	1	14.00 16.00	15	626	140	20	00000
9	0043	0100	MC	3520001	1	14.00 16.00	15	626	140	20	00000
	0043	0100	MC	3520001	1	14.00 16.00	15	626	140	20	00000
9	0043	0100	MC	3520001	1	14.00 16.00	15	626	140	20	00000
	0043	0100	MC	3520001	1	14.00 16.00	15	626	140	20	00000
	0043	0100	MC	2015008	1	16.00 18.00	9	626	140	20	00000
9	0043	0100	MC	2015008	1	16.00 18.00	9	626	140	20	00000
	0043	0100	MC	2015008	1	16.00 18.00	9	626	140	20	00000
9	0043	0100	MC	2015008	1	16.00 18.00	9	626	140	20	00000
	0043	0100	MC	2015008	1	16.00 18.00	9	626	140	20	00000
	0043	0100	MC	3031002	1	16.30 18.30	18	626	140	20	00000
89	0043	0100	MC	3031002	1	16.30 18.30	18	626	140	20	00000
	0043	0100	MC	3031002	1	16.30 18.30	18	626	140	20	00000
89	0043	0100	MC	3031002	1	16.30 18.30	18	626	140	20	00000
	0043	0107	MC	4031001	1	8.30 10.30	22	570	140	20	00000
89	0043	0107	MC	4031001	1	8.30 10.30	22	570	140	20	00000
	0043	0107	MC	4031001	1	8.30 10.30	22	570	140	20	00000
89	0043	0107	MC	4031001	1	8.30 10.30	22	570	140	20	00000
	0043	0107	MC	2015002	1	10.30 12.30	19	570	140	20	00000
89	0043	0107	MC	2015002	1	10.30 12.30	19	570	140	20	00000
	0043	0107	MC	2015002	1	10.30 12.30	19	570	140	20	00000
	0043	0107	MC	2015005	1	10.30 12.30	16	570	140	20	00000
89	0043	0107	MC	2015005	1	10.30 12.30	16	570	140	20	00000
	0043	0107	MC	2015005	1	10.30 12.30	16	570	140	20	00000
	0043	0107	MC	2015002	1	10.30 12.30	19	570	140	20	00000
89	0043	0107	MC	2015002	1	10.30 12.30	19	570	140	20	00000
	0043	0107	MC	2015005	1	10.30 12.30	16	570	140	20	00000
89	0043	0107	MC	2015005	1	10.30 12.30	16	570	140	20	00000
	0043	0107	MC	2005002	1	12.30 14.30	13	570	140	20	00000
9	0043	0107	MC	2005002	1	12.30 14.30	13	570	140	20	00000
	0043	0107	MC	2015006	1	12.30 14.30	15	570	140	20	00000
9	0043	0107	MC	2015006	1	12.30 14.30	15	570	140	20	00000
	0043	0107	MC	2015006	1	12.30 14.30	15	570	140	20	00000
	0043	0107	MC	2005002	1	12.30 14.30	13	570	140	20	00000
9	0043	0107	MC	2005002	1	12.30 14.30	13	570	140	20	00000
	0043	0107	MC	2015006	1	12.30 14.30	15	570	140	20	00000
9	0043	0107	MC	2015006	1	12.30 14.30	15	570	140	20	00000
	0043	0107	MC	2015006	1	12.30 14.30	15	570	140	20	00000
	0043	0107	MC	3001003	1	14.30 16.30	12	570	140	20	00000
9	0043	0107	MC	3001003	1	14.30 16.30	12	570	140	20	00000
	0043	0107	MC	3001003	1	14.30 16.30	12	570	140	20	00000
	0043	0107	MC	2015007	1	14.30 16.30	18	570	140	20	00000
89	0043	0107	MC	2015007	1	14.30 16.30	18	570	140	20	00000
	0043	0107	MC	2015007	1	14.30 16.30	18	570	140	20	00000
	0043	0107	MC	3001003	1	14.30 16.30	12	570	140	20	00000
9	0043	0107	MC	3001003	1	14.30 16.30	12	570	140	20	00000
	0043	0107	MC	3001003	1	14.30 16.30	12	570	140	20	00000
	0043	0107	MC	2015007	1	14.30 16.30	18	570	140	20	00000
89	0043	0107	MC	2015007	1	14.30 16.30	18	570	140	20	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 37

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0043	0107	MC	3510001	1 1	16.30 18.00	12	570	140 20 00000
9	0043	0107	MC	3510001	1 1	16.30 18.00	12	570	140 20 00000
	0043	0111	MC	2015004	1	8.00 10.00	14	600	140 20 00000
9	0043	0111	MC	2015004	1	8.00 10.00	14	600	140 20 00000
	0043	0111	MC	2015004	1	8.00 10.00	14	600	140 20 00000
9	0043	0111	MC	2015004	1	8.00 10.00	14	600	140 20 00000
	0043	0111	MC	2010007	1	12.00 14.00	19	600	140 20 00000
89	0043	0111	MC	2010007	1	12.00 14.00	19	600	140 20 00000
	0043	0111	MC	2010007	1	12.00 14.00	19	600	140 20 00000
89	0043	0111	MC	2010007	1	12.00 14.00	19	600	140 20 00000
	0043	0111	MC	3001001	1	12.30 14.30	18	600	140 20 00000
89	0043	0111	MC	3001001	1	12.30 14.30	18	600	140 20 00000
	0043	0111	MC	3001001	1	12.30 14.30	18	600	140 20 00000
89	0043	0111	MC	3001001	1	12.30 14.30	18	600	140 20 00000
	0043	0111	MC	2011001	1	14.00 16.00	19	600	140 20 00000
89	0043	0111	MC	2011001	1	14.00 16.00	19	600	140 20 00000
	0043	0111	MC	2011001	1	14.00 16.00	19	600	140 20 00000
89	0043	0111	MC	2011001	1	14.00 16.00	19	600	140 20 00000
	0043	0111	MC	2010005	1	14.30 16.30	19	600	140 20 00000
89	0043	0111	MC	2010005	1	14.30 16.30	19	600	140 20 00000
	0043	0111	MC	2010005	1	14.30 16.30	19	600	140 20 00000
89	0043	0111	MC	2010005	1	14.30 16.30	19	600	140 20 00000
	0043	0111	MC	3031003	1	16.30 18.30	13	600	140 20 00000
9	0043	0111	MC	3031003	1	16.30 18.30	13	600	140 20 00000
	0043	0111	MC	2010009	1	16.30 18.30	16	600	140 20 00000
89	0043	0111	MC	2010009	1	16.30 18.30	16	600	140 20 00000
	0043	0111	MC	3031003	1	16.30 18.30	13	600	140 20 00000
9	0043	0111	MC	3031003	1	16.30 18.30	13	600	140 20 00000
	0043	0111	MC	2010009	1	16.30 18.30	16	600	140 20 00000
89	0043	0111	MC	2010009	1	16.30 18.30	16	600	140 20 00000
	0043	0122	MC	2016001	1	8.00 10.00	7	560	220 37 00000
9	0043	0122	MC	2016001	1	8.00 10.00	7	560	220 37 00000
	0043	0122	MC	2016001	1	8.00 10.00	7	560	220 37 00000
9	0043	0122	MC	2016001	1	8.00 10.00	7	560	220 37 00000
	0043	0122	MC	2005001	1	8.30 10.30	13	560	220 37 00000
9	0043	0122	MC	2005001	1	8.30 10.30	13	560	220 37 00000
	0043	0122	MC	2005001	1	8.30 10.30	13	560	220 37 00000
9	0043	0122	MC	2005001	1	8.30 10.30	13	560	220 37 00000
	0043	0122	MC	4040001	1 1	10.30 12.00	21	560	220 37 00000
9	0043	0122	MC	4040001	1 1	10.30 12.00	21	560	220 37 00000
	0043	0122	MC	3036001	1 1	13.30 15.00	22	560	220 37 00000
9	0043	0122	MC	3036001	1 1	13.30 15.00	22	560	220 37 00000
	0043	0122	MC	3036001	1 1	13.30 15.00	22	560	220 37 00000
	0043	0135	MC	3504001	1 1 1	8.30 9.30	30	624	110 42 00000
9	0043	0135	MC	3504001	1 1 1	8.30 9.30	30	624	110 42 00000
	0043	0135	MC	2001001	1 1	9.00 10.30	34	624	110 42 00000
89	0043	0135	MC	2001001	1 1	9.00 10.30	34	624	110 42 00000
	0043	0135	MC	3005001	1 1 1	9.30 10.30	12	624	110 42 00000
9	0043	0135	MC	3005001	1 1 1	9.30 10.30	12	624	110 42 00000
	0043	0135	MC	3001002	1	10.30 12.30	13	624	110 42 00000
9	0043	0135	MC	3001002	1	10.30 12.30	13	624	110 42 00000
	0043	0135	MC	3001002	1	10.30 12.30	13	624	110 42 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 38

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0043	0135	MC 3001002	1	10.30 12.30		13	624	110 42 00000
	0043	0135	MC 2010008	1	12.30 14.30		19	624	110 42 00000
9	0043	0135	MC 2010008	1	12.30 14.30		19	624	110 42 00000
	0043	0135	MC 2010008	1	12.30 14.30		19	624	110 42 00000
9	0043	0135	MC 2010008	1	12.30 14.30		19	624	110 42 00000
	0043	0135	MC 7033001	1	12.30 15.30		17	624	110 42 00000
9	0043	0135	MC 7033001	1	12.30 15.30		17	624	110 42 00000
	0043	0135	MC 4045001	1	14.30 16.30		15	624	110 42 00000
9	0043	0135	MC 4045001	1	14.30 16.30		15	624	110 42 00000
	0043	0135	MC 4045001	1	14.30 16.30		15	624	110 42 00000
9	0043	0135	MC 4045001	1	14.30 16.30		15	624	110 42 00000
	0043	0140	MC 7001001	1	8.00 11.00		12	618	110 41 00000
9	0043	0140	MC 7001001	1	8.00 11.00		12	618	110 41 00000
	0043	0140	MC 7005001	1	8.00 11.00		12	618	110 41 00000
9	0043	0140	MC 7005001	1	8.00 11.00		12	618	110 41 00000
	0043	0140	MC 7002001	1	8.30 11.30		11	618	110 41 00000
9	0043	0140	MC 7002001	1	8.30 11.30		11	618	110 41 00000
	0043	0140	MC 4095001	1 1	9.00 10.30		6	618	110 41 00000
9	0043	0140	MC 4095001	1 1	9.00 10.30		6	618	110 41 00000
	0043	0140	MC 4005001	1	10.30 12.30		10	618	110 41 00000
9	0043	0140	MC 4005001	1	10.30 12.30		10	618	110 41 00000
	0043	0140	MC 4005001	1	10.30 12.30		10	618	110 41 00000
9	0043	0140	MC 4005001	1	10.30 12.30		10	618	110 41 00000
	0043	0140	MC 3035001	1 1	12.00 13.30		22	618	110 41 00000
9	0043	0140	MC 3035001	1 1	12.00 13.30		22	618	110 41 00000
	0043	0140	MC 2015001	1	12.30 14.30		18	618	110 41 00000
9	0043	0140	MC 2015001	1	12.30 14.30		18	618	110 41 00000
	0043	0140	MC 2015001	1	12.30 14.30		18	618	110 41 00000
9	0043	0140	MC 2015001	1	12.30 14.30		18	618	110 41 00000
	0043	0140	MC 4090004	1 1	13.30 15.00		14	618	110 41 00000
9	0043	0140	MC 4090004	1 1	13.30 15.00		14	618	110 41 00000
	0043	0140	MC 7000002	1	16.00 18.00		19	618	110 41 00000
9	0043	0140	MC 7000002	1	16.00 18.00		19	618	110 41 00000
	0044	0019	ENGL2027001	1 1 1	8.30 9.30		34	732	110 40 00000
89	0044	0019	ENGL2027001	1 1 1	8.30 9.30		34	732	110 40 00000
	0044	0019	ENGL3072002	1 1	9.00 10.30		34	732	110 40 00000
89	0044	0019	ENGL3072002	1 1	9.00 10.30		34	732	110 40 00000
	0044	0019	ENGL3024001	1 1 1	9.30 10.30		22	732	110 40 00000
9	0044	0019	ENGL3024001	1 1 1	9.30 10.30		22	732	110 40 00000
	0044	0019	ENGL1001088	1 1 1	10.30 11.30		19	732	110 40 00000
9	0044	0019	ENGL1001088	1 1 1	10.30 11.30		19	732	110 40 00000
	0044	0019	ENGL3674001	1 1	10.30 12.00		9	732	110 40 00000
9	0044	0019	ENGL3674001	1 1	10.30 12.00		9	732	110 40 00000
	0044	0019	ENGL3223001	1 1 1	11.30 12.30		34	732	110 40 00000
89	0044	0019	ENGL3223001	1 1 1	11.30 12.30		34	732	110 40 00000
	0044	0019	ENGL3080001	1 1	12.00 13.30		25	732	110 40 00000
9	0044	0019	ENGL3080001	1 1	12.00 13.30		25	732	110 40 00000
	0044	0019	ENGL1004002	1 1 1	12.30 13.30		18	732	110 40 00000
9	0044	0019	ENGL1004002	1 1 1	12.30 13.30		18	732	110 40 00000
	0044	0019	ENGL1005007	1 1 1	13.30 14.30		19	732	110 40 00000
9	0044	0019	ENGL1005007	1 1 1	13.30 14.30		19	732	110 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 39

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0044	0019	ENGL2025009	1 1	13.30 15.00		33	732	110 40 00000
89	0044	0019	ENGL2025009	1 1	13.30 15.00		33	732	110 40 00000
	0044	0019	ENGL2029001	1 1	15.00 16.30		32	732	110 40 00000
89	0044	0019	ENGL2029001	1 1	15.00 16.30		32	732	110 40 00000
	0044	0019	XCAS9999074	1 1	16.30 17.30		40	732	110 40 00000
89	0044	0019	XCAS9999074	1 1	16.30 17.30		40	732	110 40 00000
	0044	0019	EDCI4465001	1	16.30 19.30		6	732	110 40 00000
9	0044	0019	EDCI4465001	1	16.30 19.30		6	732	110 40 00000
	0044	0019	XCAS9999075	1	17.00 18.00		40	732	110 40 00000
89	0044	0019	XCAS9999075	1	17.00 18.00		40	732	110 40 00000
	0044	0023	ENGL1001043	1 1 1	8.30 9.30		14	752	110 40 00000
9	0044	0023	ENGL1001043	1 1 1	8.30 9.30		14	752	110 40 00000
	0044	0023	ENGL3070001	1 1	9.00 10.30		37	752	110 40 00000
89	0044	0023	ENGL3070001	1 1	9.00 10.30		37	752	110 40 00000
	0044	0023	ENGL2593002	1 1 1	9.30 10.30		35	752	110 40 00000
89	0044	0023	ENGL2593002	1 1 1	9.30 10.30		35	752	110 40 00000
	0044	0023	ENGL2027006	1 1 1	10.30 11.30		37	752	110 40 00000
89	0044	0023	ENGL2027006	1 1 1	10.30 11.30		37	752	110 40 00000
	0044	0023	ENGL1000001	1 1	10.30 12.00		9	752	110 40 00000
9	0044	0023	ENGL1000001	1 1	10.30 12.00		9	752	110 40 00000
	0044	0023	ENGL2270002	1 1 1	11.30 12.30		36	752	110 40 00000
89	0044	0023	ENGL2270002	1 1 1	11.30 12.30		36	752	110 40 00000
	0044	0023	ENGL3020001	1 1	12.00 13.30		35	752	110 40 00000
89	0044	0023	ENGL3020001	1 1	12.00 13.30		35	752	110 40 00000
	0044	0023	ENGL1005006	1 1 1	12.30 13.30		17	752	110 40 00000
9	0044	0023	ENGL1005006	1 1 1	12.30 13.30		17	752	110 40 00000
	0044	0023	POLI4072001	1 1 1	13.30 14.30		9	752	110 40 00000
9	0044	0023	POLI4072001	1 1 1	13.30 14.30		9	752	110 40 00000
	0044	0023	ENGL2270001	1 1	13.30 15.00		30	752	110 40 00000
9	0044	0023	ENGL2270001	1 1	13.30 15.00		30	752	110 40 00000
	0044	0023	POLI2051005	1 1 1	14.30 15.30		35	752	110 40 00000
89	0044	0023	POLI2051005	1 1 1	14.30 15.30		35	752	110 40 00000
	0044	0023	XCAS9999076	1 1	15.30 16.30		40	752	110 40 00000
89	0044	0023	XCAS9999076	1 1	15.30 16.30		40	752	110 40 00000
	0044	0023	XCAS9999077	1	16.30 17.30		40	752	110 40 00000
89	0044	0023	XCAS9999077	1	16.30 17.30		40	752	110 40 00000
	0044	0023	HRE 4301001	1	16.30 19.30		19	752	110 40 00000
9	0044	0023	HRE 4301001	1	16.30 19.30		19	752	110 40 00000
	0044	0023	EDCI4465002	1	16.30 19.30		4	752	110 40 00000
9	0044	0023	EDCI4465002	1	16.30 19.30		4	752	110 40 00000
	0044	0027	POLI2051004	1 1 1	8.30 9.30		35	747	110 40 00000
89	0044	0027	POLI2051004	1 1 1	8.30 9.30		35	747	110 40 00000
	0044	0027	ENGL2220001	1 1	9.00 10.30		31	747	110 40 00000
89	0044	0027	ENGL2220001	1 1	9.00 10.30		31	747	110 40 00000
	0044	0027	ENGL2231003	1 1 1	9.30 10.30		33	747	110 40 00000
89	0044	0027	ENGL2231003	1 1 1	9.30 10.30		33	747	110 40 00000
	0044	0027	WGS 2900001	1 1 1	10.30 11.30		39	747	110 40 00000
89	0044	0027	WGS 2900001	1 1 1	10.30 11.30		39	747	110 40 00000
	0044	0027	ENGL2231001	1 1	10.30 12.00		22	747	110 40 00000
9	0044	0027	ENGL2231001	1 1	10.30 12.00		22	747	110 40 00000
	0044	0027	ENGL2027005	1 1 1	11.30 12.30		36	747	110 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 40

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	0044	0027	ENGL2027005	1 1 1	11.30 12.30		36	747	110 40 00000
	0044	0027	ENGL2824001	1 1	12.00 13.30		17	747	110 40 00000
9	0044	0027	ENGL2824001	1 1	12.00 13.30		17	747	110 40 00000
	0044	0027	ENGL2593001	1 1 1	12.30 13.30		33	747	110 40 00000
89	0044	0027	ENGL2593001	1 1 1	12.30 13.30		33	747	110 40 00000
	0044	0027	POLI2060002	1 1 1	13.30 14.30		39	747	110 40 00000
89	0044	0027	POLI2060002	1 1 1	13.30 14.30		39	747	110 40 00000
	0044	0027	ENGL2007001	1 1	13.30 15.00		18	747	110 40 00000
9	0044	0027	ENGL2007001	1 1	13.30 15.00		18	747	110 40 00000
	0044	0027	ENGL2027002	1 1	15.00 16.30		27	747	110 40 00000
9	0044	0027	ENGL2027002	1 1	15.00 16.30		27	747	110 40 00000
	0044	0027	FMA 3505001	1 1	16.30 18.00		24	747	110 40 00000
9	0044	0027	FMA 3505001	1 1	16.30 18.00		24	747	110 40 00000
	0044	0027	SPAN1152015	1 1	18.00 20.00		23	747	110 40 00000
9	0044	0027	SPAN1152015	1 1	18.00 20.00		23	747	110 40 00000
	0044	0031	ENGL1001047	1 1 1	8.30 9.30		17	742	110 40 00000
9	0044	0031	ENGL1001047	1 1 1	8.30 9.30		17	742	110 40 00000
	0044	0031	CLST3032001	1 1	9.00 10.30		9	742	110 40 00000
9	0044	0031	CLST3032001	1 1	9.00 10.30		9	742	110 40 00000
	0044	0031	ENGL2123001	1 1 1	9.30 10.30		31	742	110 40 00000
89	0044	0031	ENGL2123001	1 1 1	9.30 10.30		31	742	110 40 00000
	0044	0031	WGS 2500003	1 1 1	10.30 11.30		40	742	110 40 00000
89	0044	0031	WGS 2500003	1 1 1	10.30 11.30		40	742	110 40 00000
	0044	0031	ENGL2005003	1 1	10.30 12.00		20	742	110 40 00000
9	0044	0031	ENGL2005003	1 1	10.30 12.00		20	742	110 40 00000
	0044	0031	ENGL2025002	1 1 1	11.30 12.30		38	742	110 40 00000
89	0044	0031	ENGL2025002	1 1 1	11.30 12.30		38	742	110 40 00000
	0044	0031	ANTH2423001	1 1	12.00 13.30		14	742	110 40 00000
9	0044	0031	ANTH2423001	1 1	12.00 13.30		14	742	110 40 00000
	0044	0031	ENGL2423001	1 1	12.00 13.30	1	16	742	110 40 00000
9	0044	0031	ENGL2423001	1 1	12.00 13.30		16	742	110 40 00000
	0044	0031	ENGL2231002	1 1 1	12.30 13.30		37	742	110 40 00000
89	0044	0031	ENGL2231002	1 1 1	12.30 13.30		37	742	110 40 00000
	0044	0031	ENGL1001069	1 1 1	13.30 14.30		20	742	110 40 00000
9	0044	0031	ENGL1001069	1 1 1	13.30 14.30		20	742	110 40 00000
	0044	0031	ENGL1001108	1 1	13.30 15.00		18	742	110 40 00000
9	0044	0031	ENGL1001108	1 1	13.30 15.00		18	742	110 40 00000
	0044	0031	ENGL3821001	1 1	15.00 16.30		8	742	110 40 00000
9	0044	0031	ENGL3821001	1 1	15.00 16.30		8	742	110 40 00000
	0044	0031	XCAS9999078	1 1	15.30 17.00		40	742	110 40 00000
89	0044	0031	XCAS9999078	1 1	15.30 17.00		40	742	110 40 00000
	0044	0031	XCAS9999079	1 1	17.30 19.00		40	742	110 40 00000
89	0044	0031	XCAS9999079	1 1	17.30 19.00		40	742	110 40 00000
	0044	0032	ENGL1001012	1 1 1	7.30 8.30		17	432	110 24 00000
9	0044	0032	ENGL1001012	1 1 1	7.30 8.30		17	432	110 24 00000
	0044	0032	ENGL1001016	1 1	7.30 9.00		20	432	110 24 00000
89	0044	0032	ENGL1001016	1 1	7.30 9.00		20	432	110 24 00000
	0044	0032	ENGL2000051	1 1 1	8.30 9.30		20	432	110 24 00000
89	0044	0032	ENGL2000051	1 1 1	8.30 9.30		20	432	110 24 00000
	0044	0032	ENGL4104002	1 1	9.00 10.30		20	432	110 24 00000
89	0044	0032	ENGL4104002	1 1	9.00 10.30		20	432	110 24 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 41

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0044	0032	ENGL1005002	1 1 1	9.30 10.30		15	432	110 24 00000
9	0044	0032	ENGL1005002	1 1 1	9.30 10.30		15	432	110 24 00000
	0044	0032	ENGL4148001	1 1 1	10.30 11.30		18	432	110 24 00000
9	0044	0032	ENGL4148001	1 1 1	10.30 11.30		18	432	110 24 00000
	0044	0032	ENGL4713001	1 1	10.30 12.00		8	432	110 24 00000
9	0044	0032	ENGL4713001	1 1	10.30 12.00		8	432	110 24 00000
	0044	0032	LING4713001	1 1	10.30 12.00	1	3	432	110 24 00000
9	0044	0032	LING4713001	1 1	10.30 12.00		3	432	110 24 00000
	0044	0032	ENGL1005003	1 1 1	11.30 12.30		20	432	110 24 00000
89	0044	0032	ENGL1005003	1 1 1	11.30 12.30		20	432	110 24 00000
	0044	0032	ENGL4007001	1 1	12.00 13.30		9	432	110 24 00000
9	0044	0032	ENGL4007001	1 1	12.00 13.30		9	432	110 24 00000
	0044	0032	ENGL4710001	1 1 1	12.30 13.30		8	432	110 24 00000
9	0044	0032	ENGL4710001	1 1 1	12.30 13.30		8	432	110 24 00000
	0044	0032	LING4710001	1 1 1	12.30 13.30	1	7	432	110 24 00000
9	0044	0032	LING4710001	1 1 1	12.30 13.30		7	432	110 24 00000
	0044	0032	ENGL2000047	1 1 1	13.30 14.30		19	432	110 24 00000
89	0044	0032	ENGL2000047	1 1 1	13.30 14.30		19	432	110 24 00000
	0044	0032	FMA 2001003	1 1	13.30 15.00		20	432	110 24 00000
89	0044	0032	FMA 2001003	1 1	13.30 15.00		20	432	110 24 00000
	0044	0032	ENGL4302001	1 1 1	14.30 15.30		18	432	110 24 00000
9	0044	0032	ENGL4302001	1 1 1	14.30 15.30		18	432	110 24 00000
	0044	0032	ENGL4105002	1 1	15.00 16.30		11	432	110 24 00000
9	0044	0032	ENGL4105002	1 1	15.00 16.30		11	432	110 24 00000
	0044	0032	ENGL4204001	1 1 1	15.30 16.30		10	432	110 24 00000
9	0044	0032	ENGL4204001	1 1 1	15.30 16.30		10	432	110 24 00000
	0044	0032	ENGL3720001	1 1	16.30 18.00		9	432	110 24 00000
9	0044	0032	ENGL3720001	1 1	16.30 18.00		9	432	110 24 00000
	0044	0032	LING3720001	1 1	16.30 18.00	1	3	432	110 24 00000
9	0044	0032	LING3720001	1 1	16.30 18.00		3	432	110 24 00000
	0044	0032	EDCI4465003	1	16.30 19.30		4	432	110 24 00000
9	0044	0032	EDCI4465003	1	16.30 19.30		4	432	110 24 00000
	0044	0034	ENGL1005001	1 1 1	8.30 9.30		17	432	110 24 00000
9	0044	0034	ENGL1005001	1 1 1	8.30 9.30		17	432	110 24 00000
	0044	0034	ENGL2000050	1 1	9.00 10.30		19	432	110 24 00000
89	0044	0034	ENGL2000050	1 1	9.00 10.30		19	432	110 24 00000
	0044	0034	ENGL1004001	1 1 1	9.30 10.30		17	432	110 24 00000
9	0044	0034	ENGL1004001	1 1 1	9.30 10.30		17	432	110 24 00000
	0044	0034	ENGL1001124	1 1 1	10.30 11.30		20	432	110 24 00000
89	0044	0034	ENGL1001124	1 1 1	10.30 11.30		20	432	110 24 00000
	0044	0034	FREN2154001	1 1	10.30 12.00		11	432	110 24 00000
9	0044	0034	FREN2154001	1 1	10.30 12.00		11	432	110 24 00000
	0044	0034	ENGL2000053	1 1 1	11.30 12.30		19	432	110 24 00000
89	0044	0034	ENGL2000053	1 1 1	11.30 12.30		19	432	110 24 00000
	0044	0034	ENGL2001001	1 1	12.00 13.30		20	432	110 24 00000
89	0044	0034	ENGL2001001	1 1	12.00 13.30		20	432	110 24 00000
	0044	0034	ENGL2000046	1 1 1	12.30 13.30		19	432	110 24 00000
89	0044	0034	ENGL2000046	1 1 1	12.30 13.30		19	432	110 24 00000
	0044	0034	ENGL2000003	1 1 1	13.30 14.30		19	432	110 24 00000
89	0044	0034	ENGL2000003	1 1 1	13.30 14.30		19	432	110 24 00000
	0044	0034	ENGL4001001	1 1	13.30 15.00		17	432	110 24 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 42

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0044	0034	ENGL4001001	1 1	13.30 15.00		17	432	110 24 00000
	0044	0034	ENGL2000040	1 1	15.00 16.30		18	432	110 24 00000
9	0044	0034	ENGL2000040	1 1	15.00 16.30		18	432	110 24 00000
	0044	0034	ENGL2009001	1	15.30 18.30		19	432	110 24 00000
89	0044	0034	ENGL2009001	1	15.30 18.30		19	432	110 24 00000
	0044	0035	ENGL1001061	1 1 1	8.30 9.30		20	769	110 40 00000
9	0044	0035	ENGL1001061	1 1 1	8.30 9.30		20	769	110 40 00000
	0044	0035	ENGL2027004	1 1	9.00 10.30		33	769	110 40 00000
89	0044	0035	ENGL2027004	1 1	9.00 10.30		33	769	110 40 00000
	0044	0035	ENGL2025003	1 1 1	9.30 10.30		32	769	110 40 00000
89	0044	0035	ENGL2025003	1 1 1	9.30 10.30		32	769	110 40 00000
	0044	0035	SSS 1001002	1	10.30 11.30		8	769	110 40 00000
9	0044	0035	SSS 1001002	1	10.30 11.30		8	769	110 40 00000
	0044	0035	ENGL2027003	1 1	10.30 12.00		35	769	110 40 00000
89	0044	0035	ENGL2027003	1 1	10.30 12.00		35	769	110 40 00000
	0044	0035	ENGL2148006	1	11.30 12.30		16	769	110 40 00000
9	0044	0035	ENGL2148006	1	11.30 12.30		16	769	110 40 00000
	0044	0035	CPLT2202001	1 1	12.00 13.30		10	769	110 40 00000
9	0044	0035	CPLT2202001	1 1	12.00 13.30		10	769	110 40 00000
	0044	0035	ENGL2202001	1 1	12.00 13.30	1	14	769	110 40 00000
9	0044	0035	ENGL2202001	1 1	12.00 13.30		14	769	110 40 00000
	0044	0035	ENGL2025001	1 1 1	12.30 13.30		34	769	110 40 00000
89	0044	0035	ENGL2025001	1 1 1	12.30 13.30		34	769	110 40 00000
	0044	0035	ENGL1001099	1 1	13.30 15.00		15	769	110 40 00000
9	0044	0035	ENGL1001099	1 1	13.30 15.00		15	769	110 40 00000
	0044	0035	XCAS9999080	1 1	14.00 15.30		40	769	110 40 00000
89	0044	0035	XCAS9999080	1 1	14.00 15.30		40	769	110 40 00000
	0044	0035	XCAS9999081	1	15.00 16.00		40	769	110 40 00000
89	0044	0035	XCAS9999081	1	15.00 16.00		40	769	110 40 00000
	0044	0035	XCAS9999082	1	15.00 16.00		40	769	110 40 00000
89	0044	0035	XCAS9999082	1	15.00 16.00		40	769	110 40 00000
	0044	0035	XCAS9999083	1	16.00 17.00		40	769	110 40 00000
89	0044	0035	XCAS9999083	1	16.00 17.00		40	769	110 40 00000
	0044	0035	XCAS9999084	1	16.30 17.30		40	769	110 40 00000
89	0044	0035	XCAS9999084	1	16.30 17.30		40	769	110 40 00000
	0044	0035	XCAS9999085	1	17.00 18.00		40	769	110 40 00000
89	0044	0035	XCAS9999085	1	17.00 18.00		40	769	110 40 00000
	0044	0035	XCAS9999086	1	17.30 18.30		40	769	110 40 00000
89	0044	0035	XCAS9999086	1	17.30 18.30		40	769	110 40 00000
	0044	0036	ENGL1001109	1 1 1	8.30 9.30		18	426	110 24 00000
9	0044	0036	ENGL1001109	1 1 1	8.30 9.30		18	426	110 24 00000
	0044	0036	ENGL2000049	1 1	9.00 10.30		19	426	110 24 00000
89	0044	0036	ENGL2000049	1 1	9.00 10.30		19	426	110 24 00000
	0044	0036	ENGL2000052	1 1 1	9.30 10.30		19	426	110 24 00000
89	0044	0036	ENGL2000052	1 1 1	9.30 10.30		19	426	110 24 00000
	0044	0036	ENGL1001120	1 1 1	10.30 11.30		17	426	110 24 00000
9	0044	0036	ENGL1001120	1 1 1	10.30 11.30		17	426	110 24 00000
	0044	0036	FREN2201001	1 1	10.30 12.00		18	426	110 24 00000
9	0044	0036	FREN2201001	1 1	10.30 12.00		18	426	110 24 00000
	0044	0036	ENGL2000045	1 1 1	11.30 12.30		20	426	110 24 00000
89	0044	0036	ENGL2000045	1 1 1	11.30 12.30		20	426	110 24 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 43

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0044	0036	ENGL1004006	1 1	12.00 13.30		19	426	110 24 00000
89	0044	0036	ENGL1004006	1 1	12.00 13.30		19	426	110 24 00000
	0044	0036	ENGL2000034	1 1 1	12.30 13.30		19	426	110 24 00000
89	0044	0036	ENGL2000034	1 1 1	12.30 13.30		19	426	110 24 00000
	0044	0036	ENGL2008001	1 1	13.30 15.00		6	426	110 24 00000
9	0044	0036	ENGL2008001	1 1	13.30 15.00		6	426	110 24 00000
	0044	0036	THTR2008001	1 1	13.30 15.00	1	5	426	110 24 00000
9	0044	0036	THTR2008001	1 1	13.30 15.00		5	426	110 24 00000
	0044	0036	ENGL2000030	1 1	15.00 16.30		18	426	110 24 00000
9	0044	0036	ENGL2000030	1 1	15.00 16.30		18	426	110 24 00000
	0044	0036	EDCI4465004	1	16.30 19.30		1	426	110 24 00000
9	0044	0036	EDCI4465004	1	16.30 19.30		1	426	110 24 00000
	0044	0038	ENGL1001104	1 1 1	8.30 9.30		19	472	110 24 00000
89	0044	0038	ENGL1001104	1 1 1	8.30 9.30		19	472	110 24 00000
	0044	0038	ENGL2000024	1 1	9.00 10.30		20	472	110 24 00000
89	0044	0038	ENGL2000024	1 1	9.00 10.30		20	472	110 24 00000
	0044	0038	ENGL2000029	1 1 1	9.30 10.30		20	472	110 24 00000
89	0044	0038	ENGL2000029	1 1 1	9.30 10.30		20	472	110 24 00000
	0044	0038	ENGL1001113	1 1 1	10.30 11.30		20	472	110 24 00000
89	0044	0038	ENGL1001113	1 1 1	10.30 11.30		20	472	110 24 00000
	0044	0038	HNRS2000003	1 1	10.30 12.00		17	472	110 24 00000
9	0044	0038	HNRS2000003	1 1	10.30 12.00		17	472	110 24 00000
	0044	0038	ENGL2000037	1 1 1	11.30 12.30		17	472	110 24 00000
9	0044	0038	ENGL2000037	1 1 1	11.30 12.30		17	472	110 24 00000
	0044	0038	ENGL1001103	1 1	12.00 13.30		19	472	110 24 00000
89	0044	0038	ENGL1001103	1 1	12.00 13.30		19	472	110 24 00000
	0044	0038	ENGL2000033	1 1 1	12.30 13.30		20	472	110 24 00000
89	0044	0038	ENGL2000033	1 1 1	12.30 13.30		20	472	110 24 00000
	0044	0038	ENGL1001106	1 1 1	13.30 14.30		19	472	110 24 00000
89	0044	0038	ENGL1001106	1 1 1	13.30 14.30		19	472	110 24 00000
	0044	0038	ENGL2001002	1 1	13.30 15.00		17	472	110 24 00000
9	0044	0038	ENGL2001002	1 1	13.30 15.00		17	472	110 24 00000
	0044	0038	ENGL2000028	1 1	15.00 16.30		17	472	110 24 00000
9	0044	0038	ENGL2000028	1 1	15.00 16.30		17	472	110 24 00000
	0044	0038	FMA 3503001	1	18.00 21.00		18	472	110 24 00000
9	0044	0038	FMA 3503001	1	18.00 21.00		18	472	110 24 00000
	0044	0046	ENGL1051001	1 1	9.00 10.30		8	487	110 24 00000
9	0044	0046	ENGL1051001	1 1	9.00 10.30		8	487	110 24 00000
	0044	0046	ENGL1051005	1 1	9.00 10.30		10	487	110 24 00000
9	0044	0046	ENGL1051005	1 1	9.00 10.30		10	487	110 24 00000
	0044	0046	ENGL1051003	1 1	10.30 12.00		9	487	110 24 00000
9	0044	0046	ENGL1051003	1 1	10.30 12.00		9	487	110 24 00000
	0044	0046	ENGL1051006	1 1	10.30 12.00		8	487	110 24 00000
9	0044	0046	ENGL1051006	1 1	10.30 12.00		8	487	110 24 00000
	0044	0046	ENGL1001091	1 1	12.00 13.30		19	487	110 24 00000
89	0044	0046	ENGL1001091	1 1	12.00 13.30		19	487	110 24 00000
	0044	0046	ENGL1001027	1 1 1	13.30 14.30		18	487	110 24 00000
9	0044	0046	ENGL1001027	1 1 1	13.30 14.30		18	487	110 24 00000
	0044	0046	ENGL1051004	1 1	13.30 15.00		9	487	110 24 00000
9	0044	0046	ENGL1051004	1 1	13.30 15.00		9	487	110 24 00000
	0044	0046	ENGL2000008	1 1	15.00 16.30		18	487	110 24 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 44

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0044	0046	ENGL2000008	1 1	15.00 16.30		18	487	110 24 00000
4	0044	0050	XREN9999001	111111	7.00 16.30		25	500	110 25 00000
4	89	0044	0050	XREN9999001	111111	7.00 16.30	25	500	110 25 00000
4	0044	0050	XREN9999002	111111	16.30 22.00		25	500	110 25 00000
4	89	0044	0050	XREN9999002	111111	16.30 22.00	25	500	110 25 00000
	0044	0051	ANTH3401001	1 1	9.00 10.30		11	519	110 24 00000
9	0044	0051	ANTH3401001	1 1	9.00 10.30		11	519	110 24 00000
	0044	0051	ENGL3401001	1 1	9.00 10.30	1	11	519	110 24 00000
89	0044	0051	ENGL3401001	1 1	9.00 10.30		11	519	110 24 00000
	0044	0051	CMST2060059	1 1 1	10.30 11.30		25	519	110 24 00000
89	0044	0051	CMST2060059	1 1 1	10.30 11.30		25	519	110 24 00000
	0044	0051	ENGL2000001	1 1	10.30 12.00		18	519	110 24 00000
9	0044	0051	ENGL2000001	1 1	10.30 12.00		18	519	110 24 00000
	0044	0051	ENGL2148010	1	11.30 12.30		13	519	110 24 00000
9	0044	0051	ENGL2148010	1	11.30 12.30		13	519	110 24 00000
	0044	0051	ANTH4475001	1 1	12.00 13.30		9	519	110 24 00000
9	0044	0051	ANTH4475001	1 1	12.00 13.30		9	519	110 24 00000
	0044	0051	ENGL4475001	1 1	12.00 13.30	1	9	519	110 24 00000
9	0044	0051	ENGL4475001	1 1	12.00 13.30		9	519	110 24 00000
	0044	0051	ENGL1001112	1 1 1	12.30 13.30		20	519	110 24 00000
89	0044	0051	ENGL1001112	1 1 1	12.30 13.30		20	519	110 24 00000
	0044	0051	ENGL2000012	1 1	13.30 15.00		20	519	110 24 00000
89	0044	0051	ENGL2000012	1 1	13.30 15.00		20	519	110 24 00000
	0044	0055	ENGL2000023	1 1	9.00 10.30		20	500	110 24 00000
89	0044	0055	ENGL2000023	1 1	9.00 10.30		20	500	110 24 00000
	0044	0055	ENGL1001083	1 1 1	10.30 11.30		19	500	110 24 00000
89	0044	0055	ENGL1001083	1 1 1	10.30 11.30		19	500	110 24 00000
	0044	0055	ENGL3015001	1 1	10.30 12.00		15	500	110 24 00000
9	0044	0055	ENGL3015001	1 1	10.30 12.00		15	500	110 24 00000
	0044	0055	ENGL2000036	1 1 1	11.30 12.30		20	500	110 24 00000
89	0044	0055	ENGL2000036	1 1 1	11.30 12.30		20	500	110 24 00000
	0044	0055	ENGL1001025	1 1	12.00 13.30		20	500	110 24 00000
89	0044	0055	ENGL1001025	1 1	12.00 13.30		20	500	110 24 00000
	0044	0055	ENGL2000027	1 1 1	12.30 13.30		18	500	110 24 00000
9	0044	0055	ENGL2000027	1 1 1	12.30 13.30		18	500	110 24 00000
	0044	0102	PSYC4033001	1 1	7.30 9.00		95	2,225	110 140 00000
9	0044	0102	PSYC4033001	1 1	7.30 9.00		95	2,225	110 140 00000
	0044	0102	THTR1020004	1 1 1	8.30 9.30		97	2,225	110 140 00000
9	0044	0102	THTR1020004	1 1 1	8.30 9.30		97	2,225	110 140 00000
	0044	0102	MUS 1751002	1 1	9.00 10.30		95	2,225	110 140 00000
9	0044	0102	MUS 1751002	1 1	9.00 10.30		95	2,225	110 140 00000
	0044	0102	CE 2460001	1 1 1	10.30 11.30		106	2,225	110 140 00000
89	0044	0102	CE 2460001	1 1 1	10.30 11.30		106	2,225	110 140 00000
	0044	0102	MUS 1751003	1 1	10.30 12.00		131	2,225	110 140 00000
89	0044	0102	MUS 1751003	1 1	10.30 12.00		131	2,225	110 140 00000
	0044	0102	CSC 2259001	1 1	12.00 13.30		138	2,225	110 140 00000
89	0044	0102	CSC 2259001	1 1	12.00 13.30		138	2,225	110 140 00000
	0044	0102	ME 4133001	1 1	13.30 15.00		118	2,225	110 140 00000
89	0044	0102	ME 4133001	1 1	13.30 15.00		118	2,225	110 140 00000
	0044	0102	FMA 3001001	1	15.00 18.00		19	2,225	110 140 00000
9	0044	0102	FMA 3001001	1	15.00 18.00		19	2,225	110 140 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 45

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0044	0102	EDCI1001008	1 1	16.30 18.00		48	2,225	110 140 00000
9	0044	0102	EDCI1001008	1 1	16.30 18.00		48	2,225	110 140 00000
	0044	0102	PSYC4070001	1	18.00 21.00		81	2,225	110 140 00000
9	0044	0102	PSYC4070001	1	18.00 21.00		81	2,225	110 140 00000
	0044	0102	PSYC2076001	1	18.00 21.00		89	2,225	110 140 00000
9	0044	0102	PSYC2076001	1	18.00 21.00		89	2,225	110 140 00000
	0044	0113	ENGL4137001	1 1	10.30 12.00		20	663	350 44 00000
9	0044	0113	ENGL4137001	1 1	10.30 12.00		20	663	350 44 00000
	0044	0113	ENGL3020002	1 1	13.30 15.00		33	663	350 44 00000
9	0044	0113	ENGL3020002	1 1	13.30 15.00		33	663	350 44 00000
	0044	0113	ENGL4009001	1	15.30 18.30		10	663	350 44 00000
9	0044	0113	ENGL4009001	1	15.30 18.30		10	663	350 44 00000
	0044	0113	ENGL7109001	1	18.30 21.30		6	663	350 44 00000
9	0044	0113	ENGL7109001	1	18.30 21.30		6	663	350 44 00000
	0044	0121	AGEC3303001	1 1	7.30 9.00		35	680	110 42 00000
89	0044	0121	AGEC3303001	1 1	7.30 9.00		35	680	110 42 00000
	0044	0121	ENGL1001023	1 1 1	8.30 9.30		18	680	110 42 00000
9	0044	0121	ENGL1001023	1 1 1	8.30 9.30		18	680	110 42 00000
	0044	0121	ENGL2025004	1 1	9.00 10.30		30	680	110 42 00000
9	0044	0121	ENGL2025004	1 1	9.00 10.30		30	680	110 42 00000
	0044	0121	ENGL2024001	1 1 1	9.30 10.30		36	680	110 42 00000
89	0044	0121	ENGL2024001	1 1 1	9.30 10.30		36	680	110 42 00000
	0044	0121	GERM1101002	1111	10.30 11.30		23	680	110 42 00000
9	0044	0121	GERM1101002	1111	10.30 11.30		23	680	110 42 00000
	0044	0121	MATH7290001	1 1 1	11.30 12.30		7	680	110 42 00000
9	0044	0121	MATH7290001	1 1 1	11.30 12.30		7	680	110 42 00000
	0044	0121	ENGL2148007	1 1	12.00 13.30		35	680	110 42 00000
89	0044	0121	ENGL2148007	1 1	12.00 13.30		35	680	110 42 00000
	0044	0121	CMST2060021	1 1 1	12.30 13.30		26	680	110 42 00000
9	0044	0121	CMST2060021	1 1 1	12.30 13.30		26	680	110 42 00000
	0044	0121	ITAL1001005	1111	14.30 15.30		9	680	110 42 00000
9	0044	0121	ITAL1001005	1111	14.30 15.30		9	680	110 42 00000
	0044	0121	ELRC4360001	1	16.30 19.30		9	680	110 42 00000
9	0044	0121	ELRC4360001	1	16.30 19.30		9	680	110 42 00000
	0044	0121	EDCI7811001	1	16.30 19.30		13	680	110 42 00000
9	0044	0121	EDCI7811001	1	16.30 19.30		13	680	110 42 00000
	0044	0123	ENGL2024002	1 1	9.00 10.30		33	683	110 42 00000
89	0044	0123	ENGL2024002	1 1	9.00 10.30		33	683	110 42 00000
	0044	0123	ENGL2710001	1 1 1	9.30 10.30		22	683	110 42 00000
9	0044	0123	ENGL2710001	1 1 1	9.30 10.30		22	683	110 42 00000
	0044	0123	LING2710001	1 1 1	9.30 10.30	1	4	683	110 42 00000
9	0044	0123	LING2710001	1 1 1	9.30 10.30		4	683	110 42 00000
	0044	0123	ENGL3022001	1 1 1	10.30 11.30		33	683	110 42 00000
89	0044	0123	ENGL3022001	1 1 1	10.30 11.30		33	683	110 42 00000
	0044	0123	ENGL3022002	1 1	10.30 12.00		34	683	110 42 00000
89	0044	0123	ENGL3022002	1 1	10.30 12.00		34	683	110 42 00000
	0044	0123	ENGL2025010	1 1 1	11.30 12.30		33	683	110 42 00000
89	0044	0123	ENGL2025010	1 1 1	11.30 12.30		33	683	110 42 00000
	0044	0123	ENGL2123003	1 1	12.00 13.30		14	683	110 42 00000
9	0044	0123	ENGL2123003	1 1	12.00 13.30		14	683	110 42 00000
	0044	0123	LATN2053002	1 1 1	12.30 13.30		9	683	110 42 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 46

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0044	0123	LATN2053002	1 1 1	12.30 13.30		9	110 42	00000
	0044	0123	SPAN1101008	1111	13.30 14.30		23	110 42	00000
9	0044	0123	SPAN1101008	1111	13.30 14.30		23	110 42	00000
	0044	0123	EDCI3381001	1	13.30 16.30		31	110 42	00000
9	0044	0123	EDCI3381001	1	13.30 16.30		31	110 42	00000
	0044	0123	EDCI2030002	1	14.30 16.30		26	110 42	00000
9	0044	0123	EDCI2030002	1	14.30 16.30		26	110 42	00000
	0044	0123	EDCI2030002	1	14.30 16.30		26	110 42	00000
9	0044	0123	EDCI2030002	1	14.30 16.30		26	110 42	00000
	0044	0123	ELRC4364001	1	16.30 19.30		16	110 42	00000
9	0044	0123	ELRC4364001	1	16.30 19.30		16	110 42	00000
	0044	0123	ELRC7348001	1	16.30 19.30		15	110 42	00000
9	0044	0123	ELRC7348001	1	16.30 19.30		15	110 42	00000
	0044	0123	ELRC7603001	1	16.30 19.30		9	110 42	00000
9	0044	0123	ELRC7603001	1	16.30 19.30		9	110 42	00000
	0044	0128	SPAN1101001	1111	7.30 8.30		24	110 25	00000
89	0044	0128	SPAN1101001	1111	7.30 8.30		24	110 25	00000
	0044	0128	ENGL1001032	1 1 1	8.30 9.30		19	110 25	00000
9	0044	0128	ENGL1001032	1 1 1	8.30 9.30		19	110 25	00000
	0044	0128	ENGL2000014	1 1	9.00 10.30		16	110 25	00000
9	0044	0128	ENGL2000014	1 1	9.00 10.30		16	110 25	00000
	0044	0128	CPLT2201001	1 1 1	9.30 10.30		9	110 25	00000
9	0044	0128	CPLT2201001	1 1 1	9.30 10.30		9	110 25	00000
	0044	0128	ENGL2201001	1 1 1	9.30 10.30	1	10	110 25	00000
9	0044	0128	ENGL2201001	1 1 1	9.30 10.30		10	110 25	00000
	0044	0128	SSS 1001004	1	10.30 11.30		8	110 25	00000
9	0044	0128	SSS 1001004	1	10.30 11.30		8	110 25	00000
	0044	0128	ENGL2000019	1 1	10.30 12.00		20	110 25	00000
89	0044	0128	ENGL2000019	1 1	10.30 12.00		20	110 25	00000
	0044	0128	ENGL2148008	1	11.30 12.30		12	110 25	00000
9	0044	0128	ENGL2148008	1	11.30 12.30		12	110 25	00000
	0044	0128	ENGL1001100	1 1	12.00 13.30		19	110 25	00000
9	0044	0128	ENGL1001100	1 1	12.00 13.30		19	110 25	00000
	0044	0128	ENGL2000041	1 1 1	12.30 13.30		19	110 25	00000
9	0044	0128	ENGL2000041	1 1 1	12.30 13.30		19	110 25	00000
	0044	0128	ENGL2000044	1 1 1	13.30 14.30		20	110 25	00000
89	0044	0128	ENGL2000044	1 1 1	13.30 14.30		20	110 25	00000
	0044	0128	ENGL2000026	1 1	13.30 15.00		14	110 25	00000
9	0044	0128	ENGL2000026	1 1	13.30 15.00		14	110 25	00000
	0044	0128	XCAS9999093	1	14.30 16.00		25	110 25	00000
89	0044	0128	XCAS9999093	1	14.30 16.00		25	110 25	00000
	0044	0128	XCAS9999094	1	15.00 16.30		25	110 25	00000
89	0044	0128	XCAS9999094	1	15.00 16.30		25	110 25	00000
	0044	0128	ENGL1005005	1 1	15.00 16.30		16	110 25	00000
9	0044	0128	ENGL1005005	1 1	15.00 16.30		16	110 25	00000
	0044	0128	XCAS9999095	1 1	17.30 19.00		25	110 25	00000
89	0044	0128	XCAS9999095	1 1	17.30 19.00		25	110 25	00000
	0044	0128	ENGL2009002	1	18.00 21.00		12	110 25	00000
9	0044	0128	ENGL2009002	1	18.00 21.00		12	110 25	00000
	0044	0129	SPAN1152011	1111	8.30 9.30		23	110 46	00000
9	0044	0129	SPAN1152011	1111	8.30 9.30		23	110 46	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 47

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0044	0129	GREK1001001	1111	9.30 10.30		14	646	110 46 00000
9	0044	0129	GREK1001001	1111	9.30 10.30		14	646	110 46 00000
	0044	0129	ENGL3716001	1 1 1	10.30 11.30		21	646	110 46 00000
9	0044	0129	ENGL3716001	1 1 1	10.30 11.30		21	646	110 46 00000
	0044	0129	LING3716001	1 1 1	10.30 11.30	1	3	646	110 46 00000
9	0044	0129	LING3716001	1 1 1	10.30 11.30		3	646	110 46 00000
	0044	0129	MATH7350001	1 1	10.30 12.00		17	646	110 46 00000
9	0044	0129	MATH7350001	1 1	10.30 12.00		17	646	110 46 00000
	0044	0129	ENGL2148002	1	11.30 12.30		18	646	110 46 00000
9	0044	0129	ENGL2148002	1	11.30 12.30		18	646	110 46 00000
	0044	0129	SPAN1102004	1111	12.30 13.30		17	646	110 46 00000
9	0044	0129	SPAN1102004	1111	12.30 13.30		17	646	110 46 00000
	0044	0129	XCAS9999096	1	13.30 14.30		46	646	110 46 00000
89	0044	0129	XCAS9999096	1	13.30 14.30		46	646	110 46 00000
	0044	0129	ENGL2000039	1 1	13.30 15.00		19	646	110 46 00000
9	0044	0129	ENGL2000039	1 1	13.30 15.00		19	646	110 46 00000
	0044	0129	XCAS9999097	1 1	15.00 16.00		46	646	110 46 00000
89	0044	0129	XCAS9999097	1 1	15.00 16.00		46	646	110 46 00000
	0044	0129	XCAS9999098	1 1	16.30 18.00		46	646	110 46 00000
89	0044	0129	XCAS9999098	1 1	16.30 18.00		46	646	110 46 00000
	0044	0129	EDCI3136001	1	16.30 19.30		30	646	110 46 00000
9	0044	0129	EDCI3136001	1	16.30 19.30		30	646	110 46 00000
	0044	0131	HIST4064001	1 1 1	8.30 9.30		35	680	110 42 00000
89	0044	0131	HIST4064001	1 1 1	8.30 9.30		35	680	110 42 00000
	0044	0131	AAAS2511001	1 1	9.00 10.30		19	680	110 42 00000
9	0044	0131	AAAS2511001	1 1	9.00 10.30		19	680	110 42 00000
	0044	0131	SOCL2511001	1 1	9.00 10.30	1	19	680	110 42 00000
89	0044	0131	SOCL2511001	1 1	9.00 10.30		19	680	110 42 00000
	0044	0131	THTR4021001	1 1 1	9.30 10.30		32	680	110 42 00000
89	0044	0131	THTR4021001	1 1 1	9.30 10.30		32	680	110 42 00000
	0044	0131	SPAN1152012	1111	10.30 11.30		23	680	110 42 00000
9	0044	0131	SPAN1152012	1111	10.30 11.30		23	680	110 42 00000
	0044	0131	THTR3120001	1 1 1	11.30 12.30		38	680	110 42 00000
89	0044	0131	THTR3120001	1 1 1	11.30 12.30		38	680	110 42 00000
	0044	0131	ENGL2085001	1 1	12.00 13.30		21	680	110 42 00000
9	0044	0131	ENGL2085001	1 1	12.00 13.30		21	680	110 42 00000
	0044	0131	CMST1061006	1 1 1	12.30 13.30		35	680	110 42 00000
89	0044	0131	CMST1061006	1 1 1	12.30 13.30		35	680	110 42 00000
	0044	0131	ENGL1001054	1 1 1	13.30 14.30		17	680	110 42 00000
9	0044	0131	ENGL1001054	1 1 1	13.30 14.30		17	680	110 42 00000
	0044	0131	ENGL4234001	1 1	13.30 15.00		15	680	110 42 00000
9	0044	0131	ENGL4234001	1 1	13.30 15.00		15	680	110 42 00000
	0044	0131	ELRC7398001	1	14.30 17.30		10	680	110 42 00000
9	0044	0131	ELRC7398001	1	14.30 17.30		10	680	110 42 00000
	0044	0131	ENGL3203001	1 1	15.00 16.00		20	680	110 42 00000
9	0044	0131	ENGL3203001	1 1	15.00 16.00		20	680	110 42 00000
	0044	0131	EDCI7682002	1	16.30 18.30		19	680	110 42 00000
9	0044	0131	EDCI7682002	1	16.30 18.30		19	680	110 42 00000
	0044	0131	ELRC7006001	1	16.30 19.30		13	680	110 42 00000
9	0044	0131	ELRC7006001	1	16.30 19.30		13	680	110 42 00000
	0044	0132	ENGL2000013	1 1	7.30 9.00		19	409	110 25 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 48

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0044	0132	ENGL2000013	1 1	7.30 9.00		19	409	110 25 00000
	0044	0132	ENGL1001042	1 1 1	8.30 9.30		19	409	110 25 00000
9	0044	0132	ENGL1001042	1 1 1	8.30 9.30		19	409	110 25 00000
	0044	0132	ENGL2000032	1 1	9.00 10.30		18	409	110 25 00000
9	0044	0132	ENGL2000032	1 1	9.00 10.30		18	409	110 25 00000
	0044	0132	ENGL1001110	1 1 1	9.30 10.30		20	409	110 25 00000
89	0044	0132	ENGL1001110	1 1 1	9.30 10.30		20	409	110 25 00000
	0044	0132	HNRS2000016	1 1 1	10.30 11.30		19	409	110 25 00000
9	0044	0132	HNRS2000016	1 1 1	10.30 11.30		19	409	110 25 00000
	0044	0132	ENGL2000018	1 1	10.30 12.00		20	409	110 25 00000
89	0044	0132	ENGL2000018	1 1	10.30 12.00		20	409	110 25 00000
	0044	0132	ENGL1001097	1 1 1	11.30 12.30		18	409	110 25 00000
9	0044	0132	ENGL1001097	1 1 1	11.30 12.30		18	409	110 25 00000
	0044	0132	ENGL2000043	1 1	12.00 13.30		20	409	110 25 00000
89	0044	0132	ENGL2000043	1 1	12.00 13.30		20	409	110 25 00000
	0044	0132	ENGL1001020	1 1 1	12.30 13.30		20	409	110 25 00000
89	0044	0132	ENGL1001020	1 1 1	12.30 13.30		20	409	110 25 00000
	0044	0132	ENGL4304001	1 1 1	13.30 14.30		18	409	110 25 00000
9	0044	0132	ENGL4304001	1 1 1	13.30 14.30		18	409	110 25 00000
	0044	0132	ENGL2000031	1 1	13.30 15.00		20	409	110 25 00000
89	0044	0132	ENGL2000031	1 1	13.30 15.00		20	409	110 25 00000
	0044	0132	ENGL3920001	1 1 1	14.30 15.30		7	409	110 25 00000
9	0044	0132	ENGL3920001	1 1 1	14.30 15.30		7	409	110 25 00000
	0044	0132	ENGL4000001	1 1	16.30 18.00		14	409	110 25 00000
9	0044	0132	ENGL4000001	1 1	16.30 18.00		14	409	110 25 00000
	0044	0134	ENGL1001037	1 1 1	8.30 9.30		19	417	110 25 00000
9	0044	0134	ENGL1001037	1 1 1	8.30 9.30		19	417	110 25 00000
	0044	0134	ENGL2000004	1 1	9.00 10.30		20	417	110 25 00000
89	0044	0134	ENGL2000004	1 1	9.00 10.30		20	417	110 25 00000
	0044	0134	ENGL2000022	1 1 1	9.30 10.30		17	417	110 25 00000
9	0044	0134	ENGL2000022	1 1 1	9.30 10.30		17	417	110 25 00000
	0044	0134	ENGL1001084	1 1 1	10.30 11.30		20	417	110 25 00000
89	0044	0134	ENGL1001084	1 1 1	10.30 11.30		20	417	110 25 00000
	0044	0134	ENGL2000011	1 1	10.30 12.00		19	417	110 25 00000
9	0044	0134	ENGL2000011	1 1	10.30 12.00		19	417	110 25 00000
	0044	0134	ENGL2000015	1 1 1	11.30 12.30		18	417	110 25 00000
9	0044	0134	ENGL2000015	1 1 1	11.30 12.30		18	417	110 25 00000
	0044	0134	ENGL1001092	1 1	12.00 13.30		17	417	110 25 00000
9	0044	0134	ENGL1001092	1 1	12.00 13.30		17	417	110 25 00000
	0044	0134	ENGL2000002	1 1 1	12.30 13.30		18	417	110 25 00000
9	0044	0134	ENGL2000002	1 1 1	12.30 13.30		18	417	110 25 00000
	0044	0134	ENGL2000025	1 1	13.30 15.00		19	417	110 25 00000
9	0044	0134	ENGL2000025	1 1	13.30 15.00		19	417	110 25 00000
	0044	0134	EDCI1001010	1 1	15.00 16.30		19	417	110 25 00000
9	0044	0134	EDCI1001010	1 1	15.00 16.30		19	417	110 25 00000
	0044	0137	ENGL2005002	1 1	9.00 10.30		20	698	110 42 00000
9	0044	0137	ENGL2005002	1 1	9.00 10.30		20	698	110 42 00000
	0044	0137	LATN1001004	1111	10.30 11.30		20	698	110 42 00000
9	0044	0137	LATN1001004	1111	10.30 11.30		20	698	110 42 00000
	0044	0137	ENGL2148009	1	11.30 12.30		16	698	110 42 00000
9	0044	0137	ENGL2148009	1	11.30 12.30		16	698	110 42 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 49

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0044	0137	SPAN1101014	1111	11.30 12.30		698	110 42	00000
9	0044	0137	SPAN1101014	1111	11.30 12.30		698	110 42	00000
	0044	0137	ENGL1001114	1 1 1	12.30 13.30		698	110 42	00000
9	0044	0137	ENGL1001114	1 1 1	12.30 13.30		698	110 42	00000
	0044	0137	ENGL2025007	1 1 1	13.30 14.30		698	110 42	00000
9	0044	0137	ENGL2025007	1 1 1	13.30 14.30		698	110 42	00000
	0044	0137	ENGL2000020	1 1	13.30 15.00		698	110 42	00000
9	0044	0137	ENGL2000020	1 1	13.30 15.00		698	110 42	00000
	0044	0137	EDCI1001009	1 1	15.00 16.30		698	110 42	00000
9	0044	0137	EDCI1001009	1 1	15.00 16.30		698	110 42	00000
	0044	0137	ELRC7607001	1	16.30 19.30		698	110 42	00000
9	0044	0137	ELRC7607001	1	16.30 19.30		698	110 42	00000
	0044	0139	KIN 2513001	1 1 1	8.30 9.30		97	110 110	00000
89	0044	0139	KIN 2513001	1 1 1	8.30 9.30		97	110 110	00000
	0044	0139	CFS 2065001	1 1	9.00 10.30		94	110 110	00000
89	0044	0139	CFS 2065001	1 1	9.00 10.30		94	110 110	00000
	0044	0139	PSYC4039001	1 1	10.30 12.00		107	110 110	00000
89	0044	0139	PSYC4039001	1 1	10.30 12.00		107	110 110	00000
	0044	0139	KIN 2510001	1 1 1	11.30 12.30		80	110 110	00000
9	0044	0139	KIN 2510001	1 1 1	11.30 12.30		80	110 110	00000
	0044	0139	NFS 1110002	1 1	12.00 13.30		94	110 110	00000
89	0044	0139	NFS 1110002	1 1	12.00 13.30		94	110 110	00000
	0044	0139	MATH2065002	1 1 1	12.30 13.30		46	110 110	00000
9	0044	0139	MATH2065002	1 1 1	12.30 13.30		46	110 110	00000
	0044	0139	MC 3010001	1 1	13.30 15.00		84	110 110	00000
89	0044	0139	MC 3010001	1 1	13.30 15.00		84	110 110	00000
	0044	0139	AGRI1001005	1	14.30 15.30		101	110 110	00000
89	0044	0139	AGRI1001005	1	14.30 15.30		101	110 110	00000
	0044	0139	PETE4998001	1	14.30 16.30		74	110 110	00000
9	0044	0139	PETE4998001	1	14.30 16.30		74	110 110	00000
	0044	0139	THTR1020003	1 1	15.00 16.30		99	110 110	00000
89	0044	0139	THTR1020003	1 1	15.00 16.30		99	110 110	00000
	0044	0139	AGRI1001005	1	15.30 17.00		101	110 110	00000
89	0044	0139	AGRI1001005	1	15.30 17.00		101	110 110	00000
	0044	0139	FMA 3010001	1	18.00 21.00		18	110 110	00000
9	0044	0139	FMA 3010001	1	18.00 21.00		18	110 110	00000
	0044	0202	ENGL7920001	1	12.30 15.30		8	110 24	00000
9	0044	0202	ENGL7920001	1	12.30 15.30		8	110 24	00000
	0044	0202	ENGL7006001	1	12.30 15.30		10	110 24	00000
9	0044	0202	ENGL7006001	1	12.30 15.30		10	110 24	00000
	0044	0212C	ENGL7915001	1 1	9.00 10.30		11	110 17	00000
9	0044	0212C	ENGL7915001	1 1	9.00 10.30		11	110 17	00000
	0044	0212C	ENGL7921001	1	12.00 15.00		11	110 17	00000
9	0044	0212C	ENGL7921001	1	12.00 15.00		11	110 17	00000
	0044	0212C	ENGL7922001	1	12.30 15.30		13	110 17	00000
9	0044	0212C	ENGL7922001	1	12.30 15.30		13	110 17	00000
	0044	0212C	ENGL7137001	1	12.30 15.30		10	110 17	00000
9	0044	0212C	ENGL7137001	1	12.30 15.30		10	110 17	00000
	0044	0212C	ENGL7960001	1	15.00 18.00		13	110 17	00000
9	0044	0212C	ENGL7960001	1	15.00 18.00		13	110 17	00000
	0044	0212C	ENGL7020001	1	15.00 18.00		14	110 17	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 50

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	0044	0212C	ENGL7020001	1	15.00 18.00		14	358	110 17 00000
	0044	0212C	ENGL7107001	1	15.30 18.30		14	358	110 17 00000
89	0044	0212C	ENGL7107001	1	15.30 18.30		14	358	110 17 00000
	0044	0212C	ENGL7974001	1	18.00 21.00		8	358	110 17 00000
9	0044	0212C	ENGL7974001	1	18.00 21.00		8	358	110 17 00000
	0044	0212C	ENGL7975001	1	18.30 21.30		13	358	110 17 00000
9	0044	0212C	ENGL7975001	1	18.30 21.30		13	358	110 17 00000
	0045	0103	THTR4350001	1 1	9.00 10.30		8	465	350 12 00000
9	0045	0103	THTR4350001	1 1	9.00 10.30		8	465	350 12 00000
	0045	0123A	THTR1127001	1 1	7.30 9.00		19	2,590	210 173 00000
9	0045	0123A	THTR1127001	1 1	7.30 9.00		19	2,590	210 173 00000
	0045	0123A	THTR1131001	1 1	8.00 9.30		26	2,590	210 173 00000
9	0045	0123A	THTR1131001	1 1	8.00 9.30		26	2,590	210 173 00000
	0045	0123A	THTR7001001	1	8.30 10.00		10	2,590	210 173 00000
9	0045	0123A	THTR7001001	1	8.30 10.00		10	2,590	210 173 00000
	0045	0123A	THTR1227001	1 1	9.00 10.30		22	2,590	210 173 00000
9	0045	0123A	THTR1227001	1 1	9.00 10.30		22	2,590	210 173 00000
	0045	0123A	THTR1231001	1 1	9.30 11.00		21	2,590	210 173 00000
9	0045	0123A	THTR1231001	1 1	9.30 11.00		21	2,590	210 173 00000
	0045	0123A	THTR1153001	1 1	10.30 12.00		25	2,590	210 173 00000
9	0045	0123A	THTR1153001	1 1	10.30 12.00		25	2,590	210 173 00000
	0045	0123A	THTR1253001	1 1	12.00 13.30		29	2,590	210 173 00000
9	0045	0123A	THTR1253001	1 1	12.00 13.30		29	2,590	210 173 00000
	0045	0123A	THTR3803001	1 1	13.30 15.00		15	2,590	210 173 00000
9	0045	0123A	THTR3803001	1 1	13.30 15.00		15	2,590	210 173 00000
	0045	0123A	MUS 4242001	1 1 1	14.30 16.00		7	2,590	210 173 00000
9	0045	0123A	MUS 4242001	1 1 1	14.30 16.00		7	2,590	210 173 00000
	0045	0123A	MUS 4241001	1	16.00 19.00		18	2,590	210 173 00000
9	0045	0123A	MUS 4241001	1	16.00 19.00		18	2,590	210 173 00000
	0045	0123A	MUS 4240001	1 1	16.30 19.00		12	2,590	210 173 00000
9	0045	0123A	MUS 4240001	1 1	16.30 19.00		12	2,590	210 173 00000
	0045	0125	THTR3025001	1 1	9.00 10.30		9	897	110 60 00000
9	0045	0125	THTR3025001	1 1	9.00 10.30		9	897	110 60 00000
	0045	0125	THTR1025002	1 1 1	10.30 11.30		18	897	110 60 00000
9	0045	0125	THTR1025002	1 1 1	10.30 11.30		18	897	110 60 00000
	0045	0125	THTR1025003	1 1	10.30 12.00		17	897	110 60 00000
9	0045	0125	THTR1025003	1 1	10.30 12.00		17	897	110 60 00000
	0045	0125	THTR3900003	1 1	12.00 13.30		12	897	110 60 00000
9	0045	0125	THTR3900003	1 1	12.00 13.30		12	897	110 60 00000
	0045	0125	THTR1025004	1 1 1	12.30 13.30		18	897	110 60 00000
9	0045	0125	THTR1025004	1 1 1	12.30 13.30		18	897	110 60 00000
	0045	0125	THTR1025005	1 1	13.30 15.00		16	897	110 60 00000
9	0045	0125	THTR1025005	1 1	13.30 15.00		16	897	110 60 00000
	0045	0135	THTR2021001	1 1 1	8.30 9.30		15	1,008	110 67 00000
9	0045	0135	THTR2021001	1 1 1	8.30 9.30		15	1,008	110 67 00000
	0045	0135	THTR2025001	1 1	9.00 10.30		16	1,008	110 67 00000
9	0045	0135	THTR2025001	1 1	9.00 10.30		16	1,008	110 67 00000
	0045	0135	THTR1025001	1 1 1	10.30 11.30		19	1,008	110 67 00000
9	0045	0135	THTR1025001	1 1 1	10.30 11.30		19	1,008	110 67 00000
	0045	0135	THTR3026001	1	10.30 12.00		16	1,008	110 67 00000
9	0045	0135	THTR3026001	1	10.30 12.00		16	1,008	110 67 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 51

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0045	0135	THTR3026001	1	10.30 12.00		16	110 67	00000
9	0045	0135	THTR3026001	1	10.30 12.00		16	110 67	00000
	0045	0135	THTR2025002	1 1	12.00 13.30		17	110 67	00000
9	0045	0135	THTR2025002	1 1	12.00 13.30		17	110 67	00000
	0045	0166	THTR7001003	1111	8.20 9.00		10	210 81	00000
9	0045	0166	THTR7001003	1111	8.20 9.00		10	210 81	00000
	0045	0166	THTR7233001	1 1	9.00 10.30		10	210 81	00000
9	0045	0166	THTR7233001	1 1	9.00 10.30		10	210 81	00000
	0045	0166	THTR1029001	1	9.00 10.30		20	210 81	00000
9	0045	0166	THTR1029001	1	9.00 10.30		20	210 81	00000
	0045	0166	THTR2031001	1 1 1	11.30 12.30		18	210 81	00000
9	0045	0166	THTR2031001	1 1 1	11.30 12.30		18	210 81	00000
	0045	0166	THTR4032001	1 1	12.00 13.30		7	210 81	00000
9	0045	0166	THTR4032001	1 1	12.00 13.30		7	210 81	00000
	0045	0166	THTR2031002	1 1 1	12.30 13.30		13	210 81	00000
9	0045	0166	THTR2031002	1 1 1	12.30 13.30		13	210 81	00000
	0045	0166	THTR2027001	1 1	13.30 15.00		17	210 81	00000
9	0045	0166	THTR2027001	1 1	13.30 15.00		17	210 81	00000
	0045	0181	THTR3531001	1 1	9.00 10.30		11	240 67	00000
9	0045	0181	THTR3531001	1 1	9.00 10.30		11	240 67	00000
	0045	0181	THTR2024001	1 1 1	9.30 10.30		30	240 67	00000
9	0045	0181	THTR2024001	1 1 1	9.30 10.30		30	240 67	00000
	0045	0181	THTR7422001	1 1	10.30 12.00		1	240 67	00000
9	0045	0181	THTR7422001	1 1	10.30 12.00		1	240 67	00000
	0045	0181	THTR2020001	1 1 1	13.30 14.30		17	240 67	00000
9	0045	0181	THTR2020001	1 1 1	13.30 14.30		17	240 67	00000
	0045	0181	THTR2830001	1 1	13.30 15.00		7	240 67	00000
9	0045	0181	THTR2830001	1 1	13.30 15.00		7	240 67	00000
	0045	0181	THTR4123001	1 1	15.00 16.30		5	240 67	00000
9	0045	0181	THTR4123001	1 1	15.00 16.30		5	240 67	00000
	0045	0193	THTR7904001	1 1	9.00 10.30		6	110 27	00000
9	0045	0193	THTR7904001	1 1	9.00 10.30		6	110 27	00000
	0045	0193	THTR7920001	1 1	10.30 12.00		7	110 27	00000
9	0045	0193	THTR7920001	1 1	10.30 12.00		7	110 27	00000
	0045	0193	THTR3900002	1 1 1	13.30 14.30		14	110 27	00000
9	0045	0193	THTR3900002	1 1 1	13.30 14.30		14	110 27	00000
	0045	0193	THTR7130001	1 1 1	14.30 15.30		10	110 27	00000
9	0045	0193	THTR7130001	1 1 1	14.30 15.30		10	110 27	00000
	0045	0193	THTR7903001	1 1	15.30 17.00		4	110 27	00000
9	0045	0193	THTR7903001	1 1	15.30 17.00		4	110 27	00000
	0045	0201	MUS 1132002	1 1	8.00 9.00		7	210 20	00000
9	0045	0201	MUS 1132002	1 1	8.00 9.00		7	210 20	00000
	0045	0201	MUS 1132001	1 1	8.30 9.30		8	210 20	00000
9	0045	0201	MUS 1132001	1 1	8.30 9.30		8	210 20	00000
	0045	0201	MUS 1130001	1 1	9.30 10.30		16	210 20	00000
89	0045	0201	MUS 1130001	1 1	9.30 10.30		16	210 20	00000
	0045	0201	MUS 3334001	1 1	9.30 10.30		7	210 20	00000
9	0045	0201	MUS 3334001	1 1	9.30 10.30		7	210 20	00000
	0045	0201	MUS 1132003	1 1	10.30 11.30		15	210 20	00000
9	0045	0201	MUS 1132003	1 1	10.30 11.30		15	210 20	00000
	0045	0201	MUS 1130002	1 1	11.30 12.30		16	210 20	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 52

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	0045	0201	MUS 1130002	1 1	11.30 12.30		16	1,009	210 20 00000
	0045	0201	MUS 1132004	1 1	11.30 12.30		15	1,009	210 20 00000
9	0045	0201	MUS 1132004	1 1	11.30 12.30		15	1,009	210 20 00000
	0045	0201	MUS 1130003	1 1	12.30 13.30		11	1,009	210 20 00000
9	0045	0201	MUS 1130003	1 1	12.30 13.30		11	1,009	210 20 00000
	0045	0201	MUS 1130004	1 1	12.30 13.30		11	1,009	210 20 00000
9	0045	0201	MUS 1130004	1 1	12.30 13.30		11	1,009	210 20 00000
	0045	0201	MUS 7501001	1 1	13.30 14.30		3	1,009	210 20 00000
9	0045	0201	MUS 7501001	1 1	13.30 14.30		3	1,009	210 20 00000
	0045	0201	MUS 1130005	1 1	15.30 16.30		9	1,009	210 20 00000
9	0045	0201	MUS 1130005	1 1	15.30 16.30		9	1,009	210 20 00000
	0045	0201	MUS 1108001	1 1	18.00 19.00		16	1,009	210 20 00000
89	0045	0201	MUS 1108001	1 1	18.00 19.00		16	1,009	210 20 00000
	0045	0215	MUS 3621002	1 1	8.00 9.00		14	770	110 51 00000
9	0045	0215	MUS 3621002	1 1	8.00 9.00		14	770	110 51 00000
	0045	0215	MUS 7725001	1 1 1	8.30 9.30		1	770	110 51 00000
9	0045	0215	MUS 7725001	1 1 1	8.30 9.30		1	770	110 51 00000
	0045	0215	MUS 1701001	1 1 1	10.30 11.30		31	770	110 51 00000
9	0045	0215	MUS 1701001	1 1 1	10.30 11.30		31	770	110 51 00000
	0045	0215	MUS 7221001	1 1	10.30 11.30		18	770	110 51 00000
9	0045	0215	MUS 7221001	1 1	10.30 11.30		18	770	110 51 00000
	0045	0215	MUS 7221001	1 1	10.30 11.30		18	770	110 51 00000
9	0045	0215	MUS 7221001	1 1	10.30 11.30		18	770	110 51 00000
	0045	0215	MUS 1001001	1 1	12.30 13.30		10	770	110 51 00000
9	0045	0215	MUS 1001001	1 1	12.30 13.30		10	770	110 51 00000
	0045	0215	MUS 3143001	1	14.30 15.30		7	770	110 51 00000
9	0045	0215	MUS 3143001	1	14.30 15.30		7	770	110 51 00000
	0045	0215	MUS 7043001	1	14.30 15.30	1	2	770	110 51 00000
9	0045	0215	MUS 7043001	1	14.30 15.30		2	770	110 51 00000
	0045	0215	MUS 3130005	1	14.30 15.30		16	770	110 51 00000
9	0045	0215	MUS 3130005	1	14.30 15.30		16	770	110 51 00000
	0045	0215	MUS 4225001	1	17.00 19.30		6	770	110 51 00000
9	0045	0215	MUS 4225001	1	17.00 19.30		6	770	110 51 00000
	0045	0221	MUS 2623001	1 1	8.00 9.00		20	770	110 51 00000
9	0045	0221	MUS 2623001	1 1	8.00 9.00		20	770	110 51 00000
	0045	0221	MUED1000001	1 1 1	8.30 9.30		25	770	110 51 00000
9	0045	0221	MUED1000001	1 1 1	8.30 9.30		25	770	110 51 00000
	0045	0221	MUED1000001	1 1 1	8.30 9.30		25	770	110 51 00000
89	0045	0221	MUED1000001	1 1 1	8.30 9.30		25	770	110 51 00000
	0045	0221	MUS 2621003	1 1	9.00 10.00		9	770	110 51 00000
9	0045	0221	MUS 2621003	1 1	9.00 10.00		9	770	110 51 00000
	0045	0221	MUS 7700001	1 1 1	9.30 10.30		20	770	110 51 00000
9	0045	0221	MUS 7700001	1 1 1	9.30 10.30		20	770	110 51 00000
	0045	0221	MUS 7921002	1 1 1	10.30 11.30		14	770	110 51 00000
9	0045	0221	MUS 7921002	1 1 1	10.30 11.30		14	770	110 51 00000
	0045	0221	MUS 3018001	1 1	10.30 11.30		17	770	110 51 00000
9	0045	0221	MUS 3018001	1 1	10.30 11.30		17	770	110 51 00000
	0045	0221	MUS 1799001	1 1	13.30 15.00		40	770	110 51 00000
89	0045	0221	MUS 1799001	1 1	13.30 15.00		40	770	110 51 00000
	0045	0221	MUS 3144001	1	14.30 15.30		1	770	110 51 00000
9	0045	0221	MUS 3144001	1	14.30 15.30		1	770	110 51 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 53

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0045	0221	MUS 3144002	1	14.30 15.30	1	8	770	110 51 00000
9	0045	0221	MUS 3144002	1	14.30 15.30		8	770	110 51 00000
	0045	0221	MUS 7044001	1	14.30 15.30	1	2	770	110 51 00000
9	0045	0221	MUS 7044001	1	14.30 15.30		2	770	110 51 00000
	0045	0221	MUS 7044002	1	14.30 15.30	1	1	770	110 51 00000
9	0045	0221	MUS 7044002	1	14.30 15.30		1	770	110 51 00000
	0045	0245	MUS 3621001	1 1	8.00 9.00		22	708	110 47 00000
9	0045	0245	MUS 3621001	1 1	8.00 9.00		22	708	110 47 00000
	0045	0245	MUS 3621003	1 1	9.00 10.00		22	708	110 47 00000
9	0045	0245	MUS 3621003	1 1	9.00 10.00		22	708	110 47 00000
	0045	0245	MUS 7921001	1 1 1	9.30 10.30		13	708	110 47 00000
9	0045	0245	MUS 7921001	1 1 1	9.30 10.30		13	708	110 47 00000
	0045	0245	MUS 7019001	1 1	10.30 11.30		15	708	110 47 00000
9	0045	0245	MUS 7019001	1 1	10.30 11.30		15	708	110 47 00000
	0045	0245	MUS 7019001	1	10.30 11.30		15	708	110 47 00000
9	0045	0245	MUS 7019001	1	10.30 11.30		15	708	110 47 00000
	0045	0245	MUS 3130004	1	14.30 15.30		10	708	110 47 00000
9	0045	0245	MUS 3130004	1	14.30 15.30		10	708	110 47 00000
	0045	0245	MUS 7030004	1	14.30 15.30	1	1	708	110 47 00000
9	0045	0245	MUS 7030004	1	14.30 15.30		1	708	110 47 00000
	0045	0245	MUS 4222001	1 1	14.30 15.30		32	708	110 47 00000
9	0045	0245	MUS 4222001	1 1	14.30 15.30		32	708	110 47 00000
	0045	0247	MUS 2300001	1 1 1	8.30 9.30		14	1,175	110 78 00000
9	0045	0247	MUS 2300001	1 1 1	8.30 9.30		14	1,175	110 78 00000
	0045	0247	MUS 2300001	1 1 1	8.30 9.30		14	1,175	110 78 00000
9	0045	0247	MUS 2300001	1 1 1	8.30 9.30		14	1,175	110 78 00000
	0045	0247	MUS 3703001	1 1	9.00 10.30		28	1,175	110 78 00000
9	0045	0247	MUS 3703001	1 1	9.00 10.30		28	1,175	110 78 00000
	0045	0247	MUS 1018001	1 1	9.30 10.30		12	1,175	110 78 00000
9	0045	0247	MUS 1018001	1 1	9.30 10.30		12	1,175	110 78 00000
	0045	0247	MUED3170001	1 1 1	10.30 11.30		18	1,175	110 78 00000
9	0045	0247	MUED3170001	1 1 1	10.30 11.30		18	1,175	110 78 00000
	0045	0247	MUS 2300002	1 1	10.30 12.00		8	1,175	110 78 00000
9	0045	0247	MUS 2300002	1 1	10.30 12.00		8	1,175	110 78 00000
	0045	0247	MUS 2300002	1 1	10.30 12.00		8	1,175	110 78 00000
9	0045	0247	MUS 2300002	1 1	10.30 12.00		8	1,175	110 78 00000
	0045	0247	MUS 7800001	1 1 1	11.30 12.30		18	1,175	110 78 00000
9	0045	0247	MUS 7800001	1 1 1	11.30 12.30		18	1,175	110 78 00000
	0045	0247	MUS 3141001	1	14.30 15.30		14	1,175	110 78 00000
9	0045	0247	MUS 3141001	1	14.30 15.30		14	1,175	110 78 00000
	0045	0247	MUS 7041001	1	14.30 15.30	1	5	1,175	110 78 00000
9	0045	0247	MUS 7041001	1	14.30 15.30		5	1,175	110 78 00000
	0045	0247	MUED1700001	1	14.30 15.30		38	1,175	110 78 00000
9	0045	0247	MUED1700001	1	14.30 15.30		38	1,175	110 78 00000
	0045	0247	MUED3630001	1	15.30 17.30		1	1,175	110 78 00000
9	0045	0247	MUED3630001	1	15.30 17.30		1	1,175	110 78 00000
	0045	0247	MUED3630002	1	15.30 17.30	1	2	1,175	110 78 00000
9	0045	0247	MUED3630002	1	15.30 17.30		2	1,175	110 78 00000
	0045	0247	MUED3630004	1	15.30 17.30	1	1	1,175	110 78 00000
9	0045	0247	MUED3630004	1	15.30 17.30		1	1,175	110 78 00000
	0045	0248	MUS 2621001	1 1	8.00 9.00		5	677	110 45 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 54

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0045	0248	MUS 2621001	1 1	8.00 9.00		5	677	110 45 00000
	0045	0248	MUS 4745001	1 1	9.00 10.30		11	677	110 45 00000
9	0045	0248	MUS 4745001	1 1	9.00 10.30		11	677	110 45 00000
	0045	0248	MUS 2745001	1 1 1	10.30 11.30		20	677	110 45 00000
9	0045	0248	MUS 2745001	1 1 1	10.30 11.30		20	677	110 45 00000
	0045	0248	MUS 7747001	1 1	10.30 12.00		8	677	110 45 00000
9	0045	0248	MUS 7747001	1 1	10.30 12.00		8	677	110 45 00000
	0045	0248	MUS 3142001	1	14.30 15.30		13	677	110 45 00000
9	0045	0248	MUS 3142001	1	14.30 15.30		13	677	110 45 00000
	0045	0248	MUS 7042001	1	14.30 15.30	1	5	677	110 45 00000
9	0045	0248	MUS 7042001	1	14.30 15.30		5	677	110 45 00000
	0045	0248	MUS 4270001	1	15.00 18.00		9	677	110 45 00000
9	0045	0248	MUS 4270001	1	15.00 18.00		9	677	110 45 00000
	0045	0249	MUS 2621002	1 1	8.00 9.00		11	978	110 65 00000
9	0045	0249	MUS 2621002	1 1	8.00 9.00		11	978	110 65 00000
	0045	0249	MUS 2053001	1 1 1	8.30 9.30		5	978	110 65 00000
9	0045	0249	MUS 2053001	1 1 1	8.30 9.30		5	978	110 65 00000
	0045	0249	MUS 2621004	1 1	9.00 10.00		8	978	110 65 00000
9	0045	0249	MUS 2621004	1 1	9.00 10.00		8	978	110 65 00000
	0045	0249	MUS 2053002	1 1 1	9.30 10.30		13	978	110 65 00000
9	0045	0249	MUS 2053002	1 1 1	9.30 10.30		13	978	110 65 00000
	0045	0249	MUS 2053003	1 1 1	10.30 11.30		20	978	110 65 00000
9	0045	0249	MUS 2053003	1 1 1	10.30 11.30		20	978	110 65 00000
	0045	0249	MUS 4712001	1 1 1	11.30 12.30		7	978	110 65 00000
9	0045	0249	MUS 4712001	1 1 1	11.30 12.30		7	978	110 65 00000
	0045	0249	MUS 7711001	1 1	12.00 13.30		7	978	110 65 00000
9	0045	0249	MUS 7711001	1 1	12.00 13.30		7	978	110 65 00000
	0045	0249	MUS 3145001	1	14.30 15.30		9	978	110 65 00000
9	0045	0249	MUS 3145001	1	14.30 15.30		9	978	110 65 00000
	0045	0249	MUS 7045001	1	14.30 15.30	1	4	978	110 65 00000
9	0045	0249	MUS 7045001	1	14.30 15.30		4	978	110 65 00000
	0045	0249	MUS 7500001	1	14.30 15.30		11	978	110 65 00000
9	0045	0249	MUS 7500001	1	14.30 15.30		11	978	110 65 00000
	0045	0249	MUS 7998001	1 1 1	15.30 16.30		13	978	110 65 00000
9	0045	0249	MUS 7998001	1 1 1	15.30 16.30		13	978	110 65 00000
	0045	0273	MUS 7998002	1 1	9.00 10.30		17	467	110 31 00000
9	0045	0273	MUS 7998002	1 1	9.00 10.30		17	467	110 31 00000
	0045	0273	MUS 7801002	1 1 1	9.30 10.30		11	467	110 31 00000
9	0045	0273	MUS 7801002	1 1 1	9.30 10.30		11	467	110 31 00000
	0045	0273	MUS 7903002	1 1	10.30 12.00		17	467	110 31 00000
9	0045	0273	MUS 7903002	1 1	10.30 12.00		17	467	110 31 00000
	0045	0273	MUS 7903001	1	14.00 17.00		7	467	110 31 00000
9	0045	0273	MUS 7903001	1	14.00 17.00		7	467	110 31 00000
	0045	0301	THTR2022001	1 1	9.00 10.30		28	1,065	110 71 00000
9	0045	0301	THTR2022001	1 1	9.00 10.30		28	1,065	110 71 00000
	0045	0301	THTR1001001	1 1 1	9.30 10.30		44	1,065	110 71 00000
9	0045	0301	THTR1001001	1 1 1	9.30 10.30		44	1,065	110 71 00000
	0045	0301	THTR3900001	1 1	10.30 12.00		22	1,065	110 71 00000
9	0045	0301	THTR3900001	1 1	10.30 12.00		22	1,065	110 71 00000
	0045	0301	THTR2022002	1 1 1	11.30 12.30		28	1,065	110 71 00000
9	0045	0301	THTR2022002	1 1 1	11.30 12.30		28	1,065	110 71 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 55

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0045	0301	THTR1010001	1	12.30 13.30		31	1,065	110 71 00000
9	0045	0301	THTR1010001	1	12.30 13.30		31	1,065	110 71 00000
	0045	0301	THTR2010001	1	12.30 13.30		10	1,065	110 71 00000
9	0045	0301	THTR2010001	1	12.30 13.30		10	1,065	110 71 00000
	0045	0301	THTR4010001	1	12.30 13.30		16	1,065	110 71 00000
9	0045	0301	THTR4010001	1	12.30 13.30		16	1,065	110 71 00000
	0045	0301	THTR2130001	1 1 1	13.30 14.30		31	1,065	110 71 00000
9	0045	0301	THTR2130001	1 1 1	13.30 14.30		31	1,065	110 71 00000
	0045	0314	THTR3530001	1 1	10.30 12.00		8	315	210 6 00000
89	0045	0314	THTR3530001	1 1	10.30 12.00		8	315	210 6 00000
	0045	0314	THTR2026006	1 1	12.00 13.30		3	315	210 6 00000
9	0045	0314	THTR2026006	1 1	12.00 13.30		3	315	210 6 00000
	0045	B0028	MUS 2300004	1 1 1	9.30 10.30		21	1,198	210 23 00000
89	0045	B0028	MUS 2300004	1 1 1	9.30 10.30		21	1,198	210 23 00000
	0045	B0028	MUS 4227001	1 1	9.30 10.30		6	1,198	210 23 00000
9	0045	B0028	MUS 4227001	1 1	9.30 10.30		6	1,198	210 23 00000
	0045	B0028	MUS 4226001	1 1 1	14.30 15.30		12	1,198	210 23 00000
9	0045	B0028	MUS 4226001	1 1 1	14.30 15.30		12	1,198	210 23 00000
8	0046	0007	MATH1550034	11111	14.30 15.30		35	300	110 20 00000
89	0046	0007	MATH1550034	11111	14.30 15.30		35	300	110 20 00000
	0046	0013	MATH1550031	11111	13.30 14.30		24	310	110 21 00000
89	0046	0013	MATH1550031	11111	13.30 14.30		24	310	110 21 00000
	0048	0006	BIOL4254008	1	8.00 11.00		12	1,036	210 21 00000
9	0048	0006	BIOL4254008	1	8.00 11.00		12	1,036	210 21 00000
	0048	0006	BIOL4254001	1	9.30 12.30		13	1,036	210 21 00000
9	0048	0006	BIOL4254001	1	9.30 12.30		13	1,036	210 21 00000
	0048	0006	BIOL4254003	1	9.30 12.30		12	1,036	210 21 00000
9	0048	0006	BIOL4254003	1	9.30 12.30		12	1,036	210 21 00000
	0048	0006	BIOL4254005	1	9.30 12.30		14	1,036	210 21 00000
9	0048	0006	BIOL4254005	1	9.30 12.30		14	1,036	210 21 00000
	0048	0006	BIOL4263002	1	11.30 14.30		12	1,036	210 21 00000
9	0048	0006	BIOL4263002	1	11.30 14.30		12	1,036	210 21 00000
	0048	0006	BIOL4254002	1	13.30 16.30		13	1,036	210 21 00000
9	0048	0006	BIOL4254002	1	13.30 16.30		13	1,036	210 21 00000
	0048	0006	BIOL4254004	1	13.30 16.30		13	1,036	210 21 00000
9	0048	0006	BIOL4254004	1	13.30 16.30		13	1,036	210 21 00000
	0048	0006	BIOL4254006	1	13.30 16.30		13	1,036	210 21 00000
9	0048	0006	BIOL4254006	1	13.30 16.30		13	1,036	210 21 00000
	0048	0006	BIOL4254007	1	13.30 16.30		11	1,036	210 21 00000
9	0048	0006	BIOL4254007	1	13.30 16.30		11	1,036	210 21 00000
	0048	0006	BIOL4263001	1	14.30 17.30		12	1,036	210 21 00000
9	0048	0006	BIOL4263001	1	14.30 17.30		12	1,036	210 21 00000
	0048	0011	EXST7037001	1 1	11.00 12.30		11	678	140 28 00000
9	0048	0011	EXST7037001	1 1	11.00 12.30		11	678	140 28 00000
	0048	0011	EXST7004001	1	15.00 17.00		22	678	140 28 00000
89	0048	0011	EXST7004001	1	15.00 17.00		22	678	140 28 00000
	0048	0011	EXST7004002	1	15.00 17.00		24	678	140 28 00000
89	0048	0011	EXST7004002	1	15.00 17.00		24	678	140 28 00000
	0048	0011	EXST7014001	1	15.00 17.00		24	678	140 28 00000
89	0048	0011	EXST7014001	1	15.00 17.00		24	678	140 28 00000
	0048	0044	EXST7005001	1	11.00 13.00		30	514	140 34 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 56

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	0048	0044	EXST7005001	1	11.00 13.00		30	514	140 34 00000
	0048	0044	EXST4025001	1	12.00 15.00		8	514	140 34 00000
9	0048	0044	EXST4025001	1	12.00 15.00		8	514	140 34 00000
	0048	0048	EXST2201019	1	7.30 9.30		21	888	140 59 00000
9	0048	0048	EXST2201019	1	7.30 9.30		21	888	140 59 00000
	0048	0048	EXST2201020	1	7.30 9.30	1	18	888	140 59 00000
9	0048	0048	EXST2201020	1	7.30 9.30		18	888	140 59 00000
	0048	0048	EXST2201039	1	7.30 9.30		16	888	140 59 00000
9	0048	0048	EXST2201039	1	7.30 9.30		16	888	140 59 00000
	0048	0048	EXST2201040	1	7.30 9.30	1	13	888	140 59 00000
9	0048	0048	EXST2201040	1	7.30 9.30		13	888	140 59 00000
	0048	0048	EXST2201009	1	8.30 10.30		22	888	140 59 00000
9	0048	0048	EXST2201009	1	8.30 10.30		22	888	140 59 00000
	0048	0048	EXST2201010	1	8.30 10.30	1	22	888	140 59 00000
9	0048	0048	EXST2201010	1	8.30 10.30		22	888	140 59 00000
	0048	0048	EXST2201029	1	8.30 10.30		21	888	140 59 00000
9	0048	0048	EXST2201029	1	8.30 10.30		21	888	140 59 00000
	0048	0048	EXST2201030	1	8.30 10.30	1	19	888	140 59 00000
9	0048	0048	EXST2201030	1	8.30 10.30		19	888	140 59 00000
	0048	0048	EXST2201001	1	10.30 12.30		21	888	140 59 00000
9	0048	0048	EXST2201001	1	10.30 12.30		21	888	140 59 00000
	0048	0048	EXST2201002	1	10.30 12.30	1	22	888	140 59 00000
9	0048	0048	EXST2201002	1	10.30 12.30		22	888	140 59 00000
	0048	0048	EXST2201011	1	10.30 12.30		21	888	140 59 00000
9	0048	0048	EXST2201011	1	10.30 12.30		21	888	140 59 00000
	0048	0048	EXST2201012	1	10.30 12.30	1	22	888	140 59 00000
9	0048	0048	EXST2201012	1	10.30 12.30		22	888	140 59 00000
	0048	0048	EXST2201021	1	10.30 12.30		22	888	140 59 00000
9	0048	0048	EXST2201021	1	10.30 12.30		22	888	140 59 00000
	0048	0048	EXST2201022	1	10.30 12.30	1	22	888	140 59 00000
9	0048	0048	EXST2201022	1	10.30 12.30		22	888	140 59 00000
	0048	0048	EXST2201031	1	10.30 12.30		22	888	140 59 00000
9	0048	0048	EXST2201031	1	10.30 12.30		22	888	140 59 00000
	0048	0048	EXST2201032	1	10.30 12.30	1	21	888	140 59 00000
9	0048	0048	EXST2201032	1	10.30 12.30		21	888	140 59 00000
	0048	0048	EXST2201041	1	10.30 12.30		22	888	140 59 00000
9	0048	0048	EXST2201041	1	10.30 12.30		22	888	140 59 00000
	0048	0048	EXST2201042	1	10.30 12.30	1	21	888	140 59 00000
9	0048	0048	EXST2201042	1	10.30 12.30		21	888	140 59 00000
	0048	0048	EXST2201003	1	12.30 14.30		22	888	140 59 00000
9	0048	0048	EXST2201003	1	12.30 14.30		22	888	140 59 00000
	0048	0048	EXST2201004	1	12.30 14.30	1	21	888	140 59 00000
9	0048	0048	EXST2201004	1	12.30 14.30		21	888	140 59 00000
	0048	0048	EXST2201013	1	12.30 14.30		22	888	140 59 00000
9	0048	0048	EXST2201013	1	12.30 14.30		22	888	140 59 00000
	0048	0048	EXST2201014	1	12.30 14.30	1	21	888	140 59 00000
9	0048	0048	EXST2201014	1	12.30 14.30		21	888	140 59 00000
	0048	0048	EXST2201023	1	12.30 14.30		22	888	140 59 00000
9	0048	0048	EXST2201023	1	12.30 14.30		22	888	140 59 00000
	0048	0048	EXST2201024	1	12.30 14.30	1	22	888	140 59 00000
9	0048	0048	EXST2201024	1	12.30 14.30		22	888	140 59 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 57

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0048	0048	EXST2201033	1	12.30 14.30		22	888	140 59 00000
9	0048	0048	EXST2201033	1	12.30 14.30		22	888	140 59 00000
	0048	0048	EXST2201034	1	12.30 14.30	1	22	888	140 59 00000
9	0048	0048	EXST2201034	1	12.30 14.30		22	888	140 59 00000
	0048	0048	EXST2201043	1	12.30 14.30		19	888	140 59 00000
9	0048	0048	EXST2201043	1	12.30 14.30		19	888	140 59 00000
	0048	0048	EXST2201044	1	12.30 14.30	1	17	888	140 59 00000
9	0048	0048	EXST2201044	1	12.30 14.30		17	888	140 59 00000
	0048	0048	EXST2201005	1	14.30 16.30		22	888	140 59 00000
9	0048	0048	EXST2201005	1	14.30 16.30		22	888	140 59 00000
	0048	0048	EXST2201006	1	14.30 16.30	1	21	888	140 59 00000
9	0048	0048	EXST2201006	1	14.30 16.30		21	888	140 59 00000
	0048	0048	EXST2201015	1	14.30 16.30		22	888	140 59 00000
9	0048	0048	EXST2201015	1	14.30 16.30		22	888	140 59 00000
	0048	0048	EXST2201016	1	14.30 16.30	1	21	888	140 59 00000
9	0048	0048	EXST2201016	1	14.30 16.30		21	888	140 59 00000
	0048	0048	EXST2201025	1	14.30 16.30		22	888	140 59 00000
9	0048	0048	EXST2201025	1	14.30 16.30		22	888	140 59 00000
	0048	0048	EXST2201026	1	14.30 16.30	1	22	888	140 59 00000
9	0048	0048	EXST2201026	1	14.30 16.30		22	888	140 59 00000
	0048	0048	EXST2201035	1	14.30 16.30		22	888	140 59 00000
9	0048	0048	EXST2201035	1	14.30 16.30		22	888	140 59 00000
	0048	0048	EXST2201036	1	14.30 16.30	1	20	888	140 59 00000
9	0048	0048	EXST2201036	1	14.30 16.30		20	888	140 59 00000
	0048	0048	EXST2201007	1	16.30 18.30		21	888	140 59 00000
9	0048	0048	EXST2201007	1	16.30 18.30		21	888	140 59 00000
	0048	0048	EXST2201008	1	16.30 18.30	1	21	888	140 59 00000
9	0048	0048	EXST2201008	1	16.30 18.30		21	888	140 59 00000
	0048	0048	EXST2201017	1	16.30 18.30		22	888	140 59 00000
9	0048	0048	EXST2201017	1	16.30 18.30		22	888	140 59 00000
	0048	0048	EXST2201018	1	16.30 18.30	1	21	888	140 59 00000
9	0048	0048	EXST2201018	1	16.30 18.30		21	888	140 59 00000
	0048	0048	EXST2201027	1	16.30 18.30		21	888	140 59 00000
9	0048	0048	EXST2201027	1	16.30 18.30		21	888	140 59 00000
	0048	0048	EXST2201028	1	16.30 18.30	1	20	888	140 59 00000
9	0048	0048	EXST2201028	1	16.30 18.30		20	888	140 59 00000
	0048	0048	EXST2201037	1	16.30 18.30		21	888	140 59 00000
9	0048	0048	EXST2201037	1	16.30 18.30		21	888	140 59 00000
	0048	0048	EXST2201038	1	16.30 18.30	1	16	888	140 59 00000
9	0048	0048	EXST2201038	1	16.30 18.30		16	888	140 59 00000
	0048	0150	HRE 7724001	1	13.30 16.30		12	563	350 25 00000
9	0048	0150	HRE 7724001	1	13.30 16.30		12	563	350 25 00000
	0048	0204	AGEC4403001	1 1	9.00 10.30		20	498	110 33 00000
9	0048	0204	AGEC4403001	1 1	9.00 10.30		20	498	110 33 00000
	0048	0204	NFS 4060001	1 1	10.30 12.00		13	498	110 33 00000
9	0048	0204	NFS 4060001	1 1	10.30 12.00		13	498	110 33 00000
	0048	0204	XCAS9999108	1 11	14.30 15.30		33	498	110 33 00000
89	0048	0204	XCAS9999108	1 11	14.30 15.30		33	498	110 33 00000
	0048	0248	ECON2000003	1 1	9.00 10.30		30	516	110 34 00000
89	0048	0248	ECON2000003	1 1	9.00 10.30		30	516	110 34 00000
	0048	0248	AGEC4603001	1 1 1	9.30 10.30		20	516	110 34 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 58

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0048	0248	AGEC4603001	1 1 1	9.30 10.30		20	516	110 34 00000
	0048	0248	ENGL1000002	1 1	10.30 12.00		14	516	110 34 00000
9	0048	0248	ENGL1000002	1 1	10.30 12.00		14	516	110 34 00000
	0048	0248	HIST3119003	1 1	12.00 13.30		16	516	110 34 00000
9	0048	0248	HIST3119003	1 1	12.00 13.30		16	516	110 34 00000
	0048	0248	EXST7014001	1 1	13.30 15.00		24	516	110 34 00000
9	0048	0248	EXST7014001	1 1	13.30 15.00		24	516	110 34 00000
	0048	0248	ANSC4050001	1 1	14.30 16.00		28	516	110 34 00000
89	0048	0248	ANSC4050001	1 1	14.30 16.00		28	516	110 34 00000
	0048	0248	FREN3071001	1 1	15.00 16.30		7	516	110 34 00000
9	0048	0248	FREN3071001	1 1	15.00 16.30		7	516	110 34 00000
	0048	0267	AEEE2001001	1	11.00 13.00		12	352	110 23 00000
9	0048	0267	AEEE2001001	1	11.00 13.00		12	352	110 23 00000
	0048	0267	AEEE2001001	1	11.00 13.00		12	352	110 23 00000
9	0048	0267	AEEE2001001	1	11.00 13.00		12	352	110 23 00000
	0048	0267	AGEC3003001	1 1 1	12.30 13.30		17	352	110 23 00000
9	0048	0267	AGEC3003001	1 1 1	12.30 13.30		17	352	110 23 00000
89	0048	0267	AGEC3003001	1 1 1	12.30 13.30		17	352	110 23 00000
89	0048	0267	AGEC3003001	1 1 1	12.30 13.30		17	352	110 23 00000
	0048	0267	AGEC7313001	1 1	13.30 15.00		6	352	110 23 00000
9	0048	0267	AGEC7313001	1 1	13.30 15.00		6	352	110 23 00000
	0048	0269	EXST7083001	1 1 1	8.00 9.30		8	300	110 20 00000
9	0048	0269	EXST7083001	1 1 1	8.00 9.30		8	300	110 20 00000
	0048	0269	AAAS4450001	1 1 1	9.30 10.30		5	300	110 20 00000
9	0048	0269	AAAS4450001	1 1 1	9.30 10.30		5	300	110 20 00000
	0048	0269	AGEC7113001	1 1	10.30 12.00		2	300	110 20 00000
9	0048	0269	AGEC7113001	1 1	10.30 12.00		2	300	110 20 00000
	0048	0269	POLI7900001	1	13.30 16.30		4	300	110 20 00000
9	0048	0269	POLI7900001	1	13.30 16.30		4	300	110 20 00000
	0050	0012	ANSC3053002	1	10.00 12.00		3	575	110 38 00000
9	0050	0012	ANSC3053002	1	10.00 12.00		3	575	110 38 00000
	0050	0012	ANSC7001001	1 1	10.30 11.30		9	575	110 38 00000
9	0050	0012	ANSC7001001	1 1	10.30 11.30		9	575	110 38 00000
	0050	0012	ANSC3033001	1	13.30 14.30		15	575	110 38 00000
9	0050	0012	ANSC3033001	1	13.30 14.30		15	575	110 38 00000
	0050	0012	ANSC3033001	1 1	14.30 16.30		15	575	110 38 00000
9	0050	0012	ANSC3033001	1 1	14.30 16.30		15	575	110 38 00000
	0050	0012	ANSC4051001	1	16.30 19.30		10	575	110 38 00000
9	0050	0012	ANSC4051001	1	16.30 19.30		10	575	110 38 00000
	0050	0012	ANSC4051001	1	16.30 19.30		10	575	110 38 00000
9	0050	0012	ANSC4051001	1	16.30 19.30		10	575	110 38 00000
	0051	0135	HNRS2033004	1 1 1	9.30 10.30		21	930	110 62 00000
9	0051	0135	HNRS2033004	1 1 1	9.30 10.30		21	930	110 62 00000
	0051	0200	HNRS2000007	1 1	9.00 10.30		20	537	110 36 00000
9	0051	0200	HNRS2000007	1 1	9.00 10.30		20	537	110 36 00000
	0051	0200	HNRS1035001	1 1 1	9.30 10.30		20	537	110 36 00000
9	0051	0200	HNRS1035001	1 1 1	9.30 10.30		20	537	110 36 00000
	0051	0200	HNRS2000012	1 1 1	10.30 11.30		20	537	110 36 00000
9	0051	0200	HNRS2000012	1 1 1	10.30 11.30		20	537	110 36 00000
	0051	0200	HNRS2000002	1 1	10.30 12.00		14	537	110 36 00000
9	0051	0200	HNRS2000002	1 1	10.30 12.00		14	537	110 36 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 59

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0051	0200	HNRS2030005	1 1	12.00 13.30		20	537	110 36 00000
9	0051	0200	HNRS2030005	1 1	12.00 13.30		20	537	110 36 00000
	0051	0200	HNRS2020001	1 1	13.30 15.00		20	537	110 36 00000
9	0051	0200	HNRS2020001	1 1	13.30 15.00		20	537	110 36 00000
	0051	0200	HNRS2021003	1	15.00 18.00		20	537	110 36 00000
9	0051	0200	HNRS2021003	1	15.00 18.00		20	537	110 36 00000
	0051	0203	HNRS2000011	1 1	9.00 10.30		11	338	110 23 00000
9	0051	0203	HNRS2000011	1 1	9.00 10.30		11	338	110 23 00000
	0051	0203	HNRS2000015	1 1 1	10.30 11.30		14	338	110 23 00000
9	0051	0203	HNRS2000015	1 1 1	10.30 11.30		14	338	110 23 00000
	0051	0203	HNRS2000004	1 1	10.30 12.00		12	338	110 23 00000
9	0051	0203	HNRS2000004	1 1	10.30 12.00		12	338	110 23 00000
	0051	0218	HNRS2021002	1 1	9.00 10.30		18	763	110 51 00000
9	0051	0218	HNRS2021002	1 1	9.00 10.30		18	763	110 51 00000
	0051	0218	HNRS2000013	1 1 1	10.30 11.30		20	763	110 51 00000
9	0051	0218	HNRS2000013	1 1 1	10.30 11.30		20	763	110 51 00000
	0051	0218	HNRS2000001	1 1	10.30 12.00		15	763	110 51 00000
9	0051	0218	HNRS2000001	1 1	10.30 12.00		15	763	110 51 00000
	0051	0218	HNRS2012001	1 1	12.00 13.30		12	763	110 51 00000
9	0051	0218	HNRS2012001	1 1	12.00 13.30		12	763	110 51 00000
	0051	0218	HNRS2030003	1 1 1	13.30 14.30		14	763	110 51 00000
9	0051	0218	HNRS2030003	1 1 1	13.30 14.30		14	763	110 51 00000
	0051	0218	HNRS3025001	1 1	13.30 15.00		12	763	110 51 00000
9	0051	0218	HNRS3025001	1 1	13.30 15.00		12	763	110 51 00000
	0051	0218	HNRS2033001	1	15.00 18.00		15	763	110 51 00000
9	0051	0218	HNRS2033001	1	15.00 18.00		15	763	110 51 00000
	0051	0218	HNRS2030002	1 1	16.30 18.00		17	763	110 51 00000
9	0051	0218	HNRS2030002	1 1	16.30 18.00		17	763	110 51 00000
	0051	0220	HNRS2021001	1 1	9.00 10.30		18	400	110 27 00000
9	0051	0220	HNRS2021001	1 1	9.00 10.30		18	400	110 27 00000
	0051	0220	HNRS2000005	1 1	10.30 12.00		19	400	110 27 00000
9	0051	0220	HNRS2000005	1 1	10.30 12.00		19	400	110 27 00000
	0051	0220	HNRS2033003	1	14.00 17.00		18	400	110 27 00000
9	0051	0220	HNRS2033003	1	14.00 17.00		18	400	110 27 00000
	0051	0221	HNRS2000008	1 1	9.00 10.30		20	741	110 49 00000
9	0051	0221	HNRS2000008	1 1	9.00 10.30		20	741	110 49 00000
	0055	0004	MEDP4352001	1	11.30 14.30		8	693	210 46 00000
9	0055	0004	MEDP4352001	1	11.30 14.30		8	693	210 46 00000
	0055	0006	PHYS1208002	1	14.30 17.30		7	488	210 33 00000
9	0055	0006	PHYS1208002	1	14.30 17.30		7	488	210 33 00000
	0055	0006	PHYS1208001	1	15.00 18.00		9	488	210 33 00000
9	0055	0006	PHYS1208001	1	15.00 18.00		9	488	210 33 00000
	0055	0006	PHYS1208004	1	15.00 18.00		9	488	210 33 00000
9	0055	0006	PHYS1208004	1	15.00 18.00		9	488	210 33 00000
	0055	0006	PHYS1208003	1	18.30 21.30		8	488	210 33 00000
9	0055	0006	PHYS1208003	1	18.30 21.30		8	488	210 33 00000
	0055	0007	PHYS2207001	1	13.30 16.30		12	530	210 35 00000
9	0055	0007	PHYS2207001	1	13.30 16.30		12	530	210 35 00000
	0055	0007	PHYS2207002	1	13.30 16.30		9	530	210 35 00000
9	0055	0007	PHYS2207002	1	13.30 16.30		9	530	210 35 00000
	0055	0007	PHYS2207003	1	13.30 16.30		8	530	210 35 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 60

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0055	0007		PHYS2207003	1	13.30 16.30	8	530	210 35 00000
	0055	0010		PHYS2108019	1	8.30 11.30	10	384	210 26 00000
9	0055	0010		PHYS2108019	1	8.30 11.30	10	384	210 26 00000
	0055	0010		PHYS2108035	1	8.30 11.30	17	384	210 26 00000
9	0055	0010		PHYS2108035	1	8.30 11.30	17	384	210 26 00000
	0055	0010		PHYS2108023	1	9.00 12.00	18	384	210 26 00000
9	0055	0010		PHYS2108023	1	9.00 12.00	18	384	210 26 00000
	0055	0010		PHYS2108031	1	9.00 12.00	19	384	210 26 00000
9	0055	0010		PHYS2108031	1	9.00 12.00	19	384	210 26 00000
	0055	0010		PHYS2108020	1	11.30 14.30	24	384	210 26 00000
89	0055	0010		PHYS2108020	1	11.30 14.30	24	384	210 26 00000
	0055	0010		PHYS2108028	1	11.30 14.30	23	384	210 26 00000
89	0055	0010		PHYS2108028	1	11.30 14.30	23	384	210 26 00000
	0055	0010		PHYS2108036	1	11.30 14.30	21	384	210 26 00000
89	0055	0010		PHYS2108036	1	11.30 14.30	21	384	210 26 00000
	0055	0010		PHYS2108024	1	12.00 15.00	23	384	210 26 00000
89	0055	0010		PHYS2108024	1	12.00 15.00	23	384	210 26 00000
	0055	0010		PHYS2108032	1	12.00 15.00	21	384	210 26 00000
89	0055	0010		PHYS2108032	1	12.00 15.00	21	384	210 26 00000
	0055	0010		PHYS2108021	1	14.30 17.30	23	384	210 26 00000
89	0055	0010		PHYS2108021	1	14.30 17.30	23	384	210 26 00000
	0055	0010		PHYS2108029	1	14.30 17.30	24	384	210 26 00000
89	0055	0010		PHYS2108029	1	14.30 17.30	24	384	210 26 00000
	0055	0010		PHYS2108025	1	15.00 18.00	23	384	210 26 00000
89	0055	0010		PHYS2108025	1	15.00 18.00	23	384	210 26 00000
	0055	0010		PHYS2108033	1	15.00 18.00	22	384	210 26 00000
89	0055	0010		PHYS2108033	1	15.00 18.00	22	384	210 26 00000
	0055	0010		PHYS2108022	1	19.00 22.00	10	384	210 26 00000
9	0055	0010		PHYS2108022	1	19.00 22.00	10	384	210 26 00000
	0055	0011		PHYS2108001	1	8.30 11.30	15	890	210 48 00000
9	0055	0011		PHYS2108001	1	8.30 11.30	15	890	210 48 00000
	0055	0011		PHYS2108009	1	8.30 11.30	19	890	210 48 00000
9	0055	0011		PHYS2108009	1	8.30 11.30	19	890	210 48 00000
	0055	0011		PHYS2108017	1	8.30 11.30	16	890	210 48 00000
9	0055	0011		PHYS2108017	1	8.30 11.30	16	890	210 48 00000
	0055	0011		PHYS2108005	1	9.00 12.00	21	890	210 48 00000
9	0055	0011		PHYS2108005	1	9.00 12.00	21	890	210 48 00000
	0055	0011		PHYS2108013	1	9.00 12.00	20	890	210 48 00000
9	0055	0011		PHYS2108013	1	9.00 12.00	20	890	210 48 00000
	0055	0011		PHYS2108002	1	11.30 14.30	24	890	210 48 00000
9	0055	0011		PHYS2108002	1	11.30 14.30	24	890	210 48 00000
	0055	0011		PHYS2108010	1	11.30 14.30	24	890	210 48 00000
9	0055	0011		PHYS2108010	1	11.30 14.30	24	890	210 48 00000
	0055	0011		PHYS2108018	1	11.30 14.30	24	890	210 48 00000
9	0055	0011		PHYS2108018	1	11.30 14.30	24	890	210 48 00000
	0055	0011		PHYS2108006	1	12.00 15.00	23	890	210 48 00000
9	0055	0011		PHYS2108006	1	12.00 15.00	23	890	210 48 00000
	0055	0011		PHYS2108014	1	12.00 15.00	23	890	210 48 00000
9	0055	0011		PHYS2108014	1	12.00 15.00	23	890	210 48 00000
	0055	0011		PHYS2108003	1	14.30 17.30	24	890	210 48 00000
9	0055	0011		PHYS2108003	1	14.30 17.30	24	890	210 48 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 61

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0055	0011	PHYS2108011	1	14.30 17.30		24	890	210 48 00000
9	0055	0011	PHYS2108011	1	14.30 17.30		24	890	210 48 00000
	0055	0011	PHYS2108007	1	15.00 18.00		24	890	210 48 00000
9	0055	0011	PHYS2108007	1	15.00 18.00		24	890	210 48 00000
	0055	0011	PHYS2108015	1	15.00 18.00		24	890	210 48 00000
9	0055	0011	PHYS2108015	1	15.00 18.00		24	890	210 48 00000
	0055	0011	PHYS2108004	1	19.00 22.00		16	890	210 48 00000
9	0055	0011	PHYS2108004	1	19.00 22.00		16	890	210 48 00000
	0055	0011	PHYS2108008	1	19.00 22.00		21	890	210 48 00000
9	0055	0011	PHYS2108008	1	19.00 22.00		21	890	210 48 00000
	0055	0011	PHYS2108012	1	19.00 22.00		21	890	210 48 00000
9	0055	0011	PHYS2108012	1	19.00 22.00		21	890	210 48 00000
	0055	0011	PHYS2108016	1	19.00 22.00		17	890	210 48 00000
9	0055	0011	PHYS2108016	1	19.00 22.00		17	890	210 48 00000
	0055	0014	PHYS2109001	1	8.30 11.30		9	528	210 34 00000
9	0055	0014	PHYS2109001	1	8.30 11.30		9	528	210 34 00000
	0055	0014	PHYS2109009	1	8.30 11.30		11	528	210 34 00000
9	0055	0014	PHYS2109009	1	8.30 11.30		11	528	210 34 00000
	0055	0014	PHYS2109017	1	8.30 11.30		6	528	210 34 00000
9	0055	0014	PHYS2109017	1	8.30 11.30		6	528	210 34 00000
	0055	0014	PHYS2109005	1	9.00 12.00		24	528	210 34 00000
9	0055	0014	PHYS2109005	1	9.00 12.00		24	528	210 34 00000
	0055	0014	PHYS2109013	1	9.00 12.00		12	528	210 34 00000
9	0055	0014	PHYS2109013	1	9.00 12.00		12	528	210 34 00000
	0055	0014	PHYS2109002	1	11.30 14.30		24	528	210 34 00000
9	0055	0014	PHYS2109002	1	11.30 14.30		24	528	210 34 00000
	0055	0014	PHYS2109010	1	11.30 14.30		21	528	210 34 00000
9	0055	0014	PHYS2109010	1	11.30 14.30		21	528	210 34 00000
	0055	0014	PHYS2109018	1	11.30 14.30		18	528	210 34 00000
9	0055	0014	PHYS2109018	1	11.30 14.30		18	528	210 34 00000
	0055	0014	PHYS2109006	1	12.00 15.00		20	528	210 34 00000
9	0055	0014	PHYS2109006	1	12.00 15.00		20	528	210 34 00000
	0055	0014	PHYS2109014	1	12.00 15.00		9	528	210 34 00000
9	0055	0014	PHYS2109014	1	12.00 15.00		9	528	210 34 00000
	0055	0014	PHYS2109003	1	14.30 17.30		22	528	210 34 00000
9	0055	0014	PHYS2109003	1	14.30 17.30		22	528	210 34 00000
	0055	0014	PHYS2109011	1	14.30 17.30		24	528	210 34 00000
9	0055	0014	PHYS2109011	1	14.30 17.30		24	528	210 34 00000
	0055	0014	PHYS2109007	1	15.00 18.00		21	528	210 34 00000
9	0055	0014	PHYS2109007	1	15.00 18.00		21	528	210 34 00000
	0055	0014	PHYS2109015	1	15.00 18.00		23	528	210 34 00000
9	0055	0014	PHYS2109015	1	15.00 18.00		23	528	210 34 00000
	0055	0014	PHYS2109004	1	19.00 22.00		15	528	210 34 00000
9	0055	0014	PHYS2109004	1	19.00 22.00		15	528	210 34 00000
	0055	0014	PHYS2109008	1	19.00 22.00		10	528	210 34 00000
9	0055	0014	PHYS2109008	1	19.00 22.00		10	528	210 34 00000
	0055	0014	PHYS2109012	1	19.00 22.00		5	528	210 34 00000
9	0055	0014	PHYS2109012	1	19.00 22.00		5	528	210 34 00000
	0055	0014	PHYS2109016	1	19.00 22.00		9	528	210 34 00000
9	0055	0014	PHYS2109016	1	19.00 22.00		9	528	210 34 00000
	0055	0106	PHYS7232001	1 1	9.00 10.30		15	480	110 32 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 62

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0055	0106	PHYS7232001	1 1	9.00 10.30		15	480	110 32 00000
	0055	0106	PHYS7895003	1 1 1	9.30 10.30		9	480	110 32 00000
9	0055	0106	PHYS7895003	1 1 1	9.30 10.30		9	480	110 32 00000
	0055	0106	PHYS7211001	1 1 1	10.30 11.30		11	480	110 32 00000
9	0055	0106	PHYS7211001	1 1 1	10.30 11.30		11	480	110 32 00000
	0055	0106	PHYS7221001	1 1	10.30 12.00		15	480	110 32 00000
9	0055	0106	PHYS7221001	1 1	10.30 12.00		15	480	110 32 00000
	0055	0106	ASTR7741001	1 1 1	11.30 12.30		3	480	110 32 00000
9	0055	0106	ASTR7741001	1 1 1	11.30 12.30		3	480	110 32 00000
	0055	0106	PHYS7741001	1 1 1	11.30 12.30	1	3	480	110 32 00000
9	0055	0106	PHYS7741001	1 1 1	11.30 12.30		3	480	110 32 00000
	0055	0106	PHYS7383001	1 1	12.00 13.30		5	480	110 32 00000
9	0055	0106	PHYS7383001	1 1	12.00 13.30		5	480	110 32 00000
	0055	0106	PHYS7895001	1 1 1	12.30 13.30		6	480	110 32 00000
9	0055	0106	PHYS7895001	1 1 1	12.30 13.30		6	480	110 32 00000
	0055	0106	PHYS7241001	1 1	13.30 15.00		17	480	110 32 00000
9	0055	0106	PHYS7241001	1 1	13.30 15.00		17	480	110 32 00000
	0055	0106	PHYS7745001	1 1 1	14.30 15.30		7	480	110 32 00000
9	0055	0106	PHYS7745001	1 1 1	14.30 15.30		7	480	110 32 00000
	0055	0109	PHYS2110001	1 1 1	8.30 9.30		17	903	110 89 00000
9	0055	0109	PHYS2110001	1 1 1	8.30 9.30		17	903	110 89 00000
	0055	0109	PHYS2110006	1 1	9.00 10.30		33	903	110 89 00000
9	0055	0109	PHYS2110006	1 1	9.00 10.30		33	903	110 89 00000
	0055	0109	PHYS2110002	1 1 1	9.30 10.30		54	903	110 89 00000
9	0055	0109	PHYS2110002	1 1 1	9.30 10.30		54	903	110 89 00000
	0055	0109	PHYS2110003	1 1 1	10.30 11.30		48	903	110 89 00000
9	0055	0109	PHYS2110003	1 1 1	10.30 11.30		48	903	110 89 00000
	0055	0109	PHYS2110007	1 1	10.30 12.00		55	903	110 89 00000
9	0055	0109	PHYS2110007	1 1	10.30 12.00		55	903	110 89 00000
	0055	0109	PHYS2110004	1 1 1	11.30 12.30		49	903	110 89 00000
9	0055	0109	PHYS2110004	1 1 1	11.30 12.30		49	903	110 89 00000
	0055	0109	PHYS2110008	1 1	12.00 13.30		69	903	110 89 00000
89	0055	0109	PHYS2110008	1 1	12.00 13.30		69	903	110 89 00000
	0055	0109	PHYS2110005	1 1 1	12.30 13.30		21	903	110 89 00000
9	0055	0109	PHYS2110005	1 1 1	12.30 13.30		21	903	110 89 00000
	0055	0109	PHYS2112003	1 1 1	13.30 14.30		17	903	110 89 00000
9	0055	0109	PHYS2112003	1 1 1	13.30 14.30		17	903	110 89 00000
	0055	0109	PHYS2113006	1 1	13.30 15.00		54	903	110 89 00000
9	0055	0109	PHYS2113006	1 1	13.30 15.00		54	903	110 89 00000
	0055	0118	PHYS2231001	1 1	9.00 10.30		23	540	110 36 00000
9	0055	0118	PHYS2231001	1 1	9.00 10.30		23	540	110 36 00000
	0055	0118	PHYS2203001	1 1 1	9.30 10.30		28	540	110 36 00000
89	0055	0118	PHYS2203001	1 1 1	9.30 10.30		28	540	110 36 00000
	0055	0118	PHYS4123001	1 1 1	10.30 11.30		16	540	110 36 00000
9	0055	0118	PHYS4123001	1 1 1	10.30 11.30		16	540	110 36 00000
	0055	0118	ASTR4750001	1 1	10.30 12.00		5	540	110 36 00000
9	0055	0118	ASTR4750001	1 1	10.30 12.00		5	540	110 36 00000
	0055	0118	PHYS4261001	1 1	12.00 13.30		3	540	110 36 00000
9	0055	0118	PHYS4261001	1 1	12.00 13.30		3	540	110 36 00000
	0055	0118	PHYS7363001	1 1 1	12.30 13.30		8	540	110 36 00000
9	0055	0118	PHYS7363001	1 1 1	12.30 13.30		8	540	110 36 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 63

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0055	0118	PHYS4142001	1 1 1	13.30 14.30		8	540	110 36 00000
9	0055	0118	PHYS4142001	1 1 1	13.30 14.30		8	540	110 36 00000
	0055	0118	PHYS4750001	1 1	13.30 15.00		9	540	110 36 00000
9	0055	0118	PHYS4750001	1 1	13.30 15.00		9	540	110 36 00000
	0055	0119	PHYS2113001	1 1 1	8.30 9.30		72	890	110 85 00000
89	0055	0119	PHYS2113001	1 1 1	8.30 9.30		72	890	110 85 00000
	0055	0119	PHYS1201001	1111	9.30 10.30		34	890	110 85 00000
9	0055	0119	PHYS1201001	1111	9.30 10.30		34	890	110 85 00000
	0055	0119	PHYS2995002	1	9.30 10.30		25	890	110 85 00000
9	0055	0119	PHYS2995002	1	9.30 10.30		25	890	110 85 00000
	0055	0119	PHYS2112001	1 1 1	10.30 11.30		49	890	110 85 00000
9	0055	0119	PHYS2112001	1 1 1	10.30 11.30		49	890	110 85 00000
	0055	0119	PHYS2112004	1 1	10.30 12.00		51	890	110 85 00000
9	0055	0119	PHYS2112004	1 1	10.30 12.00		51	890	110 85 00000
	0055	0119	PHYS2113002	1 1 1	11.30 12.30		71	890	110 85 00000
89	0055	0119	PHYS2113002	1 1 1	11.30 12.30		71	890	110 85 00000
	0055	0119	PHYS2113005	1 1	12.00 13.30		56	890	110 85 00000
9	0055	0119	PHYS2113005	1 1	12.00 13.30		56	890	110 85 00000
	0055	0119	PHYS2112002	1 1 1	12.30 13.30		52	890	110 85 00000
9	0055	0119	PHYS2112002	1 1 1	12.30 13.30		52	890	110 85 00000
	0055	0119	PHYS2113003	1 1 1	13.30 14.30		69	890	110 85 00000
89	0055	0119	PHYS2113003	1 1 1	13.30 14.30		69	890	110 85 00000
	0055	0119	PHYS2112005	1 1	13.30 15.00		17	890	110 85 00000
9	0055	0119	PHYS2112005	1 1	13.30 15.00		17	890	110 85 00000
	0055	0119	PHYS2113004	1 1 1	14.30 15.30		43	890	110 85 00000
9	0055	0119	PHYS2113004	1 1 1	14.30 15.30		43	890	110 85 00000
	0055	0119	PHYS2113007	1 1	15.00 16.30		28	890	110 85 00000
9	0055	0119	PHYS2113007	1 1	15.00 16.30		28	890	110 85 00000
	0055	0119	PHYS2995001	1	16.30 17.30		8	890	110 85 00000
9	0055	0119	PHYS2995001	1	16.30 17.30		8	890	110 85 00000
	0055	0130	ASTR1101001	1 1 1	8.30 9.30		192	3,227	110 343 00000
9	0055	0130	ASTR1101001	1 1 1	8.30 9.30		192	3,227	110 343 00000
	0055	0130	ASTR1102002	1 1	9.00 10.30		118	3,227	110 343 00000
9	0055	0130	ASTR1102002	1 1	9.00 10.30		118	3,227	110 343 00000
	0055	0130	PHYS2001001	1 1 1	9.30 10.30		257	3,227	110 343 00000
9	0055	0130	PHYS2001001	1 1 1	9.30 10.30		257	3,227	110 343 00000
	0055	0130	PHYS2002001	1 1 1	10.30 11.30		188	3,227	110 343 00000
9	0055	0130	PHYS2002001	1 1 1	10.30 11.30		188	3,227	110 343 00000
	0055	0130	PHYS2001003	1 1	10.30 12.00		288	3,227	110 343 00000
89	0055	0130	PHYS2001003	1 1	10.30 12.00		288	3,227	110 343 00000
	0055	0130	BLAW3201002	1 1 1	11.30 12.30		251	3,227	110 343 00000
9	0055	0130	BLAW3201002	1 1 1	11.30 12.30		251	3,227	110 343 00000
	0055	0130	PHYS2002002	1 1	12.00 13.30		120	3,227	110 343 00000
9	0055	0130	PHYS2002002	1 1	12.00 13.30		120	3,227	110 343 00000
	0055	0130	ASTR1102001	1 1 1	12.30 13.30		126	3,227	110 343 00000
9	0055	0130	ASTR1102001	1 1 1	12.30 13.30		126	3,227	110 343 00000
	0055	0130	PHYS2001002	1 1 1	13.30 14.30		215	3,227	110 343 00000
9	0055	0130	PHYS2001002	1 1 1	13.30 14.30		215	3,227	110 343 00000
	0055	0130	ASTR1101002	1 1	13.30 15.00		258	3,227	110 343 00000
89	0055	0130	ASTR1101002	1 1	13.30 15.00		258	3,227	110 343 00000
	0055	0130	PHSC1001001	1 1 1	14.30 15.30		95	3,227	110 343 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 64

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0055	0130	PHSC1001001	1 1 1	14.30 15.30	95	3,227	110 343	00000
	0055	0130	ECON2010007	1 1	15.00 16.30	194	3,227	110 343	00000
9	0055	0130	ECON2010007	1 1	15.00 16.30	194	3,227	110 343	00000
	0055	0262	MEDP4351001	1 1	9.30 10.30	9	620	350 40	00000
9	0055	0262	MEDP4351001	1 1	9.30 10.30	9	620	350 40	00000
	0055	0262	ASTR7777001	1	12.00 13.30	2	620	350 40	00000
9	0055	0262	ASTR7777001	1	12.00 13.30	2	620	350 40	00000
	0055	0262	MEDP7995001	1	12.30 13.30	14	620	350 40	00000
9	0055	0262	MEDP7995001	1	12.30 13.30	14	620	350 40	00000
	0055	0262	ASTR4261001	1	13.30 14.30	3	620	350 40	00000
9	0055	0262	ASTR4261001	1	13.30 14.30	3	620	350 40	00000
	0055	0262	MEDP7537001	1 1	15.30 17.00	7	620	350 40	00000
9	0055	0262	MEDP7537001	1 1	15.30 17.00	7	620	350 40	00000
	0055	0262	ASTR4261001	1 1	19.30 22.30	3	620	350 40	00000
9	0055	0262	ASTR4261001	1 1	19.30 22.30	3	620	350 40	00000
	0055	0365	PHYS2411001	1 1	11.30 12.30	16	803	210 53	00000
9	0055	0365	PHYS2411001	1 1	11.30 12.30	16	803	210 53	00000
	0055	0365	PHYS2411001	1	11.30 13.30	16	803	210 53	00000
9	0055	0365	PHYS2411001	1	11.30 13.30	16	803	210 53	00000
	0055	0365	ASTR1108001	1	19.00 22.00	21	803	210 53	00000
9	0055	0365	ASTR1108001	1	19.00 22.00	21	803	210 53	00000
	0055	0365	ASTR1108002	1	19.00 22.00	19	803	210 53	00000
9	0055	0365	ASTR1108002	1	19.00 22.00	19	803	210 53	00000
	0055	0365	ASTR1109001	1	19.00 22.00	12	803	210 53	00000
9	0055	0365	ASTR1109001	1	19.00 22.00	12	803	210 53	00000
	0055	0365	ASTR1109002	1	19.00 22.00	11	803	210 53	00000
9	0055	0365	ASTR1109002	1	19.00 22.00	11	803	210 53	00000
	0070	0130	SOCL2001001	1 1 1	8.30 9.30	197	2,756	110 356	00000
9	0070	0130	SOCL2001001	1 1 1	8.30 9.30	197	2,756	110 356	00000
	0070	0130	ANTH1001002	1 1	9.00 10.30	127	2,756	110 356	00000
9	0070	0130	ANTH1001002	1 1	9.00 10.30	127	2,756	110 356	00000
	0070	0130	MUS 1751001	1 1 1	9.30 10.30	153	2,756	110 356	00000
9	0070	0130	MUS 1751001	1 1 1	9.30 10.30	153	2,756	110 356	00000
	0070	0130	PSYC2000004	1 1 1	10.30 11.30	263	2,756	110 356	00000
9	0070	0130	PSYC2000004	1 1 1	10.30 11.30	263	2,756	110 356	00000
	0070	0130	GEOL1001002	1 1	10.30 12.00	263	2,756	110 356	00000
9	0070	0130	GEOL1001002	1 1	10.30 12.00	263	2,756	110 356	00000
	0070	0130	MUS 1600001	1 1 1	11.30 12.30	345	2,756	110 356	00000
89	0070	0130	MUS 1600001	1 1 1	11.30 12.30	345	2,756	110 356	00000
	0070	0130	GEOG1001002	1 1	12.00 13.30	201	2,756	110 356	00000
9	0070	0130	GEOG1001002	1 1	12.00 13.30	201	2,756	110 356	00000
	0070	0130	GEOL1001001	1 1 1	12.30 13.30	341	2,756	110 356	00000
89	0070	0130	GEOL1001001	1 1 1	12.30 13.30	341	2,756	110 356	00000
	0070	0130	PETE4051001	1 1 1	13.30 14.30	226	2,756	110 356	00000
9	0070	0130	PETE4051001	1 1 1	13.30 14.30	226	2,756	110 356	00000
	0070	0130	GEOG1001001	1 1	13.30 15.00	80	2,756	110 356	00000
9	0070	0130	GEOG1001001	1 1	13.30 15.00	80	2,756	110 356	00000
	0070	0130	GEOL1003001	1 1 1	14.30 15.30	166	2,756	110 356	00000
9	0070	0130	GEOL1003001	1 1 1	14.30 15.30	166	2,756	110 356	00000
	0070	0130	GEOL1001003	1 1	15.00 16.30	82	2,756	110 356	00000
9	0070	0130	GEOL1001003	1 1	15.00 16.30	82	2,756	110 356	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 65

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0070	0130	ACCT2000001	1	16.30 19.30		147	2,756	110 356 00000
9	0070	0130	ACCT2000001	1	16.30 19.30		147	2,756	110 356 00000
	0070	0245	ANTH4450001	1 1 1	9.30 10.30		4	782	110 49 00000
9	0070	0245	ANTH4450001	1 1 1	9.30 10.30		4	782	110 49 00000
	0070	0245	GEOG4997002	1 1	12.00 13.30		11	782	110 49 00000
9	0070	0245	GEOG4997002	1 1	12.00 13.30		11	782	110 49 00000
	0070	0245	ANTH4086001	1 1 1	13.30 14.30		9	782	110 49 00000
9	0070	0245	ANTH4086001	1 1 1	13.30 14.30		9	782	110 49 00000
	0070	0245	GEOG4086001	1 1 1	13.30 14.30	1	14	782	110 49 00000
9	0070	0245	GEOG4086001	1 1 1	13.30 14.30		14	782	110 49 00000
	0070	0245	GEOG4061001	1 1	14.30 16.00		14	782	110 49 00000
9	0070	0245	GEOG4061001	1 1	14.30 16.00		14	782	110 49 00000
	0070	0254	ANTH4909001	1 1	9.00 10.30		7	538	110 35 00000
9	0070	0254	ANTH4909001	1 1	9.00 10.30		7	538	110 35 00000
	0070	0254	ANTH4200001	1 1	10.30 12.00		11	538	110 35 00000
9	0070	0254	ANTH4200001	1 1	10.30 12.00		11	538	110 35 00000
	0070	0254	ANTH4470001	1 1 1	11.30 12.30		8	538	110 35 00000
9	0070	0254	ANTH4470001	1 1 1	11.30 12.30		8	538	110 35 00000
	0070	0254	ANTH4997001	1 1	12.00 13.30		10	538	110 35 00000
9	0070	0254	ANTH4997001	1 1	12.00 13.30		10	538	110 35 00000
	0070	0254	ANTH4051001	1 1	13.30 15.00		12	538	110 35 00000
9	0070	0254	ANTH4051001	1 1	13.30 15.00		12	538	110 35 00000
	0070	0254	GEOG7911002	1	16.30 19.30		4	538	110 35 00000
9	0070	0254	GEOG7911002	1	16.30 19.30		4	538	110 35 00000
	0070	0260	GEOG4047002	1 1 1	9.30 10.30		27	824	140 49 00000
9	0070	0260	GEOG4047002	1 1 1	9.30 10.30		27	824	140 49 00000
	0070	0260	GEOG4048001	1 1	10.30 12.00		26	824	140 49 00000
9	0070	0260	GEOG4048001	1 1	10.30 12.00		26	824	140 49 00000
	0070	0260	GEOG2010001	1 1 1	11.30 12.30		21	824	140 49 00000
9	0070	0260	GEOG2010001	1 1 1	11.30 12.30		21	824	140 49 00000
	0070	0260	GEOG4047001	1 1	12.00 13.30		29	824	140 49 00000
9	0070	0260	GEOG4047001	1 1	12.00 13.30		29	824	140 49 00000
	0070	0260	GEOG7973001	1 1 1	12.30 13.30		12	824	140 49 00000
9	0070	0260	GEOG7973001	1 1 1	12.30 13.30		12	824	140 49 00000
	0070	0260	GEOG4997001	1 1	13.30 15.00		13	824	140 49 00000
9	0070	0260	GEOG4997001	1 1	13.30 15.00		13	824	140 49 00000
	0070	0260	ANTH4083001	1 1	14.30 16.00		1	824	140 49 00000
9	0070	0260	ANTH4083001	1 1	14.30 16.00		1	824	140 49 00000
	0070	0260	GEOG4083001	1 1	14.30 16.00	1	9	824	140 49 00000
9	0070	0260	GEOG4083001	1 1	14.30 16.00		9	824	140 49 00000
	0070	0260	GEOG7911001	1 1	15.00 16.30		20	824	140 49 00000
9	0070	0260	GEOG7911001	1 1	15.00 16.30		20	824	140 49 00000
	0070	0347	GEOG4107001	1 1	9.00 10.30		23	536	110 35 00000
9	0070	0347	GEOG4107001	1 1	9.00 10.30		23	536	110 35 00000
	0070	0347	GEOG4035001	1 1	10.30 12.00		23	536	110 35 00000
9	0070	0347	GEOG4035001	1 1	10.30 12.00		23	536	110 35 00000
	0070	0347	GEOG1001004	1 1	12.00 13.30		25	536	110 35 00000
9	0070	0347	GEOG1001004	1 1	12.00 13.30		25	536	110 35 00000
	0070	0347	GEOG4012001	1	12.30 14.30		12	536	110 35 00000
9	0070	0347	GEOG4012001	1	12.30 14.30		12	536	110 35 00000
	0070	0347	GEOG7900002	1	12.30 15.30		2	536	110 35 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 66

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0070 0347	GEOL7900002	1	12.30 15.30		2	536	110 35	00000
	0070 0347	GEOL4002004	1 1	13.30 15.00		21	536	110 35	00000
9	0070 0347	GEOL4002004	1 1	13.30 15.00		21	536	110 35	00000
	0070 0360	GEOL7909002	1	12.30 14.30		2	892	210 30	00000
9	0070 0360	GEOL7909002	1	12.30 14.30		2	892	210 30	00000
	0070 0360	GEOL4012001	1	12.30 15.30		12	892	210 30	00000
9	0070 0360	GEOL4012001	1	12.30 15.30		12	892	210 30	00000
	0070 0360	GEOL3032001	1	13.30 16.30		18	892	210 30	00000
9	0070 0360	GEOL3032001	1	13.30 16.30		18	892	210 30	00000
	0070 0360	GEOL3032002	1	13.30 16.30		6	892	210 30	00000
9	0070 0360	GEOL3032002	1	13.30 16.30		6	892	210 30	00000
	0070 E0106	ANTH7909001	1	16.00 19.00		9	440	210 29	00000
9	0070 E0106	ANTH7909001	1	16.00 19.00		9	440	210 29	00000
	0070 E0130	ANTH2014001	1 1 1	8.30 9.30		44	1,466	110 209	00000
9	0070 E0130	ANTH2014001	1 1 1	8.30 9.30		44	1,466	110 209	00000
	0070 E0130	CSC 3102001	1 1	9.00 10.30		100	1,466	110 209	00000
9	0070 E0130	CSC 3102001	1 1	9.00 10.30		100	1,466	110 209	00000
	0070 E0130	GEOG2051001	1 1 1	9.30 10.30		143	1,466	110 209	00000
9	0070 E0130	GEOG2051001	1 1 1	9.30 10.30		143	1,466	110 209	00000
	0070 E0130	CM 3201001	1 1 1	10.30 11.30		95	1,466	110 209	00000
9	0070 E0130	CM 3201001	1 1 1	10.30 11.30		95	1,466	110 209	00000
	0070 E0130	ANTH2015001	1 1	10.30 12.00		91	1,466	110 209	00000
9	0070 E0130	ANTH2015001	1 1	10.30 12.00		91	1,466	110 209	00000
	0070 E0130	GEOG2050001	1 1 1	11.30 12.30		133	1,466	110 209	00000
9	0070 E0130	GEOG2050001	1 1 1	11.30 12.30		133	1,466	110 209	00000
	0070 E0130	KIN 3534001	1 1	12.00 13.30		19	1,466	110 209	00000
9	0070 E0130	KIN 3534001	1 1	12.00 13.30		19	1,466	110 209	00000
	0070 E0130	KIN 3534002	1 1	12.00 13.30	1	21	1,466	110 209	00000
9	0070 E0130	KIN 3534002	1 1	12.00 13.30		21	1,466	110 209	00000
	0070 E0130	KIN 3534003	1 1	12.00 13.30	1	21	1,466	110 209	00000
9	0070 E0130	KIN 3534003	1 1	12.00 13.30		21	1,466	110 209	00000
	0070 E0130	KIN 3534004	1 1	12.00 13.30	1	17	1,466	110 209	00000
9	0070 E0130	KIN 3534004	1 1	12.00 13.30		17	1,466	110 209	00000
	0070 E0130	KIN 3534005	1 1	12.00 13.30	1	21	1,466	110 209	00000
9	0070 E0130	KIN 3534005	1 1	12.00 13.30		21	1,466	110 209	00000
	0070 E0130	KIN 3534006	1 1	12.00 13.30	1	11	1,466	110 209	00000
9	0070 E0130	KIN 3534006	1 1	12.00 13.30		11	1,466	110 209	00000
	0070 E0130	GEOL3200001	1 1 1	12.30 13.30		97	1,466	110 209	00000
9	0070 E0130	GEOL3200001	1 1 1	12.30 13.30		97	1,466	110 209	00000
	0070 E0130	ME 3633001	1 1	13.30 14.30		6	1,466	110 209	00000
9	0070 E0130	ME 3633001	1 1	13.30 14.30		6	1,466	110 209	00000
	0070 E0130	ME 3633002	1 1	13.30 14.30	1	6	1,466	110 209	00000
9	0070 E0130	ME 3633002	1 1	13.30 14.30		6	1,466	110 209	00000
	0070 E0130	ME 3633003	1 1	13.30 14.30	1	6	1,466	110 209	00000
9	0070 E0130	ME 3633003	1 1	13.30 14.30		6	1,466	110 209	00000
	0070 E0130	ME 3633004	1 1	13.30 14.30	1	6	1,466	110 209	00000
9	0070 E0130	ME 3633004	1 1	13.30 14.30		6	1,466	110 209	00000
	0070 E0130	ME 3633005	1 1	13.30 14.30	1	5	1,466	110 209	00000
9	0070 E0130	ME 3633005	1 1	13.30 14.30		5	1,466	110 209	00000
	0070 E0130	ME 3633006	1 1	13.30 14.30	1	6	1,466	110 209	00000
9	0070 E0130	ME 3633006	1 1	13.30 14.30		6	1,466	110 209	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 67

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0070	E0130	ME 3633007	1 1	13.30 14.30	1	6	1,466	110 209 00000
9	0070	E0130	ME 3633007	1 1	13.30 14.30		6	1,466	110 209 00000
	0070	E0130	ME 3633008	1 1	13.30 14.30	1	6	1,466	110 209 00000
9	0070	E0130	ME 3633008	1 1	13.30 14.30		6	1,466	110 209 00000
	0070	E0130	ME 3633009	1 1	13.30 14.30	1	6	1,466	110 209 00000
9	0070	E0130	ME 3633009	1 1	13.30 14.30		6	1,466	110 209 00000
	0070	E0130	ME 3633010	1 1	13.30 14.30	1	6	1,466	110 209 00000
9	0070	E0130	ME 3633010	1 1	13.30 14.30		6	1,466	110 209 00000
	0070	E0130	ME 3633011	1 1	13.30 14.30	1	6	1,466	110 209 00000
9	0070	E0130	ME 3633011	1 1	13.30 14.30		6	1,466	110 209 00000
	0070	E0130	ME 3633012	1 1	13.30 14.30	1	6	1,466	110 209 00000
9	0070	E0130	ME 3633012	1 1	13.30 14.30		6	1,466	110 209 00000
	0070	E0130	ME 3633013	1 1	13.30 14.30	1	6	1,466	110 209 00000
9	0070	E0130	ME 3633013	1 1	13.30 14.30		6	1,466	110 209 00000
	0070	E0130	ME 3633014	1 1	13.30 14.30	1	6	1,466	110 209 00000
9	0070	E0130	ME 3633014	1 1	13.30 14.30		6	1,466	110 209 00000
	0070	E0130	ME 3633015	1 1	13.30 14.30	1	6	1,466	110 209 00000
9	0070	E0130	ME 3633015	1 1	13.30 14.30		6	1,466	110 209 00000
	0070	E0130	ME 3633016	1 1	13.30 14.30	1	6	1,466	110 209 00000
9	0070	E0130	ME 3633016	1 1	13.30 14.30		6	1,466	110 209 00000
	0070	E0130	ME 3633017	1 1	13.30 14.30	1	6	1,466	110 209 00000
9	0070	E0130	ME 3633017	1 1	13.30 14.30		6	1,466	110 209 00000
	0070	E0130	ME 3633018	1 1	13.30 14.30	1	6	1,466	110 209 00000
9	0070	E0130	ME 3633018	1 1	13.30 14.30		6	1,466	110 209 00000
	0070	E0130	ME 3633019	1 1	13.30 14.30	1	6	1,466	110 209 00000
9	0070	E0130	ME 3633019	1 1	13.30 14.30		6	1,466	110 209 00000
	0070	E0130	PSYC4008001	1 1	13.30 15.00		106	1,466	110 209 00000
9	0070	E0130	PSYC4008001	1 1	13.30 15.00		106	1,466	110 209 00000
	0070	E0131	ENGL1001010	1 1	9.00 10.30		17	591	110 84 00000
9	0070	E0131	ENGL1001010	1 1	9.00 10.30		17	591	110 84 00000
	0070	E0131	ANTH4060001	1 1 1	10.30 11.30		29	591	110 84 00000
9	0070	E0131	ANTH4060001	1 1 1	10.30 11.30		29	591	110 84 00000
	0070	E0131	LING4060001	1 1 1	10.30 11.30	1	3	591	110 84 00000
9	0070	E0131	LING4060001	1 1 1	10.30 11.30		3	591	110 84 00000
	0070	E0131	ECON2001001	1 1	10.30 12.00		30	591	110 84 00000
9	0070	E0131	ECON2001001	1 1	10.30 12.00		30	591	110 84 00000
	0070	E0131	CLST2092001	1 1	12.00 13.30		8	591	110 84 00000
9	0070	E0131	CLST2092001	1 1	12.00 13.30		8	591	110 84 00000
	0070	E0131	GEOG4031001	1 1	15.00 16.30		15	591	110 84 00000
9	0070	E0131	GEOG4031001	1 1	15.00 16.30		15	591	110 84 00000
	0070	E0131	CHE 4162001	1	16.30 17.30		9	591	110 84 00000
9	0070	E0131	CHE 4162001	1	16.30 17.30		9	591	110 84 00000
	0070	E0134	IE 4516001	1 1	9.00 10.30		76	936	110 134 00000
9	0070	E0134	IE 4516001	1 1	9.00 10.30		76	936	110 134 00000
	0070	E0134	OCS 1005001	1 1 1	10.30 11.30		83	936	110 134 00000
9	0070	E0134	OCS 1005001	1 1 1	10.30 11.30		83	936	110 134 00000
	0070	E0134	WGS 2200001	1 1	10.30 12.00		31	936	110 134 00000
9	0070	E0134	WGS 2200001	1 1	10.30 12.00		31	936	110 134 00000
	0070	E0134	OCS 1005002	1 1 1	11.30 12.30		62	936	110 134 00000
9	0070	E0134	OCS 1005002	1 1 1	11.30 12.30		62	936	110 134 00000
	0070	E0134	ANTH2051001	1 1	12.00 13.30		60	936	110 134 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 68

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0070	E0134	ANTH2051001	1 1	12.00 13.30		60	936	110 134 00000
	0070	E0134	PSYC3030001	1 1 1	13.30 14.30		41	936	110 134 00000
9	0070	E0134	PSYC3030001	1 1 1	13.30 14.30		41	936	110 134 00000
	0070	E0134	ANTH4004001	1 1	14.30 16.00		14	936	110 134 00000
9	0070	E0134	ANTH4004001	1 1	14.30 16.00		14	936	110 134 00000
	0070	E0134	LING4004001	1 1	14.30 16.00	1	1	936	110 134 00000
9	0070	E0134	LING4004001	1 1	14.30 16.00		1	936	110 134 00000
	0070	E0134	ANTH2050001	1 1	15.00 16.30		36	936	110 134 00000
9	0070	E0134	ANTH2050001	1 1	15.00 16.30		36	936	110 134 00000
	0070	E0137	ME 3834002	11111	7.30 8.30		90	1,466	110 209 00000
9	0070	E0137	ME 3834002	11111	7.30 8.30		90	1,466	110 209 00000
	0070	E0137	WGS 1001001	1 1	9.00 10.30		113	1,466	110 209 00000
9	0070	E0137	WGS 1001001	1 1	9.00 10.30		113	1,466	110 209 00000
	0070	E0137	ANTH1001003	1 1 1	9.30 10.30		115	1,466	110 209 00000
9	0070	E0137	ANTH1001003	1 1 1	9.30 10.30		115	1,466	110 209 00000
	0070	E0137	ANTH1003002	1 1 1	10.30 11.30		104	1,466	110 209 00000
9	0070	E0137	ANTH1003002	1 1 1	10.30 11.30		104	1,466	110 209 00000
	0070	E0137	EE 2950002	1 1	10.30 12.00		145	1,466	110 209 00000
9	0070	E0137	EE 2950002	1 1	10.30 12.00		145	1,466	110 209 00000
	0070	E0137	ME 2733001	1 1	12.00 13.30		147	1,466	110 209 00000
9	0070	E0137	ME 2733001	1 1	12.00 13.30		147	1,466	110 209 00000
	0070	E0137	ANTH1001001	1 1 1	12.30 13.30		67	1,466	110 209 00000
9	0070	E0137	ANTH1001001	1 1 1	12.30 13.30		67	1,466	110 209 00000
	0070	E0137	CE 2450003	1 1	13.30 15.00		91	1,466	110 209 00000
9	0070	E0137	CE 2450003	1 1	13.30 15.00		91	1,466	110 209 00000
	0070	E0137	CE 2450004	1 1	15.00 16.30		55	1,466	110 209 00000
9	0070	E0137	CE 2450004	1 1	15.00 16.30		55	1,466	110 209 00000
	0070	E0137	CM 2112001	1	18.00 21.00		113	1,466	110 209 00000
9	0070	E0137	CM 2112001	1	18.00 21.00		113	1,466	110 209 00000
	0070	E0202	GEOL1202001	1	9.30 12.30		3	500	210 17 00000
9	0070	E0202	GEOL1202001	1	9.30 12.30		3	500	210 17 00000
	0070	E0202	GEOL7900001	1	10.30 13.30		3	500	210 17 00000
9	0070	E0202	GEOL7900001	1	10.30 13.30		3	500	210 17 00000
	0070	E0206	GEOL3041001	1	13.30 16.30		10	480	210 22 00000
9	0070	E0206	GEOL3041001	1	13.30 16.30		10	480	210 22 00000
	0070	E0206	GEOL3041002	1	13.30 16.30		16	480	210 22 00000
9	0070	E0206	GEOL3041002	1	13.30 16.30		16	480	210 22 00000
	0070	E0207	GEOL3032001	1 1	7.30 9.00		18	960	140 64 00000
9	0070	E0207	GEOL3032001	1 1	7.30 9.00		18	960	140 64 00000
	0070	E0207	GEOL3032002	1 1	7.30 9.00	1	6	960	140 64 00000
9	0070	E0207	GEOL3032002	1 1	7.30 9.00		6	960	140 64 00000
	0070	E0207	GEOL4068001	1	7.30 9.30		9	960	140 64 00000
9	0070	E0207	GEOL4068001	1	7.30 9.30		9	960	140 64 00000
	0070	E0207	GEOL1201001	1 1 1	9.30 10.30		16	960	140 64 00000
9	0070	E0207	GEOL1201001	1 1 1	9.30 10.30		16	960	140 64 00000
	0070	E0207	GEOL3041001	1 1	10.30 12.00		10	960	140 64 00000
9	0070	E0207	GEOL3041001	1 1	10.30 12.00		10	960	140 64 00000
	0070	E0207	GEOL3041002	1 1	10.30 12.00	1	16	960	140 64 00000
9	0070	E0207	GEOL3041002	1 1	10.30 12.00		16	960	140 64 00000
	0070	E0207	GEOL7200001	1	10.30 13.30		8	960	140 64 00000
9	0070	E0207	GEOL7200001	1	10.30 13.30		8	960	140 64 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 69

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0070	E0207	GEOL1002001	1 1	12.00 13.30		25	960	140 64 00000
9	0070	E0207	GEOL1002001	1 1	12.00 13.30		25	960	140 64 00000
	0070	E0207	GEOL4068001	1	13.30 16.30		9	960	140 64 00000
9	0070	E0207	GEOL4068001	1	13.30 16.30		9	960	140 64 00000
	0070	E0207	GEOL7062001	1	16.30 19.30		7	960	140 64 00000
9	0070	E0207	GEOL7062001	1	16.30 19.30		7	960	140 64 00000
	0070	E0207	GEOL4044001	1	16.30 19.30		29	960	140 64 00000
9	0070	E0207	GEOL4044001	1	16.30 19.30		29	960	140 64 00000
	0070	E0213	GEOL1601001	1	7.30 10.30		26	1,007	210 28 00000
89	0070	E0213	GEOL1601001	1	7.30 10.30		26	1,007	210 28 00000
	0070	E0213	GEOL1601005	1	7.30 10.30		18	1,007	210 28 00000
9	0070	E0213	GEOL1601005	1	7.30 10.30		18	1,007	210 28 00000
	0070	E0213	GEOL1601009	1	7.30 10.30		20	1,007	210 28 00000
9	0070	E0213	GEOL1601009	1	7.30 10.30		20	1,007	210 28 00000
	0070	E0213	GEOL1602001	1	7.30 10.30		14	1,007	210 28 00000
9	0070	E0213	GEOL1602001	1	7.30 10.30		14	1,007	210 28 00000
	0070	E0213	GEOL1201001	1	10.30 13.30		16	1,007	210 28 00000
9	0070	E0213	GEOL1201001	1	10.30 13.30		16	1,007	210 28 00000
	0070	E0213	GEOL1601006	1	10.30 13.30		22	1,007	210 28 00000
89	0070	E0213	GEOL1601006	1	10.30 13.30		22	1,007	210 28 00000
	0070	E0213	GEOL1601002	1	10.30 13.30		22	1,007	210 28 00000
89	0070	E0213	GEOL1601002	1	10.30 13.30		22	1,007	210 28 00000
	0070	E0213	GEOL1202001	1	10.30 13.30		3	1,007	210 28 00000
9	0070	E0213	GEOL1202001	1	10.30 13.30		3	1,007	210 28 00000
	0070	E0213	GEOL1601003	1	13.30 16.30		21	1,007	210 28 00000
9	0070	E0213	GEOL1601003	1	13.30 16.30		21	1,007	210 28 00000
	0070	E0213	GEOL1601007	1	13.30 16.30		22	1,007	210 28 00000
89	0070	E0213	GEOL1601007	1	13.30 16.30		22	1,007	210 28 00000
	0070	E0213	GEOL1601011	1	13.30 16.30		20	1,007	210 28 00000
9	0070	E0213	GEOL1601011	1	13.30 16.30		20	1,007	210 28 00000
	0070	E0213	GEOL1602002	1	13.30 16.30		11	1,007	210 28 00000
9	0070	E0213	GEOL1602002	1	13.30 16.30		11	1,007	210 28 00000
	0070	E0213	GEOL1601004	1	16.30 19.30		17	1,007	210 28 00000
9	0070	E0213	GEOL1601004	1	16.30 19.30		17	1,007	210 28 00000
	0070	E0213	GEOL1601008	1	16.30 19.30		22	1,007	210 28 00000
89	0070	E0213	GEOL1601008	1	16.30 19.30		22	1,007	210 28 00000
	0070	E0213	GEOL1601012	1	16.30 19.30		22	1,007	210 28 00000
89	0070	E0213	GEOL1601012	1	16.30 19.30		22	1,007	210 28 00000
8	0070	E0332	ANTH7901001	1	16.00 17.00		9	667	350 4 00000
89	0070	E0332	ANTH7901001	1	16.00 17.00		9	667	350 4 00000
8	0070	E0332	GEOG7901001	1	16.00 17.00	1	7	667	350 4 00000
89	0070	E0332	GEOG7901001	1	16.00 17.00		7	667	350 4 00000
8	0070	E0332	GEOG7917001	1	16.00 19.00		9	667	350 4 00000
89	0070	E0332	GEOG7917001	1	16.00 19.00		9	667	350 4 00000
	0076	0241	KIN 4518001	1 1	9.00 10.30		83	1,650	110 110 00000
89	0076	0241	KIN 4518001	1 1	9.00 10.30		83	1,650	110 110 00000
	0076	0241	CFS 2050001	1 1 1	9.30 10.30		99	1,650	110 110 00000
89	0076	0241	CFS 2050001	1 1 1	9.30 10.30		99	1,650	110 110 00000
	0076	0241	HIST1005001	1 1 1	10.30 11.30		105	1,650	110 110 00000
89	0076	0241	HIST1005001	1 1 1	10.30 11.30		105	1,650	110 110 00000
	0076	0241	BIOL3090001	1 1	10.30 12.00		82	1,650	110 110 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 70

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0076	0241	BIOL3090001	1 1	10.30 12.00		82	1,650	110 110 00000
	0076	0241	PETE2032001	1 1	12.00 13.30		67	1,650	110 110 00000
9	0076	0241	PETE2032001	1 1	12.00 13.30		67	1,650	110 110 00000
	0076	0241	HIST2125001	1 1	13.30 15.00		33	1,650	110 110 00000
9	0076	0241	HIST2125001	1 1	13.30 15.00		33	1,650	110 110 00000
	0076	0241	EVEG3200001	1 1	13.30 15.00		92	1,650	110 110 00000
89	0076	0241	EVEG3200001	1 1	13.30 15.00		92	1,650	110 110 00000
	0076	0241	CE 3300001	1 1	15.00 16.30		82	1,650	110 110 00000
9	0076	0241	CE 3300001	1 1	15.00 16.30		82	1,650	110 110 00000
	0076	0241	EE 1810001	1	15.00 16.30		34	1,650	110 110 00000
9	0076	0241	EE 1810001	1	15.00 16.30		34	1,650	110 110 00000
	0076	0241	EE 1810002	1	15.00 16.30	1	33	1,650	110 110 00000
9	0076	0241	EE 1810002	1	15.00 16.30		33	1,650	110 110 00000
8	0076	0241	EE 1810003	1	15.00 16.30	1	34	1,650	110 110 00000
89	0076	0241	EE 1810003	1	15.00 16.30		34	1,650	110 110 00000
	0076	0241	HIST2065001	1 1	16.30 18.00		46	1,650	110 110 00000
9	0076	0241	HIST2065001	1 1	16.30 18.00		46	1,650	110 110 00000
	0076	0241	XCAS9999134	1 1	16.30 18.00		110	1,650	110 110 00000
89	0076	0241	XCAS9999134	1 1	16.30 18.00		110	1,650	110 110 00000
	0076	0253	HIST1001002	1 1	9.00 10.30		38	593	110 40 00000
89	0076	0253	HIST1001002	1 1	9.00 10.30		38	593	110 40 00000
	0076	0253	FREN2102002	1 1 1	10.30 11.30		19	593	110 40 00000
9	0076	0253	FREN2102002	1 1 1	10.30 11.30		19	593	110 40 00000
	0076	0253	ENGL1001018	1 1	10.30 12.00		20	593	110 40 00000
9	0076	0253	ENGL1001018	1 1	10.30 12.00		20	593	110 40 00000
	0076	0253	HIST4094001	1 1 1	11.30 12.30		30	593	110 40 00000
9	0076	0253	HIST4094001	1 1 1	11.30 12.30		30	593	110 40 00000
	0076	0253	HIST4195001	1 1	12.00 13.30		21	593	110 40 00000
9	0076	0253	HIST4195001	1 1	12.00 13.30		21	593	110 40 00000
	0076	0253	SPAN1152018	1111	14.30 15.30		22	593	110 40 00000
9	0076	0253	SPAN1152018	1111	14.30 15.30		22	593	110 40 00000
	0076	0253	HIST7970001	1	15.00 18.00		4	593	110 40 00000
9	0076	0253	HIST7970001	1	15.00 18.00		4	593	110 40 00000
	0076	0253	HIST4197001	1	18.00 21.00		32	593	110 40 00000
89	0076	0253	HIST4197001	1	18.00 21.00		32	593	110 40 00000
	0116	0102	MC 4971001	1 1	12.00 13.30		11	372	110 25 00000
9	0116	0102	MC 4971001	1 1	12.00 13.30		11	372	110 25 00000
	0116	0102	MC 4250001	1	14.00 17.00		12	372	110 25 00000
9	0116	0102	MC 4250001	1	14.00 17.00		12	372	110 25 00000
	0116	0216	MC 4500001	1	8.00 9.00		12	944	110 63 00000
9	0116	0216	MC 4500001	1	8.00 9.00		12	944	110 63 00000
	0116	0216	MC 4500001	1	8.00 10.00		12	944	110 63 00000
9	0116	0216	MC 4500001	1	8.00 10.00		12	944	110 63 00000
	0116	0216	MC 4500001	1	9.00 10.00		12	944	110 63 00000
9	0116	0216	MC 4500001	1	9.00 10.00		12	944	110 63 00000
	0116	0216	MC 4090003	1 1 1	9.30 10.30		18	944	110 63 00000
9	0116	0216	MC 4090003	1 1 1	9.30 10.30		18	944	110 63 00000
	0116	0216	MC 4042001	1 1 1	10.30 11.30		21	944	110 63 00000
9	0116	0216	MC 4042001	1 1 1	10.30 11.30		21	944	110 63 00000
	0116	0216	MC 3080004	1 1	10.30 12.00		40	944	110 63 00000
9	0116	0216	MC 3080004	1 1	10.30 12.00		40	944	110 63 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 71

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0116	0216	MC 4090001	1 1	12.00 13.30		38	944	110 63 00000
9	0116	0216	MC 4090001	1 1	12.00 13.30		38	944	110 63 00000
	0116	0216	MC 3080003	1 1	13.30 15.00		38	944	110 63 00000
9	0116	0216	MC 3080003	1 1	13.30 15.00		38	944	110 63 00000
	0116	0216	MC 4002002	1 1	15.00 16.30		24	944	110 63 00000
9	0116	0216	MC 4002002	1 1	15.00 16.30		24	944	110 63 00000
	0116	0216	MC 7042001	1	16.30 19.30		14	944	110 63 00000
9	0116	0216	MC 7042001	1	16.30 19.30		14	944	110 63 00000
8	0116	0224	MC 4971002	1	8.30 11.30		20	520	350 12 00000
89	0116	0224	MC 4971002	1	8.30 11.30		20	520	350 12 00000
	0116	0225	MC 7041001	1	12.30 15.30		9	248	110 17 00000
9	0116	0225	MC 7041001	1	12.30 15.30		9	248	110 17 00000
	0116	0225	MC 7021002	1	12.30 15.30		7	248	110 17 00000
9	0116	0225	MC 7021002	1	12.30 15.30		7	248	110 17 00000
	0116	0225	MC 7014001	1	15.00 18.00		7	248	110 17 00000
9	0116	0225	MC 7014001	1	15.00 18.00		7	248	110 17 00000
	0116	0225	MC 7000001	1	16.00 18.00		3	248	110 17 00000
9	0116	0225	MC 7000001	1	16.00 18.00		3	248	110 17 00000
	0116	0233	MC 4520001	1 1	12.00 13.30		7	248	110 17 00000
9	0116	0233	MC 4520001	1 1	12.00 13.30		7	248	110 17 00000
	0116	0236	MC 4020003	1 1 1	8.30 9.30		19	938	110 63 00000
9	0116	0236	MC 4020003	1 1 1	8.30 9.30		19	938	110 63 00000
	0116	0236	MC 4090002	1 1	9.00 10.30		27	938	110 63 00000
9	0116	0236	MC 4090002	1 1	9.00 10.30		27	938	110 63 00000
	0116	0236	MC 3080001	1 1 1	9.30 10.30		24	938	110 63 00000
9	0116	0236	MC 3080001	1 1 1	9.30 10.30		24	938	110 63 00000
	0116	0236	MC 4002001	1 1 1	10.30 11.30		37	938	110 63 00000
9	0116	0236	MC 4002001	1 1 1	10.30 11.30		37	938	110 63 00000
	0116	0236	MC 3080002	1 1 1	11.30 12.30		33	938	110 63 00000
9	0116	0236	MC 3080002	1 1 1	11.30 12.30		33	938	110 63 00000
	0116	0236	MC 3333001	1 1	12.00 13.30		40	938	110 63 00000
9	0116	0236	MC 3333001	1 1	12.00 13.30		40	938	110 63 00000
	0116	0236	MC 4020001	1 1	13.30 15.00		24	938	110 63 00000
9	0116	0236	MC 4020001	1 1	13.30 15.00		24	938	110 63 00000
	0116	0236	MC 4050001	1 1	15.00 16.30		10	938	110 63 00000
9	0116	0236	MC 4050001	1 1	15.00 16.30		10	938	110 63 00000
	0116	0324	SPAN1152001	1111	7.30 8.30		25	520	110 35 00000
9	0116	0324	SPAN1152001	1111	7.30 8.30		25	520	110 35 00000
	0116	0324	HNRS2000010	1 1	9.00 10.30		15	520	110 35 00000
9	0116	0324	HNRS2000010	1 1	9.00 10.30		15	520	110 35 00000
	0116	0324	SPAN2101004	1 1 1	9.30 10.30		17	520	110 35 00000
9	0116	0324	SPAN2101004	1 1 1	9.30 10.30		17	520	110 35 00000
	0116	0324	SPAN2102012	1 1 1	10.30 11.30		13	520	110 35 00000
9	0116	0324	SPAN2102012	1 1 1	10.30 11.30		13	520	110 35 00000
	0116	0324	FREN3060001	1 1	10.30 12.00		3	520	110 35 00000
9	0116	0324	FREN3060001	1 1	10.30 12.00		3	520	110 35 00000
	0116	0324	SPAN2101007	1 1 1	11.30 12.30		19	520	110 35 00000
9	0116	0324	SPAN2101007	1 1 1	11.30 12.30		19	520	110 35 00000
	0116	0324	FREN3060002	1 1	12.00 13.30		14	520	110 35 00000
9	0116	0324	FREN3060002	1 1	12.00 13.30		14	520	110 35 00000
	0116	0324	SPAN1152007	1111	14.30 15.30		20	520	110 35 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 72

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0116	0324	SPAN1152007	1111	14.30 15.30		20	520	110 35 00000
	0116	0324	SPAN7985001	1	16.30 19.30		8	520	110 35 00000
9	0116	0324	SPAN7985001	1	16.30 19.30		8	520	110 35 00000
	0116	0324	SPAN7961001	1	16.30 19.30		9	520	110 35 00000
9	0116	0324	SPAN7961001	1	16.30 19.30		9	520	110 35 00000
	0116	0324	ITAL3502001	1	18.00 21.00		5	520	110 35 00000
9	0116	0324	ITAL3502001	1	18.00 21.00		5	520	110 35 00000
	0116	0333	HEBR1001002	1111	10.30 11.30		5	248	350 6 00000
89	0116	0333	HEBR1001002	1111	10.30 11.30		5	248	350 6 00000
	0116	0334	HEBR2003001	1111	8.30 9.30		6	270	350 18 00000
9	0116	0334	HEBR2003001	1111	8.30 9.30		6	270	350 18 00000
	0116	0334	HEBR1001001	1111	9.30 10.30		6	270	350 18 00000
9	0116	0334	HEBR1001001	1111	9.30 10.30		6	270	350 18 00000
	0116	0334	LATN4023001	1 1 1	10.30 11.30		5	270	350 18 00000
9	0116	0334	LATN4023001	1 1 1	10.30 11.30		5	270	350 18 00000
	0116	0334	GREK2103001	1 1 1	12.30 13.30		1	270	350 18 00000
9	0116	0334	GREK2103001	1 1 1	12.30 13.30		1	270	350 18 00000
	0116	0424	LATN1001001	1111	7.30 8.30		19	520	110 35 00000
9	0116	0424	LATN1001001	1111	7.30 8.30		19	520	110 35 00000
	0116	0424	ARAB1101001	1111	9.30 10.30		18	520	110 35 00000
9	0116	0424	ARAB1101001	1111	9.30 10.30		18	520	110 35 00000
	0116	0424	ARAB1101004	1111	10.30 11.30		20	520	110 35 00000
9	0116	0424	ARAB1101004	1111	10.30 11.30		20	520	110 35 00000
	0116	0424	ARAB1101002	1111	11.30 12.30		10	520	110 35 00000
9	0116	0424	ARAB1101002	1111	11.30 12.30		10	520	110 35 00000
	0116	0424	ARAB1101003	1111	12.30 13.30		22	520	110 35 00000
9	0116	0424	ARAB1101003	1111	12.30 13.30		22	520	110 35 00000
	0116	0424	SPAN1102005	1111	13.30 14.30		17	520	110 35 00000
9	0116	0424	SPAN1102005	1111	13.30 14.30		17	520	110 35 00000
	0116	0424	SPAN1101010	1111	14.30 15.30		23	520	110 35 00000
9	0116	0424	SPAN1101010	1111	14.30 15.30		23	520	110 35 00000
	0116	0424	SPAN1152016	1111	15.30 16.30		25	520	110 35 00000
9	0116	0424	SPAN1152016	1111	15.30 16.30		25	520	110 35 00000
	0116	0434	FREN4030001	1 1	13.30 15.00		9	270	110 20 00000
9	0116	0434	FREN4030001	1 1	13.30 15.00		9	270	110 20 00000
	0116	0434	CPLT7120001	1	15.00 18.00		7	270	110 20 00000
9	0116	0434	CPLT7120001	1	15.00 18.00		7	270	110 20 00000
	0116	0434	CPLT7020001	1	15.00 18.00		9	270	110 20 00000
9	0116	0434	CPLT7020001	1	15.00 18.00		9	270	110 20 00000
	0116	0434	FREN7100001	1	15.00 18.00		5	270	110 20 00000
9	0116	0434	FREN7100001	1	15.00 18.00		5	270	110 20 00000
	0116	0434	FREN7042001	1	16.30 19.30		8	270	110 20 00000
9	0116	0434	FREN7042001	1	16.30 19.30		8	270	110 20 00000
	0116	0436	FREN2154002	1 1	9.00 10.30		11	300	110 20 00000
9	0116	0436	FREN2154002	1 1	9.00 10.30		11	300	110 20 00000
	0116	0436	FREN3058001	1 1	10.30 12.00		13	300	110 20 00000
9	0116	0436	FREN3058001	1 1	10.30 12.00		13	300	110 20 00000
	0116	0436	FREN3072001	1 1	12.00 13.30		14	300	110 20 00000
9	0116	0436	FREN3072001	1 1	12.00 13.30		14	300	110 20 00000
	0116	0436	FREN4014001	1 1	13.30 15.00		10	300	110 20 00000
9	0116	0436	FREN4014001	1 1	13.30 15.00		10	300	110 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 73

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0116	0436	LING4014001	1 1	13.30 15.00	1	1	300	110 20 00000
9	0116	0436	LING4014001	1 1	13.30 15.00		1	300	110 20 00000
	0116	0436	FREN4001001	1 1	15.00 16.30		10	300	110 20 00000
9	0116	0436	FREN4001001	1 1	15.00 16.30		10	300	110 20 00000
	0116	0436	WGS 7150001	1	16.30 19.30		12	300	110 20 00000
9	0116	0436	WGS 7150001	1	16.30 19.30		12	300	110 20 00000
	0116	B0012	MC 4020002	1 1	8.30 10.00		21	559	140 20 00000
89	0116	B0012	MC 4020002	1 1	8.30 10.00		21	559	140 20 00000
	0116	B0012	MC 2010002	1	8.30 10.30		16	559	140 20 00000
89	0116	B0012	MC 2010002	1	8.30 10.30		16	559	140 20 00000
	0116	B0012	MC 2010002	1	8.30 10.30		16	559	140 20 00000
89	0116	B0012	MC 2010002	1	8.30 10.30		16	559	140 20 00000
	0116	B0012	MC 3104001	1	10.00 11.00		10	559	140 20 00000
9	0116	B0012	MC 3104001	1	10.00 11.00		10	559	140 20 00000
	0116	B0012	MC 3103001	1	10.30 12.30		11	559	140 20 00000
9	0116	B0012	MC 3103001	1	10.30 12.30		11	559	140 20 00000
	0116	B0012	MC 3103001	1	10.30 12.30		11	559	140 20 00000
9	0116	B0012	MC 3103001	1	10.30 12.30		11	559	140 20 00000
	0116	B0012	MC 3104001	1	11.00 12.00		10	559	140 20 00000
9	0116	B0012	MC 3104001	1	11.00 12.00		10	559	140 20 00000
	0116	B0012	MC 3505001	1 1	12.00 13.30		20	559	140 20 00000
89	0116	B0012	MC 3505001	1 1	12.00 13.30		20	559	140 20 00000
	0116	B0012	MC 4280001	1	13.30 15.30		9	559	140 20 00000
9	0116	B0012	MC 4280001	1	13.30 15.30		9	559	140 20 00000
	0116	B0012	MC 4280001	1	13.30 15.30		9	559	140 20 00000
9	0116	B0012	MC 4280001	1	13.30 15.30		9	559	140 20 00000
	0117	0001	COMD7783001	1	8.00 11.00		31	780	110 49 00000
9	0117	0001	COMD7783001	1	8.00 11.00		31	780	110 49 00000
	0117	0001	SOCL3505001	1 1	9.00 10.30		36	780	110 49 00000
9	0117	0001	SOCL3505001	1 1	9.00 10.30		36	780	110 49 00000
	0117	0001	COMD4153001	1 1	10.30 12.00		34	780	110 49 00000
9	0117	0001	COMD4153001	1 1	10.30 12.00		34	780	110 49 00000
	0117	0001	COMD4380001	1 1	12.00 13.30		22	780	110 49 00000
9	0117	0001	COMD4380001	1 1	12.00 13.30		22	780	110 49 00000
	0117	0001	COMD4380003	1 1	12.00 13.30	1	22	780	110 49 00000
89	0117	0001	COMD4380003	1 1	12.00 13.30		22	780	110 49 00000
8	0117	0001	LING4380001	1 1	12.00 13.30	1	2	780	110 49 00000
89	0117	0001	LING4380001	1 1	12.00 13.30		2	780	110 49 00000
	0117	0001	COMD7382002	1	13.00 16.00		32	780	110 49 00000
9	0117	0001	COMD7382002	1	13.00 16.00		32	780	110 49 00000
	0117	0001	COMD4380002	1 1	13.30 15.00		24	780	110 49 00000
9	0117	0001	COMD4380002	1 1	13.30 15.00		24	780	110 49 00000
	0117	0001	COMD4380004	1 1	13.30 15.00	1	25	780	110 49 00000
89	0117	0001	COMD4380004	1 1	13.30 15.00		25	780	110 49 00000
8	0117	0001	LING4380004	1 1	13.30 15.00	1	2	780	110 49 00000
89	0117	0001	LING4380004	1 1	13.30 15.00		2	780	110 49 00000
	0117	0001	COMD4381001	1 1	15.00 16.30		39	780	110 49 00000
89	0117	0001	COMD4381001	1 1	15.00 16.30		39	780	110 49 00000
	0117	0001	COMD4681001	1	16.30 18.30		15	780	110 49 00000
9	0117	0001	COMD4681001	1	16.30 18.30		15	780	110 49 00000
	0117	0020	ART 2381001	1 1	9.00 12.00		3	3,450	210 69 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 74

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0117	0020	ART 2381001	1 1	9.00 12.00		3	3,450	210 69 00000
	0117	0020	ART 4381001	1 1	9.00 12.00	1	7	3,450	210 69 00000
9	0117	0020	ART 4381001	1 1	9.00 12.00		7	3,450	210 69 00000
	0117	0020	ART 1360003	1 1	12.00 15.00		17	3,450	210 69 00000
9	0117	0020	ART 1360003	1 1	12.00 15.00		17	3,450	210 69 00000
	0117	0020	ART 2360001	1 1	12.30 15.30		8	3,450	210 69 00000
9	0117	0020	ART 2360001	1 1	12.30 15.30		8	3,450	210 69 00000
	0117	0020	ART 1360002	1 1	15.00 18.00		16	3,450	210 69 00000
9	0117	0020	ART 1360002	1 1	15.00 18.00		16	3,450	210 69 00000
	0117	0020	ART 1360001	1 1	15.30 18.30		18	3,450	210 69 00000
9	0117	0020	ART 1360001	1 1	15.30 18.30		18	3,450	210 69 00000
	0117	0020	ART 4300001	1 1	18.30 21.30		2	3,450	210 69 00000
9	0117	0020	ART 4300001	1 1	18.30 21.30		2	3,450	210 69 00000
	0117	0020	ART 4366001	1 1	18.30 21.30	1	1	3,450	210 69 00000
9	0117	0020	ART 4366001	1 1	18.30 21.30		1	3,450	210 69 00000
	0117	0020	ART 7300001	1 1	18.30 21.30	1	6	3,450	210 69 00000
9	0117	0020	ART 7300001	1 1	18.30 21.30		6	3,450	210 69 00000
	0117	0026	COMD4590001	1 1	7.30 9.00		86	1,736	110 116 00000
9	0117	0026	COMD4590001	1 1	7.30 9.00		86	1,736	110 116 00000
	0117	0026	PSYC3082001	1 1	9.00 10.30		104	1,736	110 116 00000
89	0117	0026	PSYC3082001	1 1	9.00 10.30		104	1,736	110 116 00000
	0117	0026	EE 2950001	1 1 1	10.30 11.30		86	1,736	110 116 00000
9	0117	0026	EE 2950001	1 1 1	10.30 11.30		86	1,736	110 116 00000
	0117	0026	SPAN1102003	1111	11.30 12.30		15	1,736	110 116 00000
9	0117	0026	SPAN1102003	1111	11.30 12.30		15	1,736	110 116 00000
	0117	0026	CM 4101001	1 1	12.30 13.30		40	1,736	110 116 00000
9	0117	0026	CM 4101001	1 1	12.30 13.30		40	1,736	110 116 00000
	0117	0026	CM 4101002	1 1	12.30 13.30	1	33	1,736	110 116 00000
9	0117	0026	CM 4101002	1 1	12.30 13.30		33	1,736	110 116 00000
8	0117	0026	CM 4101003	1 1	12.30 13.30	1	40	1,736	110 116 00000
89	0117	0026	CM 4101003	1 1	12.30 13.30		40	1,736	110 116 00000
	0117	0026	CM 4211001	1 1	13.30 15.00		91	1,736	110 116 00000
89	0117	0026	CM 4211001	1 1	13.30 15.00		91	1,736	110 116 00000
	0117	0026	COMD4153001	1	15.30 18.00		34	1,736	110 116 00000
9	0117	0026	COMD4153001	1	15.30 18.00		34	1,736	110 116 00000
	0117	0026	COMD2050002	1 1	16.30 18.00		27	1,736	110 116 00000
9	0117	0026	COMD2050002	1 1	16.30 18.00		27	1,736	110 116 00000
	0117	0026	LING2050002	1 1	16.30 18.00	1	1	1,736	110 116 00000
9	0117	0026	LING2050002	1 1	16.30 18.00		1	1,736	110 116 00000
	0117	0047	COMD7780001	1	9.00 12.00		6	300	350 20 00000
9	0117	0047	COMD7780001	1	9.00 12.00		6	300	350 20 00000
	0117	0047	COMD7750001	1	13.00 16.00		7	300	350 20 00000
9	0117	0047	COMD7750001	1	13.00 16.00		7	300	350 20 00000
	0117	0047	COMD7750002	1	16.30 19.30		8	300	350 20 00000
9	0117	0047	COMD7750002	1	16.30 19.30		8	300	350 20 00000
	0117	0064A	COMD7384002	1	13.00 16.00		17	440	110 29 00000
9	0117	0064A	COMD7384002	1	13.00 16.00		17	440	110 29 00000
	0117	0064A	COMD7281001	1	13.00 16.00		18	440	110 29 00000
9	0117	0064A	COMD7281001	1	13.00 16.00		18	440	110 29 00000
	0117	0064A	COMD7384001	1	16.30 19.30		20	440	110 29 00000
9	0117	0064A	COMD7384001	1	16.30 19.30		20	440	110 29 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 75

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0117	0064A	COMD7281002	1	16.30 19.30		13	440	110 29 00000
9	0117	0064A	COMD7281002	1	16.30 19.30		13	440	110 29 00000
	0117	0064A	COMD7381001	1	16.30 19.30		16	440	110 29 00000
9	0117	0064A	COMD7381001	1	16.30 19.30		16	440	110 29 00000
	0121	0106	BE 4337001	1 1 1	8.30 9.30		10	1,271	140 48 00000
9	0121	0106	BE 4337001	1 1 1	8.30 9.30		10	1,271	140 48 00000
	0121	0106	BE 4336001	1 1 1	9.30 10.30		23	1,271	140 48 00000
9	0121	0106	BE 4336001	1 1 1	9.30 10.30		23	1,271	140 48 00000
	0121	0106	BE 1251003	1	9.30 12.30		35	1,271	140 48 00000
9	0121	0106	BE 1251003	1	9.30 12.30		35	1,271	140 48 00000
	0121	0106	BE 3320001	1	13.30 16.30		22	1,271	140 48 00000
9	0121	0106	BE 3320001	1	13.30 16.30		22	1,271	140 48 00000
	0121	0106	BE 3320002	1	13.30 16.30		26	1,271	140 48 00000
9	0121	0106	BE 3320002	1	13.30 16.30		26	1,271	140 48 00000
	0121	0106	BE 1251001	1	13.30 16.30		34	1,271	140 48 00000
9	0121	0106	BE 1251001	1	13.30 16.30		34	1,271	140 48 00000
	0121	0106	BE 1251002	1	13.30 16.30		30	1,271	140 48 00000
9	0121	0106	BE 1251002	1	13.30 16.30		30	1,271	140 48 00000
	0121	0106	BE 3320001	1 1	16.30 17.30		22	1,271	140 48 00000
9	0121	0106	BE 3320001	1 1	16.30 17.30		22	1,271	140 48 00000
	0121	0106	BE 3320002	1 1	16.30 17.30	1	26	1,271	140 48 00000
89	0121	0106	BE 3320002	1 1	16.30 17.30		26	1,271	140 48 00000
	0121	0140	BE 4303001	1	13.30 16.30		27	583	210 30 00000
89	0121	0140	BE 4303001	1	13.30 16.30		27	583	210 30 00000
	0121	0140	BE 4303002	1	13.30 16.30		22	583	210 30 00000
9	0121	0140	BE 4303002	1	13.30 16.30		22	583	210 30 00000
	0122	0115	BE 4383001	1 1	10.30 12.00		27	563	110 37 00000
9	0122	0115	BE 4383001	1 1	10.30 12.00		27	563	110 37 00000
	0123	0119	EDCI2001002	1 1	10.30 12.00		30	650	110 43 00000
9	0123	0119	EDCI2001002	1 1	10.30 12.00		30	650	110 43 00000
	0123	0119	TAM 4043001	1 1	12.00 13.00		11	650	110 43 00000
9	0123	0119	TAM 4043001	1 1	12.00 13.00		11	650	110 43 00000
	0123	0119	TAM 4043002	1 1	12.00 13.00	1	13	650	110 43 00000
9	0123	0119	TAM 4043002	1 1	12.00 13.00		13	650	110 43 00000
	0123	0119	HORT4071001	1 1	12.30 13.30		12	650	110 43 00000
9	0123	0119	HORT4071001	1 1	12.30 13.30		12	650	110 43 00000
	0123	0119	HORT4071001	1	13.30 15.30		12	650	110 43 00000
9	0123	0119	HORT4071001	1	13.30 15.30		12	650	110 43 00000
	0123	0119	NFS 3119001	1	13.30 16.30		17	650	110 43 00000
9	0123	0119	NFS 3119001	1	13.30 16.30		17	650	110 43 00000
	0123	0132	HORT2120001	1 1	8.00 9.00		25	935	110 62 00000
9	0123	0132	HORT2120001	1 1	8.00 9.00		25	935	110 62 00000
	0123	0132	HORT2050001	1 1	9.00 10.30		60	935	110 62 00000
89	0123	0132	HORT2050001	1 1	9.00 10.30		60	935	110 62 00000
	0123	0132	HORT2120001	1	9.30 12.30		25	935	110 62 00000
9	0123	0132	HORT2120001	1	9.30 12.30		25	935	110 62 00000
	0123	0132	NFS 4111001	1 1	10.30 12.00		20	935	110 62 00000
9	0123	0132	NFS 4111001	1 1	10.30 12.00		20	935	110 62 00000
	0123	0132	NFS 4111002	1 1	10.30 12.00	1	19	935	110 62 00000
9	0123	0132	NFS 4111002	1 1	10.30 12.00		19	935	110 62 00000
	0123	0132	BE 2352002	1	13.00 16.00		32	935	110 62 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 76

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0123 0132	BE 2352002	1	13.00 16.00		32	935	110 62	00000
	0123 0132	AEEE4101001	1 1	13.30 15.00		16	935	110 62	00000
9	0123 0132	AEEE4101001	1 1	13.30 15.00		16	935	110 62	00000
	0123 0134	ANSC4043001	1 1	10.30 12.00		32	930	110 62	00000
9	0123 0134	ANSC4043001	1 1	10.30 12.00		32	930	110 62	00000
	0123 0134	NFS 4111001	1	13.30 16.30		20	930	110 62	00000
9	0123 0134	NFS 4111001	1	13.30 16.30		20	930	110 62	00000
	0123 0134	NFS 4111002	1	13.30 16.30		19	930	110 62	00000
9	0123 0134	NFS 4111002	1	13.30 16.30		19	930	110 62	00000
	0123 0232	AGEC1003001	1	9.00 10.30		47	950	110 63	00000
9	0123 0232	AGEC1003001	1	9.00 10.30		47	950	110 63	00000
	0123 0232	ACCT3021001	1 1	10.30 12.00		55	950	110 63	00000
89	0123 0232	ACCT3021001	1 1	10.30 12.00		55	950	110 63	00000
	0123 0241	AEEE4102001	1 1	11.00 12.30		8	921	210 32	00000
9	0123 0241	AEEE4102001	1 1	11.00 12.30		8	921	210 32	00000
	0178 0102	AEEE7122001	1	13.30 16.30		16	1,278	110 32	00000
9	0178 0102	AEEE7122001	1	13.30 16.30		16	1,278	110 32	00000
	0178 0102	AEEE7909001	1	16.30 19.30		6	1,278	110 32	00000
9	0178 0102	AEEE7909001	1	16.30 19.30		6	1,278	110 32	00000
	0178 0102	HRE 7901001	1	16.30 19.30		13	1,278	110 32	00000
9	0178 0102	HRE 7901001	1	16.30 19.30		13	1,278	110 32	00000
	0185 0149A	ASST2001001	1	9.30 10.30		15	792	110 52	00000
9	0185 0149A	ASST2001001	1	9.30 10.30		15	792	110 52	00000
	0185 0149A	ASST1001001	1	10.30 11.30		14	792	110 52	00000
9	0185 0149A	ASST1001001	1	10.30 11.30		14	792	110 52	00000
	0185 0149A	ASST2001002	1	13.00 14.00		7	792	110 52	00000
9	0185 0149A	ASST2001002	1	13.00 14.00		7	792	110 52	00000
	0185 0149A	ASST1001003	1	14.00 15.00		16	792	110 52	00000
9	0185 0149A	ASST1001003	1	14.00 15.00		16	792	110 52	00000
	0185 0149A	ASST1011001	1	15.00 17.00		22	792	110 52	00000
9	0185 0149A	ASST1011001	1	15.00 17.00		22	792	110 52	00000
	0185 0149A	ASST2011001	1	15.00 17.00	1	18	792	110 52	00000
89	0185 0149A	ASST2011001	1	15.00 17.00		18	792	110 52	00000
	0185 0149A	ASST4001001	1	17.00 20.00		13	792	110 52	00000
9	0185 0149A	ASST4001001	1	17.00 20.00		13	792	110 52	00000
	0185 0149A	ASST3001001	1	17.00 20.00		21	792	110 52	00000
9	0185 0149A	ASST3001001	1	17.00 20.00		21	792	110 52	00000
	0185 0149B	ASST3011001	1	15.00 17.00		19	783	110 52	00000
9	0185 0149B	ASST3011001	1	15.00 17.00		19	783	110 52	00000
	0185 0149B	ASST4011001	1	15.00 17.00	1	11	783	110 52	00000
9	0185 0149B	ASST4011001	1	15.00 17.00		11	783	110 52	00000
	0185 0150	MILS2161001	1 1	7.30 8.30		38	783	110 52	00000
9	0185 0150	MILS2161001	1 1	7.30 8.30		38	783	110 52	00000
	0185 0150	MILS2161001	1	15.00 16.30		38	783	110 52	00000
9	0185 0150	MILS2161001	1	15.00 16.30		38	783	110 52	00000
	0185 0152	MILS1010001	1	10.30 11.30		23	789	110 52	00000
9	0185 0152	MILS1010001	1	10.30 11.30		23	789	110 52	00000
	0185 0152	MILS1010001	1	10.30 11.30		23	789	110 52	00000
9	0185 0152	MILS1010001	1	10.30 11.30		23	789	110 52	00000
	0185 0152	MILS1010002	1	11.30 12.30		21	789	110 52	00000
9	0185 0152	MILS1010002	1	11.30 12.30		21	789	110 52	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 77

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0185	0152	MILS1010002	1	11.30 12.30		21	789	110 52 00000
9	0185	0152	MILS1010002	1	11.30 12.30		21	789	110 52 00000
	0185	0152	MILS1011001	1	14.00 15.00		30	789	110 52 00000
9	0185	0152	MILS1011001	1	14.00 15.00		30	789	110 52 00000
	0185	0152	MILS1011001	1	15.00 16.30		30	789	110 52 00000
9	0185	0152	MILS1011001	1	15.00 16.30		30	789	110 52 00000
	0187	0230E	PSYC2017003	1	8.30 10.30		19	1,034	110 69 00000
9	0187	0230E	PSYC2017003	1	8.30 10.30		19	1,034	110 69 00000
	0187	0230E	MUS 7600001	1 1	10.30 12.00		5	1,034	110 69 00000
9	0187	0230E	MUS 7600001	1 1	10.30 12.00		5	1,034	110 69 00000
	0187	0230E	PSYC2017005	1	12.30 14.30		23	1,034	110 69 00000
9	0187	0230E	PSYC2017005	1	12.30 14.30		23	1,034	110 69 00000
	0187	0230E	PSYC2016001	1	12.30 14.30		23	1,034	110 69 00000
9	0187	0230E	PSYC2016001	1	12.30 14.30		23	1,034	110 69 00000
	0187	0230E	PSYC2016002	1	12.30 14.30		23	1,034	110 69 00000
9	0187	0230E	PSYC2016002	1	12.30 14.30		23	1,034	110 69 00000
	0187	0230E	PSYC2017001	1	14.30 16.30		25	1,034	110 69 00000
9	0187	0230E	PSYC2017001	1	14.30 16.30		25	1,034	110 69 00000
	0187	0230E	PSYC2017004	1	15.00 17.00		25	1,034	110 69 00000
9	0187	0230E	PSYC2017004	1	15.00 17.00		25	1,034	110 69 00000
	0187	0232	MATH1431001	1	8.30 9.30		34	1,479	110 74 00000
9	0187	0232	MATH1431001	1	8.30 9.30		34	1,479	110 74 00000
	0187	0232	MATH1431011	1	8.30 9.30		33	1,479	110 74 00000
9	0187	0232	MATH1431011	1	8.30 9.30		33	1,479	110 74 00000
	0187	0232	MATH1431002	1	9.30 10.30		32	1,479	110 74 00000
9	0187	0232	MATH1431002	1	9.30 10.30		32	1,479	110 74 00000
	0187	0232	MATH1431008	1	9.30 10.30		31	1,479	110 74 00000
9	0187	0232	MATH1431008	1	9.30 10.30		31	1,479	110 74 00000
	0187	0232	MATH1431012	1	9.30 10.30		36	1,479	110 74 00000
9	0187	0232	MATH1431012	1	9.30 10.30		36	1,479	110 74 00000
	0187	0232	MATH1431017	1	9.30 10.30		32	1,479	110 74 00000
9	0187	0232	MATH1431017	1	9.30 10.30		32	1,479	110 74 00000
	0187	0232	MATH1431003	1	10.30 11.30		35	1,479	110 74 00000
9	0187	0232	MATH1431003	1	10.30 11.30		35	1,479	110 74 00000
	0187	0232	MATH1431009	1	10.30 11.30		33	1,479	110 74 00000
9	0187	0232	MATH1431009	1	10.30 11.30		33	1,479	110 74 00000
	0187	0232	MATH1431013	1	10.30 11.30		35	1,479	110 74 00000
9	0187	0232	MATH1431013	1	10.30 11.30		35	1,479	110 74 00000
	0187	0232	MATH1431018	1	10.30 11.30		32	1,479	110 74 00000
9	0187	0232	MATH1431018	1	10.30 11.30		32	1,479	110 74 00000
	0187	0232	MATH1431004	1	11.30 12.30		33	1,479	110 74 00000
9	0187	0232	MATH1431004	1	11.30 12.30		33	1,479	110 74 00000
	0187	0232	MATH1431014	1	11.30 12.30		32	1,479	110 74 00000
9	0187	0232	MATH1431014	1	11.30 12.30		32	1,479	110 74 00000
	0187	0232	MATH1431005	1	12.30 13.30		29	1,479	110 74 00000
9	0187	0232	MATH1431005	1	12.30 13.30		29	1,479	110 74 00000
	0187	0232	MATH2060001	1 1	12.30 13.30		18	1,479	110 74 00000
9	0187	0232	MATH2060001	1 1	12.30 13.30		18	1,479	110 74 00000
	0187	0232	MATH1431015	1	12.30 13.30		33	1,479	110 74 00000
9	0187	0232	MATH1431015	1	12.30 13.30		33	1,479	110 74 00000
	0187	0232	MATH1431006	1	13.30 14.30		34	1,479	110 74 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 78

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0187	0232	MATH1431006	1	13.30 14.30		34	1,479	110 74 00000
	0187	0232	MATH1431010	1	13.30 14.30		31	1,479	110 74 00000
9	0187	0232	MATH1431010	1	13.30 14.30		31	1,479	110 74 00000
	0187	0232	MATH1431016	1	13.30 14.30		32	1,479	110 74 00000
9	0187	0232	MATH1431016	1	13.30 14.30		32	1,479	110 74 00000
	0187	0232	MATH1431019	1	13.30 14.30		35	1,479	110 74 00000
9	0187	0232	MATH1431019	1	13.30 14.30		35	1,479	110 74 00000
	0187	0232	MATH1431007	1	14.30 15.30		35	1,479	110 74 00000
9	0187	0232	MATH1431007	1	14.30 15.30		35	1,479	110 74 00000
	0187	0232	MATH1431020	1	14.30 15.30		23	1,479	110 74 00000
9	0187	0232	MATH1431020	1	14.30 15.30		23	1,479	110 74 00000
	0197	0001	MUS 3771001	1 1	9.00 10.30		11	3,265	210 300 00000
9	0197	0001	MUS 3771001	1 1	9.00 10.30		11	3,265	210 300 00000
	0197	0001	MUS 3771002	1 1	10.30 12.00		14	3,265	210 300 00000
9	0197	0001	MUS 3771002	1 1	10.30 12.00		14	3,265	210 300 00000
	0197	0001	MUS 4251001	1 1 1	12.30 14.30		49	3,265	210 300 00000
9	0197	0001	MUS 4251001	1 1 1	12.30 14.30		49	3,265	210 300 00000
	0197	0001	MUS 3146001	1	14.30 15.30		5	3,265	210 300 00000
9	0197	0001	MUS 3146001	1	14.30 15.30		5	3,265	210 300 00000
	0197	0001	MUS 3148001	1	14.30 15.30	1	7	3,265	210 300 00000
9	0197	0001	MUS 3148001	1	14.30 15.30		7	3,265	210 300 00000
	0197	0001	MUS 7046001	1	14.30 15.30	1	2	3,265	210 300 00000
9	0197	0001	MUS 7046001	1	14.30 15.30		2	3,265	210 300 00000
	0197	0001	MUS 7048001	1	14.30 15.30	1	3	3,265	210 300 00000
9	0197	0001	MUS 7048001	1	14.30 15.30		3	3,265	210 300 00000
	0197	0001	MUS 3130003	1	14.30 15.30		10	3,265	210 300 00000
9	0197	0001	MUS 3130003	1	14.30 15.30		10	3,265	210 300 00000
	0197	0001	MUS 7030002	1	14.30 15.30	1	7	3,265	210 300 00000
9	0197	0001	MUS 7030002	1	14.30 15.30		7	3,265	210 300 00000
	0212	0118	EE 4460001	1	8.30 10.30		9	827	210 16 00000
9	0212	0118	EE 4460001	1	8.30 10.30		9	827	210 16 00000
	0212	0118	EE 4422001	1	8.30 10.30		8	827	210 16 00000
9	0212	0118	EE 4422001	1	8.30 10.30		8	827	210 16 00000
	0212	0118	EE 4460002	1	12.30 14.30		9	827	210 16 00000
9	0212	0118	EE 4460002	1	12.30 14.30		9	827	210 16 00000
	0212	0118	EE 4422002	1	12.30 14.30		8	827	210 16 00000
9	0212	0118	EE 4422002	1	12.30 14.30		8	827	210 16 00000
	0212	0118	EE 4460003	1	14.30 16.30		8	827	210 16 00000
9	0212	0118	EE 4460003	1	14.30 16.30		8	827	210 16 00000
	0212	0118	EE 4422003	1	14.30 16.30		7	827	210 16 00000
9	0212	0118	EE 4422003	1	14.30 16.30		7	827	210 16 00000
	0212	0118	EE 4422004	1	16.30 18.30		8	827	210 16 00000
9	0212	0118	EE 4422004	1	16.30 18.30		8	827	210 16 00000
	0212	0118	EE 4422005	1	18.30 20.30		3	827	210 16 00000
9	0212	0118	EE 4422005	1	18.30 20.30		3	827	210 16 00000
	0212	0125	EE 4242001	1	8.30 10.30		11	453	140 9 00000
89	0212	0125	EE 4242001	1	8.30 10.30		11	453	140 9 00000
	0212	0125	EE 4242002	1	13.00 15.00		11	453	140 9 00000
89	0212	0125	EE 4242002	1	13.00 15.00		11	453	140 9 00000
	0212	0125	EE 4242003	1	15.00 17.00		8	453	140 9 00000
89	0212	0125	EE 4242003	1	15.00 17.00		8	453	140 9 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 79

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0212	0133	EE 2231001	1	10.30 12.30		11	449	210 9 00000
89	0212	0133	EE 2231001	1	10.30 12.30		11	449	210 9 00000
8	0212	0133	EE 2231002	1	13.00 15.00		16	449	210 9 00000
89	0212	0133	EE 2231002	1	13.00 15.00		16	449	210 9 00000
	0212	0145	EE 4242001	1 1	8.30 9.30		11	450	110 30 00000
9	0212	0145	EE 4242001	1 1	8.30 9.30		11	450	110 30 00000
	0212	0145	EE 4242002	1 1	8.30 9.30	1	11	450	110 30 00000
9	0212	0145	EE 4242002	1 1	8.30 9.30		11	450	110 30 00000
8	0212	0145	EE 4242003	1 1	8.30 9.30	1	8	450	110 30 00000
89	0212	0145	EE 4242003	1 1	8.30 9.30		8	450	110 30 00000
	0212	0145	ANSC4020001	1 1	9.00 10.30		17	450	110 30 00000
9	0212	0145	ANSC4020001	1 1	9.00 10.30		17	450	110 30 00000
	0212	0145	EE 7200001	1 1 1	9.30 10.30		7	450	110 30 00000
9	0212	0145	EE 7200001	1 1 1	9.30 10.30		7	450	110 30 00000
	0212	0145	ENTR3012001	1 1	10.30 12.00		16	450	110 30 00000
9	0212	0145	ENTR3012001	1 1	10.30 12.00		16	450	110 30 00000
	0212	0145	ANSC4020001	1	13.30 16.30		17	450	110 30 00000
9	0212	0145	ANSC4020001	1	13.30 16.30		17	450	110 30 00000
	0212	0149	NFS 7001001	1 1	10.30 12.00		10	550	110 36 00000
9	0212	0149	NFS 7001001	1 1	10.30 12.00		10	550	110 36 00000
	0212	0302	EE 3752001	1	8.30 10.30		13	827	210 17 00000
9	0212	0302	EE 3752001	1	8.30 10.30		13	827	210 17 00000
	0212	0302	EE 3752003	1	10.30 12.30		15	827	210 17 00000
89	0212	0302	EE 3752003	1	10.30 12.30		15	827	210 17 00000
	0212	0302	EE 3752002	1	10.30 12.30		16	827	210 17 00000
89	0212	0302	EE 3752002	1	10.30 12.30		16	827	210 17 00000
	0212	0302	EE 3752004	1	13.00 15.00		16	827	210 17 00000
89	0212	0302	EE 3752004	1	13.00 15.00		16	827	210 17 00000
	0212	0302	EE 3752005	1	15.00 17.00		18	827	210 17 00000
89	0212	0302	EE 3752005	1	15.00 17.00		18	827	210 17 00000
	0212	0322	EE 2731001	1	10.30 12.30		13	600	210 20 00000
9	0212	0322	EE 2731001	1	10.30 12.30		13	600	210 20 00000
	0212	0322	EE 2731002	1	13.00 15.00		17	600	210 20 00000
89	0212	0322	EE 2731002	1	13.00 15.00		17	600	210 20 00000
	0212	0322	EE 2731004	1	15.00 17.00		16	600	210 20 00000
89	0212	0322	EE 2731004	1	15.00 17.00		16	600	210 20 00000
	0212	0322	EE 2731003	1	15.00 17.00		14	600	210 20 00000
9	0212	0322	EE 2731003	1	15.00 17.00		14	600	210 20 00000
	0213	0244	TAM 3037001	1 1	9.00 12.00		14	1,460	210 29 00000
9	0213	0244	TAM 3037001	1 1	9.00 12.00		14	1,460	210 29 00000
	0213	0244	TAM 4037001	1 1	12.00 15.00		12	1,460	210 29 00000
9	0213	0244	TAM 4037001	1 1	12.00 15.00		12	1,460	210 29 00000
	0213	0244	TAM 2037001	1 1	12.30 15.30		13	1,460	210 29 00000
9	0213	0244	TAM 2037001	1 1	12.30 15.30		13	1,460	210 29 00000
	0213	0244	TAM 4037002	1 1	15.00 18.00		11	1,460	210 29 00000
9	0213	0244	TAM 4037002	1 1	15.00 18.00		11	1,460	210 29 00000
	0213	0247	TAM 2042001	1 1	9.00 10.30		28	938	110 60 00000
9	0213	0247	TAM 2042001	1 1	9.00 10.30		28	938	110 60 00000
	0213	0247	TAM 2032001	1	12.00 13.00		22	938	110 60 00000
9	0213	0247	TAM 2032001	1	12.00 13.00		22	938	110 60 00000
	0213	0247	TAM 3042001	1 1 1	12.30 13.30		28	938	110 60 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 80

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0213	0247	TAM 3042001	1 1 1	12.30 13.30		28	938	110 60 00000
	0213	0247	TAM 2032001	1 1	13.00 15.00		22	938	110 60 00000
9	0213	0247	TAM 2032001	1 1	13.00 15.00		22	938	110 60 00000
	0213	0251	TAM 4034001	1 1	9.00 10.00		12	916	210 60 00000
9	0213	0251	TAM 4034001	1 1	9.00 10.00		12	916	210 60 00000
	0213	0251	TAM 4034001	1	10.00 12.00		12	916	210 60 00000
9	0213	0251	TAM 4034001	1	10.00 12.00		12	916	210 60 00000
	0213	0251	TAM 4043002	1	13.00 15.00		13	916	210 60 00000
9	0213	0251	TAM 4043002	1	13.00 15.00		13	916	210 60 00000
	0213	0251	TAM 4043001	1	13.00 15.00		11	916	210 60 00000
9	0213	0251	TAM 4043001	1	13.00 15.00		11	916	210 60 00000
	0213	0251	TAM 2041001	1	13.30 16.30		16	916	210 60 00000
9	0213	0251	TAM 2041001	1	13.30 16.30		16	916	210 60 00000
	0213	0251	TAM 2041002	1	13.30 16.30		15	916	210 60 00000
9	0213	0251	TAM 2041002	1	13.30 16.30		15	916	210 60 00000
	0215	0136	ENGL1001082	1 1 1	11.30 12.30		20	384	110 22 00000
89	0215	0136	ENGL1001082	1 1 1	11.30 12.30		20	384	110 22 00000
	0215	0136	ENGL1001007	1 1 1	12.30 13.30		20	384	110 22 00000
89	0215	0136	ENGL1001007	1 1 1	12.30 13.30		20	384	110 22 00000
	0221	0256J	HRE 2723002	1 1	10.30 12.00		24	1,497	110 100 00000
9	0221	0256J	HRE 2723002	1 1	10.30 12.00		24	1,497	110 100 00000
	0240	0029	ENGL1001089	1 1 1	11.30 12.30		13	1,375	110 60 00000
9	0240	0029	ENGL1001089	1 1 1	11.30 12.30		13	1,375	110 60 00000
	0240	0029	ENGL2025006	1 1 1	14.30 15.30		36	1,375	110 60 00000
9	0240	0029	ENGL2025006	1 1 1	14.30 15.30		36	1,375	110 60 00000
	0240	0032	ENGL1001105	1 1	10.30 12.00		19	930	110 62 00000
9	0240	0032	ENGL1001105	1 1	10.30 12.00		19	930	110 62 00000
	0253	0140	ME 2212001	1	15.00 16.00		60	2,100	110 49 00000
89	0253	0140	ME 2212001	1	15.00 16.00		60	2,100	110 49 00000
	0253	0140	ME 2212002	1	15.00 16.00	1	53	2,100	110 49 00000
8	0253	0140	ME 2212002	1	15.00 16.00		53	2,100	110 49 00000
89	0253	0140	ME 2212002	1	15.00 16.00		53	2,100	110 49 00000
	0253	0140	ME 2212001	1	15.00 17.00		60	2,100	110 49 00000
89	0253	0140	ME 2212001	1	15.00 17.00		60	2,100	110 49 00000
	0253	0140	ME 2212002	1	17.00 19.00		53	2,100	110 49 00000
89	0253	0140	ME 2212002	1	17.00 19.00		53	2,100	110 49 00000
	0253	0161A	CM 2105001	1	7.30 9.30		17	2,018	210 40 00000
9	0253	0161A	CM 2105001	1	7.30 9.30		17	2,018	210 40 00000
	0253	0161A	CM 2105002	1	9.30 11.30		22	2,018	210 40 00000
9	0253	0161A	CM 2105002	1	9.30 11.30		22	2,018	210 40 00000
	0253	0161A	CM 2105003	1	12.30 14.30		24	2,018	210 40 00000
9	0253	0161A	CM 2105003	1	12.30 14.30		24	2,018	210 40 00000
	0253	0161A	CM 2105004	1	14.30 16.30		24	2,018	210 40 00000
9	0253	0161A	CM 2105004	1	14.30 16.30		24	2,018	210 40 00000
	0266	0002	LA 1201001	1 1 1	8.30 9.30		206	3,223	110 386 00000
9	0266	0002	LA 1201001	1 1 1	8.30 9.30		206	3,223	110 386 00000
	0266	0002	KIN 2500001	1 1	9.00 10.30		318	3,223	110 386 00000
89	0266	0002	KIN 2500001	1 1	9.00 10.30		318	3,223	110 386 00000
	0266	0002	PSYC2000001	1 1 1	9.30 10.30		286	3,223	110 386 00000
9	0266	0002	PSYC2000001	1 1 1	9.30 10.30		286	3,223	110 386 00000
	0266	0002	KIN 2501001	1 1 1	10.30 11.30		378	3,223	110 386 00000
89	0266	0002	KIN 2501001	1 1 1	10.30 11.30		378	3,223	110 386 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 81

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0266	0002	ID 1051001	1 1	10.30 12.00	381	3,223	110 386	00000
89	0266	0002	ID 1051001	1 1	10.30 12.00	381	3,223	110 386	00000
	0266	0002	CLST2090001	1 1 1	11.30 12.30	233	3,223	110 386	00000
9	0266	0002	CLST2090001	1 1 1	11.30 12.30	233	3,223	110 386	00000
	0266	0002	PSYC2000003	1 1	12.00 13.30	308	3,223	110 386	00000
89	0266	0002	PSYC2000003	1 1	12.00 13.30	308	3,223	110 386	00000
	0266	0002	LA 1203001	1 1 1	12.30 13.30	381	3,223	110 386	00000
89	0266	0002	LA 1203001	1 1 1	12.30 13.30	381	3,223	110 386	00000
	0266	0002	LA 1203002	1 1 1	13.30 14.30	379	3,223	110 386	00000
89	0266	0002	LA 1203002	1 1 1	13.30 14.30	379	3,223	110 386	00000
	0266	0002	LA 1201002	1 1	13.30 15.00	295	3,223	110 386	00000
89	0266	0002	LA 1201002	1 1	13.30 15.00	295	3,223	110 386	00000
	0266	0002	CHE 1100002	1	14.30 15.30	226	3,223	110 386	00000
9	0266	0002	CHE 1100002	1	14.30 15.30	226	3,223	110 386	00000
	0266	0002	GEOG2050002	1 1	15.00 16.30	247	3,223	110 386	00000
9	0266	0002	GEOG2050002	1 1	15.00 16.30	247	3,223	110 386	00000
	0266	0005	CE 4200001	1 1	9.00 10.30	187	1,892	110 193	00000
89	0266	0005	CE 4200001	1 1	9.00 10.30	187	1,892	110 193	00000
	0266	0005	HIST1001003	1 1 1	9.30 10.30	170	1,892	110 193	00000
89	0266	0005	HIST1001003	1 1 1	9.30 10.30	170	1,892	110 193	00000
	0266	0005	GEOG1003001	1 1 1	10.30 11.30	74	1,892	110 193	00000
9	0266	0005	GEOG1003001	1 1 1	10.30 11.30	74	1,892	110 193	00000
	0266	0005	MC 2035001	1 1	10.30 12.00	176	1,892	110 193	00000
89	0266	0005	MC 2035001	1 1	10.30 12.00	176	1,892	110 193	00000
	0266	0005	BIOL1011001	1 1 1	11.30 12.30	190	1,892	110 193	00000
89	0266	0005	BIOL1011001	1 1 1	11.30 12.30	190	1,892	110 193	00000
	0266	0005	SOCL2001006	1 1	12.00 13.30	200	1,892	110 193	00000
89	0266	0005	SOCL2001006	1 1	12.00 13.30	200	1,892	110 193	00000
	0266	0005	GEOG2051002	1 1 1	12.30 13.30	134	1,892	110 193	00000
9	0266	0005	GEOG2051002	1 1 1	12.30 13.30	134	1,892	110 193	00000
	0266	0005	GEOG1003002	1 1 1	13.30 14.30	65	1,892	110 193	00000
9	0266	0005	GEOG1003002	1 1 1	13.30 14.30	65	1,892	110 193	00000
	0266	0005	BIOL2160001	1 1	13.30 15.00	197	1,892	110 193	00000
89	0266	0005	BIOL2160001	1 1	13.30 15.00	197	1,892	110 193	00000
	0266	0005	BIOL2160002	1 1	15.00 16.30	186	1,892	110 193	00000
89	0266	0005	BIOL2160002	1 1	15.00 16.30	186	1,892	110 193	00000
	0266	0005	MATH1100001	1 1	16.30 18.00	69	1,892	110 193	00000
9	0266	0005	MATH1100001	1 1	16.30 18.00	69	1,892	110 193	00000
	0266	0005	PSYC3083001	1	18.00 21.00	73	1,892	110 193	00000
9	0266	0005	PSYC3083001	1	18.00 21.00	73	1,892	110 193	00000
	0266	0006	CE 3400002	1 1	9.00 10.30	143	1,867	110 193	00000
9	0266	0006	CE 3400002	1 1	9.00 10.30	143	1,867	110 193	00000
	0266	0006	SOCL2001002	1 1 1	9.30 10.30	190	1,867	110 193	00000
89	0266	0006	SOCL2001002	1 1 1	9.30 10.30	190	1,867	110 193	00000
	0266	0006	HIST1001001	1 1 1	10.30 11.30	137	1,867	110 193	00000
9	0266	0006	HIST1001001	1 1 1	10.30 11.30	137	1,867	110 193	00000
	0266	0006	POLI2051001	1 1	10.30 12.00	196	1,867	110 193	00000
89	0266	0006	POLI2051001	1 1	10.30 12.00	196	1,867	110 193	00000
	0266	0006	RNR 1001001	1 1 1	11.30 12.30	166	1,867	110 193	00000
89	0266	0006	RNR 1001001	1 1 1	11.30 12.30	166	1,867	110 193	00000
	0266	0006	HIST1001004	1 1	12.00 13.30	156	1,867	110 193	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 82

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	0266	0006	HIST1001004	1 1	12.00 13.30		156	1,867	110 193 00000
	0266	0006	SOCL2001004	1 1 1	12.30 13.30		171	1,867	110 193 00000
89	0266	0006	SOCL2001004	1 1 1	12.30 13.30		171	1,867	110 193 00000
	0266	0006	HIST2057002	1 1 1	13.30 14.30		151	1,867	110 193 00000
89	0266	0006	HIST2057002	1 1 1	13.30 14.30		151	1,867	110 193 00000
	0266	0006	BE 1251001	1	13.30 14.30		34	1,867	110 193 00000
9	0266	0006	BE 1251001	1	13.30 14.30		34	1,867	110 193 00000
	0266	0006	BE 1251002	1	13.30 14.30	1	30	1,867	110 193 00000
9	0266	0006	BE 1251002	1	13.30 14.30		30	1,867	110 193 00000
	0266	0006	BE 1251003	1	13.30 14.30	1	35	1,867	110 193 00000
9	0266	0006	BE 1251003	1	13.30 14.30		35	1,867	110 193 00000
	0266	0006	SOCL2001008	1 1	15.00 16.30		74	1,867	110 193 00000
9	0266	0006	SOCL2001008	1 1	15.00 16.30		74	1,867	110 193 00000
	0266	0006	PSYC2070001	1	16.30 19.30		110	1,867	110 193 00000
9	0266	0006	PSYC2070001	1	16.30 19.30		110	1,867	110 193 00000
	0266	0006	SOCL2001005	1	18.00 21.00		28	1,867	110 193 00000
9	0266	0006	SOCL2001005	1	18.00 21.00		28	1,867	110 193 00000
	0266	0009	ENVS1126001	1 1	9.00 10.30		95	1,252	110 178 00000
9	0266	0009	ENVS1126001	1 1	9.00 10.30		95	1,252	110 178 00000
	0266	0009	POLI2051002	1 1	9.00 10.30		133	1,252	110 178 00000
9	0266	0009	POLI2051002	1 1	9.00 10.30		133	1,252	110 178 00000
	0266	0009	EE 3950001	1 1 1	10.30 11.30		123	1,252	110 178 00000
9	0266	0009	EE 3950001	1 1 1	10.30 11.30		123	1,252	110 178 00000
	0266	0009	PSYC2017001	1 1	10.30 12.00		25	1,252	110 178 00000
9	0266	0009	PSYC2017001	1 1	10.30 12.00		25	1,252	110 178 00000
	0266	0009	PSYC2017003	1 1	10.30 12.00	1	19	1,252	110 178 00000
9	0266	0009	PSYC2017003	1 1	10.30 12.00		19	1,252	110 178 00000
	0266	0009	PSYC2017004	1 1	10.30 12.00	1	25	1,252	110 178 00000
9	0266	0009	PSYC2017004	1 1	10.30 12.00		25	1,252	110 178 00000
	0266	0009	PSYC2017005	1 1	10.30 12.00	1	23	1,252	110 178 00000
9	0266	0009	PSYC2017005	1 1	10.30 12.00		23	1,252	110 178 00000
	0266	0009	CM 3504001	1 1 1	11.30 12.30		98	1,252	110 178 00000
9	0266	0009	CM 3504001	1 1 1	11.30 12.30		98	1,252	110 178 00000
	0266	0009	HIST1003002	1 1	12.00 13.30		119	1,252	110 178 00000
9	0266	0009	HIST1003002	1 1	12.00 13.30		119	1,252	110 178 00000
	0266	0009	ENVS1126002	1 1 1	12.30 13.30		125	1,252	110 178 00000
9	0266	0009	ENVS1126002	1 1 1	12.30 13.30		125	1,252	110 178 00000
	0266	0009	BIOL1001004	1 1 1	13.30 14.30		88	1,252	110 178 00000
9	0266	0009	BIOL1001004	1 1 1	13.30 14.30		88	1,252	110 178 00000
	0266	0009	PSYC2016001	1 1	13.30 15.00		23	1,252	110 178 00000
9	0266	0009	PSYC2016001	1 1	13.30 15.00		23	1,252	110 178 00000
	0266	0009	PSYC2016002	1 1	13.30 15.00	1	23	1,252	110 178 00000
9	0266	0009	PSYC2016002	1 1	13.30 15.00		23	1,252	110 178 00000
	0266	0009	PSYC2016003	1 1	13.30 15.00	1	25	1,252	110 178 00000
9	0266	0009	PSYC2016003	1 1	13.30 15.00		25	1,252	110 178 00000
	0266	0009	PSYC2016004	1 1	13.30 15.00	1	23	1,252	110 178 00000
9	0266	0009	PSYC2016004	1 1	13.30 15.00		23	1,252	110 178 00000
	0266	0009	PSYC2016005	1 1	13.30 15.00	1	26	1,252	110 178 00000
9	0266	0009	PSYC2016005	1 1	13.30 15.00		26	1,252	110 178 00000
	0266	0009	PETE3050001	1 1 1	15.30 16.30		78	1,252	110 178 00000
9	0266	0009	PETE3050001	1 1 1	15.30 16.30		78	1,252	110 178 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 83

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0266	0010	IE 3302001	1 1 1	8.30 9.30		130	110 178	00000
9	0266	0010	IE 3302001	1 1 1	8.30 9.30		130	110 178	00000
	0266	0010	BIOL3040002	1 1	9.00 10.30		147	110 178	00000
89	0266	0010	BIOL3040002	1 1	9.00 10.30		147	110 178	00000
	0266	0010	CSC 1350001	1 1 1	9.30 10.30		35	110 178	00000
9	0266	0010	CSC 1350001	1 1 1	9.30 10.30		35	110 178	00000
	0266	0010	CSC 1350002	1 1 1	9.30 10.30	1	33	110 178	00000
9	0266	0010	CSC 1350002	1 1 1	9.30 10.30	1	33	110 178	00000
	0266	0010	CSC 1350003	1 1 1	9.30 10.30	1	71	110 178	00000
89	0266	0010	CSC 1350003	1 1 1	9.30 10.30	1	71	110 178	00000
	0266	0010	CE 2450001	1 1 1	10.30 11.30		124	110 178	00000
9	0266	0010	CE 2450001	1 1 1	10.30 11.30		124	110 178	00000
	0266	0010	BIOL2153005	1 1	10.30 12.00		29	110 178	00000
9	0266	0010	BIOL2153005	1 1	10.30 12.00		29	110 178	00000
	0266	0010	BIOL2153006	1 1	10.30 12.00	1	30	110 178	00000
9	0266	0010	BIOL2153006	1 1	10.30 12.00	1	30	110 178	00000
	0266	0010	BIOL2153007	1 1	10.30 12.00	1	29	110 178	00000
9	0266	0010	BIOL2153007	1 1	10.30 12.00	1	29	110 178	00000
	0266	0010	BIOL2153008	1 1	10.30 12.00	1	19	110 178	00000
9	0266	0010	BIOL2153008	1 1	10.30 12.00	1	19	110 178	00000
	0266	0010	BIOL2153009	1 1	10.30 12.00	1	25	110 178	00000
9	0266	0010	BIOL2153009	1 1	10.30 12.00	1	25	110 178	00000
8	0266	0010	BIOL2153010	1 1	10.30 12.00	1	12	110 178	00000
89	0266	0010	BIOL2153010	1 1	10.30 12.00	1	12	110 178	00000
	0266	0010	CE 2450002	1 1 1	11.30 12.30		156	110 178	00000
89	0266	0010	CE 2450002	1 1 1	11.30 12.30		156	110 178	00000
	0266	0010	HIST2057001	1 1	12.00 13.30		159	110 178	00000
89	0266	0010	HIST2057001	1 1	12.00 13.30		159	110 178	00000
	0266	0010	HIST1007001	1 1 1	12.30 13.30		58	110 178	00000
9	0266	0010	HIST1007001	1 1 1	12.30 13.30		58	110 178	00000
	0266	0010	KIN 3502001	1 1	13.30 15.00		20	110 178	00000
9	0266	0010	KIN 3502001	1 1	13.30 15.00		20	110 178	00000
	0266	0010	KIN 3502002	1 1	13.30 15.00	1	20	110 178	00000
9	0266	0010	KIN 3502002	1 1	13.30 15.00	1	20	110 178	00000
	0266	0010	KIN 3502003	1 1	13.30 15.00	1	21	110 178	00000
9	0266	0010	KIN 3502003	1 1	13.30 15.00	1	21	110 178	00000
	0266	0010	KIN 3502004	1 1	13.30 15.00	1	20	110 178	00000
9	0266	0010	KIN 3502004	1 1	13.30 15.00	1	20	110 178	00000
	0266	0010	KIN 3502005	1 1	13.30 15.00	1	20	110 178	00000
9	0266	0010	KIN 3502005	1 1	13.30 15.00	1	20	110 178	00000
	0266	0010	KIN 3502006	1 1	13.30 15.00	1	20	110 178	00000
9	0266	0010	KIN 3502006	1 1	13.30 15.00	1	20	110 178	00000
	0266	0010	KIN 3502007	1 1	13.30 15.00	1	20	110 178	00000
89	0266	0010	KIN 3502007	1 1	13.30 15.00	1	20	110 178	00000
8	0266	0010	KIN 3502008	1 1	13.30 15.00	1	20	110 178	00000
89	0266	0010	KIN 3502008	1 1	13.30 15.00	1	20	110 178	00000
	0266	0010	PETE4998002	1	14.30 16.30		129	110 178	00000
9	0266	0010	PETE4998002	1	14.30 16.30		129	110 178	00000
	0266	0015	ME 2334002	11111	7.30 8.30		43	110 193	00000
9	0266	0015	ME 2334002	11111	7.30 8.30		43	110 193	00000
	0266	0015	MATH1550001	1 111	8.30 9.30		35	110 193	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 84

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0266	0015	MATH1550001	1 111	8.30 9.30		35	1,954	110 193 00000
	0266	0015	MATH1550002	1 111	8.30 9.30	1	37	1,954	110 193 00000
9	0266	0015	MATH1550002	1 111	8.30 9.30		37	1,954	110 193 00000
	0266	0015	MATH1550003	1 111	8.30 9.30	1	28	1,954	110 193 00000
9	0266	0015	MATH1550003	1 111	8.30 9.30		28	1,954	110 193 00000
	0266	0015	MATH1550004	1 111	8.30 9.30	1	26	1,954	110 193 00000
9	0266	0015	MATH1550004	1 111	8.30 9.30		26	1,954	110 193 00000
	0266	0015	MATH1550005	1 111	8.30 9.30	1	34	1,954	110 193 00000
89	0266	0015	MATH1550005	1 111	8.30 9.30		34	1,954	110 193 00000
	0266	0015	MATH1550006	111 1	9.30 10.30		38	1,954	110 193 00000
9	0266	0015	MATH1550006	111 1	9.30 10.30		38	1,954	110 193 00000
	0266	0015	MATH1550007	111 1	9.30 10.30	1	39	1,954	110 193 00000
9	0266	0015	MATH1550007	111 1	9.30 10.30		39	1,954	110 193 00000
	0266	0015	MATH1550008	111 1	9.30 10.30	1	37	1,954	110 193 00000
9	0266	0015	MATH1550008	111 1	9.30 10.30		37	1,954	110 193 00000
	0266	0015	MATH1550009	111 1	9.30 10.30	1	37	1,954	110 193 00000
89	0266	0015	MATH1550009	111 1	9.30 10.30		37	1,954	110 193 00000
8	0266	0015	MATH1550010	111 1	9.30 10.30	1	37	1,954	110 193 00000
89	0266	0015	MATH1550010	111 1	9.30 10.30		37	1,954	110 193 00000
	0266	0015	HIST1003001	1 1 1	10.30 11.30		111	1,954	110 193 00000
9	0266	0015	HIST1003001	1 1 1	10.30 11.30		111	1,954	110 193 00000
	0266	0015	HIST1003003	1 1	10.30 12.00		136	1,954	110 193 00000
9	0266	0015	HIST1003003	1 1	10.30 12.00		136	1,954	110 193 00000
	0266	0015	ISDS2001004	1 1 1	11.30 12.30		123	1,954	110 193 00000
9	0266	0015	ISDS2001004	1 1 1	11.30 12.30		123	1,954	110 193 00000
	0266	0015	MATH1550011	1 111	12.30 13.30		37	1,954	110 193 00000
9	0266	0015	MATH1550011	1 111	12.30 13.30		37	1,954	110 193 00000
	0266	0015	MATH1550012	1 111	12.30 13.30	1	35	1,954	110 193 00000
9	0266	0015	MATH1550012	1 111	12.30 13.30		35	1,954	110 193 00000
	0266	0015	MATH1550013	1 111	12.30 13.30	1	38	1,954	110 193 00000
9	0266	0015	MATH1550013	1 111	12.30 13.30		38	1,954	110 193 00000
	0266	0015	MATH1550014	1 111	12.30 13.30	1	36	1,954	110 193 00000
89	0266	0015	MATH1550014	1 111	12.30 13.30		36	1,954	110 193 00000
8	0266	0015	MATH1550015	1 111	12.30 13.30	1	38	1,954	110 193 00000
89	0266	0015	MATH1550015	1 111	12.30 13.30		38	1,954	110 193 00000
	0266	0015	MATH1550016	111 1	13.30 14.30		40	1,954	110 193 00000
9	0266	0015	MATH1550016	111 1	13.30 14.30		40	1,954	110 193 00000
	0266	0015	MATH1550017	111 1	13.30 14.30	1	35	1,954	110 193 00000
9	0266	0015	MATH1550017	111 1	13.30 14.30		35	1,954	110 193 00000
	0266	0015	MATH1550018	111 1	13.30 14.30	1	34	1,954	110 193 00000
9	0266	0015	MATH1550018	111 1	13.30 14.30		34	1,954	110 193 00000
	0266	0015	MATH1550019	111 1	13.30 14.30	1	33	1,954	110 193 00000
9	0266	0015	MATH1550019	111 1	13.30 14.30		33	1,954	110 193 00000
8	0266	0015	MATH1550020	111 1	13.30 14.30	1	34	1,954	110 193 00000
89	0266	0015	MATH1550020	111 1	13.30 14.30		34	1,954	110 193 00000
	0266	0016	MATH1552001	1111	8.30 9.30		149	1,978	110 193 00000
89	0266	0016	MATH1552001	1111	8.30 9.30		149	1,978	110 193 00000
	0266	0016	KIN 1600001	1 1 1	9.30 10.30		149	1,978	110 193 00000
89	0266	0016	KIN 1600001	1 1 1	9.30 10.30		149	1,978	110 193 00000
	0266	0016	MATH1022001	1	10.30 11.30		136	1,978	110 193 00000
9	0266	0016	MATH1022001	1	10.30 11.30		136	1,978	110 193 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 85

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0266	0016	MATH1022003	1	10.30 11.30		139	1,978	110 193 00000
9	0266	0016	MATH1022003	1	10.30 11.30		139	1,978	110 193 00000
	0266	0016	MATH1022005	1	10.30 11.30		126	1,978	110 193 00000
9	0266	0016	MATH1022005	1	10.30 11.30		126	1,978	110 193 00000
	0266	0016	HIST3071001	1 1	10.30 12.00		124	1,978	110 193 00000
9	0266	0016	HIST3071001	1 1	10.30 12.00		124	1,978	110 193 00000
	0266	0016	SOCL2001003	1 1 1	11.30 12.30		192	1,978	110 193 00000
89	0266	0016	SOCL2001003	1 1 1	11.30 12.30		192	1,978	110 193 00000
	0266	0016	MATH1552005	1111	12.30 13.30		139	1,978	110 193 00000
9	0266	0016	MATH1552005	1111	12.30 13.30		139	1,978	110 193 00000
	0266	0016	MATH1022002	1	13.30 14.30		140	1,978	110 193 00000
9	0266	0016	MATH1022002	1	13.30 14.30		140	1,978	110 193 00000
	0266	0016	MATH1022004	1	13.30 14.30		136	1,978	110 193 00000
9	0266	0016	MATH1022004	1	13.30 14.30		136	1,978	110 193 00000
	0266	0016	MATH1022006	1	13.30 14.30		107	1,978	110 193 00000
9	0266	0016	MATH1022006	1	13.30 14.30		107	1,978	110 193 00000
	0266	0016	ISDS2000003	1 1	13.30 15.00		149	1,978	110 193 00000
89	0266	0016	ISDS2000003	1 1	13.30 15.00		149	1,978	110 193 00000
	0266	0016	ISDS2000002	1 1	15.00 16.30		107	1,978	110 193 00000
9	0266	0016	ISDS2000002	1 1	15.00 16.30		107	1,978	110 193 00000
	0266	0016	PSYC2040001	1	18.00 21.00		144	1,978	110 193 00000
9	0266	0016	PSYC2040001	1	18.00 21.00		144	1,978	110 193 00000
	0266	0111	MATH7510001	1 1	9.00 10.30		20	467	110 31 00000
9	0266	0111	MATH7510001	1 1	9.00 10.30		20	467	110 31 00000
	0266	0111	MATH4200001	1 1 1	9.30 10.30		24	467	110 31 00000
89	0266	0111	MATH4200001	1 1 1	9.30 10.30		24	467	110 31 00000
	0266	0111	MATH7365001	1 1	10.30 11.30		7	467	110 31 00000
9	0266	0111	MATH7365001	1 1	10.30 11.30		7	467	110 31 00000
	0266	0111	ENGL3084001	1 1	10.30 12.00		24	467	110 31 00000
89	0266	0111	ENGL3084001	1 1	10.30 12.00		24	467	110 31 00000
	0266	0111	ENGL1001081	1 1 1	11.30 12.30		17	467	110 31 00000
9	0266	0111	ENGL1001081	1 1 1	11.30 12.30		17	467	110 31 00000
	0266	0111	LATN1001006	1111	12.30 13.30		18	467	110 31 00000
9	0266	0111	LATN1001006	1111	12.30 13.30		18	467	110 31 00000
	0266	0111	MATH7311001	1 1	13.30 15.00		15	467	110 31 00000
9	0266	0111	MATH7311001	1 1	13.30 15.00		15	467	110 31 00000
	0266	0111	MATH4036001	1 1 1	14.30 15.30		17	467	110 31 00000
9	0266	0111	MATH4036001	1 1 1	14.30 15.30		17	467	110 31 00000
	0266	0111	EDCI4003002	1	16.30 18.30		9	467	110 31 00000
9	0266	0111	EDCI4003002	1	16.30 18.30		9	467	110 31 00000
	0266	0111	FMA 3502001	1	18.00 21.00		5	467	110 31 00000
9	0266	0111	FMA 3502001	1	18.00 21.00		5	467	110 31 00000
	0266	0112	MATH1550023	11111	7.30 8.30		34	569	110 40 00000
89	0266	0112	MATH1550023	11111	7.30 8.30		34	569	110 40 00000
	0266	0112	MATH1550004	1	9.00 10.00		26	569	110 40 00000
9	0266	0112	MATH1550004	1	9.00 10.00		26	569	110 40 00000
	0266	0112	MATH1550009	1	9.00 10.00		37	569	110 40 00000
89	0266	0112	MATH1550009	1	9.00 10.00		37	569	110 40 00000
	0266	0112	EDCI2081001	1	9.30 10.30		36	569	110 40 00000
89	0266	0112	EDCI2081001	1	9.30 10.30		36	569	110 40 00000
	0266	0112	FREN1001007	1111	10.30 11.30		16	569	110 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 86

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0266	0112	FREN1001007	1111	10.30 11.30		16	569	110 40 00000
	0266	0112	MATH1550029	11111	11.30 12.30		37	569	110 40 00000
89	0266	0112	MATH1550029	11111	11.30 12.30		37	569	110 40 00000
	0266	0112	SPAN2101011	1 1 1	12.30 13.30		24	569	110 40 00000
9	0266	0112	SPAN2101011	1 1 1	12.30 13.30		24	569	110 40 00000
	0266	0112	MATH1550014	1	12.30 13.30		36	569	110 40 00000
89	0266	0112	MATH1550014	1	12.30 13.30		36	569	110 40 00000
	0266	0112	MATH1550019	1	12.30 13.30		33	569	110 40 00000
89	0266	0112	MATH1550019	1	12.30 13.30		33	569	110 40 00000
	0266	0112	SPAN4603001	1 1 1	13.30 14.30		21	569	110 40 00000
9	0266	0112	SPAN4603001	1 1 1	13.30 14.30		21	569	110 40 00000
	0266	0112	HRE 3331001	1 1	13.30 15.00		23	569	110 40 00000
9	0266	0112	HRE 3331001	1 1	13.30 15.00		23	569	110 40 00000
	0266	0112	SPAN2101014	1 1 1	14.30 15.30		20	569	110 40 00000
9	0266	0112	SPAN2101014	1 1 1	14.30 15.30		20	569	110 40 00000
	0266	0112	MATH1552008	1 1	16.30 18.30		33	569	110 40 00000
89	0266	0112	MATH1552008	1 1	16.30 18.30		33	569	110 40 00000
	0266	0112	MATH1550038	1 1	16.30 19.00		37	569	110 40 00000
89	0266	0112	MATH1550038	1 1	16.30 19.00		37	569	110 40 00000
	0266	0113	SPAN2101001	1 1 1	7.30 8.30		19	473	110 32 00000
9	0266	0113	SPAN2101001	1 1 1	7.30 8.30		19	473	110 32 00000
	0266	0113	SPAN2101002	1 1 1	8.30 9.30		23	473	110 32 00000
9	0266	0113	SPAN2101002	1 1 1	8.30 9.30		23	473	110 32 00000
	0266	0113	SPAN1101016	1111	9.30 10.30		24	473	110 32 00000
9	0266	0113	SPAN1101016	1111	9.30 10.30		24	473	110 32 00000
	0266	0113	ENGL1001053	1 1 1	10.30 11.30		20	473	110 32 00000
9	0266	0113	ENGL1001053	1 1 1	10.30 11.30		20	473	110 32 00000
	0266	0113	ENGL1001115	1 1	10.30 12.00		20	473	110 32 00000
9	0266	0113	ENGL1001115	1 1	10.30 12.00		20	473	110 32 00000
	0266	0113	ENGL1001049	1 1 1	11.30 12.30		20	473	110 32 00000
9	0266	0113	ENGL1001049	1 1 1	11.30 12.30		20	473	110 32 00000
	0266	0113	HRE 3571001	1 1	12.00 13.30		27	473	110 32 00000
89	0266	0113	HRE 3571001	1 1	12.00 13.30		27	473	110 32 00000
	0266	0113	MATH7360001	1 1 1	12.30 13.30		10	473	110 32 00000
9	0266	0113	MATH7360001	1 1 1	12.30 13.30		10	473	110 32 00000
	0266	0113	MATH4038001	1 1 1	13.30 14.30		31	473	110 32 00000
89	0266	0113	MATH4038001	1 1 1	13.30 14.30		31	473	110 32 00000
	0266	0113	MATH4035001	1 1	13.30 15.00		10	473	110 32 00000
9	0266	0113	MATH4035001	1 1	13.30 15.00		10	473	110 32 00000
	0266	0113	MATH7001001	1 1	15.00 17.00		13	473	110 32 00000
9	0266	0113	MATH7001001	1 1	15.00 17.00		13	473	110 32 00000
	0266	0114	MATH1550022	11111	7.30 8.30		40	564	110 40 00000
89	0266	0114	MATH1550022	11111	7.30 8.30		40	564	110 40 00000
	0266	0114	MATH1550003	1	9.00 10.00		28	564	110 40 00000
9	0266	0114	MATH1550003	1	9.00 10.00		28	564	110 40 00000
	0266	0114	MATH1550008	1	9.00 10.00		37	564	110 40 00000
89	0266	0114	MATH1550008	1	9.00 10.00		37	564	110 40 00000
	0266	0114	MATH4031001	1 1 1	9.30 10.30		26	564	110 40 00000
9	0266	0114	MATH4031001	1 1 1	9.30 10.30		26	564	110 40 00000
	0266	0114	SPAN1102002	1111	10.30 11.30		24	564	110 40 00000
9	0266	0114	SPAN1102002	1111	10.30 11.30		24	564	110 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 87

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0266	0114	MATH1550028	11111	11.30 12.30		39	564	110 40 00000
89	0266	0114	MATH1550028	11111	11.30 12.30		39	564	110 40 00000
	0266	0114	WGS 2500005	1 1 1	12.30 13.30		40	564	110 40 00000
89	0266	0114	WGS 2500005	1 1 1	12.30 13.30		40	564	110 40 00000
	0266	0114	MATH1550013	1	12.30 13.30		38	564	110 40 00000
89	0266	0114	MATH1550013	1	12.30 13.30		38	564	110 40 00000
	0266	0114	MATH1550018	1	12.30 13.30		34	564	110 40 00000
89	0266	0114	MATH1550018	1	12.30 13.30		34	564	110 40 00000
	0266	0114	FREN1001012	1111	13.30 14.30		16	564	110 40 00000
9	0266	0114	FREN1001012	1111	13.30 14.30		16	564	110 40 00000
	0266	0114	FREN1001014	1111	14.30 15.30		13	564	110 40 00000
9	0266	0114	FREN1001014	1111	14.30 15.30		13	564	110 40 00000
	0266	0114	FREN1001015	1111	15.30 16.30		13	564	110 40 00000
9	0266	0114	FREN1001015	1111	15.30 16.30		13	564	110 40 00000
	0266	0116	MATH1550002	1	9.00 10.00		37	582	110 40 00000
89	0266	0116	MATH1550002	1	9.00 10.00		37	582	110 40 00000
	0266	0116	MATH1550007	1	9.00 10.00		39	582	110 40 00000
89	0266	0116	MATH1550007	1	9.00 10.00		39	582	110 40 00000
	0266	0116	MATH1552003	1111	10.30 11.30		36	582	110 40 00000
89	0266	0116	MATH1552003	1111	10.30 11.30		36	582	110 40 00000
	0266	0116	SPAN1101018	1111	11.30 12.30		22	582	110 40 00000
9	0266	0116	SPAN1101018	1111	11.30 12.30		22	582	110 40 00000
	0266	0116	MATH2058001	1 1 1	12.30 13.30		39	582	110 40 00000
89	0266	0116	MATH2058001	1 1 1	12.30 13.30		39	582	110 40 00000
	0266	0116	MATH1550012	1	12.30 13.30		35	582	110 40 00000
89	0266	0116	MATH1550012	1	12.30 13.30		35	582	110 40 00000
	0266	0116	MATH1550017	1	12.30 13.30		35	582	110 40 00000
89	0266	0116	MATH1550017	1	12.30 13.30		35	582	110 40 00000
	0266	0116	ITAL1001004	1111	13.30 14.30		17	582	110 40 00000
9	0266	0116	ITAL1001004	1111	13.30 14.30		17	582	110 40 00000
	0266	0116	SPAN1101011	1111	15.30 16.30		23	582	110 40 00000
9	0266	0116	SPAN1101011	1111	15.30 16.30		23	582	110 40 00000
	0266	0116	XCAS9999150	1 1	17.30 19.00		40	582	110 40 00000
89	0266	0116	XCAS9999150	1 1	17.30 19.00		40	582	110 40 00000
	0266	0119	ENGL2000009	1 1	9.00 10.30		16	311	110 21 00000
9	0266	0119	ENGL2000009	1 1	9.00 10.30		16	311	110 21 00000
	0266	0119	MATH7520001	1 1 1	9.30 10.30		6	311	110 21 00000
9	0266	0119	MATH7520001	1 1 1	9.30 10.30		6	311	110 21 00000
	0266	0119	SPAN3020001	1 1 1	10.30 11.30		20	311	110 21 00000
89	0266	0119	SPAN3020001	1 1 1	10.30 11.30		20	311	110 21 00000
	0266	0119	ENGL2000010	1 1	10.30 12.00		19	311	110 21 00000
89	0266	0119	ENGL2000010	1 1	10.30 12.00		19	311	110 21 00000
	0266	0119	ENGL1001079	1 1	12.00 13.30		20	311	110 21 00000
89	0266	0119	ENGL1001079	1 1	12.00 13.30		20	311	110 21 00000
	0266	0119	MATH4158001	1 1 1	12.30 13.30		10	311	110 21 00000
9	0266	0119	MATH4158001	1 1 1	12.30 13.30		10	311	110 21 00000
	0266	0119	MATH4020001	1 1 1	13.30 14.30		13	311	110 21 00000
9	0266	0119	MATH4020001	1 1 1	13.30 14.30		13	311	110 21 00000
	0266	0119	MATH4064001	1 1	13.30 15.00		9	311	110 21 00000
9	0266	0119	MATH4064001	1 1	13.30 15.00		9	311	110 21 00000
	0266	0119	MATH7386001	1 1 1	14.30 15.30		6	311	110 21 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 88

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0266	0119	MATH7386001	1 1 1	14.30 15.30		6	311	110 21 00000
	0266	0130	ENGL1004004	1 1	9.00 10.30		19	331	110 22 00000
89	0266	0130	ENGL1004004	1 1	9.00 10.30		19	331	110 22 00000
	0266	0130	ITAL2101001	1 1 1	9.30 10.30		16	331	110 22 00000
9	0266	0130	ITAL2101001	1 1 1	9.30 10.30		16	331	110 22 00000
	0266	0130	ENGL1001075	1 1 1	10.30 11.30		20	331	110 22 00000
89	0266	0130	ENGL1001075	1 1 1	10.30 11.30		20	331	110 22 00000
	0266	0130	MATH4065001	1 1	10.30 12.00		14	331	110 22 00000
9	0266	0130	MATH4065001	1 1	10.30 12.00		14	331	110 22 00000
	0266	0130	ENGL1001044	1 1 1	11.30 12.30		20	331	110 22 00000
89	0266	0130	ENGL1001044	1 1 1	11.30 12.30		20	331	110 22 00000
	0266	0130	MATH4172001	1 1	12.00 13.30		12	331	110 22 00000
9	0266	0130	MATH4172001	1 1	12.00 13.30		12	331	110 22 00000
	0266	0130	ENGL1001111	1 1 1	12.30 13.30		14	331	110 22 00000
9	0266	0130	ENGL1001111	1 1 1	12.30 13.30		14	331	110 22 00000
	0266	0130	MATH4050001	11111	14.30 15.30		7	331	110 22 00000
9	0266	0130	MATH4050001	11111	14.30 15.30		7	331	110 22 00000
	0266	0132	MATH1551001	11111	8.30 9.30		32	453	110 31 00000
89	0266	0132	MATH1551001	11111	8.30 9.30		32	453	110 31 00000
	0266	0132	SPAN1101012	1111	9.30 10.30		23	453	110 31 00000
9	0266	0132	SPAN1101012	1111	9.30 10.30		23	453	110 31 00000
	0266	0132	MATH7210001	1 1 1	10.30 11.30		18	453	110 31 00000
9	0266	0132	MATH7210001	1 1 1	10.30 11.30		18	453	110 31 00000
	0266	0132	ENGL1001123	1 1	10.30 12.00		16	453	110 31 00000
9	0266	0132	ENGL1001123	1 1	10.30 12.00		16	453	110 31 00000
	0266	0132	ENGL1001078	1 1 1	11.30 12.30		19	453	110 31 00000
9	0266	0132	ENGL1001078	1 1 1	11.30 12.30		19	453	110 31 00000
	0266	0132	MATH4325001	1 1	12.00 13.30		6	453	110 31 00000
9	0266	0132	MATH4325001	1 1	12.00 13.30		6	453	110 31 00000
	0266	0132	MATH4181001	1 1 1	13.30 14.30		23	453	110 31 00000
9	0266	0132	MATH4181001	1 1 1	13.30 14.30		23	453	110 31 00000
	0266	0132	MATH7260001	1 1	13.30 15.00		13	453	110 31 00000
9	0266	0132	MATH7260001	1 1	13.30 15.00		13	453	110 31 00000
	0266	0132	XCAS9999151	1	15.00 16.30		31	453	110 31 00000
89	0266	0132	XCAS9999151	1	15.00 16.30		31	453	110 31 00000
	0266	0132	XCAS9999152	1	16.00 17.30		31	453	110 31 00000
89	0266	0132	XCAS9999152	1	16.00 17.30		31	453	110 31 00000
	0266	0132	XCAS9999153	1	16.00 18.00	1	31	453	110 31 00000
89	0266	0132	XCAS9999153	1	16.00 18.00	1	31	453	110 31 00000
	0266	0132	XCAS9999154	1	16.30 18.00		31	453	110 31 00000
89	0266	0132	XCAS9999154	1	16.30 18.00		31	453	110 31 00000
	0266	0132	XCAS9999155	1	17.00 18.30	1	31	453	110 31 00000
89	0266	0132	XCAS9999155	1	17.00 18.30	1	31	453	110 31 00000
	0266	0132	XCAS9999156	1	18.00 19.30		31	453	110 31 00000
89	0266	0132	XCAS9999156	1	18.00 19.30		31	453	110 31 00000
	0266	0134	MATH1550005	1	9.00 10.00		34	590	110 39 00000
89	0266	0134	MATH1550005	1	9.00 10.00		34	590	110 39 00000
	0266	0134	MATH1550010	1	9.00 10.00	1	37	590	110 39 00000
89	0266	0134	MATH1550010	1	9.00 10.00	1	37	590	110 39 00000
	0266	0134	ENGL1001005	1 1 1	10.30 11.30		19	590	110 39 00000
9	0266	0134	ENGL1001005	1 1 1	10.30 11.30		19	590	110 39 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 89

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0266	0134	ENGL1001019	1 1	10.30 12.00		18	590	110 39 00000
9	0266	0134	ENGL1001019	1 1	10.30 12.00		18	590	110 39 00000
	0266	0134	GERM2101002	1 1 1	11.30 12.30		27	590	110 39 00000
9	0266	0134	GERM2101002	1 1 1	11.30 12.30		27	590	110 39 00000
	0266	0134	CMST2060022	1 1 1	12.30 13.30		25	590	110 39 00000
9	0266	0134	CMST2060022	1 1 1	12.30 13.30		25	590	110 39 00000
	0266	0134	MATH1550015	1	12.30 13.30		38	590	110 39 00000
89	0266	0134	MATH1550015	1	12.30 13.30		38	590	110 39 00000
	0266	0134	MATH1550020	1	12.30 13.30		34	590	110 39 00000
89	0266	0134	MATH1550020	1	12.30 13.30		34	590	110 39 00000
	0266	0134	ENGL1001118	1 1	13.30 15.00		19	590	110 39 00000
9	0266	0134	ENGL1001118	1 1	13.30 15.00		19	590	110 39 00000
	0266	0134	XCAS9999158	1	17.30 19.00		39	590	110 39 00000
89	0266	0134	XCAS9999158	1	17.30 19.00		39	590	110 39 00000
	0266	0134	XCAS9999159	1	18.00 19.30		39	590	110 39 00000
89	0266	0134	XCAS9999159	1	18.00 19.30		39	590	110 39 00000
	0266	0135	MATH2203002	1 1	7.30 9.30		24	473	110 32 00000
9	0266	0135	MATH2203002	1 1	7.30 9.30		24	473	110 32 00000
	0266	0135	MATH4056001	1111	9.30 10.30		20	473	110 32 00000
9	0266	0135	MATH4056001	1111	9.30 10.30		20	473	110 32 00000
	0266	0135	MATH7365001	1	9.30 10.30		7	473	110 32 00000
9	0266	0135	MATH7365001	1	9.30 10.30		7	473	110 32 00000
	0266	0135	ENGL1001051	1 1 1	10.30 11.30		17	473	110 32 00000
9	0266	0135	ENGL1001051	1 1 1	10.30 11.30		17	473	110 32 00000
	0266	0135	LATN1001005	1111	11.30 12.30		18	473	110 32 00000
9	0266	0135	LATN1001005	1111	11.30 12.30		18	473	110 32 00000
	0266	0135	MATH1553001	1111	12.30 13.30		31	473	110 32 00000
89	0266	0135	MATH1553001	1111	12.30 13.30		31	473	110 32 00000
	0266	0135	MATH1551003	11111	13.30 14.30		33	473	110 32 00000
89	0266	0135	MATH1551003	11111	13.30 14.30		33	473	110 32 00000
	0266	0135	MATH1551004	11111	14.30 15.30		31	473	110 32 00000
89	0266	0135	MATH1551004	11111	14.30 15.30		31	473	110 32 00000
	0266	0136	MATH1550001	1	9.00 10.00		35	560	110 40 00000
89	0266	0136	MATH1550001	1	9.00 10.00		35	560	110 40 00000
	0266	0136	MATH1550006	1	9.00 10.00		38	560	110 40 00000
89	0266	0136	MATH1550006	1	9.00 10.00		38	560	110 40 00000
	0266	0136	ENGL1001003	1 1 1	9.30 10.30		19	560	110 40 00000
9	0266	0136	ENGL1001003	1 1 1	9.30 10.30		19	560	110 40 00000
	0266	0136	SPAN1101017	1111	10.30 11.30		27	560	110 40 00000
9	0266	0136	SPAN1101017	1111	10.30 11.30		27	560	110 40 00000
	0266	0136	ITAL1001003	1111	11.30 12.30		11	560	110 40 00000
9	0266	0136	ITAL1001003	1111	11.30 12.30		11	560	110 40 00000
	0266	0136	ENGL3072001	1 1 1	12.30 13.30		35	560	110 40 00000
89	0266	0136	ENGL3072001	1 1 1	12.30 13.30		35	560	110 40 00000
	0266	0136	MATH1550011	1	12.30 13.30		37	560	110 40 00000
89	0266	0136	MATH1550011	1	12.30 13.30		37	560	110 40 00000
	0266	0136	MATH1550016	1	12.30 13.30		40	560	110 40 00000
89	0266	0136	MATH1550016	1	12.30 13.30		40	560	110 40 00000
	0266	0136	GERM1101005	1111	14.30 15.30		15	560	110 40 00000
9	0266	0136	GERM1101005	1111	14.30 15.30		15	560	110 40 00000
	0266	0136	MATH1550039	1 1	15.30 18.00		39	560	110 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 90

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	0266	0136	MATH1550039	1 1	15.30 18.00		39	560	110 40 00000
	0266	0137	ENGL1001045	1 1	9.00 10.30		19	467	110 32 00000
9	0266	0137	ENGL1001045	1 1	9.00 10.30		19	467	110 32 00000
	0266	0137	ENGL1001071	1 1 1	9.30 10.30		19	467	110 32 00000
9	0266	0137	ENGL1001071	1 1 1	9.30 10.30		19	467	110 32 00000
	0266	0137	ENGL1001033	1 1 1	10.30 11.30		19	467	110 32 00000
9	0266	0137	ENGL1001033	1 1 1	10.30 11.30		19	467	110 32 00000
	0266	0137	ENGL1001060	1 1	10.30 12.00		19	467	110 32 00000
9	0266	0137	ENGL1001060	1 1	10.30 12.00		19	467	110 32 00000
	0266	0137	ENGL1001039	1 1 1	11.30 12.30		20	467	110 32 00000
9	0266	0137	ENGL1001039	1 1 1	11.30 12.30		20	467	110 32 00000
	0266	0137	MATH1551002	11111	12.30 13.30		32	467	110 32 00000
89	0266	0137	MATH1551002	11111	12.30 13.30		32	467	110 32 00000
	0266	0137	SPAN2101012	1 1 1	13.30 14.30		24	467	110 32 00000
9	0266	0137	SPAN2101012	1 1 1	13.30 14.30		24	467	110 32 00000
	0266	0137	ENGL2000005	1 1	13.30 15.00		18	467	110 32 00000
9	0266	0137	ENGL2000005	1 1	13.30 15.00		18	467	110 32 00000
	0266	0138	MATH2025001	1 1	9.00 10.30		21	562	110 40 00000
9	0266	0138	MATH2025001	1 1	9.00 10.30		21	562	110 40 00000
	0266	0138	SPAN2102003	1 1 1	9.30 10.30		25	562	110 40 00000
9	0266	0138	SPAN2102003	1 1 1	9.30 10.30		25	562	110 40 00000
	0266	0138	WGS 2500006	1 1	10.30 12.00		39	562	110 40 00000
89	0266	0138	WGS 2500006	1 1	10.30 12.00		39	562	110 40 00000
	0266	0138	WGS 2900002	1 1 1	11.30 12.30		38	562	110 40 00000
89	0266	0138	WGS 2900002	1 1 1	11.30 12.30		38	562	110 40 00000
	0266	0138	SPAN1101007	1111	12.30 13.30		23	562	110 40 00000
9	0266	0138	SPAN1101007	1111	12.30 13.30		23	562	110 40 00000
	0266	0138	MATH1550036	11111	15.30 16.30		34	562	110 40 00000
89	0266	0138	MATH1550036	11111	15.30 16.30		34	562	110 40 00000
	0266	0232	LATN2051001	1111	8.30 9.30		21	601	110 42 00000
9	0266	0232	LATN2051001	1111	8.30 9.30		21	601	110 42 00000
	0266	0232	CMST2060014	1 1 1	9.30 10.30		26	601	110 42 00000
9	0266	0232	CMST2060014	1 1 1	9.30 10.30		26	601	110 42 00000
	0266	0232	SPAN1101013	1111	10.30 11.30		24	601	110 42 00000
9	0266	0232	SPAN1101013	1111	10.30 11.30		24	601	110 42 00000
	0266	0232	ITAL1002001	1111	11.30 12.30		15	601	110 42 00000
9	0266	0232	ITAL1002001	1111	11.30 12.30		15	601	110 42 00000
	0266	0232	GERM1101003	1111	12.30 13.30		19	601	110 42 00000
9	0266	0232	GERM1101003	1111	12.30 13.30		19	601	110 42 00000
	0266	0232	HIST3119001	1 1	13.30 15.00		16	601	110 42 00000
9	0266	0232	HIST3119001	1 1	13.30 15.00		16	601	110 42 00000
	0266	0232	HIST3119002	1 1	15.00 16.30		16	601	110 42 00000
9	0266	0232	HIST3119002	1 1	15.00 16.30		16	601	110 42 00000
	0266	0235	ENGL3101001	1 1	9.00 10.30		22	627	110 41 00000
9	0266	0235	ENGL3101001	1 1	9.00 10.30		22	627	110 41 00000
	0266	0235	SPAN2101006	1 1 1	10.30 11.30		25	627	110 41 00000
9	0266	0235	SPAN2101006	1 1 1	10.30 11.30		25	627	110 41 00000
	0266	0235	ENGL2007002	1 1	10.30 12.00		16	627	110 41 00000
9	0266	0235	ENGL2007002	1 1	10.30 12.00		16	627	110 41 00000
	0266	0235	ENGL2148003	1	11.30 12.30		15	627	110 41 00000
9	0266	0235	ENGL2148003	1	11.30 12.30		15	627	110 41 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 91

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0266	0235	CMST1061009	1 1	12.00 13.30		31	627	110 41 00000
9	0266	0235	CMST1061009	1 1	12.00 13.30		31	627	110 41 00000
	0266	0235	CMST2060023	1 1 1	12.30 13.30		25	627	110 41 00000
9	0266	0235	CMST2060023	1 1 1	12.30 13.30		25	627	110 41 00000
	0266	0235	ARAB3101001	1 1	13.30 15.00		13	627	110 41 00000
9	0266	0235	ARAB3101001	1 1	13.30 15.00		13	627	110 41 00000
	0266	0237	MATH1550025	111111	8.30 9.30		43	622	110 40 00000
89	0266	0237	MATH1550025	111111	8.30 9.30		43	622	110 40 00000
	0266	0237	MATH1552002	1111	9.30 10.30		40	622	110 40 00000
89	0266	0237	MATH1552002	1111	9.30 10.30		40	622	110 40 00000
	0266	0237	LATN2053001	1 1 1	10.30 11.30		15	622	110 40 00000
9	0266	0237	LATN2053001	1 1 1	10.30 11.30		15	622	110 40 00000
	0266	0237	HIST4161001	1 1	10.30 12.00		14	622	110 40 00000
9	0266	0237	HIST4161001	1 1	10.30 12.00		14	622	110 40 00000
	0266	0237	REL 4161001	1 1	10.30 12.00	1	8	622	110 40 00000
9	0266	0237	REL 4161001	1 1	10.30 12.00		8	622	110 40 00000
	0266	0237	WGS 2500004	1 1 1	11.30 12.30		38	622	110 40 00000
89	0266	0237	WGS 2500004	1 1 1	11.30 12.30		38	622	110 40 00000
	0266	0237	SPAN2101010	1 1 1	12.30 13.30		25	622	110 40 00000
9	0266	0237	SPAN2101010	1 1 1	12.30 13.30		25	622	110 40 00000
	0266	0237	MATH1552006	1111	13.30 14.30		35	622	110 40 00000
89	0266	0237	MATH1552006	1111	13.30 14.30		35	622	110 40 00000
	0266	0237	XCAS9999164	1 1	14.30 16.00		40	622	110 40 00000
89	0266	0237	XCAS9999164	1 1	14.30 16.00		40	622	110 40 00000
	0266	0239	SPAN1152002	1111	8.30 9.30		25	628	110 40 00000
9	0266	0239	SPAN1152002	1111	8.30 9.30		25	628	110 40 00000
	0266	0239	LATN1001003	1111	9.30 10.30		19	628	110 40 00000
9	0266	0239	LATN1001003	1111	9.30 10.30		19	628	110 40 00000
	0266	0239	MATH2085001	1 1 1	10.30 11.30		33	628	110 40 00000
89	0266	0239	MATH2085001	1 1 1	10.30 11.30		33	628	110 40 00000
	0266	0239	HRE 3171001	1 1	10.30 12.00		29	628	110 40 00000
9	0266	0239	HRE 3171001	1 1	10.30 12.00		29	628	110 40 00000
	0266	0239	GERM2101001	1 1 1	11.30 12.30		20	628	110 40 00000
9	0266	0239	GERM2101001	1 1 1	11.30 12.30		20	628	110 40 00000
	0266	0239	INTL3001001	1 1	12.00 13.30		32	628	110 40 00000
89	0266	0239	INTL3001001	1 1	12.00 13.30		32	628	110 40 00000
	0266	0239	GERM2101003	1 1 1	12.30 13.30		12	628	110 40 00000
9	0266	0239	GERM2101003	1 1 1	12.30 13.30		12	628	110 40 00000
	0266	0239	SPAN1101019	1111	13.30 14.30		23	628	110 40 00000
9	0266	0239	SPAN1101019	1111	13.30 14.30		23	628	110 40 00000
	0266	0240	ENGL1001041	1 1	9.00 10.30		20	482	110 32 00000
9	0266	0240	ENGL1001041	1 1	9.00 10.30		20	482	110 32 00000
	0266	0240	ENGL1001052	1 1 1	9.30 10.30		20	482	110 32 00000
9	0266	0240	ENGL1001052	1 1 1	9.30 10.30		20	482	110 32 00000
	0266	0240	ENGL1001028	1 1 1	10.30 11.30		20	482	110 32 00000
9	0266	0240	ENGL1001028	1 1 1	10.30 11.30		20	482	110 32 00000
	0266	0240	ENGL1001050	1 1	10.30 12.00		20	482	110 32 00000
9	0266	0240	ENGL1001050	1 1	10.30 12.00		20	482	110 32 00000
	0266	0240	FMA 3504001	1 1	12.00 13.30		11	482	110 32 00000
9	0266	0240	FMA 3504001	1 1	12.00 13.30		11	482	110 32 00000
	0266	0240	ENGL1001062	1 1 1	12.30 13.30		20	482	110 32 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 92

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0266	0240	ENGL1001062	1 1 1	12.30 13.30	20	482	110 32	00000
	0266	0240	MATH7390001	1 1 1	13.30 14.30	6	482	110 32	00000
9	0266	0240	MATH7390001	1 1 1	13.30 14.30	6	482	110 32	00000
	0266	0240	ENGL1005004	1 1	13.30 15.00	10	482	110 32	00000
9	0266	0240	ENGL1005004	1 1	13.30 15.00	10	482	110 32	00000
	0266	0240	MATH7490001	1 1 1	14.30 15.30	5	482	110 32	00000
9	0266	0240	MATH7490001	1 1 1	14.30 15.30	5	482	110 32	00000
	0266	0240	XCAS9999165	1 1	15.00 16.30	32	482	110 32	00000
89	0266	0240	XCAS9999165	1 1	15.00 16.30	32	482	110 32	00000
	0266	0241	MATH1023001	1 1	7.30 8.30	33	685	110 46	00000
9	0266	0241	MATH1023001	1 1	7.30 8.30	33	685	110 46	00000
	0266	0241	MATH1023002	1 1	8.30 9.30	33	685	110 46	00000
9	0266	0241	MATH1023002	1 1	8.30 9.30	33	685	110 46	00000
	0266	0241	MATH1201001	1 1 1	9.30 10.30	34	685	110 46	00000
9	0266	0241	MATH1201001	1 1 1	9.30 10.30	34	685	110 46	00000
	0266	0241	MATH1023003	1 1	9.30 10.30	42	685	110 46	00000
89	0266	0241	MATH1023003	1 1	9.30 10.30	42	685	110 46	00000
	0266	0241	MATH1201002	1 1 1	10.30 11.30	37	685	110 46	00000
89	0266	0241	MATH1201002	1 1 1	10.30 11.30	37	685	110 46	00000
	0266	0241	MATH1023004	1 1	10.30 11.30	38	685	110 46	00000
89	0266	0241	MATH1023004	1 1	10.30 11.30	38	685	110 46	00000
	0266	0241	MATH4023001	1 1 1	11.30 12.30	13	685	110 46	00000
9	0266	0241	MATH4023001	1 1 1	11.30 12.30	13	685	110 46	00000
	0266	0241	MATH1023005	1 1	11.30 12.30	40	685	110 46	00000
89	0266	0241	MATH1023005	1 1	11.30 12.30	40	685	110 46	00000
	0266	0241	MATH2020001	1 1 1	13.30 14.30	45	685	110 46	00000
89	0266	0241	MATH2020001	1 1 1	13.30 14.30	45	685	110 46	00000
	0266	0241	MATH1023007	1 1	13.30 14.30	41	685	110 46	00000
89	0266	0241	MATH1023007	1 1	13.30 14.30	41	685	110 46	00000
	0266	0241	SPAN1101021	1111	14.30 15.30	21	685	110 46	00000
9	0266	0241	SPAN1101021	1111	14.30 15.30	21	685	110 46	00000
	0266	0243	MATH1202001	1 1	9.00 10.30	27	637	110 42	00000
9	0266	0243	MATH1202001	1 1	9.00 10.30	27	637	110 42	00000
	0266	0243	KIN 3660001	1 1 1	10.30 11.30	41	637	110 42	00000
89	0266	0243	KIN 3660001	1 1 1	10.30 11.30	41	637	110 42	00000
	0266	0243	MATH1202002	1 1	10.30 12.00	25	637	110 42	00000
9	0266	0243	MATH1202002	1 1	10.30 12.00	25	637	110 42	00000
	0266	0243	SPAN2156001	1 1 1	11.30 12.30	14	637	110 42	00000
9	0266	0243	SPAN2156001	1 1 1	11.30 12.30	14	637	110 42	00000
	0266	0243	GERM1101004	1111	12.30 13.30	23	637	110 42	00000
9	0266	0243	GERM1101004	1111	12.30 13.30	23	637	110 42	00000
	0266	0243	SPAN1152017	1111	13.30 14.30	21	637	110 42	00000
9	0266	0243	SPAN1152017	1111	13.30 14.30	21	637	110 42	00000
	0266	0244	ENGL1001022	1 1	9.00 10.30	17	597	110 39	00000
9	0266	0244	ENGL1001022	1 1	9.00 10.30	17	597	110 39	00000
	0266	0244	ENGL1001029	1 1 1	9.30 10.30	20	597	110 39	00000
9	0266	0244	ENGL1001029	1 1 1	9.30 10.30	20	597	110 39	00000
	0266	0244	ENGL1001006	1 1 1	10.30 11.30	19	597	110 39	00000
9	0266	0244	ENGL1001006	1 1 1	10.30 11.30	19	597	110 39	00000
	0266	0244	EXST7005001	1 1	10.30 12.00	30	597	110 39	00000
89	0266	0244	EXST7005001	1 1	10.30 12.00	30	597	110 39	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 93

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0266	0244	ENGL1001013	1 1 1	11.30 12.30		19	597	110 39 00000
9	0266	0244	ENGL1001013	1 1 1	11.30 12.30		19	597	110 39 00000
	0266	0244	CMST2060047	1 1	12.00 13.30		25	597	110 39 00000
9	0266	0244	CMST2060047	1 1	12.00 13.30		25	597	110 39 00000
	0266	0244	MATH7230001	1 1 1	13.30 14.30		7	597	110 39 00000
9	0266	0244	MATH7230001	1 1 1	13.30 14.30		7	597	110 39 00000
	0266	0244	ENGL1001119	1 1	13.30 15.00		20	597	110 39 00000
9	0266	0244	ENGL1001119	1 1	13.30 15.00		20	597	110 39 00000
	0266	0276	KIN 3804001	1 1	7.30 9.00		39	594	110 41 00000
89	0266	0276	KIN 3804001	1 1	7.30 9.00		39	594	110 41 00000
	0266	0276	ENGL2029003	1 1	9.00 10.30		34	594	110 41 00000
89	0266	0276	ENGL2029003	1 1	9.00 10.30		34	594	110 41 00000
	0266	0276	SPAN2101005	1 1 1	10.30 11.30		19	594	110 41 00000
9	0266	0276	SPAN2101005	1 1 1	10.30 11.30		19	594	110 41 00000
	0266	0276	ENGL2029002	1 1	10.30 12.00		35	594	110 41 00000
89	0266	0276	ENGL2029002	1 1	10.30 12.00		35	594	110 41 00000
	0266	0276	SPAN2101008	1 1 1	11.30 12.30		16	594	110 41 00000
9	0266	0276	SPAN2101008	1 1 1	11.30 12.30		16	594	110 41 00000
	0266	0276	KIN 3800002	1 1	12.00 13.30		40	594	110 41 00000
89	0266	0276	KIN 3800002	1 1	12.00 13.30		40	594	110 41 00000
	0266	0276	SPAN2102006	1 1 1	12.30 13.30		25	594	110 41 00000
9	0266	0276	SPAN2102006	1 1 1	12.30 13.30		25	594	110 41 00000
	0266	0276	KIN 4800001	1 1	13.30 15.00		37	594	110 41 00000
89	0266	0276	KIN 4800001	1 1	13.30 15.00		37	594	110 41 00000
	0266	0276	EDCI2700001	1	16.30 19.30		24	594	110 41 00000
9	0266	0276	EDCI2700001	1	16.30 19.30		24	594	110 41 00000
	0266	0277	MATH1021001	1	7.30 8.30		35	636	110 42 00000
89	0266	0277	MATH1021001	1	7.30 8.30		35	636	110 42 00000
	0266	0277	MATH1021010	1	7.30 8.30		36	636	110 42 00000
89	0266	0277	MATH1021010	1	7.30 8.30		36	636	110 42 00000
	0266	0277	MATH1021019	1	7.30 8.30		32	636	110 42 00000
89	0266	0277	MATH1021019	1	7.30 8.30		32	636	110 42 00000
	0266	0277	MATH1021002	1	8.30 9.30		41	636	110 42 00000
89	0266	0277	MATH1021002	1	8.30 9.30		41	636	110 42 00000
	0266	0277	MATH1021011	1	8.30 9.30		40	636	110 42 00000
89	0266	0277	MATH1021011	1	8.30 9.30		40	636	110 42 00000
	0266	0277	MATH1021020	1	8.30 9.30		40	636	110 42 00000
89	0266	0277	MATH1021020	1	8.30 9.30		40	636	110 42 00000
	0266	0277	MATH1021029	1	8.30 9.30		38	636	110 42 00000
89	0266	0277	MATH1021029	1	8.30 9.30		38	636	110 42 00000
	0266	0277	MATH1021038	1	8.30 9.30		34	636	110 42 00000
89	0266	0277	MATH1021038	1	8.30 9.30		34	636	110 42 00000
	0266	0277	MATH1021003	1	9.30 10.30		38	636	110 42 00000
89	0266	0277	MATH1021003	1	9.30 10.30		38	636	110 42 00000
	0266	0277	MATH1021012	1	9.30 10.30		33	636	110 42 00000
89	0266	0277	MATH1021012	1	9.30 10.30		33	636	110 42 00000
	0266	0277	MATH1021021	1	9.30 10.30		40	636	110 42 00000
89	0266	0277	MATH1021021	1	9.30 10.30		40	636	110 42 00000
	0266	0277	MATH1021030	1	9.30 10.30		41	636	110 42 00000
89	0266	0277	MATH1021030	1	9.30 10.30		41	636	110 42 00000
	0266	0277	MATH1021039	1	9.30 10.30		38	636	110 42 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 94

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	0266	0277		MATH1021039	1	9.30 10.30	38	636	110 42 00000
	0266	0277	1	MATH1021004		10.30 11.30	39	636	110 42 00000
89	0266	0277	1	MATH1021004		10.30 11.30	39	636	110 42 00000
	0266	0277	1	MATH1021013		10.30 11.30	41	636	110 42 00000
89	0266	0277	1	MATH1021013		10.30 11.30	41	636	110 42 00000
	0266	0277	1	MATH1021022		10.30 11.30	38	636	110 42 00000
89	0266	0277	1	MATH1021022		10.30 11.30	38	636	110 42 00000
	0266	0277	1	MATH1021031		10.30 11.30	42	636	110 42 00000
89	0266	0277	1	MATH1021031		10.30 11.30	42	636	110 42 00000
	0266	0277	1	MATH1021040		10.30 11.30	36	636	110 42 00000
89	0266	0277	1	MATH1021040		10.30 11.30	36	636	110 42 00000
	0266	0277	1	MATH1021005		11.30 12.30	39	636	110 42 00000
89	0266	0277	1	MATH1021005		11.30 12.30	39	636	110 42 00000
	0266	0277	1	MATH1021014		11.30 12.30	41	636	110 42 00000
89	0266	0277	1	MATH1021014		11.30 12.30	41	636	110 42 00000
	0266	0277	1	MATH1021023		11.30 12.30	38	636	110 42 00000
89	0266	0277	1	MATH1021023		11.30 12.30	38	636	110 42 00000
	0266	0277	1	MATH1021032		11.30 12.30	37	636	110 42 00000
89	0266	0277	1	MATH1021032		11.30 12.30	37	636	110 42 00000
	0266	0277	1	MATH1021041		11.30 12.30	38	636	110 42 00000
89	0266	0277	1	MATH1021041		11.30 12.30	38	636	110 42 00000
	0266	0277	1	MATH1021006		12.30 13.30	42	636	110 42 00000
89	0266	0277	1	MATH1021006		12.30 13.30	42	636	110 42 00000
	0266	0277	1	MATH1021015		12.30 13.30	41	636	110 42 00000
89	0266	0277	1	MATH1021015		12.30 13.30	41	636	110 42 00000
	0266	0277	1	MATH1021024		12.30 13.30	38	636	110 42 00000
89	0266	0277	1	MATH1021024		12.30 13.30	38	636	110 42 00000
	0266	0277	1	MATH1021033		12.30 13.30	40	636	110 42 00000
89	0266	0277	1	MATH1021033		12.30 13.30	40	636	110 42 00000
	0266	0277	1	MATH1021042		12.30 13.30	40	636	110 42 00000
89	0266	0277	1	MATH1021042		12.30 13.30	40	636	110 42 00000
	0266	0277	1	MATH1021007		13.30 14.30	39	636	110 42 00000
89	0266	0277	1	MATH1021007		13.30 14.30	39	636	110 42 00000
	0266	0277	1	MATH1021016		13.30 14.30	41	636	110 42 00000
89	0266	0277	1	MATH1021016		13.30 14.30	41	636	110 42 00000
	0266	0277	1	MATH1021025		13.30 14.30	41	636	110 42 00000
89	0266	0277	1	MATH1021025		13.30 14.30	41	636	110 42 00000
	0266	0277	1	MATH1021034		13.30 14.30	37	636	110 42 00000
89	0266	0277	1	MATH1021034		13.30 14.30	37	636	110 42 00000
	0266	0277	1	MATH1021008		14.30 15.30	39	636	110 42 00000
89	0266	0277	1	MATH1021008		14.30 15.30	39	636	110 42 00000
	0266	0277	1	MATH1021017		14.30 15.30	36	636	110 42 00000
89	0266	0277	1	MATH1021017		14.30 15.30	36	636	110 42 00000
	0266	0277	1	MATH1021026		14.30 15.30	38	636	110 42 00000
89	0266	0277	1	MATH1021026		14.30 15.30	38	636	110 42 00000
	0266	0277	1	MATH1021035		14.30 15.30	35	636	110 42 00000
89	0266	0277	1	MATH1021035		14.30 15.30	35	636	110 42 00000
	0266	0277	1	MATH1021009		15.30 16.30	37	636	110 42 00000
89	0266	0277	1	MATH1021009		15.30 16.30	37	636	110 42 00000
	0266	0277	1	MATH1021018		15.30 16.30	40	636	110 42 00000
89	0266	0277	1	MATH1021018		15.30 16.30	40	636	110 42 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 95

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0266	0284	LATN1001002	1111	8.30 9.30		20	602	110 40 00000
9	0266	0284	LATN1001002	1111	8.30 9.30		20	602	110 40 00000
	0266	0284	LATN2051002	1111	9.30 10.30		23	602	110 40 00000
9	0266	0284	LATN2051002	1111	9.30 10.30		23	602	110 40 00000
	0266	0284	MATH4340001	1 1 1	10.30 11.30		11	602	110 40 00000
9	0266	0284	MATH4340001	1 1 1	10.30 11.30		11	602	110 40 00000
	0266	0284	GERM3061001	1 1	10.30 12.00		15	602	110 40 00000
9	0266	0284	GERM3061001	1 1	10.30 12.00		15	602	110 40 00000
	0266	0284	ENGL2148005	1	11.30 12.30		15	602	110 40 00000
9	0266	0284	ENGL2148005	1	11.30 12.30		15	602	110 40 00000
	0266	0284	WGS 2500008	1 1	12.00 13.30		39	602	110 40 00000
89	0266	0284	WGS 2500008	1 1	12.00 13.30		39	602	110 40 00000
	0266	0284	LATN2073001	1 1 1	12.30 13.30		26	602	110 40 00000
9	0266	0284	LATN2073001	1 1 1	12.30 13.30		26	602	110 40 00000
	0266	0284	ENGL1001031	1 1	13.30 15.00		19	602	110 40 00000
9	0266	0284	ENGL1001031	1 1	13.30 15.00		19	602	110 40 00000
	0266	0285	MATH2203001	1 1	8.30 10.30		36	629	110 40 00000
89	0266	0285	MATH2203001	1 1	8.30 10.30		36	629	110 40 00000
	0266	0285	KIN 4520003	1 1	9.00 10.30		28	629	110 40 00000
9	0266	0285	KIN 4520003	1 1	9.00 10.30		28	629	110 40 00000
	0266	0285	ITAL1001002	1111	10.30 11.30		20	629	110 40 00000
9	0266	0285	ITAL1001002	1111	10.30 11.30		20	629	110 40 00000
	0266	0285	ENGL2148004	1	11.30 12.30		18	629	110 40 00000
9	0266	0285	ENGL2148004	1	11.30 12.30		18	629	110 40 00000
	0266	0285	SPAN1101005	1111	11.30 12.30		23	629	110 40 00000
9	0266	0285	SPAN1101005	1111	11.30 12.30		23	629	110 40 00000
	0266	0285	CMST2061004	1 1 1	12.30 13.30		34	629	110 40 00000
89	0266	0285	CMST2061004	1 1 1	12.30 13.30		34	629	110 40 00000
	0266	0285	SPAN1101020	1111	13.30 14.30		23	629	110 40 00000
9	0266	0285	SPAN1101020	1111	13.30 14.30		23	629	110 40 00000
	0273	0012	BIOL4161001	1	9.30 12.30		21	945	210 32 00000
9	0273	0012	BIOL4161001	1	9.30 12.30		21	945	210 32 00000
	0273	0012	BIOL4161005	1	9.30 12.30		17	945	210 32 00000
9	0273	0012	BIOL4161005	1	9.30 12.30		17	945	210 32 00000
	0273	0012	BIOL4161002	1	13.30 16.30		21	945	210 32 00000
9	0273	0012	BIOL4161002	1	13.30 16.30		21	945	210 32 00000
	0273	0012	BIOL4161004	1	13.30 16.30		21	945	210 32 00000
9	0273	0012	BIOL4161004	1	13.30 16.30		21	945	210 32 00000
	0273	0012	BIOL4161006	1	13.30 16.30		12	945	210 32 00000
9	0273	0012	BIOL4161006	1	13.30 16.30		12	945	210 32 00000
	0273	0013	BIOL1207003	1	9.00 12.00		23	944	210 32 00000
9	0273	0013	BIOL1207003	1	9.00 12.00		23	944	210 32 00000
	0273	0013	BIOL1207004	1	12.00 15.00		23	944	210 32 00000
9	0273	0013	BIOL1207004	1	12.00 15.00		23	944	210 32 00000
	0273	0013	BIOL1207001	1	14.30 17.30		23	944	210 32 00000
9	0273	0013	BIOL1207001	1	14.30 17.30		23	944	210 32 00000
	0273	0013	BIOL1207002	1	17.30 20.30		21	944	210 32 00000
9	0273	0013	BIOL1207002	1	17.30 20.30		21	944	210 32 00000
	0273	0017	BIOL1208041	1	8.30 11.30		28	944	210 32 00000
89	0273	0017	BIOL1208041	1	8.30 11.30		28	944	210 32 00000
	0273	0017	BIOL1208037	1	9.00 12.00		27	944	210 32 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 96

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	0273	0017	BIOL1208037	1	9.00 12.00		27	944	210 32 00000
	0273	0017	BIOL1208045	1	9.00 12.00		28	944	210 32 00000
89	0273	0017	BIOL1208045	1	9.00 12.00		28	944	210 32 00000
	0273	0017	BIOL1208042	1	11.30 14.30		27	944	210 32 00000
89	0273	0017	BIOL1208042	1	11.30 14.30		27	944	210 32 00000
	0273	0017	BIOL1208038	1	12.00 15.00		30	944	210 32 00000
89	0273	0017	BIOL1208038	1	12.00 15.00		30	944	210 32 00000
	0273	0017	BIOL1208046	1	12.00 15.00		27	944	210 32 00000
89	0273	0017	BIOL1208046	1	12.00 15.00		27	944	210 32 00000
	0273	0017	BIOL1208035	1	14.30 17.30		26	944	210 32 00000
89	0273	0017	BIOL1208035	1	14.30 17.30		26	944	210 32 00000
	0273	0017	BIOL1208043	1	14.30 17.30		28	944	210 32 00000
89	0273	0017	BIOL1208043	1	14.30 17.30		28	944	210 32 00000
	0273	0017	BIOL1208039	1	15.00 18.00		27	944	210 32 00000
89	0273	0017	BIOL1208039	1	15.00 18.00		27	944	210 32 00000
	0273	0017	BIOL1208036	1	17.30 20.30		27	944	210 32 00000
89	0273	0017	BIOL1208036	1	17.30 20.30		27	944	210 32 00000
	0273	0017	BIOL1208044	1	17.30 20.30		25	944	210 32 00000
89	0273	0017	BIOL1208044	1	17.30 20.30		25	944	210 32 00000
	0273	0017	BIOL1208040	1	18.00 21.00		27	944	210 32 00000
89	0273	0017	BIOL1208040	1	18.00 21.00		27	944	210 32 00000
	0273	0110	ENTM7017001	1 1	9.30 11.00		11	962	210 36 00000
9	0273	0110	ENTM7017001	1 1	9.30 11.00		11	962	210 36 00000
	0273	0110	ENTM7003001	1 1	12.00 13.30		8	962	210 36 00000
9	0273	0110	ENTM7003001	1 1	12.00 13.30		8	962	210 36 00000
	0273	0110	ENTM7001001	1 1 1	13.30 14.30		18	962	210 36 00000
9	0273	0110	ENTM7001001	1 1 1	13.30 14.30		18	962	210 36 00000
	0273	0110	ENTM2001002	1	13.30 15.30		14	962	210 36 00000
9	0273	0110	ENTM2001002	1	13.30 15.30		14	962	210 36 00000
	0273	0110	ENTM7003001	1	13.30 15.30		8	962	210 36 00000
9	0273	0110	ENTM7003001	1	13.30 15.30		8	962	210 36 00000
	0273	0110	ENTM2001001	1	14.30 16.30		12	962	210 36 00000
9	0273	0110	ENTM2001001	1	14.30 16.30		12	962	210 36 00000
	0273	0111	BIOL4106001	1	11.30 14.30		11	689	210 45 00000
9	0273	0111	BIOL4106001	1	11.30 14.30		11	689	210 45 00000
	0273	0111	BIOL4106003	1	11.30 14.30		12	689	210 45 00000
9	0273	0111	BIOL4106003	1	11.30 14.30		12	689	210 45 00000
	0273	0111	BIOL4106004	1	11.30 14.30		14	689	210 45 00000
9	0273	0111	BIOL4106004	1	11.30 14.30		14	689	210 45 00000
	0273	0111	BIOL4106002	1	14.30 17.30		15	689	210 45 00000
9	0273	0111	BIOL4106002	1	14.30 17.30		15	689	210 45 00000
	0273	0114	BIOL4104001	1 1	10.30 13.30		16	782	210 24 00000
9	0273	0114	BIOL4104001	1 1	10.30 13.30		16	782	210 24 00000
	0273	0115	BIOL1005001	1	9.00 12.00		19	726	210 20 00000
89	0273	0115	BIOL1005001	1	9.00 12.00		19	726	210 20 00000
	0273	0115	BIOL1005007	1	9.00 12.00		18	726	210 20 00000
89	0273	0115	BIOL1005007	1	9.00 12.00		18	726	210 20 00000
	0273	0115	BIOL1005002	1	12.00 15.00		15	726	210 20 00000
9	0273	0115	BIOL1005002	1	12.00 15.00		15	726	210 20 00000
	0273	0115	BIOL1005008	1	12.00 15.00		15	726	210 20 00000
9	0273	0115	BIOL1005008	1	12.00 15.00		15	726	210 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 97

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0273	0115	BIOL1005005	1	13.30 16.30		19	726	210 20 00000
89	0273	0115	BIOL1005005	1	13.30 16.30		19	726	210 20 00000
	0273	0115	BIOL1005003	1	15.00 18.00		16	726	210 20 00000
89	0273	0115	BIOL1005003	1	15.00 18.00		16	726	210 20 00000
	0273	0115	BIOL1005006	1	16.30 19.30		18	726	210 20 00000
89	0273	0115	BIOL1005006	1	16.30 19.30		18	726	210 20 00000
	0273	0115	BIOL1005004	1	18.00 21.00		18	726	210 20 00000
89	0273	0115	BIOL1005004	1	18.00 21.00		18	726	210 20 00000
	0273	0119	BIOL1208021	1	7.30 10.30		31	966	210 32 00000
89	0273	0119	BIOL1208021	1	7.30 10.30		31	966	210 32 00000
	0273	0119	BIOL1208026	1	7.30 10.30		32	966	210 32 00000
89	0273	0119	BIOL1208026	1	7.30 10.30		32	966	210 32 00000
	0273	0119	BIOL1208031	1	7.30 10.30		31	966	210 32 00000
89	0273	0119	BIOL1208031	1	7.30 10.30		31	966	210 32 00000
	0273	0119	BIOL1208022	1	10.30 13.30		31	966	210 32 00000
89	0273	0119	BIOL1208022	1	10.30 13.30		31	966	210 32 00000
	0273	0119	BIOL1208027	1	10.30 13.30		31	966	210 32 00000
89	0273	0119	BIOL1208027	1	10.30 13.30		31	966	210 32 00000
	0273	0119	BIOL1208032	1	10.30 13.30		32	966	210 32 00000
89	0273	0119	BIOL1208032	1	10.30 13.30		32	966	210 32 00000
	0273	0119	BIOL1208018	1	13.30 16.30		32	966	210 32 00000
89	0273	0119	BIOL1208018	1	13.30 16.30		32	966	210 32 00000
	0273	0119	BIOL1208023	1	13.30 16.30		31	966	210 32 00000
89	0273	0119	BIOL1208023	1	13.30 16.30		31	966	210 32 00000
	0273	0119	BIOL1208028	1	13.30 16.30		32	966	210 32 00000
89	0273	0119	BIOL1208028	1	13.30 16.30		32	966	210 32 00000
	0273	0119	BIOL1208033	1	13.30 16.30		32	966	210 32 00000
89	0273	0119	BIOL1208033	1	13.30 16.30		32	966	210 32 00000
	0273	0119	BIOL1208019	1	16.30 19.30		32	966	210 32 00000
89	0273	0119	BIOL1208019	1	16.30 19.30		32	966	210 32 00000
	0273	0119	BIOL1208024	1	16.30 19.30		32	966	210 32 00000
89	0273	0119	BIOL1208024	1	16.30 19.30		32	966	210 32 00000
	0273	0119	BIOL1208029	1	16.30 19.30		31	966	210 32 00000
89	0273	0119	BIOL1208029	1	16.30 19.30		31	966	210 32 00000
	0273	0119	BIOL1208034	1	16.30 19.30		32	966	210 32 00000
89	0273	0119	BIOL1208034	1	16.30 19.30		32	966	210 32 00000
	0273	0119	BIOL1208020	1	19.30 22.30		30	966	210 32 00000
89	0273	0119	BIOL1208020	1	19.30 22.30		30	966	210 32 00000
	0273	0119	BIOL1208025	1	19.30 22.30		32	966	210 32 00000
89	0273	0119	BIOL1208025	1	19.30 22.30		32	966	210 32 00000
	0273	0119	BIOL1208030	1	19.30 22.30		31	966	210 32 00000
89	0273	0119	BIOL1208030	1	19.30 22.30		31	966	210 32 00000
	0273	0120	BIOL1209003	1	8.30 11.30		32	929	210 32 00000
89	0273	0120	BIOL1209003	1	8.30 11.30		32	929	210 32 00000
	0273	0120	BIOL1209007	1	8.30 11.30		29	929	210 32 00000
89	0273	0120	BIOL1209007	1	8.30 11.30		29	929	210 32 00000
	0273	0120	BIOL1209004	1	11.30 14.30		31	929	210 32 00000
89	0273	0120	BIOL1209004	1	11.30 14.30		31	929	210 32 00000
	0273	0120	BIOL1209008	1	11.30 14.30		32	929	210 32 00000
89	0273	0120	BIOL1209008	1	11.30 14.30		32	929	210 32 00000
	0273	0120	BIOL1209001	1	14.30 17.30		30	929	210 32 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 98

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	0273	0120	BIOL1209001	1	14.30 17.30	30	929	210 32	00000
	0273	0120	BIOL1209005	1	14.30 17.30	31	929	210 32	00000
89	0273	0120	BIOL1209005	1	14.30 17.30	31	929	210 32	00000
	0273	0120	BIOL1209009	1	14.30 17.30	30	929	210 32	00000
89	0273	0120	BIOL1209009	1	14.30 17.30	30	929	210 32	00000
	0273	0120	BIOL1209002	1	17.30 20.30	32	929	210 32	00000
89	0273	0120	BIOL1209002	1	17.30 20.30	32	929	210 32	00000
	0273	0120	BIOL1209006	1	17.30 20.30	31	929	210 32	00000
89	0273	0120	BIOL1209006	1	17.30 20.30	31	929	210 32	00000
	0273	0120	BIOL1209010	1	17.30 20.30	32	929	210 32	00000
89	0273	0120	BIOL1209010	1	17.30 20.30	32	929	210 32	00000
	0273	0133	BIOL1208004	1	7.30 10.30	32	964	210 32	00000
89	0273	0133	BIOL1208004	1	7.30 10.30	32	964	210 32	00000
	0273	0133	BIOL1208009	1	7.30 10.30	29	964	210 32	00000
89	0273	0133	BIOL1208009	1	7.30 10.30	29	964	210 32	00000
	0273	0133	BIOL1208014	1	7.30 10.30	32	964	210 32	00000
89	0273	0133	BIOL1208014	1	7.30 10.30	32	964	210 32	00000
	0273	0133	BIOL1208005	1	10.30 13.30	32	964	210 32	00000
89	0273	0133	BIOL1208005	1	10.30 13.30	32	964	210 32	00000
	0273	0133	BIOL1208010	1	10.30 13.30	31	964	210 32	00000
89	0273	0133	BIOL1208010	1	10.30 13.30	31	964	210 32	00000
	0273	0133	BIOL1208015	1	10.30 13.30	32	964	210 32	00000
89	0273	0133	BIOL1208015	1	10.30 13.30	32	964	210 32	00000
	0273	0133	BIOL1208001	1	13.30 16.30	31	964	210 32	00000
89	0273	0133	BIOL1208001	1	13.30 16.30	31	964	210 32	00000
	0273	0133	BIOL1208006	1	13.30 16.30	32	964	210 32	00000
89	0273	0133	BIOL1208006	1	13.30 16.30	32	964	210 32	00000
	0273	0133	BIOL1208011	1	13.30 16.30	33	964	210 32	00000
89	0273	0133	BIOL1208011	1	13.30 16.30	33	964	210 32	00000
	0273	0133	BIOL1208016	1	13.30 16.30	32	964	210 32	00000
89	0273	0133	BIOL1208016	1	13.30 16.30	32	964	210 32	00000
	0273	0133	BIOL1208002	1	16.30 19.30	32	964	210 32	00000
89	0273	0133	BIOL1208002	1	16.30 19.30	32	964	210 32	00000
	0273	0133	BIOL1208007	1	16.30 19.30	30	964	210 32	00000
89	0273	0133	BIOL1208007	1	16.30 19.30	30	964	210 32	00000
	0273	0133	BIOL1208012	1	16.30 19.30	31	964	210 32	00000
89	0273	0133	BIOL1208012	1	16.30 19.30	31	964	210 32	00000
	0273	0133	BIOL1208017	1	16.30 19.30	29	964	210 32	00000
89	0273	0133	BIOL1208017	1	16.30 19.30	29	964	210 32	00000
	0273	0133	BIOL1208003	1	19.30 22.30	31	964	210 32	00000
89	0273	0133	BIOL1208003	1	19.30 22.30	31	964	210 32	00000
	0273	0133	BIOL1208008	1	19.30 22.30	28	964	210 32	00000
89	0273	0133	BIOL1208008	1	19.30 22.30	28	964	210 32	00000
	0273	0133	BIOL1208013	1	19.30 22.30	29	964	210 32	00000
89	0273	0133	BIOL1208013	1	19.30 22.30	29	964	210 32	00000
	0273	0136	BIOL2051001	1 1	7.30 9.00	31	916	210 32	00000
89	0273	0136	BIOL2051001	1 1	7.30 9.00	31	916	210 32	00000
	0273	0136	BIOL2051009	1 1	7.30 9.00	20	916	210 32	00000
9	0273	0136	BIOL2051009	1 1	7.30 9.00	20	916	210 32	00000
	0273	0136	BIOL2051002	1 1	9.00 10.30	31	916	210 32	00000
89	0273	0136	BIOL2051002	1 1	9.00 10.30	31	916	210 32	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 99

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0273	0136	BIOL2051010	1 1	9.00 10.30		32	916	210 32 00000
89	0273	0136	BIOL2051010	1 1	9.00 10.30		32	916	210 32 00000
	0273	0136	BIOL2051003	1 1	10.30 12.00		32	916	210 32 00000
89	0273	0136	BIOL2051003	1 1	10.30 12.00		32	916	210 32 00000
	0273	0136	BIOL2051011	1 1	10.30 12.00		30	916	210 32 00000
89	0273	0136	BIOL2051011	1 1	10.30 12.00		30	916	210 32 00000
	0273	0136	BIOL2051004	1 1	12.00 13.30		32	916	210 32 00000
89	0273	0136	BIOL2051004	1 1	12.00 13.30		32	916	210 32 00000
	0273	0136	BIOL2051012	1 1	12.00 13.30		32	916	210 32 00000
89	0273	0136	BIOL2051012	1 1	12.00 13.30		32	916	210 32 00000
	0273	0136	BIOL2051005	1 1	13.30 15.00		30	916	210 32 00000
89	0273	0136	BIOL2051005	1 1	13.30 15.00		30	916	210 32 00000
	0273	0136	BIOL2051013	1 1	13.30 15.00		31	916	210 32 00000
89	0273	0136	BIOL2051013	1 1	13.30 15.00		31	916	210 32 00000
	0273	0136	BIOL2051006	1 1	15.00 16.30		32	916	210 32 00000
89	0273	0136	BIOL2051006	1 1	15.00 16.30		32	916	210 32 00000
	0273	0136	BIOL2051008	1 1	15.00 16.30		32	916	210 32 00000
89	0273	0136	BIOL2051008	1 1	15.00 16.30		32	916	210 32 00000
	0273	0136	BIOL2051007	1 1	16.30 18.00		32	916	210 32 00000
89	0273	0136	BIOL2051007	1 1	16.30 18.00		32	916	210 32 00000
	0273	0136	BIOL2051015	1 1	16.30 18.00		17	916	210 32 00000
9	0273	0136	BIOL2051015	1 1	16.30 18.00		17	916	210 32 00000
	0273	0137	BIOL3152001	1 1	10.30 13.30		12	575	210 24 00000
9	0273	0137	BIOL3152001	1 1	10.30 13.30		12	575	210 24 00000
	0273	0138	BIOL1012001	1 1	10.30 12.00		14	942	210 19 00000
9	0273	0138	BIOL1012001	1 1	10.30 12.00		14	942	210 19 00000
	0273	0138	BIOL1012002	1 1	12.00 13.30		18	942	210 19 00000
89	0273	0138	BIOL1012002	1 1	12.00 13.30		18	942	210 19 00000
	0273	0536	BIOL3116001	1 1	9.00 12.00		24	943	210 28 00000
89	0273	0536	BIOL3116001	1 1	9.00 12.00		24	943	210 28 00000
	0273	0536	BIOL2051016	1 1	13.30 15.00		18	943	210 28 00000
9	0273	0536	BIOL2051016	1 1	13.30 15.00		18	943	210 28 00000
	0273	0536	BIOL2051014	1 1	15.00 16.30		15	943	210 28 00000
9	0273	0536	BIOL2051014	1 1	15.00 16.30		15	943	210 28 00000
	0275	0365	EE 4350001	1	13.00 15.00		10	604	240 40 00000
9	0275	0365	EE 4350001	1	13.00 15.00		10	604	240 40 00000
	0275	0365	EE 4350002	1	13.00 15.00		4	604	240 40 00000
9	0275	0365	EE 4350002	1	13.00 15.00		4	604	240 40 00000
	0352	0103	CHEM1212018	1 1	10.30 12.30		16	542	210 20 00000
89	0352	0103	CHEM1212018	1 1	10.30 12.30		16	542	210 20 00000
	0352	0103	CHEM1212027	1 1	13.30 15.30		14	542	210 20 00000
9	0352	0103	CHEM1212027	1 1	13.30 15.30		14	542	210 20 00000
	0352	0106	CHEM1212017	1 1	10.30 12.30		16	542	210 16 00000
89	0352	0106	CHEM1212017	1 1	10.30 12.30		16	542	210 16 00000
	0352	0106	CHEM1212026	1 1	13.30 15.30		15	542	210 16 00000
89	0352	0106	CHEM1212026	1 1	13.30 15.30		15	542	210 16 00000
	0352	0107	CHEM1212016	1 1	10.30 12.30		16	542	210 16 00000
89	0352	0107	CHEM1212016	1 1	10.30 12.30		16	542	210 16 00000
	0352	0107	CHEM1212052	1 1	10.30 12.30		15	542	210 16 00000
89	0352	0107	CHEM1212052	1 1	10.30 12.30		15	542	210 16 00000
	0352	0107	CHEM1212025	1 1	13.30 15.30		14	542	210 16 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 100

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	0352	0107	CHEM1212025	1 1	13.30 15.30		14	542	210 16 00000
	0352	0111	CHEM1212006	1 1	8.30 10.30		13	542	210 16 00000
89	0352	0111	CHEM1212006	1 1	8.30 10.30		13	542	210 16 00000
	0352	0111	CHEM1212015	1 1	10.30 12.30		15	542	210 16 00000
89	0352	0111	CHEM1212015	1 1	10.30 12.30		15	542	210 16 00000
	0352	0111	CHEM1212051	1 1	10.30 12.30		16	542	210 16 00000
89	0352	0111	CHEM1212051	1 1	10.30 12.30		16	542	210 16 00000
	0352	0111	CHEM1212024	1 1	13.30 15.30		15	542	210 16 00000
89	0352	0111	CHEM1212024	1 1	13.30 15.30		15	542	210 16 00000
	0352	0125	CHEM1212005	1 1	8.30 10.30		14	542	210 16 00000
89	0352	0125	CHEM1212005	1 1	8.30 10.30		14	542	210 16 00000
	0352	0125	CHEM1212014	1 1	10.30 12.30		16	542	210 16 00000
89	0352	0125	CHEM1212014	1 1	10.30 12.30		16	542	210 16 00000
	0352	0125	CHEM1212050	1 1	10.30 12.30		16	542	210 16 00000
89	0352	0125	CHEM1212050	1 1	10.30 12.30		16	542	210 16 00000
	0352	0125	CHEM1212023	1 1	13.30 15.30		15	542	210 16 00000
89	0352	0125	CHEM1212023	1 1	13.30 15.30		15	542	210 16 00000
	0352	0125	CHEM1212059	1 1	13.30 15.30		12	542	210 16 00000
9	0352	0125	CHEM1212059	1 1	13.30 15.30		12	542	210 16 00000
	0352	0125	CHEM1212032	1 1	15.30 17.30		15	542	210 16 00000
89	0352	0125	CHEM1212032	1 1	15.30 17.30		15	542	210 16 00000
	0352	0129	CHEM1212004	1 1	8.30 10.30		14	542	210 16 00000
89	0352	0129	CHEM1212004	1 1	8.30 10.30		14	542	210 16 00000
	0352	0129	CHEM1212040	1 1	8.30 10.30		15	542	210 16 00000
89	0352	0129	CHEM1212040	1 1	8.30 10.30		15	542	210 16 00000
	0352	0129	CHEM1212013	1 1	10.30 12.30		16	542	210 16 00000
89	0352	0129	CHEM1212013	1 1	10.30 12.30		16	542	210 16 00000
	0352	0129	CHEM1212049	1 1	10.30 12.30		16	542	210 16 00000
89	0352	0129	CHEM1212049	1 1	10.30 12.30		16	542	210 16 00000
	0352	0129	CHEM1212022	1 1	13.30 15.30		15	542	210 16 00000
89	0352	0129	CHEM1212022	1 1	13.30 15.30		15	542	210 16 00000
	0352	0129	CHEM1212058	1 1	13.30 15.30		7	542	210 16 00000
9	0352	0129	CHEM1212058	1 1	13.30 15.30		7	542	210 16 00000
	0352	0129	CHEM1212031	1 1	15.30 17.30		15	542	210 16 00000
89	0352	0129	CHEM1212031	1 1	15.30 17.30		15	542	210 16 00000
	0352	0132	CHEM1212003	1 1	8.30 10.30		16	542	210 16 00000
89	0352	0132	CHEM1212003	1 1	8.30 10.30		16	542	210 16 00000
	0352	0132	CHEM1212039	1 1	8.30 10.30		13	542	210 16 00000
89	0352	0132	CHEM1212039	1 1	8.30 10.30		13	542	210 16 00000
	0352	0132	CHEM1212012	1 1	10.30 12.30		14	542	210 16 00000
89	0352	0132	CHEM1212012	1 1	10.30 12.30		14	542	210 16 00000
	0352	0132	CHEM1212048	1 1	10.30 12.30		14	542	210 16 00000
89	0352	0132	CHEM1212048	1 1	10.30 12.30		14	542	210 16 00000
	0352	0132	CHEM1212021	1 1	13.30 15.30		16	542	210 16 00000
89	0352	0132	CHEM1212021	1 1	13.30 15.30		16	542	210 16 00000
	0352	0132	CHEM1212057	1 1	13.30 15.30		11	542	210 16 00000
9	0352	0132	CHEM1212057	1 1	13.30 15.30		11	542	210 16 00000
	0352	0132	CHEM1212030	1 1	15.30 17.30		15	542	210 16 00000
89	0352	0132	CHEM1212030	1 1	15.30 17.30		15	542	210 16 00000
	0352	0134	CHEM1212002	1 1	8.30 10.30		14	542	210 16 00000
89	0352	0134	CHEM1212002	1 1	8.30 10.30		14	542	210 16 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 101

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0352	0134	CHEM1212038	1 1	8.30 10.30		13	542	210 16 00000
89	0352	0134	CHEM1212038	1 1	8.30 10.30		13	542	210 16 00000
	0352	0134	CHEM1212011	1 1	10.30 12.30		15	542	210 16 00000
89	0352	0134	CHEM1212011	1 1	10.30 12.30		15	542	210 16 00000
	0352	0134	CHEM1212047	1 1	10.30 12.30		15	542	210 16 00000
89	0352	0134	CHEM1212047	1 1	10.30 12.30		15	542	210 16 00000
	0352	0134	CHEM1212020	1 1	13.30 15.30		13	542	210 16 00000
89	0352	0134	CHEM1212020	1 1	13.30 15.30		13	542	210 16 00000
	0352	0134	CHEM1212056	1 1	13.30 15.30		15	542	210 16 00000
89	0352	0134	CHEM1212056	1 1	13.30 15.30		15	542	210 16 00000
	0352	0134	CHEM1212029	1 1	15.30 17.30		12	542	210 16 00000
9	0352	0134	CHEM1212029	1 1	15.30 17.30		12	542	210 16 00000
	0352	0138	CHEM1212001	1 1	8.30 10.30		11	560	210 11 00000
89	0352	0138	CHEM1212001	1 1	8.30 10.30		11	560	210 11 00000
	0352	0138	CHEM1212037	1 1	8.30 10.30		11	560	210 11 00000
89	0352	0138	CHEM1212037	1 1	8.30 10.30		11	560	210 11 00000
	0352	0138	CHEM1212010	1 1	10.30 12.30		11	560	210 11 00000
89	0352	0138	CHEM1212010	1 1	10.30 12.30		11	560	210 11 00000
	0352	0138	CHEM1212046	1 1	10.30 12.30		12	560	210 11 00000
89	0352	0138	CHEM1212046	1 1	10.30 12.30		12	560	210 11 00000
	0352	0138	CHEM1212019	1 1	13.30 15.30		12	560	210 11 00000
89	0352	0138	CHEM1212019	1 1	13.30 15.30		12	560	210 11 00000
	0352	0138	CHEM1212055	1 1	13.30 15.30		9	560	210 11 00000
89	0352	0138	CHEM1212055	1 1	13.30 15.30		9	560	210 11 00000
	0352	0138	CHEM1212028	1 1	15.30 17.30		9	560	210 11 00000
89	0352	0138	CHEM1212028	1 1	15.30 17.30		9	560	210 11 00000
	0366	0102	CHEM1202002	1 1	7.30 9.00		120	2,955	110 265 00000
9	0366	0102	CHEM1202002	1 1	7.30 9.00		120	2,955	110 265 00000
	0366	0102	BIOL1001001	1 1 1	8.30 9.30		123	2,955	110 265 00000
9	0366	0102	BIOL1001001	1 1 1	8.30 9.30		123	2,955	110 265 00000
	0366	0102	BIOL1002002	1 1	9.00 10.30		196	2,955	110 265 00000
9	0366	0102	BIOL1002002	1 1	9.00 10.30		196	2,955	110 265 00000
	0366	0102	BIOL1002001	1 1 1	9.30 10.30		153	2,955	110 265 00000
9	0366	0102	BIOL1002001	1 1 1	9.30 10.30		153	2,955	110 265 00000
	0366	0102	BIOL1001002	1 1 1	10.30 11.30		221	2,955	110 265 00000
89	0366	0102	BIOL1001002	1 1 1	10.30 11.30		221	2,955	110 265 00000
	0366	0102	BIOL1001005	1 1	10.30 12.00		245	2,955	110 265 00000
89	0366	0102	BIOL1001005	1 1	10.30 12.00		245	2,955	110 265 00000
	0366	0102	BIOL1202001	1 1 1	11.30 12.30		144	2,955	110 265 00000
9	0366	0102	BIOL1202001	1 1 1	11.30 12.30		144	2,955	110 265 00000
	0366	0102	BIOL1201006	1 1	12.00 13.30		207	2,955	110 265 00000
89	0366	0102	BIOL1201006	1 1	12.00 13.30		207	2,955	110 265 00000
	0366	0102	BIOL1001003	1 1 1	12.30 13.30		229	2,955	110 265 00000
89	0366	0102	BIOL1001003	1 1 1	12.30 13.30		229	2,955	110 265 00000
	0366	0102	BIOL2051001	1 1	13.30 15.00		31	2,955	110 265 00000
9	0366	0102	BIOL2051001	1 1	13.30 15.00		31	2,955	110 265 00000
	0366	0102	BIOL2051002	1 1	13.30 15.00	1	31	2,955	110 265 00000
9	0366	0102	BIOL2051002	1 1	13.30 15.00	1	31	2,955	110 265 00000
	0366	0102	BIOL2051003	1 1	13.30 15.00	1	32	2,955	110 265 00000
9	0366	0102	BIOL2051003	1 1	13.30 15.00	1	32	2,955	110 265 00000
	0366	0102	BIOL2051004	1 1	13.30 15.00	1	32	2,955	110 265 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 102

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0366	0102	BIOL2051004	1 1	13.30 15.00		32	2,955	110 265 00000
	0366	0102	BIOL2051005	1 1	13.30 15.00	1	30	2,955	110 265 00000
9	0366	0102	BIOL2051005	1 1	13.30 15.00		30	2,955	110 265 00000
	0366	0102	BIOL2051006	1 1	13.30 15.00	1	32	2,955	110 265 00000
9	0366	0102	BIOL2051006	1 1	13.30 15.00		32	2,955	110 265 00000
8	0366	0102	BIOL2051007	1 1	13.30 15.00	1	32	2,955	110 265 00000
89	0366	0102	BIOL2051007	1 1	13.30 15.00		32	2,955	110 265 00000
8	0366	0102	BIOL2051008	1 1	13.30 15.00	1	32	2,955	110 265 00000
89	0366	0102	BIOL2051008	1 1	13.30 15.00		32	2,955	110 265 00000
	0366	0102	CHEM2261002	1 1 1	14.30 15.30		192	2,955	110 265 00000
9	0366	0102	CHEM2261002	1 1 1	14.30 15.30		192	2,955	110 265 00000
	0366	0102	BIOL1001006	1 1	15.00 16.30		225	2,955	110 265 00000
89	0366	0102	BIOL1001006	1 1	15.00 16.30		225	2,955	110 265 00000
	0366	0102	BIOL1201004	1 1 1	15.30 16.30		136	2,955	110 265 00000
9	0366	0102	BIOL1201004	1 1 1	15.30 16.30		136	2,955	110 265 00000
	0366	0103	CHEM1201001	1 1 1	7.30 8.30		123	3,314	110 295 00000
9	0366	0103	CHEM1201001	1 1 1	7.30 8.30		123	3,314	110 295 00000
	0366	0103	CHEM2261003	1 1	7.30 9.00		254	3,314	110 295 00000
89	0366	0103	CHEM2261003	1 1	7.30 9.00		254	3,314	110 295 00000
	0366	0103	CHEM2261001	1 1 1	8.30 9.30		257	3,314	110 295 00000
89	0366	0103	CHEM2261001	1 1 1	8.30 9.30		257	3,314	110 295 00000
	0366	0103	CHEM1201008	1 1	9.00 10.30		183	3,314	110 295 00000
9	0366	0103	CHEM1201008	1 1	9.00 10.30		183	3,314	110 295 00000
	0366	0103	CHEM1201002	1 1 1	9.30 10.30		253	3,314	110 295 00000
89	0366	0103	CHEM1201002	1 1 1	9.30 10.30		253	3,314	110 295 00000
	0366	0103	CHEM1201003	1 1 1	10.30 11.30		257	3,314	110 295 00000
89	0366	0103	CHEM1201003	1 1 1	10.30 11.30		257	3,314	110 295 00000
	0366	0103	CHEM1201009	1 1	10.30 12.00		257	3,314	110 295 00000
89	0366	0103	CHEM1201009	1 1	10.30 12.00		257	3,314	110 295 00000
	0366	0103	CHEM1201004	1 1 1	11.30 12.30		238	3,314	110 295 00000
89	0366	0103	CHEM1201004	1 1 1	11.30 12.30		238	3,314	110 295 00000
	0366	0103	CHEM1201010	1 1	12.00 13.30		129	3,314	110 295 00000
9	0366	0103	CHEM1201010	1 1	12.00 13.30		129	3,314	110 295 00000
	0366	0103	CHEM1202001	1 1 1	12.30 13.30		237	3,314	110 295 00000
89	0366	0103	CHEM1202001	1 1 1	12.30 13.30		237	3,314	110 295 00000
	0366	0103	CHEM1201005	1 1 1	13.30 14.30		209	3,314	110 295 00000
9	0366	0103	CHEM1201005	1 1 1	13.30 14.30		209	3,314	110 295 00000
	0366	0103	CHEM2262001	1 1	13.30 15.00		131	3,314	110 295 00000
9	0366	0103	CHEM2262001	1 1	13.30 15.00		131	3,314	110 295 00000
	0366	0103	CHEM1201006	1 1 1	14.30 15.30		253	3,314	110 295 00000
89	0366	0103	CHEM1201006	1 1 1	14.30 15.30		253	3,314	110 295 00000
	0366	0103	CHEM1202003	1 1	15.00 16.30		282	3,314	110 295 00000
89	0366	0103	CHEM1202003	1 1	15.00 16.30		282	3,314	110 295 00000
	0366	0103	CHEM1201007	1 1 1	15.30 16.30		77	3,314	110 295 00000
9	0366	0103	CHEM1201007	1 1 1	15.30 16.30		77	3,314	110 295 00000
	0366	0201	BIOL4104001	1 1	9.30 10.30		16	805	110 53 00000
9	0366	0201	BIOL4104001	1 1	9.30 10.30		16	805	110 53 00000
	0366	0201	CHEM3492001	1 1	10.30 12.00		39	805	110 53 00000
9	0366	0201	CHEM3492001	1 1	10.30 12.00		39	805	110 53 00000
	0366	0201	BIOL4087003	1 1	14.00 16.00		48	805	110 53 00000
89	0366	0201	BIOL4087003	1 1	14.00 16.00		48	805	110 53 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 103

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0366	0201	XCAS9999200	1 1	17.00 18.30		53	805	110 53 00000
89	0366	0201	XCAS9999200	1 1	17.00 18.30		53	805	110 53 00000
	0366	0202	CHEM1421001	1 1 1	8.30 9.30		42	1,340	110 89 00000
9	0366	0202	CHEM1421001	1 1 1	8.30 9.30		42	1,340	110 89 00000
	0366	0202	CHEM2262002	1 1	9.00 10.30		94	1,340	110 89 00000
89	0366	0202	CHEM2262002	1 1	9.00 10.30		94	1,340	110 89 00000
	0366	0202	CHEM7800006	1	9.00 11.00		19	1,340	110 89 00000
9	0366	0202	CHEM7800006	1	9.00 11.00		19	1,340	110 89 00000
	0366	0202	BIOL3040001	1 1 1	9.30 10.30		69	1,340	110 89 00000
89	0366	0202	BIOL3040001	1 1 1	9.30 10.30		69	1,340	110 89 00000
	0366	0202	CHEM1421002	1 1 1	10.30 11.30		84	1,340	110 89 00000
89	0366	0202	CHEM1421002	1 1 1	10.30 11.30		84	1,340	110 89 00000
	0366	0202	BIOL3040003	1 1	10.30 12.00		54	1,340	110 89 00000
9	0366	0202	BIOL3040003	1 1	10.30 12.00		54	1,340	110 89 00000
	0366	0202	SOCL3371002	1 1	12.00 13.30		58	1,340	110 89 00000
9	0366	0202	SOCL3371002	1 1	12.00 13.30		58	1,340	110 89 00000
	0366	0202	BIOL4160003	1 1 1	12.30 13.30		64	1,340	110 89 00000
9	0366	0202	BIOL4160003	1 1 1	12.30 13.30		64	1,340	110 89 00000
	0366	0202	CHEM1002001	1 1	13.30 15.00		69	1,340	110 89 00000
89	0366	0202	CHEM1002001	1 1	13.30 15.00		69	1,340	110 89 00000
	0366	0202	BIOL4087004	1 1	14.30 16.30		37	1,340	110 89 00000
9	0366	0202	BIOL4087004	1 1	14.30 16.30		37	1,340	110 89 00000
	0366	0202	XCAS9999202	1	17.00 18.30		89	1,340	110 89 00000
89	0366	0202	XCAS9999202	1	17.00 18.30		89	1,340	110 89 00000
	0366	0206	BIOL7280001	1 1	9.00 10.30		18	675	110 45 00000
9	0366	0206	BIOL7280001	1 1	9.00 10.30		18	675	110 45 00000
	0366	0206	BIOL4800002	1 1 1	9.30 10.30		5	675	110 45 00000
9	0366	0206	BIOL4800002	1 1 1	9.30 10.30		5	675	110 45 00000
	0366	0206	MATH7590001	1 1	10.30 12.00		6	675	110 45 00000
9	0366	0206	MATH7590001	1 1	10.30 12.00		6	675	110 45 00000
	0366	0206	BIOL1005007	1	11.30 12.30		18	675	110 45 00000
9	0366	0206	BIOL1005007	1	11.30 12.30		18	675	110 45 00000
	0366	0206	BIOL1005008	1	11.30 12.30	1	15	675	110 45 00000
9	0366	0206	BIOL1005008	1	11.30 12.30		15	675	110 45 00000
	0366	0206	BIOL1005003	1	12.30 13.30		16	675	110 45 00000
9	0366	0206	BIOL1005003	1	12.30 13.30		16	675	110 45 00000
	0366	0206	BIOL1005004	1	12.30 13.30	1	18	675	110 45 00000
9	0366	0206	BIOL1005004	1	12.30 13.30		18	675	110 45 00000
	0366	0206	CHEM7800002	1	12.30 13.30		13	675	110 45 00000
9	0366	0206	CHEM7800002	1	12.30 13.30		13	675	110 45 00000
	0366	0206	CHEM7800007	1	12.30 13.30		22	675	110 45 00000
9	0366	0206	CHEM7800007	1	12.30 13.30		22	675	110 45 00000
	0366	0206	CHEM7780001	1 1 1	13.30 14.30		7	675	110 45 00000
9	0366	0206	CHEM7780001	1 1 1	13.30 14.30		7	675	110 45 00000
	0366	0206	BIOL7063001	1 1	15.00 16.30		7	675	110 45 00000
9	0366	0206	BIOL7063001	1 1	15.00 16.30		7	675	110 45 00000
	0366	0206	PLHL7063001	1 1	15.00 16.30	1	1	675	110 45 00000
9	0366	0206	PLHL7063001	1 1	15.00 16.30		1	675	110 45 00000
	0366	0206	BIOL1005005	1	15.30 16.30		19	675	110 45 00000
9	0366	0206	BIOL1005005	1	15.30 16.30		19	675	110 45 00000
	0366	0206	BIOL1005006	1	15.30 16.30	1	18	675	110 45 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 104

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	0366	0206	BIOL1005006	1	15.30 16.30		18	675	110 45 00000
	0366	0206	XCAS9999207	1	18.00 19.30		45	675	110 45 00000
89	0366	0206	XCAS9999207	1	18.00 19.30		45	675	110 45 00000
	0366	0206	BASC7000001	1	19.00 21.00		14	675	110 45 00000
9	0366	0206	BASC7000001	1	19.00 21.00		14	675	110 45 00000
	0366	0208	WGS 2500007	1 1	9.00 10.30		20	795	110 53 00000
9	0366	0208	WGS 2500007	1 1	9.00 10.30		20	795	110 53 00000
	0366	0208	CHEM4552001	1 1	9.30 10.30		23	795	110 53 00000
9	0366	0208	CHEM4552001	1 1	9.30 10.30		23	795	110 53 00000
	0366	0208	ACCT3121002	1 1	10.30 12.00		37	795	110 53 00000
9	0366	0208	ACCT3121002	1 1	10.30 12.00		37	795	110 53 00000
	0366	0208	FREN1002007	1111	12.30 13.30		9	795	110 53 00000
9	0366	0208	FREN1002007	1111	12.30 13.30		9	795	110 53 00000
	0366	0208	CFS 3055002	1 1	13.30 15.00		42	795	110 53 00000
89	0366	0208	CFS 3055002	1 1	13.30 15.00		42	795	110 53 00000
	0366	0208	XCAS9999209	1	15.30 17.00		53	795	110 53 00000
89	0366	0208	XCAS9999209	1	15.30 17.00		53	795	110 53 00000
	0366	0208	XCAS9999210	1	17.00 18.30		53	795	110 53 00000
89	0366	0208	XCAS9999210	1	17.00 18.30		53	795	110 53 00000
	0366	0208	XCAS9999212	1	18.00 19.30		53	795	110 53 00000
89	0366	0208	XCAS9999212	1	18.00 19.30		53	795	110 53 00000
	0366	0208	XCAS9999211	1	18.00 19.30		53	795	110 53 00000
89	0366	0208	XCAS9999211	1	18.00 19.30		53	795	110 53 00000
	0366	0210	BIOL4253001	1 1	7.30 9.00		29	780	110 52 00000
9	0366	0210	BIOL4253001	1 1	7.30 9.00		29	780	110 52 00000
	0366	0210	BIOL4253002	1 1	9.00 10.30		48	780	110 52 00000
89	0366	0210	BIOL4253002	1 1	9.00 10.30		48	780	110 52 00000
	0366	0210	BIOL4090001	1 1 1	9.30 10.30		18	780	110 52 00000
9	0366	0210	BIOL4090001	1 1 1	9.30 10.30		18	780	110 52 00000
	0366	0210	OCS 4090001	1 1 1	9.30 10.30	1	4	780	110 52 00000
9	0366	0210	OCS 4090001	1 1 1	9.30 10.30		4	780	110 52 00000
	0366	0210	BIOL1005001	1	10.30 11.30		19	780	110 52 00000
9	0366	0210	BIOL1005001	1	10.30 11.30		19	780	110 52 00000
	0366	0210	BIOL1005002	1	10.30 11.30	1	15	780	110 52 00000
9	0366	0210	BIOL1005002	1	10.30 11.30		15	780	110 52 00000
	0366	0210	BIOL4160002	1 1	10.30 12.00		37	780	110 52 00000
9	0366	0210	BIOL4160002	1 1	10.30 12.00		37	780	110 52 00000
	0366	0210	CHEM4596001	1 1 1	11.30 12.30		10	780	110 52 00000
9	0366	0210	CHEM4596001	1 1 1	11.30 12.30		10	780	110 52 00000
	0366	0210	CHEM7770001	1 1	13.30 15.00		11	780	110 52 00000
9	0366	0210	CHEM7770001	1 1	13.30 15.00		11	780	110 52 00000
	0366	0210	BIOL4177002	1 1	13.30 15.00		35	780	110 52 00000
9	0366	0210	BIOL4177002	1 1	13.30 15.00		35	780	110 52 00000
	0366	0210	XCAS9999213	1	15.00 16.30		52	780	110 52 00000
89	0366	0210	XCAS9999213	1	15.00 16.30		52	780	110 52 00000
	0366	0210	XCAS9999214	1	16.30 18.00		52	780	110 52 00000
89	0366	0210	XCAS9999214	1	16.30 18.00		52	780	110 52 00000
	0366	0214	CHEM3491001	1 1	9.00 10.30		65	1,345	110 89 00000
9	0366	0214	CHEM3491001	1 1	9.00 10.30		65	1,345	110 89 00000
	0366	0214	BIOL4262001	1 1 1	10.30 11.30		80	1,345	110 89 00000
89	0366	0214	BIOL4262001	1 1 1	10.30 11.30		80	1,345	110 89 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 105

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0366	0214	CHEM3491002	1 1	10.30 12.00		23	1,345	110 89 00000
9	0366	0214	CHEM3491002	1 1	10.30 12.00		23	1,345	110 89 00000
	0366	0214	BIOL4087002	1 1	12.00 14.00		80	1,345	110 89 00000
89	0366	0214	BIOL4087002	1 1	12.00 14.00		80	1,345	110 89 00000
	0366	0214	CHEM7901001		12.30 13.30	1	19	1,345	110 89 00000
9	0366	0214	CHEM7901001		12.30 13.30	1	19	1,345	110 89 00000
	0366	0214	BIOL4087001	1 1	12.30 14.30		82	1,345	110 89 00000
89	0366	0214	BIOL4087001	1 1	12.30 14.30		82	1,345	110 89 00000
	0366	0214	BIOL4158001	1 1	15.00 16.30		48	1,345	110 89 00000
9	0366	0214	BIOL4158001	1 1	15.00 16.30		48	1,345	110 89 00000
	0366	0214	XCAS9999219	1 1	16.00 17.30		89	1,345	110 89 00000
89	0366	0214	XCAS9999219	1 1	16.00 17.30		89	1,345	110 89 00000
	0366	0214	XCAS9999220	1 1	17.00 18.30		89	1,345	110 89 00000
89	0366	0214	XCAS9999220	1 1	17.00 18.30		89	1,345	110 89 00000
	0366	0215	BIOL4123001	1 1	9.00 10.30		48	851	110 56 00000
89	0366	0215	BIOL4123001	1 1	9.00 10.30		48	851	110 56 00000
	0366	0215	CHEM2461001	1 1 1	9.30 10.30		51	851	110 56 00000
89	0366	0215	CHEM2461001	1 1 1	9.30 10.30		51	851	110 56 00000
	0366	0215	BIOL4124001	1 1	10.30 12.00		9	851	110 56 00000
9	0366	0215	BIOL4124001	1 1	10.30 12.00		9	851	110 56 00000
	0366	0215	CHEM7800003	1	12.30 13.30		27	851	110 56 00000
9	0366	0215	CHEM7800003	1	12.30 13.30		27	851	110 56 00000
	0366	0302	CHEM2002001	1	13.30 16.30		16	2,154	210 43 00000
9	0366	0302	CHEM2002001	1	13.30 16.30		16	2,154	210 43 00000
	0366	0302	CHEM4553001	1 1	13.30 16.30		5	2,154	210 43 00000
9	0366	0302	CHEM4553001	1 1	13.30 16.30		5	2,154	210 43 00000
	0366	0302	CHEM2002002	1	13.30 16.30		18	2,154	210 43 00000
9	0366	0302	CHEM2002002	1	13.30 16.30		18	2,154	210 43 00000
	0366	0308	CHEM2364001	1 1	7.30 10.30		32	1,495	210 30 00000
89	0366	0308	CHEM2364001	1 1	7.30 10.30		32	1,495	210 30 00000
	0366	0308	CHEM2364005	1 1	9.00 12.00		31	1,495	210 30 00000
89	0366	0308	CHEM2364005	1 1	9.00 12.00		31	1,495	210 30 00000
	0366	0308	CHEM2364009	1 1	10.30 13.30		28	1,495	210 30 00000
89	0366	0308	CHEM2364009	1 1	10.30 13.30		28	1,495	210 30 00000
	0366	0308	CHEM2364003	1 1	13.30 16.30		33	1,495	210 30 00000
89	0366	0308	CHEM2364003	1 1	13.30 16.30		33	1,495	210 30 00000
	0366	0308	CHEM2364007	1 1	13.30 16.30		31	1,495	210 30 00000
89	0366	0308	CHEM2364007	1 1	13.30 16.30		31	1,495	210 30 00000
	0366	0314	CHEM2364002	1 1	7.30 10.30		33	1,472	210 30 00000
89	0366	0314	CHEM2364002	1 1	7.30 10.30		33	1,472	210 30 00000
	0366	0314	CHEM2364006	1 1	9.00 12.00		34	1,472	210 30 00000
89	0366	0314	CHEM2364006	1 1	9.00 12.00		34	1,472	210 30 00000
	0366	0314	CHEM2364010	1 1	10.30 13.30		32	1,472	210 30 00000
89	0366	0314	CHEM2364010	1 1	10.30 13.30		32	1,472	210 30 00000
	0366	0314	CHEM2364004	1 1	13.30 16.30		31	1,472	210 30 00000
89	0366	0314	CHEM2364004	1 1	13.30 16.30		31	1,472	210 30 00000
	0366	0314	CHEM2364008	1 1	13.30 16.30		32	1,472	210 30 00000
89	0366	0314	CHEM2364008	1 1	13.30 16.30		32	1,472	210 30 00000
	0370	2502	CBS 7004001	1	12.00 13.00		6	738	350 6 00000
89	0370	2502	CBS 7004001	1	12.00 13.00		6	738	350 6 00000
	0373	1108	CSC 2730001	1 1	10.30 12.00		30	714	140 34 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 106

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	0373	1108	CSC 2730001	1 1	10.30 12.00		30	714	140 34 00000
	0373	1108	PETE7202001	1 1	12.00 13.30		13	714	140 34 00000
9	0373	1108	PETE7202001	1 1	12.00 13.30		13	714	140 34 00000
	0373	1124	PETE2060005	1	9.30 11.30		37	2,683	140 96 00000
9	0373	1124	PETE2060005	1	9.30 11.30		37	2,683	140 96 00000
	0373	1124	PETE2060004	1	12.00 14.00		36	2,683	140 96 00000
9	0373	1124	PETE2060004	1	12.00 14.00		36	2,683	140 96 00000
	0373	1131	GEOL7195001	1	9.30 11.30		10	874	140 36 00000
9	0373	1131	GEOL7195001	1	9.30 11.30		10	874	140 36 00000
	0373	1131	PETE7195001	1	9.30 11.30	1	19	874	140 36 00000
89	0373	1131	PETE7195001	1	9.30 11.30		19	874	140 36 00000
	0373	1131	GEOL7195001	1	9.30 11.30		10	874	140 36 00000
9	0373	1131	GEOL7195001	1	9.30 11.30		10	874	140 36 00000
	0373	1131	PETE7195001	1	9.30 11.30	1	19	874	140 36 00000
89	0373	1131	PETE7195001	1	9.30 11.30		19	874	140 36 00000
	0373	1131	CM 1020008	1 1	18.30 20.30		34	874	140 36 00000
89	0373	1131	CM 1020008	1 1	18.30 20.30		34	874	140 36 00000
	0373	1216	CE 7490001	1 1	9.00 10.30		2	629	110 41 00000
9	0373	1216	CE 7490001	1 1	9.00 10.30		2	629	110 41 00000
	0373	1216	ME 4853001	1 1	9.00 10.30		24	629	110 41 00000
9	0373	1216	ME 4853001	1 1	9.00 10.30		24	629	110 41 00000
	0373	1216	CSC 7700001	1 1	10.30 12.00		7	629	110 41 00000
9	0373	1216	CSC 7700001	1 1	10.30 12.00		7	629	110 41 00000
	0373	1216	ME 7313001	1 1	10.30 12.00		13	629	110 41 00000
9	0373	1216	ME 7313001	1 1	10.30 12.00		13	629	110 41 00000
	0373	1216	MGT 3830006	1 1	12.00 13.30		33	629	110 41 00000
89	0373	1216	MGT 3830006	1 1	12.00 13.30		33	629	110 41 00000
	0373	1216	ME 4763001	1 1	13.30 15.00		22	629	110 41 00000
9	0373	1216	ME 4763001	1 1	13.30 15.00		22	629	110 41 00000
	0373	1216	CSC 7235001	1	13.30 16.30		6	629	110 41 00000
9	0373	1216	CSC 7235001	1	13.30 16.30		6	629	110 41 00000
	0373	1216	ME 4963001	1 1	15.00 16.30		10	629	110 41 00000
9	0373	1216	ME 4963001	1 1	15.00 16.30		10	629	110 41 00000
	0373	1216	EE 7750002	1	15.30 18.30		4	629	110 41 00000
9	0373	1216	EE 7750002	1	15.30 18.30		4	629	110 41 00000
	0373	1216	ME 4643001	1 1	16.30 18.00		25	629	110 41 00000
9	0373	1216	ME 4643001	1 1	16.30 18.00		25	629	110 41 00000
	0373	1216	EE 7400002	1 1	18.00 19.30		13	629	110 41 00000
9	0373	1216	EE 7400002	1 1	18.00 19.30		13	629	110 41 00000
	0373	1218	ME 4663001	1 1 1	8.30 9.30		13	649	110 37 00000
9	0373	1218	ME 4663001	1 1 1	8.30 9.30		13	649	110 37 00000
	0373	1218	ME 7753001	1 1	9.00 10.30		10	649	110 37 00000
9	0373	1218	ME 7753001	1 1	9.00 10.30		10	649	110 37 00000
	0373	1218	EE 4745001	1 1 1	10.30 11.30		29	649	110 37 00000
89	0373	1218	EE 4745001	1 1 1	10.30 11.30		29	649	110 37 00000
	0373	1218	BE 4332001	1 1	10.30 12.00		35	649	110 37 00000
89	0373	1218	BE 4332001	1 1	10.30 12.00		35	649	110 37 00000
	0373	1218	EE 4702001	1 1 1	11.30 12.30		16	649	110 37 00000
9	0373	1218	EE 4702001	1 1 1	11.30 12.30		16	649	110 37 00000
	0373	1218	ME 4743001	1 1	12.00 13.30		22	649	110 37 00000
9	0373	1218	ME 4743001	1 1	12.00 13.30		22	649	110 37 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 107

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0373	1218	CE 4420001	1 1	13.30 15.00		14	649	110 37 00000
9	0373	1218	CE 4420001	1 1	13.30 15.00		14	649	110 37 00000
	0373	1218	ME 7673001	1 1	15.00 16.30		5	649	110 37 00000
9	0373	1218	ME 7673001	1 1	15.00 16.30		5	649	110 37 00000
	0373	1218	EE 7615001	1 1	16.30 18.00		2	649	110 37 00000
9	0373	1218	EE 7615001	1 1	16.30 18.00		2	649	110 37 00000
	0373	1221	EE 3752001	1 1	7.30 8.30		13	1,570	110 88 00000
9	0373	1221	EE 3752001	1 1	7.30 8.30		13	1,570	110 88 00000
	0373	1221	EE 3752002	1 1	7.30 8.30	1	16	1,570	110 88 00000
9	0373	1221	EE 3752002	1 1	7.30 8.30		16	1,570	110 88 00000
	0373	1221	EE 3752003	1 1	7.30 8.30	1	15	1,570	110 88 00000
9	0373	1221	EE 3752003	1 1	7.30 8.30		15	1,570	110 88 00000
	0373	1221	EE 3752004	1 1	7.30 8.30	1	16	1,570	110 88 00000
9	0373	1221	EE 3752004	1 1	7.30 8.30		16	1,570	110 88 00000
8	0373	1221	EE 3752005	1 1	7.30 8.30	1	18	1,570	110 88 00000
89	0373	1221	EE 3752005	1 1	7.30 8.30		18	1,570	110 88 00000
	0373	1221	MGT 3830001	1 1	7.30 9.00		40	1,570	110 88 00000
9	0373	1221	MGT 3830001	1 1	7.30 9.00		40	1,570	110 88 00000
	0373	1221	CE 4750001	1	8.30 10.30		71	1,570	110 88 00000
89	0373	1221	CE 4750001	1	8.30 10.30		71	1,570	110 88 00000
	0373	1221	CE 4750001	1	8.30 10.30		71	1,570	110 88 00000
89	0373	1221	CE 4750001	1	8.30 10.30		71	1,570	110 88 00000
	0373	1221	MGT 3830002	1 1	9.00 10.30		40	1,570	110 88 00000
9	0373	1221	MGT 3830002	1 1	9.00 10.30		40	1,570	110 88 00000
	0373	1221	IE 3520001	1 1 1	10.30 11.30		73	1,570	110 88 00000
89	0373	1221	IE 3520001	1 1 1	10.30 11.30		73	1,570	110 88 00000
	0373	1221	CE 3600001	1 1	10.30 12.00		64	1,570	110 88 00000
9	0373	1221	CE 3600001	1 1	10.30 12.00		64	1,570	110 88 00000
	0373	1221	CE 3500001	1 1	11.30 12.30		22	1,570	110 88 00000
9	0373	1221	CE 3500001	1 1	11.30 12.30		22	1,570	110 88 00000
	0373	1221	CE 3500002	1 1	11.30 12.30	1	30	1,570	110 88 00000
9	0373	1221	CE 3500002	1 1	11.30 12.30		30	1,570	110 88 00000
8	0373	1221	CE 3500003	1 1	11.30 12.30	1	31	1,570	110 88 00000
89	0373	1221	CE 3500003	1 1	11.30 12.30		31	1,570	110 88 00000
	0373	1221	ME 3333002	1 1	12.00 13.30		85	1,570	110 88 00000
89	0373	1221	ME 3333002	1 1	12.00 13.30		85	1,570	110 88 00000
	0373	1221	PETE4241001	1 1 1	12.30 13.30		32	1,570	110 88 00000
9	0373	1221	PETE4241001	1 1 1	12.30 13.30		32	1,570	110 88 00000
	0373	1221	CE 3415001	1 1	13.30 15.00		80	1,570	110 88 00000
89	0373	1221	CE 3415001	1 1	13.30 15.00		80	1,570	110 88 00000
	0373	1221	ECON2035002	1 1	13.30 15.00		65	1,570	110 88 00000
9	0373	1221	ECON2035002	1 1	13.30 15.00		65	1,570	110 88 00000
	0373	1221	CHE 7800001	1	14.00 15.00		53	1,570	110 88 00000
9	0373	1221	CHE 7800001	1	14.00 15.00		53	1,570	110 88 00000
	0373	1221	ENGR1050001	1 1	15.00 16.30		36	1,570	110 88 00000
9	0373	1221	ENGR1050001	1 1	15.00 16.30		36	1,570	110 88 00000
	0373	1221	PETE7999001	1	15.00 16.30		62	1,570	110 88 00000
9	0373	1221	PETE7999001	1	15.00 16.30		62	1,570	110 88 00000
	0373	1221	CE 7750001	1	15.30 16.30		83	1,570	110 88 00000
89	0373	1221	CE 7750001	1	15.30 16.30		83	1,570	110 88 00000
	0373	1221	CE 3700001	1	16.30 17.30		23	1,570	110 88 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 108

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0373	1221	CE 3700001	1	16.30 17.30		23	1,570	110 88 00000
	0373	1221	CE 3700002	1	16.30 17.30	1	19	1,570	110 88 00000
9	0373	1221	CE 3700002	1	16.30 17.30		19	1,570	110 88 00000
	0373	1221	CE 3700003	1	16.30 17.30	1	24	1,570	110 88 00000
9	0373	1221	CE 3700003	1	16.30 17.30		24	1,570	110 88 00000
	0373	1221	CSC 4330001	1 1	17.00 18.30		57	1,570	110 88 00000
9	0373	1221	CSC 4330001	1 1	17.00 18.30		57	1,570	110 88 00000
	0373	1225	CHE 2176001	1 1	7.30 9.00		55	1,524	110 88 00000
9	0373	1225	CHE 2176001	1 1	7.30 9.00		55	1,524	110 88 00000
8	0373	1225	CHE 2176002	1 1	7.30 9.00	1	24	1,524	110 88 00000
89	0373	1225	CHE 2176002	1 1	7.30 9.00		24	1,524	110 88 00000
	0373	1225	EE 7770002	1 1 1	8.30 9.30		9	1,524	110 88 00000
9	0373	1225	EE 7770002	1 1 1	8.30 9.30		9	1,524	110 88 00000
	0373	1225	MGT 3830003	1 1	9.00 10.30		40	1,524	110 88 00000
9	0373	1225	MGT 3830003	1 1	9.00 10.30		40	1,524	110 88 00000
	0373	1225	EE 3160001	1 1 1	9.30 10.30		59	1,524	110 88 00000
9	0373	1225	EE 3160001	1 1 1	9.30 10.30		59	1,524	110 88 00000
	0373	1225	SSS 1001001	1	10.30 11.30		10	1,524	110 88 00000
9	0373	1225	SSS 1001001	1	10.30 11.30		10	1,524	110 88 00000
	0373	1225	SSS 1001002	1	10.30 11.30	1	8	1,524	110 88 00000
9	0373	1225	SSS 1001002	1	10.30 11.30		8	1,524	110 88 00000
	0373	1225	SSS 1001004	1	10.30 11.30	1	8	1,524	110 88 00000
9	0373	1225	SSS 1001004	1	10.30 11.30		8	1,524	110 88 00000
	0373	1225	IE 3201001	1 1	10.30 12.00		50	1,524	110 88 00000
9	0373	1225	IE 3201001	1 1	10.30 12.00		50	1,524	110 88 00000
	0373	1225	CSC 1253002	1 1	12.00 13.30		47	1,524	110 88 00000
9	0373	1225	CSC 1253002	1 1	12.00 13.30		47	1,524	110 88 00000
	0373	1225	PETE4241004	1 1 1	12.30 13.30		22	1,524	110 88 00000
9	0373	1225	PETE4241004	1 1 1	12.30 13.30		22	1,524	110 88 00000
	0373	1225	CE 4410001	1 1	13.30 15.00		59	1,524	110 88 00000
9	0373	1225	CE 4410001	1 1	13.30 15.00		59	1,524	110 88 00000
	0373	1225	IE 4362001	1 1	13.30 15.00		74	1,524	110 88 00000
89	0373	1225	IE 4362001	1 1	13.30 15.00		74	1,524	110 88 00000
	0373	1225	CE 2700001	1	13.30 16.30		67	1,524	110 88 00000
89	0373	1225	CE 2700001	1	13.30 16.30		67	1,524	110 88 00000
	0373	1225	PETE1010001	1 1	15.00 16.00		35	1,524	110 88 00000
9	0373	1225	PETE1010001	1 1	15.00 16.00		35	1,524	110 88 00000
	0373	1225	ME 4943001	1 1	15.00 16.30		18	1,524	110 88 00000
9	0373	1225	ME 4943001	1 1	15.00 16.30		18	1,524	110 88 00000
	0373	1236	CM 4202001	1 1	7.30 9.00		60	995	110 68 00000
89	0373	1236	CM 4202001	1 1	7.30 9.00		60	995	110 68 00000
	0373	1236	CE 7300001	1 1	8.30 10.00		8	995	110 68 00000
9	0373	1236	CE 7300001	1 1	8.30 10.00		8	995	110 68 00000
	0373	1236	BE 4303001	1 1	9.30 10.30		27	995	110 68 00000
9	0373	1236	BE 4303001	1 1	9.30 10.30		27	995	110 68 00000
	0373	1236	BE 4303002	1 1	9.30 10.30	1	22	995	110 68 00000
9	0373	1236	BE 4303002	1 1	9.30 10.30		22	995	110 68 00000
	0373	1236	CSC 4501001	1 1	10.30 12.00		58	995	110 68 00000
89	0373	1236	CSC 4501001	1 1	10.30 12.00		58	995	110 68 00000
	0373	1236	MGT 3830004	1 1	10.30 12.00		40	995	110 68 00000
9	0373	1236	MGT 3830004	1 1	10.30 12.00		40	995	110 68 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 109

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0373	1236	CHE 4210001	1 1 1	12.30 13.30		11	995	110 68 00000
9	0373	1236	CHE 4210001	1 1 1	12.30 13.30		11	995	110 68 00000
	0373	1236	CHE 4275001	1 1	13.30 15.00		10	995	110 68 00000
9	0373	1236	CHE 4275001	1 1	13.30 15.00		10	995	110 68 00000
	0373	1236	PETE2060005	1	14.00 15.00		37	995	110 68 00000
9	0373	1236	PETE2060005	1	14.00 15.00		37	995	110 68 00000
	0373	1236	PETE2060004	1	14.00 15.00		36	995	110 68 00000
9	0373	1236	PETE2060004	1	14.00 15.00		36	995	110 68 00000
	0373	1236	CE 4300001	1 1	15.00 16.30		48	995	110 68 00000
9	0373	1236	CE 4300001	1 1	15.00 16.30		48	995	110 68 00000
	0373	1236	CE 4430001	1 1	15.00 18.00		21	995	110 68 00000
9	0373	1236	CE 4430001	1 1	15.00 18.00		21	995	110 68 00000
	0373	1236	CE 3700004	1	16.30 17.30		25	995	110 68 00000
9	0373	1236	CE 3700004	1	16.30 17.30		25	995	110 68 00000
	0373	1236	CE 3700004	1	17.30 19.30		25	995	110 68 00000
9	0373	1236	CE 3700004	1	17.30 19.30		25	995	110 68 00000
	0373	1236	ME 4783001	1 1	18.00 19.30		27	995	110 68 00000
9	0373	1236	ME 4783001	1 1	18.00 19.30		27	995	110 68 00000
	0373	1240	EE 3610002	1 1	7.30 9.00		34	1,089	110 68 00000
9	0373	1240	EE 3610002	1 1	7.30 9.00		34	1,089	110 68 00000
	0373	1240	EVEG4150001	1	8.30 11.30		43	1,089	110 68 00000
9	0373	1240	EVEG4150001	1	8.30 11.30		43	1,089	110 68 00000
	0373	1240	MGT 3211001	1 1	9.00 10.30		20	1,089	110 68 00000
9	0373	1240	MGT 3211001	1 1	9.00 10.30		20	1,089	110 68 00000
	0373	1240	MGT 3211002	1 1	10.30 12.00		28	1,089	110 68 00000
9	0373	1240	MGT 3211002	1 1	10.30 12.00		28	1,089	110 68 00000
	0373	1240	PETE3053001	1 1	12.00 13.30		67	1,089	110 68 00000
89	0373	1240	PETE3053001	1 1	12.00 13.30		67	1,089	110 68 00000
	0373	1240	IE 4785001	1 1	13.00 14.30		15	1,089	110 68 00000
9	0373	1240	IE 4785001	1 1	13.00 14.30		15	1,089	110 68 00000
	0373	1240	IE 7465001	1 1	13.30 14.30		4	1,089	110 68 00000
9	0373	1240	IE 7465001	1 1	13.30 14.30		4	1,089	110 68 00000
	0373	1240	PETE4083001	1 1	15.00 16.30		38	1,089	110 68 00000
9	0373	1240	PETE4083001	1 1	15.00 16.30		38	1,089	110 68 00000
	0373	1240	ME 4943002	1 1	16.30 18.00		15	1,089	110 68 00000
9	0373	1240	ME 4943002	1 1	16.30 18.00		15	1,089	110 68 00000
	0373	1360	IE 4427001	1 1	9.30 10.30		10	951	140 30 00000
9	0373	1360	IE 4427001	1 1	9.30 10.30		10	951	140 30 00000
	0373	1360	ENGR3100001	1	15.00 17.00		28	951	140 30 00000
89	0373	1360	ENGR3100001	1	15.00 17.00		28	951	140 30 00000
	0373	1360	IE 4427001	1	15.00 18.00		10	951	140 30 00000
9	0373	1360	IE 4427001	1	15.00 18.00		10	951	140 30 00000
	0373	1360	ENGR3100001	1	15.00 18.00		28	951	140 30 00000
89	0373	1360	ENGR3100001	1	15.00 18.00		28	951	140 30 00000
8	0373	2113	CE 7410001	1 1	9.00 10.30		14	293	310 1 00000
89	0373	2113	CE 7410001	1 1	9.00 10.30		14	293	310 1 00000
8	0373	2113	CE 7340001	1	13.00 15.00		13	293	310 1 00000
89	0373	2113	CE 7340001	1	13.00 15.00		13	293	310 1 00000
8	0373	2113	CE 4760001	1	15.00 17.00		27	293	310 1 00000
89	0373	2113	CE 4760001	1	15.00 17.00		27	293	310 1 00000
8	0373	2113	CE 4760001	1	15.00 18.00		27	293	310 1 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 110

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	0373	2113	CE 4760001	1	15.00 18.00		27	293	310 1 00000
8	0373	2113	CE 7409001	1 1	15.30 17.00		5	293	310 1 00000
89	0373	2113	CE 7409001	1 1	15.30 17.00		5	293	310 1 00000
8	0373	2113	CE 4435001	1 1	17.00 18.30		18	293	310 1 00000
89	0373	2113	CE 4435001	1 1	17.00 18.30		18	293	310 1 00000
	0373	3133	CM 4206001	1 1	7.30 9.00		43	720	110 48 00000
89	0373	3133	CM 4206001	1 1	7.30 9.00		43	720	110 48 00000
	0373	3133	CM 2116001	1	8.30 10.30		3	720	110 48 00000
9	0373	3133	CM 2116001	1	8.30 10.30		3	720	110 48 00000
	0373	3133	CM 4101001	1	8.30 10.30		40	720	110 48 00000
89	0373	3133	CM 4101001	1	8.30 10.30		40	720	110 48 00000
	0373	3133	CM 3111001	1	9.30 11.30		35	720	110 48 00000
9	0373	3133	CM 3111001	1	9.30 11.30		35	720	110 48 00000
	0373	3133	CM 4101002	1	10.30 12.30		33	720	110 48 00000
9	0373	3133	CM 4101002	1	10.30 12.30		33	720	110 48 00000
	0373	3133	CM 2116002	1	11.30 13.30		4	720	110 48 00000
9	0373	3133	CM 2116002	1	11.30 13.30		4	720	110 48 00000
	0373	3133	CM 3111002	1	11.30 13.30		35	720	110 48 00000
9	0373	3133	CM 3111002	1	11.30 13.30		35	720	110 48 00000
	0373	3133	CM 4101003	1	12.30 14.30		40	720	110 48 00000
89	0373	3133	CM 4101003	1	12.30 14.30		40	720	110 48 00000
	0373	3133	CM 2116003	1	13.30 15.30		3	720	110 48 00000
9	0373	3133	CM 2116003	1	13.30 15.30		3	720	110 48 00000
	0373	3133	CM 3111003	1	13.30 15.30		22	720	110 48 00000
9	0373	3133	CM 3111003	1	13.30 15.30		22	720	110 48 00000
	0373	3133	CM 7150001	1	14.00 17.00		11	720	110 48 00000
9	0373	3133	CM 7150001	1	14.00 17.00		11	720	110 48 00000
	0373	3133	CM 4357001	1	18.00 21.00		19	720	110 48 00000
9	0373	3133	CM 4357001	1	18.00 21.00		19	720	110 48 00000
	0418	0103	ECON2000001	1 1	7.30 9.00		116	2,427	110 153 00000
89	0418	0103	ECON2000001	1 1	7.30 9.00		116	2,427	110 153 00000
	0418	0103	HIST2055002	1 1	9.00 10.30		139	2,427	110 153 00000
89	0418	0103	HIST2055002	1 1	9.00 10.30		139	2,427	110 153 00000
	0418	0103	ARCH2007001	1 1 1	9.30 10.30		91	2,427	110 153 00000
9	0418	0103	ARCH2007001	1 1 1	9.30 10.30		91	2,427	110 153 00000
	0418	0103	ISDS2001003	1 1 1	10.30 11.30		150	2,427	110 153 00000
89	0418	0103	ISDS2001003	1 1 1	10.30 11.30		150	2,427	110 153 00000
	0418	0103	ME 3143002	1 1	10.30 12.00		99	2,427	110 153 00000
9	0418	0103	ME 3143002	1 1	10.30 12.00		99	2,427	110 153 00000
	0418	0103	HIST2055003	1 1	12.00 13.30		152	2,427	110 153 00000
89	0418	0103	HIST2055003	1 1	12.00 13.30		152	2,427	110 153 00000
	0418	0103	HIST2055001	1 1 1	12.30 13.30		137	2,427	110 153 00000
89	0418	0103	HIST2055001	1 1 1	12.30 13.30		137	2,427	110 153 00000
8	0418	0103	HIST2056001	1 1 1	12.30 13.30	1	11	2,427	110 153 00000
89	0418	0103	HIST2056001	1 1 1	12.30 13.30		11	2,427	110 153 00000
	0418	0103	ARCH2401001	1 1	13.30 15.00		123	2,427	110 153 00000
89	0418	0103	ARCH2401001	1 1	13.30 15.00		123	2,427	110 153 00000
	0418	0103	CM 1011001	1 1	15.00 16.30		150	2,427	110 153 00000
89	0418	0103	CM 1011001	1 1	15.00 16.30		150	2,427	110 153 00000
	0418	0201	LA 2201001	1 1 1	8.30 9.30		14	1,062	110 68 00000
9	0418	0201	LA 2201001	1 1 1	8.30 9.30		14	1,062	110 68 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 111

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0418	0201	ARTH4404001	1 1	9.00 10.30		43	110 68	00000
9	0418	0201	ARTH4404001	1 1	9.00 10.30		43	110 68	00000
	0418	0201	ARTH4401001	1 1 1	9.30 10.30		22	110 68	00000
9	0418	0201	ARTH4401001	1 1 1	9.30 10.30		22	110 68	00000
	0418	0201	ARCH2003001	1 1 1	10.30 11.30		23	110 68	00000
9	0418	0201	ARCH2003001	1 1 1	10.30 11.30		23	110 68	00000
	0418	0201	ARTH4482001	1 1	12.00 13.30		28	110 68	00000
9	0418	0201	ARTH4482001	1 1	12.00 13.30		28	110 68	00000
	0418	0201	ARTH4441001	1 1 1	12.30 13.30		17	110 68	00000
9	0418	0201	ARTH4441001	1 1 1	12.30 13.30		17	110 68	00000
	0418	0201	ARTH2411001	1 1 1	13.30 14.30		38	110 68	00000
9	0418	0201	ARTH2411001	1 1 1	13.30 14.30		38	110 68	00000
	0418	0201	ARTH4420001	1	15.00 18.00		4	110 68	00000
9	0418	0201	ARTH4420001	1	15.00 18.00		4	110 68	00000
	0418	0201	ARTH7400001	1	15.00 18.00	1	9	110 68	00000
9	0418	0201	ARTH7400001	1	15.00 18.00		9	110 68	00000
	0418	0201	ARTH4469001	1	15.30 18.30		36	110 68	00000
9	0418	0201	ARTH4469001	1	15.30 18.30		36	110 68	00000
	0418	0209	ART 1011003	1 1	8.30 9.30		18	210 25	00000
9	0418	0209	ART 1011003	1 1	8.30 9.30		18	210 25	00000
	0418	0209	ART 1008001	1 1	9.00 12.00		16	210 25	00000
9	0418	0209	ART 1008001	1 1	9.00 12.00		16	210 25	00000
	0418	0209	ART 1011003	1 1	9.30 11.30		18	210 25	00000
9	0418	0209	ART 1011003	1 1	9.30 11.30		18	210 25	00000
	0418	0209	ART 1011004	1 1	12.30 13.30		19	210 25	00000
9	0418	0209	ART 1011004	1 1	12.30 13.30		19	210 25	00000
	0418	0209	ART 1011004	1 1	13.30 15.30		19	210 25	00000
9	0418	0209	ART 1011004	1 1	13.30 15.30		19	210 25	00000
	0418	0209	ART 1011005	1 1	15.30 16.30		17	210 25	00000
9	0418	0209	ART 1011005	1 1	15.30 16.30		17	210 25	00000
	0418	0209	ART 1011005	1 1	16.30 18.30		17	210 25	00000
9	0418	0209	ART 1011005	1 1	16.30 18.30		17	210 25	00000
	0418	0209	ART 4020002	1 1	18.00 21.00		13	210 25	00000
9	0418	0209	ART 4020002	1 1	18.00 21.00		13	210 25	00000
	0418	0217	ART 4240001	1 1	9.00 12.00		10	210 30	00000
9	0418	0217	ART 4240001	1 1	9.00 12.00		10	210 30	00000
	0418	0217	ART 4230001	1 1	12.30 15.30		24	210 30	00000
89	0418	0217	ART 4230001	1 1	12.30 15.30		24	210 30	00000
	0418	0217	LA 7032001	1 1	13.30 16.30		15	210 30	00000
9	0418	0217	LA 7032001	1 1	13.30 16.30		15	210 30	00000
	0418	0225	LA 7034001	1 1	9.00 10.30		14	210 20	00000
9	0418	0225	LA 7034001	1 1	9.00 10.30		14	210 20	00000
	0418	0225	LA 7031001	1 1 1	13.30 17.30		15	210 20	00000
9	0418	0225	LA 7031001	1 1 1	13.30 17.30		15	210 20	00000
	0418	0226	LA 7051001	1 1 1	13.30 17.30		19	210 20	00000
89	0418	0226	LA 7051001	1 1 1	13.30 17.30		19	210 20	00000
	0418	0301	LA 2301001	1 1	8.30 11.30		15	110 50	00000
9	0418	0301	LA 2301001	1 1	8.30 11.30		15	110 50	00000
	0418	0301	LA 4201001	1 1	15.30 17.30		26	110 50	00000
9	0418	0301	LA 4201001	1 1	15.30 17.30		26	110 50	00000
89	0418	0301	LA 4201001	1 1	15.30 17.30		26	110 50	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 112

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	0418	0301	LA 4201001	1 1	15.30 17.30		26	1,160	110 50 00000
	0418	0304	LA 3001001	1 1 1	13.30 17.30		14	1,270	210 25 00000
9	0418	0304	LA 3001001	1 1 1	13.30 17.30		14	1,270	210 25 00000
	0418	0308	LA 3401001	1 1	9.00 10.00		14	555	110 33 00000
9	0418	0308	LA 3401001	1 1	9.00 10.00		14	555	110 33 00000
	0418	0308	LA 3401001	1 1	10.00 12.00		14	555	110 33 00000
9	0418	0308	LA 3401001	1 1	10.00 12.00		14	555	110 33 00000
	0418	0308	LA 7052001	1 1	12.00 13.30		11	555	110 33 00000
9	0418	0308	LA 7052001	1 1	12.00 13.30		11	555	110 33 00000
	0418	0308	LA 7201001	1	17.00 20.00		6	555	110 33 00000
9	0418	0308	LA 7201001	1	17.00 20.00		6	555	110 33 00000
	0418	0310	LA 5001001	1 1 1	13.30 17.30		15	1,315	210 25 00000
9	0418	0310	LA 5001001	1 1 1	13.30 17.30		15	1,315	210 25 00000
	0418	0313	LA 5201001	1 1	9.00 10.30		15	1,317	110 100 00000
9	0418	0313	LA 5201001	1 1	9.00 10.30		15	1,317	110 100 00000
	0418	0313	ARCH3007001	1 1 1	10.30 11.30		36	1,317	110 100 00000
9	0418	0313	ARCH3007001	1 1 1	10.30 11.30		36	1,317	110 100 00000
	0418	0313	LA 7033001	1 1	10.30 12.00		15	1,317	110 100 00000
9	0418	0313	LA 7033001	1 1	10.30 12.00		15	1,317	110 100 00000
	0418	0313	ARCH5006001	1	17.00 20.00		14	1,317	110 100 00000
9	0418	0313	ARCH5006001	1	17.00 20.00		14	1,317	110 100 00000
	0418	0313	ARCH4062001	1	18.00 21.00		12	1,317	110 100 00000
9	0418	0313	ARCH4062001	1	18.00 21.00		12	1,317	110 100 00000
	0418	0313	ANTH44440001	1	18.00 21.00		6	1,317	110 100 00000
9	0418	0313	ANTH44440001	1	18.00 21.00		6	1,317	110 100 00000
	0418	0313	ARCH44440001	1	18.00 21.00	1	14	1,317	110 100 00000
9	0418	0313	ARCH44440001	1	18.00 21.00		14	1,317	110 100 00000
	0418	0316	LA 4301001	1 1	12.30 14.00		11	1,317	110 100 00000
9	0418	0316	LA 4301001	1 1	12.30 14.00		11	1,317	110 100 00000
	0418	0316	LA 4001001	1 1 1	13.30 17.30		10	1,317	110 100 00000
9	0418	0316	LA 4001001	1 1 1	13.30 17.30		10	1,317	110 100 00000
	0418	0316	LA 4301001	1 1	14.00 15.00		11	1,317	110 100 00000
9	0418	0316	LA 4301001	1 1	14.00 15.00		11	1,317	110 100 00000
	0418	0321	LA 7014001	1 1	12.00 13.30		6	1,218	210 25 00000
9	0418	0321	LA 7014001	1 1	12.00 13.30		6	1,218	210 25 00000
	0418	0321	LA 7011001	1 1 1	13.30 17.30		5	1,218	210 25 00000
9	0418	0321	LA 7011001	1 1 1	13.30 17.30		5	1,218	210 25 00000
	0418	0321	LA 7101001	1 1	16.00 19.00		5	1,218	210 25 00000
9	0418	0321	LA 7101001	1 1	16.00 19.00		5	1,218	210 25 00000
	0418	0322	LA 2001001	1 1 1	13.30 17.30		13	1,218	210 20 00000
9	0418	0322	LA 2001001	1 1 1	13.30 17.30		13	1,218	210 20 00000
	0418	0401	ID 2774001	1 1	8.30 10.00		39	1,093	110 72 00000
9	0418	0401	ID 2774001	1 1	8.30 10.00		39	1,093	110 72 00000
	0418	0401	ID 4741001	1 1	12.00 13.30		34	1,093	110 72 00000
9	0418	0401	ID 4741001	1 1	12.00 13.30		34	1,093	110 72 00000
	0418	0401	ID 4761001	1 1	17.30 19.00		27	1,093	110 72 00000
9	0418	0401	ID 4761001	1 1	17.30 19.00		27	1,093	110 72 00000
	0418	0404	ID 4720001	1 1	10.30 12.00		16	1,270	210 20 00000
89	0418	0404	ID 4720001	1 1	10.30 12.00		16	1,270	210 20 00000
	0418	0404	ID 4754001	1 1	13.30 17.30		16	1,270	210 20 00000
89	0418	0404	ID 4754001	1 1	13.30 17.30		16	1,270	210 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 113

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0418	0407	ID 4720002	1 1	10.30 12.00		17	1,330	210 20 00000
89	0418	0407	ID 4720002	1 1	10.30 12.00		17	1,330	210 20 00000
	0418	0407	ID 4754002	1 1	13.00 17.00		17	1,330	210 20 00000
89	0418	0407	ID 4754002	1 1	13.00 17.00		17	1,330	210 20 00000
	0418	0411	ID 3770002	1 1	9.30 10.00		15	1,315	110 87 00000
9	0418	0411	ID 3770002	1 1	9.30 10.00		15	1,315	110 87 00000
	0418	0411	ID 3770002	1 1	10.00 12.00		15	1,315	110 87 00000
9	0418	0411	ID 3770002	1 1	10.00 12.00		15	1,315	110 87 00000
	0418	0411	ID 4758001	1 1	12.00 13.30		11	1,315	110 87 00000
9	0418	0411	ID 4758001	1 1	12.00 13.30		11	1,315	110 87 00000
	0418	0411	ID 4751001	1 1	17.00 17.30		10	1,315	110 87 00000
9	0418	0411	ID 4751001	1 1	17.00 17.30		10	1,315	110 87 00000
	0418	0411	ID 4751001	1 1	17.30 19.30		10	1,315	110 87 00000
9	0418	0411	ID 4751001	1 1	17.30 19.30		10	1,315	110 87 00000
	0418	0414	ID 3752001	1 1	13.00 17.00		13	1,317	210 20 00000
9	0418	0414	ID 3752001	1 1	13.00 17.00		13	1,317	210 20 00000
	0418	0417	ID 3752002	1 1	13.00 17.00		14	1,317	210 20 00000
9	0418	0417	ID 3752002	1 1	13.00 17.00		14	1,317	210 20 00000
	0418	0422	ID 2750001	1 1	13.00 17.00		18	1,218	210 20 00000
89	0418	0422	ID 2750001	1 1	13.00 17.00		18	1,218	210 20 00000
	0418	0422	ID 2781001	1 1	14.00 17.00		19	1,218	210 20 00000
89	0418	0422	ID 2781001	1 1	14.00 17.00		19	1,218	210 20 00000
	0418	0423	ID 2750002	1 1	13.00 17.00		18	1,218	210 20 00000
89	0418	0423	ID 2750002	1 1	13.00 17.00		18	1,218	210 20 00000
	0418	0423	ID 2781002	1 1	14.00 17.00		18	1,218	210 20 00000
89	0418	0423	ID 2781002	1 1	14.00 17.00		18	1,218	210 20 00000
	0418	0425	ID 1780001	1 1	8.00 8.30		23	1,218	110 25 00000
89	0418	0425	ID 1780001	1 1	8.00 8.30		23	1,218	110 25 00000
	0418	0425	ID 1780001	1 1	8.30 10.30		23	1,218	110 25 00000
89	0418	0425	ID 1780001	1 1	8.30 10.30		23	1,218	110 25 00000
	0418	0427	ID 2785001	1 1	9.30 10.00		18	1,218	110 40 00000
9	0418	0427	ID 2785001	1 1	9.30 10.00		18	1,218	110 40 00000
	0418	0427	ID 2785002	1 1	10.00 10.30		19	1,218	110 40 00000
9	0418	0427	ID 2785002	1 1	10.00 10.30		19	1,218	110 40 00000
	0418	0427	ID 2785001	1 1	10.00 12.00		18	1,218	110 40 00000
9	0418	0427	ID 2785001	1 1	10.00 12.00		18	1,218	110 40 00000
	0418	0427	ID 2785002	1 1	10.30 12.30		19	1,218	110 40 00000
9	0418	0427	ID 2785002	1 1	10.30 12.30		19	1,218	110 40 00000
	0418	0427	ID 3770003	1 1	13.30 14.00		12	1,218	110 40 00000
9	0418	0427	ID 3770003	1 1	13.30 14.00		12	1,218	110 40 00000
	0418	0427	ID 3770003	1 1	14.00 16.00		12	1,218	110 40 00000
9	0418	0427	ID 3770003	1 1	14.00 16.00		12	1,218	110 40 00000
	0435	0100	MUS 3130001	1	14.30 15.30		11	3,150	210 250 00000
9	0435	0100	MUS 3130001	1	14.30 15.30		11	3,150	210 250 00000
	0435	0100	MUS 7030001	1	14.30 15.30	1	1	3,150	210 250 00000
9	0435	0100	MUS 7030001	1	14.30 15.30		1	3,150	210 250 00000
	0435	0114	MUS 2300003	1 1	10.30 11.30		14	673	110 75 00000
9	0435	0114	MUS 2300003	1 1	10.30 11.30		14	673	110 75 00000
	0435	0114	MUS 2300003	1 1	10.30 11.30		14	673	110 75 00000
9	0435	0114	MUS 2300003	1 1	10.30 11.30		14	673	110 75 00000
	0435	0114	MUS 3130002	1	14.30 15.30		9	673	110 75 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 114

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0435	0114	MUS 3130002	1	14.30 15.30		9	673	110 75 00000
	0435	0114	MUS 7030003	1	14.30 15.30	1	3	673	110 75 00000
9	0435	0114	MUS 7030003	1	14.30 15.30		3	673	110 75 00000
	0435	0114	MUS 4223001	1 1	14.30 15.30		15	673	110 75 00000
9	0435	0114	MUS 4223001	1 1	14.30 15.30		15	673	110 75 00000
	0435	0114	MUS 4225002	1	16.30 18.00		5	673	110 75 00000
9	0435	0114	MUS 4225002	1	16.30 18.00		5	673	110 75 00000
	0435	0115	MUS 1705001	1 1 1	8.30 9.30		85	2,150	110 200 00000
9	0435	0115	MUS 1705001	1 1 1	8.30 9.30		85	2,150	110 200 00000
	0435	0115	MUS 2620001	1 1 1	10.30 11.30		57	2,150	110 200 00000
9	0435	0115	MUS 2620001	1 1 1	10.30 11.30		57	2,150	110 200 00000
	0435	0115	MUS 2630001	1 1 1	10.30 11.30	1	5	2,150	110 200 00000
9	0435	0115	MUS 2630001	1 1 1	10.30 11.30		5	2,150	110 200 00000
	0435	0115	MUS 1800001	1 1	10.30 11.30		5	2,150	110 200 00000
9	0435	0115	MUS 1800001	1 1	10.30 11.30		5	2,150	110 200 00000
	0435	0115	MUS 3620001	1 1 1	11.30 12.30		45	2,150	110 200 00000
9	0435	0115	MUS 3620001	1 1 1	11.30 12.30		45	2,150	110 200 00000
	0435	0115	MUS 3630001	1 1 1	11.30 12.30	1	4	2,150	110 200 00000
9	0435	0115	MUS 3630001	1 1 1	11.30 12.30		4	2,150	110 200 00000
	0435	0115	MUS 4235001	1 1	12.00 13.30		21	2,150	110 200 00000
9	0435	0115	MUS 4235001	1 1	12.00 13.30		21	2,150	110 200 00000
	0435	0115	MUS 4236001	1 1 1	12.30 14.30		55	2,150	110 200 00000
9	0435	0115	MUS 4236001	1 1 1	12.30 14.30		55	2,150	110 200 00000
	0435	0115	MUS 4233001	1 1 1	14.30 15.30		44	2,150	110 200 00000
9	0435	0115	MUS 4233001	1 1 1	14.30 15.30		44	2,150	110 200 00000
	0435	0115	MUS 3130006	1	14.30 15.30		13	2,150	110 200 00000
9	0435	0115	MUS 3130006	1	14.30 15.30		13	2,150	110 200 00000
	0435	0115	MUS 7030005	1	14.30 15.30	1	6	2,150	110 200 00000
9	0435	0115	MUS 7030005	1	14.30 15.30		6	2,150	110 200 00000
	0435	0115	MUS 4232001	1 1 1	15.30 16.30		30	2,150	110 200 00000
9	0435	0115	MUS 4232001	1 1 1	15.30 16.30		30	2,150	110 200 00000
	0435	0115	MUS 7721001	1 1	15.30 17.00		9	2,150	110 200 00000
9	0435	0115	MUS 7721001	1 1	15.30 17.00		9	2,150	110 200 00000
	0435	0115	MUS 4230001	1 1	16.30 17.30		15	2,150	110 200 00000
9	0435	0115	MUS 4230001	1 1	16.30 17.30		15	2,150	110 200 00000
	0435	0118	MUS 4128001	1 1	8.30 9.30		2	2,481	210 150 00000
9	0435	0118	MUS 4128001	1 1	8.30 9.30		2	2,481	210 150 00000
	0435	0118	MUS 7128001	1 1	8.30 9.30	1	5	2,481	210 150 00000
9	0435	0118	MUS 7128001	1 1	8.30 9.30		5	2,481	210 150 00000
	0435	0118	MUS 3749001	1 1 1	9.30 10.30		14	2,481	210 150 00000
9	0435	0118	MUS 3749001	1 1 1	9.30 10.30		14	2,481	210 150 00000
	0435	0118	MUS 3749001	1 1 1	9.30 10.30		14	2,481	210 150 00000
9	0435	0118	MUS 3749001	1 1 1	9.30 10.30		14	2,481	210 150 00000
	0435	0118	MUS 4020001	1 1	9.30 10.30		9	2,481	210 150 00000
9	0435	0118	MUS 4020001	1 1	9.30 10.30		9	2,481	210 150 00000
	0435	0118	MUS 7775001	1 1 1	10.30 11.30		3	2,481	210 150 00000
9	0435	0118	MUS 7775001	1 1 1	10.30 11.30		3	2,481	210 150 00000
	0435	0118	MUS 4261001	1 1	12.00 14.00		79	2,481	210 150 00000
9	0435	0118	MUS 4261001	1 1	12.00 14.00		79	2,481	210 150 00000
	0435	0118	MUS 4261002	1	12.30 14.30		51	2,481	210 150 00000
9	0435	0118	MUS 4261002	1	12.30 14.30		51	2,481	210 150 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 115

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0435	0118	MUS 4253001	1 1	14.00 16.00		28	210 150	00000
9	0435	0118	MUS 4253001	1 1	14.00 16.00		28	210 150	00000
	0435	0118	MUS 3147001	1	14.30 15.30		8	210 150	00000
9	0435	0118	MUS 3147001	1	14.30 15.30		8	210 150	00000
	0435	0118	MUS 2154001	1	16.00 17.00		3	210 150	00000
9	0435	0118	MUS 2154001	1	16.00 17.00		3	210 150	00000
	0435	0118	MUS 2154002	1	16.00 17.00	1	2	210 150	00000
9	0435	0118	MUS 2154002	1	16.00 17.00	1	2	210 150	00000
	0435	0118	MUS 3154001	1	16.00 17.00	1	13	210 150	00000
9	0435	0118	MUS 3154001	1	16.00 17.00		13	210 150	00000
	0435	0223	MUS 3139001	1	14.30 15.30		9	210 20	00000
9	0435	0223	MUS 3139001	1	14.30 15.30		9	210 20	00000
	0435	0223	MUS 7039001	1	14.30 15.30	1	6	210 20	00000
9	0435	0223	MUS 7039001	1	14.30 15.30	1	6	210 20	00000
	0435	0331	MUS 3140001	1	14.30 15.30		6	110 20	00000
9	0435	0331	MUS 3140001	1	14.30 15.30		6	110 20	00000
	0435	0331	MUS 7040001	1	14.30 15.30	1	2	110 20	00000
9	0435	0331	MUS 7040001	1	14.30 15.30	1	2	110 20	00000
	0440	0132	AGRO4055001	1 1	9.00 10.30		10	110 60	00000
9	0440	0132	AGRO4055001	1 1	9.00 10.30		10	110 60	00000
	0440	0132	EMS 1011001	1 1	10.30 12.00		25	110 60	00000
9	0440	0132	EMS 1011001	1 1	10.30 12.00		25	110 60	00000
	0440	0132	AGRO4055001	1	13.30 16.30		10	110 60	00000
9	0440	0132	AGRO4055001	1	13.30 16.30		10	110 60	00000
	0440	0134	AGRO2051001	1 1 1	8.30 9.30		21	110 58	00000
9	0440	0134	AGRO2051001	1 1 1	8.30 9.30		21	110 58	00000
	0440	0134	AGRO2051002	1 1 1	8.30 9.30	1	14	110 58	00000
9	0440	0134	AGRO2051002	1 1 1	8.30 9.30	1	14	110 58	00000
	0440	0134	EMS 2051001	1 1 1	8.30 9.30	1	2	110 58	00000
9	0440	0134	EMS 2051001	1 1 1	8.30 9.30	1	2	110 58	00000
	0440	0134	AGRO7051001	1 1	10.30 12.00		8	110 58	00000
9	0440	0134	AGRO7051001	1 1	10.30 12.00		8	110 58	00000
	0440	0134	AGRO7051001	1	14.30 16.30		8	110 58	00000
9	0440	0134	AGRO7051001	1	14.30 16.30		8	110 58	00000
	0440	0241	AGRO2051001	1	12.30 14.30		21	210 24	00000
89	0440	0241	AGRO2051001	1	12.30 14.30		21	210 24	00000
8	0440	0241	EMS 2051001	1	12.30 14.30	1	2	210 24	00000
89	0440	0241	EMS 2051001	1	12.30 14.30	1	2	210 24	00000
	0440	0241	AGRO2051002	1	14.30 16.30		14	210 24	00000
9	0440	0241	AGRO2051002	1	14.30 16.30		14	210 24	00000
	0448	0100	AAAS2000003	1 1	7.30 9.00		16	110 44	00000
9	0448	0100	AAAS2000003	1 1	7.30 9.00		16	110 44	00000
	0448	0100	EXST7087001	1 1	9.00 10.30		30	110 44	00000
9	0448	0100	EXST7087001	1 1	9.00 10.30		30	110 44	00000
	0448	0100	SOCL2002002	1 1	10.30 12.00		28	110 44	00000
9	0448	0100	SOCL2002002	1 1	10.30 12.00		28	110 44	00000
	0448	0100	ANSC3060001	1 1 1	11.30 12.30		35	110 44	00000
89	0448	0100	ANSC3060001	1 1 1	11.30 12.30		35	110 44	00000
	0448	0100	AAAS3902001	1 1	12.00 13.30		27	110 44	00000
9	0448	0100	AAAS3902001	1 1	12.00 13.30		27	110 44	00000
	0448	0100	CSC 7800001	1	12.30 13.30		15	110 44	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 116

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0448	0100	CSC 7800001	1	12.30 13.30		15	654	110 44 00000
	0448	0100	CE 2250003	1	12.30 15.30		24	654	110 44 00000
9	0448	0100	CE 2250003	1	12.30 15.30		24	654	110 44 00000
	0448	0100	FREN1001011	1111	13.30 14.30		17	654	110 44 00000
9	0448	0100	FREN1001011	1111	13.30 14.30		17	654	110 44 00000
	0448	0100	CE 2250001	1	14.30 17.30		21	654	110 44 00000
9	0448	0100	CE 2250001	1	14.30 17.30		21	654	110 44 00000
	0448	0100	CE 2250002	1	14.30 17.30		21	654	110 44 00000
9	0448	0100	CE 2250002	1	14.30 17.30		21	654	110 44 00000
	0448	0100	CSC 2262001	1 1	15.00 16.30		41	654	110 44 00000
89	0448	0100	CSC 2262001	1 1	15.00 16.30		41	654	110 44 00000
	0448	0100	CSC 2700001	1	18.00 20.00		9	654	110 44 00000
9	0448	0100	CSC 2700001	1	18.00 20.00		9	654	110 44 00000
	0448	0101	AGEC3413001	1 1 1	8.30 9.30		18	659	110 44 00000
9	0448	0101	AGEC3413001	1 1 1	8.30 9.30		18	659	110 44 00000
	0448	0101	SPAN1152003	1111	9.30 10.30		25	659	110 44 00000
9	0448	0101	SPAN1152003	1111	9.30 10.30		25	659	110 44 00000
	0448	0101	SPAN1152004	1111	10.30 11.30		22	659	110 44 00000
9	0448	0101	SPAN1152004	1111	10.30 11.30		22	659	110 44 00000
	0448	0101	CHEM7800004	1	12.30 13.30		20	659	110 44 00000
9	0448	0101	CHEM7800004	1	12.30 13.30		20	659	110 44 00000
	0448	0101	CHEM7800008	1	12.30 13.30		12	659	110 44 00000
9	0448	0101	CHEM7800008	1	12.30 13.30		12	659	110 44 00000
	0448	0101	CE 3350003	1	12.30 15.30		23	659	110 44 00000
9	0448	0101	CE 3350003	1	12.30 15.30		23	659	110 44 00000
	0448	0101	CHE 7700003	1 1	13.30 15.00		8	659	110 44 00000
9	0448	0101	CHE 7700003	1 1	13.30 15.00		8	659	110 44 00000
	0448	0101	ANSC2040001	1	13.30 16.30		13	659	110 44 00000
9	0448	0101	ANSC2040001	1	13.30 16.30		13	659	110 44 00000
	0448	0101	CE 3350001	1	15.00 18.00		18	659	110 44 00000
9	0448	0101	CE 3350001	1	15.00 18.00		18	659	110 44 00000
	0448	0101	CE 2250004	1	15.00 18.00		22	659	110 44 00000
9	0448	0101	CE 2250004	1	15.00 18.00		22	659	110 44 00000
	0448	0102	CSC 1351001	1 1	9.00 10.30		22	935	110 66 00000
9	0448	0102	CSC 1351001	1 1	9.00 10.30		22	935	110 66 00000
	0448	0102	CSC 1351002	1 1	9.00 10.30	1	14	935	110 66 00000
9	0448	0102	CSC 1351002	1 1	9.00 10.30		14	935	110 66 00000
	0448	0102	CSC 1351003	1 1	9.00 10.30	1	24	935	110 66 00000
89	0448	0102	CSC 1351003	1 1	9.00 10.30		24	935	110 66 00000
	0448	0102	SOCL3101001	1 1 1	10.30 11.30		28	935	110 66 00000
9	0448	0102	SOCL3101001	1 1 1	10.30 11.30		28	935	110 66 00000
	0448	0102	OCS 1005003	1 1	10.30 12.00		26	935	110 66 00000
9	0448	0102	OCS 1005003	1 1	10.30 12.00		26	935	110 66 00000
	0448	0102	EE 3232001	1 1 1	11.30 12.30		56	935	110 66 00000
89	0448	0102	EE 3232001	1 1 1	11.30 12.30		56	935	110 66 00000
	0448	0102	SOCL2201003	1 1	12.00 13.30		21	935	110 66 00000
9	0448	0102	SOCL2201003	1 1	12.00 13.30		21	935	110 66 00000
	0448	0102	SOCL2201004	1 1	12.00 13.30	1	24	935	110 66 00000
9	0448	0102	SOCL2201004	1 1	12.00 13.30		24	935	110 66 00000
	0448	0102	ECON2030003	1	13.30 14.30		36	935	110 66 00000
9	0448	0102	ECON2030003	1	13.30 14.30		36	935	110 66 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 117

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0448	0102	NFS 2110001	1 1	13.30 15.00		41	935	110 66 00000
9	0448	0102	NFS 2110001	1 1	13.30 15.00		41	935	110 66 00000
	0448	0102	EE 3150001	1 1 1	14.30 15.30		44	935	110 66 00000
9	0448	0102	EE 3150001	1 1 1	14.30 15.30		44	935	110 66 00000
	0448	0102	EVEG2000001	1 1	15.00 16.30		36	935	110 66 00000
9	0448	0102	EVEG2000001	1 1	15.00 16.30		36	935	110 66 00000
	0448	0103	EVEG3110001	1 1	7.30 9.00		87	1,017	110 100 00000
89	0448	0103	EVEG3110001	1 1	7.30 9.00		87	1,017	110 100 00000
	0448	0103	BIOL3090002	1 1 1	8.30 9.30		97	1,017	110 100 00000
89	0448	0103	BIOL3090002	1 1 1	8.30 9.30		97	1,017	110 100 00000
	0448	0103	PETE2031002	1 1	9.00 10.30		71	1,017	110 100 00000
9	0448	0103	PETE2031002	1 1	9.00 10.30		71	1,017	110 100 00000
	0448	0103	EE 2120001	1 1 1	9.30 10.30		90	1,017	110 100 00000
89	0448	0103	EE 2120001	1 1 1	9.30 10.30		90	1,017	110 100 00000
	0448	0103	EE 2740001	1 1 1	10.30 11.30		61	1,017	110 100 00000
9	0448	0103	EE 2740001	1 1 1	10.30 11.30		61	1,017	110 100 00000
	0448	0103	SOCL2505001	1 1	10.30 12.00		98	1,017	110 100 00000
89	0448	0103	SOCL2505001	1 1	10.30 12.00		98	1,017	110 100 00000
	0448	0103	CSC 4101001	1 1	12.00 13.30		86	1,017	110 100 00000
89	0448	0103	CSC 4101001	1 1	12.00 13.30		86	1,017	110 100 00000
	0448	0103	CHEM2060001	1 1	12.00 13.30		85	1,017	110 100 00000
89	0448	0103	CHEM2060001	1 1	12.00 13.30		85	1,017	110 100 00000
	0448	0103	CHEM1001002	1 1 1	13.30 14.30		63	1,017	110 100 00000
9	0448	0103	CHEM1001002	1 1 1	13.30 14.30		63	1,017	110 100 00000
	0448	0103	CHEM1001001	1 1	13.30 15.00		86	1,017	110 100 00000
89	0448	0103	CHEM1001001	1 1	13.30 15.00		86	1,017	110 100 00000
	0448	0103	ENVS4101002	1 1 1	14.30 15.30		6	1,017	110 100 00000
9	0448	0103	ENVS4101002	1 1 1	14.30 15.30		6	1,017	110 100 00000
	0448	0103	EE 3320001	1 1 1	15.30 16.30		28	1,017	110 100 00000
9	0448	0103	EE 3320001	1 1 1	15.30 16.30		28	1,017	110 100 00000
	0448	0103	CM 3503001	1	18.00 21.00		92	1,017	110 100 00000
89	0448	0103	CM 3503001	1	18.00 21.00		92	1,017	110 100 00000
	0448	0105	FIN 3826001	1 1	9.00 10.30		34	1,415	110 94 00000
9	0448	0105	FIN 3826001	1 1	9.00 10.30		34	1,415	110 94 00000
	0448	0105	NFS 3000001	1 1 1	9.30 10.30		75	1,415	110 94 00000
89	0448	0105	NFS 3000001	1 1 1	9.30 10.30		75	1,415	110 94 00000
	0448	0105	ENVS4101001	1 1 1	10.30 11.30		73	1,415	110 94 00000
89	0448	0105	ENVS4101001	1 1 1	10.30 11.30		73	1,415	110 94 00000
	0448	0105	KIN 4571002	1 1	10.30 12.00		43	1,415	110 94 00000
9	0448	0105	KIN 4571002	1 1	10.30 12.00		43	1,415	110 94 00000
	0448	0105	ECON2035007	1 1 1	11.30 12.30		76	1,415	110 94 00000
89	0448	0105	ECON2035007	1 1 1	11.30 12.30		76	1,415	110 94 00000
	0448	0105	CSC 3501001	1 1	12.00 13.30		91	1,415	110 94 00000
89	0448	0105	CSC 3501001	1 1	12.00 13.30		91	1,415	110 94 00000
	0448	0105	CHEM7800001	1	12.30 13.30		43	1,415	110 94 00000
9	0448	0105	CHEM7800001	1	12.30 13.30		43	1,415	110 94 00000
	0448	0105	EDCI1001002	1 1	13.30 15.00		65	1,415	110 94 00000
9	0448	0105	EDCI1001002	1 1	13.30 15.00		65	1,415	110 94 00000
	0448	0105	OCS 3103001	1 1	15.00 16.30		41	1,415	110 94 00000
9	0448	0105	OCS 3103001	1 1	15.00 16.30		41	1,415	110 94 00000
	0448	0105	EE 2810001	1	16.30 18.30		20	1,415	110 94 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 118

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0448	0105	EE 2810001	1	16.30 18.30		20	1,415	110 94 00000
	0448	0108	SPAN1152014	1111	8.30 9.30		19	666	110 44 00000
9	0448	0108	SPAN1152014	1111	8.30 9.30		19	666	110 44 00000
	0448	0108	FREN1001016	1111	9.30 10.30		19	666	110 44 00000
9	0448	0108	FREN1001016	1111	9.30 10.30		19	666	110 44 00000
	0448	0108	FREN1001017	1111	10.30 11.30		16	666	110 44 00000
9	0448	0108	FREN1001017	1111	10.30 11.30		16	666	110 44 00000
	0448	0108	FREN1001009	1111	11.30 12.30		17	666	110 44 00000
9	0448	0108	FREN1001009	1111	11.30 12.30		17	666	110 44 00000
	0448	0108	FREN1001018	1111	12.30 13.30		15	666	110 44 00000
9	0448	0108	FREN1001018	1111	12.30 13.30		15	666	110 44 00000
	0448	0108	ANSC2031001	1	13.30 14.30		15	666	110 44 00000
9	0448	0108	ANSC2031001	1	13.30 14.30		15	666	110 44 00000
	0448	0108	ENVS7047001	1 1	13.30 15.00		8	666	110 44 00000
9	0448	0108	ENVS7047001	1 1	13.30 15.00		8	666	110 44 00000
	0448	0108	ANSC2031001	1	14.30 16.30		15	666	110 44 00000
9	0448	0108	ANSC2031001	1	14.30 16.30		15	666	110 44 00000
	0448	0108	NFS 4070001	1	14.30 16.30		11	666	110 44 00000
9	0448	0108	NFS 4070001	1	14.30 16.30		11	666	110 44 00000
	0448	0108	OCS 2007001	1 1	15.00 16.30		25	666	110 44 00000
9	0448	0108	OCS 2007001	1 1	15.00 16.30		25	666	110 44 00000
	0448	0108	OCS 4465001	1	17.00 20.00		13	666	110 44 00000
9	0448	0108	OCS 4465001	1	17.00 20.00		13	666	110 44 00000
	0448	0109	HIST4066001	1 1	9.00 10.30		48	933	110 66 00000
9	0448	0109	HIST4066001	1 1	9.00 10.30		48	933	110 66 00000
	0448	0109	SOCL2211002	1 1 1	9.30 10.30		32	933	110 66 00000
9	0448	0109	SOCL2211002	1 1 1	9.30 10.30		32	933	110 66 00000
	0448	0109	TAM 4046001	1 1 1	10.30 11.30		38	933	110 66 00000
9	0448	0109	TAM 4046001	1 1 1	10.30 11.30		38	933	110 66 00000
	0448	0109	CSC 1254001	1 1	10.30 12.00		23	933	110 66 00000
9	0448	0109	CSC 1254001	1 1	10.30 12.00		23	933	110 66 00000
	0448	0109	ECON2030013	1	11.30 12.30		59	933	110 66 00000
89	0448	0109	ECON2030013	1	11.30 12.30		59	933	110 66 00000
	0448	0109	IE 4598001	1	11.30 15.30		23	933	110 66 00000
9	0448	0109	IE 4598001	1	11.30 15.30		23	933	110 66 00000
	0448	0109	HIST2061001	1 1	12.00 13.30		48	933	110 66 00000
9	0448	0109	HIST2061001	1 1	12.00 13.30		48	933	110 66 00000
	0448	0109	BE 2352001	1	13.00 16.00		46	933	110 66 00000
9	0448	0109	BE 2352001	1	13.00 16.00		46	933	110 66 00000
	0448	0109	ECON2030007	1	13.30 14.30		37	933	110 66 00000
9	0448	0109	ECON2030007	1	13.30 14.30		37	933	110 66 00000
	0448	0109	POLI4043001	1 1	13.30 15.00		35	933	110 66 00000
9	0448	0109	POLI4043001	1 1	13.30 15.00		35	933	110 66 00000
	0448	0109	OCS 1005004	1 1	15.00 16.30		2	933	110 66 00000
9	0448	0109	OCS 1005004	1 1	15.00 16.30		2	933	110 66 00000
	0448	0109	EE 3755002	1	16.30 19.30		43	933	110 66 00000
9	0448	0109	EE 3755002	1	16.30 19.30		43	933	110 66 00000
	0448	0109	CE 4500001	1	17.00 19.00		16	933	110 66 00000
9	0448	0109	CE 4500001	1	17.00 19.00		16	933	110 66 00000
	0448	0109	CE 4520001	1	17.00 19.00		27	933	110 66 00000
9	0448	0109	CE 4520001	1	17.00 19.00		27	933	110 66 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 119

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0448	0112	NFS 4021002	1	8.30 9.30		611	110 41	00000
9	0448	0112	NFS 4021002	1	8.30 9.30		611	110 41	00000
	0448	0112	CM 2215001	1 1	9.00 10.30		611	110 41	00000
89	0448	0112	CM 2215001	1 1	9.00 10.30		611	110 41	00000
	0448	0112	NFS 4021001	1	10.30 11.30		611	110 41	00000
9	0448	0112	NFS 4021001	1	10.30 11.30		611	110 41	00000
	0448	0112	CM 2215002	1 1	10.30 12.00		611	110 41	00000
89	0448	0112	CM 2215002	1 1	10.30 12.00		611	110 41	00000
	0448	0112	BIOL2153005	1	11.30 12.30		611	110 41	00000
9	0448	0112	BIOL2153005	1	11.30 12.30		611	110 41	00000
	0448	0112	HIST4197002	1 1	12.00 13.30		611	110 41	00000
9	0448	0112	HIST4197002	1 1	12.00 13.30		611	110 41	00000
	0448	0112	BIOL2153010	1	12.30 13.30		611	110 41	00000
9	0448	0112	BIOL2153010	1	12.30 13.30		611	110 41	00000
	0448	0112	BIOL2153011	1	13.30 14.30		611	110 41	00000
9	0448	0112	BIOL2153011	1	13.30 14.30		611	110 41	00000
	0448	0112	CSC 4700001	1 1	13.30 15.00		611	110 41	00000
9	0448	0112	CSC 4700001	1 1	13.30 15.00		611	110 41	00000
	0448	0112	BIOL2153012	1	14.30 15.30		611	110 41	00000
9	0448	0112	BIOL2153012	1	14.30 15.30		611	110 41	00000
	0448	0112	BIOL4115001	1 1	15.00 16.30		611	110 41	00000
9	0448	0112	BIOL4115001	1 1	15.00 16.30		611	110 41	00000
	0448	0112	GBUS3999004	1 1	15.30 17.00		611	110 41	00000
89	0448	0112	GBUS3999004	1 1	15.30 17.00		611	110 41	00000
	0448	0112	CHE 7110001	1 1	17.00 18.30		611	110 41	00000
9	0448	0112	CHE 7110001	1 1	17.00 18.30		611	110 41	00000
	0448	0116	CE 7655001	1 1	9.00 10.30		611	110 41	00000
9	0448	0116	CE 7655001	1 1	9.00 10.30		611	110 41	00000
	0448	0116	EE 4460001	1 1	9.30 10.30		611	110 41	00000
9	0448	0116	EE 4460001	1 1	9.30 10.30		611	110 41	00000
	0448	0116	EE 4460002	1 1	9.30 10.30	1	611	110 41	00000
9	0448	0116	EE 4460002	1 1	9.30 10.30		611	110 41	00000
	0448	0116	EE 4460003	1 1	9.30 10.30	1	611	110 41	00000
9	0448	0116	EE 4460003	1 1	9.30 10.30		611	110 41	00000
	0448	0116	CHEM4561001	1 1 1	10.30 11.30		611	110 41	00000
9	0448	0116	CHEM4561001	1 1 1	10.30 11.30		611	110 41	00000
	0448	0116	EDCI2700002	1 1	10.30 12.00		611	110 41	00000
9	0448	0116	EDCI2700002	1 1	10.30 12.00		611	110 41	00000
	0448	0116	POLI2057003	1 1 1	11.30 12.30		611	110 41	00000
89	0448	0116	POLI2057003	1 1 1	11.30 12.30		611	110 41	00000
	0448	0116	GEOL4081002	1 1	12.00 13.30		611	110 41	00000
9	0448	0116	GEOL4081002	1 1	12.00 13.30		611	110 41	00000
	0448	0116	OCS 4126001	1 1	12.00 13.30	1	611	110 41	00000
89	0448	0116	OCS 4126001	1 1	12.00 13.30		611	110 41	00000
	0448	0116	BIOL2153006	1	12.30 13.30		611	110 41	00000
9	0448	0116	BIOL2153006	1	12.30 13.30		611	110 41	00000
	0448	0116	EE 7600001	1 1 1	13.30 14.30		611	110 41	00000
9	0448	0116	EE 7600001	1 1 1	13.30 14.30		611	110 41	00000
	0448	0116	CM 2215003	1 1	13.30 15.00		611	110 41	00000
89	0448	0116	CM 2215003	1 1	13.30 15.00		611	110 41	00000
	0448	0116	EE 7244002	1 1 1	14.30 15.30		611	110 41	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 120

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0448	0116	EE 7244002	1 1 1	14.30 15.30		6	611	110 41 00000
	0448	0116	CSC 7300001	1 1	15.00 16.30		18	611	110 41 00000
9	0448	0116	CSC 7300001	1 1	15.00 16.30		18	611	110 41 00000
	0448	0116	CE 7701001	1 1	16.00 17.30		4	611	110 41 00000
9	0448	0116	CE 7701001	1 1	16.00 17.30		4	611	110 41 00000
	0448	0116	CSC 4585001	1	17.00 20.00		16	611	110 41 00000
9	0448	0116	CSC 4585001	1	17.00 20.00		16	611	110 41 00000
	0448	0117	CHEM7750001	1 1	9.00 10.30		8	611	110 41 00000
9	0448	0117	CHEM7750001	1 1	9.00 10.30		8	611	110 41 00000
	0448	0117	BIOL4093001	1 1 1	10.30 11.30		37	611	110 41 00000
89	0448	0117	BIOL4093001	1 1 1	10.30 11.30		37	611	110 41 00000
	0448	0117	CHEM4150001	1 1	10.30 12.00		34	611	110 41 00000
89	0448	0117	CHEM4150001	1 1	10.30 12.00		34	611	110 41 00000
	0448	0117	HIST4085001	1 1	12.00 13.30		9	611	110 41 00000
9	0448	0117	HIST4085001	1 1	12.00 13.30		9	611	110 41 00000
	0448	0117	CHE 7700004	1 1 1	12.30 13.30		12	611	110 41 00000
9	0448	0117	CHE 7700004	1 1 1	12.30 13.30		12	611	110 41 00000
	0448	0117	BIOL4308001	1 1	13.30 15.00		4	611	110 41 00000
9	0448	0117	BIOL4308001	1 1	13.30 15.00	1	4	611	110 41 00000
	0448	0117	OCS 4308001	1 1	13.30 15.00		10	611	110 41 00000
9	0448	0117	OCS 4308001	1 1	13.30 15.00		10	611	110 41 00000
	0448	0117	BIOL2153008	1	14.30 15.30		19	611	110 41 00000
9	0448	0117	BIOL2153008	1	14.30 15.30		19	611	110 41 00000
	0448	0117	BIOL4097001	1	15.00 18.00		35	611	110 41 00000
89	0448	0117	BIOL4097001	1	15.00 18.00		35	611	110 41 00000
	0448	0117	EE 7160002	1 1 1	15.30 16.30		7	611	110 41 00000
9	0448	0117	EE 7160002	1 1 1	15.30 16.30		7	611	110 41 00000
	0448	0117	CSC 2700002	1 1	17.00 18.30		28	611	110 41 00000
9	0448	0117	CSC 2700002	1 1	17.00 18.30		28	611	110 41 00000
	0448	0119	BIOL2153001	1	9.00 10.00		30	624	110 42 00000
9	0448	0119	BIOL2153001	1	9.00 10.00		30	624	110 42 00000
	0448	0119	ENTM2001001	1 1	9.30 10.30		12	624	110 42 00000
9	0448	0119	ENTM2001001	1 1	9.30 10.30		12	624	110 42 00000
	0448	0119	ENTM2001002	1 1	9.30 10.30	1	14	624	110 42 00000
9	0448	0119	ENTM2001002	1 1	9.30 10.30		14	624	110 42 00000
	0448	0119	OCS 2008001	1 1	10.30 12.00		29	624	110 42 00000
9	0448	0119	OCS 2008001	1 1	10.30 12.00		29	624	110 42 00000
	0448	0119	ENVS4010001	1	10.30 13.30		18	624	110 42 00000
9	0448	0119	ENVS4010001	1	10.30 13.30		18	624	110 42 00000
	0448	0119	ENVS4010001	1 1	11.30 12.30		18	624	110 42 00000
9	0448	0119	ENVS4010001	1 1	11.30 12.30		18	624	110 42 00000
	0448	0119	CHE 7700002	1 1	12.00 13.30		3	624	110 42 00000
9	0448	0119	CHE 7700002	1 1	12.00 13.30		3	624	110 42 00000
	0448	0119	ANSC2051001	1	12.30 15.30		20	624	110 42 00000
9	0448	0119	ANSC2051001	1	12.30 15.30		20	624	110 42 00000
	0448	0119	OCS 3200001	1 1	13.30 15.00		22	624	110 42 00000
9	0448	0119	OCS 3200001	1 1	13.30 15.00		22	624	110 42 00000
	0448	0119	EE 7200002	1 1	16.30 18.00		10	624	110 42 00000
9	0448	0119	EE 7200002	1 1	16.30 18.00		10	624	110 42 00000
	0448	0119	ENVS4261001	1 1	16.30 18.00		31	624	110 42 00000
9	0448	0119	ENVS4261001	1 1	16.30 18.00		31	624	110 42 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 121

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0448	0120	ANSC4009001	1 1 1	8.30 9.30		50	110 84	00000
9	0448	0120	ANSC4009001	1 1 1	8.30 9.30		50	110 84	00000
	0448	0120	ANSC4045001	1 1 1	9.30 10.30		47	110 84	00000
9	0448	0120	ANSC4045001	1 1 1	9.30 10.30		47	110 84	00000
	0448	0120	PSYC3030002	1 1 1	10.30 11.30		69	110 84	00000
89	0448	0120	PSYC3030002	1 1 1	10.30 11.30		69	110 84	00000
	0448	0120	ANSC2075001	1 1	10.30 12.00		71	110 84	00000
89	0448	0120	ANSC2075001	1 1	10.30 12.00		71	110 84	00000
	0448	0120	TAM 2040001	1 1 1	11.30 12.30		48	110 84	00000
9	0448	0120	TAM 2040001	1 1 1	11.30 12.30		48	110 84	00000
	0448	0120	EE 2130001	1 1 1	12.30 13.30		21	110 84	00000
9	0448	0120	EE 2130001	1 1 1	12.30 13.30		21	110 84	00000
	0448	0120	TAM 3045001	1 1	15.00 16.30		45	110 84	00000
9	0448	0120	TAM 3045001	1 1	15.00 16.30		45	110 84	00000
	0448	0120	EE 3530001	1	17.00 20.00		73	110 84	00000
89	0448	0120	EE 3530001	1	17.00 20.00		73	110 84	00000
	0448	0124	CSC 1350004	1 1	9.00 10.30		24	110 44	00000
9	0448	0124	CSC 1350004	1 1	9.00 10.30		24	110 44	00000
	0448	0124	MATH2070001	1111	10.30 11.30		44	110 44	00000
89	0448	0124	MATH2070001	1111	10.30 11.30		44	110 44	00000
	0448	0124	FREN1201002	1111	12.30 13.30		11	110 44	00000
9	0448	0124	FREN1201002	1111	12.30 13.30		11	110 44	00000
	0448	0124	CE 7615001	1 1	14.00 15.30		5	110 44	00000
9	0448	0124	CE 7615001	1 1	14.00 15.30		5	110 44	00000
	0448	0124	EVEG4780001	1	14.30 17.30		34	110 44	00000
89	0448	0124	EVEG4780001	1	14.30 17.30		34	110 44	00000
	0448	0125	BIOL4170001	1 1	9.00 10.30		14	110 41	00000
9	0448	0125	BIOL4170001	1 1	9.00 10.30		14	110 41	00000
	0448	0125	CHEM4559001	1 1	10.30 12.00		10	110 41	00000
9	0448	0125	CHEM4559001	1 1	10.30 12.00		10	110 41	00000
	0448	0125	BIOL4246001	1 1	10.30 12.00		23	110 41	00000
9	0448	0125	BIOL4246001	1 1	10.30 12.00		23	110 41	00000
	0448	0125	HIST1002001	1 1	12.00 13.30		29	110 41	00000
9	0448	0125	HIST1002001	1 1	12.00 13.30		29	110 41	00000
	0448	0125	POLI4060002	1 1 1	12.30 13.30		31	110 41	00000
9	0448	0125	POLI4060002	1 1 1	12.30 13.30		31	110 41	00000
	0448	0125	EE 7240001	1 1 1	13.30 14.30		5	110 41	00000
9	0448	0125	EE 7240001	1 1 1	13.30 14.30		5	110 41	00000
	0448	0125	BIOL7080001	1 1	13.30 15.00		4	110 41	00000
9	0448	0125	BIOL7080001	1 1	13.30 15.00		4	110 41	00000
	0448	0125	ENTM7080001	1 1	13.30 15.00	1	5	110 41	00000
9	0448	0125	ENTM7080001	1 1	13.30 15.00		5	110 41	00000
	0448	0125	XCAS9999241	1 1	15.00 16.30		41	110 41	00000
89	0448	0125	XCAS9999241	1 1	15.00 16.30		41	110 41	00000
	0448	0125	NFS 7022001	1	16.30 19.30		18	110 41	00000
9	0448	0125	NFS 7022001	1	16.30 19.30		18	110 41	00000
	0448	0125	CSC 7150001	1	17.00 20.00		3	110 41	00000
9	0448	0125	CSC 7150001	1	17.00 20.00		3	110 41	00000
	0448	0127	BIOL4001001	1 1	9.00 10.30		29	110 41	00000
9	0448	0127	BIOL4001001	1 1	9.00 10.30		29	110 41	00000
	0448	0127	EE 7480001	1 1 1	10.30 11.30		1	110 41	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 122

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0448	0127	EE 7480001	1 1 1	10.30 11.30		611	110 41	00000
	0448	0127	CHE 7120001	1 1	10.30 12.00		611	110 41	00000
9	0448	0127	CHE 7120001	1 1	10.30 12.00		611	110 41	00000
	0448	0127	POLI2053003	1 1 1	12.30 13.30		611	110 41	00000
89	0448	0127	POLI2053003	1 1 1	12.30 13.30		611	110 41	00000
	0448	0127	BIOL2153007	1	13.30 14.30		611	110 41	00000
9	0448	0127	BIOL2153007	1	13.30 14.30		611	110 41	00000
	0448	0127	BIOL4110001	1 1	13.30 15.00		611	110 41	00000
89	0448	0127	BIOL4110001	1 1	13.30 15.00		611	110 41	00000
	0448	0127	XCAS9999242	1	14.30 16.00		611	110 41	00000
89	0448	0127	XCAS9999242	1	14.30 16.00		611	110 41	00000
	0448	0127	XCAS9999243	1	16.00 17.30		611	110 41	00000
89	0448	0127	XCAS9999243	1	16.00 17.30		611	110 41	00000
	0448	0127	CPLT7130002	1	16.30 19.30		611	110 41	00000
9	0448	0127	CPLT7130002	1	16.30 19.30		611	110 41	00000
	0448	0129	BIOL3152001	1 1	9.00 10.00		611	110 41	00000
9	0448	0129	BIOL3152001	1 1	9.00 10.00		611	110 41	00000
	0448	0129	NFS 4095001	1 1 1	10.30 11.30		611	110 41	00000
9	0448	0129	NFS 4095001	1 1 1	10.30 11.30		611	110 41	00000
	0448	0129	EXST7034001	1 1	10.30 12.00		611	110 41	00000
9	0448	0129	EXST7034001	1 1	10.30 12.00		611	110 41	00000
	0448	0129	FREN2102003	1 1	12.00 13.30		611	110 41	00000
9	0448	0129	FREN2102003	1 1	12.00 13.30		611	110 41	00000
	0448	0129	CMST1061010	1 1	12.00 13.30		611	110 41	00000
89	0448	0129	CMST1061010	1 1	12.00 13.30		611	110 41	00000
	0448	0129	BIOL2153004	1	13.30 14.30		611	110 41	00000
9	0448	0129	BIOL2153004	1	13.30 14.30		611	110 41	00000
	0448	0129	NFS 7040001	1	13.30 16.30		611	110 41	00000
9	0448	0129	NFS 7040001	1	13.30 16.30		611	110 41	00000
	0448	0129	IE 7561001	1 1	16.00 17.30		611	110 41	00000
9	0448	0129	IE 7561001	1 1	16.00 17.30		611	110 41	00000
	0448	0200	CHIN1101001	1111	9.30 10.30		654	110 44	00000
9	0448	0200	CHIN1101001	1111	9.30 10.30		654	110 44	00000
	0448	0200	CHIN1101002	1111	10.30 11.30		654	110 44	00000
9	0448	0200	CHIN1101002	1111	10.30 11.30		654	110 44	00000
	0448	0200	CHIN1101003	1111	11.30 12.30		654	110 44	00000
9	0448	0200	CHIN1101003	1111	11.30 12.30		654	110 44	00000
	0448	0200	CHIN1101004	1111	12.30 13.30		654	110 44	00000
9	0448	0200	CHIN1101004	1111	12.30 13.30		654	110 44	00000
	0448	0200	CHEM7750002	1 1	13.30 15.00		654	110 44	00000
9	0448	0200	CHEM7750002	1 1	13.30 15.00		654	110 44	00000
	0448	0200	CE 3410001	1	15.00 18.00		654	110 44	00000
9	0448	0200	CE 3410001	1	15.00 18.00		654	110 44	00000
	0448	0200	CE 3410002	1	15.30 18.30		654	110 44	00000
9	0448	0200	CE 3410002	1	15.30 18.30		654	110 44	00000
	0448	0201	EE 2231001	1	9.00 10.00		659	110 44	00000
9	0448	0201	EE 2231001	1	9.00 10.00		659	110 44	00000
	0448	0201	EE 2231002	1	9.00 10.00	1	659	110 44	00000
9	0448	0201	EE 2231002	1	9.00 10.00		659	110 44	00000
	0448	0201	CHIN2001001	1111	10.30 11.30		659	110 44	00000
9	0448	0201	CHIN2001001	1111	10.30 11.30		659	110 44	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 123

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0448	0201	CHIN2001002	1111	12.30 13.30		10	659	110 44 00000
9	0448	0201	CHIN2001002	1111	12.30 13.30		10	659	110 44 00000
	0448	0201	CE 7700001	1 1	15.00 16.30		7	659	110 44 00000
9	0448	0201	CE 7700001	1 1	15.00 16.30		7	659	110 44 00000
	0448	0203	POLI4040002	1 1	9.00 10.30		60	768	110 66 00000
89	0448	0203	POLI4040002	1 1	9.00 10.30		60	768	110 66 00000
	0448	0203	PHIL2020005	1 1 1	9.30 10.30		51	768	110 66 00000
89	0448	0203	PHIL2020005	1 1 1	9.30 10.30		51	768	110 66 00000
	0448	0203	EE 3410001	1 1 1	10.30 11.30		49	768	110 66 00000
9	0448	0203	EE 3410001	1 1 1	10.30 11.30		49	768	110 66 00000
	0448	0203	CHEM1201011	1 1	10.30 12.00		11	768	110 66 00000
9	0448	0203	CHEM1201011	1 1	10.30 12.00		11	768	110 66 00000
	0448	0203	SOCL2505002	1 1	12.00 13.30		59	768	110 66 00000
89	0448	0203	SOCL2505002	1 1	12.00 13.30		59	768	110 66 00000
	0448	0203	ECON2030011	1	13.30 14.30		37	768	110 66 00000
9	0448	0203	ECON2030011	1	13.30 14.30		37	768	110 66 00000
	0448	0203	POLI4039001	1 1	13.30 15.00		50	768	110 66 00000
89	0448	0203	POLI4039001	1 1	13.30 15.00		50	768	110 66 00000
	0448	0203	CSC 4444001	1 1	15.30 17.00		51	768	110 66 00000
89	0448	0203	CSC 4444001	1 1	15.30 17.00		51	768	110 66 00000
	0448	0203	EE 4445001	1	18.00 21.00		40	768	110 66 00000
9	0448	0203	EE 4445001	1	18.00 21.00		40	768	110 66 00000
	0448	0204	ME 3834001	11111	7.30 8.30		81	1,296	110 100 00000
89	0448	0204	ME 3834001	11111	7.30 8.30		81	1,296	110 100 00000
	0448	0204	EDCI1001006	1 1	9.00 10.30		58	1,296	110 100 00000
9	0448	0204	EDCI1001006	1 1	9.00 10.30		58	1,296	110 100 00000
	0448	0204	BE 2352001	1 1	10.30 11.30		46	1,296	110 100 00000
9	0448	0204	BE 2352001	1 1	10.30 11.30		46	1,296	110 100 00000
	0448	0204	BE 2352002	1 1	10.30 11.30	1	32	1,296	110 100 00000
89	0448	0204	BE 2352002	1 1	10.30 11.30		32	1,296	110 100 00000
	0448	0204	ME 3333001	1 1	10.30 12.00		60	1,296	110 100 00000
9	0448	0204	ME 3333001	1 1	10.30 12.00		60	1,296	110 100 00000
	0448	0204	CM 2501001	1 1	12.00 13.30		90	1,296	110 100 00000
89	0448	0204	CM 2501001	1 1	12.00 13.30		90	1,296	110 100 00000
	0448	0204	PETE3036001	1 1	13.30 15.00		78	1,296	110 100 00000
89	0448	0204	PETE3036001	1 1	13.30 15.00		78	1,296	110 100 00000
	0448	0204	CM 3502001	1 1	15.00 16.30		86	1,296	110 100 00000
89	0448	0204	CM 3502001	1 1	15.00 16.30		86	1,296	110 100 00000
	0448	0204	CM 3355001	1	18.00 21.00		60	1,296	110 100 00000
9	0448	0204	CM 3355001	1	18.00 21.00		60	1,296	110 100 00000
	0448	0206	ECON2035006	1 1	7.30 9.00		79	1,415	110 94 00000
89	0448	0206	ECON2035006	1 1	7.30 9.00		79	1,415	110 94 00000
	0448	0206	TAM 4044001	1 1 1	8.30 9.30		59	1,415	110 94 00000
9	0448	0206	TAM 4044001	1 1 1	8.30 9.30		59	1,415	110 94 00000
	0448	0206	ECON2035009	1 1	9.00 10.30		76	1,415	110 94 00000
89	0448	0206	ECON2035009	1 1	9.00 10.30		76	1,415	110 94 00000
	0448	0206	TAM 4072001	1 1 1	9.30 10.30		61	1,415	110 94 00000
9	0448	0206	TAM 4072001	1 1 1	9.30 10.30		61	1,415	110 94 00000
	0448	0206	THTR1020002	1 1 1	10.30 11.30		91	1,415	110 94 00000
89	0448	0206	THTR1020002	1 1 1	10.30 11.30		91	1,415	110 94 00000
	0448	0206	CSC 1253001	1 1	10.30 12.00		83	1,415	110 94 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 124

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	0448	0206	CSC 1253001	1 1	10.30 12.00		83	1,415	110 94 00000
	0448	0206	IE 4530001	1 1	11.30 12.30		75	1,415	110 94 00000
89	0448	0206	IE 4530001	1 1	11.30 12.30		75	1,415	110 94 00000
	0448	0206	NFS 1110001	1 1 1	12.30 13.30		44	1,415	110 94 00000
9	0448	0206	NFS 1110001	1 1 1	12.30 13.30		44	1,415	110 94 00000
	0448	0206	CSC 4103001	1 1	13.30 15.00		77	1,415	110 94 00000
89	0448	0206	CSC 4103001	1 1	13.30 15.00		77	1,415	110 94 00000
	0448	0206	BIOL4215001	1 1	13.30 15.00		47	1,415	110 94 00000
9	0448	0206	BIOL4215001	1 1	13.30 15.00		47	1,415	110 94 00000
	0448	0206	CHEM2001001	1 1	15.00 16.30		86	1,415	110 94 00000
89	0448	0206	CHEM2001001	1 1	15.00 16.30		86	1,415	110 94 00000
	0448	0210	FREN1002001	1111	8.30 9.30		11	666	110 44 00000
9	0448	0210	FREN1002001	1111	8.30 9.30		11	666	110 44 00000
	0448	0210	FREN1002002	1111	9.30 10.30		18	666	110 44 00000
9	0448	0210	FREN1002002	1111	9.30 10.30		18	666	110 44 00000
	0448	0210	FREN1002004	1111	10.30 11.30		16	666	110 44 00000
9	0448	0210	FREN1002004	1111	10.30 11.30		16	666	110 44 00000
	0448	0210	FREN1001010	1111	12.30 13.30		19	666	110 44 00000
9	0448	0210	FREN1001010	1111	12.30 13.30		19	666	110 44 00000
	0448	0210	FREN1001013	1111	13.30 14.30		20	666	110 44 00000
9	0448	0210	FREN1001013	1111	13.30 14.30		20	666	110 44 00000
	0448	0211	ANSC3053001	1	8.00 10.00		18	930	110 60 00000
9	0448	0211	ANSC3053001	1	8.00 10.00		18	930	110 60 00000
	0448	0211	ANSC3053002	1	8.00 10.00	1	3	930	110 60 00000
9	0448	0211	ANSC3053002	1	8.00 10.00		3	930	110 60 00000
	0448	0211	ANSC3053001	1	8.00 10.00		18	930	110 60 00000
9	0448	0211	ANSC3053001	1	8.00 10.00		18	930	110 60 00000
	0448	0211	MATH2065001	1 1 1	10.30 11.30		41	930	110 60 00000
9	0448	0211	MATH2065001	1 1 1	10.30 11.30		41	930	110 60 00000
	0448	0211	CE 4670001	1 1	10.30 12.00		61	930	110 60 00000
89	0448	0211	CE 4670001	1 1	10.30 12.00		61	930	110 60 00000
	0448	0211	AAAS2000001	1 1	12.00 13.30		59	930	110 60 00000
89	0448	0211	AAAS2000001	1 1	12.00 13.30		59	930	110 60 00000
	0448	0211	EVEG4125001	1 1 1	12.30 13.30		31	930	110 60 00000
9	0448	0211	EVEG4125001	1 1 1	12.30 13.30		31	930	110 60 00000
	0448	0211	ECON2030015	1	13.30 14.30		37	930	110 60 00000
9	0448	0211	ECON2030015	1	13.30 14.30		37	930	110 60 00000
	0448	0211	POLI4034001	1 1	13.30 15.00		47	930	110 60 00000
89	0448	0211	POLI4034001	1 1	13.30 15.00		47	930	110 60 00000
	0448	0211	AGRI1001001	1	15.30 16.30		39	930	110 60 00000
9	0448	0211	AGRI1001001	1	15.30 16.30		39	930	110 60 00000
	0448	0211	AGRI1001004	1	15.30 16.30		29	930	110 60 00000
9	0448	0211	AGRI1001004	1	15.30 16.30		29	930	110 60 00000
	0448	0213	FREN1001004	1111	9.30 10.30		16	735	110 42 00000
9	0448	0213	FREN1001004	1111	9.30 10.30		16	735	110 42 00000
	0448	0213	BIOL2153002	1	10.30 11.30		30	735	110 42 00000
9	0448	0213	BIOL2153002	1	10.30 11.30		30	735	110 42 00000
	0448	0213	FREN1001008	1111	11.30 12.30		19	735	110 42 00000
9	0448	0213	FREN1001008	1111	11.30 12.30		19	735	110 42 00000
	0448	0213	EDCI3382001	1	13.30 15.30		31	735	110 42 00000
9	0448	0213	EDCI3382001	1	13.30 15.30		31	735	110 42 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 125

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0448	0213	NFS 3119002	1	13.30 16.30		17	735	110 42 00000
9	0448	0213	NFS 3119002	1	13.30 16.30		17	735	110 42 00000
	0448	0215	FREN1001003	1111	8.30 9.30		19	735	110 42 00000
9	0448	0215	FREN1001003	1111	8.30 9.30		19	735	110 42 00000
	0448	0215	FREN1001005	1111	9.30 10.30		19	735	110 42 00000
9	0448	0215	FREN1001005	1111	9.30 10.30		19	735	110 42 00000
	0448	0215	FREN1001006	1111	10.30 11.30		18	735	110 42 00000
9	0448	0215	FREN1001006	1111	10.30 11.30		18	735	110 42 00000
	0448	0215	OCS 4012001	1 1	12.00 13.30		20	735	110 42 00000
9	0448	0215	OCS 4012001	1 1	12.00 13.30		20	735	110 42 00000
	0448	0215	EE 4350001	1 1	12.30 13.30		10	735	110 42 00000
9	0448	0215	EE 4350001	1 1	12.30 13.30		10	735	110 42 00000
	0448	0215	EE 4350002	1 1	12.30 13.30	1	4	735	110 42 00000
9	0448	0215	EE 4350002	1 1	12.30 13.30		4	735	110 42 00000
	0448	0215	FREN1002008	1111	13.30 14.30		17	735	110 42 00000
9	0448	0215	FREN1002008	1111	13.30 14.30		17	735	110 42 00000
	0448	0215	ANSC2042001	1 1	14.30 16.30		11	735	110 42 00000
9	0448	0215	ANSC2042001	1 1	14.30 16.30		11	735	110 42 00000
	0448	0218	NFS 4075001	1 1	9.00 10.00		11	728	110 49 00000
9	0448	0218	NFS 4075001	1 1	9.00 10.00		11	728	110 49 00000
	0448	0218	ANSC3070001	1 1 1	9.30 10.30		19	728	110 49 00000
9	0448	0218	ANSC3070001	1 1 1	9.30 10.30		19	728	110 49 00000
	0448	0218	CSC 4356001	1 1	10.30 12.00		41	728	110 49 00000
89	0448	0218	CSC 4356001	1 1	10.30 12.00		41	728	110 49 00000
	0448	0218	CHE 4270001	1 1	12.00 13.30		12	728	110 49 00000
9	0448	0218	CHE 4270001	1 1	12.00 13.30		12	728	110 49 00000
	0448	0218	NFS 4075001	1	14.30 17.30		11	728	110 49 00000
9	0448	0218	NFS 4075001	1	14.30 17.30		11	728	110 49 00000
	0448	0220	NFS 7040001	1 1	9.00 10.00		5	624	110 42 00000
9	0448	0220	NFS 7040001	1 1	9.00 10.00		5	624	110 42 00000
	0448	0220	FREN1201001	1111	10.30 11.30		15	624	110 42 00000
9	0448	0220	FREN1201001	1111	10.30 11.30		15	624	110 42 00000
	0448	0220	FREN1002005	1111	11.30 12.30		6	624	110 42 00000
9	0448	0220	FREN1002005	1111	11.30 12.30		6	624	110 42 00000
	0448	0220	FREN1002006	1111	12.30 13.30		10	624	110 42 00000
9	0448	0220	FREN1002006	1111	12.30 13.30		10	624	110 42 00000
	0448	0220	CHEM4010001	1	13.30 15.30		23	624	110 42 00000
9	0448	0220	CHEM4010001	1	13.30 15.30		23	624	110 42 00000
	0448	0220	CHEM4010001	1	13.30 15.30		23	624	110 42 00000
9	0448	0220	CHEM4010001	1	13.30 15.30		23	624	110 42 00000
	0448	0220	NFS 4095001	1	13.30 16.30		7	624	110 42 00000
9	0448	0220	NFS 4095001	1	13.30 16.30		7	624	110 42 00000
	0448	0220	NFS 7004001	1	15.15 16.45		4	624	110 42 00000
9	0448	0220	NFS 7004001	1	15.15 16.45		4	624	110 42 00000
	0448	0221	COMD4250001	1 1	7.30 9.00		70	979	110 84 00000
89	0448	0221	COMD4250001	1 1	7.30 9.00		70	979	110 84 00000
	0448	0221	TAM 3032001	1 1 1	8.30 9.30		61	979	110 84 00000
9	0448	0221	TAM 3032001	1 1 1	8.30 9.30		61	979	110 84 00000
	0448	0221	COMD4383001	1 1	9.00 10.30		47	979	110 84 00000
9	0448	0221	COMD4383001	1 1	9.00 10.30		47	979	110 84 00000
	0448	0221	ANSC2060001	1 1 1	10.30 11.30		57	979	110 84 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 126

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0448	0221	ANSC2060001	1 1 1	10.30 11.30		57	979	110 84 00000
	0448	0221	EE 4810001	1 1	10.30 12.00		71	979	110 84 00000
89	0448	0221	EE 4810001	1 1	10.30 12.00		71	979	110 84 00000
	0448	0221	CSC 4402001	1 1	12.00 13.30		75	979	110 84 00000
89	0448	0221	CSC 4402001	1 1	12.00 13.30		75	979	110 84 00000
	0448	0221	EVEG1050001	1	12.30 14.30		45	979	110 84 00000
9	0448	0221	EVEG1050001	1	12.30 14.30		45	979	110 84 00000
	0448	0221	SW 2500001	1 1	13.30 15.00		45	979	110 84 00000
9	0448	0221	SW 2500001	1 1	13.30 15.00		45	979	110 84 00000
	0448	0221	EE 2230001	1 1 1	14.30 15.30		30	979	110 84 00000
9	0448	0221	EE 2230001	1 1 1	14.30 15.30		30	979	110 84 00000
	0448	0221	AGRI1001002	1	15.30 16.30		40	979	110 84 00000
9	0448	0221	AGRI1001002	1	15.30 16.30		40	979	110 84 00000
	0448	0221	AGRI1001003	1	15.30 16.30		29	979	110 84 00000
9	0448	0221	AGRI1001003	1	15.30 16.30		29	979	110 84 00000
	0448	0221	BE 4290001	1 1	16.30 17.30		48	979	110 84 00000
9	0448	0221	BE 4290001	1 1	16.30 17.30		48	979	110 84 00000
	0448	0225	BIOL2153009	1	8.30 9.30		25	666	110 40 00000
9	0448	0225	BIOL2153009	1	8.30 9.30		25	666	110 40 00000
	0448	0225	EE 4755001	1 1 1	9.30 10.30		28	666	110 40 00000
9	0448	0225	EE 4755001	1 1 1	9.30 10.30		28	666	110 40 00000
	0448	0225	EE 4660001	1 1 1	11.30 12.30		9	666	110 40 00000
9	0448	0225	EE 4660001	1 1 1	11.30 12.30		9	666	110 40 00000
	0448	0225	CHE 7130001	1 1	17.00 18.30		12	666	110 40 00000
9	0448	0225	CHE 7130001	1 1	17.00 18.30		12	666	110 40 00000
	0448	0226	CE 7105001	1 1	9.00 10.30		8	728	110 40 00000
9	0448	0226	CE 7105001	1 1	9.00 10.30		8	728	110 40 00000
	0448	0226	BIOL4132001	1 1 1	9.30 10.30		13	728	110 40 00000
9	0448	0226	BIOL4132001	1 1 1	9.30 10.30		13	728	110 40 00000
	0448	0226	CSC 7442001	1 1	10.30 12.00		36	728	110 40 00000
89	0448	0226	CSC 7442001	1 1	10.30 12.00		36	728	110 40 00000
	0448	0226	CE 4450001	1 1	10.30 12.00		18	728	110 40 00000
9	0448	0226	CE 4450001	1 1	10.30 12.00		18	728	110 40 00000
	0448	0226	BIOL2153003	1	12.00 13.00		31	728	110 40 00000
89	0448	0226	BIOL2153003	1	12.00 13.00		31	728	110 40 00000
	0448	0226	NFS 7071001	1	12.30 13.30		14	728	110 40 00000
9	0448	0226	NFS 7071001	1	12.30 13.30		14	728	110 40 00000
	0448	0226	BIOL2153013	1	13.30 14.30		31	728	110 40 00000
89	0448	0226	BIOL2153013	1	13.30 14.30		31	728	110 40 00000
	0448	0226	CSC 4890001	1 1	13.30 15.00		26	728	110 40 00000
9	0448	0226	CSC 4890001	1 1	13.30 15.00		26	728	110 40 00000
	0448	0226	EVEG4781001	1 1	15.00 16.30		21	728	110 40 00000
9	0448	0226	EVEG4781001	1 1	15.00 16.30		21	728	110 40 00000
	0448	0226	BIOL2153014	1	15.30 16.30		19	728	110 40 00000
9	0448	0226	BIOL2153014	1	15.30 16.30		19	728	110 40 00000
	0448	0226	ME 4273001	1 1	16.30 18.00		22	728	110 40 00000
9	0448	0226	ME 4273001	1 1	16.30 18.00		22	728	110 40 00000
	0448	0226	CSC 7103001	1 1	17.00 18.30		16	728	110 40 00000
9	0448	0226	CSC 7103001	1 1	17.00 18.30		16	728	110 40 00000
	0448	0226	EE 4247001	1	18.00 21.00		21	728	110 40 00000
9	0448	0226	EE 4247001	1	18.00 21.00		21	728	110 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 127

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0448	0228	CHEM4562001	1 1 1	8.30 9.30		31	735	110 50 00000
9	0448	0228	CHEM4562001	1 1 1	8.30 9.30		31	735	110 50 00000
	0448	0228	ACCT3121001	1 1	9.00 10.30		42	735	110 50 00000
89	0448	0228	ACCT3121001	1 1	9.00 10.30		42	735	110 50 00000
	0448	0228	BIOL4002001	1 1	9.30 10.45		5	735	110 50 00000
9	0448	0228	BIOL4002001	1 1	9.30 10.45		5	735	110 50 00000
	0448	0228	ENTM4002001	1 1	9.30 10.45	1	7	735	110 50 00000
9	0448	0228	ENTM4002001	1 1	9.30 10.45		7	735	110 50 00000
	0448	0228	EVEG4120001	1 1	10.30 12.00		41	735	110 50 00000
89	0448	0228	EVEG4120001	1 1	10.30 12.00		41	735	110 50 00000
	0448	0228	BIOL4160001	1 1	12.00 13.30		36	735	110 50 00000
9	0448	0228	BIOL4160001	1 1	12.00 13.30		36	735	110 50 00000
	0448	0228	EE 4422001	1 1	13.30 14.30		8	735	110 50 00000
9	0448	0228	EE 4422001	1 1	13.30 14.30		8	735	110 50 00000
	0448	0228	EE 4422002	1 1	13.30 14.30	1	8	735	110 50 00000
9	0448	0228	EE 4422002	1 1	13.30 14.30		8	735	110 50 00000
	0448	0228	EE 4422003	1 1	13.30 14.30	1	7	735	110 50 00000
9	0448	0228	EE 4422003	1 1	13.30 14.30		7	735	110 50 00000
	0448	0228	EE 4422004	1 1	13.30 14.30	1	8	735	110 50 00000
9	0448	0228	EE 4422004	1 1	13.30 14.30		8	735	110 50 00000
	0448	0228	EE 4422005	1 1	13.30 14.30	1	3	735	110 50 00000
9	0448	0228	EE 4422005	1 1	13.30 14.30		3	735	110 50 00000
	0448	0228	CE 4320001	1 1	13.30 15.00		15	735	110 50 00000
9	0448	0228	CE 4320001	1 1	13.30 15.00		15	735	110 50 00000
	0448	0228	EE 4000001	1 1	16.30 18.00		19	735	110 50 00000
9	0448	0228	EE 4000001	1 1	16.30 18.00		19	735	110 50 00000
	0448	0229	BIOL4190001	1 1	7.30 9.00		49	735	110 50 00000
89	0448	0229	BIOL4190001	1 1	7.30 9.00		49	735	110 50 00000
	0448	0229	CHEM4570001	1 1	9.00 10.30		35	735	110 50 00000
9	0448	0229	CHEM4570001	1 1	9.00 10.30		35	735	110 50 00000
	0448	0229	BIOL4253003	1 1 1	9.30 10.30		50	735	110 50 00000
89	0448	0229	BIOL4253003	1 1 1	9.30 10.30		50	735	110 50 00000
	0448	0229	POLI4041001	1 1 1	10.30 11.30		47	735	110 50 00000
89	0448	0229	POLI4041001	1 1 1	10.30 11.30		47	735	110 50 00000
	0448	0229	BIOL4177001	1 1	10.30 12.00		13	735	110 50 00000
9	0448	0229	BIOL4177001	1 1	10.30 12.00		13	735	110 50 00000
	0448	0229	BIOL4093002	1 1	12.00 13.30		31	735	110 50 00000
9	0448	0229	BIOL4093002	1 1	12.00 13.30		31	735	110 50 00000
	0448	0229	POLI4064001	1 1 1	12.30 13.30		19	735	110 50 00000
9	0448	0229	POLI4064001	1 1 1	12.30 13.30		19	735	110 50 00000
	0448	0229	CSC 3380001	1 1	13.30 15.00		47	735	110 50 00000
89	0448	0229	CSC 3380001	1 1	13.30 15.00		47	735	110 50 00000
	0448	0229	POLI2053002	1 1	16.30 18.00		20	735	110 50 00000
9	0448	0229	POLI2053002	1 1	16.30 18.00		20	735	110 50 00000
	0464	0141	RNR 4011001	1 1	7.00 8.30		41	1,020	110 78 00000
9	0464	0141	RNR 4011001	1 1	7.00 8.30		41	1,020	110 78 00000
	0464	0141	RNR 2031001	1 1 1	8.30 9.30		24	1,020	110 78 00000
9	0464	0141	RNR 2031001	1 1 1	8.30 9.30		24	1,020	110 78 00000
	0464	0141	RNR 2072001	1 1 1	8.30 9.30	1	1	1,020	110 78 00000
9	0464	0141	RNR 2072001	1 1 1	8.30 9.30		1	1,020	110 78 00000
	0464	0141	RNR 2102001	1 1	9.00 10.00		28	1,020	110 78 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 128

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0464	0141	RNR 2102001	1 1	9.00 10.00		28	1,020	110 78 00000
	0464	0141	RNR 2102002	1 1	9.00 10.00	1	26	1,020	110 78 00000
9	0464	0141	RNR 2102002	1 1	9.00 10.00		26	1,020	110 78 00000
	0464	0141	RNR 2039001	1 1 1	9.30 10.30		43	1,020	110 78 00000
9	0464	0141	RNR 2039001	1 1 1	9.30 10.30		43	1,020	110 78 00000
	0464	0141	RNR 2071001	1 1 1	9.30 10.30	1	1	1,020	110 78 00000
	0464	0141	RNR 2071001	1 1 1	9.30 10.30		1	1,020	110 78 00000
9	0464	0141	RNR 4101001	1 1 1	10.30 11.30		14	1,020	110 78 00000
	0464	0141	RNR 4101001	1 1 1	10.30 11.30		14	1,020	110 78 00000
9	0464	0141	RNR 4036001	1 1 1	11.30 12.30		4	1,020	110 78 00000
	0464	0141	RNR 4036001	1 1 1	11.30 12.30		4	1,020	110 78 00000
	0464	0141	BIOL4015001	1 1	12.00 13.30		2	1,020	110 78 00000
9	0464	0141	BIOL4015001	1 1	12.00 13.30		2	1,020	110 78 00000
	0464	0141	BIOL4015002	1 1	12.00 13.30	1	5	1,020	110 78 00000
9	0464	0141	BIOL4015002	1 1	12.00 13.30		5	1,020	110 78 00000
	0464	0141	BIOL4015003	1 1	12.00 13.30	1	4	1,020	110 78 00000
9	0464	0141	BIOL4015003	1 1	12.00 13.30		4	1,020	110 78 00000
	0464	0141	RNR 4015001	1 1	12.00 13.30	1	10	1,020	110 78 00000
9	0464	0141	RNR 4015001	1 1	12.00 13.30		10	1,020	110 78 00000
	0464	0141	RNR 4015002	1 1	12.00 13.30	1	9	1,020	110 78 00000
	0464	0141	RNR 4015002	1 1	12.00 13.30		9	1,020	110 78 00000
	0464	0141	RNR 4015003	1 1	12.00 13.30	1	6	1,020	110 78 00000
9	0464	0141	RNR 4015003	1 1	12.00 13.30		6	1,020	110 78 00000
	0464	0141	RNR 2102001	1	13.30 16.30		28	1,020	110 78 00000
9	0464	0141	RNR 2102001	1	13.30 16.30		28	1,020	110 78 00000
	0464	0141	RNR 2102002	1	13.30 16.30		26	1,020	110 78 00000
	0464	0141	RNR 2102002	1	13.30 16.30		26	1,020	110 78 00000
9	0464	0141	RNR 4101001	1	13.30 18.00		14	1,020	110 78 00000
	0464	0141	RNR 4101001	1	13.30 18.00		14	1,020	110 78 00000
	0464	0142	RNR 2070001	1 1 1	8.30 9.30		2	1,245	110 95 00000
9	0464	0142	RNR 2070001	1 1 1	8.30 9.30		2	1,245	110 95 00000
	0464	0142	RNR 2101001	1 1 1	8.30 9.30	1	46	1,245	110 95 00000
9	0464	0142	RNR 2101001	1 1 1	8.30 9.30		46	1,245	110 95 00000
	0464	0142	RNR 2102003	1 1	9.00 10.00		20	1,245	110 95 00000
9	0464	0142	RNR 2102003	1 1	9.00 10.00		20	1,245	110 95 00000
	0464	0142	RNR 4107001	1 1 1	9.30 10.30		55	1,245	110 95 00000
9	0464	0142	RNR 4107001	1 1 1	9.30 10.30		55	1,245	110 95 00000
	0464	0142	RNR 1010001	1 1 1	10.30 11.30		43	1,245	110 95 00000
9	0464	0142	RNR 1010001	1 1 1	10.30 11.30		43	1,245	110 95 00000
	0464	0142	RNR 1071001	1 1 1	10.30 11.30	1	10	1,245	110 95 00000
9	0464	0142	RNR 1071001	1 1 1	10.30 11.30		10	1,245	110 95 00000
	0464	0142	RNR 1010001	1	11.30 12.30		43	1,245	110 95 00000
9	0464	0142	RNR 1010001	1	11.30 12.30		43	1,245	110 95 00000
	0464	0142	RNR 1071001	1	11.30 12.30	1	10	1,245	110 95 00000
9	0464	0142	RNR 1071001	1	11.30 12.30		10	1,245	110 95 00000
	0464	0142	RNR 4145001	1 1	12.30 13.30		15	1,245	110 95 00000
9	0464	0142	RNR 4145001	1 1	12.30 13.30		15	1,245	110 95 00000
	0464	0142	RNR 4145002	1 1	12.30 13.30	1	14	1,245	110 95 00000
9	0464	0142	RNR 4145002	1 1	12.30 13.30		14	1,245	110 95 00000
	0464	0142	RNR 4036001	1	13.30 16.30		4	1,245	110 95 00000
9	0464	0142	RNR 4036001	1	13.30 16.30		4	1,245	110 95 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 129

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	0464	0142	RNR 2102003	1	13.30 16.30		20	1,245	110 95 00000	
9	0464	0142	RNR 2102003	1	13.30 16.30		20	1,245	110 95 00000	
	0464	0142	RNR 4011001	1	13.30 17.30		41	1,245	110 95 00000	
9	0464	0142	RNR 4011001	1	13.30 17.30		41	1,245	110 95 00000	
	0464	0206	RNR 7070001	1	11.00 12.00		5	1,383	210 30 00000	
9	0464	0206	RNR 7070001	1	11.00 12.00		5	1,383	210 30 00000	
	0464	0206	RNR 2001001	1	12.00 13.00		27	1,383	210 30 00000	
89	0464	0206	RNR 2001001	1	12.00 13.00		27	1,383	210 30 00000	
	0464	0206	RNR 2001002	1	12.00 13.00		26	1,383	210 30 00000	
89	0464	0206	RNR 2001002	1	12.00 13.00		26	1,383	210 30 00000	
	0464	0206	RNR 2001001	1	13.00 17.00		27	1,383	210 30 00000	
89	0464	0206	RNR 2001001	1	13.00 17.00		27	1,383	210 30 00000	
	0464	0206	RNR 2001002	1	13.00 17.00		26	1,383	210 30 00000	
89	0464	0206	RNR 2001002	1	13.00 17.00		26	1,383	210 30 00000	
	0464	0207	BIOL4015002	1	13.30 14.30		5	860	210 17 00000	
9	0464	0207	BIOL4015002	1	13.30 14.30		5	860	210 17 00000	
	0464	0207	RNR 4015002	1	13.30 14.30	1	9	860	210 17 00000	
89	0464	0207	RNR 4015002	1	13.30 14.30		9	860	210 17 00000	
4	0464	0207	RNR 4145001	1	13.30 19.30		15	860	210 17 00000	
4	89	0464	0207	RNR 4145001	1	13.30 19.30		15	860	210 17 00000
4	0464	0207	RNR 4145002	1	13.30 19.30		14	860	210 17 00000	
4	89	0464	0207	RNR 4145002	1	13.30 19.30		14	860	210 17 00000
	0464	0207	BIOL4015003	1	14.30 15.30		4	860	210 17 00000	
9	0464	0207	BIOL4015003	1	14.30 15.30		4	860	210 17 00000	
	0464	0207	RNR 4015003	1	14.30 15.30	1	6	860	210 17 00000	
9	0464	0207	RNR 4015003	1	14.30 15.30		6	860	210 17 00000	
	0464	0214	RNR 7036001	1 1	8.00 9.30		8	1,090	140 70 00000	
9	0464	0214	RNR 7036001	1 1	8.00 9.30		8	1,090	140 70 00000	
	0464	0214	RNR 3004001	1 1	9.00 10.00		26	1,090	140 70 00000	
9	0464	0214	RNR 3004001	1 1	9.00 10.00		26	1,090	140 70 00000	
	0464	0225	RNR 2070001	1 1	9.30 10.00		2	467	110 20 00000	
9	0464	0225	RNR 2070001	1 1	9.30 10.00		2	467	110 20 00000	
	0464	0225	RNR 2071001	1	10.30 11.30		1	467	110 20 00000	
9	0464	0225	RNR 2071001	1	10.30 11.30		1	467	110 20 00000	
	0464	0225	RNR 4061001	1	11.00 12.00		5	467	110 20 00000	
9	0464	0225	RNR 4061001	1	11.00 12.00		5	467	110 20 00000	
	0464	0225	RNR 2061002	1	12.30 13.30		19	467	110 20 00000	
89	0464	0225	RNR 2061002	1	12.30 13.30		19	467	110 20 00000	
	0464	0225	RNR 2072001	1	13.30 14.30		1	467	110 20 00000	
9	0464	0225	RNR 2072001	1	13.30 14.30		1	467	110 20 00000	
	0464	0230	RNR 4033001	1 1	8.00 9.30		9	843	110 55 00000	
9	0464	0230	RNR 4033001	1 1	8.00 9.30		9	843	110 55 00000	
	0464	0230	RNR 4040001	1 1 1	8.30 9.30		39	843	110 55 00000	
9	0464	0230	RNR 4040001	1 1 1	8.30 9.30		39	843	110 55 00000	
	0464	0230	RNR 3002001	1	10.00 12.00		32	843	110 55 00000	
9	0464	0230	RNR 3002001	1	10.00 12.00		32	843	110 55 00000	
	0464	0230	RNR 7001001	1 1 1	10.30 11.30		14	843	110 55 00000	
9	0464	0230	RNR 7001001	1 1 1	10.30 11.30		14	843	110 55 00000	
	0464	0230	RNR 7017001	1 1 1	12.30 13.30		8	843	110 55 00000	
9	0464	0230	RNR 7017001	1 1 1	12.30 13.30		8	843	110 55 00000	
	0464	0230	BIOL4015001	1	13.30 14.30		2	843	110 55 00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 130

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	9	0464 0230	BIOL4015001	1	13.30 14.30		2	843	110 55 00000
		0464 0230	RNR 4015001	1	13.30 14.30	1	10	843	110 55 00000
	9	0464 0230	RNR 4015001	1	13.30 14.30		10	843	110 55 00000
		0464 0230	RNR 7006001	1 1	13.30 15.00		10	843	110 55 00000
	9	0464 0230	RNR 7006001	1 1	13.30 15.00		10	843	110 55 00000
		0464 0230	RNR 4033001	1	13.30 16.30		9	843	110 55 00000
	9	0464 0230	RNR 4033001	1	13.30 16.30		9	843	110 55 00000
4		0464 0230	RNR 7017001	1	13.30 19.30		8	843	110 55 00000
4	9	0464 0230	RNR 7017001	1	13.30 19.30		8	843	110 55 00000
		0857 0107	HORT2525001	1	12.30 15.00		13	1,150	110 50 00000
	9	0857 0107	HORT2525001	1	12.30 15.00		13	1,150	110 50 00000
		0857 0107	HORT2525001	1 1	15.00 16.30		13	1,150	110 50 00000
	9	0857 0107	HORT2525001	1 1	15.00 16.30		13	1,150	110 50 00000
		0857 0107	HORT3005001	1 1	15.00 16.30		9	1,150	110 50 00000
	9	0857 0107	HORT3005001	1 1	15.00 16.30		9	1,150	110 50 00000
		0880 A0101	BIOL4105001	1 1 1	9.30 10.30		30	2,040	110 156 00000
	9	0880 A0101	BIOL4105001	1 1 1	9.30 10.30		30	2,040	110 156 00000
		0880 A0101	BIOL4105002	1 1 1	10.30 11.30		41	2,040	110 156 00000
	9	0880 A0101	BIOL4105002	1 1 1	10.30 11.30		41	2,040	110 156 00000
8		0880 A0465	PLHL7051001	1 1	13.30 15.00		8	718	350 1 00000
89		0880 A0465	PLHL7051001	1 1	13.30 15.00		8	718	350 1 00000
8		0880 A0561	ENTM7016001	1 1	8.30 9.30		4	435	350 1 00000
89		0880 A0561	ENTM7016001	1 1	8.30 9.30		4	435	350 1 00000
8		0880 A0561	ENTM7016001	1	14.30 16.30		4	435	350 1 00000
89		0880 A0561	ENTM7016001	1	14.30 16.30		4	435	350 1 00000
		0916 1070	OCS 4170001	1 1 1	9.30 10.30		23	920	210 60 00000
	9	0916 1070	OCS 4170001	1 1 1	9.30 10.30		23	920	210 60 00000
		0916 1070	ENVS7041001	1 1	12.00 13.30		9	920	210 60 00000
	9	0916 1070	ENVS7041001	1 1	12.00 13.30		9	920	210 60 00000
		0916 1070	ENVS7995001	1	13.00 14.00		5	920	210 60 00000
	9	0916 1070	ENVS7995001	1	13.00 14.00		5	920	210 60 00000
		0916 1070	OCS 2020002	1	14.00 16.00		4	920	210 60 00000
	9	0916 1070	OCS 2020002	1	14.00 16.00		4	920	210 60 00000
		0916 1070	ENVS4266001	1 1	18.00 19.30		19	920	210 60 00000
	9	0916 1070	ENVS4266001	1 1	18.00 19.30		19	920	210 60 00000
		0916 1280	OCS 2011001	1 1	9.00 10.30		13	612	140 25 00000
	9	0916 1280	OCS 2011001	1 1	9.00 10.30		13	612	140 25 00000
		0916 1280	ENVS4145001	1 1	10.30 12.00		8	612	140 25 00000
	9	0916 1280	ENVS4145001	1 1	10.30 12.00		8	612	140 25 00000
		0916 1280	ENVS3102001	1 1	12.00 13.30		14	612	140 25 00000
	9	0916 1280	ENVS3102001	1 1	12.00 13.30		14	612	140 25 00000
		0916 1280	ENVS4149001	1	15.00 18.00		8	612	140 25 00000
	9	0916 1280	ENVS4149001	1	15.00 18.00		8	612	140 25 00000
		0916 3178	OCS 1010001	1	8.30 9.30		21	542	110 25 00000
89		0916 3178	OCS 1010001	1	8.30 9.30		21	542	110 25 00000
		0916 3178	OCS 1006001	1 1	9.00 10.30		10	542	110 25 00000
	9	0916 3178	OCS 1006001	1 1	9.00 10.30		10	542	110 25 00000
		0916 3178	ENVS1127001	1 1	12.00 13.30		24	542	110 25 00000
89		0916 3178	ENVS1127001	1 1	12.00 13.30		24	542	110 25 00000
		0916 3178	OCS 7129001	1 1	15.00 16.30		5	542	110 25 00000
	9	0916 3178	OCS 7129001	1 1	15.00 16.30		5	542	110 25 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 131

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0916	3178	ENVS4477001	1 1	16.30 18.00		18	542	110 25 00000
9	0916	3178	ENVS4477001	1 1	16.30 18.00		18	542	110 25 00000
	1047	0145	MC 2010001	1	8.30 10.30		22	582	110 39 00000
9	1047	0145	MC 2010001	1	8.30 10.30		22	582	110 39 00000
	1047	0145	MC 2010001	1	8.30 10.30		22	582	110 39 00000
9	1047	0145	MC 2010001	1	8.30 10.30		22	582	110 39 00000
	1047	0145	MC 2010003	1	10.30 12.30		20	582	110 39 00000
9	1047	0145	MC 2010003	1	10.30 12.30		20	582	110 39 00000
	1047	0145	MC 2010003	1	10.30 12.30		20	582	110 39 00000
9	1047	0145	MC 2010003	1	10.30 12.30		20	582	110 39 00000
	1048	0105	GBUS2999001	1	12.30 13.30		19	825	110 55 00000
9	1048	0105	GBUS2999001	1	12.30 13.30		19	825	110 55 00000
	1048	0105	INTL2000001	1 1 1	13.30 14.30		29	825	110 55 00000
9	1048	0105	INTL2000001	1 1 1	13.30 14.30		29	825	110 55 00000
	1048	0105	PHIL1000005	1 1	13.30 15.00		46	825	110 55 00000
89	1048	0105	PHIL1000005	1 1	13.30 15.00		46	825	110 55 00000
	1048	0105	POLI2057001	1	15.30 18.30		34	825	110 55 00000
9	1048	0105	POLI2057001	1	15.30 18.30		34	825	110 55 00000
	1048	0169	ENGL1001009	1 1 1	8.30 9.30		20	825	110 55 00000
9	1048	0169	ENGL1001009	1 1 1	8.30 9.30		20	825	110 55 00000
	1048	0169	ENGL1001011	1 1 1	9.30 10.30		20	825	110 55 00000
9	1048	0169	ENGL1001011	1 1 1	9.30 10.30		20	825	110 55 00000
	1048	0169	ENGL1001090	1 1 1	11.30 12.30		18	825	110 55 00000
9	1048	0169	ENGL1001090	1 1 1	11.30 12.30		18	825	110 55 00000
	1048	0169	HIST2035001	1 1 1	12.30 13.30		29	825	110 55 00000
9	1048	0169	HIST2035001	1 1 1	12.30 13.30		29	825	110 55 00000
	1048	0169	ENGL2025005	1 1	15.00 16.30		36	825	110 55 00000
9	1048	0169	ENGL2025005	1 1	15.00 16.30		36	825	110 55 00000
	1106	0115	MATH1550021	11111	7.30 8.30		40	817	110 54 00000
9	1106	0115	MATH1550021	11111	7.30 8.30		40	817	110 54 00000
	1106	0115	MATH1550024	11111	8.30 9.30		37	817	110 54 00000
9	1106	0115	MATH1550024	11111	8.30 9.30		37	817	110 54 00000
	1106	0115	ENGL1001080	1 1 1	9.30 10.30		20	817	110 54 00000
9	1106	0115	ENGL1001080	1 1 1	9.30 10.30		20	817	110 54 00000
	1106	0115	MATH1550026	11111	10.30 11.30		41	817	110 54 00000
89	1106	0115	MATH1550026	11111	10.30 11.30		41	817	110 54 00000
	1106	0115	ENGL1001048	1 1 1	12.30 13.30		19	817	110 54 00000
9	1106	0115	ENGL1001048	1 1 1	12.30 13.30		19	817	110 54 00000
	1106	0115	MATH1550030	11111	13.30 14.30		39	817	110 54 00000
9	1106	0115	MATH1550030	11111	13.30 14.30		39	817	110 54 00000
	1106	0115	MATH1550033	11111	14.30 15.30		39	817	110 54 00000
9	1106	0115	MATH1550033	11111	14.30 15.30		39	817	110 54 00000
	1106	0115	MATH1550035	11111	15.30 16.30		14	817	110 54 00000
9	1106	0115	MATH1550035	11111	15.30 16.30		14	817	110 54 00000
	1108	0110	MUS 4254001	1 1 1	12.30 14.30		47	6,805	210 170 00000
9	1108	0110	MUS 4254001	1 1 1	12.30 14.30		47	6,805	210 170 00000
8	1108	0110	MUS 4250001	1111	16.00 17.30		299	6,805	210 170 00000
89	1108	0110	MUS 4250001	1111	16.00 17.30		299	6,805	210 170 00000
	1108	0110	MUS 4252001	1	16.30 18.30		57	6,805	210 170 00000
9	1108	0110	MUS 4252001	1	16.30 18.30		57	6,805	210 170 00000
	1127	0204	ANSC2050001	1 1	9.00 10.00		25	579	110 29 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 132

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	1127	0204	ANSC2050001	1 1	9.00 10.00		25	579	110 29 00000
	1127	0204	ANSC4018001	1 1	12.00 13.30		12	579	110 29 00000
9	1127	0204	ANSC4018001	1 1	12.00 13.30		12	579	110 29 00000
	1127	0204	ANSC4092001	1	13.30 14.30		20	579	110 29 00000
9	1127	0204	ANSC4092001	1	13.30 14.30		20	579	110 29 00000
	1127	0204	ANSC4018001		13.30 15.30	1	12	579	110 29 00000
9	1127	0204	ANSC4018001	1 1	13.30 15.30		12	579	110 29 00000
	1128	2016	DMAE7255001	1	9.00 12.00		2	107	310 1 00000
89	1128	2016	DMAE7255001	1	9.00 12.00		2	107	310 1 00000
	1128	2016	DMAE7255001		13.00 16.00	1	2	107	310 1 00000
89	1128	2026	DMAE7115001	1	8.30 11.30		10	568	210 11 00000
	1128	2026	DMAE7115001		8.30 11.30	1	10	568	210 11 00000
89	1128	2026	DMAE7115001	1	8.30 11.30		10	568	210 11 00000
	1128	2026	DMAE7115001		8.30 11.30	1	10	568	210 11 00000
9	1128	2026	DMAE7110001	1 1	9.00 12.00		4	568	210 11 00000
	1128	2026	DMAE7110001		9.00 12.00	1	4	568	210 11 00000
9	1128	2026	DMAE7150001	1 1	13.00 16.00		4	568	210 11 00000
	1128	2026	DMAE7150001		13.00 16.00	1	4	568	210 11 00000
9	1128	2026	DMAE7155001	1	15.30 18.30		3	568	210 11 00000
	1128	2026	DMAE7155001		15.30 18.30	1	3	568	210 11 00000
9	1128	2026	DMAE7155001	1	15.30 18.30		3	568	210 11 00000
	1128	2026	DMAE7155001		15.30 18.30	1	3	568	210 11 00000
9	1128	2078	DMAE7155002	1	13.00 16.00		1	102	310 1 00000
	1128	2078	DMAE7155002		13.00 16.00	1	1	102	310 1 00000
9	1128	2078	DMAE7155002	1	13.00 16.00		1	102	310 1 00000
	1128	2078	DMAE7155002		13.00 16.00	1	1	102	310 1 00000
9	1136	1510	BLAW3201001	1 1	7.30 9.00		156	3,427	110 300 00000
	1136	1510	BLAW3201001		7.30 9.00	1	156	3,427	110 300 00000
9	1136	1510	FIN 3351001	1 1 1	8.30 9.30		100	3,427	110 300 00000
	1136	1510	FIN 3351001		8.30 9.30	1	100	3,427	110 300 00000
9	1136	1510	ECON2000010	1 1	9.00 10.30		152	3,427	110 300 00000
	1136	1510	ECON2000010		9.00 10.30	1	152	3,427	110 300 00000
9	1136	1510	FIN 3716001	1 1 1	9.30 10.30		296	3,427	110 300 00000
	1136	1510	FIN 3716001		9.30 10.30	1	296	3,427	110 300 00000
89	1136	1510	ACCT2001001	1 1	10.30 12.00		228	3,427	110 300 00000
	1136	1510	ACCT2001001		10.30 12.00	1	228	3,427	110 300 00000
89	1136	1510	ACCT2101001	1 1	12.00 13.30		285	3,427	110 300 00000
	1136	1510	ACCT2101001		12.00 13.30	1	285	3,427	110 300 00000
9	1136	1510	BLAW4203001	1 1	12.00 13.30		81	3,427	110 300 00000
	1136	1510	BLAW4203001		12.00 13.30	1	81	3,427	110 300 00000
9	1136	1510	ISDS2000001	1 1 1	13.30 14.30		145	3,427	110 300 00000
	1136	1510	ISDS2000001		13.30 14.30	1	145	3,427	110 300 00000
9	1136	1510	ACCT2001002	1 1	13.30 15.00		195	3,427	110 300 00000
	1136	1510	ACCT2001002		13.30 15.00	1	195	3,427	110 300 00000
9	1136	1510	ACCT2101002	1 1	15.00 16.30		137	3,427	110 300 00000
	1136	1510	ACCT2101002		15.00 16.30	1	137	3,427	110 300 00000
89	1136	1510	FIN 3716002	1 1	15.00 16.30		294	3,427	110 300 00000
	1136	1510	FIN 3716002		15.00 16.30	1	294	3,427	110 300 00000
89	1136	1510	FIN 3715001	1 1	16.30 18.00		289	3,427	110 300 00000
	1136	1510	FIN 3715001		16.30 18.00	1	289	3,427	110 300 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 133

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	1136	1510	FIN 3440001	1	18.30 21.30		127	3,427	110 300 00000
9	1136	1510	FIN 3440001	1	18.30 21.30		127	3,427	110 300 00000
	1136	2505	MGT 7811001	1	15.00 18.00		2	208	110 14 00000
9	1136	2505	MGT 7811001	1	15.00 18.00		2	208	110 14 00000
	1136	2520	ENTR3111001	1 1	7.30 9.00		21	1,622	110 60 00000
9	1136	2520	ENTR3111001	1 1	7.30 9.00		21	1,622	110 60 00000
	1136	2520	ENTR3111002	1 1	9.00 10.30		48	1,622	110 60 00000
89	1136	2520	ENTR3111002	1 1	9.00 10.30		48	1,622	110 60 00000
	1136	2520	ISDS1102007	1 1	10.30 12.00		36	1,622	110 60 00000
9	1136	2520	ISDS1102007	1 1	10.30 12.00		36	1,622	110 60 00000
	1136	2520	FIN 7950001	1	10.30 12.00		11	1,622	110 60 00000
9	1136	2520	FIN 7950001	1	10.30 12.00		11	1,622	110 60 00000
	1136	2520	ACCT4244001	1 1	12.00 13.30		16	1,622	110 60 00000
9	1136	2520	ACCT4244001	1 1	12.00 13.30		16	1,622	110 60 00000
	1136	2520	ECON4630001	1 1	12.00 13.30		19	1,622	110 60 00000
9	1136	2520	ECON4630001	1 1	12.00 13.30		19	1,622	110 60 00000
	1136	2520	FIN 3353001	1 1	13.30 15.00		41	1,622	110 60 00000
9	1136	2520	FIN 3353001	1 1	13.30 15.00		41	1,622	110 60 00000
	1136	2520	ACCT3122001	1 1	15.00 16.30		53	1,622	110 60 00000
89	1136	2520	ACCT3122001	1 1	15.00 16.30		53	1,622	110 60 00000
	1136	2520	ECON4631001	1 1	15.00 16.30		11	1,622	110 60 00000
9	1136	2520	ECON4631001	1 1	15.00 16.30		11	1,622	110 60 00000
	1136	2520	ACCT3122002	1 1	16.30 18.00		58	1,622	110 60 00000
89	1136	2520	ACCT3122002	1 1	16.30 18.00		58	1,622	110 60 00000
	1136	2520	BADM7600001	1	18.00 21.00		15	1,622	110 60 00000
9	1136	2520	BADM7600001	1	18.00 21.00		15	1,622	110 60 00000
	1137	1120	MKT 4478001	1 1 1	8.30 9.30		5	758	110 22 00000
9	1137	1120	MKT 4478001	1 1 1	8.30 9.30		5	758	110 22 00000
	1137	1120	FIN 3910003	1 1	9.00 10.30		8	758	110 22 00000
9	1137	1120	FIN 3910003	1 1	9.00 10.30		8	758	110 22 00000
	1137	1120	MKT 4478002	1 1 1	9.30 10.30		5	758	110 22 00000
9	1137	1120	MKT 4478002	1 1 1	9.30 10.30		5	758	110 22 00000
	1137	1120	MGT 7301001	1	12.00 15.00		6	758	110 22 00000
9	1137	1120	MGT 7301001	1	12.00 15.00		6	758	110 22 00000
	1137	1120	FIN 7826001	1 1	13.30 15.00		13	758	110 22 00000
9	1137	1120	FIN 7826001	1 1	13.30 15.00		13	758	110 22 00000
	1137	1120	PADM7610001	1	18.00 21.00		8	758	110 22 00000
9	1137	1120	PADM7610001	1	18.00 21.00		8	758	110 22 00000
	1137	1120	ACCT4237001	1	18.00 21.00		4	758	110 22 00000
9	1137	1120	ACCT4237001	1	18.00 21.00		4	758	110 22 00000
	1137	1120	PADM7925001	1	18.00 21.00		11	758	110 22 00000
9	1137	1120	PADM7925001	1	18.00 21.00		11	758	110 22 00000
	1137	1120	FIN 7632001	1	18.00 21.00		1	758	110 22 00000
9	1137	1120	FIN 7632001	1	18.00 21.00		1	758	110 22 00000
	1137	1125	ECON2010001	1 1	7.30 9.00		121	2,516	110 120 00000
89	1137	1125	ECON2010001	1 1	7.30 9.00		121	2,516	110 120 00000
	1137	1125	ECON2035008	1 1	9.00 10.30		79	2,516	110 120 00000
9	1137	1125	ECON2035008	1 1	9.00 10.30		79	2,516	110 120 00000
	1137	1125	FIN 3632001	1 1	9.00 10.30		66	2,516	110 120 00000
9	1137	1125	FIN 3632001	1 1	9.00 10.30		66	2,516	110 120 00000
	1137	1125	ME 4433001	1 1 1	10.30 11.30		97	2,516	110 120 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 134

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	1137	1125	ME 4433001	1 1 1	10.30 11.30		97	2,516	110 120 00000
	1137	1125	ECON2035001	1 1	10.30 12.00		69	2,516	110 120 00000
9	1137	1125	ECON2035001	1 1	10.30 12.00		69	2,516	110 120 00000
	1137	1125	ECON2010004	1 1 1	11.30 12.30		75	2,516	110 120 00000
9	1137	1125	ECON2010004	1 1 1	11.30 12.30		75	2,516	110 120 00000
	1137	1125	ACCT3001003	1 1	12.00 13.30		92	2,516	110 120 00000
89	1137	1125	ACCT3001003	1 1	12.00 13.30		92	2,516	110 120 00000
	1137	1125	ECON2035004	1 1 1	13.30 14.30		78	2,516	110 120 00000
9	1137	1125	ECON2035004	1 1 1	13.30 14.30		78	2,516	110 120 00000
	1137	1125	ISDS3115004	1 1	13.30 15.00		70	2,516	110 120 00000
9	1137	1125	ISDS3115004	1 1	13.30 15.00		70	2,516	110 120 00000
	1137	1125	MGT 3830007	1 1	15.00 16.30		41	2,516	110 120 00000
9	1137	1125	MGT 3830007	1 1	15.00 16.30		41	2,516	110 120 00000
	1137	1125	ECON2010005	1 1 1	15.30 16.30		66	2,516	110 120 00000
9	1137	1125	ECON2010005	1 1 1	15.30 16.30		66	2,516	110 120 00000
	1137	1125	ACCT3221001	1	16.30 19.30		101	2,516	110 120 00000
89	1137	1125	ACCT3221001	1	16.30 19.30		101	2,516	110 120 00000
	1137	1125	BLAW3201004	1	18.00 21.00		114	2,516	110 120 00000
89	1137	1125	BLAW3201004	1	18.00 21.00		114	2,516	110 120 00000
	1137	1125	BLAW3201003	1	18.00 21.00		113	2,516	110 120 00000
89	1137	1125	BLAW3201003	1	18.00 21.00		113	2,516	110 120 00000
	1137	1220	BADM7200003	11	8.00 12.00		13	1,537	110 60 00000
9	1137	1220	BADM7200003	11	8.00 12.00		13	1,537	110 60 00000
	1137	1220	BADM7050002	1	9.00 12.00		22	1,537	110 60 00000
9	1137	1220	BADM7050002	1	9.00 12.00		22	1,537	110 60 00000
	1137	1220	BADM7020001	1	9.00 12.00		22	1,537	110 60 00000
9	1137	1220	BADM7020001	1	9.00 12.00		22	1,537	110 60 00000
	1137	1220	BADM7010001	1	12.00 13.30		47	1,537	110 60 00000
89	1137	1220	BADM7010001	1	12.00 13.30		47	1,537	110 60 00000
	1137	1220	BADM7070003	11	13.00 17.00		13	1,537	110 60 00000
9	1137	1220	BADM7070003	11	13.00 17.00		13	1,537	110 60 00000
	1137	1220	ENTR4113001	1 1	13.30 15.00		40	1,537	110 60 00000
9	1137	1220	ENTR4113001	1 1	13.30 15.00		40	1,537	110 60 00000
	1137	1220	ISDS3100002	1 1	15.00 16.30		37	1,537	110 60 00000
9	1137	1220	ISDS3100002	1 1	15.00 16.30		37	1,537	110 60 00000
	1137	1220	BADM7160001	1	18.00 21.00		15	1,537	110 60 00000
9	1137	1220	BADM7160001	1	18.00 21.00		15	1,537	110 60 00000
	1137	1220	BADM7200004	1	18.00 21.00		29	1,537	110 60 00000
9	1137	1220	BADM7200004	1	18.00 21.00		29	1,537	110 60 00000
	1137	1225	BADM7070001	1 1	9.00 10.30		23	1,042	110 40 00000
9	1137	1225	BADM7070001	1 1	9.00 10.30		23	1,042	110 40 00000
	1137	1225	BADM7070002	1 1	10.30 12.00		26	1,042	110 40 00000
9	1137	1225	BADM7070002	1 1	10.30 12.00		26	1,042	110 40 00000
	1137	1225	ISDS7510001	1	13.30 16.30		35	1,042	110 40 00000
89	1137	1225	ISDS7510001	1	13.30 16.30		35	1,042	110 40 00000
	1137	1225	MKT 7450001	1	13.30 16.30		4	1,042	110 40 00000
9	1137	1225	MKT 7450001	1	13.30 16.30		4	1,042	110 40 00000
	1137	1225	ACCT7021001	1	16.30 19.30		22	1,042	110 40 00000
9	1137	1225	ACCT7021001	1	16.30 19.30		22	1,042	110 40 00000
	1137	1225	ACCT7210001	1	16.30 19.30		32	1,042	110 40 00000
89	1137	1225	ACCT7210001	1	16.30 19.30		32	1,042	110 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 135

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	1137	1305	MKT 3411003	1 1 1	8.30 9.30		27	1,040	110 40 00000
9	1137	1305	MKT 3411003	1 1 1	8.30 9.30		27	1,040	110 40 00000
	1137	1305	FIN 3717003	1 1	9.00 10.30		39	1,040	110 40 00000
89	1137	1305	FIN 3717003	1 1	9.00 10.30		39	1,040	110 40 00000
	1137	1305	FIN 4828001	1 1	10.30 12.00		20	1,040	110 40 00000
9	1137	1305	FIN 4828001	1 1	10.30 12.00		20	1,040	110 40 00000
	1137	1305	ECON4320001	1 1	12.00 13.30		35	1,040	110 40 00000
89	1137	1305	ECON4320001	1 1	12.00 13.30		35	1,040	110 40 00000
	1137	1305	FIN 7633002	1 1	13.30 15.00		11	1,040	110 40 00000
9	1137	1305	FIN 7633002	1 1	13.30 15.00		11	1,040	110 40 00000
	1137	1305	MKT 7720001	1	13.30 16.30		5	1,040	110 40 00000
9	1137	1305	MKT 7720001	1	13.30 16.30		5	1,040	110 40 00000
	1137	1305	ECON7702001	1 1	15.00 16.30		12	1,040	110 40 00000
9	1137	1305	ECON7702001	1 1	15.00 16.30		12	1,040	110 40 00000
	1137	1305	ECON4720001	1 1	16.30 18.00		25	1,040	110 40 00000
9	1137	1305	ECON4720001	1 1	16.30 18.00		25	1,040	110 40 00000
	1137	1305	PADM7913001	1	18.00 21.00		16	1,040	110 40 00000
9	1137	1305	PADM7913001	1	18.00 21.00		16	1,040	110 40 00000
	1137	1305	PADM7912001	1	18.00 21.00		30	1,040	110 40 00000
9	1137	1305	PADM7912001	1	18.00 21.00		30	1,040	110 40 00000
	1137	1305	PADM5009002	1	18.00 21.00		18	1,040	110 40 00000
9	1137	1305	PADM5009002	1	18.00 21.00		18	1,040	110 40 00000
	1137	1321	BADM7030001	11	8.00 12.00		13	1,634	110 60 00000
9	1137	1321	BADM7030001	11	8.00 12.00		13	1,634	110 60 00000
	1137	1321	BADM7200001	1 1	9.00 10.30		14	1,634	110 60 00000
9	1137	1321	BADM7200001	1 1	9.00 10.30		14	1,634	110 60 00000
	1137	1321	BADM7100001	1	9.00 12.00		24	1,634	110 60 00000
9	1137	1321	BADM7100001	1	9.00 12.00		24	1,634	110 60 00000
	1137	1321	BADM7030002	1	9.00 12.00		22	1,634	110 60 00000
9	1137	1321	BADM7030002	1	9.00 12.00		22	1,634	110 60 00000
	1137	1321	BADM7200002	1 1	10.30 12.00		35	1,634	110 60 00000
9	1137	1321	BADM7200002	1 1	10.30 12.00		35	1,634	110 60 00000
	1137	1321	BADM7010002	1	12.00 13.30		46	1,634	110 60 00000
89	1137	1321	BADM7010002	1	12.00 13.30		46	1,634	110 60 00000
	1137	1321	ISDS3110001	1 1	12.00 13.30		39	1,634	110 60 00000
9	1137	1321	ISDS3110001	1 1	12.00 13.30		39	1,634	110 60 00000
	1137	1321	PADM5009001	1	14.00 17.00		14	1,634	110 60 00000
9	1137	1321	PADM5009001	1	14.00 17.00		14	1,634	110 60 00000
	1137	1321	BADM7070004	1	18.00 21.00		32	1,634	110 60 00000
9	1137	1321	BADM7070004	1	18.00 21.00		32	1,634	110 60 00000
	1137	1321	BADM7030004	1	18.00 21.00		29	1,634	110 60 00000
9	1137	1321	BADM7030004	1	18.00 21.00		29	1,634	110 60 00000
	1137	1325	MKT 4423001	1 1	7.30 9.00		38	1,030	110 40 00000
89	1137	1325	MKT 4423001	1 1	7.30 9.00		38	1,030	110 40 00000
	1137	1325	MKT 4423002	1 1	9.00 10.30		38	1,030	110 40 00000
89	1137	1325	MKT 4423002	1 1	9.00 10.30		38	1,030	110 40 00000
	1137	1325	ECON7717002	1 1	10.30 12.00		4	1,030	110 40 00000
9	1137	1325	ECON7717002	1 1	10.30 12.00		4	1,030	110 40 00000
	1137	1325	ACCT7401001	1 1	12.00 13.30		19	1,030	110 40 00000
9	1137	1325	ACCT7401001	1 1	12.00 13.30		19	1,030	110 40 00000
	1137	1325	ACCT7201001	1 1	12.00 13.30		8	1,030	110 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 136

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	1137	1325	ACCT7201001	1 1	12.00 13.30		8	1,030	110 40 00000
	1137	1325	ECON4710002	1 1	13.30 15.00		36	1,030	110 40 00000
89	1137	1325	ECON4710002	1 1	13.30 15.00		36	1,030	110 40 00000
	1137	1325	ACCT7234001	1 1	13.30 15.00		21	1,030	110 40 00000
9	1137	1325	ACCT7234001	1 1	13.30 15.00		21	1,030	110 40 00000
	1137	1325	FIN 3636002	1 1	15.00 16.30		7	1,030	110 40 00000
9	1137	1325	FIN 3636002	1 1	15.00 16.30		7	1,030	110 40 00000
	1137	1325	ACCT7222001	1 1	15.00 16.30		24	1,030	110 40 00000
9	1137	1325	ACCT7222001	1 1	15.00 16.30		24	1,030	110 40 00000
	1137	1325	ISDS4112001	1 1	16.30 18.00		18	1,030	110 40 00000
9	1137	1325	ISDS4112001	1 1	16.30 18.00		18	1,030	110 40 00000
	1137	1325	ISDS7990001	1	18.00 21.00		30	1,030	110 40 00000
9	1137	1325	ISDS7990001	1	18.00 21.00		30	1,030	110 40 00000
	1137	1325	PADM7910002	1	18.00 21.00		19	1,030	110 40 00000
9	1137	1325	PADM7910002	1	18.00 21.00		19	1,030	110 40 00000
	1137	1325	FIN 7740001	1	18.00 21.00		21	1,030	110 40 00000
9	1137	1325	FIN 7740001	1	18.00 21.00		21	1,030	110 40 00000
	1137	1325	PADM7917001	1	18.00 21.00		23	1,030	110 40 00000
9	1137	1325	PADM7917001	1	18.00 21.00		23	1,030	110 40 00000
	1137	1409	FIN 7720001	1 1	9.00 10.30		6	600	110 40 00000
9	1137	1409	FIN 7720001	1 1	9.00 10.30		6	600	110 40 00000
	1137	1409	FIN 7850001	1	9.00 12.00		6	600	110 40 00000
9	1137	1409	FIN 7850001	1	9.00 12.00		6	600	110 40 00000
	1137	1409	ISDS7080001	1	9.30 12.30		6	600	110 40 00000
9	1137	1409	ISDS7080001	1	9.30 12.30		6	600	110 40 00000
	1137	1409	FIN 3910004	1 1	10.30 12.00		18	600	110 40 00000
9	1137	1409	FIN 3910004	1 1	10.30 12.00		18	600	110 40 00000
	1137	1409	FIN 3910002	1 1	13.30 15.00		16	600	110 40 00000
9	1137	1409	FIN 3910002	1 1	13.30 15.00		16	600	110 40 00000
	1137	1409	MKT 4478003	1 1 1	14.30 15.30		11	600	110 40 00000
9	1137	1409	MKT 4478003	1 1 1	14.30 15.30		11	600	110 40 00000
	1137	1409	FIN 3716003	1	15.30 18.30		9	600	110 40 00000
9	1137	1409	FIN 3716003	1	15.30 18.30		9	600	110 40 00000
	1137	1409	FIN 7719001	1	18.00 21.00		7	600	110 40 00000
9	1137	1409	FIN 7719001	1	18.00 21.00		7	600	110 40 00000
	1137	1409	FIN 7310001	1	18.00 21.00		11	600	110 40 00000
9	1137	1409	FIN 7310001	1	18.00 21.00		11	600	110 40 00000
	1137	1425	MKT 3427001	1 1	9.00 10.30		41	1,060	110 40 00000
89	1137	1425	MKT 3427001	1 1	9.00 10.30		41	1,060	110 40 00000
	1137	1425	ECON4610001	1 1 1	9.30 10.30		5	1,060	110 40 00000
9	1137	1425	ECON4610001	1 1 1	9.30 10.30		5	1,060	110 40 00000
	1137	1425	ECON7610001	1 1 1	9.30 10.30	1	5	1,060	110 40 00000
9	1137	1425	ECON7610001	1 1 1	9.30 10.30		5	1,060	110 40 00000
	1137	1425	ECON7701001	1 1 1	10.30 11.30		6	1,060	110 40 00000
9	1137	1425	ECON7701001	1 1 1	10.30 11.30		6	1,060	110 40 00000
	1137	1425	ECON4520001	1 1 1	11.30 12.30		38	1,060	110 40 00000
89	1137	1425	ECON4520001	1 1 1	11.30 12.30		38	1,060	110 40 00000
	1137	1425	FIN 3910005	1 1 1	13.30 14.30		3	1,060	110 40 00000
9	1137	1425	FIN 3910005	1 1 1	13.30 14.30		3	1,060	110 40 00000
	1137	1425	ISDS7103001	1 1	13.30 15.00		31	1,060	110 40 00000
89	1137	1425	ISDS7103001	1 1	13.30 15.00		31	1,060	110 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 137

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	1137	1425	ISDS4244001	1 1	15.00 16.30		22	1,060	110 40 00000
9	1137	1425	ISDS4244001	1 1	15.00 16.30		22	1,060	110 40 00000
	1137	1425	ISDS4180001	1 1	15.00 16.30		12	1,060	110 40 00000
9	1137	1425	ISDS4180001	1 1	15.00 16.30		12	1,060	110 40 00000
	1137	1425	ACCT7235001	1	18.00 21.00		13	1,060	110 40 00000
9	1137	1425	ACCT7235001	1	18.00 21.00		13	1,060	110 40 00000
	1137	1425	ACCT4221001	1	18.00 21.00		23	1,060	110 40 00000
9	1137	1425	ACCT4221001	1	18.00 21.00		23	1,060	110 40 00000
	1138	1615	MGT 3320003	1 1	9.00 10.30		50	1,164	110 62 00000
89	1138	1615	MGT 3320003	1 1	9.00 10.30		50	1,164	110 62 00000
	1138	1615	MKT 3401002	1 1 1	9.30 10.30		61	1,164	110 62 00000
89	1138	1615	MKT 3401002	1 1 1	9.30 10.30		61	1,164	110 62 00000
	1138	1615	MKT 3401003	1 1 1	10.30 11.30		61	1,164	110 62 00000
89	1138	1615	MKT 3401003	1 1 1	10.30 11.30		61	1,164	110 62 00000
	1138	1615	MGT 3320004	1 1	10.30 12.00		49	1,164	110 62 00000
89	1138	1615	MGT 3320004	1 1	10.30 12.00		49	1,164	110 62 00000
	1138	1615	ECON2030001	1	11.30 12.30		57	1,164	110 62 00000
89	1138	1615	ECON2030001	1	11.30 12.30		57	1,164	110 62 00000
	1138	1615	ECON2030002	1	11.30 12.30		34	1,164	110 62 00000
9	1138	1615	ECON2030002	1	11.30 12.30		34	1,164	110 62 00000
	1138	1615	ACCT3121003	1 1	12.00 13.30		25	1,164	110 62 00000
9	1138	1615	ACCT3121003	1 1	12.00 13.30		25	1,164	110 62 00000
	1138	1615	MKT 3401004	1 1 1	13.30 14.30		57	1,164	110 62 00000
89	1138	1615	MKT 3401004	1 1 1	13.30 14.30		57	1,164	110 62 00000
	1138	1615	MKT 4451002	1 1	13.30 15.00		52	1,164	110 62 00000
89	1138	1615	MKT 4451002	1 1	13.30 15.00		52	1,164	110 62 00000
	1138	1615	MKT 3401005	1 1 1	14.30 15.30		51	1,164	110 62 00000
89	1138	1615	MKT 3401005	1 1 1	14.30 15.30		51	1,164	110 62 00000
	1138	1615	MKT 4451003	1 1	15.00 16.30		34	1,164	110 62 00000
9	1138	1615	MKT 4451003	1 1	15.00 16.30		34	1,164	110 62 00000
	1138	1615	ISDS3200001	1 1	16.30 18.00		24	1,164	110 62 00000
9	1138	1615	ISDS3200001	1 1	16.30 18.00		24	1,164	110 62 00000
	1138	1615	FIN 3352001	1	18.00 21.00		40	1,164	110 62 00000
9	1138	1615	FIN 3352001	1	18.00 21.00		40	1,164	110 62 00000
	1138	1620	ECON2035005	1 1	7.30 9.00		45	2,132	110 120 00000
9	1138	1620	ECON2035005	1 1	7.30 9.00		45	2,132	110 120 00000
	1138	1620	ECON2000013	1 1	9.00 10.30		114	2,132	110 120 00000
89	1138	1620	ECON2000013	1 1	9.00 10.30		114	2,132	110 120 00000
	1138	1620	CHE 2171001	1 1 1	9.30 10.30		31	2,132	110 120 00000
9	1138	1620	CHE 2171001	1 1 1	9.30 10.30		31	2,132	110 120 00000
	1138	1620	CHE 2171002	1 1 1	9.30 10.30	1	30	2,132	110 120 00000
9	1138	1620	CHE 2171002	1 1 1	9.30 10.30		30	2,132	110 120 00000
	1138	1620	CHE 2171003	1 1 1	10.30 11.30		46	2,132	110 120 00000
9	1138	1620	CHE 2171003	1 1 1	10.30 11.30		46	2,132	110 120 00000
	1138	1620	CHE 2171004	1 1 1	10.30 11.30	1	45	2,132	110 120 00000
89	1138	1620	CHE 2171004	1 1 1	10.30 11.30		45	2,132	110 120 00000
	1138	1620	ECON2000011	1 1	10.30 12.00		79	2,132	110 120 00000
9	1138	1620	ECON2000011	1 1	10.30 12.00		79	2,132	110 120 00000
	1138	1620	ECON2000002	1 1 1	11.30 12.30		78	2,132	110 120 00000
9	1138	1620	ECON2000002	1 1 1	11.30 12.30		78	2,132	110 120 00000
	1138	1620	ECON2010002	1 1	12.00 13.30		78	2,132	110 120 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 138

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	1138	1620	ECON2010002	1 1	12.00 13.30		78	2,132	110 120 00000
	1138	1620	ECON2000007	1 1 1	13.30 14.30		79	2,132	110 120 00000
9	1138	1620	ECON2000007	1 1 1	13.30 14.30		79	2,132	110 120 00000
	1138	1620	ECON2000005	1 1	13.30 15.00		79	2,132	110 120 00000
9	1138	1620	ECON2000005	1 1	13.30 15.00		79	2,132	110 120 00000
	1138	1620	ECON2010006	1 1	15.00 16.30		79	2,132	110 120 00000
9	1138	1620	ECON2010006	1 1	15.00 16.30		79	2,132	110 120 00000
	1138	1620	CM 2113001	1 1	16.30 18.00		99	2,132	110 120 00000
89	1138	1620	CM 2113001	1 1	16.30 18.00		99	2,132	110 120 00000
	1138	1620	BLAW3230001	1	18.00 21.00		91	2,132	110 120 00000
89	1138	1620	BLAW3230001	1	18.00 21.00		91	2,132	110 120 00000
	1138	1620	ECON4110001	1	18.00 21.00		44	2,132	110 120 00000
9	1138	1620	ECON4110001	1	18.00 21.00		44	2,132	110 120 00000
	1138	1700	FIN 3717002	1 1 1	8.30 9.30		5	1,256	110 60 00000
9	1138	1700	FIN 3717002	1 1 1	8.30 9.30		5	1,256	110 60 00000
	1138	1700	ACCT3001001	1 1	9.00 10.30		44	1,256	110 60 00000
9	1138	1700	ACCT3001001	1 1	9.00 10.30		44	1,256	110 60 00000
	1138	1700	FIN 3636001	1 1 1	9.30 10.30		16	1,256	110 60 00000
9	1138	1700	FIN 3636001	1 1 1	9.30 10.30		16	1,256	110 60 00000
	1138	1700	ACCT3001002	1 1	10.30 12.00		43	1,256	110 60 00000
9	1138	1700	ACCT3001002	1 1	10.30 12.00		43	1,256	110 60 00000
	1138	1700	ECON2030005	1	11.30 12.30		58	1,256	110 60 00000
89	1138	1700	ECON2030005	1	11.30 12.30		58	1,256	110 60 00000
	1138	1700	ECON2030006	1	11.30 12.30		37	1,256	110 60 00000
9	1138	1700	ECON2030006	1	11.30 12.30		37	1,256	110 60 00000
	1138	1700	FIN 4830001	1 1	12.00 13.30		39	1,256	110 60 00000
9	1138	1700	FIN 4830001	1 1	12.00 13.30		39	1,256	110 60 00000
	1138	1700	ECON2030004	1	13.30 14.30		36	1,256	110 60 00000
9	1138	1700	ECON2030004	1	13.30 14.30		36	1,256	110 60 00000
	1138	1700	MGT 3830005	1 1	13.30 15.00		40	1,256	110 60 00000
9	1138	1700	MGT 3830005	1 1	13.30 15.00		40	1,256	110 60 00000
	1138	1700	ACCT2101003	1 1	15.00 16.30		61	1,256	110 60 00000
89	1138	1700	ACCT2101003	1 1	15.00 16.30		61	1,256	110 60 00000
	1138	1700	FIN 7720004	1 1	15.00 16.30		8	1,256	110 60 00000
9	1138	1700	FIN 7720004	1 1	15.00 16.30		8	1,256	110 60 00000
	1138	1700	ECON4720002	1 1	16.30 18.00		37	1,256	110 60 00000
9	1138	1700	ECON4720002	1 1	16.30 18.00		37	1,256	110 60 00000
	1138	1700	ENTR4113002	1	18.00 21.00		44	1,256	110 60 00000
9	1138	1700	ENTR4113002	1	18.00 21.00		44	1,256	110 60 00000
	1138	1720	MKT 3411001	1 1	9.00 10.30		41	950	110 40 00000
89	1138	1720	MKT 3411001	1 1	9.00 10.30		41	950	110 40 00000
	1138	1720	MKT 3427002	1 1 1	9.30 10.30		40	950	110 40 00000
89	1138	1720	MKT 3427002	1 1 1	9.30 10.30		40	950	110 40 00000
	1138	1720	MKT 3427003	1 1 1	10.30 11.30		41	950	110 40 00000
89	1138	1720	MKT 3427003	1 1 1	10.30 11.30		41	950	110 40 00000
	1138	1720	MKT 3411002	1 1	10.30 12.00		37	950	110 40 00000
89	1138	1720	MKT 3411002	1 1	10.30 12.00		37	950	110 40 00000
	1138	1720	MKT 3431001	1 1 1	11.30 12.30		40	950	110 40 00000
89	1138	1720	MKT 3431001	1 1 1	11.30 12.30		40	950	110 40 00000
	1138	1720	ISDS4125001	1 1	12.00 13.30		10	950	110 40 00000
9	1138	1720	ISDS4125001	1 1	12.00 13.30		10	950	110 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 139

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	1138	1720	MKT 3500001	1 1 1	12.30 13.30		34	950	110 40 00000
89	1138	1720	MKT 3500001	1 1 1	12.30 13.30		34	950	110 40 00000
	1138	1720	MKT 3427004	1 1 1	13.30 14.30		38	950	110 40 00000
89	1138	1720	MKT 3427004	1 1 1	13.30 14.30		38	950	110 40 00000
	1138	1720	MKT 3421001	1 1	13.30 15.00		36	950	110 40 00000
89	1138	1720	MKT 3421001	1 1	13.30 15.00		36	950	110 40 00000
	1138	1720	MKT 3421002	1 1	15.00 16.30		37	950	110 40 00000
89	1138	1720	MKT 3421002	1 1	15.00 16.30		37	950	110 40 00000
	1138	1720	ACCT4501001	1 1	15.00 18.00		6	950	110 40 00000
9	1138	1720	ACCT4501001	1 1	15.00 18.00		6	950	110 40 00000
	1138	1720	ISDS7920001	1	18.00 21.00		15	950	110 40 00000
9	1138	1720	ISDS7920001	1	18.00 21.00		15	950	110 40 00000
	1138	1735	MGT 3200002	1 1 1	8.30 9.30		40	1,262	110 60 00000
9	1138	1735	MGT 3200002	1 1 1	8.30 9.30		40	1,262	110 60 00000
	1138	1735	ACCT4234001	1 1	9.00 10.30		35	1,262	110 60 00000
9	1138	1735	ACCT4234001	1 1	9.00 10.30		35	1,262	110 60 00000
	1138	1735	ACCT4234002	1 1	10.30 12.00		29	1,262	110 60 00000
9	1138	1735	ACCT4234002	1 1	10.30 12.00		29	1,262	110 60 00000
	1138	1735	MGT 3200005	1 1 1	11.30 12.30		41	1,262	110 60 00000
9	1138	1735	MGT 3200005	1 1 1	11.30 12.30		41	1,262	110 60 00000
	1138	1735	ACCT3021002	1 1	12.00 13.30		53	1,262	110 60 00000
89	1138	1735	ACCT3021002	1 1	12.00 13.30		53	1,262	110 60 00000
	1138	1735	MKT 3411004	1 1 1	12.30 13.30		32	1,262	110 60 00000
9	1138	1735	MKT 3411004	1 1 1	12.30 13.30		32	1,262	110 60 00000
	1138	1735	ECON2030008	1	13.30 14.30		34	1,262	110 60 00000
9	1138	1735	ECON2030008	1	13.30 14.30		34	1,262	110 60 00000
	1138	1735	FIN 3718002	1 1	13.30 15.00		2	1,262	110 60 00000
9	1138	1735	FIN 3718002	1 1	13.30 15.00		2	1,262	110 60 00000
	1138	1735	ECON4550001	1 1	13.30 15.00		37	1,262	110 60 00000
9	1138	1735	ECON4550001	1 1	13.30 15.00		37	1,262	110 60 00000
	1138	1735	MGT 4450001	1 1	15.00 16.30		40	1,262	110 60 00000
9	1138	1735	MGT 4450001	1 1	15.00 16.30		40	1,262	110 60 00000
	1138	1735	FIN 4830002	1 1	15.00 16.30		39	1,262	110 60 00000
9	1138	1735	FIN 4830002	1 1	15.00 16.30		39	1,262	110 60 00000
	1138	1735	BADM7270002	1	16.30 19.30		7	1,262	110 60 00000
9	1138	1735	BADM7270002	1	16.30 19.30		7	1,262	110 60 00000
	1138	1735	FIN 4060002	1	17.00 18.00		32	1,262	110 60 00000
9	1138	1735	FIN 4060002	1	17.00 18.00		32	1,262	110 60 00000
	1138	1745	FIN 3840001	1 1	7.30 9.00		5	956	110 40 00000
9	1138	1745	FIN 3840001	1 1	7.30 9.00		5	956	110 40 00000
	1138	1745	ISDS4141001	1 1	9.00 10.30		39	956	110 40 00000
89	1138	1745	ISDS4141001	1 1	9.00 10.30		39	956	110 40 00000
	1138	1745	MGT 3200007	1 1 1	9.30 10.30		39	956	110 40 00000
89	1138	1745	MGT 3200007	1 1 1	9.30 10.30		39	956	110 40 00000
	1138	1745	ECON7629001	1 1	10.30 12.00		6	956	110 40 00000
9	1138	1745	ECON7629001	1 1	10.30 12.00		6	956	110 40 00000
	1138	1745	ECON2030010	1	11.30 12.30		38	956	110 40 00000
89	1138	1745	ECON2030010	1	11.30 12.30		38	956	110 40 00000
	1138	1745	MKT 3413003	1 1	12.00 13.30		41	956	110 40 00000
89	1138	1745	MKT 3413003	1 1	12.00 13.30		41	956	110 40 00000
	1138	1745	ISDS4120001	1 1 1	12.30 13.30		42	956	110 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 140

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	1138	1745	ISDS4120001	1 1 1	12.30 13.30		42	956	110 40 00000
	1138	1745	ISDS4111001	1 1 1	13.30 14.30		20	956	110 40 00000
9	1138	1745	ISDS4111001	1 1 1	13.30 14.30		20	956	110 40 00000
	1138	1745	MKT 3413004	1 1	13.30 15.00		31	956	110 40 00000
89	1138	1745	MKT 3413004	1 1	13.30 15.00		31	956	110 40 00000
	1138	1745	ECON4220001	1 1	15.00 16.30		25	956	110 40 00000
9	1138	1745	ECON4220001	1 1	15.00 16.30		25	956	110 40 00000
	1138	1745	FIN 3718001	1 1	16.30 18.00		32	956	110 40 00000
89	1138	1745	FIN 3718001	1 1	16.30 18.00		32	956	110 40 00000
	1138	1745	ECON4400001	1 1	18.00 19.30		13	956	110 40 00000
9	1138	1745	ECON4400001	1 1	18.00 19.30		13	956	110 40 00000
	1138	1745	ISDS7990002	1	18.00 21.00		8	956	110 40 00000
9	1138	1745	ISDS7990002	1	18.00 21.00		8	956	110 40 00000
	1138	1800	ISDS2001002	1 1 1	8.30 9.30		33	1,244	110 60 00000
9	1138	1800	ISDS2001002	1 1 1	8.30 9.30		33	1,244	110 60 00000
	1138	1800	ECON7630001	1 1	9.00 10.30		15	1,244	110 60 00000
9	1138	1800	ECON7630001	1 1	9.00 10.30		15	1,244	110 60 00000
	1138	1800	FIN 3717001	1 1 1	9.30 10.30		39	1,244	110 60 00000
9	1138	1800	FIN 3717001	1 1 1	9.30 10.30		39	1,244	110 60 00000
	1138	1800	ECON4710001	1 1	10.30 12.00		20	1,244	110 60 00000
9	1138	1800	ECON4710001	1 1	10.30 12.00		20	1,244	110 60 00000
	1138	1800	ECON7718001	1 1	10.30 12.00		10	1,244	110 60 00000
9	1138	1800	ECON7718001	1 1	10.30 12.00		10	1,244	110 60 00000
	1138	1800	ECON2030014	1	11.30 12.30		38	1,244	110 60 00000
9	1138	1800	ECON2030014	1	11.30 12.30		38	1,244	110 60 00000
	1138	1800	ACCT3222001	1 1	12.00 13.30		22	1,244	110 60 00000
9	1138	1800	ACCT3222001	1 1	12.00 13.30		22	1,244	110 60 00000
	1138	1800	MGT 4322001	1 1	12.00 13.30		32	1,244	110 60 00000
9	1138	1800	MGT 4322001	1 1	12.00 13.30		32	1,244	110 60 00000
	1138	1800	ECON2030012	1	13.30 14.30		37	1,244	110 60 00000
9	1138	1800	ECON2030012	1	13.30 14.30		37	1,244	110 60 00000
	1138	1800	ACCT4021001	1 1	13.30 15.00		22	1,244	110 60 00000
9	1138	1800	ACCT4021001	1 1	13.30 15.00		22	1,244	110 60 00000
	1138	1800	ENTR2000001	1 1	13.30 15.00		50	1,244	110 60 00000
89	1138	1800	ENTR2000001	1 1	13.30 15.00		50	1,244	110 60 00000
	1138	1800	MGT 4830001	1 1	15.00 16.30		12	1,244	110 60 00000
9	1138	1800	MGT 4830001	1 1	15.00 16.30		12	1,244	110 60 00000
	1138	1800	ENTR4120001	1	15.00 18.00		28	1,244	110 60 00000
9	1138	1800	ENTR4120001	1	15.00 18.00		28	1,244	110 60 00000
	1138	1800	ENTR4030001	1	16.30 19.30		14	1,244	110 60 00000
9	1138	1800	ENTR4030001	1	16.30 19.30		14	1,244	110 60 00000
	1138	1800	GBUS3999002	1	17.30 20.30		40	1,244	110 60 00000
9	1138	1800	GBUS3999002	1	17.30 20.30		40	1,244	110 60 00000
	1138	1835	ISDS3107001	1 1	9.00 10.30		39	1,252	110 60 00000
9	1138	1835	ISDS3107001	1 1	9.00 10.30		39	1,252	110 60 00000
	1138	1835	ISDS4113001	1 1 1	9.30 10.30		37	1,252	110 60 00000
9	1138	1835	ISDS4113001	1 1 1	9.30 10.30		37	1,252	110 60 00000
	1138	1835	ISDS4113002	1 1 1	10.30 11.30		38	1,252	110 60 00000
9	1138	1835	ISDS4113002	1 1 1	10.30 11.30		38	1,252	110 60 00000
	1138	1835	ISDS3107002	1 1	10.30 12.00		39	1,252	110 60 00000
9	1138	1835	ISDS3107002	1 1	10.30 12.00		39	1,252	110 60 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 141

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	1138	1835	ECON2030009	1	11.30 12.30		60	1,252	110 60 00000
89	1138	1835	ECON2030009	1	11.30 12.30		60	1,252	110 60 00000
	1138	1835	ECON2030016	1	13.30 14.30		37	1,252	110 60 00000
9	1138	1835	ECON2030016	1	13.30 14.30		37	1,252	110 60 00000
	1138	1835	ACCT3021003	1 1	13.30 15.00		46	1,252	110 60 00000
89	1138	1835	ACCT3021003	1 1	13.30 15.00		46	1,252	110 60 00000
	1138	1835	EXST7037002	1	13.30 16.30		30	1,252	110 60 00000
9	1138	1835	EXST7037002	1	13.30 16.30		30	1,252	110 60 00000
	1138	1835	PADM7910001	1	14.00 17.00		15	1,252	110 60 00000
9	1138	1835	PADM7910001	1	14.00 17.00		15	1,252	110 60 00000
	1138	1835	GBUS3999001	1 1	15.00 16.30		30	1,252	110 60 00000
9	1138	1835	GBUS3999001	1 1	15.00 16.30		30	1,252	110 60 00000
	1138	1835	ENTR4114001	1	16.30 19.30		8	1,252	110 60 00000
9	1138	1835	ENTR4114001	1	16.30 19.30		8	1,252	110 60 00000
	1138	1835	ISDS4123001	1	18.00 21.00		24	1,252	110 60 00000
9	1138	1835	ISDS4123001	1	18.00 21.00		24	1,252	110 60 00000
	1138	1845	ACCT4421001	1 1	7.30 9.00		28	1,290	110 60 00000
9	1138	1845	ACCT4421001	1 1	7.30 9.00		28	1,290	110 60 00000
	1138	1845	ACCT4421002	1 1	9.00 10.30		46	1,290	110 60 00000
89	1138	1845	ACCT4421002	1 1	9.00 10.30		46	1,290	110 60 00000
	1138	1845	MGT 4620001	1 1	10.30 12.00		49	1,290	110 60 00000
89	1138	1845	MGT 4620001	1 1	10.30 12.00		49	1,290	110 60 00000
	1138	1845	MKT 3413001	1 1	12.00 13.30		50	1,290	110 60 00000
89	1138	1845	MKT 3413001	1 1	12.00 13.30		50	1,290	110 60 00000
	1138	1845	MGT 4620002	1 1	12.00 13.30		48	1,290	110 60 00000
89	1138	1845	MGT 4620002	1 1	12.00 13.30		48	1,290	110 60 00000
	1138	1845	MKT 3413002	1 1	13.30 15.00		50	1,290	110 60 00000
89	1138	1845	MKT 3413002	1 1	13.30 15.00		50	1,290	110 60 00000
	1138	1845	ACCT2001005	1 1	13.30 15.00		59	1,290	110 60 00000
89	1138	1845	ACCT2001005	1 1	13.30 15.00		59	1,290	110 60 00000
	1138	1845	ACCT3021004	1 1	15.00 16.30		41	1,290	110 60 00000
9	1138	1845	ACCT3021004	1 1	15.00 16.30		41	1,290	110 60 00000
	1138	1845	MGT 3830008	1 1	15.00 16.30		42	1,290	110 60 00000
9	1138	1845	MGT 3830008	1 1	15.00 16.30		42	1,290	110 60 00000
	1138	1845	ACCT4022001	1 1	16.30 18.00		37	1,290	110 60 00000
9	1138	1845	ACCT4022001	1 1	16.30 18.00		37	1,290	110 60 00000
	1138	1845	MGT 3830009	1 1	16.30 18.00		40	1,290	110 60 00000
9	1138	1845	MGT 3830009	1 1	16.30 18.00		40	1,290	110 60 00000
	1138	1900	FIN 7845001	1 1	9.00 10.30		5	1,679	140 50 00000
9	1138	1900	FIN 7845001	1 1	9.00 10.30		5	1,679	140 50 00000
	1138	1900	FIN 3826003	1 1	10.30 12.00		19	1,679	140 50 00000
9	1138	1900	FIN 3826003	1 1	10.30 12.00		19	1,679	140 50 00000
	1138	1900	FIN 3845001	1 1	13.30 15.00		15	1,679	140 50 00000
9	1138	1900	FIN 3845001	1 1	13.30 15.00		15	1,679	140 50 00000
	1138	1900	FIN 3826002	1 1	13.30 15.00		19	1,679	140 50 00000
9	1138	1900	FIN 3826002	1 1	13.30 15.00		19	1,679	140 50 00000
	1138	1900	FIN 7720002	1	16.30 19.30		6	1,679	140 50 00000
9	1138	1900	FIN 7720002	1	16.30 19.30		6	1,679	140 50 00000
	1138	1920	FIN 2060001	1	7.30 8.30		57	1,318	110 60 00000
89	1138	1920	FIN 2060001	1	7.30 8.30		57	1,318	110 60 00000
	1138	1920	MKT 4451001	1 1	7.30 9.00		23	1,318	110 60 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2017
 RUN DATE 11/28/2017 12:43:24
 PAGE NUM 142

L.S.U. - BATON ROUGE
 BRANCH
 PARISH
 RELATION

E.B.R.
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	1138	1920	MKT 4451001	1 1	7.30 9.00		23	1,318	110 60 00000
	1138	1920	MGT 4323001	1 1	9.00 10.30		41	1,318	110 60 00000
9	1138	1920	MGT 4323001	1 1	9.00 10.30		41	1,318	110 60 00000
	1138	1920	MGT 3320001	1 1 1	9.30 10.30		61	1,318	110 60 00000
89	1138	1920	MGT 3320001	1 1 1	9.30 10.30		61	1,318	110 60 00000
	1138	1920	MGT 3320002	1 1 1	10.30 11.30		59	1,318	110 60 00000
89	1138	1920	MGT 3320002	1 1 1	10.30 11.30		59	1,318	110 60 00000
	1138	1920	ACCT3222002	1 1	10.30 12.00		25	1,318	110 60 00000
9	1138	1920	ACCT3222002	1 1	10.30 12.00		25	1,318	110 60 00000
	1138	1920	ACCT3222003	1 1	12.00 13.30		21	1,318	110 60 00000
9	1138	1920	ACCT3222003	1 1	12.00 13.30		21	1,318	110 60 00000
	1138	1920	MGT 3513001	1 1 1	12.30 13.30		50	1,318	110 60 00000
89	1138	1920	MGT 3513001	1 1 1	12.30 13.30		50	1,318	110 60 00000
	1138	1920	MGT 3513002	1 1 1	13.30 14.30		50	1,318	110 60 00000
89	1138	1920	MGT 3513002	1 1 1	13.30 14.30		50	1,318	110 60 00000
	1138	1920	ISDS3100001	1 1	13.30 15.00		39	1,318	110 60 00000
9	1138	1920	ISDS3100001	1 1	13.30 15.00		39	1,318	110 60 00000
	1138	1920	ISDS4160001	1 1	15.00 16.30		21	1,318	110 60 00000
9	1138	1920	ISDS4160001	1 1	15.00 16.30		21	1,318	110 60 00000
	1138	1920	PADM5600001	1	18.00 21.00		31	1,318	110 60 00000
9	1138	1920	PADM5600001	1	18.00 21.00		31	1,318	110 60 00000
	1138	2604	FIN 7900003	1	15.00 18.00		4	241	350 8 00000
9	1138	2604	FIN 7900003	1	15.00 18.00		4	241	350 8 00000
	1138	2604	FIN 7650001	1	15.00 18.00		7	241	350 8 00000
89	1138	2604	FIN 7650001	1	15.00 18.00		7	241	350 8 00000
	1245	1015	KIN 1152001	1 1 1	8.30 9.30		21	1,087	110 72 00000
9	1245	1015	KIN 1152001	1 1 1	8.30 9.30		21	1,087	110 72 00000
	1245	1015	KIN 1155004	1 1 1	9.30 10.30		13	1,087	110 72 00000
9	1245	1015	KIN 1155004	1 1 1	9.30 10.30		13	1,087	110 72 00000
	1245	1015	KIN 1999001	1 1 1	11.30 12.30		25	1,087	110 72 00000
9	1245	1015	KIN 1999001	1 1 1	11.30 12.30		25	1,087	110 72 00000
	1245	1015	KIN 1999002	1 1	12.00 13.30		24	1,087	110 72 00000
9	1245	1015	KIN 1999002	1 1	12.00 13.30		24	1,087	110 72 00000
	1245	1035	KIN 1600003	1 1	9.00 10.30		39	1,092	110 73 00000
9	1245	1035	KIN 1600003	1 1	9.00 10.30		39	1,092	110 73 00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	12
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	1,076
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	3,622
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		4,710
TOTAL NUMBER OF RECORDS READ		7,226
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		3,604
NUMBER OF JOINT-CLASS RECORDS		375
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/28/2017 12:43:24
 PAGE NUM 1

L.S.U. - BATON ROUGE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			479
TOTAL NUMBER OF STATIONS (CAPACITY)			26,672
WEEKLY STUDENT CONTACT HOURS	301,016	11,214	312,230
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43,110	23,950	67,060
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	15,702	654	16,356
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,400,480	1,333,600	3,734,080
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,523,314	43,379	1,566,693
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	602,033	22,428	624,461
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	36.4	2.7	24.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	25.1	1.7	16.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	39.5	51.7	39.9
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			439
TOTAL NUMBER OF STATIONS (CAPACITY)			25,172
WEEKLY STUDENT CONTACT HOURS	293,427	11,078	304,505
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	39,510	21,950	61,460
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	14,836	646	15,482
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,265,480	1,258,600	3,524,080
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,489,464	43,091	1,532,555
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	586,855	22,156	609,011
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	37.5	2.9	25.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	25.9	1.8	17.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	39.4	51.4	39.7

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/28/2017 12:43:24
 PAGE NUM 2

L.S.U. - BATON ROUGE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			40
TOTAL NUMBER OF STATIONS (CAPACITY)			1,500
WEEKLY STUDENT CONTACT HOURS	7,589	136	7,725
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,600	2,000	5,600
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	866	8	874
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	135,000	75,000	210,000
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	33,850	288	34,138
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	15,178	272	15,450
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	24.1	.4	15.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	11.2	.4	7.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	44.8	94.4	45.3
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			324
TOTAL NUMBER OF STATIONS (CAPACITY)			9,109
WEEKLY STUDENT CONTACT HOURS	31,746	2,240	33,986
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	29,160	16,200	45,360
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,523	254	3,777
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	819,810	455,450	1,275,260
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	136,297	10,434	146,731
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	63,493	4,480	67,973
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	12.1	1.6	8.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	7.7	1.0	5.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	46.6	42.9	46.3

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/28/2017 12:43:24
 PAGE NUM 3

L.S.U. - BATON ROUGE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			242
TOTAL NUMBER OF STATIONS (CAPACITY)			7,596
WEEKLY STUDENT CONTACT HOURS	31,165	2,090	33,255
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	21,780	12,100	33,880
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,435	230	3,665
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	683,640	379,800	1,063,440
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	134,061	9,030	143,091
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	62,331	4,180	66,511
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	15.8	1.9	10.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	9.1	1.1	6.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	46.5	46.3	46.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABORATORY			
TOTAL NUMBER OF ROOMS			82
TOTAL NUMBER OF STATIONS (CAPACITY)			1,513
WEEKLY STUDENT CONTACT HOURS	581	150	731
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	7,380	4,100	11,480
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	88	24	112
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	136,170	75,650	211,820
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,236	1,404	3,640
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,162	300	1,462
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	1.2	.6	1.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	.9	.4	.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	52.0	21.4	40.2

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY