

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	A000	0205	INCT2820A01	1 1 1	8.00 12.00		9	210 33	00000	
	A000	0205	ETRN2727A01	11111	8.00 12.20	1	13	210 33	00000	
	A000	0205	ETRN2730A01	11111	8.00 12.20	1	12	210 33	00000	
	A000	0205	INCT2120A01	11111	8.00 12.20	1	2	210 33	00000	
	A000	0205	INCT2840A01	1 1 1	12.30 16.30		9	210 33	00000	
	A000	0205	COMP1100A01	11111	13.00 15.20	1	15	210 33	00000	
	A000	0205	COMP1110A01	11111	13.00 15.20	1	13	210 33	00000	
	A000	0205	INCT2132A01	11111	13.00 15.20	1	1	210 33	00000	
	A000	0206	ACCT1300A01	1 1 1	11.00 11.50		8	110 22	00000	
	B000	0001	DRFT1230A01	11111	9.35 11.00		1	210 23	00000	
	B000	0001	DRFT1230A02	11111	9.35 11.00	1	3	210 23	00000	
4	B000	0001	CADD1210A02	11111	9.35 16.00	1	3	210 23	00000	
4	B000	0001	CADD1215A02	11111	9.35 16.00	1	3	210 23	00000	
4	B000	0001	DRFT1215A01	11111	9.35 16.00	1	2	210 23	00000	
4	B000	0001	DRFT2310A01	11111	9.35 16.00	1	3	210 23	00000	
4	B000	0001	DRFT2310A02	11111	9.35 16.00	1	2	210 23	00000	
4	B000	0001	DRFT2320A01	11111	9.35 16.00	1	4	210 23	00000	
4	B000	0001	DRFT2330A01	11111	9.35 16.00	1	3	210 23	00000	
4	B000	0001	DRFT2342A01	11111	9.35 16.00	1	1	210 23	00000	
4	B000	0001	DRFT2343A01	11111	9.35 16.00	1	2	210 23	00000	
4	B000	0001	DRFT2353A01	11111	9.35 16.00	1	1	210 23	00000	
4	B000	0001	DRFT2363A01	11111	9.35 16.00	1	1	210 23	00000	
8	B000	0001	DRFT1110A01	11111	10.00 13.00	1	7	210 23	00000	
8	B000	0001	DRFT1130A01	11111	10.00 13.00	1	7	210 23	00000	
8	B000	0001	DRFT1161A01	11111	10.00 13.00	1	7	210 23	00000	
4	8	B000	0001	DRFT1145A01	11111	10.00 16.00	1	7	210 23	00000
8	B000	0001	DRFT1120A01	11111	13.05 15.30	1	7	210 23	00000	
	B000	0017	IMFG1315A01	1 1	8.00 11.00		1	210 20	00000	
	B000	0017	IMMT2995A01	1 1	8.00 11.00	1	2	210 20	00000	
	C000	0002	ELEC1420A01	1 1 1	8.00 9.50		12	210 20	00000	
	C000	0002	ELEC1120A01	1 1	8.00 13.00		19	210 20	00000	
	C000	0002	ELEC1440A01	1 1 1	9.51 12.35		11	210 20	00000	
	C000	0002	ELEC1311A01	1 1 1	13.00 16.30		16	210 20	00000	
4	C000	0015	HACR1150A01	11111	7.30 14.00		4	210 20	00000	
4	C000	0015	HACR1160A01	11111	7.30 14.00	1	3	210 20	00000	
4	C000	0015	HACR1170A01	11111	7.30 14.00	1	3	210 20	00000	
4	C000	0015	HACR1180A01	11111	7.30 14.00	1	3	210 20	00000	
4	C000	0015	HACR1410A01	11111	7.30 14.00	1	6	210 20	00000	
4	C000	0015	HACR1420A01	11111	7.30 14.00	1	6	210 20	00000	
4	8	C000	0015	HACR2510A01	11111	7.30 14.00	1	6	210 20	00000
4	8	C000	0015	HACR2520A01	11111	7.30 14.00	1	6	210 20	00000
	C000	0015	HACR2530A01	11111	14.05 15.05		6	210 20	00000	
	D000	0002	IMFG1110A01	1 1 1	8.00 9.30		18	110 40	00000	
	D000	0002	IMFG1120A01	1 1 1	9.45 12.45		6	110 40	00000	
	D000	0002	IMFG1250A01	1 1 1	10.30 12.50	1	2	110 40	00000	
	D000	0002	IMFG1100Y01	11111	12.00 12.50	1	14	110 40	00000	
	D000	0002	IMMT2993A01	1 1	12.00 14.00	1	1	110 40	00000	
	D000	0002	IMFG1120Y01	11111	13.00 13.50	1	14	110 40	00000	
	D000	0002	IMFG1200Y01	11111	14.00 14.50		14	110 40	00000	
	D000	0002	IMFG1300Y01	11111	15.00 15.50		14	110 40	00000	
8	D000	0003	IMFG1200A01	1 1	8.00 12.00		10	215	00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 10/18/2016 15:29:00
 PAGE NUM 2

L.T.C.-ALEXANDRIA
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	D000 0003	IMFG1100A01	1 1 1	8.30 9.30		8	133	215	00000
4	E000 0016	HNUR1212A01	11	6.30 12.30		22	1,791	110 45	00000
	E000 0016	HNUR1302A01	11	8.00 11.00		37	1,791	110 45	00000
89	E000 0016	HNUR1302A01	1 1	8.00 11.00		37	1,791	110 45	00000
	E000 0016	ORNT1000A02	1	8.00 11.00		27	1,791	110 45	00000
	E000 0016	HNUR1211A01	1	8.00 11.00		21	1,791	110 45	00000
	E000 0016	HNUR1311A01	1	8.00 11.00	1	35	1,791	110 45	00000
	E000 0016	HNUR1211A01	11	11.45 14.45		21	1,791	110 45	00000
	E000 0016	HNUR1311A01	111	11.45 15.00	1	35	1,791	110 45	00000
8	E000 0016	HNUR1312A01	1 1	11.45 15.00	1	34	1,791	110 45	00000
	E000 0023	ORNT1000A03	11	8.00 11.00		15	864	110 36	00000
	E000 0023	HCOR1210A01	1 1	8.00 11.00	1	16	864	110 36	00000
	E000 0023	ORNT1000A03	1	8.00 11.00	1	15	864	110 36	00000
	E000 0023	HCOR1210A01	1	8.00 11.00		16	864	110 36	00000
	E000 0023	HNUR1211A02	1	8.00 11.00	1	14	864	110 36	00000
	E000 0023	HCOR1320A01	1	8.00 11.30		16	864	110 36	00000
	E000 0023	HCOR1210A01	1	12.00 14.00		16	864	110 36	00000
	E000 0023	HNUR1211A02	1 1	12.00 15.00		14	864	110 36	00000
9	E000 0023	HNUR1211A02	1	12.00 15.00		14	864	110 36	00000
	E000 0023	HCOR1300A02	1	12.30 14.30		14	864	110 36	00000
4	E000 0025	HNUR2123A01	11	6.30 14.30		19	744	110 20	00000
4	8 E000 0025	HNUR2143A01	11	6.30 14.30	1	19	744	110 20	00000
	8 E000 0025	HNUR2183A01	11	8.00 11.00	1	19	744	110 20	00000
	89 E000 0025	HNUR2183A01	1	8.00 11.00		19	744	110 20	00000
	E000 0025	HNUR2143A01	11	8.00 11.00		19	744	110 20	00000
	89 E000 0025	HNUR2143A01	1	8.00 11.00		19	744	110 20	00000
	E000 0025	HNUR2123A01	1111	11.45 14.45		19	744	110 20	00000
89	E000 0025	HNUR2123A01	1 1	11.45 14.45		19	744	110 20	00000
4	F000 0001	WELD2110A01	11111	8.00 14.30		5	2,914	210 15	00000
4	F000 0001	WELD2111A01	11111	8.00 14.30	1	8	2,914	210 15	00000
4	F000 0001	WELD2111A02	11111	8.00 14.30	1	2	2,914	210 15	00000
4	F000 0001	WELD2210A01	11111	8.00 14.30	1	2	2,914	210 15	00000
4	F000 0001	WELD2310A01	11111	8.00 14.30	1	4	2,914	210 15	00000
4	8 F000 0001	WELD2310A02	11111	8.00 14.30	1	4	2,914	210 15	00000
4	8 F000 0001	WELD2311 EA	11111	8.00 14.30	1	8	2,914	210 15	00000
4	8 F000 0001	WELD2311A01	11111	8.00 14.30	1	1	2,914	210 15	00000
4	8 F000 0001	WELD1510A01	11111	8.00 15.00	1	15	2,914	210 15	00000
4	8 F000 0001	WELD1510A03	11111	8.00 15.00	1	1	2,914	210 15	00000
4	8 F000 0001	WELD1511A01	11111	8.00 15.00	1	6	2,914	210 15	00000
4	8 F000 0001	WELD1512A01	11111	8.00 15.00	1	2	2,914	210 15	00000
4	8 F000 0001	WELD2220A01	11111	8.00 15.00	1	1	2,914	210 15	00000
4	8 F000 0001	WELD2320A01	11111	8.00 15.00	1	1	2,914	210 15	00000
4	8 F000 0001	WELD2322A01	11111	8.00 15.00	1	1	2,914	210 15	00000
4	8 F000 0001	WELD2110A03	11111	14.00 20.30	1	1	2,914	210 15	00000
4	8 F000 0001	WELD2110A04	11111	14.00 20.30	1	1	2,914	210 15	00000
4	8 F000 0001	WELD2111A03	11111	14.00 20.30	1	2	2,914	210 15	00000
4	8 F000 0001	WELD2210A02	11111	14.00 20.30	1	2	2,914	210 15	00000
4	8 F000 0001	WELD2310A03	11111	14.00 20.30	1	2	2,914	210 15	00000
4	8 F000 0001	WELD2311A03	11111	14.00 20.30	1	2	2,914	210 15	00000
4	8 F000 0001	WELD2311A04	11111	14.00 20.30	1	1	2,914	210 15	00000
4	8 F000 0001	WELD1510A02	11111	14.00 21.00	1	5	2,914	210 15	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2016
 RUN DATE 10/18/2016 15:29:00
 PAGE NUM 3

L.T.C.-ALEXANDRIA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	8	F000 0001	WELD1511A02	11111	14.00 21.00	1	1	2,914	210 15 00000
4		F000 0009	WELD1412A01	11111	8.00 14.30		16	2,350	210 15 00000
4		F000 0009	WELD2230A01	11111	8.00 14.30	1	3	2,350	210 15 00000
4	8	F000 0009	WELD1420A01	11111	8.00 15.00	1	17	2,350	210 15 00000
4	8	F000 0009	WELD1420A02	11111	8.00 15.00	1	1	2,350	210 15 00000
4	8	F000 0009	WELD2230A02	11111	8.00 15.00	1	2	2,350	210 15 00000
4	8	F000 0009	WELD2230A03	11111	8.00 15.00	1	4	2,350	210 15 00000
4	8	F000 0009	WELD1411A01	11111	8.00 16.30	1	12	2,350	210 15 00000
	8	F000 0009	WELD1410A02	11111	14.00 17.00	1	2	2,350	210 15 00000
4	8	F000 0009	WELD1411A02	11111	14.00 20.30	1	3	2,350	210 15 00000
4	8	F000 0009	WELD1412A03	11111	14.00 20.30	1	1	2,350	210 15 00000
4	8	F000 0009	WELD1420A03	11111	14.00 21.00	1	2	2,350	210 15 00000
		F000 0011	WELD1110A01	11111	8.00 11.00		23	529	110 24 00000
	8	F000 0011	WELD1120A01	11111	8.00 11.00	1	22	529	110 24 00000
	8	F000 0011	WELD1130A01	11111	8.00 11.00	1	24	529	110 24 00000
	8	F000 0011	WELD1410A01	11111	8.00 11.00	1	26	529	110 24 00000
4	8	F000 0011	WELD2991A01	11111	8.00 14.29	1	1	529	110 24 00000
	8	F000 0011	WELD1210A01	11111	11.30 14.30	1	22	529	110 24 00000
	8	F000 0011	WELD1310A01	11111	11.30 14.30	1	20	529	110 24 00000
	8	F000 0011	WELD1110Y01	11111	12.00 12.50	1	14	529	110 24 00000
	8	F000 0011	WELD1140A01	11111	12.15 14.30	1	28	529	110 24 00000
	8	F000 0011	WELD1140Y01	11111	13.00 13.50	1	14	529	110 24 00000
		F000 0011	WELD1210Y01	11111	14.00 14.50		14	529	110 24 00000
		F000 0011	WELD1110A02	11111	14.00 16.59	1	1	529	110 24 00000
		F000 0011	WELD1120A02	11111	14.00 17.00	1	2	529	110 24 00000
		F000 0011	WELD1130A02	11111	14.00 17.00	1	2	529	110 24 00000
		F000 0011	WELD1411Y01	11111	15.00 15.50	1	14	529	110 24 00000
		F000 0011	WELD1410Y01	11111	16.00 16.50		14	529	110 24 00000
		F000 0011	WELD1140A02	11111	17.00 20.30		1	529	110 24 00000
		F000 0011	WELD1210A02	11111	17.00 20.30	1	1	529	110 24 00000
		F000 0011	WELD1310A02	11111	17.01 20.30	1	2	529	110 24 00000
4		F000 0026	CLRP1110A01	111	8.00 8.29		9	484	110 26 00000
		F000 0026	CLRP2140A01	111	8.00 9.30	1	5	484	110 26 00000
		F000 0026	CLRP1210A01	111	8.00 9.59	1	4	484	110 26 00000
		F000 0026	CLRP1121A01	111	8.30 9.29	1	8	484	110 26 00000
		F000 0026	CLRP1131A01	111	9.30 10.29		8	484	110 26 00000
		F000 0026	CLRP1220A01	111	9.31 10.59	1	5	484	110 26 00000
		F000 0026	CLRP1150A01	111	10.00 11.59	1	4	484	110 26 00000
		F000 0026	CLRP1311A01	111	10.30 11.59	1	6	484	110 26 00000
		F000 0026	CLRP1140A01	111	11.00 11.59	1	5	484	110 26 00000
		F000 0026	CLRP2121A01	111	12.00 12.59		5	484	110 26 00000
		F000 0026	CLRP2130A01	111	12.00 14.30	1	1	484	110 26 00000
		F000 0026	IMFG1300A01	1 1	12.05 16.35	1	8	484	110 26 00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	59
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	53
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	5

----- T O T A L S -----

TOTAL ERRORS		
TOTAL WARNINGS		117
TOTAL NUMBER OF RECORDS READ		145
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		140
NUMBER OF JOINT-CLASS RECORDS		100
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/18/2016 15:29:00

PAGE NUM 1

L.T.C.-ALEXANDRIA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			20
TOTAL NUMBER OF STATIONS (CAPACITY)			470
WEEKLY STUDENT CONTACT HOURS	6,663	70	6,733
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,800	1,000	2,800
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	899	105	1,004
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	42,300	23,500	65,800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	25,727	2,520	28,247
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	13,326	140	13,466
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	49.9	10.5	35.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	31.5	.6	20.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	51.8	5.6	47.7
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			20
TOTAL NUMBER OF STATIONS (CAPACITY)			470
WEEKLY STUDENT CONTACT HOURS	6,663	70	6,733
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,800	1,000	2,800
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	899	105	1,004
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	42,300	23,500	65,800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	25,727	2,520	28,247
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	13,326	140	13,466
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	49.9	10.5	35.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	31.5	.6	20.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	51.8	5.6	47.7

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/18/2016 15:29:00
 PAGE NUM 2

L.T.C. -ALEXANDRIA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			24
TOTAL NUMBER OF STATIONS (CAPACITY)			476
WEEKLY STUDENT CONTACT HOURS	9,205		9,205
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,160	1,200	3,360
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,128		4,128
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	42,840	23,800	66,640
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	77,049		77,049
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	18,411		18,411
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	191.1	.0	122.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	43.0	.0	27.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	23.9	.0	23.9
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			24
TOTAL NUMBER OF STATIONS (CAPACITY)			476
WEEKLY STUDENT CONTACT HOURS	9,205		9,205
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,160	1,200	3,360
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,128		4,128
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	42,840	23,800	66,640
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	77,049		77,049
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	18,411		18,411
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	191.1	.0	122.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	43.0	.0	27.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	23.9	.0	23.9

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY