

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 09/28/2017 11:31:54
 PAGE NUM 1

CLTCC - ALEXANDRIA CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	A000	0205	COMP1100A01	1 1 1	8.00 9.50		16	210 33	00000
	A000	0205	COMP1110A01	1 1 1	8.00 9.50	1	14	210 33	00000
	A000	0205	INCT2132A01	1	10.00 10.50		6	210 33	00000
	A000	0205	INCT2840A01	1	10.00 10.50	1	6	210 33	00000
	A000	0205	INCT2122A01	1	11.00 11.50		5	210 33	00000
	A000	0205	INCT2822A01	1	11.00 11.50	1	9	210 33	00000
	A000	0205	ETRN2727A01	1 1 1	13.00 14.50		10	210 33	00000
	A000	0205	INCT1202A01	1 1 1	13.00 14.50	1	6	210 33	00000
	B000	0001	CADD1210A01	11111	8.00 8.55		11	210 23	00000
	B000	0001	CADD1215A01	11111	8.00 8.55	1	5	210 23	00000
	B000	0001	DRFT1215A01	11111	8.00 8.55	1	5	210 23	00000
	B000	0001	DRFT1230A01	11111	8.00 8.55	1	4	210 23	00000
	B000	0001	DRFT2310A01	11111	8.00 8.55	1	6	210 23	00000
8	B000	0001	DRFT2320A01	11111	8.00 8.55	1	6	210 23	00000
8	B000	0001	DRFT2330A01	11111	8.00 8.55	1	6	210 23	00000
8	B000	0001	DRFT2341A01	11111	8.00 8.55	1	1	210 23	00000
8	B000	0001	DRFT2341A02	11111	8.00 8.55	1	2	210 23	00000
8	B000	0001	DRFT2343A01	11111	8.00 8.55	1	2	210 23	00000
8	B000	0001	DRFT2351A01	11111	8.00 8.55	1	1	210 23	00000
8	B000	0001	DRFT2353A01	11111	8.00 8.55	1	2	210 23	00000
8	B000	0001	DRFT2361A01	11111	8.00 8.55	1	1	210 23	00000
8	B000	0001	DRFT2363A01	11111	8.00 8.55	1	2	210 23	00000
	B000	0001	DRFT1110A01	11111	10.00 13.00		7	210 23	00000
	B000	0001	DRFT1130A01	11111	10.00 13.00	1	7	210 23	00000
	B000	0001	DRFT1161A01	11111	10.00 13.00	1	6	210 23	00000
4	B000	0001	DRFT1145A01	11111	10.00 16.00	1	6	210 23	00000
8	B000	0001	CADD1210A01	11111	11.35 16.00	1	11	210 23	00000
8	B000	0001	CADD1215A01	11111	11.35 16.00	1	5	210 23	00000
8	B000	0001	DRFT1215A01	11111	11.35 16.00	1	5	210 23	00000
8	B000	0001	DRFT1230A01	11111	11.35 16.00	1	4	210 23	00000
8	B000	0001	DRFT2310A01	11111	11.35 16.00	1	6	210 23	00000
8	B000	0001	DRFT2320A01	11111	11.35 16.00	1	6	210 23	00000
8	B000	0001	DRFT2330A01	11111	11.35 16.00	1	6	210 23	00000
8	B000	0001	DRFT2341A01	11111	11.35 16.00	1	1	210 23	00000
8	B000	0001	DRFT2341A02	11111	11.35 16.00	1	2	210 23	00000
8	B000	0001	DRFT2343A01	11111	11.35 16.00	1	2	210 23	00000
8	B000	0001	DRFT2351A01	11111	11.35 16.00	1	1	210 23	00000
8	B000	0001	DRFT2353A01	11111	11.35 16.00	1	2	210 23	00000
8	B000	0001	DRFT2361A01	11111	11.35 16.00	1	1	210 23	00000
8	B000	0001	DRFT2363A01	11111	11.35 16.00	1	2	210 23	00000
8	B000	0001	DRFT1120A01	11111	13.05 15.30	1	7	210 23	00000
	B000	0010	IMFG1235A01	1 1 1	8.30 10.50		4	110 40	00000
	B000	0010	IMFG1260A01	1 1	8.30 11.30		4	110 40	00000
	B000	0010	IMFG2200A01	1 1 1	11.45 14.05		4	110 40	00000
	B000	0010	IMFG2100A01	1 1	12.30 15.30		5	110 40	00000
	B000	0017	IMFG1215A01	1 1 1	8.00 10.00		4	210 20	00000
	B000	0017	IJET2123A01	1 1 1	10.05 12.05		4	210 20	00000
	C000	0001	ELEC1311A01	11	8.00 12.48		18	210 20	00000
	C000	0001	ELEC2520A01	11	13.00 15.12		7	210 20	00000
	C000	0002	ELEC1420A01	11	8.00 10.43		9	210 20	00000
	C000	0002	ELEC1440A01	11	11.00 15.00		9	210 20	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 09/28/2017 11:31:54
 PAGE NUM 2

CLTCC - ALEXANDRIA CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	C000	0002	ELEC1220A01	11	15.01 17.44		17	1,636	210 20 00000	
4	C000	0015	HACR1150A01	111111	7.30 14.00		11	870	210 20 00000	
4	C000	0015	HACR1160A01	111111	7.30 14.00	1	11	870	210 20 00000	
4	8	C000	0015	HACR1170A01	111111	7.30 14.00	1	11	870	210 20 00000
4	8	C000	0015	HACR1180A01	111111	7.30 14.00	1	11	870	210 20 00000
4	8	C000	0015	HACR1410A01	111111	7.30 14.00	1	2	870	210 20 00000
4	8	C000	0015	HACR1420A01	111111	7.30 14.00	1	2	870	210 20 00000
4	8	C000	0015	HACR2510A01	111111	7.30 14.00	1	2	870	210 20 00000
4	8	C000	0015	HACR2520A01	111111	7.30 14.00	1	2	870	210 20 00000
	8	C000	0015	HACR1150A02	1111	13.30 15.30	1	1	870	210 20 00000
	D000	0002	IMFG1110A01	1 1	9.00 11.30		5	627	110 40 00000	
	8	D000	0003	IMFG1120A01	1 1 1	8.00 11.00		9	133	215 00000
	8	D000	0003	IMFG1200A01	1 1	8.00 12.00		8	133	215 00000
	8	D000	0003	IMFG1100A01	1 1 1	11.05 12.05		9	133	215 00000
	8	D000	0003	IMFG1300A01	1 1	12.45 17.15		7	133	215 00000
	E000	0016	HNUR1302A01	1 1	8.00 11.00		33	1,791	110 45 00000	
	E000	0016	HNUR1312A01	1 1	8.00 11.00		31	1,791	110 45 00000	
	E000	0016	HNUR1211A01	1	8.00 11.00		29	1,791	110 45 00000	
4	E000	0016	HNUR1311A01	1	8.00 14.45		33	1,791	110 45 00000	
	E000	0016	HNUR1311A01	1 1	11.45 14.45		33	1,791	110 45 00000	
	E000	0016	HNUR1211A01	1 1	11.45 14.45	1	29	1,791	110 45 00000	
	E000	0016	ORNT1000A01	1	11.45 14.45		30	1,791	110 45 00000	
	E000	0016	HNUR1211A01	1 1	11.45 14.45		29	1,791	110 45 00000	
	E000	0023	HNUR2123A01	1 1	8.00 11.00		9	864	110 36 00000	
	E000	0023	HNUR2123A01	11	8.00 11.00		9	864	110 36 00000	
	E000	0023	HNUR2183A01	1 1	8.00 11.00	1	9	864	110 36 00000	
	E000	0023	HNUR2123A01	1	8.00 11.00		9	864	110 36 00000	
	E000	0023	HNUR2183A01	1 1	8.00 11.00		9	864	110 36 00000	
	E000	0023	HNUR2183A01	1	11.45 14.45		9	864	110 36 00000	
	E000	0023	HNUR2143A01	11	11.45 14.45		9	864	110 36 00000	
	9	E000	0023	HNUR2143A01	1	11.45 14.45		9	864	110 36 00000
4	E000	0025	HCOR1212A01	11	6.30 12.30		11	744	110 20 00000	
	E000	0025	HNUR1211A02	1 11	8.00 11.00	1	11	744	110 20 00000	
	8	E000	0025	HCOR1300A01	1	8.00 11.00	1	11	744	110 20 00000
	E000	0025	HCOR1210A01	1	8.00 11.00		12	744	110 20 00000	
	E000	0025	HNUR1211A02	1	8.00 11.00		11	744	110 20 00000	
	E000	0025	ORNT1000A02	1	9.00 11.00		12	744	110 20 00000	
	E000	0025	HCOR1320A01	11	11.45 14.30		12	744	110 20 00000	
	E000	0025	HCOR1210A01	1 1	11.45 14.45		12	744	110 20 00000	
	E000	0025	HCOR1300A01	1	11.45 14.45	1	11	744	110 20 00000	
	F000	0011	WELD2995A01			1	2	529	110 24 00000	
	F000	0011	WELD1110A01	111111	8.00 11.00		11	529	110 24 00000	
	F000	0011	WELD1120A01	111111	8.00 11.00	1	11	529	110 24 00000	
	F000	0011	WELD1130A01	111111	8.00 11.00	1	14	529	110 24 00000	
	8	F000	0011	WELD1410A01	111111	8.00 11.00	1	5	529	110 24 00000
4	8	F000	0011	WELD1411A01	111111	8.00 14.30	1	3	529	110 24 00000
4	8	F000	0011	WELD1412A01	111111	8.00 14.30	1	6	529	110 24 00000
4	8	F000	0011	WELD2110A01	111111	8.00 14.30	1	7	529	110 24 00000
4	8	F000	0011	WELD2110A02	111111	8.00 14.30	1	8	529	110 24 00000
4	8	F000	0011	WELD2111A01	111111	8.00 14.30	1	6	529	110 24 00000
4	8	F000	0011	WELD2111A02	111111	8.00 14.30	1	6	529	110 24 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 09/28/2017 11:31:54
 PAGE NUM 3

CLTCC - ALEXANDRIA CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	8	F000 0011	WELD2210A01	11111	8.00 14.30	1	529	110 24	00000
4	8	F000 0011	WELD2210A04	11111	8.00 14.30	1	529	110 24	00000
4	8	F000 0011	WELD2230A01	11111	8.00 14.30	1	529	110 24	00000
4	8	F000 0011	WELD2230A05	11111	8.00 14.30	1	529	110 24	00000
4	8	F000 0011	WELD2310A01	11111	8.00 14.30	1	529	110 24	00000
4	8	F000 0011	WELD2310A02	11111	8.00 14.30	1	529	110 24	00000
4	8	F000 0011	WELD2311A01	11111	8.00 14.30	1	529	110 24	00000
4	8	F000 0011	WELD1420A01	11111	8.00 15.00	1	529	110 24	00000
4	8	F000 0011	WELD1420A02	11111	8.00 15.00	1	529	110 24	00000
4	8	F000 0011	WELD1510A01	11111	8.00 15.00	1	529	110 24	00000
4	8	F000 0011	WELD1511A01	11111	8.00 15.00	1	529	110 24	00000
4	8	F000 0011	WELD1511A03	11111	8.00 15.00	1	529	110 24	00000
4	8	F000 0011	WELD1512A01	11111	8.00 15.00	1	529	110 24	00000
4	8	F000 0011	WELD1512A03	11111	8.00 15.00	1	529	110 24	00000
4	8	F000 0011	WELD2220A01	11111	8.00 15.00	1	529	110 24	00000
4	8	F000 0011	WELD2222A01	11111	8.00 15.00	1	529	110 24	00000
8	8	F000 0011	WELD1210A01	11111	11.30 14.30	1	529	110 24	00000
8	8	F000 0011	WELD1310A01	11111	11.30 14.30	1	529	110 24	00000
8	8	F000 0011	WELD1140A01	11111	12.15 14.30	1	529	110 24	00000
8	8	F000 0011	WELD1110A02	11111	14.00 16.55	1	529	110 24	00000
8	8	F000 0011	WELD1120A02	11111	14.00 16.55	1	529	110 24	00000
8	8	F000 0011	WELD1130A02	11111	14.00 16.55	1	529	110 24	00000
8	8	F000 0011	WELD1410A02	11111	14.00 17.00	1	529	110 24	00000
4	8	F000 0011	WELD2210A02	111111	14.00 20.30	1	529	110 24	00000
4	8	F000 0011	WELD1411A02	11111	14.00 20.30	1	529	110 24	00000
4	8	F000 0011	WELD1412A03	11111	14.00 20.30	1	529	110 24	00000
4	8	F000 0011	WELD1510A03	11111	14.00 20.30	1	529	110 24	00000
4	8	F000 0011	WELD1512A02	11111	14.00 20.30	1	529	110 24	00000
4	8	F000 0011	WELD2110A04	11111	14.00 20.30	1	529	110 24	00000
4	8	F000 0011	WELD2111A03	11111	14.00 20.30	1	529	110 24	00000
4	8	F000 0011	WELD2210A03	11111	14.00 20.30	1	529	110 24	00000
4	8	F000 0011	WELD2222A02	11111	14.00 20.30	1	529	110 24	00000
4	8	F000 0011	WELD2230A02	11111	14.00 20.30	1	529	110 24	00000
4	8	F000 0011	WELD2230A03	11111	14.00 20.30	1	529	110 24	00000
4	8	F000 0011	WELD2310A03	11111	14.00 20.30	1	529	110 24	00000
4	8	F000 0011	WELD2311A03	11111	14.00 20.30	1	529	110 24	00000
4	8	F000 0011	WELD2311A04	11111	14.00 20.30	1	529	110 24	00000
4	8	F000 0011	WELD1420A03	11111	14.00 21.00	1	529	110 24	00000
4	8	F000 0011	WELD1510A02	11111	14.00 21.00	1	529	110 24	00000
4	8	F000 0011	WELD1511A02	11111	14.00 21.00	1	529	110 24	00000
8	8	F000 0011	WELD1140A02	11111	17.00 20.30	1	529	110 24	00000
8	8	F000 0011	WELD1210A02	11111	17.00 20.30	1	529	110 24	00000
8	8	F000 0011	WELD1310A02	11111	17.00 20.30	1	529	110 24	00000
		F000 0026	CLRP1110A01	11	8.00 8.50		484	110 26	00000
		F000 0026	CLRP1311A01	11	8.00 8.50		484	110 26	00000
		F000 0026	CLRP1230A01	111	8.30 9.20	1	484	110 26	00000
		F000 0026	CLRP1121A01	11	9.00 9.50		484	110 26	00000
		F000 0026	CLRP1210A01	11	9.00 9.50		484	110 26	00000
		F000 0026	CLRP2140A01	111	9.30 10.20	1	484	110 26	00000
		F000 0026	CLRP1131A01	11	10.00 10.50		484	110 26	00000
		F000 0026	CLRP1150A01	11	10.00 10.50		484	110 26	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2017
 RUN DATE 09/28/2017 11:31:54
 PAGE NUM 4

CLTCC - ALEXANDRIA CAMPUS
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	F000 0026	CLRP1220A01	111	10.30 11.20	1	2	484		110 26	00000
	F000 0026	CLRP2130A01	11	11.00 11.50		8	484		110 26	00000
	F000 0026	CLRP1140A01	111	11.30 12.20		3	484		110 26	00000
	F000 0026	CLRP1320A01	11	12.30 13.20		3	484		110 26	00000
	F000 0026	CLRP2121A01	11	13.30 14.20		4	484		110 26	00000
	F000 0026	CLRP2111A01	11	14.30 15.20		4	484		110 26	00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	50
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	86
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	1
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		137
TOTAL NUMBER OF RECORDS READ		159
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		157
NUMBER OF JOINT-CLASS RECORDS		103
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		1

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 09/28/2017 11:31:54
 PAGE NUM 1

CLTCC - ALEXANDRIA CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			20
TOTAL NUMBER OF STATIONS (CAPACITY)			470
WEEKLY STUDENT CONTACT HOURS	8,136	157	8,294
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,800	1,000	2,800
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,288	105	3,393
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	42,300	23,500	65,800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	82,160	2,520	84,680
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	16,273	315	16,588
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	182.7	10.5	121.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	38.5	1.3	25.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	19.8	12.5	19.6
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			20
TOTAL NUMBER OF STATIONS (CAPACITY)			470
WEEKLY STUDENT CONTACT HOURS	8,136	157	8,294
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,800	1,000	2,800
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,288	105	3,393
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	42,300	23,500	65,800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	82,160	2,520	84,680
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	16,273	315	16,588
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	182.7	10.5	121.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	38.5	1.3	25.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	19.8	12.5	19.6

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 09/28/2017 11:31:54
 PAGE NUM 2

CLTCC - ALEXANDRIA CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			24
TOTAL NUMBER OF STATIONS (CAPACITY)			476
WEEKLY STUDENT CONTACT HOURS	4,543		4,543
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,160	1,200	3,360
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,631		1,631
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	42,840	23,800	66,640
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	36,183		36,183
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,087		9,087
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	75.5	.0	48.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	21.2	.0	13.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	25.1	.0	25.1
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			24
TOTAL NUMBER OF STATIONS (CAPACITY)			476
WEEKLY STUDENT CONTACT HOURS	4,543		4,543
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,160	1,200	3,360
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,631		1,631
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	42,840	23,800	66,640
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	36,183		36,183
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,087		9,087
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	75.5	.0	48.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	21.2	.0	13.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	25.1	.0	25.1

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY