

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/16/2017 08:57:53
 PAGE NUM 1

LDCC - DELTA OUACHITA CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0050	0100	INCT1100028	1 1 1	8.00 9.50		12	1,368	210 15 00000
	0050	0100	INCT1330175	1 1	8.00 10.30		14	1,368	210 15 00000
	0050	0100	INCT1800046	1 1 1	10.00 12.00		14	1,368	210 15 00000
	0050	0100	INCT2850176	1 1	12.00 14.30		13	1,368	210 15 00000
	0050	0100	INCT1500176	1 1	12.30 15.00		20	1,368	210 15 00000
	0050	0101	SPPR2991087	1111	7.05 7.50		3	975	210 14 00000
	0050	0101	DRFT11110095	1 1 1	7.30 8.59	1	3	975	210 14 00000
	0050	0101	DRFT11110087	11111	12.00 14.55		1	975	210 14 00000
	0050	0101	DRFT11110049	1111	16.00 21.00		3	975	210 14 00000
	0050	0103	DRFT1120049	11111	7.30 9.25		1	1,346	210 36 00000
	0050	0103	CADD1210155	11111	7.30 9.29	1	1	1,346	210 36 00000
	0050	0103	DRFT1130083	1111	7.40 8.55	1	2	1,346	210 36 00000
	0050	0103	DRFT1145083	11111	8.00 10.59	1	1	1,346	210 36 00000
	0050	0103	DRFT2346077	11111	8.00 10.59	1	1	1,346	210 36 00000
	0050	0103	DRFT1145032	11111	8.00 11.00	1	5	1,346	210 36 00000
	0050	0103	DRFT2310033	11111	8.00 11.00	1	2	1,346	210 36 00000
	0050	0103	DRFT2320083	11111	8.00 11.00	1	1	1,346	210 36 00000
	0050	0103	DRFT2342033	11111	8.00 11.00	1	1	1,346	210 36 00000
	0050	0103	DRFT2346033	11111	8.00 11.00	1	1	1,346	210 36 00000
	0050	0103	DRFT1120031	11111	9.05 11.30	1	2	1,346	210 36 00000
	0050	0103	DRFT1161032	11111	9.15 11.00	1	3	1,346	210 36 00000
	0050	0103	DRFT1145152	11111	9.15 12.15	1	2	1,346	210 36 00000
	0050	0103	CADD1210031	1111	9.30 11.00	1	4	1,346	210 36 00000
	0050	0103	DRFT1145032	11111	10.15 13.59	1	1	1,346	210 36 00000
	0050	0103	DRFT1160032	1111	11.05 11.59	1	1	1,346	210 36 00000
	0050	0103	DRFT1130031	1111	12.00 13.59		3	1,346	210 36 00000
	0050	0103	CADD1210048	11111	12.00 14.59	1	2	1,346	210 36 00000
	0050	0103	DRFT2320049	11111	12.00 14.59	1	1	1,346	210 36 00000
	0050	0103	DRFT2330077	11111	12.00 14.59	1	1	1,346	210 36 00000
	0050	0103	DRFT2343033	11111	12.00 14.59	1	2	1,346	210 36 00000
	0050	0103	DRFT2344033	11111	12.00 14.59	1	2	1,346	210 36 00000
	0050	0103	DRFT11110031	11111	12.00 15.10	1	2	1,346	210 36 00000
	0050	0103	DRFT1120049	11111	12.00 15.10	1	2	1,346	210 36 00000
	0050	0103	CADD1210031	11111	12.05 14.55	1	1	1,346	210 36 00000
	0050	0103	DRFT2343077	11111	13.00 15.59	1	1	1,346	210 36 00000
	0050	0103	DRFT1161082	1111	14.00 14.59	1	1	1,346	210 36 00000
4	0050	0103	CADD1210153	1 1	15.05 20.50		1	1,346	210 36 00000
	0050	0103	DRFT1130084	11111	15.30 17.59	1	1	1,346	210 36 00000
	0050	0103	DRFT1130031	1111	16.00 18.15	1	2	1,346	210 36 00000
	0050	0103	DRFT1120155	11111	16.00 19.25	1	1	1,346	210 36 00000
	0050	0103	DRFT2344033	1111	16.00 20.50	1	2	1,346	210 36 00000
	0050	0103	DRFT1120075	11111	16.00 20.59	1	2	1,346	210 36 00000
	0050	0103	CADD1210048	1111	16.00 21.00	1	2	1,346	210 36 00000
	0050	0103	CADD1215049	1111	16.05 16.55	1	1	1,346	210 36 00000
	0050	0103	DRFT1230032	1111	16.05 16.59	1	2	1,346	210 36 00000
	0050	0103	DRFT2346076	11111	16.05 19.30	1	1	1,346	210 36 00000
	0050	0103	DRFT1145032	11111	16.05 20.59	1	3	1,346	210 36 00000
	0050	0103	DRFT2320146	11111	16.05 20.59	1	1	1,346	210 36 00000
	0050	0103	DRFT2330146	11111	16.10 18.55	1	1	1,346	210 36 00000
	0050	0103	DRFT2346146	11111	16.10 19.30	1	4	1,346	210 36 00000
	0050	0103	CADD1215075	1111	19.00 20.50	1	1	1,346	210 36 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/16/2017 08:57:53
 PAGE NUM 2

LDCC - DELTA OUACHITA CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	0050	0103	DRFT2320085	11111	19.05 20.59	1	3	1,346	210 36 00000	
	0050	0103	DRFT2330085	11111	21.00 22.30		4	1,346	210 36 00000	
	0050	0107	HCOR1120196	1 1	8.00 9.15		20	649	110 22 00000	
	0050	0107	MAST1210196	1 1 1	8.00 11.50		21	649	110 22 00000	
4	8	0050	0107	HNUR1211196	11111	8.00 15.00	1	15	649	110 22 00000
4	8	0050	0107	HEKG1011196	1 1	9.30 16.00	1	21	649	110 22 00000
	0050	0107	HMDT1170196	1 1 1	13.30 15.00		22	649	110 22 00000	
	0050	0241	DL A9999 N2	11111	8.00 11.00		30	656	110 28 00000	
	0050	0245	MATH 095074	1 1	8.00 9.15		5	685	110 30 00000	
	0050	0245	FRST 100215	1 1 1	9.00 9.50		1	685	110 30 00000	
	0050	0245	MATH 099075	1 1	9.30 10.45		1	685	110 30 00000	
	0050	0245	ENGL 099214	1 1	11.00 12.15		2	685	110 30 00000	
	0050	0246	ORNT1000028	1 1 1	8.00 8.50		4	822	210 20 00000	
	0050	0246	ORNT1000143	1 1 1	8.00 8.50	1	2	822	210 20 00000	
	0050	0246	ORNT1000148	1 1 1	8.00 8.50	1	1	822	210 20 00000	
	0050	0246	ORNT1000170	1 1 1	9.00 9.50		2	822	210 20 00000	
9		0050	0246	ORNT1000170	1 1 1	9.00 9.50	9	822	210 20 00000	
9		0050	0246	ORNT1000170	1 1 1	9.00 9.50	6	822	210 20 00000	
	0050	0246	ACCT1100026	1 1	9.30 10.45		5	822	210 20 00000	
	0050	0246	MATR1350042	1 1 1	10.00 10.50		2	822	210 20 00000	
	0050	0246	OSYS1100028	1 1 1	11.00 11.50		7	822	210 20 00000	
	0050	0246	BTEL1000169	1 1 1	12.00 12.50		6	822	210 20 00000	
	0050	0246	JOBS2450046	1 1	13.00 13.50		21	822	210 20 00000	
	0050	0246	JOBS2450028	1 1	14.00 14.50		22	822	210 20 00000	
	0050	0246	ACCT1300141	1 1	14.00 15.15		1	822	210 20 00000	
	0050	0247	CPTR1002141	1 1	12.30 13.45		8	812	210 25 00000	
	0050	0247	CPTR1000027	1	16.30 19.00		20	812	210 25 00000	
	0050	0247	CPTR1000223	1	16.30 19.00		17	812	210 25 00000	
4		0050	0250	DL A9999 N2	11111	8.00 16.30	30	521	110 24 00000	
	0051	0100	AUTO1200157	1	8.00 9.50		16	800	210 30 00000	
	0051	0100	AUTO1610099	1	8.00 9.50		3	800	210 30 00000	
	0051	0100	AUTO1220157	1	8.00 9.50		16	800	210 30 00000	
	0051	0100	AUTO1230157	1	8.00 9.50		19	800	210 30 00000	
	0051	0100	AUTO1650096	1	8.00 9.50		6	800	210 30 00000	
	0051	0100	AUTO1600099	1	8.00 11.50		11	800	210 30 00000	
	0051	0100	AUTO1620096	111	8.00 11.50		2	800	210 30 00000	
	0051	0100	AUTO1630096	1	8.00 11.50	1	4	800	210 30 00000	
4		0051	0100	AUTO1800097	1	8.00 13.50	3	800	210 30 00000	
4		0051	0100	AUTO1810097	1	8.00 13.50	4	800	210 30 00000	
4		0051	0100	AUTO1840097	1	8.00 13.50	1	800	210 30 00000	
	0051	0100	AUTO1400098	1	10.00 11.50		19	800	210 30 00000	
	0051	0100	AUTO1410099	1	10.00 11.50		20	800	210 30 00000	
	0051	0100	AUTO1640096	1	10.00 11.50	1	4	800	210 30 00000	
	0051	0100	AUTO1420099	1	10.00 11.50		16	800	210 30 00000	
	0051	0100	AUTO1430097	1	10.00 11.50		16	800	210 30 00000	
	0051	0100	AUTO1440099	1	10.00 11.50		18	800	210 30 00000	
	0051	0100	AUTO1660096	1	10.00 11.50	1	3	800	210 30 00000	
	0051	0100	AUTO1500098	1	12.00 13.50		31	800	210 30 00000	
	0051	0100	AUTO1510098	1	12.00 13.50		32	800	210 30 00000	
	0051	0100	AUTO1520098	1	12.00 13.50		29	800	210 30 00000	
	0051	0100	AUTO1850097	11	12.00 13.50		1	800	210 30 00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/16/2017 08:57:53
 PAGE NUM 3

LDCC - DELTA OUACHITA CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	0051	0100	AUTO1530098	1	12.00 13.50	1	31	800	210 30 00000	
	0051	0100	AUTO1540098	1	12.00 13.50		32	800	210 30 00000	
	0051	0100	AUTO2996156	1	12.00 14.59		2	800	210 30 00000	
	0051	0100	AUTO1120202	1 1	14.00 14.50		1	800	210 30 00000	
4	0051	0104	WF C9999 N3	11111	8.00 17.00		10	86	110 10 00000	
	0052	0102	BARB1441095	11111	7.45 10.45		9	494	210 10 00000	
	0052	0102	BARB1211065	11111	7.45 11.45	1	10	494	210 10 00000	
4	0052	0102	BARB1341198	11111	8.00 14.50	1	6	494	210 10 00000	
	0052	0102	BARB1441094	11111	12.00 14.59	1	12	494	210 10 00000	
4	0052	0104	BARB1231065	11111	8.00 14.50		6	497	210 12 00000	
4	0052	0104	BARB1231203	11111	9.15 15.50	1	7	497	210 12 00000	
	0052	0104	BARB1231065	11111	12.00 14.25	1	21	497	210 12 00000	
	0052	0107	BARB1310224	11111	7.45 11.45		10	567	210 30 00000	
	0052	0107	BARB2131076	11111	7.45 11.45	1	2	567	210 30 00000	
	0052	0107	BARB2630066	1111	8.00 9.00	1	5	567	210 30 00000	
	0052	0107	BARB1140065	11111	8.00 11.10	1	2	567	210 30 00000	
	0052	0107	BARB1150076	11111	8.00 11.10	1	1	567	210 30 00000	
	0052	0107	BARB1160064	11111	8.00 11.10	1	8	567	210 30 00000	
	0052	0107	BARB2111067	11111	8.00 11.10	1	10	567	210 30 00000	
4	0052	0107	BARB1120197	11111	8.00 14.50	1	2	567	210 30 00000	
4	9	0052	0107	BARB1120197	11111	8.00 14.50	1	567	210 30 00000	
4	0052	0107	BARB1220197	11111	8.00 14.50	1	3	567	210 30 00000	
4	8	0052	0107	BARB1310198	11111	8.00 14.50	1	6	567	210 30 00000
4	8	0052	0107	BARB1430198	11111	8.00 14.50	1	5	567	210 30 00000
4	8	0052	0107	BARB2111199	11111	8.00 14.50	1	10	567	210 30 00000
4	8	0052	0107	BARB2131199	11111	8.00 14.50	1	1	567	210 30 00000
	0052	0107	BARB1430066	1 1	12.00 14.00	1	9	567	210 30 00000	
	0052	0107	BARB1231224	11111	12.00 14.25	1	10	567	210 30 00000	
	0052	0107	BARB1120224	11111	12.00 14.50	1	10	567	210 30 00000	
	0052	0107	BARB1160224	11111	12.00 15.30	1	10	567	210 30 00000	
	0052	0107	BARB2120076	11111	13.35 14.50	1	1	567	210 30 00000	
	0053	0103	ELEC1120046	11111	8.00 9.59		7	1,593	210 30 00000	
	0053	0103	ELEC1120204	11111	8.00 11.00	1	5	1,593	210 30 00000	
	0053	0103	ELEC1120206	11111	8.00 11.00	1	3	1,593	210 30 00000	
	0053	0103	ELEC1330047	11111	8.00 12.50	1	2	1,593	210 30 00000	
	0053	0103	ELEC2540048	11111	8.00 12.50	1	2	1,593	210 30 00000	
	0053	0103	ELEC1330047	11111	8.00 12.59	1	3	1,593	210 30 00000	
4	9	0053	0103	ELEC1330047	11111	8.00 13.50	2	1,593	210 30 00000	
4	0053	0103	ELEC1420029	11111	8.00 13.50	1	2	1,593	210 30 00000	
4	9	0053	0103	ELEC1420029	11111	8.00 13.50	2	1,593	210 30 00000	
4	0053	0103	ELEC2520029	11111	8.00 13.50	1	1	1,593	210 30 00000	
4	0053	0103	ELEC2520047	11111	8.00 13.50	1	1	1,593	210 30 00000	
	0053	0103	ELEC2460047	11111	12.00 14.30	1	1	1,593	210 30 00000	
	0053	0103	ELEC1210087	11111	12.00 16.00	1	1	1,593	210 30 00000	
	0053	0103	ELEC1120080	11111	12.30 14.00	1	4	1,593	210 30 00000	
	0053	0103	ELEC1420047	11111	13.00 14.59	1	1	1,593	210 30 00000	
	0053	0103	ELEC1440084	11111	14.00 15.50	1	2	1,593	210 30 00000	
	0053	0103	ELEC2720030	11111	14.00 15.50	1	2	1,593	210 30 00000	
	0053	0103	ELEC2520147	1111	15.00 16.00	1	3	1,593	210 30 00000	
4	0053	0105	WELD1310183	11111	8.00 13.30		14	3,964	210 28 00000	
4	0053	0105	WELD1411183	11111	8.00 14.05	1	19	3,964	210 28 00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/16/2017 08:57:53
 PAGE NUM 4

LDCC - DELTA OUACHITA CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	8	0053 0105	WELD1412183	11111	8.00 14.05	1	19	3,964	210 28 00000
4	8	0053 0105	WELD1510185	11111	8.00 14.05	1	3	3,964	210 28 00000
4	8	0053 0105	WELD2110183	11111	8.00 14.05	1	8	3,964	210 28 00000
4	8	0053 0105	WELD2111183	11111	8.00 14.05	1	9	3,964	210 28 00000
4	8	0053 0105	WELD2210184	11111	8.00 14.05	1	7	3,964	210 28 00000
4	8	0053 0105	WELD2310184	11111	8.00 14.05	1	6	3,964	210 28 00000
4	8	0053 0105	WELD2311184	11111	8.00 14.05	1	6	3,964	210 28 00000
4	8	0053 0105	WELD2230184	11111	8.00 14.20	1	3	3,964	210 28 00000
4	8	0053 0105	WELD1512185	11111	8.00 14.50	1	6	3,964	210 28 00000
4	8	0053 0105	WELD2220183	11111	8.00 14.50	1	1	3,964	210 28 00000
4	8	0053 0105	WELD1110182	11111	8.00 15.10	1	14	3,964	210 28 00000
4	8	0053 0105	WELD1130182	11111	8.00 15.10	1	19	3,964	210 28 00000
4	8	0053 0105	WELD1210182	11111	8.00 15.10	1	14	3,964	210 28 00000
4	8	0053 0105	WELD1410182	11111	8.00 15.10	1	13	3,964	210 28 00000
4	8	0053 0105	WELD1420183	11111	8.00 15.10	1	8	3,964	210 28 00000
4	8	0053 0105	WELD1511185	11111	8.00 15.10	1	6	3,964	210 28 00000
4	8	0053 0105	WELD1120183	11111	8.00 16.50	1	15	3,964	210 28 00000
8	0053 0105	WELD1411185	1111	16.00 19.30	1	1	3,964	210 28 00000	
8	0053 0105	WELD2110186	1111	16.00 19.30	1	2	3,964	210 28 00000	
8	0053 0105	WELD2111186	1111	16.00 19.30	1	2	3,964	210 28 00000	
8	0053 0105	WELD2210186	1111	16.00 19.30	1	1	3,964	210 28 00000	
8	0053 0105	WELD2230196	1111	16.00 19.30	1	1	3,964	210 28 00000	
8	0053 0105	WELD1110185	1111	16.00 20.00	1	8	3,964	210 28 00000	
8	0053 0105	WELD1130185	1111	16.00 20.00	1	11	3,964	210 28 00000	
8	0053 0105	WELD1210185	1111	16.00 20.00	1	9	3,964	210 28 00000	
8	0053 0105	WELD1410185	1111	16.00 20.00	1	11	3,964	210 28 00000	
8	0053 0105	WELD1420186	1111	16.00 20.00	1	3	3,964	210 28 00000	
4	0053 0111	HACR1150099	11111	8.00 8.50		14	2,340	210 30 00000	
	0053 0111	HACR1210100	11111	8.00 8.50	1	3	2,340	210 30 00000	
	0053 0111	HACR1410100	11111	8.00 8.50	1	2	2,340	210 30 00000	
	0053 0111	HACR2510101	11111	8.00 8.50	1	2	2,340	210 30 00000	
	0053 0111	HACR2910101	11111	8.00 10.59	1	1	2,340	210 30 00000	
4	0053 0111	HACR2520101	11111	9.00 9.20	1	1	2,340	210 30 00000	
	0053 0111	HACR1160099	11111	9.00 9.50	1	14	2,340	210 30 00000	
	0053 0111	HACR1220100	11111	9.00 9.50	1	3	2,340	210 30 00000	
	0053 0111	HACR2510100	11111	9.00 9.50	1	2	2,340	210 30 00000	
4	0053 0111	HACR2530102	11111	9.30 9.50	1	2	2,340	210 30 00000	
4	0053 0111	HACR2520100	11111	10.00 10.20		3	2,340	210 30 00000	
	0053 0111	HACR1170100	11111	10.00 10.50	1	14	2,340	210 30 00000	
	0053 0111	HACR1230100	11111	10.00 10.50	1	2	2,340	210 30 00000	
	0053 0111	HACR2540102	11111	10.00 10.50	1	1	2,340	210 30 00000	
4	0053 0111	HACR2530100	11111	10.30 10.50	1	1	2,340	210 30 00000	
	0053 0111	HACR1180100	11111	12.00 12.50		14	2,340	210 30 00000	
	0053 0111	HACR1240100	11111	12.00 12.50	1	3	2,340	210 30 00000	
	0053 0111	HACR2540101	11111	12.00 12.50	1	3	2,340	210 30 00000	
	0053 0111	HACR2550102	11111	12.00 12.50	1	1	2,340	210 30 00000	
	0053 0111	HACR1150159	11111	12.00 15.00	1	3	2,340	210 30 00000	
	0053 0111	HACR1160159	11111	12.00 15.00	1	3	2,340	210 30 00000	
4	0053 0111	HACR1410102	11111	13.00 13.20	1	2	2,340	210 30 00000	
4	0053 0111	HACR2560102	11111	13.00 13.20	1	1	2,340	210 30 00000	
	0053 0111	HACR1210102	11111	13.00 13.50	1	6	2,340	210 30 00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2017
 RUN DATE 11/16/2017 08:57:53
 PAGE NUM 5

LDCC - DELTA OUACHITA CAMPUS

BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	0053 0111	HACR1420102	11111	13.30 13.50	1	4	2,340	210 30	00000
	0053 0112	ELEC1230028	11111	8.00 10.30		2	2,390	210 30	00000
	0053 0112	ELEC1230029	11111	8.00 10.30	1	1	2,390	210 30	00000
	0053 0112	ELEC2460028	11111	8.00 10.30	1	5	2,390	210 30	00000
	0053 0112	ELEC1220047	11111	8.00 11.00	1	6	2,390	210 30	00000
	0053 0112	ELEC1311029	11111	8.00 11.50	1	6	2,390	210 30	00000
4	0053 0112	ELEC1220047	11111	8.00 13.50	1	1	2,390	210 30	00000
4	0053 0112	ELEC1440029	11111	8.00 13.59	1	3	2,390	210 30	00000
	0053 0112	ELEC1430029	11111	12.00 13.50	1	1	2,390	210 30	00000
	0053 0112	ELEC1210028	11111	12.00 14.00	1	6	2,390	210 30	00000
	0053 0112	ELEC1210204	11111	12.00 15.00	1	3	2,390	210 30	00000
8	0053 0112	ELEC1210028	11111	12.00 15.50	1	17	2,390	210 30	00000
8	0053 0112	ELEC1410030	11111	14.00 15.55	1	2	2,390	210 30	00000
	0053 0112	ELEC2720198	1111	16.00 17.00		5	2,390	210 30	00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -	
	THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,	
	THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	51
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -	
	CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - -	44
	PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -	5
	THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	100
TOTAL NUMBER OF RECORDS READ	- - - - -	218
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	213
NUMBER OF JOINT-CLASS RECORDS	- - - - -	147
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/16/2017 08:57:53

PAGE NUM 1

LDCC - DELTA OUACHITA CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			574
WEEKLY STUDENT CONTACT HOURS	3,286		3,286
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,710	950	2,660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	323		323
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	51,660	28,700	80,360
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,678		6,678
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,572		6,572
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	18.9	.0	12.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	12.7	.0	8.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	98.4	.0	98.4
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			574
WEEKLY STUDENT CONTACT HOURS	3,286		3,286
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,710	950	2,660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	323		323
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	51,660	28,700	80,360
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,678		6,678
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,572		6,572
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	18.9	.0	12.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	12.7	.0	8.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	98.4	.0	98.4

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/16/2017 08:57:53

PAGE NUM 2

LDCC - DELTA OUACHITA CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			36
TOTAL NUMBER OF STATIONS (CAPACITY)			829
WEEKLY STUDENT CONTACT HOURS	15,527	68	15,595
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,240	1,800	5,040
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,429	15	1,444
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	74,610	41,450	116,060
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	36,038	540	36,578
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	31,055	136	31,191
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	44.1	.8	28.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	41.6	.3	26.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	86.2	25.2	85.3
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			36
TOTAL NUMBER OF STATIONS (CAPACITY)			829
WEEKLY STUDENT CONTACT HOURS	15,527	68	15,595
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,240	1,800	5,040
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,429	15	1,444
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	74,610	41,450	116,060
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	36,038	540	36,578
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	31,055	136	31,191
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	44.1	.8	28.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	41.6	.3	26.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	86.2	25.2	85.3

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY