

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/13/2017 14:42:48
 PAGE NUM 1

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	LEFA 0104	HMDT1170 A	1	7.30 9.20		24	1,151	110 40	00000
	LEFA 0104	HNUR1211 A	1111	7.30 10.20		16	1,151	110 40	00000
	LEFA 0104	HNUR1105 A	1111	8.30 10.20	1	20	1,151	110 40	00000
	LEFA 0104	HBIO1200 A	11111	10.30 11.20		15	1,151	110 40	00000
	LEFA 0104	HNUR1152 A	1	12.30 13.20		18	1,151	110 40	00000
	LEFA 0104	HNUR1180 A	11	12.30 14.20		18	1,151	110 40	00000
4	LEFA 0112	NRSA1222 A	1	6.30 14.20		14	632	110 24	00000
4	LEFA 0112	HPHL1020 A	1	6.30 16.30		15	632	110 24	00000
	LEFA 0112	NRSA1211 A	1	7.30 12.30		14	632	110 24	00000
	LEFA 0112	HIHC1110 A	1 1	9.30 10.20		15	632	110 24	00000
	LEFA 0112	HPHL1010 A	1 1	10.30 11.20		15	632	110 24	00000
	LEFA 0112	HIHC1500 A	1	12.30 13.20		8	632	110 24	00000
	LEFA 0112	HIHC1160 A	1	12.30 13.20		15	632	110 24	00000
	LEFA 0112	NBAP1120 A	1 1	13.30 14.20		15	632	110 24	00000
4	LEFA 0116	ELEC2301 A	11111	7.15 7.44		12	1,156	110 20	00000
	LEFA 0116	ELEC2302 A	11111	7.45 8.24		12	1,156	110 20	00000
4	LEFA 0116	ELEC2303 A	11111	8.25 8.54		12	1,156	110 20	00000
	LEFA 0116	ELEC2305 A	11111	8.55 9.45		12	1,156	110 20	00000
	LEFA 0116	ELEC1201 A	11111	9.46 10.54		11	1,156	110 20	00000
	LEFA 0116	ELEC1202 A	11111	10.55 11.54		11	1,156	110 20	00000
	LEFA 0116	ELEC1203 A	11111	11.55 12.35		11	1,156	110 20	00000
4	LEFA 0116	ELEC1010 A	11111	13.05 13.34		23	1,156	110 20	00000
	LEFA 0116	ELEC1020 A	11111	13.35 14.14		23	1,156	110 20	00000
	LEFA 0116	ELEC1101 A	11111	14.15 14.54		23	1,156	110 20	00000
	LEFA 0116	ELEC1102 A	11111	14.55 15.35		24	1,156	110 20	00000
	LEFA 0122	DESL1120 A	1 1 1	7.30 9.20		10	645	110 28	00000
	LEFA 0122	DESL1500 A	1 1	10.30 13.15		8	645	110 28	00000
	LEFA 0122	MDET2700 A	1 1	13.20 15.20		9	645	110 28	00000
	LEFA 0122	MWLD2230 A	1 1 1	14.30 15.20		9	645	110 28	00000
	LEFA 0123	AUTO1300 A	1 1 1	7.30 8.20		20	634	110 22	00000
	LEFA 0123	AUTO1200 A	1 1 1	10.30 11.20		19	634	110 22	00000
	LEFA 0123	AUTO1400 A	1 1 1	13.30 14.20		20	634	110 22	00000
	LEFA 0124	WELD2114 AB	1	7.30 9.30		1	592	110 24	00000
	LEFA 0124	WELD2114 CB	1	7.30 9.30	1	1	592	110 24	00000
	LEFA 0124	WELD2111 BB	1	7.30 9.45	1	1	592	110 24	00000
	LEFA 0124	WELD1511 A	11111	7.30 11.15	1	1	592	110 24	00000
	LEFA 0124	WELD2110 A	11111	7.30 11.30	1	1	592	110 24	00000
	LEFA 0124	WELD2114 D	1111	7.30 11.30	1	1	592	110 24	00000
	LEFA 0124	WELD2114 AA	1111	7.30 11.30	1	1	592	110 24	00000
	LEFA 0124	WELD2114 CA	1111	7.30 11.30	1	1	592	110 24	00000
	LEFA 0124	WELD2310 AA	1 1	7.30 11.30	1	1	592	110 24	00000
	LEFA 0124	WELD1411 DB	1	7.30 11.30		5	592	110 24	00000
	LEFA 0124	WELD1411 EB	1	7.30 11.30	1	2	592	110 24	00000
	LEFA 0124	WELD1412 AB	1	7.30 11.30	1	1	592	110 24	00000
	LEFA 0124	WELD1412 EB	1	7.30 11.30	1	6	592	110 24	00000
	LEFA 0124	WELD2110BSB	1	7.30 11.30	1	1	592	110 24	00000
	LEFA 0124	WELD2310 AC	1	7.30 11.30	1	1	592	110 24	00000
	LEFA 0124	WELD1110 A	11111	7.30 12.00	1	7	592	110 24	00000
	LEFA 0124	WELD1110 B	11111	7.30 12.00	1	1	592	110 24	00000
	LEFA 0124	WELD1110 A1	11111	7.30 12.00	1	5	592	110 24	00000
	LEFA 0124	WELD1210 B	11111	7.30 12.00	1	7	592	110 24	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/13/2017 14:42:48
 PAGE NUM 2

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	LEFA 0124	WELD1210 C	11111	7.30 12.00	1	1	592	110 24	00000
8	LEFA 0124	WELD1210 B1	11111	7.30 12.00	1	5	592	110 24	00000
8	LEFA 0124	WELD1410 C1	11111	7.30 12.00	1	7	592	110 24	00000
8	LEFA 0124	WELD2311 B	11111	7.30 12.00	1	1	592	110 24	00000
8	LEFA 0124	WELD1512 A	11111	7.30 12.30	1	1	592	110 24	00000
8	LEFA 0124	WELD1512 B	11111	7.30 12.30	1	2	592	110 24	00000
8	LEFA 0124	WELD2230 C1	11111	7.30 12.30	1	1	592	110 24	00000
8	LEFA 0124	WELD2230 C2	11111	7.30 12.30	1	1	592	110 24	00000
8	LEFA 0124	WELD2210 BB	1	7.30 12.30	1	1	592	110 24	00000
8	LEFA 0124	WELD2210 DB	1	7.30 12.30	1	1	592	110 24	00000
4	LEFA 0124	WELD1411 DA	1111	7.30 12.45	1	5	592	110 24	00000
4	LEFA 0124	WELD1411 EA	1111	7.30 12.45	1	2	592	110 24	00000
4	LEFA 0124	WELD1412 AA	1111	7.30 12.45	1	1	592	110 24	00000
4	LEFA 0124	WELD1412 EA	1111	7.30 12.45	1	6	592	110 24	00000
4	LEFA 0124	WELD2310 AB	1 1	7.30 13.00	1	1	592	110 24	00000
4	LEFA 0124	WELD2111 C	1111	7.30 13.30	1	1	592	110 24	00000
4	LEFA 0124	WELD2111 BA	1111	7.30 13.30	1	1	592	110 24	00000
4	LEFA 0124	WELD1111 A	11111	7.30 14.00	1	1	592	110 24	00000
4	LEFA 0124	WELD1310 D2	1111	7.30 14.00	1	1	592	110 24	00000
4	LEFA 0124	WELD2110BSA	1111	7.30 14.30	1	1	592	110 24	00000
4	LEFA 0124	WELD2210 BA	1111	7.30 15.00	1	1	592	110 24	00000
4	LEFA 0124	WELD2210 DA	1111	7.30 15.00	1	1	592	110 24	00000
	LEFA 0124	WELD1410 C	11111	8.30 11.30	1	6	592	110 24	00000
	LEFA 0124	WELD1410 D	11111	8.30 11.30	1	1	592	110 24	00000
	LEFA 0203	CPCS2220 A	1 1	8.30 10.20		13	825	110 40	00000
	LEFA 0203	CPCS2000 A	111	10.00 15.00		14	825	110 40	00000
	LEFA 0203	CPCS2040 A	1 1	10.30 12.20		14	825	110 40	00000
	LEFA 0203	CPCS2140 A	1 1	13.00 14.30		14	825	110 40	00000
	LEFA 110A	NURS1300 A	11111	8.30 11.20		21	810	110 26	00000
	LEFA 110A	NURS1090 A	1 1 1	12.30 15.20		20	810	110 26	00000
	LEFA 110A	NURS1080 A	1 1	12.30 15.30		20	810	110 26	00000
	LEFA 122C	DESL2500 A	1 1 1	7.30 9.20		8	2,526	210 28	00000
	LEFA 122C	DESL1150 A	1 1	7.30 10.15		10	2,526	210 28	00000
	LEFA 122C	DESL1240 A	1 1	7.30 10.15	1	1	2,526	210 28	00000
	LEFA 122C	MDET2230 A	1 1	7.30 10.15	1	3	2,526	210 28	00000
	LEFA 122C	DESL1130 A	1 1 1	9.30 11.20		10	2,526	210 28	00000
	LEFA 122C	DESL1231 A	1 1 1	11.30 13.20		1	2,526	210 28	00000
	LEFA 122C	DESL1140 A	1 1 1	11.30 14.20	1	11	2,526	210 28	00000
	LEFA 123C	AUTO1401 A	1 1	7.30 10.15		5	5,788	210 22	00000
	LEFA 123C	AUTO1301 A	1 1 1	8.30 10.20		23	5,788	210 22	00000
	LEFA 123C	AUTO1501 A	1 1 1	10.30 12.20		2	5,788	210 22	00000
	LEFA 123C	AUTO1821 A	1 1 1	10.30 12.20	1	2	5,788	210 22	00000
	LEFA 123C	AUTO1201 A	1 1 1	11.30 13.20	1	20	5,788	210 22	00000
	LEFA 123C	AUTO1811 A	1 1	12.00 14.45		1	5,788	210 22	00000
	LEFA 123C	AUTO1801 A	1 1 1	12.30 14.20		1	5,788	210 22	00000
	LEFA 125B	MTTC1110 A	11111	7.30 8.30		11	480	110 20	00000
	LEFA 125B	MTTC1310 A	1 1 1	8.35 10.35		11	480	110 20	00000
	LEFA 125B	MTTC1130 A	1 1	9.00 10.15		10	480	110 20	00000
	LEFA 125B	MTTC1210 A	1 1	10.20 12.20		10	480	110 20	00000
	LEFA 125B	MTTC2710 A	1 1	12.25 14.25		9	480	110 20	00000
	LEFA 125C	MTTC2631 A	1 1 1	7.30 11.30		3	208	210 15	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/13/2017 14:42:48
 PAGE NUM 3

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	LEFA	125C	MTTC2711 A	1 1	7.30 11.30		7	208	210 15 00000
	LEFA	125C	MTTC1341 A	1 1 1	10.40 12.40		3	208	210 15 00000
	LEFA	125C	MTTC1441 A	1 1 1	12.45 14.45		3	208	210 15 00000
	LEFA	201B	HNUR2305 A	11111	9.30 11.20		11	667	110 30 00000
	LEFA	201B	HNUR2605 A	1 1 1	12.30 15.20		11	667	110 30 00000
	LEFA	201C	PSYC2010 E	1 1	11.00 12.20		20	667	110 32 00000
	SCH1	0101	CPTR1100WBA	1 1	8.00 8.50		36	696	140 28 00000
	SCH1	0101	CINS1450HBA	1 1	8.35 9.30		4	696	140 28 00000
	SCH1	0101	BUSI10501DA	1 1	9.00 10.20		20	696	140 28 00000
	SCH1	0101	CINS1750 A	1 1	10.30 11.50		9	696	140 28 00000
	SCH1	0101	ACCT2250WDA	1	10.45 11.40		15	696	140 28 00000
	SCH1	0101	DVKB0900WBA	1 1	11.50 12.45		16	696	140 28 00000
	SCH1	0101	KYBD1100WBA	1 1	11.50 12.45	1	17	696	140 28 00000
	SCH1	0101	DVKB0900WBB	1 1	12.00 13.20		16	696	140 28 00000
	SCH1	0101	KYBD1100WBB	1 1	12.00 13.20	1	17	696	140 28 00000
	SCH1	0102	ENGL0098 C	1 1	10.30 11.50		24	696	140 25 00000
	SCH1	0102	KYBD1200 A	1 1 1	11.50 12.45		6	696	140 25 00000
	SCH1	0102	CINS1550 A	1 1	12.00 13.20		8	696	140 25 00000
	SCH1	0111	CRJU2640 A	1 1	7.30 8.50		9	667	110 35 00000
	SCH1	0111	CRJU2650 A	1 1 1	8.35 9.30		8	667	110 35 00000
	SCH1	0111	CRJU1010 A	1 1	9.00 10.20		29	667	110 35 00000
	SCH1	0111	CRJU2030 A	1 1 1	9.40 10.35		12	667	110 35 00000
	SCH1	0111	CRJU2020 A	1 1	10.30 11.50		16	667	110 35 00000
	SCH1	0111	CRJU2630 A	1 1 1	10.45 11.40		8	667	110 35 00000
	SCH1	0111	CRJU2040 A	1 1 1	11.50 12.45		14	667	110 35 00000
	SCH1	0111	CRJU2200 A	1 1	12.00 13.20		9	667	110 35 00000
	SCH1	0111	CRJU2150 A	1 1	13.30 14.50		7	667	110 35 00000
	SCH1	0111	POLI2520 EM	1	17.30 20.20		11	667	110 35 00000
	SCH1	0112	BIOL1010 A	1 1 1	8.35 9.30		32	696	110 32 00000
	SCH1	0116	BIOL1150 E	1	7.30 10.20		22	1,496	210 29 00000
	SCH1	0116	BIOL1150 A	1 1	8.35 9.55		10	1,496	210 29 00000
	SCH1	0116	BIOL1170 A	1 1	10.10 11.30		29	1,496	210 29 00000
	SCH1	0116	BIOL1170 C	1 1	10.30 11.50		31	1,496	210 29 00000
	SCH1	0116	BIOL1150 B	1 1	11.50 13.10		30	1,496	210 29 00000
	SCH1	0116	BIOL1150 D	1 1	12.00 13.20		30	1,496	210 29 00000
	SCH1	0116	BIOL1150 C	1 1	13.30 14.50		31	1,496	210 29 00000
	SCH1	0116	BIOL1170 B	1 1	14.00 15.20		15	1,496	210 29 00000
	SCH1	0116	BIOL1150 ER	1	17.30 20.20		27	1,496	210 29 00000
	SCH1	0120	ENGL1020 B	1 1 1	8.35 9.30		30	1,023	140 32 00000
	SCH1	0120	ENGL0098 B	1 1 1	9.40 10.35		29	1,023	140 32 00000
	SCH1	0120	ENGL1020 D	1 1	10.30 11.50		32	1,023	140 32 00000
	SCH1	0120	ENGL1010 D	1 1 1	10.45 11.40		30	1,023	140 32 00000
	SCH1	0120	ENGL1010 E	1 1 1	11.50 12.45		32	1,023	140 32 00000
	SCH1	0120	ENGL1020 E	1 1	12.00 13.20		21	1,023	140 32 00000
	SCH1	0120	SPCH1200 EM	1	18.00 20.45		29	1,023	140 32 00000
	SCH1	0120	SPCH1200 ET	1	18.00 20.45		23	1,023	140 32 00000
	SCH1	0121	READ0099HBA	1 1	8.35 9.30		24	1,023	140 35 00000
	SCH1	0121	READ0099 A	1 1	9.00 10.20		25	1,023	140 35 00000
	SCH1	0121	READ0099HBB	1 1	9.40 10.35		29	1,023	140 35 00000
	SCH1	0121	ENGL1010 G	1 1	10.30 11.40		31	1,023	140 35 00000
	SCH1	0121	READ0099HBC	1 1	11.50 12.45		30	1,023	140 35 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/13/2017 14:42:48
 PAGE NUM 4

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	SCH1	0121	ENGL0099 C	1 1	12.00 13.20		29	1,023	140 35 00000
	SCH1	0121	READ0099HBD	1 1	12.55 13.50		15	1,023	140 35 00000
	SCH1	0122	BIOL1140 A	1 1	8.35 9.55		42	1,044	110 48 00000
	SCH1	0122	BIOL1160 B	1 1	9.00 10.20		37	1,044	110 48 00000
	SCH1	0122	BIOL1140 B	1 1	10.30 11.50		48	1,044	110 48 00000
	SCH1	0122	BIOL1140 C	1 1	12.00 13.20		48	1,044	110 48 00000
	SCH1	0122	BIOL1160 A	1 1 1	12.55 13.50		37	1,044	110 48 00000
	SCH1	0122	BIOL1140 ET	1	17.30 20.20		22	1,044	110 48 00000
	SCH1	0123	BIOL1010 B	1 1	9.00 10.20		31	667	110 36 00000
	SCH1	0131	ENGL0098 1A	1 1 1	8.35 9.30		10	696	140 25 00000
	SCH1	0131	ENGL00992A1	1 1 1	8.35 9.30	1	21	696	140 25 00000
	SCH1	0131	ENGL0098 1B	1 1	9.00 10.20		10	696	140 25 00000
	SCH1	0131	ENGL00992B1	1 1	9.00 10.20	1	21	696	140 25 00000
	SCH1	0131	MATH0098 1B	1 1	10.30 11.50		22	696	140 25 00000
8	SCH1	0131	MATH0099 2B	1 1	10.30 11.50	1	22	696	140 25 00000
	SCH1	0131	MATH0098 1A	1 1 1	10.45 11.40		22	696	140 25 00000
8	SCH1	0131	MATH0099 2A	1 1 1	10.45 11.40	1	22	696	140 25 00000
	SCH1	0201	MATH1000 A	1 1 1	7.30 8.25		32	780	110 38 00000
	SCH1	0201	MLAB1000 A	1 1	7.30 8.50		32	780	110 38 00000
	SCH1	0201	MATH1100 D	1 1	9.00 10.20		33	780	110 38 00000
	SCH1	0201	MATH1110 A	1 1 1	10.45 11.40		18	780	110 38 00000
	SCH1	0202	ACCT2300 A	1 1	9.00 10.20		18	667	110 32 00000
	SCH1	0202	ACCT2100 A	1 1 1	9.40 10.35		26	667	110 32 00000
	SCH1	0202	APMA1030 A	1 1	10.30 11.50		24	667	110 32 00000
	SCH1	0202	BUSN1100WDA	1	10.45 11.40		31	667	110 32 00000
	SCH1	0202	BUSN2100WDA	1	10.45 11.40		30	667	110 32 00000
	SCH1	0202	OSYS2530WDA	1	10.45 11.40		13	667	110 32 00000
	SCH1	0202	ACCT2700 A	1 1 1	11.50 12.45		5	667	110 32 00000
	SCH1	0202	ACCT2100 B	1 1	12.00 13.20		21	667	110 32 00000
	SCH1	0202	ACCT2110 A	1 1	13.30 14.50		11	667	110 32 00000
	SCH1	0203	ENGL1000 A	1 1 1	8.35 9.20		29	1,073	140 33 00000
	SCH1	0203	ENGL1010 F	1 1	9.00 10.20		33	1,073	140 33 00000
	SCH1	0203	ELAB1000 A	1 1 1	9.40 10.35		29	1,073	140 33 00000
	SCH1	0203	ENGL1000 C	1 1 1	11.50 12.45		22	1,073	140 33 00000
	SCH1	0203	ELAB1000 C	1 1	12.00 13.20		22	1,073	140 33 00000
	SCH1	0203	ENGL1010 I	1	15.00 17.50		17	1,073	140 33 00000
	SCH1	0213	ARTS2010 A	1 1	12.00 14.50		11	1,350	210 54 00000
	SCH1	0213	ARTS2020 A	1 1	12.00 14.50	1	1	1,350	210 54 00000
	SCH1	0214	DRFT2400 AB	1 1	7.30 10.20		16	1,023	210 24 00000
	SCH1	0214	DRFT2400 AA	1 1 1	7.30 10.35		16	1,023	210 24 00000
	SCH1	0214	CLCR2000HDA	1	12.00 12.55		27	1,023	210 24 00000
	SCH1	0214	CADD2300 A	1 1	12.00 14.50		10	1,023	210 24 00000
	SCH1	0214	CADD1200 A	1 1 1	12.55 14.55		6	1,023	210 24 00000
	SCH1	0217	MUSC1010 A	1 1 1	8.35 9.30		34	1,350	210 48 00000
	SCH1	0217	MUSC1010 B	1 1	9.00 10.20		36	1,350	210 48 00000
	SCH1	0217	MUSC1010 C	1 1	10.30 11.50		34	1,350	210 48 00000
	SCH1	0217	MUSC2010 A	1 1 1	10.45 11.40		13	1,350	210 48 00000
	SCH1	0218	DRFT1200 AB	1 1	7.30 10.20		6	899	210 15 00000
	SCH1	0218	DRFT1200 AA	1 1 1	8.35 10.35		6	899	210 15 00000
	SCH1	0218	DRFT1100 AA	1 1 1	11.50 14.55		8	899	210 15 00000
	SCH1	0218	DRFT1100 AB	1 1	12.00 14.50		8	899	210 15 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/13/2017 14:42:48
 PAGE NUM 5

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	SCH1	0219	PHSC1000 A	1 1 1	7.30 8.25		20	874	110 44 00000
	SCH1	0219	CHEM1010 B	1 1	7.30 8.50		15	874	110 44 00000
	SCH1	0219	PHSC1000 C	1 1	9.00 10.20		25	874	110 44 00000
	SCH1	0219	PHSC1200 A	1 1	10.30 11.50		8	874	110 44 00000
	SCH1	0219	PHSC1000 B	1 1 1	10.45 11.40		21	874	110 44 00000
	SCH1	0220	HIST1020 A	1 1	9.00 10.20		29	874	110 44 00000
	SCH1	0220	HIST1500 A	1 1 1	10.45 11.40		44	874	110 44 00000
	SCH1	0220	HIST2010 A	1 1	12.00 13.20		43	874	110 44 00000
	SCH1	0220	HIST2020 A	1 1	14.00 15.20		15	874	110 44 00000
	SCH1	0221	MATH0098 A	1 1 1	7.30 8.25		31	775	110 36 00000
	SCH1	0221	MATH0098 H	1 1 1	8.35 9.30		30	775	110 36 00000
	SCH1	0221	MATH0098 F	1 1	10.30 11.50		34	775	110 36 00000
	SCH1	0221	MATH0099 B	1 1 1	10.45 11.40		31	775	110 36 00000
	SCH1	0221	MATH0099 E	1 1	12.00 13.20		32	775	110 36 00000
	SCH1	0221	MATH0099 EW	1	18.00 20.50		20	775	110 36 00000
	SCH1	0222	ARTS1200 C	1 1	9.00 10.20		29	696	110 24 00000
	SCH1	0222	ARTS1200 B	1 1 1	9.40 10.35		31	696	110 24 00000
	SCH1	0222	ARTS2300HDA	1 1 1	11.50 13.50		15	696	110 24 00000
	SCH1	0223	PSYC2010 C	1 1	9.00 10.20		19	868	110 46 00000
	SCH1	0223	PSYC2010 A	1 1	10.30 11.50		44	868	110 46 00000
	SCH1	0223	PSYC2200HBA	1 1	10.45 11.40		12	868	110 46 00000
	SCH1	0223	PSYC2010 B	1 1 1	11.50 12.45		37	868	110 46 00000
	SCH1	0223	PSYC2120HBA	1	12.00 13.20		37	868	110 46 00000
	SCH1	0224	PSYC20102HB	1 1 1	8.35 9.30		19	693	110 25 00000
	SCH1	0224	PSYC21201HB	1 1 1	8.35 9.30	1	11	693	110 25 00000
8	SCH1	0224	ENGL10101HA	1 1	9.00 10.20		22	693	110 25 00000
	SCH1	0224	ENGL10202HA	1 1	9.00 10.20	1	23	693	110 25 00000
	SCH1	0224	READ00991HA	1 1	10.30 11.50		22	693	110 25 00000
	SCH1	0224	MATH0099 1A	1 1 1	11.50 12.45		17	693	110 25 00000
	SCH1	0224	MATH1100 2A	1 1 1	11.50 12.45	1	13	693	110 25 00000
	SCH1	0224	MATH0099 1B	1 1	12.00 13.20		17	693	110 25 00000
	SCH1	0224	MATH1100 2B	1 1	12.00 13.20	1	13	693	110 25 00000
	SCH1	0224	MATH2100 EW	1	18.00 20.50		8	693	110 25 00000
	SCH1	0225	MATH2100 A	1 1 1	8.35 9.30		13	660	110 32 00000
	SCH1	0225	MATH1100 B	1 1 1	10.45 11.40		32	660	110 32 00000
	SCH1	0225	PSYC2010 D	1 1	12.00 13.20		19	660	110 32 00000
	SCH1	0227	CLCR1001 A	1 1	7.30 8.25		33	1,116	140 38 00000
	SCH1	0227	CLCR1001 B	1	8.35 10.35		16	1,116	140 38 00000
	SCH1	0227	CLCR1001 D	1 1	9.00 9.55		35	1,116	140 38 00000
	SCH1	0227	CLCR1001 E	1 1	10.30 11.25		35	1,116	140 38 00000
	SCH1	0227	CLCR1001 C	1 1	10.45 11.40		37	1,116	140 38 00000
	SCH1	0227	ENGL0099 B	1 1 1	11.50 12.45		27	1,116	140 38 00000
	SCH1	0227	CLCR1001 F	1 1	12.00 12.55		35	1,116	140 38 00000
	SCH1	0227	ENGL0098 D	1 1 1	12.55 13.50		22	1,116	140 38 00000
	SCH1	0227	SOCI2010 A	1	15.00 17.50		36	1,116	140 38 00000
	SCH1	0227	CLCR1001 ET	1	18.00 20.00		11	1,116	140 38 00000
	SCH1	0228	MATH0097 CL	1 1	7.30 8.50		28	744	110 36 00000
	SCH1	0228	MATH1100 A	1 1 1	8.35 9.30		34	744	110 36 00000
	SCH1	0228	MATH2100 C	1 1	9.00 10.20		34	744	110 36 00000
	SCH1	0228	MATH0097 A	1 1 1	9.40 10.35		32	744	110 36 00000
	SCH1	0228	MATH0097 D	1 1	10.30 11.50		16	744	110 36 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/13/2017 14:42:48
 PAGE NUM 6

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	SCH1	0228	MATH0098 C	1 1 1	10.45 11.40		33	744	110 36 00000
	SCH1	0228	MATH0097 B	1 1 1	11.50 12.45		31	744	110 36 00000
	SCH1	0228	MLAB1000 C	1 1	13.30 14.50		23	744	110 36 00000
	SCH1	0228	MATH1000 C	1 1	14.00 15.20		23	744	110 36 00000
	SCH1	0228	MATH1100 EW	1	18.00 20.50		26	744	110 36 00000
	SCH1	0229	CPTR1100 B	1 1 1	9.40 10.35		36	990	140 36 00000
	SCH1	0229	CPTR1100 C	1 1 1	11.50 12.45		33	990	140 36 00000
	SCH1	0229	CPTR1100EHA	1	17.30 19.00		33	990	140 36 00000
	SCH1	0230	MATH0099 A	1 1 1	8.35 9.30		31	667	110 32 00000
	SCH1	0230	MATH0099 D	1 1	9.00 10.20		32	667	110 32 00000
	SCH1	0230	MATH0098 B	1 1 1	9.40 10.35		32	667	110 32 00000
	SCH1	0230	MATH2100 B	1 1 1	11.50 12.45		22	667	110 32 00000
	SCH1	0230	MATH1100 E	1 1	12.00 13.20		32	667	110 32 00000
	SCH1	0230	MATH0098 D	1 1 1	12.55 13.50		29	667	110 32 00000
	SCH1	0231	ENGL1010 B	1 1 1	8.35 9.30		31	1,073	140 33 00000
	SCH1	0231	ENGL1010 C	1 1 1	9.40 10.35		33	1,073	140 33 00000
	SCH1	0231	ELAB1000 B	1 1	10.30 11.50		29	1,073	140 33 00000
	SCH1	0231	ENGL1000 B	1 1 1	10.45 11.40		28	1,073	140 33 00000
	SCH1	0231	ENGL1020 C	1 1 1	11.50 12.45		24	1,073	140 33 00000
	SCH1	0231	ENGL2110 A	1 1 1	12.55 13.50		26	1,073	140 33 00000
	SCH1	0232	MATH1000 B	1 1 1	9.40 10.35		31	667	110 30 00000
	SCH1	0232	MATH2010 A	1 1	10.30 11.50		24	667	110 30 00000
	SCH1	0232	MLAB1000 B	1 1 1	10.45 11.40		31	667	110 30 00000
	SCH1	0232	MATH1100 C	1 1 1	12.55 13.50		25	667	110 30 00000
	SCH1	0232	MATH0098 EW	1	18.00 20.50		29	667	110 30 00000
	SCH2	0102	IPTN2200 B	1	8.35 11.30		7	721	140 24 00000
	SCH2	0102	IPTN2200 A	1	13.30 16.30		7	721	140 24 00000
	SCH2	0102	IPTN1500 A	1	13.30 16.30		11	721	140 24 00000
	SCH2	0102	IPTN2200 EM	1	17.30 20.30		15	721	140 24 00000
	SCH2	0102	IPTN2000 ET	1	17.30 20.30		7	721	140 24 00000
	SCH2	0103	IPTN1300 B	1	8.35 11.35		10	721	140 24 00000
	SCH2	0103	IPTN2000 EW	1	17.30 20.30		9	721	140 24 00000
	SCH2	0107	IPTN2500 A	1	8.35 10.35		7	784	110 24 00000
	SCH2	0107	IPTN1030 B	1	13.35 16.35		14	784	110 24 00000
	SCH2	0107	IPTN2500 ER	1	17.30 19.30		7	784	110 24 00000
	SCH2	0201	IPTN1610 A	1	13.30 16.30		8	721	140 24 00000
	SCH2	0201	IPTN1310 B	1	13.30 16.30		16	721	140 24 00000
	SCH2	0201	IPTN1600 B	1	13.30 16.30		11	721	140 24 00000
	SCH2	0201	IPTN1320 ET	1	17.30 20.30		11	721	140 24 00000
	SCH2	0201	IPTN1610 EW	1	17.30 20.30		6	721	140 24 00000
	SCH2	0201	IPTN1600 ER	1	17.30 20.30		13	721	140 24 00000
	SCH2	0204	IPTN2600 A	1	8.35 10.35		4	668	140 24 00000
	SCH2	0204	IPTN1310 A	1	8.35 11.35		13	668	140 24 00000
	SCH2	0204	IPTN1030 C	1	8.35 11.35		17	668	140 24 00000
	SCH2	0204	IPTN2100 A	1	13.30 16.30		13	668	140 24 00000
	SCH2	0204	IPTN1050 A	1	13.30 16.30		7	668	140 24 00000
	SCH2	0204	IPTN2100 ET	1	17.30 20.30		6	668	140 24 00000
	SCH2	0205	IPTN2300 A	1	13.30 16.30		12	687	110 24 00000
	SCH2	0205	IPTN2300 EW	1	17.30 20.30		7	687	110 24 00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -	
	THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,	
	THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	17
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -	
	CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - -	13
	PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -	
	THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	30
TOTAL NUMBER OF RECORDS READ	- - - - -	304
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	304
NUMBER OF JOINT-CLASS RECORDS	- - - - -	57
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/13/2017 14:42:48
 PAGE NUM 1

L.E. FLETCHER TECHNICAL COMM. COLL.

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			69
TOTAL NUMBER OF STATIONS (CAPACITY)			1,905
WEEKLY STUDENT CONTACT HOURS	15,391	811	16,203
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6,210	3,450	9,660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,829	107	2,936
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	171,450	95,250	266,700
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	77,338	3,152	80,490
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	30,783	1,623	32,406
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	45.6	3.1	30.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	18.0	1.7	12.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	39.8	51.5	40.3
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			51
TOTAL NUMBER OF STATIONS (CAPACITY)			1,420
WEEKLY STUDENT CONTACT HOURS	11,326	383	11,709
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4,590	2,550	7,140
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,455	46	2,501
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	127,800	71,000	198,800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	66,086	1,500	67,586
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	22,653	766	23,419
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	53.5	1.8	35.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	17.7	1.1	11.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	34.3	51.1	34.7

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/13/2017 14:42:48
 PAGE NUM 2

L.E. FLETCHER TECHNICAL COMM. COLL.

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			18
TOTAL NUMBER OF STATIONS (CAPACITY)			485
WEEKLY STUDENT CONTACT HOURS	4,065	428	4,493
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,620	900	2,520
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	374	61	435
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43,650	24,250	67,900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,252	1,652	12,904
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,130	857	8,987
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	23.1	6.8	17.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	18.6	3.5	13.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	72.3	51.9	69.6
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			24
TOTAL NUMBER OF STATIONS (CAPACITY)			572
WEEKLY STUDENT CONTACT HOURS	2,357	81	2,438
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,160	1,200	3,360
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	450	6	456
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	51,480	28,600	80,080
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,439	174	11,613
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,714	162	4,876
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	20.8	.5	13.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	9.2	.6	6.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	41.2	93.1	42.0

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/13/2017 14:42:48
 PAGE NUM 3

L.E. FLETCHER TECHNICAL COMM. COLL.

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			22
TOTAL NUMBER OF STATIONS (CAPACITY)			549
WEEKLY STUDENT CONTACT HOURS	2,357	81	2,438
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,980	1,100	3,080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	450	6	456
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	49,410	27,450	76,860
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	11,439	174	11,613
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,714	162	4,876
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	22.7	.5	14.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	9.5	.6	6.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	41.2	93.1	42.0

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY